



NASA SP-7039 (05)

Section 2
Indexes

(NASA-SP-7039 (05)) NASA PATENT ABSTRACTS
BIBLIOGRAPHY: A CONTINUING BIBLIOGRAPHY.
SECTION 2: INDEXES (NASA) 460 p HC

N75-13678

Unclas

00/82 06061

NASA PATENT ABSTRACTS BIBLIOGRAPHY

A CONTINUING BIBLIOGRAPHY

Section 2 • Indexes

JULY 1974

REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U. S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

457

ACCESSION NUMBER RANGES

<i>Bibliography Number</i>	<i>STAR Accession Numbers</i>
NASA SP-7039(04)	N69-20701—N73-33931
NASA SP-7039(05)	N74-10001—N74-21629

This bibliography was prepared by the NASA Scientific and Technical Information Facility operated for the National Aeronautics and Space Administration by Informatics Tisco, Inc.

1. Report No. NASA SP-7039 (03)	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle NASA PATENT ABSTRACTS BIBLIOGRAPHY A Continuing Bibliography		5. Report Date July 1974	
		6. Performing Organization Code	
7. Author(s)		8. Performing Organization Report No.	
		10. Work Unit No.	
9. Performing Organization Name and Address National Aeronautics and Space Administration Washington, D. C. 20546		11. Contract or Grant No.	
		13. Type of Report and Period Covered	
12. Sponsoring Agency Name and Address		14. Sponsoring Agency Code	
15. Supplementary Notes Section 2 - Indexes			
16. Abstract This bibliography is issued in two sections: Section 1 - Abstracts, and Section 2 - Indexes. This issue of the Abstract Section cites 217 patents and applications for patent introduced into the NASA scientific and technical information system during the period January 1974 through June 1974. Each entry in the Abstract Section consists of a citation, an abstract, and, in most cases, a key illustration selected from the patent or application for patent. This issue of the Index Section contains entries for 2653 patent and application for patent citations covering the period May 1969 through June 1974. The Index Section contains five indexes -- subject, inventor, source, number, and accession number.			
17. Key Words (Suggested by Author(s)) Bibliographies Inventions NASA Programs Patents		18. Distribution Statement Unclassified - Unlimited	
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 466	22. Price*

* For sale by the National Technical Information Service, Springfield, Virginia 22151

NASA

PATENT
ABSTRACTS
BIBLIOGRAPHY

A CONTINUING BIBLIOGRAPHY

Section 2 • Indexes

Indexes for the annotated references to NASA-owned inventions covered by U.S. patents and applications for patent that were announced in *Scientific and Technical Aerospace Reports (STAR)* between May 1969 and June 1974. This issue supersedes all previous Index Sections.



This Supplement is available from the National Technical Information Service (NTIS), Springfield, Virginia 22151, for \$5.00. For copies mailed to addressees outside the United States, add \$2.50 per copy for handling and postage.

INTRODUCTION

Several thousand inventions result each year from the aeronautical and space research supported by the National Aeronautics and Space Administration. The inventions having important use in government programs or significant commercial potential are usually patented by NASA. These inventions cover practically all fields of technology and include many that have useful and valuable commercial application.

NASA inventions best serve the interests of the United States when their benefits are available to the public. In many instances, the granting of nonexclusive or exclusive licenses for the practice of these inventions may assist in the accomplishment of this objective. This bibliography is published as a service to companies, firms, and individuals seeking new, licensable products for the commercial market.

The *NASA Patent Abstracts Bibliography (NASA PAB)* is a semiannual NASA publication containing comprehensive abstracts and indexes of NASA-owned inventions covered by U.S. patents and applications for patent. The citations included in *NASA PAB* were originally published in NASA's *Scientific and Technical Aerospace Reports (STAR)* and cover STAR announcements made since May 1969.

For the convenience of the user, each issue of *NASA PAB* has a separately bound Abstract Section (Section 1) and Index Section (Section 2). Although each Abstract Section covers only the indicated six-month period, the Index Section is cumulative covering all NASA-owned inventions announced in STAR since May 1969. Thus a complete set of *NASA PAB* would consist of the Abstract Section of Issue 04 (January 1974), the Abstract Section of for all subsequent issues, and the Index Section for the most recent issue.

The 217 citations published in this issue of the Abstract Section cover the period January 1974 through June 1974. The Index Section contains references to the 2653 citations covering the period May 1969 through June 1974.

ABSTRACT SECTION (SECTION 1)

The Abstract Section is divided into 34 subject categories (See Table of Contents for scope note of each category) under which are grouped appropriate NASA inventions. Each entry in the Abstract Section consists of STAR citation accompanied by an abstract and a key illustration taken from the patent or application for patent drawing. Entries are arranged in subject category in order of the ascending NASA Accession Number originally assigned in STAR to the invention. The range of NASA Accession Numbers within each issue is printed on the inside front cover.

Abstract Citation Data Elements: Each of the abstract citations has several data elements useful for identification and indexing purposes, as follows:

NASA Accession Number



NASA Case Number

Inventor's Name

Title of Invention
 U.S. Patent Application Serial Number
 U.S. Patent Number (for issued patents only)
 U.S. Patent Office Classification Number(s)
 (for issued patents only)

These data elements appear in the citation of the abstract as depicted in the Typical Citation and Abstract reproduced below and are also used in the several indexes.

TYPICAL CITATION AND ABSTRACT FROM PATENT ABSTRACTS BIBLIOGRAPHY



KEY ILLUSTRATION

INDEX SECTION (SECTION 2)

The Index Section is divided into five indexes which are cross-indexed and are useful in locating a single invention or groups of inventions.

Each of the five indexes utilizes basic data elements: (1) Subject Category Number, (2) NASA Accession Number, and (3) NASA Case Number, in addition to other specific index terms.

Subject Index: Lists all inventions according to appropriate alphabetized technical term and indicates the related NASA Case Number, the Subject Category Number, and the NASA Accession Number.

Inventor Index: Lists all inventions according to alphabetized names of inventors and indicates the related NASA Case Number, the Subject Category Number, and the NASA Accession Number.

Source Index: Lists all inventions according to alphabetized source of invention (i.e., name of contractor or government installation where invention was made) and indicates the related NASA Case Number, the Subject Category Number, and the NASA Accession Number.

Number Index: Lists inventions in order of ascending (1) NASA Case Number, (2) U.S. Patent Application Serial Number, (3) U.S. Patent Classification Number, and (4) U.S. Patent Number and indicates the related Subject Category Number and the NASA Accession Number.

Accession Number Index: Lists all inventions in order of ascending NASA Accession Number and indicates the related Subject Category Number, the NASA Case Number, the U.S. Patent Application Serial Number, the U.S. Patent Classification Number, and the U.S. Patent Number.

HOW TO USE THIS PUBLICATION TO IDENTIFY NASA INVENTIONS

To identify one or more NASA inventions within a specific technical field or subject, several techniques are possible when using the flexibility incorporated into the NASA PAB.

(1) *Using Subject Category:* To identify all NASA inventions in any one of the 34 subject categories in this issue of NASA PAB, select the desired Subject Category in the Abstract Section and find the inventions abstracted thereunder. The abstracts are arranged in each Subject Category in order of the ascending Accession Number originally assigned in STAR to each invention.

(2) *Using Subject Index:* To identify all NASA inventions listed under a desired technical subject index term, (A) turn to the cumulative Subject Index in the latest issue of the Index Section and find the invention(s) listed under the desired technical subject term. (B) Note

the indicated Accession Number and the Subject Category Number. (C) Using the indicated Accession Number, turn to the inside front cover of the Index Section to determine which issue of the Abstract Section includes the Accession Number desired. (D) To find the abstract of the particular invention in the issue of the Abstract Section selected, (i) use the Subject Category Number to locate the Subject Category, and (ii) use the Accession Number to locate the desired invention within the Subject Category listing.

(3) *Using Patent Classification Index:* To identify all inventions covered by issued NASA patents (does not include applications for patent) within a desired Patent Office Classification, (A) turn to the Patent Classification Number in the Number Index of Section 2 and find the associated invention(s), and (B) follow the instructions outlined in (2)(B), and (D) above.

PUBLIC AVAILABILITY OF COPIES OF PATENTS AND PATENT APPLICATIONS

Copies of U.S. patents may be purchased directly from the U.S. Patent Office, Washington, D.C. 20231, for fifty cents a copy.

Copies of pending NASA applications for patent abstracted in NASA PAB are sold by the National Technical Information Service, Springfield, Virginia 22151, at the price shown in the citation. Microfiche are sold at the established unit price of \$1.45. When ordering copies of an application for patent from NTIS, the U.S. Patent Application Serial Number listed in the index or shown in the citation for each abstract should be used to identify the desired application for patent.

LICENSES FOR COMMERCIAL USE: INQUIRIES AND APPLICATIONS FOR LICENSE

NASA inventions, abstracted in NASA PAB, are available for nonexclusive or exclusive licensing in accordance with the NASA Patent Licensing Regulations. It is significant that all licenses for NASA inventions shall be by express written instruments and that no license will be granted or implied in a NASA invention except as provided in the NASA Patent Licensing Regulations.

Inquiries concerning the NASA Patent Licensing Program or the availability of licenses for the commercial use of NASA-owned inventions covered by U.S. patents or pending applications for patent should be forwarded to the NASA Patent Counsel of the NASA installation having cognizance of the specific invention, or the Assistant General Counsel for Patent Matters, Code GP, National Aeronautics and Space Administration, Washington, D.C. 20546. Inquiries should refer to the NASA Case Number, the Title of the Invention, and the U.S. Patent Number or the U.S. Application Serial Number assigned to the invention as shown in NASA PAB.

The NASA Patent Counsel having cognizance of the invention is determined by the first three letters or prefix of the NASA Case Number assigned to the invention. The addresses of NASA Patent Counsels are listed alongside the NASA Case Number prefix letters in the following table. Formal application of license must be submitted on the NASA Form, Application for NASA Patent License, which is available upon request from any NASA Patent Counsel.

**NASA Case
Number Pre-
fix Letters**

ARC-xxxxx
XAR-xxxxx

ERC-xxxxx
XER-xxxxx
HQN-xxxxx
XHQ-xxxxx

GSC-xxxxx
XGS-xxxxx

KSC-xxxxx
XKS-xxxxx

LAR-xxxxx
XLA-xxxxx

LEW-xxxxx
XLE-xxxxx

MSC-xxxxx
XMS-xxxxx

MFS-xxxxx
XMF-xxxxx

NPO-xxxxx
XNP-xxxxx
FRC-xxxxx
XFR-xxxxx
WOO-xxxxx

**Address of Cognizant
NASA Patent Counsel**

Ames Research Center
Mail Code: 200-11A
Moffett Field, California 94035

NASA Headquarters
Mail Code: GP
Washington, D.C. 20546

Goddard Space Flight Center
Mail Code: 204
Greenbelt, Maryland 20771

John F. Kennedy Space Center
Mail Code: AD-PAT
Kennedy Space Center, Florida 32899

Langley Research Center
Mail Code: 456
Langley Station
Hampton, Virginia 23365

Lewis Research Center
Mail Code: 500-311
21000 Brookpark Road
Cleveland, Ohio 44135

Lyndon B. Johnson Space Center
Mail Code: AM
Houston, Texas 77058

George C. Marshall Space Flight Center
Mail Code: CC01
Huntsville, Alabama 35812

NASA Pasadena Office
Mail Code: 180-601
4800 Oak Grove Drive
Pasadena, California 91103

NASA PATENT LICENSING REGULATIONS

The NASA Domestic Patent Licensing Regulations (14 C.F.R. 1245.2) are reproduced on the following pages. Selected NASA inventions are also available for licensing in countries other than the United States in accordance with the NASA Foreign Patent Licensing Regulation (14 C.F.R. 1245.4), a copy of which is available from any NASA Patent Counsel.

PATENT LICENSING REGULATIONS

Title 14—AERONAUTICS AND SPACE

Chapter V—National Aeronautics and Space Administration

PART 1245—PATENTS

Subpart 2—Patent Licensing Regulations

1. Subpart 2 is revised in its entirety as follows:

Sec.	
1245.200	Scope of subpart.
1245.201	Definitions.
1245.202	Basic considerations.
1245.203	Licenses for practical application of inventions.
1245.204	Other licenses.
1245.205	Publication of NASA inventions available for license.
1245.206	Application for nonexclusive license.
1245.207	Application for exclusive license.
1245.208	Processing applications for license.
1245.209	Royalties and fees.
1245.210	Reports.
1245.211	Revocation of licenses.
1245.212	Appeals.
1245.213	Litigation.
1245.214	Address of communications.

AUTHORITY: The provisions of this Subpart 2 issued under 42 U.S.C. 2487, 2478(b) (3).

§ 1245.200 Scope of subpart.

This Subpart 2 prescribes the terms, conditions, and procedures for licensing inventions covered by U.S. patents and patent applications for which the Administrator of the National Aeronautics and Space Administration holds title on behalf of the United States.

§ 1245.201 Definitions.

For the purpose of this subpart, the following definitions apply:

(a) "Invention" means an invention covered by a U.S. patent or patent application for which the Administrator of NASA holds title on behalf of the United States and which is designated by the Administration as appropriate for the grant of license(s) in accordance with this subpart.

(b) "To practice an invention" means to make or have made, use or have used, sell or have sold, or otherwise dispose of according to law any machine, article of manufacture or composition of matter physically embodying the invention, or to use or have used the process or method comprising the invention.

(c) "Practical application" means a manufacture in the case of a composition of matter or product, the use in the case of a process, or the operation in the case of a machine, under such conditions as to establish that the invention is being utilized and that its benefits are reasonably accessible to the public.

(d) "Special invention" means any invention designated by the NASA Assistant General Counsel for Patent Matters to be subject to short-form licensing procedures. An invention may be designated as a special invention when a determination is made that:

(1) Practical application has occurred and is likely to continue for the life of

the patent and for which an exclusive license is not in force, or

(2) The public interest would be served by the expeditious granting of a nonexclusive license for practice of the invention by the public.

(e) The "Administrator" means the Administrator of the National Aeronautics and Space Administration, or his designee.

(f) "Government" means the Government of the United States of America.

(g) The "Inventions and Contributions Board" means the NASA Inventions and Contributions Board established by the Administrator of NASA within the Administration in accordance with section 305 of the National Aeronautics and Space Act of 1958 as amended (42 U.S.C. 2457).

§ 1245.202 Basic considerations.

(a) Much of the new technology resulting from NASA sponsored research and development in aeronautical and space activities has application in other fields. NASA has special authority and responsibility under the National Aeronautics and Space Act of 1958, as amended (42 U.S.C. 2451), to provide for the widest practical dissemination and utilization of this new technology. In addition, NASA has been given unique requirements to protect the inventions resulting from NASA activities and to promulgate licensing regulations to encourage commercial use of these inventions.

(b) NASA-owned inventions will best serve the interests of the United States when they are brought to practical application in the shortest time possible. Although NASA encourages the non-exclusive licensing of its inventions to promote competition and achieve their widest possible utilization, the commercial development of certain inventions calls for a substantial capital investment which private manufacturers may be unwilling to risk under a nonexclusive license. It is the policy of NASA to seek exclusive licensees when such licenses will provide the necessary incentive to the licensee to achieve early practical application of the invention.

(c) The Administrator, in determining whether to grant an exclusive license, will evaluate all relevant information submitted by applicants and all other persons and will consider the necessity for further technical and market development of the invention, the capabilities of prospective licensees, their proposed plans to undertake the required investment and development, the impact on competitors, and the benefits of the license to the Government and to the public. Preference for exclusive license shall be given to U.S. citizens or companies who intend to manufacture or use, in the case of a process, the invention in the United States of America, its territories and possessions. Consideration may also be given to assisting small businesses and minority business enterprises, as well as economically depressed, low income and labor surplus areas.

(d) All licenses for inventions shall

be by express written instruments. No license shall be granted either expressly or by implication, for a NASA invention except as provided for in §§ 1245.203 and 1245.204 and in any existing or future treaty or agreement between the United States and any foreign government.

(e) Licenses for inventions covered by NASA-owned foreign patents and patent applications shall be granted in accordance with the NASA Foreign Patent Licensing Regulations (§ 1245.4).

§ 1245.203 Licenses for practical application of inventions.

(a) *General.* As an incentive to encourage practical application of inventions, licenses will be granted to responsible applicants according to the circumstances and conditions set forth in this section.

(b) *Nonexclusive licenses.* (1) Each invention will be made available to responsible applicants for nonexclusive, revocable licensing in accordance with § 1245.206, consistent with the provisions of any existing exclusive license.

(2) The duration of the license shall be for a period as specified in the license.

(3) The license shall require the licensee to achieve the practical application of the invention and to then practice the invention for the duration of the license.

(4) The license may be granted for all or less than all fields of use of the invention and throughout the United States of America, its territories and possessions, Puerto Rico, and the District of Columbia, or in any lesser geographic portion thereof.

(5) The license shall extend to the subsidiaries and affiliates of the licensee and shall be nonassignable without approval of the Administrator, NASA, except to the successor of that part of the licensee's business to which the invention pertains.

(c) *Short-form nonexclusive licenses.* A nonexclusive, revocable license for a special invention, as defined in § 1245.201 (d), shall be granted upon written request, to any applicant by the Patent Counsel of the NASA installation having cognizance of the invention.

(d) *Exclusive licenses.* (1) A limited exclusive license may be granted on an invention available for such licensing provided that:

(i) The Administrator has determined that: (a) The invention has not been brought to practical application by a nonexclusive licensee in the fields of use or in the geographical locations covered by the application for the exclusive license, (b) practical application of the invention in the fields of use or geographical locations covered by the application for the exclusive license is not likely to be achieved expeditiously by the further funding of the invention by the Government or under a nonexclusive license requested by any applicant pursuant to these regulations, and (c) the exclusive license will provide the necessary incentive to the licensee to achieve the practical application of the invention; and

(ii) Either a notice pursuant to

§ 1245.205 Listing the invention as available for licensing has been published in the Federal Register for at least 9 months; or a patent covering the invention has been issued for at least 6 months. However, a limited exclusive license may be granted prior to the periods specified above if the Administrator determines that the public interest will best be served by the earlier grant of an exclusive license.

(2) The license may be granted for all or less than all fields of use of the invention, and throughout the United States of America, its territories and possessions, Puerto Rico, and the District of Columbia, or in any lesser geographic portion thereof.

(3) The exclusive period of the license shall be negotiated, but shall be for less than the terminal portion of the patent, and shall be related to the period necessary to provide a reasonable incentive to invest the necessary risk capital.

(4) The license shall require the licensee to practice the invention within a period specified in the license and then to achieve practical application of the invention.

(5) The license shall require the licensee to expend a specified minimum sum of money and/or to take other specified actions, within indicated period(s) after the effective date of the license, in an effort to achieve practical application of the invention.

(6) The license shall be subject to at least an irrevocable royalty-free right of the Government of the United States to practice and have practiced the invention throughout the world by or on behalf of the Government of the United States and on behalf of any foreign government pursuant to any existing or future treaty or agreement with the United States.

(7) The license may reserve to the Administrator, NASA, under the following circumstances, the right to require the granting of a sublicense to responsible applicant(s) on terms that are considered reasonable by the Administrator, taking into consideration the current royalty rates under similar patents and other pertinent facts: (i) To the extent that the invention is required for public use by Government regulation, or (ii) as may be necessary to fulfill health or safety needs, or (iii) for other purposes stipulated in the license.

(8) The license shall be nontransferable except to the successor of that part of the licensee's business to which the invention pertains.

(9) Subject to the approval of the Administrator, the licensee may grant sublicenses under the license. Each sublicense granted by an exclusive licensee shall make reference to and shall provide that the sublicense is subject to the terms of the exclusive license including the rights retained by the Government under the exclusive license. A copy of each sublicense shall be furnished to the Administrator.

(10) The license may be subject to such other reservations as may be in the public interest.

§ 1245.204 Other licenses.

(a) *License to contractor.* There is

hereby granted to the contractor reporting an invention made in the performance of work under a contract of NASA in the manner specified in section 305(a) (1) or (2) of the National Aeronautics and Space Act of 1958 as amended (42 U.S.C. 2457(a) (1) or (2)), a revocable, nonexclusive, royalty-free license for the practice of such invention, together with the right to grant sublicenses of the same scope to the extent the contractor was legally obligated to do so at the time the contract was awarded. Such license and right is nontransferable except to the successor of that part of the contractor's business to which the invention pertains.

(b) *Miscellaneous licenses.* Subject to any outstanding licenses, nothing in this subpart 2 shall preclude the Administrator from granting other licenses for inventions, when he determines that do so would provide for an equitable distribution of rights. The following exemplify circumstances wherein such licenses may be granted:

(1) In consideration of the settlement of an interference;

(2) In consideration of a release of a claim of infringement; or

(3) In exchange for or as part of the consideration for a license under adversely held patent(s).

§ 1245.205 Publication of NASA inventions available for license.

(a) A notice will be periodically published in the Federal Register listing inventions available for licensing. Abstracts of the inventions will also be published in the NASA Scientific and Technical Aerospace Reports (STAR) and other NASA publications.

(b) Copies of pending patent applications for inventions abstracted in STAR may be purchased from the National Technical Information Service, Springfield, Va. 22151.

§ 1245.206 Application for nonexclusive license.

(a) *Submission of application.* An application for nonexclusive license under § 1245.203(b) or a short-form nonexclusive license for special inventions under § 1245.203(c) shall be addressed to the NASA Patent Counsel of the NASA installation having cognizance over the NASA invention for which a license is desired or to the NASA Assistant General Counsel for Patent Matters.

(b) *Contents of an application for nonexclusive license.* An application for nonexclusive license under § 1245.203(b) shall include:

(1) Identification of invention for which license is desired, including the NASA patent case number, patent application serial number of patent number, title and date, if known;

(2) Name and address of the person, company or organization applying for license and whether the applicant is a U.S. citizen or a U.S. corporation;

(3) Name and address of representative of applicant to whom correspondence should be sent;

(4) Nature and type of applicant's business;

(5) Number of employees;

(6) Purpose for which license is desired;

(7) A statement that contains the applicant's best knowledge of the extent to which the invention is being practiced by private industry and the Government;

(8) A description of applicant's capability and plan to undertake the development and marketing required to achieve the practical application of the invention, including the geographical location where the applicant plans to manufacture or use, in the case of a process, the invention; and

(9) A statement indicating the minimum term of years the applicant desires to be licensed.

(c) *Contents of an application for a short-form nonexclusive license.* An application for a short-form nonexclusive license under § 1245.203(c) for a special invention shall include:

(1) Identification of invention for which license is desired, including the NASA patent case number, patent, application serial number or patent number, title and date, if known;

(2) Name and address of company or organization applying for license; and

(3) Name and address of representative of applicant to whom correspondence should be sent.

§ 1245.207 Application for exclusive license.

(a) *Submission of application.* An application for exclusive license under § 1245.203(d) may be submitted to NASA at any time. An application for exclusive license shall be addressed to the NASA Assistant General Counsel for Patent Matters.

(b) *Contents of an application for exclusive license.* In addition to the requirements set forth in § 1245.206(b), the application for an exclusive license shall include:

(1) Applicant's status, if any, in any one or more of the following categories:

(i) Small business firm;

(ii) Minority business enterprise;

(iii) Location in a surplus labor area;

(iv) Location in a low-income urban area; and

(v) Location in an area designed by the Government as economically depressed.

(2) A statement indicating the time, expenditure; and other acts which the applicant considers necessary to achieve practical application of the invention, and the applicant's offer to invest that sum and to perform such acts if the license is granted;

(3) A statement whether the applicant would be willing to accept a license for all or less than all fields of use of the invention throughout the United States of America, its territories and possessions, Puerto Rico, and the District of Columbia, or in any lesser geographic portion thereof.

(4) A statement indicating the amount of royalty fees or other consideration, if any, the applicant would be willing to pay the Government for the exclusive license; and

(5) Any other facts which the applicant believes to show it to be in the interests of the United States of America for the Administrator to grant an exclusive license rather than a nonexclusive li-

PATENT LICENSING REGULATIONS

license and that such an exclusive license should be granted to the applicant.

§ 1245.208 Processing applications for license.

(a) *Initial review.* Applications for nonexclusive and exclusive licenses under §§ 1245.206 and 1245.207 will be reviewed by the Patent Counsel of the NASA installation having cognizance for the invention and the NASA Assistant General Counsel for Patent Matters, to determine the conformity and appropriateness of the application for license and the availability of the specific invention for the license requested. The Assistant General Counsel for Patent Matters will forward all applications for license conforming to §§ 1245.206(b) and 1245.207(b) to the NASA Inventions and Contributions Board when the invention is available for consideration of the requested license. Prior to forwarding applications for exclusive licenses to the Inventions and Contributions Board, notice in writing will be given to each nonexclusive licensee for the specific invention advising of the receipt of the application for the exclusive license and providing each nonexclusive licensee with a 30-day period for submitting either evidence that practical application of the invention has occurred or is about to occur or, an application for an exclusive license for the invention.

(b) *Recommendations of Inventions and Contributions Board.* The Inventions and Contributions Board shall, in accordance with the basic considerations set forth in §§ 1245.202 and 1245.203, evaluate all applications for license forwarded by the Assistant General Counsel for Patent Matters. Based upon the facts presented to the Inventions and Contributions Board in the application and any other facts in its possession, the Inventions and Contributions Board shall recommend to the Administrator: (1) Whether a nonexclusive or exclusive license should be granted, (2) the identity of the licensee, and (3) any special terms or conditions of the license.

(c) *Determination of Administrator and grant of nonexclusive licenses.* The Administrator shall review the recommendations of the Inventions and Contributions Board and shall determine whether to grant the nonexclusive license as recommended by the Board. If the Administrator determines to grant the license, the license will be granted upon the negotiation of the appropriate terms and conditions of the Office of General Counsel.

(d) *Determination of Administrator and grant of exclusive licenses—(1) Notice.* If the Administrator determines that the best interest of the United States will be served by the granting of an exclusive license in accordance with the basic considerations set forth in §§ 1245.202 and 1245.203, a notice shall be published in the *FEDERAL REGISTER* announcing the intent to grant the exclusive license, the identification of the invention, special terms or conditions of the proposed license, and a statement that NASA will grant the exclusive license unless within 30 days of the publication of such notice the Inventions and Contributions Board receives in writing

any of the following together with supporting documentation:

(i) A statement from any person setting forth reasons why it would not be in the best interest of the United States to grant the proposed exclusive license; or

(ii) An application for a nonexclusive license under such invention, in accordance with § 1245.206(b), in which applicant states that he has already brought or is likely to bring the invention to practical application within a reasonable period.

The Inventions and Contributions Board shall, upon receipt of a written request within the 30 days' notice period, grant an extension of 30 days for the submission of the documents designated above.

(2) *Recommendation of Inventions and Contributions Board.* Upon the expiration of the period required by subparagraph (1) of this paragraph, the Board shall review all written responses to the notice and shall then recommend to the Administrator whether to grant the exclusive license as the Board initially recommended or whether a different form of license, if any, should instead be granted.

(3) *Grant of exclusive licenses.* The Administrator shall review the Board's recommendation and shall determine if the interest of the United States would best be served by the grant of an exclusive license as recommended by the Board. If the Administrator determines to grant the exclusive license, the license will be granted upon the negotiation of the appropriate terms and conditions by the Office of General Counsel.

§ 1245.209 Royalties and fees.

(a) Normally, a nonexclusive license for the practical application of an invention granted to a U.S. citizen or company will not require the payment of royalties; however, NASA may require other consideration.

(b) An exclusive license for an invention may require the payment of royalties, fees or other consideration when the licensing circumstances and the basic considerations in § 1245.202, considered together, indicate that it is in the public interest to do so.

§ 1245.210 Reports.

A license shall require the licensee to submit periodic reports of his efforts to work the invention. The reports shall contain information within his knowledge, or which he may acquire under normal business practice, pertaining to the commercial use that is being made of the invention and such other information which the Administrator may determine pertinent to the licensing program and which is specified in the license.

§ 1245.211 Revocation of licenses.

(a) Any license granted pursuant to § 1245.203 may be revoked, either in part or in its entirety, by the Administrator if in his opinion the licensee at any time shall fail to use adequate efforts to bring to or achieve practical application of the invention in accordance with the terms of the license, or if the licensee at any

time shall default in making any report required by the license, or shall make any false report, or shall commit any breach of any covenant or agreement therein contained, and shall fail to remedy any such default, false report, or breach within 30 days after written notice, or if the patent is deemed unenforceable either by the Attorney General or a final decision of a U.S. court.

(b) Any license granted pursuant to § 1245.204(a) may be revoked, either in part or in its entirety, by the Administrator if in his opinion such revocation is necessary to achieve the earliest practical application of the invention pursuant to an application for exclusive license submitted in accordance with § 1245.207, or the licensee at any time shall breach any covenant or agreement contained in the license, and shall fail to remedy any such breach within 30 days after written notice thereof.

(c) Before revoking any license granted pursuant to this Subpart 2 for any cause, there will be furnished to the licensee a written notice of intention to revoke the license, and the licensee will be allowed 30 days after such notice in which to appeal and request a hearing before the Inventions and Contributions Board on the question of revocation. After a hearing, the Inventions and Contributions Board shall transmit to the Administrator the record of proceedings, its findings of fact, and its recommendation whether the license should be revoked either in part or in its entirety. The Administrator shall review the recommendation of the Board and determine whether to revoke the license in part or in its entirety. Revocation of a license shall include revocation of all sublicenses which have been granted.

§ 1245.212 Appeals.

Any person desiring to file an appeal pursuant to § 1245.211(c) shall address the appeal to Chairman, Inventions and Contributions Board. Any person filing an appeal shall be afforded an opportunity to be heard before the Inventions and Contributions Board, and to offer evidence in support of his appeal. The procedures to be followed in any such matter shall be determined by the Administrator. The Board shall make findings of fact and recommendations with respect to disposition of the appeal. The decision on the appeal shall be made by the Administrator, and such decision shall be final and conclusive, except on questions of law, unless determined by a court of competent jurisdiction to have been fraudulent, or capricious, or arbitrary, or so grossly erroneous as necessarily to imply bad faith, or not supported by substantial evidence.

§ 1245.213 Litigation.

An exclusive licensee shall be granted the right to sue at his own expense any party who infringes the rights set forth in his license and covered by the licensed patent. The licensee may join the Government, upon consent of the Attorney General, as a party complainant in such suit, but without expense to the Government and the licensee shall pay costs and any final judgment or decree that may be rendered against the Govern-

PATENT LICENSING REGULATIONS

ment in such suit. The Government shall also have an absolute right to intervene in any such suit at its own expense. The licensee shall be obligated to promptly furnish to the Government, upon request, copies of all pleadings and other papers filed in any such suit and of evidence adduced in proceedings relating to the licensed patent including, but not limited to, negotiations for settlement and agreements settling claims by a licensee based on the licensed patent, and all other books, documents, papers, and

records pertaining to such suit. If, as a result of any such litigation, the patent shall be declared invalid, the licensee shall have the right to surrender his license and be relieved from any further obligation thereunder.

§ 1245.214 Address of communications.

(a) Communications to the Assistant General Counsel for Patent Matters in accordance with §§ 1245.206 and 1245.207 and requests for information concerning licenses for NASA inventions should be

addressed to the Assistant General Counsel for Patent Matters, Code GP, National Aeronautics and Space Administration, Washington, D.C. 20546.

(b) Communications to the Inventions and Contributions Board in accordance with §§ 1245.208, 1245.211, and 1245.212 should be addressed to Chairman, Inventions and Contributions Board, National Aeronautics and Space Administration, Washington, D.C. 20546.

Effective date. The regulations set forth in this subpart 2 are effective April 1, 1972.

JAMES C. FLETCHER,
Administrator.

TABLE OF CONTENTS

Section 1 • Abstracts

Subject Categories

Abstracts in the bibliography are grouped under the following categories:

01 Aerodynamics

Includes aerodynamics of bodies, combinations, internal flow in ducts and turbomachinery; wings, rotors, and control surfaces. For applications see: 02 Aircraft and 32 Space Vehicles. For related information see also: 12 Fluid Mechanics; and 33 Thermodynamics and Combustion.

02 Aircraft

Includes fixed-wing airplanes, helicopters, gliders, balloons, ornithopters, etc.; and specific types of complete aircraft (e.g., ground effect machines, STOL, and VTOL); flight tests; operating problems (e.g., sonic boom); safety and safety devices; economics; and stability and control. For basic research see: 01 Aerodynamics. For related information see also: 31 Space Vehicles; and 32 Structural Mechanics.

03 Auxiliary Systems

Includes fuel cells, energy conversion cells, and solar cells; auxiliary gas turbines; hydraulic, pneumatic and electrical systems; actuators; and inverters. For related information see also: 09 Electronic Equipment; 22 Nuclear Engineering; and 28 Propulsion Systems.

04 Biosciences

Includes aerospace medicine, exobiology, radiation effects on biological systems; physiological and psychological factors. For related information see also: 05 Biotechnology.

05 Biotechnology

Includes life support systems, human engineering, protective clothing and equipment; crew training and evaluation, and piloting. For related information see also: 04 Biosciences.

06 Chemistry

Includes chemical analysis and identification (e.g., spectroscopy). For applications see: 17 Materials, Metallic; 18 Materials, Nonmetallic; and 27 Propellants.

07 Communications

Includes communications equipment and techniques, noise; radio and communications blackout; modulation telemetry; tracking radar and optical observation; and wave propagation. For basic research see: 23 Physics, General; and 21 Navigation.

08 Computers

Includes computer operation and programming; and data processing. For applications, see specific categories. For related information see also: 19 Mathematics.

09 Electronic Equipment

Includes electronic test equipment and maintainability; component parts, e.g., electron tubes, tunnel diodes, transistors, integrated circuitry; microminiaturization. For basic research see: 10 Electronics. For related information see also: 07 Communications and 21 Navigation.

10 Electronics

Includes circuit theory; and feedback and control theory. For applications see: 09 Electronic Equipment. For related information see specific Physics categories.

11 Facilities, Research and Support

Includes airports; lunar and planetary bases including associated vehicles; ground support systems; related logistics; simulators; test facilities (e.g., rocket engine test stands, shock tubes, and wind tunnels); test ranges; and tracking stations.

12 Fluid Mechanics

Includes boundary-layer flow; compressible flow, gas dynamics; hydrodynamics; and turbulence. For related information see also: 01 Aerodynamics; and 33 Thermodynamics and Combustion.

13 Geophysics

Includes aeronomy; upper and lower atmosphere studies; oceanography; cartography; and geodesy. For related information see also: 20 Meteorology; 29 Space Radiation; and 30 Space Sciences.

14 Instrumentation and Photography

Includes design, installation, and testing of instrumentation systems; gyroscopes; measuring instruments and gages; recorders, transducers; aerial photography; and telescopes and cameras.

15 Machine Elements and Processes

Includes bearings, seals, pumps, and other mechanical equipment; lubrication, friction, and wear; manufacturing processes and quality control; reliability; drafting; and materials fabrication, handling, and inspection.

16 Masers

Includes applications of masers and lasers. For basic research see: 26 Physics, Solid-State.

17 Materials, Metallic

Includes cermets; corrosion; physical and mechanical properties of materials; metallurgy; and applications as structural materials. For basic research see: 06 Chemistry. For related information see also: 18 Materials, Nonmetallic; and 32 Structural Mechanics.

18 Materials, Nonmetallic

Includes corrosion; physical and mechanical properties of materials (e.g., plastics); and elastomers, hydraulic fluids, etc. For basic research see: 06 Chemistry. For related information see also: 17 Materials, Metallic; 27 Propellants; and 32 Structural Mechanics.

19 Mathematics

Includes calculation methods and theory; and numerical analysis. For applications see specific categories. For related information see also: 08 Computers.

No

20 Meteorology

Abstracts

Includes climatology; weather forecasting; and visibility studies. For related information see also: 13 Geophysics; and 30 Space Sciences.

21 Navigation

Includes guidance; autopilots; star and planet tracking; inertial platforms; and air traffic control. For related information see also: 07 Communications.

22 Nuclear Engineering

Includes nuclear reactors and nuclear heat sources used for propulsion and auxiliary power. For basic research see: 24 Physics, Atomic, Molecular, and Nuclear. For related information see also: 03 Auxiliary Systems; and 28 Propulsion Systems.

23 Physics, General

Includes acoustics, Cryogenics, mechanics, and optics. For astrophysics see: 30 Space Sciences. For geophysics and related information see also: 13 Geophysics, 20 Meteorology, and 29 Space Radiation.

24 Physics, Atomic, Molecular, and Nuclear

Includes atomic, molecular and nuclear physics. For applications see: 22 Nuclear Engineering. For related information see also: 29 Space Radiation.

25 Physics, Plasma

Includes magnetohydrodynamics. For applications see: 28 Propulsion Systems.

26 Physics, Solid-State

Includes semiconductor theory; and superconductivity. For applications see: 16 Masers. For related information see also: 10 Electronics.

27 Propellants

Includes fuels; igniters; and oxidizers. For basic re-

search see: 06 Chemistry; and 33 Thermodynamics and Combustion. For related information see also: 28 Propulsion Systems.

28 Propulsion Systems

Includes air breathing, electric, liquid, solid, and magnetohydrodynamic propulsion. For nuclear propulsion see: 22 Nuclear Engineering. For basic research see: 23 Physics, General; and 33 Thermodynamics and Combustion. For applications see: 31 Space Vehicles. For related information see also: 27 Propellants.

29 Space Radiation

Includes cosmic radiation; solar flares; solar radiation; and Van Allen radiation belts. For related information see also: 13 Geophysics, and 24 Physics, Atomic, Molecular, and Nuclear.

30 Space Sciences

Includes astronomy and astrophysics; cosmology; lunar and planetary flight and exploration; and theoretical analysis of orbits and trajectories. For related information see also: 11 Facilities, Research and Support; and 31 Space Vehicles.

31 Space Vehicles

Includes launch vehicles; manned space capsules; clustered and multistage rockets; satellites; sounding rockets and probes; and operating problems. For basic research see: 30 Space Sciences. For related information see also: 28 Propulsion Systems; and 32 Structural Mechanics.

32 Structural Mechanics

Includes structural element design and weight analysis; fatigue; thermal stress; impact phenomena; vibration; flutter; inflatable structures; and structural tests. For related information see also: 17 Materials, Metallic; and 18 Materials, Nonmetallic.

33 Thermodynamics and Combustion

Includes ablation, cooling, heating, heat transfer, thermal balance, and other thermal effects; and combustion theory. For related information see also: 12 Fluid Mechanics; and 27 Propellants.

34 General

Includes information of a broad nature related to industrial applications and technology, and to basic research; defense aspects; information retrieval; management; law and related legal matters; and legislative hearings and documents.

Section 2 • Indexes

	<i>page</i>
SUBJECT INDEX	I-1
INVENTOR INDEX	I-197
SOURCE INDEX	I-271
NUMBER INDEX	I-311
ACCESSION NUMBER INDEX	I-377


Subject Index

NASA PATENT ABSTRACTS BIBLIOGRAPHY

JULY 1974

Section 2

Typical Subject Index Listing



The subject heading is the key to the subject content of the document. A brief description of the document, e.g., title, title plus a title extension, or Notation of Content (NOC), is included for each subject entry to indicate the subject heading context; these descriptions are arranged under each subject heading in ascending accession number order. The NASA Case Number serves as the prime access number to the patent documents. The Subject Category Number indicates the category in Section 1 (Abstracts) in which the patent citation and abstract are located. The NASA accession number denotes the number by which the citation is identified within the subject category.

A

ABLATION

- Transpirationally cooled heat ablation system for interplanetary spacecraft reentry shielding [NASA-CASE-XHS-02677] c31 N70-42075
- Hypersonic test facility for studying ablation in models under high pressure and high temperature [NASA-CASE-XLA-00378] c11 N71-15925
- Design of hypersonic test facility for ablation tests and performance tests of vehicles under conditions of high temperature and pressure [NASA-CASE-XLA-05378] c11 N71-21475
- Ablation sensor for measuring char layer recession rate using electric wires [NASA-CASE-XLA-01794] c33 N71-21586
- Ablation sensor for measuring surface ablation rate of material on vehicles entering earth's atmosphere on entry into planetary atmospheres [NASA-CASE-XLA-01791] c14 N71-22991
- Ablative system with liquid carrying ablative material bodies and forming self-replacing ablative surface [NASA-CASE-LEW-10359] c33 N72-25911

ABLATIVE MATERIALS

- Filling honeycomb matrix with deaerated paste filler [NASA-CASE-XHS-01108] c15 N69-24322
- Sensor device with switches for measuring surface recession of charring and noncharring ablators [NASA-CASE-XLA-01781] c14 N69-39975
- Vacuum method for molding thermosetting compounds used as ablative materials [NASA-CASE-XLA-01091] c15 N71-10672
- Ablative resins used for retarding regression in ablative material [NASA-CASE-XLE-05913] c33 N71-14032
- Design, development, and characteristics of ablation structures [NASA-CASE-XHS-01816] c33 N71-15623
- Method and apparatus for fabrication of heat insulating and ablative reentry structure [NASA-CASE-XHS-02009] c33 N71-20834
- Production and application of sprayable fiber reinforced ablation material [NASA-CASE-XLA-04251] c18 N71-26100
- Ablative heat shield for protection from aerodynamic heating of reentry spacecraft [NASA-CASE-HSC-12143-1] c33 N72-17947
- Ablative system with liquid carrying ablative material bodies and forming self-replacing

- ablative surface [NASA-CASE-LEW-10359] c33 N72-25911
- Carrier liquid system containing bodies of ablative material [NASA-CASE-LEW-10359-2] c33 N73-25952
- Ablation article and surface for analyzing flow transition on ablative surface [NASA-CASE-LAR-10439-1] c33 N73-27796
- Dual measurement ablation sensor [NASA-CASE-LAR-10105-1] c33 N74-15652
- ABORT APPARATUS**
- Coupling device for linear shaped charge for space vehicle abort system [NASA-CASE-XLA-00189] c33 N70-36846
- ABRASION RESISTANCE**
- Zinc dust formulation for abrasion resistant steel coatings [NASA-CASE-GSC-10361-1] c18 N72-23581
- ABSORBENTS**
- Absorbent apparatus for separating gas from liquid-gas stream used in environmental control under zero gravity conditions [NASA-CASE-XMS-01492] c05 N70-41297
- Fluid flow control valve for regulating fluids in molecular quantities [NASA-CASE-XLE-00703] c15 N71-15967
- Noncontaminating swab with absorbent end covered with netted envelope to prevent egress of absorbent material [NASA-CASE-MFS-18100] c15 N72-11390
- Protein sterilization of firefly luciferase without denaturation [NASA-CASE-GSC-10225-1] c06 N73-27086
- ABSORBERS (MATERIALS)**
- Broadband chokes and absorbers to reduce spurious radiation patterns of antenna array caused by support structures [NASA-CASE-XMS-05303] c07 N69-27462
- Analytical photoionization mass spectrometer with argon gas filter between light source and monochromator [NASA-CASE-LAR-10180-1] c06 N71-13461
- Development of filter system for control of outgas contamination in vacuum conditions using absorbent beds of molecular sieve zeolite, silica gel, and charcoal [NASA-CASE-MFS-14711] c15 N71-26185
- Development and characteristics of calorimeter with integral heat sink for maintenance of constant temperature [NASA-CASE-XNF-04208] c33 N71-29051
- ABSORPTION**
- Cross linked polymer system for oil or fat absorption properties [NASA-CASE-NPO-11609-1] c06 N72-22114
- ABSORPTION CROSS SECTIONS**
- Radiation source and detection system for measuring amount of liquid inside tanks independently of liquid configuration [NASA-CASE-MSC-12280] c27 N71-16348
- AC GENERATORS**
- Alternating current signal generator providing plurality of amplitude modulated output signals [NASA-CASE-XNP-05612] c09 N69-21468
- Improved alternator with windings of superconducting materials acting as permanent magnet [NASA-CASE-XLE-02824] c03 N69-39890
- Superconducting alternator design with cryogenic fluid for cooling windings below critical temperature [NASA-CASE-XLE-02823] c09 N71-23443
- ACCELERATION**
- Single grid accelerator system for electron bombardment type ion thruster

- [NASA-CASE-XLE-10453-2] c28 N73-27699
ACCELERATION (PHYSICS)
 Centrifuge mounted motion simulator with
 elevator mechanism
 [NASA-CASE-XAC-00399] c11 N70-34815
 Gravity device for accurate and rapid indication
 of relative gravity conditions aboard
 accelerating carrier
 [NASA-CASE-XMP-00424] c11 N70-38196
 Development of method for producing artificial
 gravity in manned spacecraft
 [NASA-CASE-XNP-02595] c31 N71-21881
 Vibration control of flexible bodies in steady
 accelerating environment
 [NASA-CASE-LAR-10106-1] c15 N71-27169
 Device for applying simulated g-forces to arm of
 aircraft simulator pilot
 [NASA-CASE-LAR-10550-1] c11 N72-27271
ACCELERATION PROTECTION
 Astronaut restraint suit for high acceleration
 protection
 [NASA-CASE-XAC-00405] c05 N70-41819
 Conditioning suit for normal function of
 astronaut cardiovascular system in gravity
 environment
 [NASA-CASE-XLA-02898] c05 N71-20268
ACCELERATION STRESSES (PHYSIOLOGY)
 Development of method for producing artificial
 gravity in manned spacecraft
 [NASA-CASE-XNP-02595] c31 N71-21881
ACCELERATION TOLERANCE
 Electronic detection system for peak
 acceleration limits in vibrational testing of
 spacecraft components
 [NASA-CASE-NPO-10556] c14 N71-27185
ACCELEROMETERS
 Superconductive accelerometer employing variable
 force principle to determine acceleration of
 bodies
 [NASA-CASE-XMP-01099] c14 N71-15969
 Describing device for velocity control of
 electromechanical drive mechanism of scanning
 mirror of interferometer
 [NASA-CASE-XGS-03532] c14 N71-17627
 Omnidirectional liquid filled accelerometer
 design with liquid and housing temperature
 compensation
 [NASA-CASE-HQN-10780] c14 N71-30265
 Development of combined velocimeter and
 accelerometer based on color changes in liquid
 crystalline material subjected to shear stresses
 [NASA-CASE-ERC-10292] c14 N72-25410
 Temperature compensated digital inertial sensor
 --- circuit for maintaining inertial element
 of gyroscope or accelerometer at constant
 position
 [NASA-CASE-NPO-13044-1] c14 N74-15094
 Recording apparatus
 [NASA-CASE-LAR-11353-1] c14 N74-20020
ACCUMULATORS
 Direct radiation cooling of linear beam
 collector tubes
 [NASA-CASE-XNP-09227] c15 N69-24319
 Regenerative cooling system for small rocket
 engine having restart capability and using
 noncryogenic hypergolic propellants
 [NASA-CASE-XLE-00685] c28 N70-41992
 Small plasma probe using tungsten wire collector
 in tubular shield
 [NASA-CASE-XLE-02578] c25 N71-20747
 Electrostatic charged particle collector
 containing stacked electrodes for microwave tube
 [NASA-CASE-LEW-11192-1] c09 N73-13208
ACETALS
 Synthesis of schiff bases for heat shields by
 acetal amine reactions
 [NASA-CASE-XMP-08652] c06 N71-11243
ACETYLENE
 Preparation of dicyanoacetylene and vinylidene
 copolymers using organic compounds
 [NASA-CASE-XNP-03250] c06 N71-23500
ACOUSTIC ATTENUATION
 Development of annular acoustically porous
 elements for installation in exhaust and inlet
 ducts of turbofan engine to reduce aircraft
 engine noise intensity
 [NASA-CASE-LAR-11141-1] c02 N73-22975
ACOUSTIC DUCTS
 Development of annular acoustically porous
 elements for installation in exhaust and inlet
 ducts of turbofan engine to reduce aircraft
 engine noise intensity
 [NASA-CASE-LAR-11141-1] c02 N73-22975
ACOUSTIC IMPEDANCE
 Method and transducer device for detecting
 presence of hydrogen gas
 [NASA-CASE-XMP-03873] c06 N69-39733
ACOUSTIC PROPAGATION
 Application of acoustic transducers for
 suspending object at center of chamber under
 near weightless conditions
 [NASA-CASE-NPO-13263-1] c15 N73-31443
ACOUSTIC PROPERTIES
 Development of wind tunnel microphone structure
 to minimize effects of vibrations and
 eliminate unwanted signals in microphone output
 [NASA-CASE-XNP-00250] c11 N71-28779
 Acoustical transducer calibrating system
 including differential pressure activating
 device
 [NASA-CASE-FRC-10060-1] c14 N73-27379
ACOUSTO-OPTICS
 Acoustic vibration test apparatus for wiring
 harnesses
 [NASA-CASE-MSC-15158-1] c14 N72-17325
ACRYLATES
 Ablative resins used for retarding regression in
 ablative material
 [NASA-CASE-XLE-05913] c33 N71-14032
ACTIVATION ENERGY
 Heat activated emf cells with aluminum anode
 [NASA-CASE-LEW-11359] c03 N71-28579
 Heat activated cell with aluminum anode
 [NASA-CASE-LEW-11359-2] c03 N72-20034
ACTUATOR DISKS
 Cryogenic gyroscope housing --- with annular
 disks for gas spin-up
 [NASA-CASE-MFS-21136-1] c23 N74-18323
ACTUATORS
 Electromechanical actuator and its use in rocket
 thrust control valve
 [NASA-CASE-XNP-05975] c15 N69-23185
 Power controlled bimetallic electromechanical
 actuator for accurate, timely, and reliable
 response to remote control signal
 [NASA-CASE-XNP-09776] c09 N69-39929
 Patent data on gas actuated bolt disconnect
 assembly
 [NASA-CASE-XLA-00326] c03 N70-34667
 Hermetically sealed explosive release mechanism
 for actuator device
 [NASA-CASE-XGS-00824] c15 N71-16078
 Burst diaphragm flow initiator for installation
 in short duration wind tunnels
 [NASA-CASE-MFS-12915] c11 N71-17600
 Hand controller operable about three
 respectively perpendicular axes and capable of
 actuating signal generators for attitude
 control devices
 [NASA-CASE-XMS-07487] c15 N71-23255
 Mechanical actuator wherein linear motion
 changes to rotational motion
 [NASA-CASE-XGS-04548] c15 N71-24045
 Hydraulic actuator design for space deployment
 of heat radiators
 [NASA-CASE-MSC-11817-1] c15 N71-26611
 Electromechanical control actuator system using
 double differential screws
 [NASA-CASE-ERC-10022] c15 N71-26635
 System to control speed of hydraulically movable
 members by limiting energy applied to
 actuators with hydraulic servo loop
 [NASA-CASE-ARC-10131-1] c15 N71-27754
 Zero power telemetry actuated switch for
 biomedical equipment
 [NASA-CASE-ARC-10105] c09 N72-17153
 Mechanically operated hand which can depress
 trigger using touch control device
 [NASA-CASE-MFS-20413] c15 N72-21463
 Hermetically sealed elbow actuator for use in
 severe environments
 [NASA-CASE-MFS-14710] c09 N72-22195
 Characteristics of lightweight actuator for
 imparting linear motion using elongated output
 shaft
 [NASA-CASE-NPO-11222] c15 N72-25456
 Rotary actuator for use in environments with no
 rolling and sliding friction

- [NASA-CASE-NPO-10244] c15 N72-26371
Gas-operated actuator with cyclic motion of expansion chamber
- [NASA-CASE-NPO-11340] c15 N72-33477
Redundant hydraulic control system for actuators with three main valve combination
- [NASA-CASE-HFS-20944] c15 N73-13466
Actuator operated by electrolytic drive gas generator and evacuator
- [NASA-CASE-NPO-11369] c15 N73-13467
Manual actuator --- for spacecraft exercising machines
- [NASA-CASE-HFS-21461-1] c15 N74-18127
Optically actuated two position mechanical mover
- [NASA-CASE-NPO-13105-1] c15 N74-21060
- ADAPTERS**
Camera adapter design for image magnification including lens and illuminator
- [NASA-CASE-XHF-03844-1] c14 N71-26474
- ADAPTIVE CONTROL**
Self testing and repairing computer comprising control and diagnostic unit and rollback points for error correction
- [NASA-CASE-NPO-10567] c08 N71-24633
Synchronous dc direct-drive system comprising multiple-loop hybrid control system controlling load directly connected to actuator
- [NASA-CASE-GSC-10065-1] c10 N71-27136
Versatile ergometer with work load control
- [NASA-CASE-HFS-21109-1] c05 N73-27941
Adaptive voting computer system
- [NASA-CASE-HSC-13932-1] c08 N74-14920
- ADAPTIVE FILTERS**
Adaptive notch filter, using modulation techniques for reversed phase noise signal
- [NASA-CASE-XHF-01892] c10 N71-22986
- ADDING CIRCUITS**
Circuit diagram and operation of full binary adder
- [NASA-CASE-XGS-00689] c08 N70-34787
Error correction circuitry for binary signal channels
- [NASA-CASE-XMP-03263] c09 N71-18843
- ADDITIVES**
Ammonium perchlorate composite propellant with organic Cu/II/ chelate catalytic additive
- [NASA-CASE-LAR-10173-1] c27 N71-14090
- ADENOSINE TRIPHOSPHATE (ATP)**
Use of enzyme hexokinase and glucose to reduce inherent light levels of ATP in luciferase compositions
- [NASA-CASE-XGS-05533] c04 N69-27487
Detection instrument for light emitted from ATP biochemical reaction
- [NASA-CASE-XGS-05534] c23 N71-16355
Describing method for lyophilization of luciferase containing mixtures for use in life detection reactions
- [NASA-CASE-XGS-05532] c06 N71-17705
Automatic device for assaying urine on bacterial adenosine triphosphate content
- [NASA-CASE-GSC-11169-2] c05 N73-32011
- ADHESION**
Tool for mounting and removing studs with adhesive coated head portion
- [NASA-CASE-HFS-20299] c15 N72-11392
- ADHESION TESTS**
Apparatus for determining quality of bond between high density material and low density material
- [NASA-CASE-HFS-13686] c15 N71-18132
- ADHESIVE BONDING**
Fabrication of solar cell banks for attaching solar cells to base members or substrates
- [NASA-CASE-XMP-00826] c03 N71-20895
Method for honeycomb panel bonding by thermosetting film adhesive with electrical heat means
- [NASA-CASE-XHF-01402] c18 N71-21651
Etching aluminum alloys with aqueous solution containing sulfuric acid, hydrofluoric acid, and an alkali metal dischronate for adhesive bonding
- [NASA-CASE-XHF-02303] c17 N71-23828
Adhesive spray process for attaching biomedical skin electrodes
- [NASA-CASE-XPF-07658-1] c05 N71-26293
- ADJUSTING**
Centering device with ultrafine adjustment for use with roundness measuring apparatus
- [NASA-CASE-XHF-00480] c14 N70-39898
Slotted fine-adjustment support for optical devices
- [NASA-CASE-HFS-20249] c15 N72-11386
Adjustable support device with jacket screw for altering distance between base and supported member
- [NASA-CASE-NPO-10721] c15 N72-27484
- AERODYNAMIC BRAKES**
Bluff-shaped annular configuration for supersonic decelerator for reentry vehicles
- [NASA-CASE-XLE-00222] c02 N70-37939
Lightweight, variable solidity knitted parachute fabric --- for aerodynamic decelerators
- [NASA-CASE-LAR-10776-1] c02 N74-10034
- AERODYNAMIC CHARACTERISTICS**
Variable aspect ratio and variable sweep delta wing planforms for supersonic aircraft
- [NASA-CASE-XLA-00221] c02 N70-33266
Designing spacecraft for flight into space, atmospheric reentry, and landing at selected sites
- [NASA-CASE-XAC-02058] c02 N71-16087
Spacecraft configurations and aerodynamic characteristics of space shuttle systems with two reusable stages
- [NASA-CASE-HSC-12433] c31 N73-14854
Characteristics of system for providing yaw control of vehicles at high supersonic and hypersonic speeds by deflecting flaps mounted on upper wing surface
- [NASA-CASE-LAR-11140-1] c02 N73-20008
- AERODYNAMIC CONFIGURATIONS**
Supersonic aircraft configuration providing for variable aspect ratio and variable sweep wings
- [NASA-CASE-XLA-00166] c02 N70-34178
Aerodynamic configuration for aircraft capable of high speed flight and low drag for low speed takeoff or landing upon presently existing airfields
- [NASA-CASE-XLA-00806] c02 N70-34858
Banned space capsule configuration for orbital flight and atmospheric reentry
- [NASA-CASE-XLA-00149] c31 N70-37938
Aerodynamic configuration of reentry vehicle heat shield to provide longitudinal and directional stability at hypersonic velocities
- [NASA-CASE-XHS-04142] c31 N70-41631
Development and characteristics of translating horizontal tail assembly for supersonic aircraft
- [NASA-CASE-XLA-08801-1] c02 N71-11043
Variable geometry manned orbital vehicle having high aerodynamic efficiency over wide speed range and incorporating auxiliary pivotal wings
- [NASA-CASE-XLA-03691] c31 N71-15674
Afterburner-equipped jet engine nacelle with slotted configuration afterbody
- [NASA-CASE-XLA-10450] c28 N71-21493
Variable geometry rotor system for direct control over wake vortex
- [NASA-CASE-LAR-10557] c02 N72-11018
Transonic propulsion fan for turbofan engine with rotor blade spacing designed to minimize noise emission
- [NASA-CASE-LEH-11402-1] c28 N72-20770
Development of auxiliary lifting system to provide ferry capability for entry vehicles
- [NASA-CASE-LAR-10574-1] c11 N73-13257
Design of aircraft with rotatable wing for producing high speed aerodynamic configuration
- [NASA-CASE-ARC-10470-2] c02 N73-30018
Multistage aerospace craft --- perspective drawings of conceptual design
- [NASA-CASE-XHF-02263] c02 N74-10907
- AERODYNAMIC HEATING**
Development of thermal insulation system for wing and control surfaces of hypersonic aircraft and reentry vehicles
- [NASA-CASE-XLA-00892] c33 N71-17897
Heat flux sensor adapted for mounting on aircraft or spacecraft to measure aerodynamic heat flux inflow to aircraft skin
- [NASA-CASE-XPF-03802] c33 N71-23085
Ablative heat shield for protection from aerodynamic heating of reentry spacecraft
- [NASA-CASE-HSC-12143-1] c33 N72-17947
- AERODYNAMIC LOADS**
Directed fluid stream for propeller blade loading control

- [NASA-CASE-XAC-00139] c02 N70-34856
- AERODYNAMIC STABILITY**
- Aerodynamically stable meteorological balloon using surface roughness effect [NASA-CASE-XMP-04163] c02 N71-23007
- Pressure sensor network for measuring liquid dynamic response in flight including fuel tank acceleration, liquid slosh amplitude, and fuel depth monitoring [NASA-CASE-XLA-05541] c12 N71-26387
- Spacecraft design with single point aerodynamic and hydrodynamic stability for emergency transport of men from space station to splashdown [NASA-CASE-MSC-13281] c31 N72-18859
- AERONAUTICAL ENGINEERING**
- Differential pressure cell insensitive to changes in ambient temperature and extreme overload [NASA-CASE-XAC-00042] c14 N70-34816
- AEROSOLS**
- Liquid aerosol dispenser with explosively driven piston to compress light gas to extremely high pressure [NASA-CASE-MFS-20829] c12 N72-21310
- Remote detection and measurement of clear air turbulence using pulsed laser radar [NASA-CASE-MFS-21244-1] c20 N73-21523
- AEROSPACE ENGINEERING**
- Modifying existing solar cells for temperature control [NASA-CASE-NPO-10109] c03 N71-11049
- Metallic film diffusion for boundary lubrication in aerospace engineering [NASA-CASE-XLE-10337] c15 N71-24046
- Soldering device particularly suited to making high quality wiring joints for aerospace engineering utilizing capillary attraction to regulate flow of solder [NASA-CASE-XLA-08911] c15 N71-27214
- AEROSPACE ENVIRONMENTS**
- High voltage insulators for direct current in acceleration system of electrostatic thruster [NASA-CASE-XLE-01902] c28 N71-10574
- Metallic film diffusion into metal or ceramic surfaces for boundary lubrication in aerospace environments [NASA-CASE-XLE-01765] c18 N71-10772
- Preparation of inorganic solid film lubricants with long wear life and stability in aerospace environments [NASA-CASE-XMP-03988] c15 N71-21403
- Momentum-velocity analyzer for measuring minute space particles [NASA-CASE-XMS-04201] c14 N71-22990
- Metal alloy bearing materials for space applications [NASA-CASE-XLE-05033] c15 N71-23810
- Method and apparatus for adjusting thermal conductance in electronic components for space use [NASA-CASE-XMP-05524] c33 N71-24876
- Space environment simulator for testing spacecraft components under aerospace conditions [NASA-CASE-NPO-10141] c11 N71-24964
- High dc switch for causing abrupt, cyclic, decreases of current to operate under zero or varying gravity conditions [NASA-CASE-LEW-10155-1] c09 N71-29035
- AEROSPACE MEDICINE**
- Piston device for producing known constant positive pressure within lungs by using thoracic muscles [NASA-CASE-XMS-01615] c05 N70-41329
- AEROSPACE VEHICLES**
- Aerospace configuration with low and high aspect ratio variability for high and low speed flight [NASA-CASE-XLA-00142] c02 N70-33286
- Landing pad assembly for aerospace vehicles [NASA-CASE-XMP-02853] c31 N70-36654
- Aerospace vehicle with variable planform for hypersonic and subsonic flight [NASA-CASE-XLA-00805] c31 N70-38010
- Development of resilient fastener for attaching skin of aerospace vehicles to permit movement of skin relative to framework [NASA-CASE-XLA-01027] c31 N71-24035
- Chemical spot tests for identification of titanium and titanium alloys used in aerospace vehicles [NASA-CASE-LAR-10539-1] c17 N73-12547
- AEROSPACEPLANES**
- Multistage aerospace craft --- perspective drawings of conceptual design [NASA-CASE-XMP-02263] c02 N74-10901
- AFTERBODIES**
- Afterburner-equipped jet engine nacelle with slotted configuration afterbody [NASA-CASE-XLA-10450] c28 N71-21493
- AFTERBURNING**
- Exhaust nozzle with afterburning for generating thrust [NASA-CASE-XLA-00154] c28 N70-33374
- AILERONS**
- Device for controlling rotary potentiometer mounted on aircraft steering wheel or aileron control [NASA-CASE-XAC-10019] c15 N71-23809
- AIR**
- Gas purged dry box glove reducing permeation of air or moisture into dry box or isolator by diffusion through glove [NASA-CASE-XLE-02531] c05 N71-23080
- Superconducting magnetic field trapping device for producing magnetic field in air [NASA-CASE-XMP-01185] c26 N73-28710
- AIR CONDITIONING EQUIPMENT**
- Portable apparatus producing high velocity, annular air column surrounding low velocity, filtered, superclean air central core for industrial clean room environmental control [NASA-CASE-XMP-03212] c15 N71-22721
- Air conditioning system and automatic distribution device for distributing air flow from opposite directions in supply duct [NASA-CASE-GSC-11445-1] c15 N72-28503
- AIR COOLING**
- Modification and improvement of turbine blades for maximum cooling efficiency [NASA-CASE-XLE-00092] c15 N70-33264
- AIR DUCTS**
- Air conditioning system and automatic distribution device for distributing air flow from opposite directions in supply duct [NASA-CASE-GSC-11445-1] c15 N72-28503
- AIR FILTERS**
- Development of filter apparatus for gas separation and characteristics of filter cell support frame for improved operation [NASA-CASE-MSC-12297] c14 N72-23457
- AIR FLOW**
- Wind tunnel air flow modulating device and apparatus for selectively generating wave motion in wind tunnel airstream [NASA-CASE-XLA-00112] c11 N70-33287
- Photographing surface flow patterns on wind tunnel test models [NASA-CASE-XLA-01353] c14 N70-41366
- Method for maintaining good performance in gas turbine during air flow distortion [NASA-CASE-LEW-10286-1] c28 N71-28915
- Air conditioning system and automatic distribution device for distributing air flow from opposite directions in supply duct [NASA-CASE-GSC-11445-1] c15 N72-28503
- Airflow distribution control in gas turbine engines [NASA-CASE-LEW-11593-1] c28 N73-25816
- Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds [NASA-CASE-LAR-10612-1] c12 N73-28144
- AIR INTAKES**
- Aeroflexible wing structure with air scoop for inflating stiffeners with ram air [NASA-CASE-XLA-06095] c01 N69-39981
- Adjustable airfoil for reversible cowl flap inlet thrust augmentation [NASA-CASE-ARC-10754-1] c28 N73-32624
- AIR LOCKS**
- Spacecraft air lock system to provide ingress and egress of astronaut without subjecting vehicular environment to vacuum of space [NASA-CASE-XLA-02050] c31 N71-22968
- System for removing and repairing spacecraft control thrusters by use of portable air locks [NASA-CASE-MFS-20325] c28 N71-27095

- Airlock for waste transferal from pressurized enclosure aboard space vehicle to waste receiver at negative pressure
[NASA-CASE-HFS-20922] c31 N72-20840
- Air lock mechanism for inserting and removing specimens from vacuum furnace
[NASA-CASE-LAR-10841-1] c15 N73-12494
- AIR POLLUTION**
- Analytical photoionization mass spectrometer with argon gas filter between light source and monochromator
[NASA-CASE-LAR-10180-1] c06 N71-13461
- Contamination free separation and eliminating combustion products from ambient surroundings generated by squib firing
[NASA-CASE-IGS-01971] c15 N71-15922
- Monitoring atmospheric pollutants with a heterodyne radiometer transmitter-receiver
[NASA-CASE-NPO-11919-1] c14 N74-11284
- AIR PURIFICATION**
- Developing high pressure gas purification and filtration system for use in test operations of space vehicles
[NASA-CASE-HFS-12806] c14 N71-17588
- Portable apparatus producing high velocity annular air column surrounding low velocity, filtered, superclean air central core for industrial clean room environmental control
[NASA-CASE-IHF-03212] c15 N71-22721
- AIR SAMPLING**
- Pressure probe for sensing ambient static air pressures
[NASA-CASE-XLA-00481] c14 N70-36824
- AIR TRAFFIC CONTROL**
- Traffic control system for supersonic transports using synchronous satellite for data relay between vehicles and ground station
[NASA-CASE-GSC-10087-1] c02 N71-19287
- Satellite aided aircraft collision avoidance system effective for large number of aircraft
[NASA-CASE-ERC-10090] c21 N71-24948
- System and method for position locating for air traffic control involving supersonic transports
[NASA-CASE-GSC-10087-3] c07 N72-12080
- AIRBORNE EQUIPMENT**
- Inflatable radar reflector unit - lightweight, highly reflective to electromagnetic radiation, and adaptable for erection and deployment with minimum effort and time
[NASA-CASE-IHS-00893] c07 N70-40063
- AIRBORNE/SPACEBORNE COMPUTERS**
- Logic circuit to ripple add and subtract binary counters for spaceborne computers
[NASA-CASE-IGS-04766] c08 N71-18602
- Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c08 N74-17911
- AIRCRAFT**
- Combined shoulder harness and lap belt restraint system for use in aircraft or automobiles
[NASA-CASE-ARC-10519-1] c05 N72-31117
- Pilot warning indicator system of intruder aircraft
[NASA-CASE-ERC-10226-1] c14 N73-16483
- AIRCRAFT ACCIDENTS**
- Satellite aided aircraft collision avoidance system effective for large number of aircraft
[NASA-CASE-ERC-10090] c21 N71-24948
- Aircraft mounted crash location transmitter for emergency signal transmission after crashes
[NASA-CASE-HFS-16609-2] c07 N73-31084
- AIRCRAFT APPROACH SPACING**
- Economical satellite aided vehicle avoidance system for preventing midair collisions
[NASA-CASE-ERC-10419] c21 N72-21631
- AIRCRAFT CONFIGURATIONS**
- Variable sweep wing configuration for supersonic aircraft
[NASA-CASE-XLA-00230] c02 N70-33255
- Television simulation for aircraft and space flight
[NASA-CASE-XPR-03107] c09 N71-19449
- Design of dual fuselage aircraft with pivoting wing and horizontal stabilizer to permit yawing of wing in flight for high speed operation
[NASA-CASE-ARC-10470-1] c02 N73-26005
- Aircraft configuration for reducing effects of nose-down pitching moments due to high lift forces, loss of trim lift, and engine-out yawing moments
[NASA-CASE-LAR-11252-1] c02 N73-26007
- Development of aircraft configuration for reduction of jet aircraft noise by exhausting engine gases over upper surface of wing
[NASA-CASE-LAR-11087-1] c02 N73-26008
- AIRCRAFT CONTROL**
- Development and characteristics of control system for flexible wings
[NASA-CASE-XLA-06958] c02 N71-11038
- Development of attitude control system for vertical takeoff aircraft using reaction nozzles displaced from various axes of aircraft
[NASA-CASE-XAC-08972] c02 N71-20570
- Device for controlling rotary potentiometer mounted on aircraft steering wheel or aileron control
[NASA-CASE-XAC-10019] c15 N71-23809
- Direct lift control system having flaps with slots adjacent to their leading edge and particularly adapted for lightweight aircraft
[NASA-CASE-LAR-10249-1] c02 N71-26110
- Supersonic or hypersonic vehicle control system comprising elevons with hinge line sweep and free of adverse aerodynamic cross coupling
[NASA-CASE-XLA-08967] c02 N71-27088
- Development of aircraft control system with high performance electrically controlled and mechanically operated hydraulic valves for precise flight operation
[NASA-CASE-XAC-00048] c02 N71-29128
- Development of thrust control system for application to control of aircraft and spacecraft
[NASA-CASE-HSC-13397-1] c21 N72-25595
- Aircraft control system for rotary wing aircraft
[NASA-CASE-ERC-10439] c02 N73-19004
- Situational display system of cathode ray tubes to assist pilot in aircraft control
[NASA-CASE-ERC-10350] c14 N73-20474
- Development of aerodynamic control system to control flutter over large range of oscillatory frequencies using stability augmentation techniques
[NASA-CASE-LAR-10682-1] c02 N73-26004
- Aircraft configuration for reducing effects of nose-down pitching moments due to high lift forces, loss of trim lift, and engine-out yawing moments
[NASA-CASE-LAR-11252-1] c02 N73-26007
- Development and characteristics of system for integrated control of engine power and aerodynamic configuration of aircraft during landing approach
[NASA-CASE-ARC-10456-1] c02 N73-30938
- Terminal guidance system --- for guiding aircraft into preselected altitude and/or heading at terminal point
[NASA-CASE-FRC-10049-1] c21 N74-13420
- AIRCRAFT DESIGN**
- Design of supersonic aircraft with novel fixed, swept wing planform
[NASA-CASE-XLA-04451] c02 N71-12243
- Design of dual fuselage aircraft with pivoting wing and horizontal stabilizer to permit yawing of wing in flight for high speed operation
[NASA-CASE-ARC-10470-1] c02 N73-26005
- Aircraft configuration for reducing effects of nose-down pitching moments due to high lift forces, loss of trim lift, and engine-out yawing moments
[NASA-CASE-LAR-11252-1] c02 N73-26007
- Design of aircraft with rotatable wing for producing high speed aerodynamic configuration
[NASA-CASE-ARC-10470-2] c02 N73-30018
- Multistage aerospace craft --- perspective drawings of conceptual design
[NASA-CASE-IHF-02263] c02 N74-10907
- AIRCRAFT DETECTION**
- Surface based altitude measuring system for accurately measuring altitude of airborne vehicle
[NASA-CASE-ERC-10412-1] c09 N73-12211
- AIRCRAFT ENGINES**
- Development of annular acoustically porous elements for installation in exhaust and inlet ducts of turbofan engine to reduce aircraft engine noise intensity

[NASA-CASE-LAR-11141-1] c02 N73-22975
AIRCRAFT EQUIPMENT
 Development of radiometric sensor to warn aircraft pilots of region of clear air turbulence along flight path
 [NASA-CASE-ERC-10081] c14 N72-28437
AIRCRAFT HAZARDS
 Deflector for preventing objects from entering nacelle inlets of jet aircraft
 [NASA-CASE-XLE-00388] c28 N70-34788
AIRCRAFT HYDRAULIC SYSTEMS
 Variable-orifice hydraulic mechanism for aircraft gas turbine engine fuel control
 [NASA-CASE-LEW-11187-1] c28 N73-19793
AIRCRAFT INSTRUMENTS
 Aircraft instrument for indicating malfunctions during takeoff
 [NASA-CASE-XLA-00100] c14 N70-36807
 Pressure probe for sensing ambient static air pressures
 [NASA-CASE-XLA-00481] c14 N70-36824
 Aircraft indicator for pilot control of takeoff roll, climbout path and verticle flight path in poor visibility conditions
 [NASA-CASE-XLA-00487] c14 N70-40157
 Optical projector system for establishing optimum arrangement of instrument displays in aircraft, spacecraft, other vehicles, and industrial instrument consoles
 [NASA-CASE-XNP-03853] c23 N71-21882
 Combined optical attitude and altitude indicating instrument for use in aircraft or spacecraft
 [NASA-CASE-XLA-01907] c14 N71-23268
 Aircraft horizon and vertical indicator
 [NASA-CASE-ERC-10392] c21 N73-14692
AIRCRAFT LANDING
 Aerodynamic configuration for aircraft capable of high speed flight and low drag for low speed takeoff or landing upon presently existing airfields
 [NASA-CASE-XLA-00806] c02 N70-34858
 Magnetic method for detection of aircraft position relative to runway
 [NASA-CASE-ARC-10179-1] c21 N72-22619
 Development and characteristics of system for integrated control of engine power and aerodynamic configuration of aircraft during landing approach
 [NASA-CASE-ARC-10456-1] c02 N73-30938
AIRCRAFT MODELS
 Free flight suspension system for use with aircraft models in wind tunnel tests
 [NASA-CASE-XLA-00939] c11 N71-15926
 Variable geometry wind tunnel for testing aircraft models at subsonic speeds
 [NASA-CASE-XLA-07430] c11 N72-22246
AIRCRAFT PERFORMANCE
 Development of auxiliary lifting system to provide ferry capability for entry vehicles
 [NASA-CASE-LAR-10574-1] c11 N73-13257
AIRCRAFT SAFETY
 Aircraft instrument for indicating malfunctions during takeoff
 [NASA-CASE-XLA-00100] c14 N70-36807
 Development and operating principles of collision warning system for aircraft accident prevention
 [NASA-CASE-HQN-10703] c21 N73-13643
AIRCRAFT STABILITY
 Mechanical stabilization system for VTOL aircraft
 [NASA-CASE-XLA-06339] c02 N71-13422
 Development of aerodynamic control system to control flutter over large range of oscillatory frequencies using stability augmentation techniques
 [NASA-CASE-LAR-10682-1] c02 N73-26004
AIRCRAFT STRUCTURES
 Fatigue testing device applying random discrete load levels to test specimen and applicable to aircraft structures
 [NASA-CASE-XLA-02131] c32 N70-42003
 Heat flux sensor adapted for mounting on aircraft or spacecraft to measure aerodynamic heat flux inflow to aircraft skin
 [NASA-CASE-IFR-03802] c33 N71-23085
 Three-axis adjustable loading structure
 [NASA-CASE-FRC-10051-1] c14 N74-13129

Transparent fire resistant polymeric structures
 [NASA-CASE-ARC-10813-1] c18 N74-16249
AIRFOIL PROFILES
 Airfoil with cambered trailing edge section for supersonic flight
 [NASA-CASE-LAR-10585-1] c01 N73-14981
AIRFOILS
 Electric analog for measuring induced drag on nonplanar airfoils
 [NASA-CASE-XLA-00755] c01 N71-13410
 Electric analog for measuring induced drag on nonplanar airfoils
 [NASA-CASE-XLA-05828] c01 N71-13411
AIRFRAMES
 Design of dual fuselage aircraft with pivoting wing and horizontal stabilizer to permit yawing of wing in flight for high speed operation
 [NASA-CASE-ARC-10470-1] c02 N73-26005
 Aircraft configuration for reducing effects of nose-down pitching moments due to high lift forces, loss of trim lift, and engine-out yawing moments
 [NASA-CASE-LAR-11252-1] c02 N73-26007
AIRSPEED
 Aerodynamic configuration for aircraft capable of high speed flight and low drag for low speed takeoff or landing upon presently existing airfields
 [NASA-CASE-XLA-00806] c02 N70-34858
ALCOHOLS
 New trifunctional alcohol derived from trimer acid and novel method of preparation
 [NASA-CASE-NPO-10714] c06 N69-31244
 Cooling and radiation protection of ruby lasers using copper sulfate solution in alcohol
 [NASA-CASE-NFS-20180] c16 N72-12440
ALDEHYDES
 Direct synthesis of polymeric schiff bases from two amines and two aldehydes
 [NASA-CASE-XMP-08655] c06 N71-11239
 Synthesis of azine polymers for heat shields by azine-aromatic aldehyde reaction
 [NASA-CASE-XMP-08656] c06 N71-11242
 Synthesis of aromatic diamines and dialdehyde polymers using Schiff base
 [NASA-CASE-XMP-03074] c06 N71-24740
ALIGNMENT
 Centering device with ultrafine adjustment for use with roundness measuring apparatus
 [NASA-CASE-XNP-00480] c14 N70-39898
 Portable device for aligning surfaces of two adjacent wall or sheet sections for joining at point of junction
 [NASA-CASE-XMP-01452] c15 N70-41371
 Electro-optical/computer system for aligning large structural members and maintaining correct position
 [NASA-CASE-XNP-02029] c14 N70-41955
 Electrical and electromechanical trigonometric computation assembly and space vehicle guidance system for aligning perpendicular axes of two sets of three-axes coordinate references
 [NASA-CASE-XMP-00684] c21 N71-21688
 Description of device for aligning stacked sheets of paper for repetitive cutting
 [NASA-CASE-XMS-04178] c15 N71-22798
 Laser beam projector for continuous, precise alignment between target, laser generator, and astronomical telescope during tracking
 [NASA-CASE-NPO-11087] c23 N71-29125
 Measuring roll alignment of test body with respect to reference body
 [NASA-CASE-GSC-10514-1] c14 N72-20379
 Guide accessories for correctly aligning paper in typewriter to correct typographical errors
 [NASA-CASE-NFS-15218-1] c15 N73-31438
 Design of precision vertical alignment system using laser with gravitationally sensitive cavity
 [NASA-CASE-ARC-10444-1] c16 N73-33397
ALKALI METALS
 Ultraviolet radiation resistant alkali-metal silicate coatings for temperature control of spacecraft
 [NASA-CASE-XGS-04119] c18 N69-39979
 Analytical test apparatus and method for determining oxygen content in alkali liquid

- metal
[NASA-CASE-XLE-01997] c06 N71-23527
Composition and production method of alkali metal silicate paint with ultraviolet reflection properties
[NASA-CASE-XGS-04799] c18 N71-24183
Design and characteristics of heat activated electric cell with anode made from one or more alkali metals and cathode made from oxidizing material
[NASA-CASE-LEH-11358] c03 N71-26084
Method for producing alkali metal dispersions of high purity
[NASA-CASE-XNP-08876] c17 N73-28573
- ALKALINE BATTERIES**
Method for determining state of charge of alkali batteries by using tritium as tracer
[NASA-CASE-XNP-01464] c03 N71-10728
Alkaline-type coulometer cell for primary charge control in secondary battery recharge circuits
[NASA-CASE-XGS-05434] c03 N71-20491
- ALKYL COMPOUNDS**
Preparation of fluoroalkoxy ethers by reacting fluoroalkylene oxides with alkali salt of polyfluoroalkylene diol
[NASA-CASE-MFS-10507] c06 N73-30101
- ALLOYS**
Brazing alloy adapted for brazing corrosion resistant steel to refractory metals, also for brazing refractory metals to other refractory metals
[NASA-CASE-XNP-03063] c17 N71-23365
Metal alloy bearing materials for space applications
[NASA-CASE-XLE-05033] c15 N71-23810
High thermal emittance black surface coatings and process for applying to metal and metal alloy surfaces used in radiative cooling of spacecraft
[NASA-CASE-XLA-06199] c15 N71-24875
Adjustable rigid mount for trihedral mirror formed of alloy with small coefficient of thermal expansion supporting screws and spring-biased plates
[NASA-CASE-XNP-08907] c23 N71-29123
Metallic alloy and aluminide coating for metallic base system
[NASA-CASE-LEH-11696-1] c15 N73-10502
Two-step diffusion welding process of unrecrystallized alloys
[NASA-CASE-LEH-11388-1] c15 N73-32358
Duplex aluminized coatings
[NASA-CASE-LEH-11696-2] c18 N74-18197
- ALLYL COMPOUNDS**
Monomer polymerization by plasma discharge as thin film for water purification membrane
[NASA-CASE-ARC-10643-1] c06 N73-29074
- ALPHANUMERIC CHARACTERS**
Alphanumeric character display device for oscilloscopes
[NASA-CASE-GSC-11582-1] c09 N73-32120
- ALTERNATING CURRENT**
Characteristics of high power, low distortion, alternating current power amplifier
[NASA-CASE-LAR-10218-1] c09 N70-34559
Frequency control network for current feedback oscillators converting dc voltage to ac or higher dc voltages
[NASA-CASE-GSC-10041-1] c10 N71-19418
Blood pressure measuring system for separately recording dc and ac pressure signals of Korotkoff sounds
[NASA-CASE-XMS-06061] c05 N71-23317
Solid state circuit for switching alternating current input signal as function of direct current gating transistor
[NASA-CASE-XNP-06505] c10 N71-24799
Device for voltage conversion using controlled pulse widths and arrangements to generate ac output voltage
[NASA-CASE-MFS-10068] c10 N71-25139
Inverters for changing direct current to alternating current
[NASA-CASE-XGS-06226] c10 N71-25950
Dc to ac to dc converter with transistor driven synchronous rectifiers
[NASA-CASE-GSC-11126-1] c09 N72-25253
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c10 N74-14956
- ALTITUDE**
Combined optical attitude and altitude indicating instrument for use in aircraft or spacecraft
[NASA-CASE-XLA-01907] c14 N71-23268
- ALTITUDE CONTROL**
Ambient atmospheric pressure sensing device for determining altitude of flight vehicles
[NASA-CASE-XLA-00128] c15 N70-37925
- ALUMINUM**
Joining aluminum to stainless steel by bonding aluminum coatings onto titanium coated stainless steel and brazing aluminum to aluminum/titanium coated steel
[NASA-CASE-MFS-07369] c15 N71-20443
Low concentration alkaline solution treatment of aluminum with metal phosphate surface coatings to improve chemical bonding and reduce coating weight
[NASA-CASE-XLA-01995] c18 N71-23047
Etching aluminum alloys with aqueous solution containing sulfuric acid, hydrofluoric acid, and an alkali metal dischromate for adhesive bonding
[NASA-CASE-XNP-02303] c17 N71-23828
Process for producing dispersion strengthened nickel with aluminum comprising metallic matrices embedded with oxides or other hyperfine compounds
[NASA-CASE-XLE-06969] c17 N71-24142
Nickel plating onto etched aluminum castings
[NASA-CASE-XNP-04148] c17 N71-24830
Method of plating copper on aluminum to permit conventional soldering of structural aluminum bodies
[NASA-CASE-XLA-08966-1] c17 N71-25903
Heat activated emf cells with aluminum anode
[NASA-CASE-LEH-11359] c03 N71-28579
Heat activated cell with aluminum anode
[NASA-CASE-LEH-11359-2] c03 N72-20034
Graded band gap p-n junction gallium arsenide/gallium aluminum arsenide solar cell
[NASA-CASE-LAR-11174-1] c03 N73-26047
A panel for selectively absorbing solar thermal energy and the method for manufacturing the panel
[NASA-CASE-MFS-22562-1] c03 N74-19700
- ALUMINUM ALLOYS**
High strength aluminum casting alloy for cryogenic applications in aerospace engineering
[NASA-CASE-XNP-02786] c17 N71-20743
Etching aluminum alloys with aqueous solution containing sulfuric acid, hydrofluoric acid, and an alkali metal dischromate for adhesive bonding
[NASA-CASE-XNP-02303] c17 N71-23828
Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c15 N74-20071
- ALUMINUM COATINGS**
Metallic alloy and aluminide coating for metallic base system
[NASA-CASE-LEH-11696-1] c15 N73-10502
Intermetallic chromium containing nickel aluminide for high temperature corrosion protection of stainless steels
[NASA-CASE-LEH-11267-1] c17 N73-32414
Duplex aluminized coatings
[NASA-CASE-LEH-11696-2] c18 N74-18197
- ALUMINUM SILICATES**
White paint production by heating impure aluminum silicate clay having low solar absorptance
[NASA-CASE-XNP-02139] c18 N71-24184
- AMBULANCES**
Communication system for transmitting biomedical information obtained from patient in moving ambulance to hospital for diagnosis
[NASA-CASE-FRC-10031] c05 N70-20717
- AMINES**
Direct synthesis of polymeric schiff bases from two amines and two aldehydes
[NASA-CASE-XNP-08655] c06 N71-11239
Synthesis of schiff bases for heat shields by acetal amine reactions
[NASA-CASE-XNP-08652] c06 N71-11243
Automated system for monitoring oxidative metabolites of aromatic amines
[NASA-CASE-ARC-10469-1] c06 N72-31145

- Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c06 N74-12812
- AMMONIA**
Solid state chemical source for ammonia beam masers
[NASA-CASE-XGS-01504] c16 N70-41578
- AMMONIUM PERCHLORATES**
Ammonium perchlorate composite propellant with organic Cu/II/ chelate catalytic additive
[NASA-CASE-LAR-10173-1] c27 N71-14090
- AMPLIFICATION**
Automatic measuring and recording of gain and zero drift characteristics of electronic amplifier
[NASA-CASE-XMS-05562-1] c09 N69-39986
Clamped amplifier circuit for horizon scanner enabling amplification and accurate measurement of specified parameters
[NASA-CASE-XGS-01784] c10 N71-20782
Diversity receiving system with diversity phase lock
[NASA-CASE-XGS-01222] c10 N71-20841
Design of active RC network capable of operating at high Q values with reduced sensitivity to gain amplification and number of passive components
[NASA-CASE-ARC-10042-2] c10 N72-11256
Amplifying circuit with constant current source for accumulator load and high gain voltage amplification
[NASA-CASE-NPO-11023] c09 N72-17155
- AMPLIFIER DESIGN**
Automatic gain control amplifier system
[NASA-CASE-XMS-05307] c09 N69-24330
Isolated dc amplifier for bioelectric measurements
[NASA-CASE-ARC-10596-1] c09 N72-27233
- AMPLIFIERS**
Development of stable electronic amplifier adaptable for monolithic and thin film construction
[NASA-CASE-XGS-02812] c09 N71-19466
Ear oximeter for monitoring blood oxygenation and pressure, pulse rate, and pressure pulse curve, using dc and ac amplifiers
[NASA-CASE-XAC-05422] c04 N71-23185
Comb type traveling wave maser amplifier for improved high gain broadband output
[NASA-CASE-NPO-10548] c16 N71-24831
Vibrophonocardiograph comprising low weight and small volume piezoelectric microphone with amplifier having high input impedance for high sensitivity and low frequency response
[NASA-CASE-XFR-07172] c05 N71-27234
Digital data handling circuits for pulse amplifiers
[NASA-CASE-XNP-01068] c10 N71-28739
Active RC filter networks and amplifiers for deep space magnetic field measurement
[NASA-CASE-XAC-05462-2] c10 N72-17171
Active filter circuit comprising passive RC network and dc voltage or operational amplifier
[NASA-CASE-XAC-05462] c09 N72-20209
Full wave modulator-demodulator amplifier apparatus --- for generating rectified output signal
[NASA-CASE-FRC-10072-1] c09 N74-14939
- AMPLITUDE DISTRIBUTION ANALYSIS**
Monitoring system for signal amplitude ranges over predetermined time interval
[NASA-CASE-XMS-04061-1] c09 N69-39885
Cathode ray oscilloscope for analyzing electrical waveforms representing amplitude distribution of time function
[NASA-CASE-XNP-01383] c09 N71-10659
Analog to digital converter circuit for pulse height analysis
[NASA-CASE-XNP-00477] c08 N73-28045
- AMPLITUDE MODULATION**
Alternating current signal generator providing plurality of amplitude modulated output signals
[NASA-CASE-XNP-05612] c09 N69-21468
Development of demodulation system for removing amplitude modulation from two quadrature displaced data bearing signals
[NASA-CASE-XAC-04030] c10 N71-19472
Development of apparatus for amplitude modulation of diode laser by periodic discharge of direct current power supply
[NASA-CASE-XMS-04269] c16 N71-22895
Vibrating element electrometer producing high conversion gain by input current control of elements resonant frequency displacement amplitude
[NASA-CASE-XAC-02807] c09 N71-23021
Scanning signal phase and amplitude electronic control device with hybrid T waveguide junction
[NASA-CASE-NPO-10302] c10 N71-26142
High efficiency transformerless amplitude modulator coupled to RF power amplifier
[NASA-CASE-GSC-10668-1] c07 N71-28430
Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c07 N74-19788
Amplitude steered array
[NASA-CASE-GSC-11446-1] c09 N74-20860
- AMPLITUDES**
Circuits for amplitude limiting of random noise inputs
[NASA-CASE-NPO-10169] c10 N71-24844
- ANALOG CIRCUITS**
Electric network for monitoring temperatures, detecting critical temperatures, and indicating critical time duration
[NASA-CASE-XMF-01097] c10 N71-16058
Automatic closed circuit television arc guidance control for welding joints
[NASA-CASE-NPS-13046] c07 N71-19433
Electronic divider and multiplier for analog electric signals
[NASA-CASE-XFR-05637] c09 N71-19480
- ANALOG COMPUTERS**
Analog spatial maneuver computer with three output angles for obtaining desired spatial attitude
[NASA-CASE-GSC-10880-1] c08 N72-11172
- ANALOG DATA**
Data compression processor for monitoring analog signals by sampling procedure
[NASA-CASE-NPO-10068] c08 N71-19288
Wide range analog data compression system
[NASA-CASE-IGS-02612] c08 N71-19435
Analog signal to discrete time converter
[NASA-CASE-ERC-10048] c09 N72-25251
- ANALOG TO DIGITAL CONVERTERS**
Conversion system for increasing resolution of analog to digital converters
[NASA-CASE-XAC-00404] c08 N70-40125
Analog to digital converter for converting pulses to frequencies
[NASA-CASE-XLA-00670] c08 N71-12501
Describing continuous analog to digital converter with parallel digital output and nonlinear feedback
[NASA-CASE-XAC-04031] c08 N71-18594
Voltage drift compensation circuit for analog-to-digital converter
[NASA-CASE-XNP-04780] c08 N71-19687
Development and characteristics of fluid oscillator analog to digital converter with variable frequency controlled by signal passing through conditioning circuit
[NASA-CASE-LEW-10345-1] c10 N71-25899
Data acquisition system for converting displayed analog signal to digital values
[NASA-CASE-NPO-10344] c10 N71-26544
Apparatus for automatically testing analog to digital converters for open and short circuits
[NASA-CASE-XLA-06713] c14 N71-28991
Wide range analog to digital converter with variable gain amplifier
[NASA-CASE-NPO-11018] c08 N72-21200
Analog to digital converter using offset voltage to eliminate errors
[NASA-CASE-MSC-13110-1] c08 N72-22163
Analog to digital converter analyzing system
[NASA-CASE-NPO-10560] c08 N72-22166
Control and information system for digital telemetry data using analog converter to digitize sensed parameter values
[NASA-CASE-NPO-11016] c08 N72-31226
Nonrecursive counting digital filter containing shift register
[NASA-CASE-NPO-11821-1] c08 N73-26175
Analog to digital converter circuit for pulse height analysis
[NASA-CASE-XNP-00477] c08 N73-28045
- ANALOGS**
Continuous Fourier transform method and apparatus

- [NASA-CASE-ARC-10466-1] c08 N73-21199
ANALYZERS
 Mixed liquid and vapor phase analyzer design with thermocouples for relative heat transfer measurement
 [NASA-CASE-NPO-10691] c14 N71-26199
 Automated fluid chemical analyzer for microchemical analysis of small quantities of liquids by use of selected reagents and analyzer units
 [NASA-CASE-XNP-09451] c06 N71-26754
 Micrometeoroid analyzer using arrays of interconnected capacitors and ion detector
 [NASA-CASE-ARC-10443-1] c14 N73-20477
- ANEMOMETERS**
 Anemometer with braking mechanism to prevent rotation of wind driven elements
 [NASA-CASE-XMF-05224] c14 N71-23726
 Maxometers for measuring peak wind speeds during severe environmental conditions
 [NASA-CASE-MFS-20916] c14 N73-25460
- ANGLES (GEOMETRY)**
 Gage for measuring internal angle of flare on end of tube
 [NASA-CASE-XMF-04415] c14 N71-24693
 Optical device containing rotatable prism and reflecting mirror for generating precise angles
 [NASA-CASE-XGS-04173] c19 N71-26674
 Rotating raster generator
 [NASA-CASE-FRC-10071-1] c07 N74-20813
- ANGULAR ACCELERATION**
 Strain gage accelerometer for angular acceleration measurement
 [NASA-CASE-XMS-05936] c14 N70-41682
- ANGULAR CORRELATION**
 Device for determining relative angular position of spacecraft and radiating celestial body
 [NASA-CASE-GSC-11444-1] c14 N73-28490
- ANGULAR MOMENTUM**
 Stretch Yo-Yo mechanism for reducing initial spin rate of space vehicle
 [NASA-CASE-XGS-00619] c30 N70-40016
- ANGULAR RESOLUTION**
 Characteristics and performance of electrical system to determine angular rotation
 [NASA-CASE-XMF-00447] c14 N70-33179
- ANGULAR VELOCITY**
 Describing angular position and velocity sensing apparatus
 [NASA-CASE-XGS-05680] c14 N71-17585
- ANILINE**
 Synthesis of high purity dianilinosilanes
 [NASA-CASE-XMF-06409] c06 N71-23230
- ANIMALS**
 Automatic real-time pair-feeding system for animals
 [NASA-CASE-ARC-10302-1] c04 N74-15778
- ANNEALING**
 Recovering efficiency of solar cells damaged by environmental radiation through thermal annealing
 [NASA-CASE-XGS-04047-2] c03 N72-11062
- ANNULAR NOZZLES**
 Large area-ratio nozzles for rocket motor thrust chambers
 [NASA-CASE-XLE-00145] c28 N70-36806
 Electrostatic microthrust propulsion system with annular slit colloid thruster
 [NASA-CASE-GSC-10709-1] c28 N71-25213
- ANNULAR PLATES**
 Bluff-shaped annular configuration for supersonic decelerator for reentry vehicles
 [NASA-CASE-XLE-00222] c02 N70-37939
- ANODES**
 Design and characteristics of heat activated electric cell with anode made from one or more alkali metals and cathode made from oxidizing material
 [NASA-CASE-LEW-11358] c03 N71-26084
 Coaxial anode for gas radiation counter for suppressing background ionization interference
 [NASA-CASE-GSC-11492-1] c14 N73-28497
 Storage battery comprising negative plates of a wedge shaped configuration --- for preventing shape change induced malfunctions
 [NASA-CASE-NPO-11806-1] c03 N74-19693
- ANODIC COATINGS**
 Anodizing method for providing metal surfaces with temperature reducing coatings against flames
 [NASA-CASE-XLE-00035] c33 N71-29151
- ANTENNA ARRAYS**
 Monopole antenna system for maximum omnidirectional efficiency for use on satellites
 [NASA-CASE-XLA-00414] c07 N70-38200
 Radio receiver with array of independently steerable antennas for deep space communication
 [NASA-CASE-XLA-00901] c07 N71-10775
 Characteristics of antenna horn feeds consisting of central horn with overlapping peripheral horns
 [NASA-CASE-GSC-10452] c07 N71-12396
 Tracking antenna system with array for synchronous satellite or ground based radar
 [NASA-CASE-GSC-10553-1] c07 N71-19854
 Interferometric tuning acquisition and tracking radar antenna system
 [NASA-CASE-XMS-09610] c07 N71-24625
 Development of electronic circuit for combining input signals on two separate antennas to form two processed signals
 [NASA-CASE-MSC-12205-1] c07 N71-27056
 Antenna array at focal plane of reflector with coupling network for beam switching
 [NASA-CASE-GSC-10220-1] c07 N71-27233
 Pattern and impedance matching improvements in transversely polarized triaxial antenna
 [NASA-CASE-XGS-02290] c07 N71-28809
 Planar array circularly polarized antenna with wall slot excitation
 [NASA-CASE-NPO-10301] c07 N72-11148
 Vertically stacked collinear array of independently fed omnidirectional antennas for use in collision warning systems on commercial aircraft
 [NASA-CASE-LAR-10545-1] c09 N72-21244
 Circularly polarized antenna with linearly polarized pair of elements
 [NASA-CASE-ERC-10214] c09 N72-31235
 Development of phase control coupling for use with phased array antenna
 [NASA-CASE-ERC-10285] c10 N73-16206
 Plural beam antenna with parabolic reflectors
 [NASA-CASE-GSC-11013-1] c09 N73-19234
 Position determination systems --- using orbital antenna scan of celestial body
 [NASA-CASE-MSC-12593-1] c09 N74-14942
 Amplitude steered array
 [NASA-CASE-GSC-11446-1] c09 N74-20860
- ANTENNA COMPONENTS**
 Digital servocontroller for rotating antenna shaft
 [NASA-CASE-KSC-10769-1] c09 N73-27153
- ANTENNA DESIGN**
 Development and characteristics of low-noise multimode monopulse antenna feed system for use with microwave communication equipment
 [NASA-CASE-XNP-01735] c07 N71-22750
 Nose cone mounted heat resistant antenna comprising plurality of adjacent layers of silica not introducing paths of high thermal conductivity through ablative shield
 [NASA-CASE-XMS-04312] c07 N71-22984
 Development of electronic circuit for combining input signals on two separate antennas to form two processed signals
 [NASA-CASE-MSC-12205-1] c07 N71-27056
 Development and characteristics of extensible dipole antenna using deformable tubular metallic strip element
 [NASA-CASE-BQN-00937] c07 N71-28979
 Development of method for suppressing excitation of electromagnetic surface waves on dielectric converter antenna
 [NASA-CASE-XLA-10772] c07 N71-28980
 Target acquisition antenna feed with reflector system
 [NASA-CASE-GSC-10064-1] c10 N72-22235
 Collapsible high gain antenna which can be automatically expanded to operating state
 [NASA-CASE-KSC-10392] c07 N73-26117
 Dish antenna having switching beamwidth with truncated concave ellipsoid subreflector
 [NASA-CASE-GSC-11760-1] c09 N73-32116
- ANTENNA FEEDS**
 Design and operation of multi-feed cone Cassegrain antenna
 [NASA-CASE-NPO-10539] c07 N71-11285

- Characteristics of antenna horn feeds consisting of central horn with overlapping peripheral horns
[NASA-CASE-GSC-10452] c07 N71-12396
- Target acquisition antenna feed with reflector system
[NASA-CASE-GSC-10064-1] c10 N72-22235
- Multimode antenna feed system for microwave and broadband communication
[NASA-CASE-GSC-11046-1] c07 N73-28013
- Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c07 N74-11000
- High efficiency multifrequency feed
[NASA-CASE-GSC-113173] c09 N74-20863
- ANTENNA RADIATION PATTERNS**
- Broadband chokes and absorbers to reduce spurious radiation patterns of antenna array caused by support structures
[NASA-CASE-XMS-05303] c07 N69-27462
- Multiple mode horn antenna with radiation pattern of equal beamwidths and suppressed sidelobes
[NASA-CASE-XNP-01057] c07 N71-15907
- Monopulse scanning network for scanning volumetric antenna pattern
[NASA-CASE-GSC-10299-1] c09 N71-24804
- High impact antennas with high radiating efficiency
[NASA-CASE-NPO-10231] c07 N71-26101
- Pattern and impedance matching improvements in transversely polarized triaxial antenna
[NASA-CASE-XGS-02290] c07 N71-28809
- Dielectric loaded aperture antenna with directive radiation pattern from waveguide
[NASA-CASE-LAR-11084-1] c09 N73-12216
- System for locating lightning strokes by coordination of directional antenna signals
[NASA-CASE-KSC-10729-1] c09 N73-32110
- ANTENNAS**
- Antenna design with self erecting mesh reflector
[NASA-CASE-XGS-09190] c31 N71-16102
- High impact antennas with high radiating efficiency
[NASA-CASE-NPO-10231] c07 N71-26101
- Collapsible antenna boom and coaxial transmission line having inflatable inner tube
[NASA-CASE-MPS-20068] c07 N71-27191
- Conical reflector antenna with feed approximating line source
[NASA-CASE-NPO-10303] c07 N72-22127
- ANTIFRICTION BEARINGS**
- Development of hybrid bearing lubrication system with combination of standard type lubrication and magnetic flux field for earth atmosphere and space environment operation
[NASA-CASE-XNP-01641] c15 N71-22997
- Development of rolling element bearing for operation in ultrahigh vacuum environment
[NASA-CASE-XLE-09527-2] c15 N71-26189
- Development of optical system for detecting defective components in rotating machinery with emphasis on bearing assemblies
[NASA-CASE-KSC-10752-1] c15 N73-27407
- Fatigue life of hybrid antifriction bearings at ultrahigh speeds
[NASA-CASE-LEW-11152-1] c15 N73-32359
- Hollow high strength rolling elements for antifriction bearings fabricated from preformed components
[NASA-CASE-LEW-11026-1] c15 N73-33383
- ANTISEPTICS**
- Chemical synthesis of formaldehyde based disinfectants without penetrating odor and eye and ear irritation properties
[NASA-CASE-NPO-12115-1] c06 N73-17153
- ANVILS**
- Exponential horn, copper plate, magnetic hammer, and anvil in apparatus for making diamonds
[NASA-CASE-MFS-20698] c15 N72-20446
- APERTURES**
- Apertured electrode focusing system for ion sources with nonuniform plasma density
[NASA-CASE-XNP-03332] c09 N71-10618
- Threadless fastener apparatus comprising receiving apertures for plurality of articles, self-locked condition, and capable of using nonmalleable materials in both ends
[NASA-CASE-XFR-05302] c15 N71-23254
- Electron microscope and method of making annular objective aperture
[NASA-CASE-ARC-10448-1] c14 N72-21421
- Apparatus for on-film optical recording of camera lens aperture and focus setting
[NASA-CASE-MSC-12363-1] c14 N73-26431
- Electron microscope aperture system
[NASA-CASE-ARC-10448-2] c14 N74-12190
- Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c14 N74-12191
- Method of making an apertured casting
[NASA-CASE-LEW-11169-1] c15 N74-18131
- APOLLO PROJECT**
- Intra- and extravehicular life support space suite for Apollo astronauts
[NASA-CASE-MSC-12609-1] c05 N73-32012
- APOLLO SPACECRAFT**
- Low onset rate energy absorber in form of strut assembly for crew couch of Apollo command module
[NASA-CASE-MSC-12279-1] c15 N70-35679
- Energy absorbing crew couch strut for Apollo command module
[NASA-CASE-MSC-12279] c15 N72-17450
- APPLICATIONS OF MATHEMATICS**
- Apparatus for computing square roots
[NASA-CASE-XGS-04768] c08 N71-19437
- APPLICATIONS TECHNOLOGY SATELLITES**
- Doppler frequency shift correction device for multiplex communication with Applications Technology Satellites
[NASA-CASE-XGS-02749] c07 N69-39978
- AQUEOUS SOLUTIONS**
- Fuel system for thermal nuclear reactor which uses inorganic ion exchanger
[NASA-CASE-LEW-11645-2] c22 N73-28660
- ARC DISCHARGES**
- Development of device to prevent high voltage arcing in electron beam welding
[NASA-CASE-XNP-08522] c15 N71-19486
- Direct current powered self repeating plasma accelerator with interconnected annular and linear discharge channels
[NASA-CASE-XLA-03103] c25 N71-21693
- Method and apparatus for nondestructive testing --- using high frequency arc discharges
[NASA-CASE-MFS-21233-1] c23 N74-15395
- ARC HEATING**
- Magnetically diffused radial electric arc heater
[NASA-CASE-XLA-00330] c33 N70-34540
- Electric arc device for minimizing electrode ablation and heating gases to supersonic or hypersonic wind tunnel temperatures
[NASA-CASE-XAC-00319] c25 N70-41628
- ARC JET ENGINES**
- Improving performance of magnetoplasma dynamic arc rocket engine
[NASA-CASE-LEW-11180-1] c25 N73-25760
- ARC LAMPS**
- Starting circuit design for initiating and maintaining arcs in vapor lamps
[NASA-CASE-XNP-01058] c09 N71-12540
- ARC WELDING**
- Emission spectroscopy method for contamination monitoring of inert gas metal arc welding
[NASA-CASE-XNP-02039] c15 N71-15871
- Automatic closed circuit television arc guidance control for welding joints
[NASA-CASE-MFS-13046] c07 N71-19433
- Development of device to prevent high voltage arcing in electron beam welding
[NASA-CASE-XNP-08522] c15 N71-19486
- Development of apparatus for automatically changing carriage speed of welding machine to obtain constant speed of torch along work surface
[NASA-CASE-XNP-07069] c15 N71-23815
- ARCHITECTURE**
- Development of construction block in form of container folded from flat sheet and filled with solid material for architectural purposes
[NASA-CASE-MSC-12233-2] c32 N73-13921
- ARM (ANATOMY)**
- Orthotic arm joint --- for manipulating objects in response to electrical signals
[NASA-CASE-MFS-21611-1] c05 N74-10100
- ARMATURES**
- Design and development of electric motor with stationary field and armature windings which operates on direct current

- [NASA-CASE-XGS-05290] c09 N71-25999
Solenoid valve including guide for armature and valve member
- [NASA-CASE-GSC-10607-1] c15 N72-20442
Direct current motor including stationary field windings and stationary armature winding
- [NASA-CASE-XGS-07805] c15 N72-33476
AROMATIC COMPOUNDS
Ultraviolet and thermally stable polymer compositions --- poly/(diarylsiloxy)/arylazines
[NASA-CASE-ARC-10592-2] c06 N74-11926
Aromatic polyimide preparation --- with low softening temperatures
[NASA-CASE-LAR-11372-1] c06 N74-19772
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c18 N74-21156
- ARTERIES**
Transducer for converting arterial pulse wave into electric signals
[NASA-CASE-GSC-11531-1] c05 N73-11097
- ARTIFICIAL CLOUDS**
Chemical system for releasing barium to create ion clouds in upper atmosphere and interplanetary space
[NASA-CASE-LAR-10670-1] c06 N73-30097
- ARTIFICIAL GRAVITY**
Artificial gravity system for simulating self-locomotion capability of astronauts in rotating environments
[NASA-CASE-XLA-03127] c11 N71-10776
Development of method for producing artificial gravity in manned spacecraft
[NASA-CASE-XNP-02595] c31 N71-21881
Spacecraft with artificial gravity and earthlike atmosphere
[NASA-CASE-LEH-11101-1] c31 N73-32750
- ARTIFICIAL SATELLITES**
Gravity gradient attitude control system with gravity gradiometer and reaction wheels for artificial satellite attitude control
[NASA-CASE-GSC-10555-1] c21 N71-27324
- ASBESTOS**
Method for producing asbestos matrix suitable for use in fuel cell or electrolysis cell
[NASA-CASE-HSC-12568-1] c18 N73-16577
- ASPECT RATIO**
Variable aspect ratio and variable sweep delta wing planforms for supersonic aircraft
[NASA-CASE-XLA-00227] c02 N70-33266
Supersonic aircraft configuration providing for variable aspect ratio and variable sweep wings
[NASA-CASE-XLA-00166] c02 N70-34178
Supersonic aircraft variable sweep wing planform for varying aspect ratio
[NASA-CASE-XLA-00350] c02 N70-38011
- ASSEMBLIES**
Multiple Belleville spring assembly with even load distribution
[NASA-CASE-XNP-00840] c15 N70-38225
- ASTRONAUT LOCOMOTION**
Artificial gravity system for simulating self-locomotion capability of astronauts in rotating environments
[NASA-CASE-XLA-03127] c11 N71-10776
Space suit with pressure-volume compensator system
[NASA-CASE-XLA-05332] c05 N71-11194
Equipotential space suits utilizing mechanical aids to minimize astronaut energy at bending joints
[NASA-CASE-LAR-10007-1] c05 N71-11195
Space suit using nonflexible material with low leakage and providing protection against thermal extremes, physical punctures, and radiation with high mobility articulation
[NASA-CASE-XAC-07043] c05 N71-23161
Development of improved convolute section for pressurized suits to provide high degree of mobility in response to minimum of applied torque
[NASA-CASE-XMS-09637-1] c05 N71-24730
Gravity environment simulation by locomotion and restraint aid for studying manual operation performance of astronauts at zero gravity
[NASA-CASE-ARC-10153] c05 N71-28619
- ASTRONAUT MANEUVERING EQUIPMENT**
Hand-held maneuvering unit for propulsion and attitude control of astronauts in zero or reduced gravity environment
- [NASA-CASE-XMS-05304] c05 N71-12336
Space environmental work simulator with portions of space suit mounted to vacuum chamber wall
[NASA-CASE-XHF-07488] c11 N71-18773
Lightweight propulsion unit for movement of personnel and equipment across lunar surface
[NASA-CASE-HFS-20130] c28 N71-27585
- ASTRONAUT PERFORMANCE**
Gravity environment simulation by locomotion and restraint aid for studying manual operation performance of astronauts at zero gravity
[NASA-CASE-ARC-10153] c05 N71-28619
- ASTRONAUT TRAINING**
Attitude control training device for astronauts permitting friction-free movement with five degrees of freedom
[NASA-CASE-XMS-02977] c11 N71-10746
Low and zero gravity simulator for astronaut training
[NASA-CASE-HFS-10555] c11 N71-19494
Apparatus for training astronaut crews to perform on simulated lunar surface under conditions of lunar gravity
[NASA-CASE-XMS-04798] c11 N71-21474
- ASTRONAUTS**
Three transceiver lunar emergency system to relay voice communication of astronaut
[NASA-CASE-HFS-21042] c07 N72-25171
Manual actuator --- for spacecraft exercising machines
[NASA-CASE-HFS-21481-1] c15 N74-18127
- ASTRONAVIGATION**
Guidance analyzer having suspended spacecraft simulating sphere for astronavigation
[NASA-CASE-XNP-09572] c14 N71-15621
- ASTRONOMICAL PHOTOGRAPHY**
Cameras for photographing meteors in selected sky area
[NASA-CASE-LAR-10226-1] c14 N73-19419
- ASTRONOMICAL TELESCOPES**
Light sensitive control system for automatically opening and closing dome of solar optical telescope
[NASA-CASE-HSC-10966] c14 N71-19568
Laser beam projector for continuous, precise alignment between target, laser generator, and astronomical telescope during tracking
[NASA-CASE-NPO-11087] c23 N71-29125
Star image motion compensator using telescope for maintaining fixed images
[NASA-CASE-LAR-10523-1] c14 N72-22444
- ATMOSPHERIC COMPOSITION**
Design and development of two types of atmosphere sampling chambers
[NASA-CASE-NPO-11373] c13 N72-25323
Development and operation of apparatus for sampling particulates in gases in upper atmosphere
[NASA-CASE-HQN-10037-1] c14 N73-27376
Monitoring atmospheric pollutants with a heterodyne radiometer transmitter-receiver
[NASA-CASE-NPO-11919-1] c14 N74-11284
- ATMOSPHERIC ENTRY**
Designing spacecraft for flight into space, atmospheric reentry, and landing at selected sites
[NASA-CASE-XAC-02058] c02 N71-16087
Development of method for measuring electron density gradients of plasma sheath around space vehicle during atmospheric entry
[NASA-CASE-XLA-06232] c25 N71-20563
Orbital and entry tracking accessory for globes --- to provide range requirements for reentry vehicles to any landing site
[NASA-CASE-LAR-10626-1] c14 N74-21015
- ATMOSPHERIC ENTRY SIMULATION**
Crossed-field plasma accelerator for laboratory simulation of atmospheric reentry conditions
[NASA-CASE-XLA-00675] c25 N70-33267
Wind tunnel method for simulating flow fields around blunt vehicles entering planetary atmospheres without involving high temperatures
[NASA-CASE-LAR-11138] c12 N71-20436
- ATMOSPHERIC PHYSICS**
Development and characteristics of apparatus for measuring intensity of electric field in atmosphere
[NASA-CASE-KSC-10730-1] c14 N73-32318

ATMOSPHERIC RADIATION

Radiometric measuring system for solar activity and atmospheric attenuation and emission
[NASA-CASE-ERC-10276] c14 N73-26432

ATMOSPHERIC TURBULENCE

Passive optical wind and turbulence remote detection system
[NASA-CASE-XMP-14032] c20 N71-16340

ATONIZERS

Portable cryogenic cooling system design including turbine pump, cooling chamber, and atomizer
[NASA-CASE-NPO-10467] c23 N71-26654

ATTACHMENT

Silicon carbide backward diode with coated lead attachment
[NASA-CASE-ERC-10224-2] c09 N73-27150

ATTENUATORS

Rotary vane attenuator with two stators and intermediary rotor, using resistive and orthogonally disposed cards
[NASA-CASE-NPO-11418-1] c14 N73-13420

ATTITUDE (INCLINATION)

Analog spatial maneuver computer with three output angles for obtaining desired spatial attitude
[NASA-CASE-GSC-10880-1] c08 N72-11172
Spacecraft attitude sensing system design with narrow field of view sensor rotating about spacecraft x-y axis
[NASA-CASE-GSC-10890-1] c21 N73-30640

ATTITUDE CONTROL

Visual target luminaires for retrofire attitude control
[NASA-CASE-XMS-12158-1] c31 N69-27499
Unitary three-axis controller for flight vehicles within or outside atmosphere
[NASA-CASE-XPR-00181] c21 N70-33279
Sensing method and device for determining orientation of space vehicle or satellite by using particle traps
[NASA-CASE-XGS-00466] c21 N70-34297
Attitude and propellant flow control system for liquid propellant rocket vehicles
[NASA-CASE-XMP-00185] c21 N70-34539
Spacecraft attitude control system using solar and earth sensors, gyroscopes, and jet actuators
[NASA-CASE-XNP-00465] c21 N70-35395
Attitude control device for space vehicles
[NASA-CASE-XNP-00294] c21 N70-36938
Attitude orientation control of spin stabilized final stage space vehicles, using horizon scanners
[NASA-CASE-XLA-00281] c21 N70-36943
Automatic ejection valve for attitude control and midcourse guidance of space vehicles
[NASA-CASE-XNP-00676] c15 N70-38996
Three-axis controller operated by hand-wrist motion for yaw, pitch, and roll control
[NASA-CASE-XAC-01404] c05 N70-41581
Attitude control training device for astronauts permitting friction-free movement with five degrees of freedom
[NASA-CASE-XMS-02977] c11 N71-10746
Photomultiplier detector of Canopus for spacecraft attitude control
[NASA-CASE-XNP-03914] c21 N71-10771
Automatic balancing device for use on frictionless supported attitude-controlled test platforms
[NASA-CASE-LAR-10774] c10 N71-13545
Development of spacecraft experiment pointing and attitude control system
[NASA-CASE-XLA-05464] c21 N71-14132
Development of attitude control system for spacecraft orientation
[NASA-CASE-XGS-04393] c21 N71-14159
System for aerodynamic control of rocket vehicles by secondary injection of fluid into nozzle exhaust stream
[NASA-CASE-XLA-01163] c21 N71-15582
Drive mechanism for operating reactance attitude control system for aerospace bodies
[NASA-CASE-XNP-01598] c21 N71-15583
Attitude detection system using stellar references for three-axis control and spin stabilized spacecraft
[NASA-CASE-XGS-03431] c21 N71-15642

Remote control device operated by movement of finger tips for manual control of spacecraft attitude
[NASA-CASE-XAC-02405] c09 N71-16
Thrust and attitude control apparatus using jet nozzle in movable canard surface or fin configuration
[NASA-CASE-XLE-03583] c31 N71-176
Attitude sensor with scanning mirrors for detecting orientation of space vehicle with respect to planet
[NASA-CASE-XLA-00793] c21 N71-228
Development of attitude control system for sounding rocket stabilization during ballistic phase of flight
[NASA-CASE-XGS-01654] c31 N71-247
Development of voice operated controller for controlling reaction jets of spacecraft
[NASA-CASE-XLA-04063] c31 N71-331
Attitude sensor
[NASA-CASE-LAR-10586-1] c14 N74-150
Temperature compensated digital inertial sensor --- circuit for maintaining inertial element of gyroscope or accelerometer at constant position
[NASA-CASE-NPO-13044-1] c14 N74-150
ATTITUDE GYROS
Spacecraft attitude control system using solar and earth sensors, gyroscopes, and jet actuators
[NASA-CASE-XNP-00465] c21 N70-353
ATTITUDE INDICATORS
Photosensitive light source device for detecting unmanned spacecraft deviation from reference attitude
[NASA-CASE-XNP-00438] c21 N70-350
Hand controller operable about three respectively perpendicular axes and capable of actuating signal generators for attitude control devices
[NASA-CASE-XMS-07487] c15 N71-232
Combined optical attitude and altitude indicating instrument for use in aircraft or spacecraft
[NASA-CASE-XLA-01907] c14 N71-232
Aircraft horizon and vertical indicator
[NASA-CASE-ERC-10392] c21 N73-146
Attitude sensor
[NASA-CASE-LAR-10586-1] c14 N74-150
ATTITUDE STABILITY
Dynamic precession damping of spin-stabilized vehicles by using rate gyroscope and angular accelerometer
[NASA-CASE-XLA-01989] c21 N70-346
Attitude stabilizer for nonguided missile or vehicle with respect to trajectory
[NASA-CASE-ARC-10134] c30 N72-17
Strapped down gyroscope aligned with sun and star tracker optical axis calibrating roll, yaw and pitch values
[NASA-CASE-ARC-10716-1] c31 N73-32
AUDIO EQUIPMENT
Audio equipment for removing impulse noise from audio signals
[NASA-CASE-NPO-11631] c10 N73-12
AUDIO FREQUENCIES
High efficiency transformerless amplitude modulator coupled to RF power amplifier
[NASA-CASE-GSC-10668-1] c07 N71-24
Audio frequency analysis circuit for determining, displaying, and recording frequency of sweeping audio frequency signal
[NASA-CASE-NPO-11147] c14 N72-27
AUDITORY PERCEPTION
Auditory display for the blind
[NASA-CASE-HQM-10832-1] c14 N74-27
AUDITORY SIGNALS
Audio signal processing system for noise surge elimination at low amplitude audio input
[NASA-CASE-HSC-12223-1] c07 N71-24
Audio equipment for removing impulse noise from audio signals
[NASA-CASE-NPO-11631] c10 N73-12
AUDITORY STIMULI
Auditory display for the blind
[NASA-CASE-HQM-10832-1] c14 N74-27
AUSTENITIC STAINLESS STEELS
Intermetallic chromium containing nickel-aluminide for high temperature corrosion protection of stainless steels

- [NASA-CASE-LEH-11267-1] c17 N73-32414
CORRELATION
- Linear three-tap feedback shift register
[NASA-CASE-NPO-10351] c08 N71-12503
- Circuitry for developing autocorrelation
function continuously within signal receiving
period
[NASA-CASE-XNP-00746] c07 N71-21476
- AUTOMATIC CONTROL**
- Automatic control of voltage supply to direct
current motor
[NASA-CASE-XHS-04215-1] c09 N69-39987
- Electro-optical/computer system for aligning
large structural members and maintaining
correct position
[NASA-CASE-XNP-02029] c14 N70-41955
- Pulsed energy power system for application of
combustible gases to turbine controlling ac
voltage generator
[NASA-CASE-HSC-13112] c03 N71-11057
- Automatic balancing device for use on
frictionless supported attitude-controlled
test platforms
[NASA-CASE-LAR-10774] c10 N71-13545
- Computer controlled apparatus for maintaining
welding torch angle and velocity during seam
tracking
[NASA-CASE-XHF-03287] c15 N71-15607
- Fluid leakage detection system with automatic
monitoring capability
[NASA-CASE-LAR-10323-1] c12 N71-17573
- Light sensitive control system for automatically
opening and closing dome of solar optical
telescope
[NASA-CASE-HSC-10966] c14 N71-19568
- Welding torch with automatic speed controller
using speed sensing wheel and closed servo
system
[NASA-CASE-XHF-01730] c15 N71-23050
- Microwave waveguide switch with rotor position
control
[NASA-CASE-XNP-06507] c09 N71-23548
- Automatically reciprocating, high pressure pump
for use in spacecraft cryogenic propellants
[NASA-CASE-XNP-04731] c15 N71-24042
- Automatic controlled thermal fatigue testing
apparatus
[NASA-CASE-XLA-02059] c33 N71-24276
- Automatically charging battery of electric
storage cells
[NASA-CASE-XNP-04758] c03 N71-24605
- Electric motor control system with pulse width
modulation for providing automatic null
seeking servo
[NASA-CASE-XHF-05195] c10 N71-24861
- Indexing mechanism for cathode array
substitution in electron beam tube
[NASA-CASE-NPO-10625] c09 N71-26182
- Voltage range selection apparatus for sensing
and applying voltages to electronic
instruments without loading signal source
[NASA-CASE-XHS-06497] c14 N71-26244
- Automated fluid chemical analyzer for
microchemical analysis of small quantities of
liquids by use of selected reagents and
analyzer units
[NASA-CASE-XNP-09451] c06 N71-26754
- Automatic control device for regulating inlet
water temperature of liquid cooled spacesuit
[NASA-CASE-HSC-13917-1] c05 N72-15098
- Optimal control system for automatic speed
regulation of electric driven motor vehicle
[NASA-CASE-NPO-11210] c11 N72-20244
- Plotter device for automatically drawing
equipotential lines on sheet of resistance paper
[NASA-CASE-NPO-11134] c09 N72-21246
- Automatic shunting of ion thruster magnetic
field when thruster is not operating
[NASA-CASE-LEH-10835-1] c28 N72-22771
- Automated system for monitoring oxidative
metabolites of aromatic amines
[NASA-CASE-ARC-10469-1] c06 N72-31145
- Automatic temperature control for liquid cooled
space suit
[NASA-CASE-ARC-10599-1] c05 N73-26071
- Automatically operable self-leveling load table
with plurality of solenoid valves
[NASA-CASE-HFS-22039-1] c14 N73-30428
- Speed control system for dc motor equipped with
brushless Hall effect device
[NASA-CASE-HFS-20207-1] c09 N73-32107
- Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c14 N74-10420
- AUTOMATIC CONTROL VALVES**
- Ambient atmospheric pressure sensing device for
determining altitude of flight vehicles
[NASA-CASE-XLA-00128] c15 N70-37925
- Describing metal valve pintle with encapsulated
elastomeric body
[NASA-CASE-HSC-12116-1] c15 N71-17648
- Semitoroidal diaphragm cavitating flow control
valve
[NASA-CASE-XNP-09704] c12 N71-18615
- Reliability of automatic refilling valving
device for cryogenic liquid systems
[NASA-CASE-NPO-11177] c15 N72-17453
- AUTOMATIC FREQUENCY CONTROL**
- System for phase locking onto carrier frequency
signal located within receiver bandpass
[NASA-CASE-XGS-04994] c09 N69-21543
- Audio signal processing system for noise surge
elimination at low amplitude audio input
[NASA-CASE-HSC-12223-1] c07 N71-26181
- Automatic frequency control device for providing
frequency reference for voltage controlled
oscillator
[NASA-CASE-KSC-10393] c09 N72-21247
- Self-tuning electronic filter for maintaining
constant bandwidth and center frequency gain
[NASA-CASE-ARC-10264-1] c09 N73-20231
- AUTOMATIC GAIN CONTROL**
- Automatic gain control amplifier system
[NASA-CASE-XHS-05307] c09 N69-24330
- Automatic measuring and recording of gain and
zero drift characteristics of electronic
amplifier
[NASA-CASE-XHS-05562-1] c09 N69-39986
- Self-tuning electronic filter for maintaining
constant bandwidth and center frequency gain
[NASA-CASE-ARC-10264-1] c09 N73-20231
- AUTOMATIC TEST EQUIPMENT**
- Air conditioning system and automatic
distribution device for distributing air flow
from opposite directions in supply duct
[NASA-CASE-GSC-11445-1] c15 N72-28503
- Automated visual sensitivity tester for
determining visual field sensitivity and blind
spot size
[NASA-CASE-ARC-10329-1] c05 N73-26072
- Automatic microbial transfer device
[NASA-CASE-LAR-11354-1] c14 N74-10422
- AUTOMOBILES**
- Combined shoulder harness and lap belt restraint
system for use in aircraft or automobiles
[NASA-CASE-ARC-10519-1] c05 N72-31117
- AXES (REFERENCE LINES)**
- Test fixture for measuring moment of inertia of
irregularly shaped body with multiple axes
[NASA-CASE-XGS-01023] c14 N71-22992
- Mechanism for restraining universal joints to
prevent separation while allowing bending,
angulation, and lateral offset in any position
about axis
[NASA-CASE-XNP-02278] c15 N71-28951
- AXES OF ROTATION**
- Unitary three-axis controller for flight
vehicles within or outside atmosphere
[NASA-CASE-XHF-00181] c21 N70-33279
- Proportional controller for regulating aircraft
or spacecraft motion about three axes
[NASA-CASE-XAC-03392] c03 N70-41954
- Electrical and electromechanical trigonometric
computation assembly and space vehicle
guidance system for aligning perpendicular
axes of two sets of three-axes coordinate
references
[NASA-CASE-XHF-00684] c21 N71-21688
- Hand controller operable about three
respectively perpendicular axes and capable of
actuating signal generators for attitude
control devices
[NASA-CASE-XHS-07487] c15 N71-23255
- Journal bearings
[NASA-CASE-LEH-11076-4] c15 N74-18134

AXIAL COMPRESSION LOADS

Development and characteristics of device for indicating and recording magnitude of force applied in axial direction
[NASA-CASE-MSC-15626-1] c14 N72-25411

AXIAL FLOW TURBINES

Multistage multiple reentry axial flow reaction turbine with reverse flow reentry ducting
[NASA-CASE-XLB-00170] c15 N70-36412

Multistage, multiple reentry, single rotor, axial flow turbine
[NASA-CASE-XLE-00085] c28 N70-39895

AXIAL LOADS

Ball locking device which releases in response to small forces when subjected to high axial loads
[NASA-CASE-XMF-01371] c15 N70-41829

AZIMUTH

Tracking mount for laser telescope employed in tracking large rockets and space vehicles to give information regarding azimuth and elevation
[NASA-CASE-MFS-14017] c14 N71-26627

Long range laser traversing system
[NASA-CASE-GSC-11262-1] c16 N74-21091

AZINES

Synthesis of azine polymers for heat shields by azine-aromatic aldehyde reaction
[NASA-CASE-XMF-08656] c06 N71-11242

Ultraviolet and thermally stable polymer compositions --- poly((diarylsiloxy)arylazines
[NASA-CASE-ARC-10592-2] c06 N74-11926

Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c18 N74-21156

AZO COMPOUNDS

Holding process for imidazopyrrolone polymers
[NASA-CASE-LAR-10547-1] c15 N74-13177

B

BACKGROUND NOISE

Electronic background suppression field scanning sensor for detecting point source targets
[NASA-CASE-XGS-05211] c07 N69-39980

BACKSCATTERING

Apparatus for measuring backscatter and transmission characteristics of sample segment of large spherical passive satellites
[NASA-CASE-XGS-02608] c07 N70-41678

Mossbauer spectrometer radiation detector
[NASA-CASE-LAR-11155-1] c14 N74-15091

BACKUPS

Flexible backup bar for welding awkwardly shaped structures
[NASA-CASE-XMF-00722] c15 N70-40204

Reliable electrical element heater using plural wire system and backup power sources
[NASA-CASE-MFS-21462-1] c09 N74-14935

BACTERIA

Decontamination of petroleum products with honey
[NASA-CASE-XMP-03835] c06 N71-23499

Portable tester for monitoring bacterial contamination by adenosine triphosphate light reaction
[NASA-CASE-GSC-10879-1] c14 N72-25413

Enzymatic luminescent bioassay method for determining bacterial levels in urine
[NASA-CASE-GSC-11092-2] c04 N73-27052

Lyophilized spore dispenser
[NASA-CASE-LAR-10544-1] c15 N74-13178

BACTERIOLOGY

Detection of bacteria in biological fluids and foods
[NASA-CASE-GSC-11533-1] c14 N73-13435

BAFFLES

Light radiation direction indicator with baffle of two parallel grids
[NASA-CASE-XMP-03930] c14 N69-24331

Light baffle with oblate hemispheroid surface and shading flange
[NASA-CASE-NPO-10337-1] c14 N71-15604

Flexible ring slosh damping baffle for spacecraft fuel tank
[NASA-CASE-LAR-10317-1] c32 N71-16103

Submerged fuel tank baffles to prevent sloshing in liquid propellant rocket flight
[NASA-CASE-XLA-04605] c32 N71-16106

Floating baffle for tank drain
[NASA-CASE-RSC-10639] c15 N73-26472

BAGS

Fecal waste disposal container
[NASA-CASE-XMS-06761] c05 N69-23192

BALANCE

Thermoprotective device for balances
[NASA-CASE-XAC-00648] c14 N70-40400

BALANCING

Automatic balancing device for use on frictionless supported attitude-controlled test platforms
[NASA-CASE-LAR-10774] c10 N71-13545

Force balanced throttle valve for fuel control in rocket engines
[NASA-CASE-NPO-10808] c15 N71-27432

Static force balancing system attached to lifting body
[NASA-CASE-LAR-10348-1] c11 N73-12264

BALL BEARINGS

Combination guide and rotary bearing for freely moving shaft
[NASA-CASE-XLA-00013] c15 N71-29136

Method for reducing mass of ball bearings for long life operation at high speed
[NASA-CASE-LEW-10856-1] c15 N72-22490

Low mass rolling element bearing assembly
[NASA-CASE-LEW-11087-1] c15 N73-30458

Drilled ball bearing with a one piece anti-tipping cage assembly
[NASA-CASE-LEW-11925-1] c15 N74-18133

Hollow rolling element bearings
[NASA-CASE-LEW-11087-3] c15 N74-21064

BALLAST (MASS)

Inflatable stabilizing system for use on life raft to reduce rocking and preclude capsizing
[NASA-CASE-MSC-12393-1] c02 N73-26006

BALLASTS (IMPEDANCES)

Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c09 N69-24318

BALLISTICS

Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c18 N74-11366

BALLOONS

Development and characteristics of hot air balloon deceleration and recovery system
[NASA-CASE-XLA-06824-2] c02 N71-11037

Inflation system for balloon type satellites
[NASA-CASE-XGS-03351] c31 N71-16081

Development of Mylar enclosure for maintaining temperature of balloon-borne batteries and electronic modules
[NASA-CASE-GSC-11620-1] c14 N72-33379

System for controlling torque buildup in suspension of gondola connected to balloon by parachute shroud lines
[NASA-CASE-GSC-11077-1] c02 N73-13008

BALLS

Two axis flight controller with potentiometer control shafts directly coupled to rotatable ball members
[NASA-CASE-XFR-04104] c03 N70-42073

BANDPASS FILTERS

Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c07 N69-24323

Phase locked demodulator with bandwidth switching amplifier circuit
[NASA-CASE-XMP-01107] c10 N71-28859

Signal to noise ratio determination circuit using bandpass limiter
[NASA-CASE-GSC-11239-1] c10 N73-25241

Selective bandpass resonators using bandstop resonator pairs for microwave frequency operation
[NASA-CASE-GSC-10990-1] c09 N73-26195

BANDWIDTH

Improvements in receiver of narrow bandwidth television system
[NASA-CASE-XMS-06740-1] c07 N71-26579

Self-tuning electronic filter for maintaining constant bandwidth and center frequency gain
[NASA-CASE-ARC-10264-1] c09 N73-20231

BARIUM

Chemical release system for barium free atoms and barium ions
[NASA-CASE-LAR-10670-2] c13 N72-29425

Chemical system for releasing barium to create ion clouds in upper atmosphere and interplanetary space

[NASA-CASE-LAR-10670-1] c06 N73-30097
BARIUM COMPOUNDS
 Improved cathode containing barium carbonate block and heated tungsten screen for electron bombardment ion thruster
 [NASA-CASE-XLE-07087] c06 N69-39889
BARIUM FLUORIDES
 Production of barium fluoride-calcium fluoride composite lubricant for bearings or seals
 [NASA-CASE-XLE-08511-2] c18 N71-16105
BARIUM TITANATES
 Memory device employing semiconductor and ferroelectric properties of single crystal barium titanate
 [NASA-CASE-ERC-10307] c08 N72-21198
BARRIERS
 Short range laser obstacle detector --- for surface vehicles using laser diode array
 [NASA-CASE-NPO-11856-1] c16 N74-15145
BASES (CHEMICAL)
 Low concentration alkaline solution treatment of aluminum with metal phosphate surface coatings to improve chemical bonding and reduce coating weight
 [NASA-CASE-XLA-01995] c18 N71-23047
BATTERY CHARGERS
 Battery charging system with cell to cell voltage balance
 [NASA-CASE-XGS-05432] c03 N71-19438
 Alkaline-type coulometer cell for primary charge control in secondary battery recharge circuits
 [NASA-CASE-XGS-05434] c03 N71-20491
 Development and characteristics of battery charging circuits with coulometer for control of available current
 [NASA-CASE-GSC-10487-1] c03 N71-24719
BAYARD-ALPERT IONIZATION GAGES
 Describing hot filament type Bayard-Alpert ionization gage with ion collector buried or removed from grid structure
 [NASA-CASE-XLA-07424] c14 N71-18482
BEADS
 Rotary bead dropper and selector for testing micrometeorite transducers
 [NASA-CASE-XGS-03304] c09 N71-22988
BEAM LEADS
 Integrated circuit package with lead structure and method of preparing the same
 [NASA-CASE-BFS-21374-1] c10 N74-12951
BEAM SPLITTERS
 Optical range finder using reflective first surfaces mirror and transmitting beam splitter
 [NASA-CASE-HSC-12105-1] c14 N72-21409
 Laser system with an antiresonant optical ring --- optical properties and performance of beam splitter with equal transmission and reflection coefficients
 [NASA-CASE-HQN-10844-1] c16 N74-20118
BEAM SWITCHING
 Using electron beam switching for brushless motor commutation
 [NASA-CASE-XGS-01451] c09 N71-10677
 Antenna array at focal plane of reflector with coupling network for beam switching
 [NASA-CASE-GSC-10220-1] c07 N71-27233
 Dish antenna having switching beamwidth with truncated concave ellipsoid subreflector
 [NASA-CASE-GSC-11760-1] c09 N73-32116
BEAM WAVEGUIDES
 Laser machining device with dielectric functioning as beam waveguide for mechanical and medical applications
 [NASA-CASE-HQN-10541-2] c15 N71-27135
 Optical communication system with gas filled waveguide for laser beam transmission
 [NASA-CASE-HQN-10541-4] c16 N71-27183
 Laser beam projector for continuous, precise alignment between target, laser generator, and astronomical telescope during tracking
 [NASA-CASE-NPO-11087] c23 N71-29125
BEAMS (RADIATION)
 Method and means for recording and reconstructing holograms without use of reference beam
 [NASA-CASE-ERC-10020] c16 N71-26154
 Method and system for transmitting and distributing optical frequency radiation
 [NASA-CASE-HQN-10541-3] c23 N72-23695

BEARING (DIRECTION)
 Light radiation direction indicator with baffle of two parallel grids
 [NASA-CASE-XNP-03930] c14 N69-24331
 Solar radiation direction detector and device for compensating degradation of photocells
 [NASA-CASE-XLA-00183] c14 N70-40239
 Michelson interferometer with photodetector for optical direction sensing
 [NASA-CASE-NPO-10320] c14 N71-17655
 Omnidirectional liquid filled accelerometer design with liquid and housing temperature compensation
 [NASA-CASE-HQN-10780] c14 N71-30265
BEARINGS
 Metal alloy bearing materials for space applications
 [NASA-CASE-XLE-05033] c15 N71-23810
 Low friction bearing and lock mechanism for two-axis gimbal carrying satellite payload
 [NASA-CASE-GSC-10556-1] c31 N71-26537
 Magnetic bearing with diverse magnetic sources coupled to same air gap via different low magnetic reluctance paths for use with permanent magnets
 [NASA-CASE-GSC-11079-1] c21 N71-28461
 Measuring device for bearing preload using spring washers
 [NASA-CASE-MPS-20434] c11 N72-25288
 Axially and radially controllable magnetic bearing
 [NASA-CASE-GSC-11551-1] c15 N74-18132
BEDS (PROCESS ENGINEERING)
 Catalyst bed element removing tool
 [NASA-CASE-XPR-00811] c15 N70-36901
BEER LAW
 Multichannel photoionization chamber for measuring absorption, photoionization yield, and coefficients of gases
 [NASA-CASE-ERC-10044-1] c14 N71-27090
BEES
 Decontamination of petroleum products with honey
 [NASA-CASE-XNP-03835] c06 N71-23499
BELLOWS
 Compact bellows spirometer for high speed and high altitude space travel
 [NASA-CASE-XAR-01547] c05 N69-21473
 Electrical connection for printed circuits on common board, using bellows principle in rivet
 [NASA-CASE-XNP-05082] c15 N70-41960
 Flexible bellows joint shielding sleeve for propellant transfer pipelines
 [NASA-CASE-XNP-01855] c15 N71-28937
BELTS
 Apparatus for manufacturing polyester drive belts
 [NASA-CASE-NPO-13205-1] c15 N73-31442
BENDING
 Method and apparatus for bowing of instrument panels to improve radio frequency shielded enclosure
 [NASA-CASE-XNF-09422] c07 N71-19436
 Development of systems for automatically and continually suppressing or attenuating bending motion in elastic bodies
 [NASA-CASE-XAC-05632] c32 N71-23971
 Elbow forming in jacketed pipes while maintaining separation between core shape and jacket pipes
 [NASA-CASE-XNP-10475] c15 N71-24679
 Device for bending metal ribbon or wire
 [NASA-CASE-XLA-05966] c15 N72-12408
BENDING DIAGRAMS
 Charged particle analyzer with periodically varying voltage applied across electrostatic deflection members
 [NASA-CASE-XAC-05506-1] c24 N71-16095
BENDING FATIGUE
 Apparatus for testing metallic and nonmetallic beams or rods by bending at high temperatures in vacuum or inert atmosphere
 [NASA-CASE-XLE-01300] c15 N70-41993
 Cryostat for flexure fatigue testing of composite materials
 [NASA-CASE-XNF-02964] c14 N71-17659
BENDING ROBBETS
 Launch pad missile release system with bending moment change rate reduction in thrust distribution structure at liftoff
 [NASA-CASE-XNF-03198] c30 N70-40353

BENDING VIBRATION

- Mercury filled pendulum damper for controlling bending vibration induced by wind effects
[NASA-CASE-LAR-10274-1] c14 N71-17626
- BENZENE**
Para-benzoquinone dioxime and concentrated mineral acid processed to yield intumescent or fire resistant, heat insulating materials
[NASA-CASE-ARC-10304-1] c18 N73-26572
- BERYLLIUM ALLOYS**
Development of fluoride coating to prevent oxidation of beryllium surfaces at elevated temperatures
[NASA-CASE-LEW-10327] c17 N71-33408
- BIGTALS**
Monomagnetic thermal motor for magnetometer movement
[NASA-CASE-XAR-03786] c09 N69-21313
Design and development of linear actuator based on bimetallic spring expansion
[NASA-CASE-NPO-10637] c15 N72-12409
Application of spiral, bimetallic strip to create circular motion on mechanical shaft by changing strip temperature
[NASA-CASE-NPO-11283] c09 N72-25260
Development of thermal compensating structure which maintains uniform length with changes in temperature
[NASA-CASE-MFS-20433] c15 N72-28496
Bimetallic fluid displacement apparatus --- for stirring and heating stored gases and liquids
[NASA-CASE-ARC-10441-1] c15 N74-15126
- BINARY CODES**
Time division relay synchronizer with master sync pulse for activating binary counter to produce signal identifying time slot for station
[NASA-CASE-GSC-10373-1] c07 N71-19773
Logic circuit for generating multibit binary code word in parallel
[NASA-CASE-XNP-04623] c10 N71-26103
Design and development of encoder/decoder system to generate binary code which is function of outputs of plurality of bistable elements
[NASA-CASE-NPO-10342] c10 N71-33407
Binary coded sequential acquisition ranging system for distance measurements
[NASA-CASE-NPO-11194] c08 N72-25209
- BINARY DATA**
Nondestructive interrogating and state changing circuit for binary magnetic storage elements
[NASA-CASE-XGS-00174] c08 N70-34743
Logic circuit to ripple add and subtract binary counters for spaceborne computers
[NASA-CASE-XGS-04766] c08 N71-18602
Describing circuit for obtaining sum of squares of numbers
[NASA-CASE-XGS-04765] c08 N71-18693
Digital synchronizer for extracting binary data in receiver of PSK/PCM communication system
[NASA-CASE-NPO-10851] c07 N71-24613
Phase modulation of tone and binary signals on carrier waves in communication systems
[NASA-CASE-GSC-11743-1] c07 N73-27107
- BINARY DIGITS**
Logarithmic converter for compressing 19-digit binary input number to 8-digit output
[NASA-CASE-XLA-00471] c08 N70-34778
Circuit diagram and operation of full binary adder
[NASA-CASE-XGS-00689] c08 N70-34787
Binary number sorter for arranging numbers in order of magnitude
[NASA-CASE-NPO-10112] c08 N71-12502
Binary sequence detector with few memory elements and minimized logic circuit complexity
[NASA-CASE-XNP-05415] c08 N71-12505
Cathode ray tube system for displaying ones and zeros in binary wave train
[NASA-CASE-XGS-04987] c08 N71-20571
Characteristics of comparator circuits for comparison of binary numbers in information processing system
[NASA-CASE-XNP-04819] c08 N71-23295
Digital converter for scaling binary number to binary coded decimal number of higher multiple
[NASA-CASE-KSC-10595] c08 N73-12176
Binary concatenated coding system to measure, count, and record numerical information using minimized number of digits
[NASA-CASE-HSC-14082-1] c08 N73-16163
- Family of m-ary linear feedback shift register with binary logic
[NASA-CASE-NPO-11868] c10 N73-20254
- BINARY FLUIDS**
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c14 N74-18101
- BINARY TO DECIMAL CONVERTERS**
Binary to binary-coded decimal converter using single set of logic circuits notwithstanding number of shift register decades
[NASA-CASE-XNP-00432] c08 N70-35423
Design and operation of high speed binary to decimal conversion system
[NASA-CASE-IGS-01230] c08 N71-19544
Binary to decimal decoder logic circuit design with feedback control and display device
[NASA-CASE-YKS-06167] c08 N71-24890
High speed direct binary to binary coded decimal converter for use in PCM telemetry systems
[NASA-CASE-KSC-10326] c08 N72-21197
- BINDERS (MATERIALS)**
Bonded solid lubricant coatings of calcium fluoride and binder for high temperature stability
[NASA-CASE-XMS-00259] c18 N70-36400
- BIOASSAY**
Spectrophotofluorometer with 3-dimensional display to identify fluorescence spectra of carcinogenic and noncarcinogenic hydrocarbons
[NASA-CASE-XGS-01231] c14 N70-41676
Bioassay of flavin coenzymes
[NASA-CASE-GSC-10565-1] c06 N72-25149
Enzymatic luminescent bioassay method for determining bacterial levels in urine
[NASA-CASE-GSC-11092-2] c04 N73-27052
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c14 N74-19093
- BIODYNAMICS**
Ultra-flexible biomedical electrodes and wires
[NASA-CASE-ARC-10268-2] c05 N74-11900
Ultra-flexible biomedical electrode and wires
[NASA-CASE-ARC-10268-3] c05 N74-11901
- BIOELECTRIC POTENTIAL**
Electrochemically reversible silver-silver chloride electrode for detecting bioelectric potential differences generated by human muscles and organs
[NASA-CASE-XMS-02872] c05 N69-21925
Manufacturing process for making perspiration resistant-stress resistant biopotential electrode
[NASA-CASE-HSC-90153-2] c05 N72-25120
- BIOELECTRICITY**
Development and characteristics of electrodes in which poisoning by organic molecules is prevented by ion selective electrolytic deposition of hydrophilic protein colloid
[NASA-CASE-XMS-04213-1] c09 N71-26002
Elastomeric extensometer for measuring surface area changes of human body caused by body expansion and contraction
[NASA-CASE-MFS-21049-1] c14 N73-11405
- BIOENGINEERING**
Isolated dc amplifier for bioelectric measurements
[NASA-CASE-ARC-10596-1] c09 N72-27233
Ultra-flexible biomedical electrodes and wires
[NASA-CASE-ARC-10268-2] c05 N74-11900
Ultra-flexible biomedical electrode and wires
[NASA-CASE-ARC-10268-3] c05 N74-11901
- BIOINSTRUMENTATION**
Temperature compensated solid state differential amplifier with application in bioinstrumentation circuits
[NASA-CASE-XAC-00435] c09 N70-35440
Electrode attached to helmets for detecting low level signals from skin of living creatures
[NASA-CASE-ARC-10043-1] c05 N71-11193
Characteristics of pressed disc electrode for biological measurements
[NASA-CASE-XMS-04212-1] c05 N71-12346
Development of apparatus and method for quantitatively measuring brain activity as automatic indication of sleep state and level of consciousness
[NASA-CASE-HSC-13282-1] c05 N71-24729
Development and characteristics of electrodes in which poisoning by organic molecules is prevented by ion selective electrolytic deposition of hydrophilic protein colloid

- [NASA-CASE-XHS-04213-1] c09 N71-26002
 Ultrasonic biomedical measuring and recording apparatus --- for recording motion of internal organs such as heart valves
 [NASA-CASE-ARC-10597-1] c05 N74-20726
- BIOLUMINESCENCE**
 Detection instrument for light emitted from ATP biochemical reaction
 [NASA-CASE-XGS-05534] c23 N71-16355
 Describing method for lyophilization of luciferase containing mixtures for use in life detection reactions
 [NASA-CASE-XGS-05532] c06 N71-17705
- BIOLOGICAL DATA**
 Silicon radiation detecting probe design for in vivo biomedical use
 [NASA-CASE-XHS-01177] c05 N71-19440
- BIOELECTRICS**
 Characteristics of pressed disc electrode for biological measurements
 [NASA-CASE-XHS-04212-1] c05 N71-12346
 Compressible electrolyte saturated sponge electrode for biomedical applications
 [NASA-CASE-HSC-13648] c05 N72-27103
 Transducer for converting arterial pulse wave into electric signals
 [NASA-CASE-GSC-11531-1] c05 N73-11097
 Ultrasonic biomedical measuring and recording apparatus --- for recording motion of internal organs such as heart valves
 [NASA-CASE-ARC-10597-1] c05 N74-20726
- BIOTELEMETRY**
 Communication system for transmitting biomedical information obtained from patient in moving ambulance to hospital for diagnosis
 [NASA-CASE-FRC-10031] c05 N70-20717
 Biotelemetry apparatus with dual voltage generators for implanting in animals
 [NASA-CASE-XAC-05706] c05 N71-12342
 Multichannel medical monitoring system to measure physiological parameters from display device at remote control station
 [NASA-CASE-HSC-14180-1] c05 N73-22045
- BIREFRINGENCE**
 Automatic polarimeter capable of measuring transient birefringence changes in electro-optic materials
 [NASA-CASE-XNP-08883] c23 N71-16101
- BISTABLE CIRCUITS**
 Bistable multivibrator circuits operating at high speed and low power dissipation
 [NASA-CASE-XGS-00823] c10 N71-15910
- BIT SYNCHRONIZATION**
 Telemetry data unit to form multibit words for use between demodulator and computer
 [NASA-CASE-INP-09225] c09 N69-24333
 Bit synchronization system using digital data transition tracking phased locked loop
 [NASA-CASE-NPO-10844] c07 N72-20140
 Bit synchronization of PCM communications signal, without separate synchronization channel by digital correlation
 [NASA-CASE-NPO-11302-1] c07 N73-13149
 Method and apparatus for a single channel digital communications system --- synchronization of received PCM signal by digital correlation with reference signal
 [NASA-CASE-NPO-11302-2] c07 N74-10132
- BINARY CODE**
 Encoders designed to generate comma free biorthogonal Reed-Muller type code comprising conversion of 64 6-bit words into 64 32-bit data for communication purposes
 [NASA-CASE-NPO-10595] c10 N71-25917
- BITS**
 Logic circuit for generating multibit binary code word in parallel
 [NASA-CASE-XNP-04623] c10 N71-26103
 MOD 2 sequential function generator for multibit sequence, with two-bit shift register for each pair of bits
 [NASA-CASE-NPO-10636] c08 N72-25210
- BLACK BODY RADIATION**
 Development of black-body source calibration furnace
 [NASA-CASE-XLE-01399] c33 N71-15625
 Black body cavity radiometer with thermal resistance wire bridge circuit
 [NASA-CASE-XNP-08961] c14 N71-24809
- Black body radiometer design with temperature sensing and cavity heat source cone winding
 [NASA-CASE-XNP-09701] c14 N71-26475
 Black body radiometer having isothermally surrounded cavity for ultraviolet, visible, and infrared radiation
 [NASA-CASE-NPO-10810] c14 N71-27323
- BLADE TIPS**
 Modification and improvement of turbine blades for maximum cooling efficiency
 [NASA-CASE-XLE-00092] c15 N70-33264
- BLADES (CUTTERS)**
 Piston in bore cutter for severing parachute control lines and sealing cable hole to prevent water leakage into load
 [NASA-CASE-XHS-04072] c15 N70-42017
- BLAST LOADS**
 Development of apparatus for detonating explosive devices in order to determine forces generated and detonation propagation rate
 [NASA-CASE-LAR-10800-1] c33 N72-27959
- BLOOD PRESSURE**
 Blood pressure measuring system for separately recording dc and ac pressure signals of Korotkoff sounds
 [NASA-CASE-XHS-06061] c05 N71-23317
 Initial systole and diastolic notch detecting circuitry for monitoring arterial pressure pulse
 [NASA-CASE-LEB-11581-1] c05 N73-18139
- BLUFF BODIES**
 Bluff-shaped annular configuration for supersonic decelerator for reentry vehicles
 [NASA-CASE-XLE-00222] c02 N70-37939
- BLUNT BODIES**
 Hind tunnel method for simulating flow fields around blunt vehicles entering planetary atmospheres without involving high temperatures
 [NASA-CASE-LAR-11138] c12 N71-20436
- BODIES OF REVOLUTION**
 Conforming polisher for aspheric surfaces of revolution with inflatable tube
 [NASA-CASE-XGS-02884] c15 N71-22705
 Test fixture for measuring moment of inertia of irregularly shaped body with multiple axes
 [NASA-CASE-XGS-01023] c14 N71-22992
- BODY FLUIDS**
 Computer controlled infusion pump for time varying input of calcium into physiological systems
 [NASA-CASE-ARC-10447-1] c05 N73-14092
- BODY KINEMATICS**
 Space suit with improved waist and torso movement
 [NASA-CASE-ARC-10275-1] c05 N72-22092
- BODY MEASUREMENT (BIOLOGY)**
 Elastomer loaded with metal particles for elastic biomedical electrodes
 [NASA-CASE-ARC-10268-1] c09 N70-12620
 Ingestible miniaturized telemetry device for deep body temperature measurements on humans and animals
 [NASA-CASE-ARC-10583-1] c05 N73-14093
- BODY TEMPERATURE**
 Thermoregulating with cooling flow pipe network for humans
 [NASA-CASE-XHS-10269] c05 N71-24147
- BODY VOLUME (BIOLOGY)**
 Whole body measurement systems --- for weightlessness simulation
 [NASA-CASE-HSC-13972-1] c05 N74-10975
- BOILERS**
 Vapor generating boiler system for turbine motor
 [NASA-CASE-XLE-00785] c33 N71-16104
 Shell-side liquid metal boiler employing tube and shell heat exchanger
 [NASA-CASE-NPO-10831] c33 N72-20915
- BOLOMETERS**
 High impedance alternating current sensing transformer device between two bolometers for measuring insertion loss of test component
 [NASA-CASE-INP-01193] c10 N71-16057
 Thin film capacitive bolometer and capacitance temperature interchange sensor
 [NASA-CASE-NPO-10607] c09 N71-27232
- BOLTS**
 Patent data on gas actuated bolt disconnect assembly
 [NASA-CASE-KLA-00326] c03 N70-34667
 Bolt-latch mechanism for releasing despin weights from space vehicle

- [NASA-CASE-XLA-00679] c15 N70-38601
Gage for quality control of sealing surfaces of threaded boss
[NASA-CASE-XMF-04966] c14 N71-17658
Split nut and bolt separation device
[NASA-CASE-XNP-06914] c15 N71-21489
Device for securing together structural members with axially stretched bolt and nut
[NASA-CASE-GSC-11149-1] c15 N73-30457
- BONDING**
Silver chloride use in technique for fusion bonding of graphite to silver, glass, ceramics, and certain other metals
[NASA-CASE-XGS-00963] c15 N69-39735
Reduction of peak shear stress in bonded joint
[NASA-CASE-LAR-10900-1] c15 N73-10499
High temperature bonding of sapphire to sapphire by eutectic Al₂O₃ and ZrO₂ mixture to form sapphire rubidium maser cell
[NASA-CASE-GSC-11577-1] c15 N73-19467
Improved bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c15 N74-14141
Strain arrestor plate --- bonding rigid thermal insulation tiles to metallic plates or structural parts
[NASA-CASE-MSC-14182-1] c18 N74-15213
- BONES**
Ultrasonic bone densitometer for measuring calcium content of bone structures
[NASA-CASE-MFS-20994-1] c05 N73-30090
- BOOMS (EQUIPMENT)**
Unfolding boom assembly with knuckle joints for positioning equipment for spacecraft
[NASA-CASE-XGS-00938] c32 N70-41367
Collapsible antenna boom and coaxial transmission line having inflatable inner tube
[NASA-CASE-MFS-20068] c07 N71-27191
Extendable, self-deploying boom apparatus
[NASA-CASE-GSC-10566-1] c15 N72-18477
Design and characteristics of mechanically extended and telescoping boom on crane assembly
[NASA-CASE-NPO-11118] c03 N72-25021
- BOOSTER RECOVERY**
Techniques for recovery of multistage rocket vehicles by providing lifting surfaces on individual sections
[NASA-CASE-XMF-00389] c31 N70-34176
Recoverable, reusable single stage booster capable of injecting large payloads into circular earth orbit
[NASA-CASE-XMF-01973] c31 N70-41588
- BOOSTER ROCKET ENGINES**
Segmented back-up bar for butt welding large tubular structures such as rocket booster bodies or tanks
[NASA-CASE-XMF-00640] c15 N70-39924
Recoverable, reusable single stage booster capable of injecting large payloads into circular earth orbit
[NASA-CASE-XMF-01973] c31 N70-41588
- BORING MACHINES**
Automatic controlled drive mechanism for portable boring bar
[NASA-CASE-XLA-03661] c15 N71-33518
- BORON**
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential of field effect device
[NASA-CASE-GSC-11425-1] c24 N74-20329
- BORON CARBIDES**
Catalyst for increased growth of boron carbide crystal whiskers
[NASA-CASE-XHQ-03903] c15 N69-21922
- BOUNDARY LAYER CONTROL**
Double hinged flap for boundary layer control over trailing edges of wings
[NASA-CASE-XLA-01290] c02 N70-42016
- BOUNDARY LAYER SEPARATION**
Tertiary flow injection system for thrust vectoring of propulsive nozzle flow
[NASA-CASE-MFS-20831] c28 N71-29153
- BOUNDARY LAYERS**
Flow meter for measuring stagnation pressure in boundary layer around high speed flight vehicle
[NASA-CASE-XPR-02007] c12 N71-24692
Development of thermocouple instrument for measuring temperature of wall heated by flowing fluid without disturbing boundary layer
- [NASA-CASE-XLE-05230] c14 N72-27410
- BOXES (CONTAINERS)**
Sealed storage container for channel carriers with mounted miniature electronic components
[NASA-CASE-MFS-20075] c09 N71-26133
- BRAKES (FOR ARRESTING MOTION)**
Energy dissipating shock absorbing system for land payload recovery or vehicle braking
[NASA-CASE-XLA-00754] c15 N70-34850
Automatic braking device for rapidly transferring humans or materials from elevated location
[NASA-CASE-XKS-07814] c15 N71-27067
Sprag solenoid brake with cylindrical chamber
[NASA-CASE-MFS-21846-1] c15 N73-23552
- BRAKING**
Direct current electromotive system for regenerative braking of electric motor
[NASA-CASE-XMF-01096] c10 N71-16030
Linear magnetic braking system with nonuniformly wrapped primary coil producing constant braking force on secondary coil
[NASA-CASE-XLE-05079] c15 N71-17652
Anemometer with braking mechanism to prevent rotation of wind driven elements
[NASA-CASE-XMF-05224] c14 N71-23726
- BRAZING**
Anti-wettable materials brazing processes using titanium and zirconium for surface pretreatment
[NASA-CASE-XMS-03537] c15 N69-21471
Application techniques for protecting materials during salt bath brazing
[NASA-CASE-XLE-00046] c15 N70-33311
Joining aluminum to stainless steel by bonding aluminum coatings onto titanium coated stainless steel and brazing aluminum to aluminum/titanium coated steel
[NASA-CASE-MFS-07369] c15 N71-20443
Brazing alloy adapted for brazing corrosion resistant steel to refractory metals, also for brazing refractory metals to other refractory metals
[NASA-CASE-XNP-03063] c17 N71-23365
Electric resistance spot welding and brazing for producing metal bonds with superior mechanical and structural characteristics
[NASA-CASE-LAR-11072-1] c15 N73-20535
- BREATHING APPARATUS**
Three-port transfer valve with one port open continuously suitable for manned space flight
[NASA-CASE-XAC-01158] c15 N71-23051
- BRICKS**
Development of construction block in form of container folded from flat sheet and filled with solid material for architectural purposes
[NASA-CASE-MSC-12233-2] c32 N73-13921
- BRIGHTNESS**
Modulating and controlling intensity of light beam from high temperature source by servocontrolled rotating cylinders
[NASA-CASE-XMS-04300] c09 N71-19479
- BRIGHTNESS DISCRIMINATION**
Video signal processing system for sampling video brightness levels
[NASA-CASE-NPO-10140] c07 N71-24742
Automated visual sensitivity tester for determining visual field sensitivity and blind spot size
[NASA-CASE-ARC-10329-1] c05 N73-26072
- BROADBAND**
Broadband chokes and absorbers to reduce spurious radiation patterns of antenna array caused by support structures
[NASA-CASE-XMS-05303] c07 N69-27462
Flexible monopole antenna with broad bandwidth and low voltage standing wave ratio
[NASA-CASE-MSC-12101] c09 N71-18720
Broadband frequency discriminator with resistive captive inductive networks
[NASA-CASE-NPO-10096] c07 N71-24583
Broadband microwave waveguide window to compensate dielectric material filling
[NASA-CASE-XNP-08880] c09 N71-24808
Coax type traveling wave maser amplifier for improved high gain broadband output
[NASA-CASE-NPO-10548] c16 N71-24831
Wideband voltage controlled oscillator with high phase stability
[NASA-CASE-XLA-03893] c10 N71-27271

Multimode antenna feed system for microwave and broadband communication
[NASA-CASE-GSC-11046-1] c07 N73-28013

BROADBAND AMPLIFIERS
Solid state broadband stable power amplifier
[NASA-CASE-XNP-10854] c10 N71-26331
Broadband distribution amplifier with complementary pair transistor output stages
[NASA-CASE-NPO-10003] c10 N71-26415

BRUSHES
Fabrication of sintered impurity semiconductor brushes for electrical energy transfer
[NASA-CASE-XMF-01016] c26 N71-17818

BUCKLING
Miniature vibration isolator utilizing elastic tubing material
[NASA-CASE-XLA-01019] c15 N70-40156
Test equipment to prevent buckling of small diameter specimens during compression tests
[NASA-CASE-LAR-10440-1] c14 N73-32323

BUFFER STORAGE
Data handling based on source significance, storage availability, and data received from source
[NASA-CASE-XNP-04162-1] c08 N70-34675
Data acquisition and processing system with buffer storage and timing device for magnetic tape recording of PCM data and timing information
[NASA-CASE-NPO-12107] c08 N71-27255
Digital to analog converter with parallel input/output memory device
[NASA-CASE-KSC-10397] c08 N72-25206

BUILDINGS
Apparatus and method of assembling building blocks by folding pre-cut flat sheets of material during on-site construction
[NASA-CASE-MSC-12233-1] c15 N72-25454

BULKHEADS
Liquid propellant tank design with semitoroidal bulkhead
[NASA-CASE-XMF-01899] c31 N70-41948

BUOYANCY
Inflatable radar reflector unit - lightweight, highly reflective to electromagnetic radiation, and adaptable for erection and deployment with minimum effort and time
[NASA-CASE-XMS-00893] c07 N70-40063

BURNING RATE
Pressurized gas injection for burning rate control of solid propellants
[NASA-CASE-XLE-03494] c27 N71-21819
Development of apparatus for testing burning rate and flammability of materials
[NASA-CASE-XMS-09690] c33 N72-25913

BURNOUT
Spherical solid propellant rocket engine having abrupt burnout
[NASA-CASE-XHQ-01897] c28 N70-35381

BUTT JOINTS
Channel-type shell construction for rocket engines and related configurations
[NASA-CASE-XLE-00144] c28 N70-34860
Segmented back-up bar for butt welding large tubular structures such as rocket booster bodies or tanks
[NASA-CASE-XMF-00640] c15 N70-39924

BUTTERFLY VALVES
Flexible inflatable seal for butterfly valves
[NASA-CASE-XLE-00101] c15 N70-33376

BYPASSES
Low power drain transistor feedback circuit
[NASA-CASE-XGS-04999] c09 N69-24317
Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c07 N69-24323
Current regulating voltage divider design with load current shunting
[NASA-CASE-NFS-20935] c09 N71-34212
Electrical interconnection of unilluminated solar cells in solar battery array
[NASA-CASE-GSC-10344-1] c03 N72-27053

CABLE FORCE RECORDERS

Design and characteristics of device for showing amount of cable payed out from winch and load imposed
[NASA-CASE-MSC-12052-1] c15 N71-24599

CABLES

Cable guide and restraint device for reefing tubes in uniform manner
[NASA-CASE-LAR-10129-1] c15 N73-25512

CABLES (ROPES)

High voltage cable for use in high intensity ionizing radiation fields
[NASA-CASE-XNP-00738] c09 N70-38201
Force separation rigid tethering device using cables
[NASA-CASE-XLA-02332] c32 N71-17609
Support for flexible conductor cable between drawers or racks holding electronic equipment and cabinet assembly housing drawers or racks
[NASA-CASE-XMF-07587] c15 N71-18701
Design and construction of satellite appendage tie-down cord
[NASA-CASE-XGS-02554] c31 N71-21064
Quick attach mechanism for moving or stationary wires, ropes, or cables
[NASA-CASE-XFR-05421] c15 N71-22994
Flexible cable that can be made rigid
[NASA-CASE-MSC-13512-1] c15 N72-22485
Guide member for stabilizing cable of open shaft elevator
[NASA-CASE-KSC-10513] c15 N72-25453
Reefing system
[NASA-CASE-LAR-10129-2] c15 N74-20063

CADMIUM SULFIDES

High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c14 N74-18088

CALCIUM

Computer controlled infusion pump for time varying input of calcium into physiological systems
[NASA-CASE-ARC-10447-1] c05 N73-14092
Ultrasonic bone densitometer for measuring calcium content of bone structures
[NASA-CASE-NFS-20994-1] c05 N73-30090

CALCIUM FLUORIDES

Bonded solid lubricant coatings of calcium fluoride and binder for high temperature stability
[NASA-CASE-XMS-00259] c18 N70-36400
Production of barium fluoride-calcium fluoride composite lubricant for bearings or seals
[NASA-CASE-XLE-08511-2] c18 N71-16105

CALCIUM PHOSPHATES

Process for preparing calcium phosphate salts for tooth repair
[NASA-CASE-ERC-10338] c04 N72-33072

CALIBRATING

Development and characteristics of self-calibrating displacement transducer for measuring magnitude and frequency of displacement of bodies
[NASA-CASE-XLA-00781] c09 N71-22999
Combination pressure transducer-calibrator assembly for measuring fluid
[NASA-CASE-XNP-01660] c14 N71-23036
Control system for pressure balance device used in calibrating pressure gages
[NASA-CASE-XMF-04134] c14 N71-23755
Phonocardiogram simulator producing electrical voltage waves to control amplitude and duration between simulated sounds
[NASA-CASE-XKS-10804] c05 N71-24606
Calibrator for measuring and modulating or demodulating laser outputs
[NASA-CASE-XLA-03410] c16 N71-25914
Plastic sphere for radar tracking and calibration
[NASA-CASE-XLA-11154] c07 N72-21117
Calibration of vacuum gauges for measuring total and partial pressures in ultrahigh vacuum region
[NASA-CASE-XGS-07752] c14 N73-30390
Ergometer calibrator --- for any ergometer utilizing rotating shaft
[NASA-CASE-NFS-21045-1] c14 N74-11288
System for calibrating pressure transducer
[NASA-CASE-LAR-10910-1] c14 N74-13132
In situ transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c14 N74-15092

CALORIMETERS

Development and characteristics of calorimeter with integral heat sink for maintenance of constant temperature
[NASA-CASE-XMF-04208] c33 N71-29051

C

- Calorimeter for measuring thermal output of nickel cadmium batteries
[NASA-CASE-GSC-11434-1] c14 N72-27430
- CAMERA SHUTTERS**
- Electrically operated rotary shutter for television camera aboard spacecraft
[NASA-CASE-XNP-00637] c14 N70-40273
- Magnetically opened diaphragm design with camera shutter and expansion tube applications
[NASA-CASE-XLA-03660] c15 N71-21060
- Development and characteristics of cyclically operable, optical shutter for use as focal plane shutter for transmitting single radiation pulses
[NASA-CASE-NPO-10758] c14 N73-14427
- Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly --- for use with cameras mounted in satellites
[NASA-CASE-GSC-11560-1] c09 N74-20861
- CAMERAS**
- Mechanism for measuring nanosecond time differences between luminous events using streak camera
[NASA-CASE-XLA-01987] c23 N71-23976
- Camera adapter design for image magnification including lens and illuminator
[NASA-CASE-XMF-03844-1] c14 N71-26474
- Longitudinal film gate and lock mechanism for securing film in motion picture cameras under vibration and high acceleration loads
[NASA-CASE-LAR-10686] c14 N71-28935
- Design and characteristics of laser camera system with diffusion filter of small particles with average diameter larger than wavelength of laser light
[NASA-CASE-NPO-10417] c16 N71-33410
- Optical scanner with linear housing and rotating camera
[NASA-CASE-NPO-11002] c14 N72-22441
- Apparatus for on-film optical recording of camera lens aperture and focus setting
[NASA-CASE-MSC-12363-1] c14 N73-26431
- Integration of spectrometer capability with imagery function of facsimile cameras for use on planetary landers
[NASA-CASE-LAR-11207-1] c14 N73-28496
- Mechanical exposure interlock device for preventing film overexposure in oscilloscope camera
[NASA-CASE-LAR-10319-1] c14 N73-32322
- Real time moving scene holographic camera system
[NASA-CASE-MFS-21087-1] c14 N74-17153
- CANARD CONFIGURATIONS**
- Thrust and attitude control apparatus using jet nozzle in movable canard surface or fin configuration
[NASA-CASE-XLE-03583] c31 N71-17629
- CANOPIES**
- Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c18 N74-16249
- CANS**
- Design and characteristics of device for closing canisters under high vacuum conditions
[NASA-CASE-XLA-01446] c15 N71-21528
- Extrusion can for extruding ceramics under heat and pressure
[NASA-CASE-NPO-10812] c15 N73-13464
- CANTILEVER BEAMS**
- Pneumatic cantilever beams and platform for space erectable structure
[NASA-CASE-XLA-01731] c32 N71-21045
- CANTILEVER MEMBERS**
- Deployable cantilever support for deploying solar cell arrays aboard spacecraft and reducing transient loading
[NASA-CASE-NPO-10883] c31 N72-22874
- CAPACITANCE**
- Capacitance measuring device for determining flare accuracy on tapered tubes
[NASA-CASE-XKS-03495] c14 N69-39785
- Device for measuring two orthogonal components of force with gallium flotation of measuring target for use in vacuum environments
[NASA-CASE-XAC-04885] c14 N71-23790
- Thin film capacitive bolometer and capacitance temperature interchange sensor
[NASA-CASE-NPO-10607] c09 N71-27232
- Capacitive tank gaging device for monitoring one constituent of two phase fluid by sensing dielectric constant
[NASA-CASE-MFS-21629] c14 N72-22442
- Circuit with differential amplifier for synthesizing capacitance multiplier with microminiaturized feedback components
[NASA-CASE-NPO-11948-1] c10 N73-15255
- Adjustable frequency response microphone
[NASA-CASE-LAR-11170-1] c07 N74-12843
- CAPACITANCE SWITCHES**
- Electric discharge apparatus for electrohydraulic explosive forming
[NASA-CASE-XNP-00375] c15 N70-34249
- Extra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit
[NASA-CASE-XGS-00381] c09 N70-34819
- Feedback integrating circuit with grounded capacitor for signal processing
[NASA-CASE-XAC-10607] c10 N71-23669
- CAPACITORS**
- Temperature sensitive capacitor device for detecting very low intensity infrared radiation
[NASA-CASE-XNP-09750] c14 N69-39937
- Energy source with tantalum capacitors in parallel and miniature silver oxide button cells for initiating pyrotechnic devices on spacecraft and rocket vehicles
[NASA-CASE-LAR-10367-1] c03 N70-26817
- Electrical power system for space flight vehicles operating over extended periods
[NASA-CASE-XMF-00517] c03 N70-34157
- Capacitor for measuring density of compressible fluid in liquid, gas, or liquid and gas phases
[NASA-CASE-XLE-00143] c14 N70-36618
- Capacitor sandwich structure containing metal sheets of known thickness for counting penetration rates of meteoroids
[NASA-CASE-XLE-01246] c14 N71-10797
- Capacitor fabrication by solidifying mixture of ferromagnetic metal particles, nonferromagnetic particles, and dielectric material
[NASA-CASE-LEW-10364-1] c09 N71-13522
- Mechanism for measuring nanosecond time differences between luminous events using streak camera
[NASA-CASE-XLA-01987] c23 N71-23976
- Circuit for monitoring power supply by ripple current indication
[NASA-CASE-KSC-10162] c09 N72-11225
- Thermoelectric radionometer using polymer film as capacitor
[NASA-CASE-ARC-10138-1] c14 N72-24477
- Material compositions and processes for developing dielectric thick films used in microcircuit capacitors
[NASA-CASE-LAR-10294-1] c26 N72-28762
- Micrometeoroid analyzer using arrays of interconnected capacitors and ion detector
[NASA-CASE-ARC-10443-1] c14 N73-20477
- Insulated electrode for electrocardiographic recording without paste electrolyte
[NASA-CASE-MSC-14339-1] c05 N73-21151
- Integrated microcircuits and complementary four-phase logic system
[NASA-CASE-MSC-14240-1] c10 N73-21240
- CAPILLARY FLOW**
- Capillary radiator for carrying heat transfer liquid in planetary spacecraft structures
[NASA-CASE-XLE-03307] c33 N71-14035
- Lubrication for bearings by capillary action from oil reservoir of porous material
[NASA-CASE-XNP-03972] c15 N71-23048
- Soldering device particularly suited to making high quality wiring joints for aerospace engineering utilizing capillary attraction to regulate flow of solder
[NASA-CASE-XLA-08911] c15 N71-27214
- CAPILLARY TUBES**
- Tubular flow restrictor for gas flow control in pipeline
[NASA-CASE-NPO-10117] c15 N71-15608
- Development of liquid separating system using capillary device connected to flexible bladder storage chamber
[NASA-CASE-XMS-13052] c14 N71-20427
- Interrupter switching device utilizing electrodes and mercury filled capillary tubes in which current flow vaporizes mercury as

- circuit breaker
[NASA-CASE-XNP-02251] c12 N71-20896
- CARBAZOLES**
Method of producing output voltage from photovoltaic cell using poly-N-vinyl carbazole complexed with iodine
[NASA-CASE-NPO-10373] c03 N71-18698
- CARBOHYDRATES**
Decontamination of petroleum products with honey
[NASA-CASE-XNP-03835] c06 N71-23499
- CARBON ARCS**
Water cooled contactors for holding rotating carbon arc anode
[NASA-CASE-XNS-03700] c15 N69-24266
- CARBON COMPOUNDS**
Vapor deposited laminated nitride-silicon coating for corrosion prevention of carbonaceous surfaces
[NASA-CASE-XLA-00284] c15 N71-16075
- CARBON DIOXIDE**
Carbon dioxide purge systems to prevent condensation in spaces between cryogenic fuel tanks and hypersonic vehicle skin
[NASA-CASE-XLA-01967] c31 N70-42015
Fast response miniature carbon dioxide detector with no moving parts for measuring concentration in any atmosphere
[NASA-CASE-HSC-13332-1] c14 N72-21408
- CARBON DIOXIDE LASERS**
Repetitively pulsed wavelength selective carbon dioxide laser
[NASA-CASE-ERC-10178] c16 N71-24832
Performance of ac power supply developed for CO2 laser system
[NASA-CASE-GSC-11222-1] c16 N73-32391
- CARBON DIOXIDE REDUCTION**
Catalyst cartridge for carbon dioxide reduction unit
[NASA-CASE-LAR-10551-1] c06 N74-12813
- CARBONATES**
Chemical and physical properties of synthetic polyurethane polymer prepared by reacting hydroxy carbonate with organic diisocyanate
[NASA-CASE-HFS-10512] c06 N73-30099
- CARBOXYL GROUP**
Carboxyl terminated polyester prepolymers and foams produced from prepolymers and materials
[NASA-CASE-NPO-10596] c06 N71-25929
- CARBOXYLIC ACIDS**
Stable polyimide synthesis from mixtures of monomeric diamines and polycarboxylic acid esters
[NASA-CASE-LEH-11325-1] c06 N73-27980
Fluorinated esters of polycarboxylic acid and lubricating compositions for use at extreme temperature
[NASA-CASE-HFS-21040-1] c06 N73-30098
- CARCINOGENS**
Spectrophotofluorometer with 3-dimensional display to identify fluorescence spectra of carcinogenic and noncarcinogenic hydrocarbons
[NASA-CASE-XGS-01231] c14 N70-41676
- CARDIOGRAPHY**
Digital cardiometer incorporating circuit for measuring heartbeat rate of subject over predetermined portion of one minute also converting rate to beats per minute
[NASA-CASE-XNS-02399] c05 N71-22896
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-AHC-10753-1] c05 N74-13818
- CARDIOLOGY**
Development of instantaneous reading tachometer for measuring electrocardiogram signal rate
[NASA-CASE-HFS-20418] c14 N73-24473
- CARDIOTACHOMETERS**
Digital computing cardiometer
[NASA-CASE-HFS-20284-1] c05 N74-12778
- CARDIOVASCULAR SYSTEMS**
Conditioning suit for normal function of astronaut cardiovascular system in gravity environment
[NASA-CASE-XLA-02898] c05 N71-20268
Ear oximeter for monitoring blood oxygenation and pressure, pulse rate, and pressure pulse curve, using dc and ac amplifiers
[NASA-CASE-XAC-05422] c04 N71-23185
- CARRIER FREQUENCIES**
Demodulator for simultaneous demodulation of two modulating ac signal carriers close in frequency
[NASA-CASE-XHF-01160] c07 N71-11298
Automatic carrier acquisition system for phase locked loop receiver
[NASA-CASE-NPO-11628-1] c07 N73-30113
Demodulator for carrier transducers
[NASA-CASE-NUC-10107-1] c09 N74-17930
Decision feedback loop for tracking a polyphase modulated carrier
[NASA-CASE-NPO-13103-1] c07 N74-20811
- CARRIER WAVES**
Variable frequency subcarrier oscillator with temperature compensation
[NASA-CASE-XNP-03916] c09 N71-28810
Phase modulation of tone and binary signals on carrier waves in communication systems
[NASA-CASE-GSC-11743-1] c07 N73-27107
- CARRIERS**
Sealed storage container for channel carriers with mounted miniature electronic components
[NASA-CASE-HFS-20075] c09 N71-26133
- CARTESIAN COORDINATES**
Design and development of random function tracer for obtaining coordinates of points on contour maps
[NASA-CASE-XLA-01401] c15 N71-21179
- CARTRIDGES**
Tape cartridge with high capacity storage of endless-loop magnetic tape
[NASA-CASE-XGS-00769] c14 N70-41647
Endless loop tape transport mechanism for driving and tensioning recording medium in magnetic tape recorder
[NASA-CASE-XGS-01223] c07 N71-10609
Catalyst cartridge for carbon dioxide reduction unit
[NASA-CASE-LAR-10551-1] c06 N74-12813
- CASCADE CONTROL**
Reversible ring counter using cascaded single silicon controlled rectifier stages
[NASA-CASE-XGS-01473] c09 N71-10673
Synchronous dc direct-drive system comprising multiple-loop hybrid control system controlling load directly connected to actuator
[NASA-CASE-GSC-10065-1] c10 N71-27136
Multiloop RC active filter network with low parameter sensitivity and low amplifier gain
[NASA-CASE-ARC-10192] c09 N72-21245
- CASES (CONTAINERS)**
Nonmagnetic hermetically sealed battery case made of epoxy resin and woven glass tape for use with electrochemical cells in spacecraft
[NASA-CASE-XGS-00886] c03 N71-11053
Radioactive isotope capsule container design for atmospheric reentry protection and heat transmission to spacecraft
[NASA-CASE-LEH-11227-1] c33 N71-35153
- CASSEGRAIN ANTENNAS**
Cassegrain antenna subreflector flange for suppressing ground noise and increasing antenna transmitting efficiency
[NASA-CASE-XNP-00683] c09 N70-35425
Design and operation of multi-feed cone Cassegrain antenna
[NASA-CASE-NPO-10539] c07 N71-11285
Synchronous detection system for detecting weak radio astronomical signals
[NASA-CASE-XNP-09832] c30 N71-23723
Dual frequency feed systems for Cassegrainian antennas
[NASA-CASE-NPO-13091-1] c09 N73-12214
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c07 N74-11000
- CASTING**
Hydraulic apparatus for casting and molding of liquid polymers
[NASA-CASE-XNP-07659] c06 N71-22975
- CASTINGS**
Method of making an apertured casting
[NASA-CASE-LEH-11169-1] c15 N74-18131
- CATALYSIS**
Unit for generating thrust from catalytic decomposition of hydrogen peroxide, for high altitude aircraft or spacecraft reaction control
[NASA-CASE-XNS-00583] c28 N70-38504
- CATALYSTS**
Catalyst for increased growth of boron carbide crystal whiskers
[NASA-CASE-XHQ-03903] c15 N69-21922

- Catalyst bed element removing tool
[NASA-CASE-XFR-00811] c15 N70-36901
- Catalyst bed ignition system for hydrazine propellants
[NASA-CASE-XNP-00876] c28 N70-41311
- Development of device for detecting hydrogen in ambient environments
[NASA-CASE-HFS-11537] c14 N71-20442
- Catalyst cartridge for carbon dioxide reduction unit
[NASA-CASE-LAR-10551-1] c06 N74-12813
- CATHETERIZATION**
- Transducer circuit design with single coaxial cable for input and output connections including incorporation into miniaturized catheter transducer
[NASA-CASE-ARC-10132-1] c09 N71-24597
- CATHODE RAY TUBES**
- Cathode ray oscilloscope for analyzing electrical waveforms representing amplitude distribution of time function
[NASA-CASE-XNP-01383] c09 N71-10659
- Cathode ray tube system for displaying ones and zeros in binary wave train
[NASA-CASE-XGS-04987] c08 N71-20571
- Indexing mechanism for cathode array substitution in electron beam tube
[NASA-CASE-NPO-10625] c09 N71-26182
- Color television system utilizing single gun current sensitive color cathode ray tube
[NASA-CASE-ERC-10098] c09 N71-28618
- Digital video system for displaying image and alphanumeric data on cathode ray tube
[NASA-CASE-NPO-11342] c09 N72-25248
- Switching circuit for control of cathode ray tube beam with fast rise time for output signal
[NASA-CASE-KSC-10647-1] c10 N72-31273
- Situational display system of cathode ray tubes to assist pilot in aircraft control
[NASA-CASE-ERC-10350] c14 N73-20474
- CATHODES**
- Encapsulated heater forming hollow body for cathode used in ion thruster
[NASA-CASE-LEW-10814-1] c28 N70-35422
- Electronic cathodes for use in electron bombardment ion thrusters
[NASA-CASE-XLE-04501] c09 N71-23190
- Design and characteristics of heat activated electric cell with anode made from one or more alkali metals and cathode made from oxidizing material
[NASA-CASE-LEW-11358] c03 N71-26084
- Characteristics of ion rocket engine with combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c28 N73-24783
- Storage battery comprising negative plates of a wedge shaped configuration --- for preventing shape change induced malfunctions
[NASA-CASE-NPO-11806-1] c03 N74-19693
- CATIONS**
- Water insoluble, cationic permselective membrane
[NASA-CASE-NPO-11091] c18 N72-22567
- CAVITATION FLOW**
- Semitoroidal diaphragm cavitating flow control valve
[NASA-CASE-XNP-09704] c12 N71-18615
- CAVITIES**
- Black body radiometer having isothermally surrounded cavity for ultraviolet, visible, and infrared radiation
[NASA-CASE-NPO-10810] c14 N71-27323
- Method for coating through-holes in ceramic substrates used in fabricating miniaturized electronic circuits
[NASA-CASE-XNP-05999] c15 N71-29032
- Soil burrowing mole apparatus
[NASA-CASE-XNP-07169] c15 N73-32362
- CAVITY RESONATORS**
- Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c07 N69-24323
- Semiconductor in resonant cavity for improving signal to noise ratio of communication receiver
[NASA-CASE-MSC-12259-1] c07 N70-12616
- Thermally sensitive tuning probe for nullifying detuning effects in microwave cavity resonator of amplifier
[NASA-CASE-XNP-00449] c14 N70-35220
- Holder for high frequency crystal resonators
[NASA-CASE-XNP-03637] c15 N71-21311
- Superconductive resonant cavity for improved signal to noise ratio in communication signal
[NASA-CASE-MSC-12259-2] c07 N72-33146
- Infrared tunable dye laser with nonlinear wavelength mixing crystal in optical cavity
[NASA-CASE-ARC-10463-1] c09 N73-32111
- Tunable cavity resonator with ramp shaped supports
[NASA-CASE-HQN-10790-1] c16 N74-11313
- CELESTIAL BODIES**
- Device for determining relative angular position of spacecraft and radiating celestial body
[NASA-CASE-GSC-11444-1] c14 N73-28490
- CELESTIAL NAVIGATION**
- Development of star intensity measuring system which minimizes effects of outside interference
[NASA-CASE-XNP-06510] c14 N71-23797
- CELL ANODES**
- Heat activated enf cells with aluminum anode
[NASA-CASE-LEW-11359] c03 N71-28579
- Heat activated cell with aluminum anode
[NASA-CASE-LEW-11359-2] c03 N72-20034
- CELLS**
- Separation cell with permeable membranes for fluid mixture component separation
[NASA-CASE-XMS-02952] c18 N71-20742
- CENTRIFUGES**
- Centrifuge mounted motion simulator with elevator mechanism
[NASA-CASE-XAC-00399] c11 N70-34815
- Liquid-gaseous centrifugal separator for weightlessness environment
[NASA-CASE-XLA-00415] c15 N71-16079
- Centrifugal separator using lyophobic filter
[NASA-CASE-LAR-10194-1] c12 N72-11293
- CERAMIC BONDING**
- Plasma spraying gun for forming diffusion bonded metal or ceramic coatings on substrates
[NASA-CASE-XLE-01604-2] c15 N71-15610
- Method of forming ceramic to metal seals impervious to gaseous and liquid mercury at high temperature
[NASA-CASE-XNP-01263-2] c15 N71-26312
- CERAMIC COATINGS**
- Evaporating crucible of tantalum-tungsten foil, nickel alumina bonding agent, and ceramic coating
[NASA-CASE-XLA-03105] c15 N69-27483
- Unfired-ceramic, highly reflective composite insulation for large launch vehicles
[NASA-CASE-XNP-01030] c18 N70-41583
- Unfired ceramic insulation for protection from radiant heating environments
[NASA-CASE-HFS-14253] c33 N71-24858
- Cermet for nuclear fuel constructed by pressing metal coated ceramic particles in die at temperature to cause bonding of metal coatings, and tested for thermal stability
[NASA-CASE-LEW-10219-1] c18 N71-28729
- CERAMIC NUCLEAR FUELS**
- Cermet for nuclear fuel constructed by pressing metal coated ceramic particles in die at temperature to cause bonding of metal coatings, and tested for thermal stability
[NASA-CASE-LEW-10219-1] c18 N71-28729
- CERAMICS**
- Transpiration cooled turbine blade made from metallic or ceramic wires
[NASA-CASE-XLE-00020] c15 N70-33226
- Characteristics of foamed-in-place ceramic refractory insulating material and method of fabrication
[NASA-CASE-XGS-02435] c18 N71-22998
- Process for fiberizing ceramic materials with high fusion temperatures and tensile strength
[NASA-CASE-XNP-00597] c18 N71-23088
- Method for coating through-holes in ceramic substrates used in fabricating miniaturized electronic circuits
[NASA-CASE-XNP-05999] c15 N71-29032
- Extrusion can for extruding ceramics under heat and pressure
[NASA-CASE-NPO-10812] c15 N73-13464
- Thermal shock resistant hafnia ceramic materials
[NASA-CASE-LAR-10894-1] c18 N73-14584
- Method of making an apertured casting
[NASA-CASE-LEW-11169-1] c15 N74-18131
- CERMETS**
- Freeze casting of metal ceramic and refractory compound powders into plastic slips

- [NASA-CASE-XLR-00106] c15 N71-16076
Cermets for nuclear fuel constructed by pressing metal coated ceramic particles in die at temperature to cause bonding of metal coatings, and tested for thermal stability
- [NASA-CASE-LEH-10219-1] c18 N71-28729
Development of method for fabricating cernets and analysis of various compositions to show electrical and physical properties
- [NASA-CASE-NPO-13120-1] c18 N73-23629
CESIUM
Heated tungsten filter for removing oxygen impurities from cesium
- [NASA-CASE-XNP-04262-2] c17 N71-26773
Production of iodine isotope by high energy bombardment of cesium heat pipe causing spallation reaction
- [NASA-CASE-LEH-11390-2] c24 N73-20763
CESIUM DIODES
Oxygen-doped tantalum emitter for thermionic devices such as cesium vapor diodes
- [NASA-CASE-NPO-11138] c03 N70-34646
Thermionic cesium diode converter with cavity emitters
- [NASA-CASE-NPO-10412] c09 N71-28421
CESIUM ENGINES
Variable thrust ion engine using thermal decomposition of solid cesium compound to produce propulsive vapor
- [NASA-CASE-XNP-00923] c28 N70-36802
Method for producing porous tungsten plates for ionizing cesium compounds for propulsion of ion engines
- [NASA-CASE-XLB-00455] c28 N70-38197
CESIUM VAPOR
Electric power generation system directly from laser power
- [NASA-CASE-NPO-13308-1] c03 N74-19702
CHANNEL FLOW
Fabrication method for lightweight regeneratively cooled combustion chamber of channel construction
- [NASA-CASE-XLB-00150] c28 N70-41818
Heated element sensor for fluid flow detection in thermal conductive conduit with adaptive means to determine flow rate and direction
- [NASA-CASE-HSC-12084-1] c12 N71-17569
CHANNELS (DATA TRANSMISSION)
Error correction circuitry for binary signal channels
- [NASA-CASE-XNP-03263] c09 N71-18843
Helical recorder for multiple channel recording
- [NASA-CASE-GSC-10614-1] c09 N72-11224
Asynchronous, multiplexing, single line transmission and recovery data system --- for satellite use
- [NASA-CASE-NPO-13321-1] c07 N74-19806
CHARGE DISTRIBUTION
Operation of vidicon tube for scanning spatial charge density pattern
- [NASA-CASE-XNP-06028] c09 N71-23189
CHARGE TRANSFER
Electronic counter circuit utilizing magnetic core and low power consumption
- [NASA-CASE-XNP-08836] c09 N71-12515
CHARGED PARTICLES
Method of forming thin window drifted silicon charged particle detector
- [NASA-CASE-XLE-00808] c24 N71-10560
Charged particle analyzer with periodically varying voltage applied across electrostatic deflection members
- [NASA-CASE-XAC-05506-1] c24 N71-16095
Electrostatic charged particle collector containing stacked electrodes for microwave tube
- [NASA-CASE-LEW-11192-1] c09 N73-13208
CHARGING
Development of device for simulating charge and discharge cycle of battery in synchronous orbit
- [NASA-CASE-GSC-11211-1] c03 N72-25020
CHARRING
Sensor device with switches for measuring surface recession of charring and noncharring ablators
- [NASA-CASE-XLA-01781] c14 N69-39975
Ablation sensor for measuring char layer recession rate using electric wires
- [NASA-CASE-XLA-01794] c33 N71-21586
CHECKOUT
Digital computer system for automatic prelaunch checkout of spacecraft
- [NASA-CASE-XKS-08012-2] c31 N71-15566
CHELATES
Ammonium perchlorate composite propellant with organic Cu/II/ chelate catalytic additive
- [NASA-CASE-LAR-10173-1] c27 N71-14090
CHEMICAL ANALYSIS
Analytical test apparatus and method for determining oxygen content in alkali liquid metal
- [NASA-CASE-XLE-01997] c06 N71-23527
Automated fluid chemical analyzer for microchemical analysis of small quantities of liquids by use of selected reagents and analyzer units
- [NASA-CASE-XNP-09451] c06 N71-26754
Method for determining presence and type of OH in MgO
- [NASA-CASE-NPO-10774] c06 N72-17095
Development and characteristics of injection system for use with gas chromatograph
- [NASA-CASE-ARC-10344-1] c14 N72-21433
Micrometeoroid analyzer using arrays of interconnected capacitors and ion detector
- [NASA-CASE-ARC-10443-1] c14 N73-20477
Gas chromatograph in injection system
- [NASA-CASE-ARC-10344-2] c14 N74-20021
CHEMICAL AUXILIARY POWER UNITS
Development and characteristics of ion-exchange membrane and electrode assembly for fuel cells or electrolysis cells
- [NASA-CASE-XMS-02063] c03 N71-29044
CHEMICAL COMPOSITION
Rubber composition for expulsion bladders and diaphragms for use with hydrazine
- [NASA-CASE-NPO-11433] c18 N71-31140
Phototropic composition of matter with sensitivity to ultraviolet light and usable for producing positive photographic images
- [NASA-CASE-IGS-03736] c14 N72-22443
CHEMICAL COMPOUNDS
Ultraviolet chromatographic detector for quantitative and qualitative analysis of compounds
- [NASA-CASE-HQN-10756-1] c14 N72-25428
CHEMICAL ELEMENTS
Apparatus for remote handling of materials --- mixing or analyzing dangerous chemicals
- [NASA-CASE-LAR-10634-1] c15 N74-18123
CHEMICAL MACHINING
Reusable masking boot for chemical machining operations
- [NASA-CASE-XNP-02092] c15 N70-42033
CHEMICAL PROPERTIES
Method for producing alternating ether-siloxane copolymers with stable properties when exposed to elevated temperatures and UV radiation
- [NASA-CASE-XMF-02584] c06 N71-20905
Chemical and physical properties of synthetic polyurethane polymer prepared by reacting hydroxy carbonate with organic diisocyanate
- [NASA-CASE-NFS-10512] c06 N73-30099
Chemical and elastic properties of fluorinated polyurethanes
- [NASA-CASE-NPO-10767-1] c06 N73-33076
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
- [NASA-CASE-NFS-22411-1] c15 N74-
CHEMICAL REACTIONS
Fire retardant polyisocyanurate foam with high temperature resistance
- [NASA-CASE-ARC-10280-1] c18 N70-34695
Process for interfacial polymerization of pyromellitic dianhydride and tetraamino benzene
- [NASA-CASE-XLA-03104] c06 N71-11235
Synthesis of polymeric schiff bases by schiff-base exchange reactions
- [NASA-CASE-XHF-08651] c06 N71-11236
Preparation of ordered poly(arylenesiloxane)/polymers
- [NASA-CASE-XHF-10753] c06 N71-11237
Synthesis and chemical properties of imidazopyrrolone/imide copolymers
- [NASA-CASE-XLA-08802] c06 N71-11238
Composition and process for improving definition of resin masks used in chemical etching
- [NASA-CASE-IGS-04993] c14 N71-17574

- Preparation of inorganic solid film lubricants with long wear life and stability in aerospace environments
[NASA-CASE-XMF-03988] c15 N71-21403
- Synthesis of high purity dianilinosilanes
[NASA-CASE-XMF-06409] c06 N71-23230
- Synthesis of aromatic diamines and dialdehyde polymers using Schiff base
[NASA-CASE-XMF-03074] c06 N71-24740
- Chemical synthesis of hydroxy terminated perfluoro ethers as intermediates for highly fluorinated polyurethane resins
[NASA-CASE-NPO-10768] c06 N71-27254
- Chemical synthesis of thermally stable organometallic polymers with divalent metal ion and tetraphenylphosphonitrilic units
[NASA-CASE-HQN-10364] c06 N71-27363
- Apparatus and process for volumetrically dispensing reagent quantities of volatile chemicals for small batch reactions
[NASA-CASE-NPO-10070] c15 N71-27372
- Infusible polymer production from reaction of polyfunctional epoxy resins with polyfunctional aziridine compounds
[NASA-CASE-NPO-10701] c06 N71-28620
- Process for preparing high molecular weight polyaryloxysilanes from lower molecular weight forms
[NASA-CASE-XMF-08674] c06 N71-28807
- Organometallic compounds of niobium and tantalum useful for film deposition
[NASA-CASE-XNP-04023] c06 N71-28808
- Description of method for making homogeneous foamed materials in weightless environment using materials having different physical properties
[NASA-CASE-XMF-09902] c15 N72-11387
- Method to produce high purity copper fluoride by heating copper hydroxyfluoride powder and subjecting to flowing fluorine gas
[NASA-CASE-LEW-10794-1] c06 N72-17093
- Pumping and metering dual piston system and monitor for reaction chamber constituents
[NASA-CASE-GSC-10218-1] c15 N72-21465
- Development of apparatus for producing metal powder particles of controlled size
[NASA-CASE-XLE-06461-2] c17 N72-28535
- Chemical release system for barium free atoms and barium ions
[NASA-CASE-LAR-10670-2] c13 N72-29425
- Chemical spot tests for identification of titanium and titanium alloys used in aerospace vehicles
[NASA-CASE-LAR-10539-1] c17 N73-12547
- Self-cycling fluid heater for heating continuous fluid stream to ultrahigh temperatures to facilitate chemical reactions
[NASA-CASE-MSC-15567-1] c33 N73-16918
- Chemical process for production of polyisobutylene compounds and application as solid rocket propellant binder
[NASA-CASE-NPO-10893] c27 N73-22710
- Preparation of stable polyurethane polymer by reacting polymer with diisocyanate
[NASA-CASE-MFS-10506] c06 N73-30100
- Preparation of polyurethane polymer by reacting hydroxy polyformal with organic diisocyanate
[NASA-CASE-MFS-10509] c06 N73-30103
- Utilization of lithium p-lithiphenoxide to prepare star polymers
[NASA-CASE-NPO-10998-1] c06 N73-32029
- Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c06 N74-12812
- CHEMICAL TESTS**
- Chemical spot tests for identification of titanium and titanium alloys used in aerospace vehicles
[NASA-CASE-LAR-10539-1] c17 N73-12547
- Chemical spot test for identifying magnesium or magnesium alloys used in aerospace applications
[NASA-CASE-LAR-10953-1] c17 N73-27446
- CHLORINATION**
- Chlorine generator for purifying water in life support systems of manned spacecraft
[NASA-CASE-XLA-08913] c14 N71-28933
- CHLOROPRENE RESINS**
- Flexible fire retardant polyisocyanate modified neoprene foam --- for thermal protective devices
- [NASA-CASE-ARC-10180-1] c06 N74-12814
- CHOKES**
- Current dependent variable inductance for input filter chokes of ac or dc power supplies
[NASA-CASE-ERC-10139] c09 N72-17154
- CHROMATOGRAPHY**
- Self-scanning chromatographic-fluorographic drug detector with optical readout system
[NASA-CASE-ARC-10633-1] c05 N73-22048
- CINEMATOGRAPHY**
- High speed photo-optical time recorder for indicating time at exposure of each frame of high speed movie camera film
[NASA-CASE-KSC-10294] c14 N72-18411
- CIRCUIT BOARDS**
- Electrical feedthrough connection for printed circuit boards
[NASA-CASE-XMF-01483] c14 N69-27431
- Electric connector for printed cable to printed cable or to printed board
[NASA-CASE-XMF-00369] c09 N70-36494
- Electrical connection for printed circuits on common board, using bellows principle in rivet
[NASA-CASE-XNP-05082] c15 N70-41960
- Electrical spot terminal assembly for printed circuit boards
[NASA-CASE-NPO-10034] c15 N71-17685
- Development and characteristics of polyimide impregnated laminates with fiberglass cloth backing for application as printed circuit boards
[NASA-CASE-MFS-20408] c18 N73-12604
- Device for bending leads projecting from printed circuit boards
[NASA-CASE-MFS-22133-1] c15 N73-18473
- Techniques for packaging and mounting printed circuit boards
[NASA-CASE-MFS-21919-1] c10 N73-25243
- Viscoelastic shock absorbing mount for electrical circuit board
[NASA-CASE-NPO-13253-1] c15 N73-31445
- CIRCUIT BREAKERS**
- Interrupter switching device utilizing electrodes and mercury filled capillary tubes in which current flow vaporizes mercury as circuit breaker
[NASA-CASE-XNP-02251] c12 N71-20896
- Single electrical circuit component combining diode, fuse, and blown indicator with elongated tube of heat resistant transparent material
[NASA-CASE-XKS-03381] c09 N71-22796
- Electrical circuit selection device for simulating stage separation of flight vehicle
[NASA-CASE-XKS-04631] c10 N71-23663
- Electromagnetic braking arrangement for controlling rotor rotation in electric motor
[NASA-CASE-XNP-06936] c15 N71-24695
- Relay circuit breaker with magnetic latching to provide conductive and nonconductive paths for current devices
[NASA-CASE-MSC-11277] c09 N71-29008
- CIRCUIT DIAGRAMS**
- Excitation and detection circuitry for flux responsive magnetic head
[NASA-CASE-XNP-04183] c09 N69-24329
- Impedance transformation device for signal mixing
[NASA-CASE-XGS-01110] c07 N69-24334
- Design of transistorized ring counter circuit with special steering and triggering circuits
[NASA-CASE-XGS-03095] c09 N69-27463
- Solid state switching circuit design to increase current capacity of low rated relay contacts
[NASA-CASE-XNP-09228] c09 N69-27500
- Extra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit
[NASA-CASE-XGS-00381] c09 N70-34819
- Frequency shift keyed demodulator - circuit diagrams
[NASA-CASE-XGS-02889] c07 N71-11282
- Difference indicating circuit used in conjunction with device measuring gravitational fields
[NASA-CASE-XNP-08274] c10 N71-13537
- High voltage transistor circuit
[NASA-CASE-XNP-06937] c09 N71-19516
- Control of fusion welding through use of thermocouple wire

- [NASA-CASE-MFS-06074] c15 N71-20393
Circuitry for developing autocorrelation function continuously within signal receiving period
- [NASA-CASE-XNP-00746] c07 N71-21476
Single electrical circuit component combining diode, fuse, and blown indicator with elongated tube of heat resistant transparent material
- [NASA-CASE-XKS-03381] c09 N71-22796
Design and development of buck-boost voltage regulator circuit with additive or subtractive alternating current impressed on variable direct current source voltage
- [NASA-CASE-GSC-10735-1] c10 N71-26085
Design of active RC network capable of operating at high Q values with reduced sensitivity to gain amplification and number of passive components
- [NASA-CASE-ARC-10042-2] c10 N72-11256
Precision surface cutter for screen circuit negatives and other microcircuits
- [NASA-CASE-XLA-09843] c15 N72-27485
Control circuit for nuclear thermionic converter power source for spacecraft
- [NASA-CASE-NPO-13114-1] c22 N73-13656
Symmetrical odd-modulus frequency divider
- [NASA-CASE-NPO-13426-1] c09 N74-18869
Self-regulating proportionally controlled heating apparatus and technique
- [NASA-CASE-GSC-11752-1] c33 N74-19583
- CIRCUIT PROTECTION**
- Use of silicon controlled rectifier shorting circuit to protect thermoelectric generator source from thermal destruction
- [NASA-CASE-XGS-04808] c03 N69-25146
Spark gap type protective circuit for fast sensing and removal of overvoltage conditions
- [NASA-CASE-IAC-08981] c09 N69-39897
Development of in-line fuse device for protection of electric circuits from excessive currents and voltages
- [NASA-CASE-HSC-12135-1] c09 N71-12526
Overcurrent protecting circuit for push-pull transistor amplifiers
- [NASA-CASE-HSC-12033-1] c09 N71-13531
Solder coating process for printed copper circuit protection
- [NASA-CASE-XMF-01599] c09 N71-20705
Power supply with overload protection for series stage transistor
- [NASA-CASE-XMS-00913] c10 N71-23543
Selective plating of etched circuits without removing previous plating
- [NASA-CASE-XGS-03120] c15 N71-24047
Circuit design for failure sensing and protecting low voltage electric generator and power transmission networks
- [NASA-CASE-GSC-10114-1] c10 N71-27366
Sensing circuit for instantaneous reaction to power overloads
- [NASA-CASE-GSC-10667-1] c10 N71-33129
Current protection equipment for saturable core transformers
- [NASA-CASE-ERC-10075-2] c09 N72-22196
Development of process for forming insulating layer between two electrical conductor or semiconductor materials
- [NASA-CASE-LEH-10489-1] c15 N72-25447
Phase protection system for ac power lines
- [NASA-CASE-HSC-17832-1] c10 N74-14956
Overvoltage protection network
- [NASA-CASE-ARC-10197-1] c09 N74-17929
- CIRCUITS**
- Distribution of currents to circuits using electrical adaptor
- [NASA-CASE-XLA-01288] c09 N69-21470
Nondestructive interrogating and state changing circuit for binary magnetic storage elements
- [NASA-CASE-XGS-00174] c08 N70-34743
Electronic circuit system for controlling electric motor speed
- [NASA-CASE-XMF-01129] c09 N70-38712
Starting circuit design for initiating and maintaining arcs in vapor lamps
- [NASA-CASE-XNP-01058] c09 N71-12540
Voltage drift compensation circuit for analog-to-digital converter
- [NASA-CASE-XNP-04780] c08 N71-19687
- High voltage divider system for attenuating high voltages to convenient levels suitable for introduction to measuring circuits
- [NASA-CASE-XLE-02008] c09 N71-21583
Negation of magnetic fields produced by thin waferlike circuit elements in space vehicles
- [NASA-CASE-XGS-03390] c03 N71-23187
Circuits for controlling reversible dc motor
- [NASA-CASE-XNP-07477] c09 N71-26092
Device for rapid adjustment and maintenance of temperature in electronic components
- [NASA-CASE-XNP-02792] c14 N71-28958
Pulse generating circuit for operation at very high duty cycles and repetition rates
- [NASA-CASE-XNP-00745] c10 N71-28960
Development of electric circuit for production of different pulse width signals
- [NASA-CASE-XLA-07788] c09 N71-29139
Sensing circuit for instantaneous reaction to power overloads
- [NASA-CASE-GSC-10667-1] c10 N71-33129
Electronic signal-handling circuit with constant input impedance
- [NASA-CASE-ARC-10348-1] c10 N72-10205
Pulsed excitation voltage circuit for strain gage bridge transducers
- [NASA-CASE-FRC-10036] c09 N72-22200
Development of thermal to electric power conversion system using solid state switches of electrical currents to load for Seebeck effect compensation
- [NASA-CASE-NPO-11388] c03 N72-23048
Inductive-capacitive loops as load insensitive power converters
- [NASA-CASE-ERC-10268] c09 N72-25252
Fail-safe multiple transformer circuit configuration
- [NASA-CASE-NPO-11078] c09 N72-25262
Precision surface cutter for screen circuit negatives and other microcircuits
- [NASA-CASE-XLA-09843] c15 N72-27485
Bridge-type gain control circuit
- [NASA-CASE-GSC-10786-1] c10 N72-28241
Active tuned circuits for microelectronic construction
- [NASA-CASE-GSC-11340-1] c10 N72-33230
Thermochromic compositions for detecting heat levels in electronic circuits and devices
- [NASA-CASE-NPO-10764-1] c14 N73-14428
Initial systole and diastolic notch detecting circuitry for monitoring arterial pressure pulse
- [NASA-CASE-LEW-11581-1] c05 N73-18139
Electrodeless lamp circuit driven by induction
- [NASA-CASE-MFS-21214-1] c09 N73-30181
- CIRCULAR CONES**
- Optical apparatus for visual detection of roundness and regularity of cone surfaces
- [NASA-CASE-XMF-00462] c14 N70-34298
- CIRCULAR CYLINDERS**
- Modulating and controlling intensity of light beam from high temperature source by servocontrolled rotating cylinders
- [NASA-CASE-IMS-04300] c09 N71-19479
- CIRCULAR POLARIZATION**
- Left and right hand circular electromagnetic polarization excitation by phase shifter and hybrid networks
- [NASA-CASE-GSC-10021-1] c09 N71-24595
Planar array circularly polarized antenna with wall slot excitation
- [NASA-CASE-NPO-10301] c07 N72-11148
Circularly polarized antenna with linearly polarized pair of elements
- [NASA-CASE-ERC-10214] c09 N72-31235
- CIRCULAR TUBES**
- Evacuated displacement compression molding
- [NASA-CASE-LAR-10782-1] c15 N74-14133
- CIRCULATORS (PHASE SHIFT CIRCUITS)**
- Development of electromagnetic wave transmission line circulator and application to parametric amplifier circuits
- [NASA-CASE-XNP-02140] c09 N71-23097
- CLADDING**
- Two step process for cladding nuclear fuels with tungsten
- [NASA-CASE-XNP-03704] c15 N71-17695
- CLAMPING CIRCUITS**
- Clamped amplifier circuit for horizon scanner enabling amplification and accurate

- measurement of specified parameters
[NASA-CASE-XGS-01784] c10 N71-20782
- CLAMPES**
Portable device for aligning surfaces of two adjacent wall or sheet sections for joining at point of junction
[NASA-CASE-XMP-01452] c15 N70-41371
Hydraulic clamping of sheet stock specimens
[NASA-CASE-XLA-05100] c15 N71-17696
Inertial component clamping assembly design for spacecraft guidance and control system mounting
[NASA-CASE-XMS-02184] c15 N71-20813
Design and development of module joint clamping device for application to solar array construction
[NASA-CASE-XNP-02341] c15 N71-21531
Quick attach mechanism for moving or stationary wires, ropes, or cables
[NASA-CASE-XFR-05421] c15 N71-22994
- CLAYS**
White paint production by heating impure aluminum silicate clay having low solar absorptance
[NASA-CASE-XNP-02139] c18 N71-24184
- CLEAN ROOMS**
Environmentally controlled suit for working in sterile chamber
[NASA-CASE-LAR-10076-1] c05 N73-20137
- CLEANERS**
Device for back purging thrust engines
[NASA-CASE-XMS-04826] c28 N71-28849
Noncontaminating swab with absorbent end covered with netted envelope to prevent egress of absorbent material
[NASA-CASE-MPS-18100] c15 N72-11390
Fiber separating and cleaning method and apparatus
[NASA-CASE-LAR-11224-1] c15 N74-20072
- CLEANING**
Device for removing plastic dust cover from digital computer disk packs for inspection and cleaning
[NASA-CASE-LAR-10590-1] c15 N70-26819
- CLEAR AIR TURBULENCE**
Development of radiometric sensor to warn aircraft pilots of region of clear air turbulence along flight path
[NASA-CASE-ERC-10081] c14 N72-28437
Remote detection and measurement of clear air turbulence using pulsed laser radar
[NASA-CASE-MPS-21244-1] c20 N73-21523
- CLIMBING FLIGHT**
Aircraft indicator for pilot control of takeoff roll, climbout path and verticle flight path in poor visibility conditions
[NASA-CASE-XLA-00487] c14 N70-40157
- CLINICAL MEDICINE**
Automatic system for measuring and monitoring systolic and diastolic blood pressure in humans
[NASA-CASE-MSC-13999-1] c05 N72-25142
Process for preparing calcium phosphate salts for tooth repair
[NASA-CASE-ERC-10338] c04 N72-33072
Heat pipe production of high purity radioiodine for thyroid measurements
[NASA-CASE-LEW-11390-3] c11 N73-28128
Surgical liquification pump for removing macerated tissue from eye
[NASA-CASE-LEW-12051-1] c04 N73-32000
- CLOCKS**
Time synchronization system for synchronizing clocks at remote locations with master clock using moon reflected coded signals
[NASA-CASE-NPO-10143] c10 N71-26326
Circuit for measuring wide range of pulse rates by utilizing high capacity counter
[NASA-CASE-XNP-06234] c10 N71-27137
Fault-tolerant clock apparatus for use in digital logic systems which maintains output pulses during component failure
[NASA-CASE-MSC-12531-1] c14 N73-22386
- CLOSED CIRCUIT TELEVISION**
Development of spacecraft docking system for optical alignment of spacecraft using television camera system
[NASA-CASE-MSC-12559-1] c31 N73-26879
- CLOSED CYCLES**
Closed loop radio communication ranging system to determine distance between moving airborne vehicle and fixed ground station
[NASA-CASE-XNP-01501] c21 N70-41930
Digital phase-locked loop for accumulator output signal phase-locked to input signal
[NASA-CASE-GSC-11623-1] c10 N73-31202
- CLOSED ECOLOGICAL SYSTEMS**
Potable water reclamation from human wastes in zero-G environment
[NASA-CASE-XLA-03213] c05 N71-11207
Spacecraft with artificial gravity and earthlike atmosphere
[NASA-CASE-LEW-11101-1] c31 N73-32750
- CLOSURES**
Design and characteristics of device for closing canisters under high vacuum conditions
[NASA-CASE-XLA-01446] c15 N71-21528
- CLOUDS (METEOROLOGY)**
Monitor for electric fields of cloud formations in particular area
[NASA-CASE-KSC-10731-1] c14 N73-10461
Development and characteristics of apparatus for measuring intensity of electric field in atmosphere
[NASA-CASE-KSC-10730-1] c14 N73-32318
- COATING**
Solder coating process for printed copper circuit protection
[NASA-CASE-XMP-01599] c09 N71-20705
High thermal emittance black surface coatings and process for applying to metal and metal alloy surfaces used in radiative cooling of spacecraft
[NASA-CASE-XLA-06199] c15 N71-24875
- COATINGS**
Bonded solid lubricant coatings of calcium fluoride and binder for high temperature stability
[NASA-CASE-XMS-00259] c18 N70-36400
Contrast color coating for meteoroid impact position locator for space vehicles
[NASA-CASE-LAR-10629-1] c14 N73-32348
- COAXIAL CABLES**
Design and development of device for cooling inner conductor of coaxial cable
[NASA-CASE-XNP-09775] c09 N71-20445
Design and development of electric connectors for rigid and semirigid coaxial cables
[NASA-CASE-XNP-04732] c09 N71-20851
Transducer circuit design with single coaxial cable for input and output connections including incorporation into miniaturized catheter transducer
[NASA-CASE-ARC-10132-1] c09 N71-24597
Collapsible antenna boom and coaxial transmission line having inflatable inner tube
[NASA-CASE-MPS-20068] c07 N71-27191
Vibration isolation system, using coaxial helical compression springs
[NASA-CASE-NPO-11012] c15 N72-11391
Development and characteristics of hermetically sealed coaxial package for containing microwave semiconductor components
[NASA-CASE-GSC-10791-1] c15 N73-14469
Coaxial anode for gas radiation counter for suppressing background ionization interference
[NASA-CASE-GSC-11492-1] c14 N73-28497
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c09 N74-17927
- COBALT ALLOYS**
High strength, corrosion resistant cobalt-based alloys for aerospace structures
[NASA-CASE-XLE-00726] c17 N71-15644
High temperature cobalt-base alloy resistant to corrosion by liquid metals and to sublimation in vacuum environment
[NASA-CASE-XLE-02991] c17 N71-16025
High temperature ferromagnetic cobalt-base alloy for electrical power generating equipment
[NASA-CASE-XLE-03629] c17 N71-23248
Cobalt-tungsten alloys with superior strength at elevated temperatures
[NASA-CASE-LEW-10436-1] c17 N73-32415
- COCKPIT SIMULATORS**
Controlled visibility device for simulating poor visibility conditions in training pilots in instrument landing and flight procedures
[NASA-CASE-XFR-04147] c11 N71-10748
- CODERS**
Design and development of encoder/decoder system

- to generate binary code which is function of outputs of plurality of bistable elements
[NASA-CASE-NPO-10342] c10 N71-33407
- Biorthogonal encoder with modular design
[NASA-CASE-NPO-10629] c08 N72-18184
- CODING**
Description of error correcting methods for use with digital data computers and apparatus for encoding and decoding digital data
[NASA-CASE-XNP-02748] c08 N71-22749
Binary concatenated coding system to measure, count, and record numerical information using minimized number of digits
[NASA-CASE-MSC-14082-1] c08 N73-16163
Apparatus and digital technique for coding rate data
[NASA-CASE-LAR-10128-1] c08 N73-20217
- COENZYMES**
Bioassay of flavin coenzymes
[NASA-CASE-GSC-10565-1] c06 N72-25149
- COHERENT ELECTROMAGNETIC RADIATION**
Design of folded traveling wave maser structure
[NASA-CASE-XNP-05219] c16 N71-15550
Development of focused image holography with extended sources
[NASA-CASE-ERC-10019] c16 N71-15551
- COHERENT LIGHT**
Hybrid holographic system using reference, transmitted, and reflected beams simultaneously
[NASA-CASE-MFS-20074] c16 N71-15565
Development of apparatus for amplitude modulation of diode laser by periodic discharge of direct current power supply
[NASA-CASE-XMS-04269] c16 N71-22895
Coherent light beam device and method for measuring gas density in vacuum chambers
[NASA-CASE-XER-11203] c14 N71-28994
- COHERENT RADIATION**
Method and apparatus for producing intense, coherent, monochromatic light from low temperature plasma
[NASA-CASE-XNP-04167-3] c25 N72-21693
Design and development of multichannel laser remote control system using modulated helium-neon laser as transmitter and light collector as receiving antenna
[NASA-CASE-LAR-10311-1] c16 N73-16536
Monitoring atmospheric pollutants with a heterodyne radioneter transmitter-receiver
[NASA-CASE-NPO-11919-1] c14 N74-11284
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c14 N74-20009
Laser system with an antiresonant optical ring --- optical properties and performance of beam splitter with equal transmission and reflection coefficients
[NASA-CASE-HQN-10844-1] c16 N74-20118
- COLD CATHODES**
Cold cathode discharge tube with pressurized gas cell for meteoroid detection in space
[NASA-CASE-LAR-10483-1] c14 N73-32327
- COLD WORKING**
Cold metal hydroforming techniques using epoxy molds for counteracting creep or stretch
[NASA-CASE-XLE-05641-1] c15 N71-26346
- COLLAPSE**
Collapsible piston for hypervelocity gun
[NASA-CASE-MSC-13789-1] c11 N73-32152
- COLLECTION**
Automatic liquid collection and disposal system
[NASA-CASE-LAR-11071-1] c15 N73-18474
- COLLIMATION**
Long range laser traversing system
[NASA-CASE-GSC-11262-1] c16 N74-21091
- COLLIMATORS**
X ray collimating structure for focusing radiation directly onto detector
[NASA-CASE-XHQ-04106] c14 N70-40240
Focusing optical collimator for high resolution scanning of electromagnetic radiations, neutrons, and other particles
[NASA-CASE-MFS-20932-1] c14 N73-27380
Collimator for analyzing spatial location of near and distant sources of radiation
[NASA-CASE-MFS-20546-2] c14 N73-30389
- COLLISION AVOIDANCE**
Cooperative Doppler radar system for avoiding midair collisions
[NASA-CASE-LAR-10403] c21 N71-11766
Satellite aided aircraft collision avoidance system effective for large number of aircraft
[NASA-CASE-ERC-10090] c21 N71-24948
Vertically stacked collinear array of independently fed omnidirectional antennas for use in collision warning systems on commercial aircraft
[NASA-CASE-LAR-10545-1] c09 N72-21244
Economical satellite aided vehicle avoidance system for preventing midair collisions
[NASA-CASE-ERC-10419] c21 N72-21631
Development and operating principles of collision warning system for aircraft accident prevention
[NASA-CASE-HQN-10703] c21 N73-13643
Development and characteristics of electronic signalling system and data processing equipment for warning systems to avoid midair collisions between aircraft
[NASA-CASE-LAR-10717-1] c21 N73-30641
- COLLOIDAL GENERATORS**
Colloidal particle generator for electrostatic engine for propelling space vehicles
[NASA-CASE-XLE-00817] c28 N70-33265
- COLLOIDAL PROPELLANTS**
Colloidal particle generator for electrostatic engine for propelling space vehicles
[NASA-CASE-XLE-00817] c28 N70-33265
Low density and low viscosity magnetic propellant for use under zero gravity conditions
[NASA-CASE-XLE-01512] c12 N70-40124
Electrostatic microthrust propulsion system with annular slit colloid thruster
[NASA-CASE-GSC-10709-1] c28 N71-25213
- COLOR**
Chemical spot test for identifying magnesium or magnesium alloys used in aerospace applications
[NASA-CASE-LAR-10953-1] c17 N73-27446
Contrast color coating for meteoroid impact position locator for space vehicles
[NASA-CASE-LAR-10629-1] c14 N73-32348
- COLOR PHOTOGRAPHY**
Color photointerpretation of interference colors reflected from thin film oil-coated components in moving gases for gas flow visualization
[NASA-CASE-XMF-01779] c12 N71-20815
- COLOR TELEVISION**
Color television system utilizing single gun current sensitive color cathode ray tube
[NASA-CASE-ERC-10098] c09 N71-28618
Color television system for allowing monochrome television camera to produce color pictures
[NASA-CASE-MSC-12146-1] c07 N72-17109
Video tape recorder with scan conversion playback for color television signals
[NASA-CASE-NPO-10166-1] c07 N73-22076
- COLOR VISION**
Color perception tester for testing color code perceptiveness of individuals
[NASA-CASE-KSC-10278] c05 N72-16015
- COLORIMETRY**
Specific wavelength colorimeter for measuring given solute concentration in test sample
[NASA-CASE-MSC-14081-1] c14 N73-18443
- COLUMNS (PROCESS ENGINEERING)**
Micropacked column for rapid chromatographic analysis using low gas flow rates
[NASA-CASE-XNP-04816] c06 N69-39936
- COMBINATORIAL ANALYSIS**
Apparatus for computing square roots
[NASA-CASE-XGS-04768] c08 N71-19437
- COMBUSTION**
Device for detection of combustion light preceding gaseous explosions
[NASA-CASE-LAR-10739-1] c14 N73-16484
- COMBUSTION CHAMBERS**
Rocket chamber leak test fixture using tubular plug
[NASA-CASE-XPR-09479] c14 N69-27503
Propellant injectors for rocket combustion chambers
[NASA-CASE-XLE-00103] c28 N70-33241
Metal ribbon wrapped outer wall for regeneratively cooled combustion chamber
[NASA-CASE-XLE-00164] c15 N70-36411
Apparatus for cooling and injecting hypergolic propellants into combustion chamber of small rocket engine

- [NASA-CASE-XLE-00303] c15 N70-36535
Ignition system for monopropellant combustion devices
- [NASA-CASE-XNP-00249] c28 N70-38249
Fabrication method for lightweight regeneratively cooled combustion chamber of channel construction
- [NASA-CASE-XLE-00150] c28 N70-41818
Rocket combustion chamber stability by controlling transverse instability during propellant combustion
- [NASA-CASE-XLE-04603] c33 N71-21507
Regenerative cooling system for rocket combustion chamber using coolant tubes in convergent-divergent nozzle
- [NASA-CASE-XLE-04857] c28 N71-23968
Rocket engine injector orifice to accommodate changes in density, velocity, and pressure, thereby maintaining constant mass flow rate of propellant into rocket combustion chamber
- [NASA-CASE-XLE-03157] c28 N71-24736
Coaxial injector for mixing liquid propellants within combustion chambers
- [NASA-CASE-NPO-11095] c15 N72-25455
Transpiration-cooled rocket chamber formed of porous metal wall
- [NASA-CASE-LEW-11118-1] c15 N72-32501
Airflow distribution control in gas turbine engines
- [NASA-CASE-LEW-11593-1] c28 N73-25816
Swirl can, full-annulus combustion chambers for high performance gas turbine engines
- [NASA-CASE-LEW-11326-1] c23 N73-30665
- COMBUSTION CONTROL**
Pressurized gas injection for burning rate control of solid propellants
- [NASA-CASE-XLE-03494] c27 N71-21819
- COMBUSTION EFFICIENCY**
Fuel injection system for maximum combustion efficiency of rocket engines
- [NASA-CASE-XLE-00111] c28 N70-38199
Utilization of inorganic metal-oxidizer materials in solid rocket propellants resulting in increased combustion efficiency
- [NASA-CASE-NPO-11975-1] c27 N73-17802
- COMBUSTION PHYSICS**
Characteristics of solid propellant rocket engine with controlled rate of thrust buildup operating in vacuum environment
- [NASA-CASE-NPO-11559] c28 N73-24784
- COMBUSTION PRODUCTS**
Contamination free separation nut eliminating combustion products from ambient surroundings generated by squib firing
- [NASA-CASE-XGS-01971] c15 N71-15922
Device for generating and controlling combustion products for testing of fire detection system
- [NASA-CASE-GSC-11095-1] c14 N72-10375
- COMBUSTION STABILITY**
Rocket combustion chamber stability by controlling transverse instability during propellant combustion
- [NASA-CASE-XLE-04603] c33 N71-21507
- COMMAND MODULES**
Energy absorbing crew couch strut for Apollo command module
- [NASA-CASE-HSC-12279] c15 N72-17450
- COMMUNICATING**
Communication between computers using two identical communications links
- [NASA-CASE-NPO-11161] c08 N72-25207
- COMMUNICATION**
Circuitry for developing autocorrelation function continuously within signal receiving period
- [NASA-CASE-XNP-00746] c07 N71-21476
Superconductive resonant cavity for improved signal to noise ratio in communication signal
- [NASA-CASE-HSC-12259-2] c07 N72-33146
- COMMUNICATION CABLES**
Method of making molded electric connector for use with flat conductor cables
- [NASA-CASE-XNP-03498] c15 N71-15986
Process for making RF shielded cable connector assemblies and resulting structures
- [NASA-CASE-GSC-11215-1] c09 N73-28083
- COMMUNICATION EQUIPMENT**
Multiplexed communication system design including automatic correction of transmission errors introduced by frequency spectrum shifts
- [NASA-CASE-XNP-01306] c07 N71-20814
Binary data decoding device for use at receiving end of communication channel
- [NASA-CASE-NPO-10118] c07 N71-24741
Development of communication system for transmitting differential phase shift keyed signals from input data bits without timing or phase reference signals
- [NASA-CASE-HSC-14065-1] c07 N73-10215
Design and development of closed-loop, digital data communication system using optimum number of interconnecting wires
- [NASA-CASE-HSC-13912-1] c07 N73-12151
Characteristics of data-aided carrier tracking loop used for tracking carrier in angle modulated communications system
- [NASA-CASE-NPO-11282] c10 N73-16205
Doppler compensated communication system for locating supersonic transport position
- [NASA-CASE-GSC-10087-4] c07 N73-20174
- COMMUNICATION SATELLITES**
Erectable, inflatable, radio signal reflecting passive communication satellite
- [NASA-CASE-XLA-00210] c30 N70-40309
Development of antenna system for spin stabilized communication satellite for simultaneous reception and transmission of data
- [NASA-CASE-XGS-02607] c31 N71-23009
Elimination of tracking occultation problems occurring during continuous monitoring of interplanetary missions by using Earth orbiting communications satellite
- [NASA-CASE-XAC-06029-1] c31 N71-24813
Satellite radio communication system with remote steerable antenna
- [NASA-CASE-XNP-02389] c07 N71-28900
- COMMUTATION**
High speed low level voltage commutating switch
- [NASA-CASE-XAC-00060] c09 N70-39915
- COMMUTATORS**
Rocket-borne aspect sensor consisting of radiation sensor, apertured disk, commutator, and counting circuits
- [NASA-CASE-XGS-08266] c14 N69-27432
Commutator for steering precisely controlled bidirectional currents through numerous loads by use of magnetic core shift registers
- [NASA-CASE-NPO-10743] c08 N72-21199
- COMPARATOR CIRCUITS**
Describing frequency discriminator using digital logic circuits and supplying single binary output signal
- [NASA-CASE-HFS-14322] c08 N71-18692
Development of pulsed differential comparator circuit
- [NASA-CASE-XLE-03804] c10 N71-19471
- COMPARATORS**
Photometric flow meter with comparator reference means
- [NASA-CASE-XGS-01331] c14 N71-22996
Characteristics of comparator circuits for comparison of binary numbers in information processing system
- [NASA-CASE-XNP-04819] c08 N71-23295
- COMPENSATORS**
Star image motion compensator using telescope for maintaining fixed images
- [NASA-CASE-LAR-10523-1] c14 N72-22444
- COMPOSITE MATERIALS**
High strength reinforced metallic composites for applications over wide temperature range
- [NASA-CASE-XLE-02428] c17 N70-33288
Method for producing fiber reinforced metallic composites with high strength and elasticity over wide temperature range
- [NASA-CASE-XLE-00231] c17 N70-38198
Composites reinforced with short metal fibers or whiskers and having high tensile strength
- [NASA-CASE-XLE-00228] c17 N70-38490
Unfired-ceramic, highly reflective composite insulation for large launch vehicles
- [NASA-CASE-XNP-01030] c18 N70-41583
Freeze casting of metal ceramic and refractory compound powders into plastic slips
- [NASA-CASE-XLE-00106] c15 N71-16076
Preparation and characteristics of lightweight refractory insulation
- [NASA-CASE-XNP-05279] c18 N71-16124

- Flexible composite membrane structure impervious to extremely reactive chemicals in rocket propellants
[NASA-CASE-XNP-08837] c18 N71-16210
- Cryostat for flexure fatigue testing of composite materials
[NASA-CASE-XHP-02964] c14 N71-17659
- Description of method for producing metallic composites reinforced with ceramic and refractory hard metals that are fibered in place
[NASA-CASE-XLE-03925] c18 N71-22894
- Electrically coupled individually encapsulated solar cell matrix
[NASA-CASE-NPO-11190] c03 N71-34044
- Diffusion bonded graphite reinforced aluminum composites
[NASA-CASE-MFS-21077] c18 N71-34502
- Heat treatment and tooling for forming shapes from thermosetting honeycomb core sheets
[NASA-CASE-NPO-11036] c15 N72-24522
- Method for making fiber composites with high strength at high temperatures
[NASA-CASE-LEH-10424-2-2] c18 N72-25539
- Development of procedure for repairing fiberglass structures which retains geometry and strength of original structure
[NASA-CASE-LAR-10416-1] c15 N72-27527
- Development of thermal compensating structure which maintains uniform length with changes in temperature
[NASA-CASE-MFS-20433] c15 N72-28496
- Process for developing flame retardant elastomeric composition textiles for use in space suits
[NASA-CASE-MSC-14331-1] c18 N73-27501
- Fabrication of polyphenylquinoxaline composite articles by means of in situ polymerization of monomers
[NASA-CASE-LEH-11879-1] c18 N74-20152
- COMPOSITE PROPELLANTS**
Ammonium perchlorate composite propellant with organic Cu/II/ chelate catalytic additive
[NASA-CASE-LAR-10173-1] c27 N71-14090
- COMPOSITE STRUCTURES**
Inflatable honeycomb panel element for lightweight structures usable in space stations and other construction
[NASA-CASE-XLA-00204] c32 N70-36536
- Shrouded composite propulsion system configuration
[NASA-CASE-XLA-01043] c28 N71-10780
- Development of composite structures for spacecraft to serve as anti-meteoroid device
[NASA-CASE-LAR-10788-1] c31 N73-20880
- Improved bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c15 N74-14141
- COMPRESSED AIR**
Actuator using compressed gas as driving force to control valve handling large liquid flows
[NASA-CASE-XHQ-01208] c15 N70-35409
- COMPRESSIBLE FLUIDS**
Capacitor for measuring density of compressible fluid in liquid, gas, or liquid and gas phases
[NASA-CASE-XLE-00143] c14 N70-36618
- Apparatus for tensile strength testing of specimen by pressurized fluid
[NASA-CASE-XKS-06250] c14 N71-15600
- COMPRESSION**
Method and apparatus for producing very low temperature refrigeration based on gas pressure balance
[NASA-CASE-XNP-08877] c15 N71-23025
- Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article
[NASA-CASE-LAR-10489-1] c15 N74-18124
- COMPRESSION LOADS**
Pressure transducer for systems for measuring forces of compression
[NASA-CASE-NPO-10832] c14 N72-21405
- COMPRESSION TESTS**
Development of test apparatus for subjecting metal specimen to tensile and compressive loads at constant temperature
[NASA-CASE-LAR-10426-1] c32 N72-27947
- Test equipment to prevent buckling of small diameter specimens during compression tests
[NASA-CASE-LAR-10440-1] c14 N73-32323
- Anti-buckling fatigue test assembly --- for subjecting metal specimen to tensile and compressive loads at constant temperature
[NASA-CASE-LAR-10426-1] c32 N74-19528
- COMPRESSOR BLADES**
Process for welding compressor and turbine blades to rotors and discs of jet engines
[NASA-CASE-LEW-10533-1] c15 N73-28515
- COMPRESSORS**
Thermal pump-compressor for converting solar energy
[NASA-CASE-XLA-00377] c33 N71-17610
- COMPUTATION**
Apparatus for computing square roots
[NASA-CASE-XGS-04768] c08 N71-19437
- COMPUTER COMPONENTS**
Computer circuit performing both counting and shifting logic operations also capable of miniaturization and integration in basic circuits
[NASA-CASE-XNP-01753] c08 N71-22897
- COMPUTER GRAPHICS**
System for digitizing graphic displays
[NASA-CASE-NPO-10745] c08 N72-22164
- COMPUTER PROGRAMMING**
Encoders designed to generate comma free biorthogonal Reed-Muller type code comprising conversion of 64 6-bit words into 64 32-bit data for communication purposes
[NASA-CASE-NPO-10595] c10 N71-25917
- Computer controlled infusion pump for time varying input of calcium into physiological systems
[NASA-CASE-ARC-10447-1] c05 N73-14092
- COMPUTER PROGRAMS**
Self testing and repairing computer comprising control and diagnostic unit and rollback points for error correction
[NASA-CASE-NPO-10567] c08 N71-24633
- Development of computer program for estimating reliability of self-repair and fault-tolerant systems with respect to selected system and mission parameters
[NASA-CASE-NPO-13086-1] c15 N73-12495
- Development of flight simulator system to show position of joystick displacement
[NASA-CASE-NPO-11497] c08 N73-25206
- COMPUTER STORAGE DEVICES**
Magnetic matrix memory system for nondestructive reading of information contained in matrix
[NASA-CASE-XHP-05835] c08 N71-12504
- Binary sequence detector with few memory elements and minimized logic circuit complexity
[NASA-CASE-XNP-05415] c08 N71-12505
- Pulsed magnetic core memory element with blocking oscillator feedback for interrogation without loss of digital information
[NASA-CASE-XGS-03303] c08 N71-18595
- Reliable magnetic core circuit apparatus with application in selection matrices for digital memories
[NASA-CASE-XNP-01318] c10 N71-23033
- Time division multiplexed telemetry transmitting system controlled by programmed memory
[NASA-CASE-GSC-10131-1] c07 N71-24624
- Serial digital decoder design with square circuit matrix and serial memory storage units
[NASA-CASE-NPO-10150] c08 N71-24650
- Digital memory system with multiple switch cores for driving each word location
[NASA-CASE-XNP-01466] c10 N71-26434
- Redundant memory for enhanced reliability of digital data processing system
[NASA-CASE-GSC-10564] c10 N71-29135
- Memory device employing semiconductor and ferroelectric properties of single crystal barium titanate
[NASA-CASE-ERC-10307] c08 N72-21198
- Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c08 N74-17911
- COMPUTER SYSTEMS DESIGN**
Adaptive voting computer system
[NASA-CASE-HSC-13932-1] c08 N74-14920
- COMPUTERIZED SIMULATION**
Integrated time shared instrumentation display for aerospace vehicle simulators
[NASA-CASE-XLA-01952] c08 N71-12507
- COMPUTERS**
Telemetry data unit to form multibit words for

- use between demodulator and computer
[NASA-CASE-XNP-09225] c09 N69-24333
- Data compression processor for monitoring analog signals by sampling procedure
[NASA-CASE-NPO-10068] c08 N71-19288
- Communication between computers using two identical communications links
[NASA-CASE-NPO-11161] c08 N72-25207
- CONCAVITY**
Concave grating spectrometer for use in near and vacuum ultraviolet regions
[NASA-CASE-XGS-01036] c14 N70-40003
- CONCENTRATION (COMPOSITION)**
Specific wavelength colorimeter for measuring given solute concentration in test sample
[NASA-CASE-MSC-14081-1] c14 N73-18443
- CONCENTRATORS**
Concentrator device for controlling direction of solar energy onto energy converters
[NASA-CASE-XLE-01716] c09 N70-40234
- CONDENSATES**
Apparatus for determining volatile condensable material present in polymeric products
[NASA-CASE-XNP-09699] c06 N71-24607
- Development and characteristics of device for removing condensate from heat exchangers with straight through gas flow
[NASA-CASE-MSC-14143-1] c33 N73-32823
- CONDENSERS (LIQUIFIERS)**
Condenser-separator for dehumidifying air utilizing sintered metal surface
[NASA-CASE-XLA-08645] c15 N69-21465
- Development and characteristics of device for removing condensate from heat exchangers with straight through gas flow
[NASA-CASE-MSC-14143-1] c33 N73-32823
- CONDUCTING FLUIDS**
Multiducted electromagnetic pump for conductive liquids
[NASA-CASE-NPO-10755] c15 N71-27084
- CONDUCTIVE HEAT TRANSFER**
Measuring conductive heat flow and thermal conductivity of laminar gas stream in cylindrical plug to simulate atmospheric reentry
[NASA-CASE-XLE-00266] c14 N70-34156
- Space suit body heat exchanger design composed of thermal conductance yarn and liquid coolant loops
[NASA-CASE-XMS-09571] c05 N71-19439
- CONDUCTORS**
Support for flexible conductor cable between drawers or racks holding electronic equipment and cabinet assembly housing drawers or racks
[NASA-CASE-XMF-07587] c15 N71-18701
- Ferrite memory arrays from pre-formed metal conductors
[NASA-CASE-LAR-10994-1] c18 N73-30536
- CONES**
Black body radiometer design with temperature sensing and cavity heat source cone winding
[NASA-CASE-XNP-09701] c14 N71-26475
- CONFINEMENT**
Observation window for internal gas confining chamber
[NASA-CASE-NPO-10890] c11 N73-12265
- CONICAL BODIES**
Conical valve plug for use with reactive cryogenic fluids
[NASA-CASE-XLE-00715] c15 N70-34859
- Conical reflector antenna with feed approximating line source
[NASA-CASE-NPO-10303] c07 N72-22127
- Characteristics of microwave antenna with conical reflectors to generate plane wave front
[NASA-CASE-NPO-11661] c07 N73-14130
- CONICAL SHELLS**
Capacitance measuring device for determining flare accuracy on tapered tubes
[NASA-CASE-XKS-03495] c14 N69-39785
- Foldable, double cone and parabolic reflector system for solar ray concentration
[NASA-CASE-XLA-04622] c03 N70-41580
- Rotary spindle lathe attachments for machining geometrical cones
[NASA-CASE-XMS-04292] c15 N71-22722
- CONNECTORS**
Expanding and contracting connector strip for solar cell array of Nimbus satellite
[NASA-CASE-IGS-01395] c03 N69-21539
- Design and development of quick release connector
[NASA-CASE-XLA-01141] c15 N71-13789
- Development and characteristics of strainer for flared tube fitting
[NASA-CASE-XLA-05056] c15 N72-11389
- Squib actuated disconnect for spacecraft coupling to launch vehicle
[NASA-CASE-NPO-13172-1] c33 N73-17917
- Process for making RF shielded cable connector assemblies and resulting structures
[NASA-CASE-GSC-11215-1] c09 N73-28083
- CONSCIOUSNESS**
Development of apparatus and method for quantitatively measuring brain activity as automatic indication of sleep state and level of consciousness
[NASA-CASE-MSC-13282-1] c05 N71-24729
- CONSTRAINTS**
Three stage motion restraining mechanism for restraining and damping three dimensional vibrational movement of gimballed package during launch of spacecraft
[NASA-CASE-GSC-10306-1] c15 N71-24694
- Cable guide and restraint device for reefing tubes in uniform manner
[NASA-CASE-LAR-10129-1] c15 N73-25512
- Development of restraint system for securing personnel to ergometer while exercising under weightless conditions
[NASA-CASE-MFS-21046-1] c14 N73-27377
- Reefing system
[NASA-CASE-LAR-10129-2] c15 N74-20063
- CONSTRUCTION MATERIALS**
Apparatus and method of assembling building blocks by folding pre-cut flat sheets of material during on-site construction
[NASA-CASE-MSC-12233-1] c15 N72-25454
- Development of construction block in form of container folded from flat sheet and filled with solid material for architectural purposes
[NASA-CASE-MSC-12233-2] c32 N73-13921
- CONTACT POTENTIALS**
Lightweight, rugged, inexpensive satellite battery for producing electrical power from ionosphere using electrodes with different contact potentials
[NASA-CASE-XGS-01593] c03 N70-35408
- CONTAINERS**
Manufacture of fluid containers from fused coated polyester sheets having resealable septum
[NASA-CASE-NPO-10123] c15 N71-24835
- Method for locating leaks in hermetically sealed containers
[NASA-CASE-ERC-10045] c15 N71-24910
- Quantitative liquid measurements in container by resonant frequencies
[NASA-CASE-XNP-02500] c18 N71-27397
- CONTAMINANTS**
Fluid transferring system design for purging toxic, corrosive, or noxious fluids and fumes from materials handling equipment for cleansing and accident prevention
[NASA-CASE-XMS-01905] c12 N71-21089
- CONTAMINATION**
Emission spectroscopy method for contamination monitoring of inert gas metal arc welding
[NASA-CASE-XMF-02039] c15 N71-15871
- Contamination free separation nut eliminating combustion products from ambient surroundings generated by squib firing
[NASA-CASE-IGS-01971] c15 N71-15922
- Apparatus and process for volumetrically dispensing reagent quantities of volatile chemicals for small batch reactions
[NASA-CASE-NPO-10070] c15 N71-27372
- Portable tester for monitoring bacterial contamination by adenosine triphosphate light reaction
[NASA-CASE-GSC-10879-1] c14 N72-25413
- CONTINUOUS WAVE RADAR**
Phase locked loop with sideband rejecting properties in continuous wave tracking radar
[NASA-CASE-XNP-02723] c07 N70-41680
- CONTOURS**
Describing device for surveying contour of surface using X-Y plotter and traveling transducer
[NASA-CASE-XLA-08646] c14 N71-17586

- Processing system for semiperiodic electrical signals to produce real time contoured display
[NASA-CASE-MSC-13407-1] c10 N72-20225
- CONTRACTION**
Elastomeric extensometer for measuring surface area changes of human body caused by body expansion and contraction
[NASA-CASE-MFS-21049-1] c14 N73-11405
- CONTROL**
Valve assembly for controlling simultaneously more than one fluid flow, and having stable qualities under loads
[NASA-CASE-XMS-05890] c09 N71-23191
Control system for pressure balance device used in calibrating pressure gages
[NASA-CASE-XMF-04134] c14 N71-23755
Power control system for thermal nuclear reactor
[NASA-CASE-XLB-05799] c22 N72-21644
- CONTROL BOARDS**
Ionization control system design for monitoring separately located ion gage pressures on vacuum chambers
[NASA-CASE-XLE-00787] c14 N71-21090
- CONTROL EQUIPMENT**
Stepping motor control apparatus exciting windings in proper time sequence to cause motor to rotate in either direction
[NASA-CASE-GSC-10366-1] c10 N71-18772
Voltage drift compensation circuit for analog-to-digital converter
[NASA-CASE-XNP-04780] c08 N71-19687
Development of attitude control system for vertical takeoff aircraft using reaction nozzles displaced from various axes of aircraft
[NASA-CASE-XAC-08972] c02 N71-20570
Device for controlling rotary potentiometer mounted on aircraft steering wheel or aileron control
[NASA-CASE-XAC-10019] c15 N71-23809
Controlled release device for use in launching rockets or missiles
[NASA-CASE-XKS-03338] c15 N71-24043
Circuits for controlling reversible dc motor
[NASA-CASE-XNP-07477] c09 N71-26092
Digital memory system with multiple switch cores for driving each word location
[NASA-CASE-XNP-01466] c10 N71-26434
Fluid control jet amplifiers
[NASA-CASE-XLE-09341] c12 N71-28741
System for control of variable signal generator
[NASA-CASE-NPO-11064] c07 N72-11150
Solid state remote circuit selector switching circuit
[NASA-CASE-LEW-10387] c09 N72-22201
Development of device for simulating charge and discharge cycle of battery in synchronous orbit
[NASA-CASE-GSC-11211-1] c03 N72-25020
Bridge-type gain control circuit
[NASA-CASE-GSC-10786-1] c10 N72-28241
Control circuit for nuclear thermionic converter power source for spacecraft
[NASA-CASE-NPO-13114-1] c22 N73-13656
Interferometer prism and control system for precisely determining direction to remote light source
[NASA-CASE-ARC-10278-1] c14 N73-25463
Development and characteristics of variable ratio, mixed-mode, bilateral master-slave control system for space shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c31 N73-30832
Remote manipulator system
[NASA-CASE-MFS-22022-1] c05 N74-10099
Digital controller for a Baum folding machine --- providing automatic counting and machine shutoff
[NASA-CASE-LAR-10688-1] c15 N74-21056
Flow control valve --- for high temperature fluids
[NASA-CASE-NPO-11951-1] c15 N74-21065
- CONTROL ROCKETS**
Unit for generating thrust from catalytic decomposition of hydrogen peroxide, for high altitude aircraft or spacecraft reaction control
[NASA-CASE-XMS-00583] c28 N70-38504
- CONTROL RODS**
Nuclear reactor control rod assembly with improved driving mechanism
[NASA-CASE-XLE-00298] c22 N70-34501
- Manual control mechanism for adjusting control rod to null position
[NASA-CASE-XLA-01808] c15 N71-20740
- CONTROL SIMULATION**
Kinesthetic control simulator with multiple degree of freedom of movement similar to lunar flying vehicles
[NASA-CASE-LAR-10276-1] c11 N70-26813
- CONTROL STABILITY**
Design and development of active control system for air cushion vehicle to reduce or eliminate effects of excessive vertical vibratory acceleration
[NASA-CASE-LAR-10531-1] c02 N73-13023
- CONTROL SURFACES**
Conical valve plug for use with reactive cryogenic fluids
[NASA-CASE-XLE-00715] c15 N70-34859
Attitude control system for spacecraft based on conversion of incident solar radiation on movable control surfaces into mechanical torques
[NASA-CASE-XNP-02982] c31 N70-41855
- CONTROL UNITS (COMPUTERS)**
Self testing and repairing computer comprising control and diagnostic unit and rollback points for error correction
[NASA-CASE-NPO-10567] c08 N71-24633
- CONTROL VALVES**
Electromechanical actuator and its use in rocket thrust control valve
[NASA-CASE-XNP-05975] c15 N69-23185
Conical valve plug for use with reactive cryogenic fluids
[NASA-CASE-XLE-00715] c15 N70-34859
Control valve and coaxial variable injector for controlling bipropellant mixture ratio and flow
[NASA-CASE-XNP-09702] c15 N71-17654
Control valve for switching main stream of fluid from one stable position to another by means of electrohydrodynamic forces
[NASA-CASE-NPO-10416] c12 N71-27332
Force balanced throttle valve for fuel control in rocket engines
[NASA-CASE-NPO-10808] c15 N71-27432
Dual stage check valve for cryogenic supply systems used in space flight environmental control system
[NASA-CASE-MSC-13587-1] c15 N73-30459
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c02 N74-20646
- CONTROLLED ATMOSPHERES**
Rectangular electric conductors for conductor cables to withstand spacecraft vibration and controlled atmosphere
[NASA-CASE-MFS-14741] c09 N70-20737
High voltage pulse generator for testing flash and ignition limits of nonmetallic materials in controlled atmospheres
[NASA-CASE-MSC-12178-1] c09 N71-13518
System for continuous monitoring of exhalations, weighing, and cage cleaning for animal exposed to controlled atmosphere for toxic study
[NASA-CASE-XAC-05333] c11 N71-22875
- CONTROLLERS**
Unitary three-axis controller for flight vehicles within or outside atmosphere
[NASA-CASE-XFR-00181] c21 N70-33279
Two axis flight controller with potentiometer control shafts directly coupled to rotatable ball members
[NASA-CASE-XFR-04104] c03 N70-42073
Hand controller operable about three respectively perpendicular axes and capable of actuating signal generators for attitude control devices
[NASA-CASE-XMS-07487] c15 N71-23255
Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] c03 N74-10942
- CONVECTIVE FLOW**
Design and development of device to prevent geysering during convective circulation of cryogenic fluids
[NASA-CASE-KSC-10615] c15 N73-12486
- CONVECTIVE HEAT TRANSFER**
Thin film gage for measuring convective heat transfer on surfaces in air stream

[NASA-CASE-NPO-10617] c14 N70-12618
CONVERGENCE
 Electrical device for developing converging spherical shock waves
 [NASA-CASE-MFS-20890] c14 N72-22439
CONVERGENT-DIVERGENT NOZZLES
 Gimbaled partially submerged nozzle for solid propellant rocket engines for providing directional control
 [NASA-CASE-XMF-01544] c28 N70-34162
 Regenerative cooling system for rocket combustion chamber using coolant tubes in convergent-divergent nozzle
 [NASA-CASE-XLE-04857] c28 N71-23968
CONVOLUTION INTEGRALS
 Learning decoders for decoding compatible convolutional codes
 [NASA-CASE-MS-C-14070-1] cQ7 N72-27178
COOLANTS
 Simulated fuel assembly-type flow measurement apparatus for coolant flow in reactor core
 [NASA-CASE-XLE-00724] c14 N70-34669
COOLING
 Microwave power receiving antenna solving heat dissipation problems by construction of elements as heat pipe devices
 [NASA-CASE-MFS-20333] c09 N71-13486
 Dissipative voltage regulator system for minimizing heat dissipation
 [NASA-CASE-GSC-10891-1] c10 N71-26626
 Cooling and radiation protection of ruby lasers using copper sulfate solution in alcohol
 [NASA-CASE-MFS-20180] c16 N72-12440
COOLING SYSTEMS
 Automatic thermal switch for improving efficiency of cooling gases below 40 K
 [NASA-CASE-XNP-03796] c23 N71-15467
 Differential thermopile for measuring cooling water temperature rise
 [NASA-CASE-XAC-00812] c14 N71-15598
 Electric power system with circulatory liquid coolant cooling system
 [NASA-CASE-MFS-14114-2] c09 N71-24807
 Portable cryogenic cooling system design including turbine pump, cooling chamber, and atomizer
 [NASA-CASE-NPO-10467] c23 N71-26654
 Development and characteristics of natural circulation radiator for use with nuclear power plants installed in lunar space stations
 [NASA-CASE-XHQ-03673] c33 N71-29046
 Development and characteristics of cooling system to maintain temperature of rack mounted electronic modules
 [NASA-CASE-MS-C-12389] c33 N71-29052
 Development of method for cooling high temperature wall members with cooling medium having high heat absorption capability
 [NASA-CASE-HQN-00938] c33 N71-29053
 Apparatus for liquid spray cooling of turbine blades
 [NASA-CASE-XLE-00027] c33 N71-29152
 Radial heat flux transformer for use in heating and cooling processes
 [NASA-CASE-NPO-10828] c33 N72-17908
 Light shield and cooling apparatus for high intensity ultraviolet lamps
 [NASA-CASE-LAR-10089-1] c15 N73-13474
COORDINATES
 Mechanical coordinate converter for use with spacecraft tracking antennas
 [NASA-CASE-XNP-00614] c14 N70-36907
 System for locating lightning strokes by coordination of directional antenna signals
 [NASA-CASE-KSC-10729-1] c09 N73-32110
COPOLYMERS
 Method for producing alternating ether-siloxane copolymers with stable properties when exposed to elevated temperatures and UV radiation
 [NASA-CASE-XMF-02584] c06 N71-20905
 Preparation of dicyanoacetylene and vinylidene copolymers using organic compounds
 [NASA-CASE-INP-03250] c06 N71-23500
COPPER
 Development of method for etching copper
 [NASA-CASE-XGS-06306] c17 N71-16044
 Method of plating copper on aluminum to permit conventional soldering of structural aluminum bodies

[NASA-CASE-XLA-08966-1] c17 N71-25903
COPPER COMPOUNDS
 Gallium arsenide solar cell preparation by surface deposition of cuprous iodide on thin n-type polycrystalline layers and heating in iodine vapor
 [NASA-CASE-XNP-01960] c09 N71-23027
 Cooling and radiation protection of ruby lasers using copper sulfate solution in alcohol
 [NASA-CASE-MFS-20180] c16 N72-12440
COPPER FLUORIDES
 Method to produce high purity copper fluoride by heating copper hydroxyfluoride powder and subjecting to flowing fluorine gas
 [NASA-CASE-LEW-10794-1] c06 N72-17093
CORDAGE
 Fabrication of root cord restrained fabric suit sections from sheets of fabric
 [NASA-CASE-MS-C-12398] c05 N72-20098
CORE STORAGE
 Memory device employing semiconductor and ferroelectric properties of single crystal barium titanate
 [NASA-CASE-ERC-10307] c08 N72-21198
CORES
 Method of making rolling element bearings
 [NASA-CASE-LEW-11087-2] c15 N74-15128
CORRECTION
 Doppler frequency shift correction device for multiplex communication with Applications Technology Satellites
 [NASA-CASE-XGS-02749] c07 N69-39978
CORRELATION DETECTION
 Phase detector with time correlation integrator for frequency multiplexed signals
 [NASA-CASE-GSC-11744-1] c09 N73-23291
CORRELATORS
 Synchronous detection system for detecting weak radio astronomical signals
 [NASA-CASE-XNP-09832] c30 N71-23723
CORROSION PREVENTION
 Vapor deposited laminated nitride-silicon coating for corrosion prevention of carbonaceous surfaces
 [NASA-CASE-XLA-00284] c15 N71-16075
 Method to prevent stress corrosion cracking in titanium alloys
 [NASA-CASE-NPO-10271] c17 N71-16393
 Method and apparatus for inducing compressive stresses in pressure vessel to prevent stress corrosion
 [NASA-CASE-XLA-07390] c15 N71-18616
 Development of fluoride coating to prevent oxidation of beryllium surfaces at elevated temperatures
 [NASA-CASE-LEW-10327] c17 N71-33408
 Prevention of hydrogen embrittlement of high strength steel --- by additive potassium hydroxide in hydrazine
 [NASA-CASE-NPO-12122-1] c27 N74-20397
CORROSION RESISTANCE
 High strength, corrosion resistant cobalt-based alloys for aerospace structures
 [NASA-CASE-XLE-00726] c17 N71-15644
 Hydrazine monoperfluoro alkanoate solder flux leaving corrosion resistant coating, for metals such as copper
 [NASA-CASE-XNP-03459-2] c18 N71-15688
 High temperature cobalt-base alloy resistant to corrosion by liquid metals and to sublimation in vacuum environment
 [NASA-CASE-XLE-02991] c17 N71-16025
 Metal soldering with hydrazine monoperfluoro alkanoate for corrosion resistant coatings
 [NASA-CASE-XNP-03459] c15 N71-21078
COSINE SERIES
 Service life of electromechanical device for generating sine/cosine functions
 [NASA-CASE-LAR-10503-1] c09 N72-21248
 Function generators for producing complex vibration mode patterns used to identify vibration mode data
 [NASA-CASE-LAR-10310-1] c10 N73-20253
COSMIC DUST
 Sensor for detecting and measuring energy, velocity and direction of travel of a cosmic dust particle
 [NASA-CASE-GSC-10503-1] c14 N72-20381

- Cosmic dust analyzer using ion time of flight techniques to determine constituency of hypervelocity particles such as micrometeoroids
[NASA-CASE-HSC-13802-1] c30 N72-20805
- System for detecting impact position of cosmic dust on detector surface
[NASA-CASE-GSC-11291-1] c25 N72-33696
- COUCHES**
- Shock absorbing couch for body support under high acceleration or deceleration forces
[NASA-CASE-XMS-01240] c05 N70-35152
- Low onset rate energy absorber in form of strut assembly for crew couch of Apollo command module
[NASA-CASE-MSC-12279-1] c15 N70-35679
- Shock absorbing articulated multiple couch assembly
[NASA-CASE-MSC-11253] c05 N71-12343
- Collapsible couch system for manned space vehicles
[NASA-CASE-MSC-13140] c05 N72-11085
- COULOMETERS**
- Alkaline-type coulometer cell for primary charge control in secondary battery recharge circuits
[NASA-CASE-XGS-05434] c03 N71-20491
- Development and characteristics of battery charging circuits with coulometer for control of available current
[NASA-CASE-GSC-10487-1] c03 N71-24719
- COUNTERS**
- Circuit for measuring wide range of pulse rates by utilizing high capacity counter
[NASA-CASE-XNP-06234] c10 N71-27137
- Electronic strain level counter on in-flight aircraft
[NASA-CASE-LAR-10756-1] c32 N73-26910
- COUNTING CIRCUITS**
- Rocket-borne aspect sensor consisting of radiation sensor, apertured disk, commutator, and counting circuits
[NASA-CASE-XGS-08266] c14 N69-27432
- Design of transistorized ring counter circuit with special steering and triggering circuits
[NASA-CASE-XGS-03095] c09 N69-27463
- Counter-divider circuit for accuracy and reliability in binary circuits
[NASA-CASE-XMP-00421] c09 N70-34502
- Reversible ring counter using cascaded single silicon controlled rectifier stages
[NASA-CASE-XGS-01473] c09 N71-10673
- Capacitor sandwich structure containing metal sheets of known thickness for counting penetration rates of meteoroids
[NASA-CASE-XLE-01246] c14 N71-10797
- Electronic counter circuit utilizing magnetic core and low power consumption
[NASA-CASE-XNP-08836] c09 N71-12515
- Synchronous counter design incorporating cascaded binary stages driven by previous stages and inputs through NAND gates
[NASA-CASE-XGS-02440] c08 N71-19432
- Digital cardiometer incorporating circuit for measuring heart rate of subject over predetermined portion of one minute also converting rate to beats per minute
[NASA-CASE-XMS-02399] c05 N71-22896
- Computer circuit performing both counting and shifting logic operations also capable of miniaturization and integration in basic circuits
[NASA-CASE-XNP-01753] c08 N71-22897
- Noninterruptible digital counter circuit design with display device for pulse frequency modulation
[NASA-CASE-XNP-09759] c08 N71-24891
- Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2(B)] c09 N74-14941
- COUPLING**
- Coupling device for linear shaped charge for space vehicle abort system
[NASA-CASE-XLA-00189] c33 N70-36846
- Base support for expansible and contractible coupling between two members
[NASA-CASE-NPO-11059] c15 N72-17454
- COUPLING CIRCUITS**
- Interrogator and current driver circuit for combination with transistor flip-flop circuit
[NASA-CASE-XGS-03058] c10 N71-19547
- Antenna array at focal plane of reflector with coupling network for beam switching
[NASA-CASE-GSC-10220-1] c07 N71-27233
- Phase modulator with tuned variable length electrical lines including coupling and varactor diode circuits
[NASA-CASE-MSC-13201-1] c07 N71-28429
- High efficiency transformerless amplitude modulator coupled to RF power amplifier
[NASA-CASE-GSC-10668-1] c07 N71-28430
- Automatic quadrature control and measuring system --- using optical coupling circuitry
[NASA-CASE-MFS-21660-1] c14 N74-21017
- COUPLINGS**
- Releasable coupling device designed to receive and retain matching ends of electrical connectors
[NASA-CASE-XMS-07846-1] c09 N69-21927
- Stage separation using remote control release of joint with explosive insert
[NASA-CASE-XLA-02854] c15 N69-27490
- Space vehicle stage coupling and quick release separation mechanism
[NASA-CASE-XLA-01441] c15 N70-41679
- Standard coupling design for mass production
[NASA-CASE-XMS-02532] c15 N70-41808
- Quick-release coupling for fueling rocket vehicles with cryogenic propellants
[NASA-CASE-XKS-01985] c15 N71-10782
- Ratchet mechanism for high speed operation at reduced backlash
[NASA-CASE-MFS-12805] c15 N71-17805
- Split nut and bolt separation device
[NASA-CASE-XNP-06914] c15 N71-21489
- Quick disconnect duct coupling device for single-handed operation
[NASA-CASE-MFS-20395] c15 N71-24903
- Coupling arrangement for isolating torque loads from axial, radial, and bending loads
[NASA-CASE-XLA-04897] c15 N72-22482
- COVERINGS**
- Apparatus for ejecting covers of instrument packages using differential pressure principle
[NASA-CASE-XMF-04132] c15 N69-27502
- Transparent plastic film for attaching cover glasses to silicon solar cells
[NASA-CASE-LEW-11065-1] c03 N72-11064
- CRACKING (FRACTURING)**
- Method to prevent stress corrosion cracking in titanium alloys
[NASA-CASE-NPO-10271] c17 N71-16393
- Development of method and equipment for detecting cracks in materials with porous subsurface matrix covered by impervious coating
[NASA-CASE-MSC-14187-1] c14 N73-17564
- Improved silicide coatings for refractory metals employed in space shuttles and gas turbine engine components
[NASA-CASE-LEW-11179-1] c17 N73-22474
- CREEP RUPTURE STRENGTH**
- Nickel base alloy with resistance to oxidation at high temperatures and superior stress-rupture properties
[NASA-CASE-XLE-02082] c17 N71-16026
- CRITICAL EXPERIMENTS**
- Apparatus and process for volumetrically dispensing reagent quantities of volatile chemicals for small batch reactions
[NASA-CASE-NPO-10070] c15 N71-27372
- CROSSED FIELDS**
- Crossed-field plasma accelerator for laboratory simulation of atmospheric reentry conditions
[NASA-CASE-XLA-00675] c25 N70-33267
- Direct conversion of thermal energy into electrical energy using crossed electric and magnetic fields
[NASA-CASE-XLE-00212] c03 N70-34134
- Crossed field MHD plasma generator-accelerator
[NASA-CASE-XLA-03374] c25 N71-15562
- CROSSLINKING**
- New trifunctional alcohol derived from trimer acid and novel method of preparation
[NASA-CASE-NPO-10714] c06 N69-31244
- CRUCIBLES**
- Evaporating crucible of tantalum-tungsten foil, nickel alumina bonding agent, and ceramic coating
[NASA-CASE-XLA-03105] c15 N69-27483
- CRUDE OIL**
- Decontamination of petroleum products with honey
[NASA-CASE-XNP-03835] c06 N71-23499

CRYOGENIC EQUIPMENT

Gas balancing, cryogenic refrigeration apparatus with Joule-Thomson valve assembly
[NASA-CASE-NPO-10309] c15 N69-23190

Low thermal loss piping arrangement for moving cryogenic media through double chamber structure
[NASA-CASE-XNP-08882] c15 N69-39935

Method and apparatus for removing plastic insulation from wire using cryogenic equipment
[NASA-CASE-MFS-10340] c15 N71-17628

Dual solid cryogenics for spacecraft refrigeration insuring low temperature cooling for extended periods
[NASA-CASE-GSC-10188-1] c23 N71-24725

Reliability of automatic refilling valving device for cryogenic liquid systems
[NASA-CASE-NPO-11177] c15 N72-17453

Dual stage check valve for cryogenic supply systems used in space flight environmental control system
[NASA-CASE-MSC-13587-1] c15 N73-30459

CRYOGENIC FLUID STORAGE

Apparatus for cryogenic liquid storage with heat transfer reduction and for liquid transfer at zero gravity conditions
[NASA-CASE-XLE-00345] c15 N70-38020

Cryogenic storage system for gases onboard spacecraft
[NASA-CASE-XMS-04390] c31 N70-41871

Carbon dioxide purge systems to prevent condensation in spaces between cryogenic fuel tanks and hypersonic vehicle skin
[NASA-CASE-XLA-01967] c31 N70-42015

Fabrication of filament wound propellant tank for cryogenic storage
[NASA-CASE-XLE-03803-2] c15 N71-17651

Prefabricated multilayered self-evacuating insulation panels using gas with low vapor pressure at cryogenic temperatures for application to storage of cryogenics
[NASA-CASE-XLE-04222] c23 N71-22881

Multilayer insulation panels for cryogenic liquid containers
[NASA-CASE-MFS-14023] c33 N71-25351

Development of thermal insulation material for insulating liquid hydrogen tanks in spacecraft
[NASA-CASE-XNP-05046] c33 N71-28892

Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c14 N74-15093

CRYOGENIC FLUIDS

Cryogenic flux-gated magnetometer using superconductors
[NASA-CASE-XAC-02407] c14 N69-27423

Fuel tank pressure-relief device for venting cryogenic liquid vapors through tubes with porous plug
[NASA-CASE-XLE-00288] c15 N70-34247

Conical valve plug for use with reactive cryogenic fluids
[NASA-CASE-XLE-00715] c15 N70-34859

Two component valve assembly for cryogenic liquid transfer regulation
[NASA-CASE-XLE-00397] c15 N70-36492

Measuring density of single and two-phase cryogenic fluids in rocket fuel tanks
[NASA-CASE-XLE-00688] c14 N70-41330

Leakproof soft metal seal for use in very high vacuum systems operating at cryogenic temperatures
[NASA-CASE-XGS-02441] c15 N70-41629

High pressure liquid flow sight assembly for wide temperature range applications including cryogenic fluids
[NASA-CASE-XLE-02998] c14 N70-42074

Automatic thermal switch for improving efficiency of cooling gases below 40 K
[NASA-CASE-XNP-03796] c23 N71-15467

Describing apparatus for separating gas from cryogenic liquid under zero gravity and for venting gas from fuel tank
[NASA-CASE-XLE-00586] c15 N71-15968

Development of apparatus for measuring thermal conductivity
[NASA-CASE-XGS-01052] c14 N71-15992

Method and apparatus for producing fine particles in cryogenic liquid bath for gelled rocket propellants
[NASA-CASE-NPO-10250] c23 N71-16212

Superconducting alternator design with cryogenic fluid for cooling windings below critical temperature
[NASA-CASE-XLE-02823] c09 N71-23443

Flow angle sensor and remote readout system for use with cryogenic fluids
[NASA-CASE-XLE-04503] c14 N71-24864

Design and development of device to prevent geysering during convective circulation of cryogenic fluids
[NASA-CASE-KSC-10615] c15 N73-12486

Pump for cryogenic liquids using magnetocaloric material
[NASA-CASE-LEW-11672-1] c15 N73-14479

CRYOGENIC GYROSCOPES

Cryogenic gyroscope housing --- with annular disks for gas spin-up
[NASA-CASE-MFS-21136-1] c23 N74-18323

CRYOGENIC MAGNETS

Improved alternator with windings of superconducting materials acting as permanent magnet
[NASA-CASE-XLE-02824] c03 N69-39890

Heat operated cryogenic electrical generator --- using liquid helium conversion
[NASA-CASE-NPO-13303-1] c03 N74-19701

CRYOGENIC ROCKET PROPELLANTS

Quick-release coupling for fueling rocket vehicles with cryogenic propellants
[NASA-CASE-IKS-01985] c15 N71-10782

Hot-wire liquid level detector for cryogenic propellants
[NASA-CASE-XLE-00454] c23 N71-17802

Automatically reciprocating, high pressure pump for use in spacecraft cryogenic propellants
[NASA-CASE-XNP-04731] c15 N71-24042

CRYOGENIC STORAGE

Light weight plastic foam thermal insulation for cryogenic storage
[NASA-CASE-XLE-02647] c18 N71-23658

Development of foam insulation for filament wound cryogenic storage tank
[NASA-CASE-XLE-03803] c15 N71-23816

CRYOGENICS

High strength aluminum casting alloy for cryogenic applications in aerospace engineering
[NASA-CASE-XNP-02786] c17 N71-20743

Portable cryogenic cooling system design including turbine pump, cooling chamber, and atomizer
[NASA-CASE-NPO-10467] c23 N71-26654

CRYOLITE

Ultraviolet filter of thorium fluoride and cryolite on quartz base
[NASA-CASE-XNP-02340] c23 N69-24332

CRYOSTATS

Cryostat for flexure fatigue testing of composite materials
[NASA-CASE-XNP-02964] c14 N71-17659

Cryostat for use with horizontal fatigue testing machines at low temperatures
[NASA-CASE-XNP-10968] c14 N71-24234

Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c14 N74-15093

CRYSTAL FILTERS

Infrared tunable dye laser with nonlinear wavelength mixing crystal in optical cavity
[NASA-CASE-ARC-10463-1] c09 N73-32111

CRYSTAL GROWTH

Device for producing high purity silicon carbide on carbon base by hydrogen reduction of silicon tetrachloride
[NASA-CASE-XLA-02057] c26 N70-40015

Electrodeposition method for producing crystalline material from dense gaseous medium
[NASA-CASE-NPO-10440] c15 N72-21466

CRYSTAL OSCILLATORS

Describing crystal oscillator instrument for detecting condensable gas contaminants in vacuum apparatus
[NASA-CASE-NPO-10144] c14 N71-17701

CRYSTAL RECTIFIERS

Turn on current transient limiter for controlling peak current flow in high capacity load
[NASA-CASE-GSC-10413] c10 N71-26531

CRYSTALS

Brushless dc tachometer design with Hall effect crystals and output voltage magnitude

- Proportional to rotor speed
[NASA-CASE-MFS-20385] c09 N71-24904
- CULTURE TECHNIQUES**
- Development of variable angle device for positioning test tubes to permit optimum drying of culture medium
[NASA-CASE-LAR-10507-1] c11 N72-25284
- Automatic inoculating device for agar trays using cotton swab or loop
[NASA-CASE-LAR-11074-1] c05 N73-16096
- Automatic microbial transfer device
[NASA-CASE-LAR-11354-1] c14 N74-10422
- CURRENT DENSITY**
- Solid state switching circuit design to increase current capacity of low rated relay contacts
[NASA-CASE-XNP-09228] c09 N69-27500
- Technique and equipment for sputtering using apertured electrode and pulsed substrate bias
[NASA-CASE-LEW-10920-1] c17 N73-24569
- CURRENT DISTRIBUTION**
- Distribution of currents to circuits using electrical adaptor
[NASA-CASE-XLA-01288] c09 N69-21470
- Electron bombardment ion rocket engine with improved propellant introduction system
[NASA-CASE-XLE-02066] c28 N71-15661
- Reversible current directing circuitry for reversible motor control
[NASA-CASE-XLA-09371] c10 N71-18724
- Electric circuit for reversing direction of current flow
[NASA-CASE-XNP-00952] c10 N71-23271
- Power converters for supplying direct current from one voltage for another voltage for use
[NASA-CASE-XER-11046-2] c09 N72-21251
- CURRENT REGULATORS**
- Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c09 N69-24318
- Automatic baseline stabilization for ionization detector used in gas chromatograph
[NASA-CASE-XNP-03128] c10 N70-41991
- Describing magnetic core current switching device for steering bipolar current pulses to memory units
[NASA-CASE-NPO-10201] c08 N71-18694
- Circuit design for determining amount of photomultiplier tube light detection utilizing variable current source and dark current signals of opposite polarity
[NASA-CASE-XMS-03478] c14 N71-21040
- Switching series regulator with gating control network
[NASA-CASE-XMS-09352] c09 N71-23316
- Magnetic current regulator for saturable core transformer
[NASA-CASE-ERC-10075] c09 N71-24800
- Automatic power supply circuit design for driving inductive loads and minimizing power consumption including solenoid example
[NASA-CASE-NPO-10716] c09 N71-24892
- Turn on current transient limiter for controlling peak current flow in high capacity load
[NASA-CASE-GSC-10413] c10 N71-26531
- Current regulating voltage divider design with load current shunting
[NASA-CASE-MFS-20935] c09 N71-34212
- Circuit for monitoring power supply by ripple current indication
[NASA-CASE-KSC-10162] c09 N72-11225
- Design of integrated circuit with two amplifiers and feedback stabilization for single channel gyator
[NASA-CASE-MFS-22343-1] c09 N73-18224
- Control circuit for reducing bias voltage and radiation sensitivity of photomultiplier
[NASA-CASE-ARC-10593-1] c09 N73-30187
- CURVATURE**
- Apparatus and method for spin forming tubular elbows with high strength, uniform thickness, and close tolerances
[NASA-CASE-XMF-01083] c15 N71-22723
- Two degree inverted flexure from single block of material
[NASA-CASE-ARC-10345-1] c15 N73-12488
- CURVE FITTING**
- Simulating voltage-current characteristic curves of solar cell panel with different operational parameters
[NASA-CASE-XMS-01554] c10 N71-10578
- CURVED PANELS**
- Fabrication of curved reflector segments for solar mirror
[NASA-CASE-XLE-08917] c15 N71-15597
- Method and apparatus for bowing of instrument panels to improve radio frequency shielded enclosure
[NASA-CASE-XMF-09422] c07 N71-19436
- Space erectable rollup solar array of arcuate solar panels furled on tapered drum for spacecraft storage during launch
[NASA-CASE-NPO-10188] c03 N71-20273
- Forming mold for polishing and machining curved solar magnesium reflector with reinforcing ribs
[NASA-CASE-XLE-08917-2] c15 N71-24836
- CUTTERS**
- Hand tool for cutting and sealing fusible fabrics
[NASA-CASE-XMF-09386] c15 N69-21854
- Description of device for aligning stacked sheets of paper for repetitive cutting
[NASA-CASE-XMS-04178] c15 N71-22798
- Portable cutting machine for piping weld preparation
[NASA-CASE-XKS-07953] c15 N71-26134
- Precision surface cutter for screen circuit negatives and other microcircuits
[NASA-CASE-XLA-09843] c15 N72-27485
- Development of manually operated tool for facing exposed end to insert installed in honeycomb panel
[NASA-CASE-MFS-21485-1] c15 N72-31490
- Tool positioning holder for grinding by ball nose milling cutter
[NASA-CASE-LAR-10450-1] c15 N73-10504
- Adjustable hole cutter for forming circular openings
[NASA-CASE-MFS-22649-1] c15 N73-32376
- CUTTING**
- Ellipsograph for describing and cutting ellipses with minimal axial dimensions
[NASA-CASE-XLA-03102] c14 N71-21079
- CYCLES**
- Pneumatic system for cyclic control of fluid flow in pneumatic device
[NASA-CASE-XMS-04843] c03 N69-21469
- Multistage feedback shift register with states decomposable into cycles of equal length
[NASA-CASE-NPO-11082] c08 N72-22167
- CYCLIC HYDROCARBONS**
- Para-benzoquinone dioxime and concentrated mineral acid processed to yield intumescent or fire resistant, heat insulating materials
[NASA-CASE-ARC-10304-1] c18 N73-26572
- CYCLIC LOADS**
- Automatic controlled thermal fatigue testing apparatus
[NASA-CASE-XLA-02059] c33 N71-24276
- Development of device for simulating cyclic thermal loading of flexible materials by application of mechanical stresses and deformations
[NASA-CASE-LAR-10270-1] c32 N72-25877
- Material testing system with load sensor for applying and measuring cyclic tensile and compressive loads to test specimens
[NASA-CASE-MFS-20673] c14 N73-20476
- CYCLOTRON RADIATION**
- Apparatus for producing high purity I-123 from Xe-123 by bombarding tellurium target with cyclotron beam
[NASA-CASE-LEW-10518-2] c24 N72-28714
- CYLINDERS**
- Sprag solenoid brake with cylindrical chamber
[NASA-CASE-MFS-21846-1] c15 N73-23552
- CYLINDRICAL BODIES**
- Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c14 N74-20009
- D**
- DAMPING**
- Dynamic precession damping of spin-stabilized vehicles by using rate gyroscope and angular accelerometer
[NASA-CASE-XLA-01989] c21 N70-34295

- Slosh damping method for liquid rocket
propellant tanks
[NASA-CASE-XNF-00658] c12 N70-38997
- Utilization of momentum devices for forming
attitude control and damping system for
spacecraft
[NASA-CASE-XLA-02551] c21 N71-21708
- Three stage motion restraining mechanism for
restraining and damping three dimensional
vibrational movement of gimballed package
during launch of spacecraft
[NASA-CASE-GSC-10306-1] c15 N71-24694
- Mutation damper for use on spinning body
[NASA-CASE-GSC-11205-1] c15 N73-25513
- Development of electrical circuit for
suppressing oscillations across inductor
operating in resonant mode
[NASA-CASE-ERC-10403-1] c10 N73-26228
- DATA ACQUISITION**
- Conversion system for increasing resolution of
analog to digital converters
[NASA-CASE-XAC-00404] c08 N70-40125
- Development of telemetry system for position
location and data acquisition
[NASA-CASE-GSC-10083-1] c30 N71-16090
- Data acquisition system for converting displayed
analog signal to digital values
[NASA-CASE-NPO-10344] c10 N71-26544
- Data acquisition and processing system with
buffer storage and timing device for magnetic
tape recording of PCM data and timing
information
[NASA-CASE-NPO-12107] c08 N71-27255
- Development of timing device for conserving
batteries on remote data collection platform
by generating synchronous time windows
[NASA-CASE-GSC-11182-1] c31 N73-32769
- DATA COMPRESSION**
- Minimum time delay unit for conventional time
multiplexed data compression channels
[NASA-CASE-XNP-08832] c08 N71-12506
- Data compression processor for monitoring analog
signals by sampling procedure
[NASA-CASE-NPO-10068] c08 N71-19288
- Wide range analog data compression system
[NASA-CASE-XGS-02612] c08 N71-19435
- Apparatus with summing network for compression
of analog data by decreasing slope threshold
sampling
[NASA-CASE-NPO-10769] c08 N72-11171
- Data reduction and transmission system for TV
PCM data
[NASA-CASE-NPO-11243] c07 N72-20154
- Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c07 N74-19788
- DATA CONVERTERS**
- Logarithmic converter for compressing 19-digit
binary input number to 8-digit output
[NASA-CASE-XLA-00471] c08 N70-34778
- Mechanical coordinate converter for use with
spacecraft tracking antennas
[NASA-CASE-XNP-00614] c14 N70-36907
- Analog signal to discrete time converter
[NASA-CASE-ERC-10048] c09 N72-25251
- Digital converter for scaling binary number to
binary coded decimal number of higher multiple
[NASA-CASE-KSC-10595] c08 N73-12176
- Image data rate converter having a drum with a
fixed head and a rotatable head
[NASA-CASE-NPO-11659-1] c14 N74-11283
- DATA LINKS**
- Characteristics of two channel telemetry system
with two data rate channels for high and low
data rate communication
[NASA-CASE-NPO-11572] c07 N73-16121
- Automatic accounting system for transfer of data
from terminals to computer
[NASA-CASE-NPO-11456] c08 N73-26176
- DATA PROCESSING**
- Data processing and display system for terminal
guidance of X-15 aircraft
[NASA-CASE-XFR-00756] c02 N71-13421
- Encoders designed to generate comma free
biorthogonal Reed-Muller type code comprising
conversion of 64 6-bit words into 64 32-bit
data for communication purposes
[NASA-CASE-NPO-10595] c10 N71-25917
- Data acquisition and processing system with
buffer storage and timing device for magnetic
tape recording of PCM data and timing
information
[NASA-CASE-NPO-12107] c08 N71-27255
- Digital data handling circuits for pulse
amplifiers
[NASA-CASE-XNP-01068] c10 N71-28739
- Synchronized digital communication system
[NASA-CASE-XNP-03623] c09 N73-28084
- Image data rate converter having a drum with a
fixed head and a rotatable head
[NASA-CASE-NPO-11659-1] c14 N74-11283
- DATA PROCESSING EQUIPMENT**
- Data processor having multiple sections
activated at different times by selective
power coupling to sections
[NASA-CASE-XGS-04767] c08 N71-12494
- Development of demodulation system for removing
amplitude modulation from two quadrature
displaced data bearing signals
[NASA-CASE-XAC-04030] c10 N71-19472
- Development and characteristics of rate
augmented digital to analog converter for
computed time-dependent data
[NASA-CASE-XLA-07828] c08 N71-27057
- Data processor with plural register stages for
selectively interconnecting with each other to
effect multiplicity of operations
[NASA-CASE-GSC-10186] c08 N71-33110
- Development and characteristics of telemetry
system using computer-accessed circuits and
remotely controlled from ground station
[NASA-CASE-NPO-11358] c07 N72-25172
- Development and characteristics of data decoder
to process convolution encoded information
[NASA-CASE-NPO-11371] c08 N73-12177
- Characteristics of digital data processor using
pulse from clock source to derive binary
singlets to show state of various indicators in
processor
[NASA-CASE-GSC-10975-1] c08 N73-13187
- Automatic accounting system for transfer of data
from terminals to computer
[NASA-CASE-NPO-11456] c08 N73-26176
- DATA RECORDERS**
- Description of system for recording and reading
out data related to distribution of occurrence
of plurality of events
[NASA-CASE-XNP-04067] c08 N71-22707
- Design and characteristics of recording system
for selective reprocessing and filtering of
data to obtain optimum signal to noise ratios
[NASA-CASE-ERC-10112] c07 N72-21119
- Recorder/processor apparatus --- for optical
data processing
[NASA-CASE-GSC-11553-1] c07 N74-15831
- DATA RECORDING**
- System for recording and reproducing PCM data
from data stored on magnetic tape
[NASA-CASE-XGS-01021] c08 N71-21042
- Description of system for recording and reading
out data related to distribution of occurrence
of plurality of events
[NASA-CASE-XNP-04067] c08 N71-22707
- Development of data storage system for storing
digital data in high density format on
magnetic tape
[NASA-CASE-XNP-02778] c08 N71-22710
- Transient video signal tape recorder with
expanded playback
[NASA-CASE-ABC-10003-1] c09 N71-25866
- Apparatus for on-film optical recording of
camera lens aperture and focus setting
[NASA-CASE-HSC-12363-1] c14 N73-26431
- Image data rate converter having a drum with a
fixed head and a rotatable head
[NASA-CASE-NPO-11659-1] c14 N74-11283
- DATA REDUCTION**
- System for storing histogram data in optimum
number of elements
[NASA-CASE-XNP-09785] c08 N69-21928
- Respiration analyzing method and apparatus for
determining subjects oxygen consumption in
aerospace environments
[NASA-CASE-XFR-08403] c05 N71-11202
- Minimum time delay unit for conventional time
multiplexed data compression channels
[NASA-CASE-XNP-08832] c08 N71-12506
- Data compression processor for monitoring analog
signals by sampling procedure

- [NASA-CASE-NPO-10068] c08 N71-19288
 Hide range analog data compression system
 [NASA-CASE-XGS-02612] c08 N71-19435
 Description of system for recording and reading
 out data related to distribution of occurrence
 of plurality of events
 [NASA-CASE-XNP-04067] c08 N71-22707
 Apparatus with summing network for compression
 of analog data by decreasing slope threshold
 sampling
 [NASA-CASE-NPO-10769] c08 N72-11171
 Data reduction and transmission system for TV
 PCM data
 [NASA-CASE-NPO-11243] c07 N72-20154
 Data compression using decreasing slope
 threshold test and digital techniques
 [NASA-CASE-NPO-11630] c08 N72-33172
- DATA RETRIEVAL**
 Magnetic matrix memory system for nondestructive
 reading of information contained in matrix
 [NASA-CASE-XNP-05835] c08 N71-12504
 Procedure for repairing and recovering voice
 data from heat damaged magnetic tapes
 [NASA-CASE-HSC-14219-1] c07 N73-16132
 Asynchronous, multiplexing, single line
 transmission and recovery data system --- for
 satellite use
 [NASA-CASE-NPO-13321-1] c07 N74-19806
- DATA SAMPLING**
 Monitoring circuit design for sampling circuit
 control and reduction of time-bandwidth in
 video communication systems
 [NASA-CASE-XNP-02791] c07 N71-23026
 Sampling circuit for signal processing in
 multiplex transmission by Fourier analysis
 [NASA-CASE-NPO-10388] c07 N71-24622
 Video signal processing system for sampling
 video brightness levels
 [NASA-CASE-NPO-10140] c07 N71-24742
 Apparatus with summing network for compression
 of analog data by decreasing slope threshold
 sampling
 [NASA-CASE-NPO-10769] c08 N72-11171
- DATA SMOOTHING**
 Variable time constant, wide frequency range
 smoothing network for noise removal from pulse
 chains
 [NASA-CASE-XGS-01983] c10 N70-41964
- DATA STORAGE**
 Data handling based on source significance,
 storage availability, and data received from
 source
 [NASA-CASE-XNP-04162-1] c08 N70-34675
 Magnetic matrix memory system for nondestructive
 reading of information contained in matrix
 [NASA-CASE-XNP-05835] c08 N71-12504
 Tape guidance system for multichannel digital
 recording system
 [NASA-CASE-XNP-09453] c08 N71-19420
 Event recorder with constant speed motor which
 rotates recording disk
 [NASA-CASE-XLA-01832] c14 N71-21006
 System for recording and reproducing PCM data
 from data stored on magnetic tape
 [NASA-CASE-XGS-01021] c08 N71-21042
 Development of data storage system for storing
 digital data in high density format on
 magnetic tape
 [NASA-CASE-XNP-02778] c08 N71-22710
 Multiple pattern holographic information storage
 and readout system
 [NASA-CASE-ERC-10151] c16 N71-29131
 Momentum wheel design for spacecraft attitude
 control and magnetic drum and head system for
 data storage
 [NASA-CASE-NPO-11481] c21 N73-13644
 Data storage, image tube type
 [NASA-CASE-HSC-14053-1] c08 N74-12888
- DATA SYSTEMS**
 Data handling based on source significance,
 storage availability, and data received from
 source
 [NASA-CASE-XNP-04162-1] c08 N70-34675
 Development and characteristics of rate
 augmented digital to analog converter for
 computed time-dependent data
 [NASA-CASE-XLA-07828] c08 N71-27057
- DATA TRANSMISSION**
 telemetry data unit to form multibit words for
 use between demodulator and computer
 [NASA-CASE-XNP-09225] c09 N69-24333
 Phase shift data transmission system with
 pseudo-noise synchronization code modulated
 with digital data into single channel for
 spacecraft communication
 [NASA-CASE-XNP-00911] c08 N70-41961
 Minimum time delay unit for conventional time
 multiplexed data compression channels
 [NASA-CASE-XNP-08832] c08 N71-12506
 Data compression processor for monitoring analog
 signals by sampling procedure
 [NASA-CASE-NPO-10068] c08 N71-19288
 Hide range analog data compression system
 [NASA-CASE-XGS-02612] c08 N71-19435
 Plural channel data transmission system with
 quadrature modulation and complementary
 demodulation
 [NASA-CASE-XAC-06302] c08 N71-19763
 Monitoring circuit design for sampling circuit
 control and reduction of time-bandwidth in
 video communication systems
 [NASA-CASE-XNP-02791] c07 N71-23026
 Frequency shift keying apparatus for use with
 pulse code modulation data transmission system
 [NASA-CASE-XGS-01537] c07 N71-23405
 Binary data decoding device for use at receiving
 end of communication channel
 [NASA-CASE-NPO-10118] c07 N71-24741
 Data reduction and transmission system for TV
 PCM data
 [NASA-CASE-NPO-11243] c07 N72-20154
 Development of communication system for
 transmitting differential phase shift keyed
 signals from input data bits without timing or
 phase reference signals
 [NASA-CASE-HSC-14065-1] c07 N73-10215
 Design and development of closed-loop, digital
 data communication system using optimum number
 of interconnecting wires
 [NASA-CASE-HSC-13912-1] c07 N73-12151
 Characteristics of two channel telemetry system
 with two data rate channels for high and low
 data rate communication
 [NASA-CASE-NPO-11572] c07 N73-16121
 Telemetry and transmission system with
 programmed sampling and multiplexing
 [NASA-CASE-GSC-11388-1] c07 N73-24187
 Automatic accounting system for transfer of data
 from terminals to computer
 [NASA-CASE-NPO-11456] c08 N73-26176
- DECAY RATES**
 Solar sensor with coarse and fine sensing
 elements for matching preirradiated cells on
 degradation rates
 [NASA-CASE-XLA-01584] c14 N71-23269
- DECELERATION**
 Assembly for opening flight capsule stabilizing
 and decelerating flaps with reference to
 capsule recovery
 [NASA-CASE-XNP-00641] c31 N70-36410
 Device for use in descending spacecraft as
 altitude sensor for actuating deceleration
 retrorockets
 [NASA-CASE-XNS-03792] c14 N70-41812
 Development and characteristics of hot air
 balloon deceleration and recovery system
 [NASA-CASE-XLA-06824-2] c02 N71-11037
 Zero gravity apparatus utilizing pneumatic
 decelerating means to create payload subjected
 to zero gravity conditions by dropping its
 height
 [NASA-CASE-XNP-06515] c14 N71-23227
- DECIMALS**
 Digital converter for scaling binary number to
 binary coded decimal number of higher multiple
 [NASA-CASE-KSC-10595] c08 N73-12176
- DECODERS**
 Serial digital decoder design with square
 circuit matrix and serial memory storage units
 [NASA-CASE-NPO-10150] c08 N71-24650
 Binary to decimal decoder logic circuit design
 with feedback control and display device
 [NASA-CASE-XKS-06167] c08 N71-24890
 Design and development of encoder/decoder system
 to generate binary code which is function of
 outputs of plurality of bistable elements
 [NASA-CASE-NPO-10342] c10 N71-33407

- Learning decoders for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c07 N72-27178
- DECODING**
Binary data decoding device for use at receiving end of communication channel
[NASA-CASE-NPO-10118] c07 N71-24741
Development and characteristics of data decoder to process convolution encoded information
[NASA-CASE-NPO-11371] c08 N73-12177
- DECONTAMINATION**
Decontamination of petroleum products with honey
[NASA-CASE-XNP-03835] c06 N71-23499
Heat exchanger and decontamination system for multistage refrigeration unit
[NASA-CASE-NPO-10634] c23 N72-25619
- DEEP SPACE NETWORK**
Low phase noise frequency divider for use with deep space network communication system
[NASA-CASE-NPO-11569] c10 N73-26229
- DEFLECTION**
Bipropellant injector with pair of concave deflector plates
[NASA-CASE-XNP-09461] c28 N72-23809
- DEFLECTORS**
Deflector for preventing objects from entering nacelle inlets of jet aircraft
[NASA-CASE-XLE-00388] c28 N70-34788
Aircraft wheel spray drag alleviator for dual tandem landing gear
[NASA-CASE-XLA-01583] c02 N70-36825
Ion beam deflector system for electronic thrust vector control for ion propulsion yaw, pitch, and roll forces
[NASA-CASE-LEW-10689-1] c28 N71-26173
- DEFOCUSING**
Optical retrodirective modulator with focus spoiling reflector driven by modulation signal
[NASA-CASE-GSC-10062] c14 N71-15605
- DEFORMATION**
Deformation measuring apparatus with feedback control for arbitrarily shaped structures
[NASA-CASE-LAR-10098] c32 N71-26681
Development of device for simulating cyclic thermal loading of flexible materials by application of mechanical stresses and deformations
[NASA-CASE-LAR-10270-1] c32 N72-25877
- DEFORMETERS**
Development of strain gage mounting assembly for amplifying measurable deformation applied to strain gage
[NASA-CASE-NPO-13170-1] c14 N73-28495
- DEGREES OF FREEDOM**
Attitude control training device for astronauts permitting friction-free movement with five degrees of freedom
[NASA-CASE-XMS-02977] c11 N71-10746
Tuned damped vibration absorber for mass vibrating in more than one degree of freedom for use with wind tunnel models
[NASA-CASE-LAR-10083-1] c15 N71-27006
- DEHUMIDIFICATION**
Condenser-separator for dehumidifying air utilizing sintered metal surface
[NASA-CASE-XLA-08645] c15 N69-21465
- DEHYDRATED FOOD**
Rice preparation process consisting of cooking, two freezing-thawing cycles, and then freeze drying
[NASA-CASE-MSC-13540-1] c05 N72-33096
- DELAY CIRCUITS**
Development of pulsed differential comparator circuit
[NASA-CASE-XLE-03804] c10 N71-19471
Pulse duration control device for driving slow response time loads in selected sequence including switching and delay circuits and magnetic storage
[NASA-CASE-XGS-04224] c10 N71-26418
- DELAY LINES**
Development and characteristics of solid state acoustic variable time delay line using direct current voltage and radio frequency pulses
[NASA-CASE-ERC-10032] c10 N71-25900
- DELTA MODULATION**
Multifunction audio digitizer --- producing direct delta and pulse code modulation
[NASA-CASE-MSC-13855-1] c07 N74-17885
- DELTA WINGS**
Delta winged, manned reentry vehicle capable of horizontal glide landing at low speeds
[NASA-CASE-XLA-00241] c31 N70-37986
- DEMAGNETIZATION**
Tumbling motion system for object demagnetization
[NASA-CASE-XGS-02437] c15 N69-21472
- DEMULATION**
Plural channel data transmission system with quadrature modulation and complementary demodulation
[NASA-CASE-XAC-06302] c08 N71-19763
Restoration and improvement of demodulated facsimile video signals
[NASA-CASE-GSC-10185-1] c07 N72-12081
- DEMULATORS**
Telemetry data unit to form multibit words for use between demodulator and computer
[NASA-CASE-XNP-09225] c09 N69-24333
Frequency shift keyed demodulator - circuit diagrams
[NASA-CASE-XGS-02889] c07 N71-11282
Demodulator for simultaneous demodulation of two modulating ac signal carriers close in frequency
[NASA-CASE-XMP-01160] c07 N71-11298
Development of demodulation system for removing amplitude modulation from two quadrature displaced data bearing signals
[NASA-CASE-XAC-04030] c10 N71-19472
Calibrator for measuring and modulating or demodulating laser outputs
[NASA-CASE-XLA-03410] c16 N71-25914
Threshold extension device for improving operating performance of frequency modulation demodulators by eliminating click-type noise impulses
[NASA-CASE-MSC-12165-1] c07 N71-33696
Full wave modulator-demodulator amplifier apparatus --- for generating rectified output signal
[NASA-CASE-PRC-10072-1] c09 N74-14939
- DENSITOMETERS**
Capacitor for measuring density of compressible fluid in liquid, gas, or liquid and gas phases
[NASA-CASE-XLE-00143] c14 N70-36618
Measuring density of single and two-phase cryogenic fluids in rocket fuel tanks
[NASA-CASE-XLE-00688] c14 N70-41330
Ultrasonic bone densitometer for measuring calcium content of bone structures
[NASA-CASE-MFS-20994-1] c05 N73-30090
- DENSITY DISTRIBUTION**
Increasing available power per unit area in ion rocket engine by increasing beam density
[NASA-CASE-XLE-00519] c28 N70-41576
- DENSITY MEASUREMENT**
Capacitor for measuring density of compressible fluid in liquid, gas, or liquid and gas phases
[NASA-CASE-XLE-00143] c14 N70-36618
Measuring density of single and two-phase cryogenic fluids in rocket fuel tanks
[NASA-CASE-XLE-00688] c14 N70-41330
Method for determining density of impacting particles by using Hugoniot curves
[NASA-CASE-LAR-11059-1] c30 N73-26838
- DENTISTRY**
Process for preparing calcium phosphate salts for tooth repair
[NASA-CASE-ERC-10338] c04 N72-33072
- DEPLOYMENT**
Extendable, self-deploying boom apparatus
[NASA-CASE-GSC-10566-1] c15 N72-18477
Deployable cantilever support for deploying solar cell arrays aboard spacecraft and reducing transient loading
[NASA-CASE-NPO-10883] c31 N72-22874
- DEPOSITION**
Means and methods of depositing thin films on substrates
[NASA-CASE-XNP-00595] c15 N70-34967
Process for depositing pure metals by irradiating liquids
[NASA-CASE-LEW-10906-1] c06 N72-25164
Dual wavelength system for monitoring film deposition
[NASA-CASE-MFS-20675] c26 N73-26751
- DETECTION**
Heated element sensor for fluid flow detection in thermal conductive conduit with adaptive

- means to determine flow rate and direction
[NASA-CASE-MSC-12084-1] c12 N71-17569
- Fluid leakage detection system with automatic monitoring capability
[NASA-CASE-LAR-10323-1] c12 N71-17573
- Metal detection system with electromagnetic transmitter with single coil and receiver with single coil
[NASA-CASE-ARC-10265-1] c10 N72-28240
- System for detecting impact position of cosmic dust on detector surface
[NASA-CASE-GSC-11291-1] c25 N72-33696
- Detection of bacteria in biological fluids and foods
[NASA-CASE-GSC-11533-1] c14 N73-13435
- Short range laser obstacle detector --- for surface vehicles using laser diode array
[NASA-CASE-NPO-11856-1] c16 N74-15145
- DETECTORS**
- Pressurized cell micrometeoroid detector
[NASA-CASE-XLA-00936] c14 N71-14996
- Development of large area micrometeoroid impact detector panels
[NASA-CASE-XLA-05906] c31 N71-16221
- Development of pulse-activated polarographic hydrogen detector
[NASA-CASE-XMF-06531] c14 N71-17575
- Electro-optical detector for determining position of light source
[NASA-CASE-XNP-01059] c23 N71-21821
- Method for locating leaks in hermetically sealed containers
[NASA-CASE-ERC-10045] c15 N71-24910
- Precipitation detector and mechanism for stopping and restarting machinery at initiation and cessation of rain
[NASA-CASE-XLA-02619] c10 N71-26334
- Hydrogen fire blink detector for high altitude rocket or ground installation
[NASA-CASE-MFS-15063] c14 N72-25412
- Device for detection of combustion light preceding gaseous explosions
[NASA-CASE-LAR-10739-1] c14 N73-16484
- Optical imaging system for increasing light absorption efficiency of imaging detector
[NASA-CASE-ARC-10194-1] c23 N73-20741
- Cold cathode discharge tube with pressurized gas cell for meteoroid detection in space
[NASA-CASE-LAR-10483-1] c14 N73-32327
- Leak detector with high vacuum seals
[NASA-CASE-LAR-11237-1] c14 N73-32344
- Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c14 N74-20019
- Deployable pressurized cell structure for a micrometeoroid detector
[NASA-CASE-LAR-10295-1] c15 N74-21062
- DETONATION**
- Development of technique and apparatus for optically detonating insensitive high explosives
[NASA-CASE-NPO-11743-1] c33 N73-29959
- DETONATION WAVES**
- Detonation reaction engine comprising outer housing enclosing pair of inner walls for continuous flow
[NASA-CASE-XMF-06926] c28 N71-22983
- DEUTERIUM**
- Gas chromatographic method for analyzing hydrogen deuterium mixtures
[NASA-CASE-NPO-11322] c06 N72-25146
- DIAGNOSIS**
- Apparatus for producing high purity I-123 --- for thyroid measurement
[NASA-CASE-LEW-10518-3] c15 N74-10476
- DIAPHRAGMS**
- Phototransistor with base collector junction diode for integration into photo sensor arrays
[NASA-CASE-MFS-20407] c09 N73-19235
- DIAMINES**
- Preparation of elastomeric diamine silazane polymers
[NASA-CASE-XMF-04133] c06 N71-20717
- Synthesis of aromatic diamines and dialdehyde polymers using Schiff base
[NASA-CASE-XMF-03074] c06 N71-24740
- Synthesis of siloxane containing epoxide and diamine polymers
[NASA-CASE-MFS-13994-2] c06 N72-25148
- Stable polyimide synthesis from mixtures of monomeric diamines and polycarboxylic acid esters
[NASA-CASE-LEW-11325-1] c06 N73-27980
- DIAGNOSIS**
- Exponential horn, copper plate, magnetic hammer, and anvil in apparatus for making diamonds
[NASA-CASE-MFS-20698] c15 N72-20446
- Simplified technique and device for producing industrial grade synthetic diamonds
[NASA-CASE-MFS-20698-2] c15 N73-19457
- DIAPHRAGMS (MECHANICS)**
- Expulsion and measuring device for determining quantity of liquid in tank under conditions of weightlessness
[NASA-CASE-XMS-01546] c14 N70-40233
- Reinforcing beam system for highly flexible diaphragms in valves or pressure switches
[NASA-CASE-XNP-01962] c32 N70-41370
- Flexible rocket motor nozzle closure device to aid ignition and protect rocket chamber from foreign objects
[NASA-CASE-XLA-02651] c28 N70-41967
- Knife structure for controlling rupture of shock tube diaphragms
[NASA-CASE-XAC-00731] c11 N71-15960
- Magnetically opened diaphragm design with camera shutter and expansion tube applications
[NASA-CASE-XLA-03660] c15 N71-21060
- Design and development of inertia diaphragm pressure transducer
[NASA-CASE-IAC-02981] c14 N71-21072
- Punch and die device for forming convolution series in thin gage metal hemispheres
[NASA-CASE-XNP-05297] c15 N71-23811
- Rubber composition for expulsion bladders and diaphragms for use with hydrazine
[NASA-CASE-NPO-11433] c18 N71-31140
- Development of differential pressure control system using motion of mechanical diaphragms to operate electric switch
[NASA-CASE-MFS-14216] c14 N73-13418
- DIASTOLIC PRESSURE**
- Automatic system for measuring and monitoring systolic and diastolic blood pressure in humans
[NASA-CASE-MSC-13999-1] c05 N72-25142
- DIATOMIC GASES**
- Laser utilizing infrared rotation transitions of diatomic gas for production of different wavelengths
[NASA-CASE-ARC-10370-1] c16 N72-10432
- DIELECTRIC PROPERTIES**
- Capacitive tank gaging device for monitoring one constituent of two phase fluid by sensing dielectric constant
[NASA-CASE-MFS-21629] c14 N72-22442
- Fine particulate capture device
[NASA-CASE-LEW-11583-1] c15 N74-13199
- DIELECTRICS**
- Fabricating solar cells with dielectric layers to improve glass fusion
[NASA-CASE-XGS-04531] c03 N69-24267
- Temperature sensitive capacitor device for detecting very low intensity infrared radiation
[NASA-CASE-XNP-09750] c14 N69-39937
- Electrical power system for space flight vehicles operating over extended periods
[NASA-CASE-XMF-00517] c03 N70-34157
- Nose cone mounted heat resistant antenna comprising plurality of adjacent layers of silica not introducing paths of high thermal conductivity through ablative shield
[NASA-CASE-XMS-04312] c07 N71-22984
- Broadband microwave waveguide window to compensate dielectric material filling
[NASA-CASE-XNP-08880] c09 N71-24808
- Laser machining device with dielectric functioning as beam waveguide for mechanical and medical applications
[NASA-CASE-BQN-10541-2] c15 N71-27135
- Quasi-optical microwave circuit with dielectric body for use with oversize waveguides
[NASA-CASE-ERC-10011] c07 N71-29065
- Semiconductor device manufacture using refractory dielectrics as diffusant masks and interconnection insulating materials
[NASA-CASE-XER-08476-1] c26 N72-17820
- Material compositions and processes for developing dielectric thick films used in microcircuit capacitors
[NASA-CASE-LAR-10294-1] c26 N72-28762

Development of equipment and method for electrifying dielectric to determine electrostatic properties
[NASA-CASE-MFS-22129-1] c09 N73-26197

Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c07 N74-11000

DIES

Punch and die device for forming convolution series in thin gage metal hemispheres
[NASA-CASE-XNP-05297] c15 N71-23811

Development and characteristics of frusto-conical die nib for extrusion of refractory metals
[NASA-CASE-XLE-06773] c15 N71-23817

DIFFERENTIAL AMPLIFIERS

Temperature compensated solid state differential amplifier with application in bioinstrumentation circuits
[NASA-CASE-XAC-00435] c09 N70-35440

Stepping motor control apparatus exciting windings in proper time sequence to cause motor to rotate in either direction
[NASA-CASE-GSC-10366-1] c10 N71-18772

DIFFERENTIAL INTERFEROMETRY

Device for determining acceleration of gravity by interferometric measurement of travel of falling body
[NASA-CASE-XMP-05844] c14 N71-17587

DIFFERENTIAL PRESSURE

Relief valve to permit slow and fast bleeding rates at difference pressure levels
[NASA-CASE-XMS-05894-1] c15 N69-21924

Apparatus for ejecting covers of instrument packages using differential pressure principle
[NASA-CASE-XMP-04132] c15 N69-27502

DIFFRACTION

Highly stable optical mirror assembly optimizing image quality of light diffraction patterns
[NASA-CASE-ERC-10001] c23 N71-24868

DIFFRACTION PATTERNS

Digital sensor for counting fringes produced by interferometers with improved sensitivity and one Photomultiplier tube to eliminate alignment problem
[NASA-CASE-LAR-10204] c14 N71-27215

DIFFRACTOMETERS

Dual purpose optical instrument capable of simultaneously acting as spectrometer and diffractometer
[NASA-CASE-XNP-05231] c14 N73-28491

DIFFUSERS

Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-3] c23 N73-32538

DIFFUSION

Selective gold diffusion on monolithic silicon chips for switching and nonswitching amplifier devices and circuits and linear and digital logic circuits
[NASA-CASE-ERC-10072] c09 N70-11148

Metallic film diffusion for boundary lubrication in aerospace engineering
[NASA-CASE-XLE-10337] c15 N71-24046

Transmitting and reflecting diffuser --- for ultraviolet light
[NASA-CASE-LAR-10385-2] c23 N74-13436

DIFFUSION PUMPS

Oil trap for preventing diffusion pump backstreaming into evacuated system
[NASA-CASE-GSC-10518-1] c15 N72-22489

Computer controlled infusion pump for time varying input of calcium into physiological systems
[NASA-CASE-ARC-10447-1] c05 N73-14092

DIFFUSION WELDING

Diffusion bonded graphite reinforced aluminum composites
[NASA-CASE-MFS-21077] c18 N71-34502

Method for diffusion welding dissimilar metals in vacuum chamber
[NASA-CASE-GSC-10303] c15 N72-22487

Reinforced FEP Teflon composite material diffusion bonded to metal substrate
[NASA-CASE-MFS-20482] c15 N72-22492

Two-step diffusion welding process of unrecrystallized alloys
[NASA-CASE-LEW-11388-1] c15 N73-32358

Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c15 N74-20071

DIGITAL COMMAND SYSTEMS

Digitally controlled frequency synthesizer for pulse frequency modulation telemetry systems
[NASA-CASE-XGS-02317] c09 N71-23525

System for maintaining motor at predetermined speed using digital pulses
[NASA-CASE-XMP-06892] c09 N71-24805

Digital filter for reducing jitter in digital control systems
[NASA-CASE-NPO-11088] c08 N71-29034

DIGITAL COMPUTERS

Device for removing plastic dust cover from digital computer disk packs for inspection and cleaning
[NASA-CASE-LAR-10590-1] c15 N70-26819

Binary number sorter for arranging numbers in order of magnitude
[NASA-CASE-NPO-10112] c08 N71-12502

Binary sequence detector with few memory elements and minimized logic circuit complexity
[NASA-CASE-XNP-05415] c08 N71-12505

Digital computer system for automatic prelaunch checkout of spacecraft
[NASA-CASE-XKS-08012-2] c31 N71-15566

Description of error correcting methods for use with digital data computers and apparatus for encoding and decoding digital data
[NASA-CASE-XNP-02748] c08 N71-22749

Serial digital decoder design with square circuit matrix and serial memory storage units
[NASA-CASE-NPO-10150] c08 N71-24650

Digital magnetic core memory with sensing amplifier circuits
[NASA-CASE-XNP-01012] c08 N71-28925

Redundant memory for enhanced reliability of digital data processing system
[NASA-CASE-GSC-10564] c10 N71-29135

Digital converter for scaling binary number to binary coded decimal number of higher multiple
[NASA-CASE-KSC-10595] c08 N73-12176

Fault-tolerant clock apparatus for use in digital logic systems which maintains output pulses during component failure
[NASA-CASE-MSC-12531-1] c14 N73-22386

DIGITAL DATA

Phase shift data transmission system with pseudo-noise synchronization code modulated with digital data into single channel for spacecraft communication
[NASA-CASE-XNP-00911] c08 N70-41961

Tape guidance system for multichannel digital recording system
[NASA-CASE-XNP-09453] c08 N71-19420

Digital telemetry system apparatus to reduce tape recorder wow and flutter noise during playback
[NASA-CASE-XGS-01812] c07 N71-23001

Digital data handling circuits for pulse amplifiers
[NASA-CASE-XNP-01068] c10 N71-28739

Bit synchronization system using digital data transition tracking phased locked loop
[NASA-CASE-NPO-10844] c07 N72-20140

Control and information system for digital telemetry data using analog converter to digitize sensed parameter values
[NASA-CASE-NPO-11016] c08 N72-31226

Development and characteristics for automatically displaying digits in any desired order using optical techniques
[NASA-CASE-XKS-00348] c09 N73-14215

DIGITAL FILTERS

Design and development of signal detection and tracking apparatus
[NASA-CASE-XGS-03502] c10 N71-20852

Digital filter for reducing jitter in digital control systems
[NASA-CASE-NPO-11088] c08 N71-29034

Nonrecursive counting digital filter containing shift register
[NASA-CASE-NPO-11821-1] c08 N73-26175

DIGITAL SPACECRAFT TELEVISION

TV camera output signal control system for digital spacecraft communication
[NASA-CASE-XNP-01472] c14 N70-41807

DIGITAL SYSTEMS

Light sensitive digital aspect sensor for attitude control of earth satellites or space probes

[NASA-CASE-XGS-00359] c14 N70-34158
Circuit diagram and operation of full binary adder
[NASA-CASE-XGS-00689] c08 N70-34787
Digital telemetry system apparatus to reduce
tape recorder wow and flutter noise during
playback
[NASA-CASE-XGS-01812] c07 N71-23001
Reliable magnetic core circuit apparatus with
application in selection matrices for digital
memories
[NASA-CASE-XNP-01318] c10 N71-23033
Noninterruptable digital counter circuit design
with display device for pulse frequency
modulation
[NASA-CASE-XNP-09759] c08 N71-24891
Digital memory system with multiple switch cores
for driving each word location
[NASA-CASE-XNP-01466] c10 N71-26434
Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c08 N72-20176
Digital function generator for generating any
arbitrary single valued function
[NASA-CASE-NPO-11104] c08 N72-22165
Digital video system for displaying image and
alphanumeric data on cathode ray tube
[NASA-CASE-NPO-11342] c09 N72-25248
Data compression using decreasing slope
threshold test and digital techniques
[NASA-CASE-NPO-11630] c08 N72-33172
Characteristics of digital data processor using
pulse from clock source to derive binary
signals to show state of various indicators in
processor
[NASA-CASE-GSC-10975-1] c08 N73-13187
Low phase noise frequency divider for use with
deep space network communication system
[NASA-CASE-NPO-11569] c10 N73-26229
Synchronized digital communication system
[NASA-CASE-XNP-03623] c09 N73-28084
Anti-multipath digital signal detector
[NASA-CASE-LAR-11379-1] c07 N74-11005
Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c08 N74-12887
Digital transmitter for data bus communications
system
[NASA-CASE-MSC-14558-1] c07 N74-17888
Digital controller for a Baum folding machine
--- providing automatic counting and machine
shutoff
[NASA-CASE-LAR-10688-1] c15 N74-21056

DIGITAL TECHNIQUES
Describing frequency discriminator using digital
logic circuits and supplying single binary
output signal
[NASA-CASE-MFS-14322] c08 N71-18692
Constructing Exclusive-Or digital logic circuit
in single module
[NASA-CASE-XLA-07732] c08 N71-18751
Horizon sensor design with digital sampling of
spaced radiation-compensated thermopile
infrared detectors
[NASA-CASE-XNP-06957] c14 N71-21088
Digital cardiometer incorporating circuit
for measuring heartbeat rate of subject over
predetermined portion of one minute also
converting rate to beats per minute
[NASA-CASE-IMS-02399] c05 N71-22896
Digital synchronizer for extracting binary data
in receiver of PSK/PCM communication system
[NASA-CASE-NPO-10851] c07 N71-24613
Digital sensor for counting fringes produced by
interferometers with improved sensitivity and
one photomultiplier tube to eliminate
alignment problem
[NASA-CASE-LAR-10204] c14 N71-27215
Design and development of closed-loop, digital
data communication system using optimum number
of interconnecting wires
[NASA-CASE-MSC-13912-1] c07 N73-12151
Development and characteristics for
automatically displaying digits in any desired
order using optical techniques
[NASA-CASE-XKS-00348] c09 N73-14215
Apparatus and digital technique for coding rate
data
[NASA-CASE-LAR-10128-1] c08 N73-20217
Digital phase-locked loop for accumulator output
signal phase-locked to input signal
[NASA-CASE-GSC-11623-1] c10 N73-31202

DIGITAL TO ANALOG CONVERTERS

Development and characteristics of rate
augmented digital to analog converter for
computed time-dependent data
[NASA-CASE-XLA-07828] c08 N71-27057
Digital to analog converter with parallel
input/output memory device
[NASA-CASE-KSC-10397] c08 N72-25206
Digital to analog converter for sampled signal
reconstruction
[NASA-CASE-MSC-12458-1] c08 N73-32081

DIGITAL TRANSDUCERS

Digital to analog converter for sampled signal
reconstruction
[NASA-CASE-MSC-12458-1] c08 N73-32081

DIISOCYANATES

Chemical and physical properties of synthetic
polyurethane polymer prepared by reacting
hydroxy carbonate with organic diisocyanate
[NASA-CASE-MFS-10512] c06 N73-30099
Preparation of stable polyurethane polymer by
reacting polymer with diisocyanate
[NASA-CASE-MFS-10506] c06 N73-30100
Preparation of polyurethane polymer by reacting
hydroxy polyformal with organic diisocyanate
[NASA-CASE-MFS-10509] c06 N73-30103

DIODES

Single electrical circuit component combining
diode, fuse, and blown indicator with
elongated tube of heat resistant transparent
material
[NASA-CASE-XKS-03381] c09 N71-22796
Maintaining current flow through solar cells
with open connection using shunting diode
[NASA-CASE-XLE-04535] c03 N71-23354
Gunn effect microwave diodes with RF shielding
[NASA-CASE-EBC-10119] c26 N72-21701
Transistorized switching logic circuits with
tunnel diodes
[NASA-CASE-GSC-10878-1] c10 N72-22236
Development of method and apparatus for
detecting surface ions on silicon diodes and
transistors
[NASA-CASE-EBC-10325] c15 N72-25457
Development of temperature compensated light
source with components and circuitry for
maintaining luminous intensity independent of
temperature variations
[NASA-CASE-ARC-10467-1] c09 N73-14214
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c07 N73-23106
Silicon carbide backward diode with coated lead
attachment
[NASA-CASE-EBC-10224-2] c09 N73-27150
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2(B)] c09 N74-14941

DIPOLE ANTENNAS

Circularly polarized antenna with linearly
polarized pair of elements
[NASA-CASE-EBC-10214] c09 N72-31235

DIRECT CURRENT

Regulated dc to dc converter
[NASA-CASE-XGS-03429] c03 N69-21330
Automatic control of voltage supply to direct
current motor
[NASA-CASE-XMS-04215-1] c09 N69-39987
Thermionic diode switch for use in high
temperature region to chop current from dc
source
[NASA-CASE-NPO-10404] c03 N71-12255
Transistorized dc-coupled multivibrator with
noninverted output signal
[NASA-CASE-XNP-09450] c10 N71-18723
Stepping motor control apparatus exciting
windings in proper time sequence to cause
motor to rotate in either direction
[NASA-CASE-GSC-10366-1] c10 N71-18772
Frequency control network for current feedback
oscillators converting dc voltage to ac or
higher dc voltages
[NASA-CASE-GSC-10041-1] c10 N71-19418
Direct current powered self repeating plasma
accelerator with interconnected annular and
linear discharge channels
[NASA-CASE-XLA-03103] c25 N71-21693
Conversion of positive dc voltage to positive dc
voltage of lower amplitude
[NASA-CASE-XNP-14301] c09 N71-23188

- Converting output of positive dc voltage source to negative dc voltage across load with common reference point
[NASA-CASE-XMP-08217] c03 N71-23239
- Blood pressure measuring system for separately recording dc and ac pressure signals of Korotkoff sounds
[NASA-CASE-XMS-06061] c05 N71-23317
- Radio frequency coaxial filter to provide dc isolation and low frequency signal rejection in audio range
[NASA-CASE-XGS-01418] c09 N71-23573
- Brushless dc tachometer design with Hall effect crystals and output voltage magnitude proportional to rotor speed
[NASA-CASE-MFS-20385] c09 N71-24904
- Inverters for changing direct current to alternating current
[NASA-CASE-XGS-06226] c10 N71-25950
- Circuits for controlling reversible dc motor
[NASA-CASE-XNP-07477] c09 N71-26092
- Feedback control for direct current motor to achieve constant speed under varying loads
[NASA-CASE-MFS-14610] c09 N71-28886
- High dc switch for causing abrupt, cyclic, decreases of current to operate under zero or varying gravity conditions
[NASA-CASE-LEW-10155-1] c09 N71-29035
- Power converters for supplying direct current from one voltage for another voltage for use
[NASA-CASE-XER-11046-2] c09 N72-21251
- Power converters for supplying direct current at one voltage from source at another voltage
[NASA-CASE-XER-11046] c09 N72-22203
- Dc to ac to dc converter with transistor driven synchronous rectifiers
[NASA-CASE-GSC-11126-1] c09 N72-25253
- Isolated dc amplifier for bioelectric measurements
[NASA-CASE-ARC-10596-1] c09 N72-27233
- Direct current motor including stationary field windings and stationary armature winding
[NASA-CASE-XGS-07805] c15 N72-33476
- Powerplexer for distribution of dc power levels to loads which require different voltages
[NASA-CASE-MSC-12396-1] c03 N73-31988
- DIRECT POWER GENERATORS**
- Direct conversion of thermal energy into electrical energy using crossed electric and magnetic fields
[NASA-CASE-XLE-00212] c03 N70-34134
- Thermal pump-compressor for converting solar energy
[NASA-CASE-XLA-00377] c33 N71-17610
- Converting output of positive dc voltage source to negative dc voltage across load with common reference point
[NASA-CASE-XMP-08217] c03 N71-23239
- Unsaturating magnetic core transformer design with warning signal for electrical power processing equipment
[NASA-CASE-ERC-10125] c09 N71-24893
- Power converters for supplying direct current from one voltage for another voltage for use
[NASA-CASE-XER-11046-2] c09 N72-21251
- Direct thermal energy conversion using thermal absorption principle
[NASA-CASE-ARC-10461-1] c33 N73-20931
- DIRECTIONAL ANTENNAS**
- Mechanical coordinate converter for use with spacecraft tracking antennas
[NASA-CASE-XNP-00614] c14 N70-36907
- Weatherproof helix antenna
[NASA-CASE-XKS-08485] c07 N71-19493
- Tracking antenna system with array for synchronous satellite or ground based radar
[NASA-CASE-GSC-10553-1] c07 N71-19854
- Drive system for parabolic tracking antenna with reversible motion and minimal backlash
[NASA-CASE-NPO-10173] c15 N71-24696
- DIRECTIONAL CONTROL**
- Gimbaled partially submerged nozzle for solid propellant rocket engines for providing directional control
[NASA-CASE-XMP-01544] c28 N70-34162
- Omnidirectional wheel
[NASA-CASE-MFS-21309-1] c15 N74-18125
- DIRECTIONAL STABILITY**
- Nose gear steering system for vehicles with main skids to provide directional stability after loss of aerodynamic control
[NASA-CASE-XLA-01804] c02 N70-34160
- DISCONNECT DEVICES**
- Patent data on gas actuated bolt disconnect assembly
[NASA-CASE-XLA-00326] c03 N70-34667
- Remotely actuated quick disconnect mechanism for umbilical cables
[NASA-CASE-XLA-00711] c03 N71-12258
- Remotely actuated quick disconnect for tubular umbilical conduits used to transfer fluids from ground to rocket vehicle
[NASA-CASE-XLA-01396] c03 N71-12259
- Design and development of quick release connector
[NASA-CASE-XLA-01141] c15 N71-13789
- Split nut and bolt separation device
[NASA-CASE-XNP-06914] c15 N71-21489
- Electrical circuit selection device for simulating stage separation of flight vehicle
[NASA-CASE-XKS-04631] c10 N71-23663
- Quick disconnect duct coupling device for single-handed operation
[NASA-CASE-MFS-20395] c15 N71-24903
- Breakaway multiwire electrical cable connector with particular application for umbilical type cables
[NASA-CASE-NPO-11140] c15 N72-17455
- Torsional disconnect device for releasably coupling distal ends of fluid conduits
[NASA-CASE-NPO-10704] c15 N72-20445
- Frangible connecting link suitable for rocket stage separation
[NASA-CASE-MSC-11849-1] c15 N72-22488
- Gas operated quick disconnect coupling for umbilical connectors
[NASA-CASE-NPO-11202] c15 N72-25450
- Squib actuated disconnect for spacecraft coupling to launch vehicle
[NASA-CASE-NPO-13172-1] c33 N73-17917
- DISCONTINUITY**
- Servocontrol system for measuring local stresses at geometric discontinuity in stressed material
[NASA-CASE-XLA-08530] c32 N71-25360
- DISCRIMINATORS**
- Detector assembly for discriminating first signal with respect to presence or absence of second signal at time of occurrence of first signal
[NASA-CASE-XMP-00701] c09 N70-40272
- Difference indicating circuit used in conjunction with device measuring gravitational fields
[NASA-CASE-XNP-08274] c10 N71-13537
- Describing frequency discriminator using digital logic circuits and supplying single binary output signal
[NASA-CASE-MFS-14322] c08 N71-18692
- Circuit design for determining amount of photomultiplier tube light detection utilizing variable current source and dark current signals of opposite polarity
[NASA-CASE-XMS-03478] c14 N71-21040
- Characteristics of comparator circuits for comparison of binary numbers in information processing system
[NASA-CASE-XNP-04819] c08 N71-23295
- DISPENSERS**
- Liquid aerosol dispenser with explosively driven piston to compress light gas to extremely high pressure
[NASA-CASE-MFS-20829] c12 N72-21310
- Potable water dispenser
[NASA-CASE-MFS-21115-1] c05 N74-12779
- Lyophilized spore dispenser
[NASA-CASE-LAR-10544-1] c15 N74-13178
- Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c05 N74-17853
- DISPERSING**
- Apparatus for mechanically dispersing ultrafine metal powders subjected to shock waves
[NASA-CASE-XLE-04946] c17 N71-24911
- DISPERSIONS**
- Detergent with glyceryl esters and oil as protective coating to prevent fogging of space suit visor
[NASA-CASE-MSC-13530-2] c06 N73-11107
- Method for producing alkali metal dispersions of high purity

- [NASA-CASE-XNP-08876] c17 N73-28573
- DISPLACEMENT**
- Bimetallic fluid displacement apparatus --- for stirring and heating stored gases and liquids [NASA-CASE-ARC-10441-1] c15 N74-15126
- DISPLACEMENT MEASUREMENT**
- Null-type vacuum microbalance for measuring minute mechanical displacements [NASA-CASE-XAC-00472] c15 N70-40180
- Development and characteristics of self-calibrating displacement transducer for measuring magnitude and frequency of displacement of bodies [NASA-CASE-XLA-00781] c09 N71-22999
- Gas bearing for model support with capacity for measuring angular displacement of model in bearing [NASA-CASE-XLA-09346] c15 N71-28740
- Method and apparatus for remote measurement of displacement of marks on specimen undergoing tensile test [NASA-CASE-NPO-10778] c14 N72-11364
- DISPLAY DEVICES**
- Integrated time shared instrumentation display for aerospace vehicle simulators [NASA-CASE-XLA-01952] c08 N71-12507
- Data processing and display system for terminal guidance of F-15 aircraft [NASA-CASE-XPR-00756] c02 N71-13421
- Fluidic-thermochromic display device [NASA-CASE-ERC-10031] c12 N71-18603
- Cathode ray tube system for displaying ones and zeros in binary wave train [NASA-CASE-XGS-04987] c08 N71-20571
- Optical projector system for establishing optimum arrangement of instrument displays in aircraft, spacecraft, other vehicles, and industrial instrument consoles [NASA-CASE-XNP-03853] c23 N71-21882
- Optical monitor panel consisting of translucent screen with test or meter information projected onto it from rear for application in control rooms of missile launching and tracking stations [NASA-CASE-XKS-03509] c14 N71-23175
- Binary to decimal decoder logic circuit design with feedback control and display device [NASA-CASE-XKS-06167] c08 N71-24890
- Noninterruptable digital counter circuit design with display device for pulse frequency modulation [NASA-CASE-XNP-09759] c08 N71-24891
- Data acquisition system for converting displayed analog signal to digital values [NASA-CASE-NPO-10344] c10 N71-26544
- Plasma-fluidic hybrid display system combining high brightness and memory characteristics [NASA-CASE-ERC-10100] c09 N71-33519
- System for digitizing graphic displays [NASA-CASE-NPO-10745] c08 N72-22164
- Digital video system for displaying image and alphanumeric data on cathode ray tube [NASA-CASE-NPO-11342] c09 N72-25248
- Development of apparatus for mounting scientific experiments in spacecraft to permit utilization without maneuvering spacecraft [NASA-CASE-HSC-12372-1] c31 N72-25842
- Development and characteristics for automatically displaying digits in any desired order using optical techniques [NASA-CASE-XKS-00348] c09 N73-14215
- Situational display system of cathode ray tubes to assist pilot in aircraft control [NASA-CASE-ERC-10350] c14 N73-20474
- Multichannel medical monitoring system to measure physiological parameters from display device at remote control station [NASA-CASE-HSC-14180-1] c05 N73-22045
- Device for displaying and recording angled views of samples to be viewed by microscope [NASA-CASE-GSC-11690-1] c14 N73-28499
- Alphanumeric character display device for oscilloscopes [NASA-CASE-GSC-11582-1] c09 N73-32120
- Transparent switchboard which permits optical display devices to be adapted for use in man machine communications [NASA-CASE-HSC-13746-1] c10 N73-32143
- Recorder/processor apparatus --- for optical data processing [NASA-CASE-GSC-11553-1] c07 N74-15831
- Rotating raster generator [NASA-CASE-PRC-10071-1] c07 N74-20813
- DISSIPATION**
- Dissipative voltage regulator system for minimizing heat dissipation [NASA-CASE-GSC-10891-1] c10 N71-26626
- DISSOLVING**
- Apparatus for mixing two or more liquids under zero gravity conditions [NASA-CASE-LAR-10195-1] c15 N73-19458
- DISTANCE MEASURING EQUIPMENT**
- Binary coded sequential acquisition ranging system for distance measurements [NASA-CASE-NPO-11194] c08 N72-25209
- Apparatus for determining distance to lighting strokes from single station by magnetic and electric field sensing antennas [NASA-CASE-KSC-10698] c07 N73-20175
- DISTILLATION EQUIPMENT**
- Utilization of solar radiation by solar still for converting salt and brackish water into potable water [NASA-CASE-XMS-04533] c15 N71-23086
- Purification apparatus for vaporization and fractional distillation of liquids [NASA-CASE-XNP-08124] c15 N71-27184
- System for recovering oxygen and/or water from extraterrestrial soil and iron oxide materials [NASA-CASE-HSC-12332-1] c15 N72-15476
- U shaped heated tube for distillation and purification of liquid metals [NASA-CASE-XNP-08124-2] c06 N73-13129
- DISTRIBUTED AMPLIFIERS**
- Broadband distribution amplifier with complementary pair transistor output stages [NASA-CASE-NPO-10003] c10 N71-26415
- DISTURBANCES**
- Motor run-up system --- for preventing power line disturbances when synchronous motor is connected to line [NASA-CASE-NPO-13374-1] c10 N74-17949
- DIVERGENT NOZZLES**
- Shrouded divergent body attached to exhaust nozzle for jet noise suppression [NASA-CASE-LEH-11286-1] c02 N73-21066
- DIVIDERS**
- A synchronous binary array divider [NASA-CASE-ERC-10180-1] c08 N74-20836
- DOCUMENT STORAGE**
- Describing device for flagging punched business cards [NASA-CASE-XLA-02705] c08 N71-15908
- DOORS**
- Design and specifications of emergency escape system for spacecraft structures [NASA-CASE-HSC-12086-1] c05 N71-12345
- DOPPLER EFFECT**
- Doppler frequency shift correction device for multiplex communication with Applications Technology Satellites [NASA-CASE-XGS-02749] c07 N69-39978
- Describing laser Doppler velocimeter for measuring mean velocity and turbulence of fluid flow [NASA-CASE-HFS-20386] c21 N71-19212
- System for measuring velocities of radiating particles based on Doppler shift [NASA-CASE-HQN-10740-1] c24 N72-28719
- Doppler compensated communication system for locating supersonic transport position [NASA-CASE-GSC-10087-4] c07 N73-20174
- Laser Doppler velocimeter for simultaneously measuring orthogonal fluid velocity components without flow field perturbation [NASA-CASE-ARC-10637-1] c14 N73-21390
- Simultaneous acquisition of tracking data from two stations [NASA-CASE-NPO-13292-1] c07 N74-15838
- Doppler shift system --- system for measuring velocities of radiating particles [NASA-CASE-HQN-10740-1] c24 N74-19310
- DOPPLER RADAR**
- Cooperative Doppler radar system for avoiding midair collisions [NASA-CASE-LAR-10403] c21 N71-11766

DOSIMETERS

Development of dosimeter for measuring absorbed dose of high energy ionizing radiation
[NASA-CASE-XLA-03645] c14 N71-20430

DRAG CHUTES

Deployment system for flexible wing with rigid superstructure
[NASA-CASE-XLA-01220] c02 N70-41863
Lightweight, variable solidity knitted parachute fabric --- for aerodynamic decelerators
[NASA-CASE-LAR-10776-1] c02 N74-10034

DRAG MEASUREMENT

Device for measuring drag forces in flight tests
[NASA-CASE-XLA-00113] c14 N70-33386
Electric analog for measuring induced drag on nonplanar airfoils
[NASA-CASE-XLA-00755] c01 N71-13410
Electric analog for measuring induced drag on nonplanar airfoils
[NASA-CASE-XLA-05828] c01 N71-13411
Impact energy absorber with decreasing absorption rate
[NASA-CASE-XLA-01530] c14 N71-23092
System for measuring drag forces in a turbulently flowing fluid
[NASA-CASE-ARC-10755-1] c14 N74-14115

DRAG REDUCTION

Directed fluid stream for propeller blade loading control
[NASA-CASE-XAC-00139] c02 N70-34856
Aircraft wheel spray drag alleviator for dual tandem landing gear
[NASA-CASE-XLA-01583] c02 N70-36825

DRIFT (INSTRUMENTATION)

Automatic measuring and recording of gain and zero drift characteristics of electronic amplifier
[NASA-CASE-XMS-05562-1] c09 N69-39986
Solar radiation direction detector and device for compensating degradation of photocells
[NASA-CASE-XLA-00183] c14 N70-40239

DRILL BITS

Impact bit for cutting, collecting, and storing samples such as lunar rock cuttings
[NASA-CASE-XNP-01412] c15 N70-42034

DRILLS

Rotary impact-type rock drill for recovering rock cuttings
[NASA-CASE-XNP-07478] c14 N69-21923
Auger-type soil penetrometer for burrowing into soil formations
[NASA-CASE-XNP-05530] c14 N73-32321

DRIVES

Inverter drive circuit for semiconductor switch
[NASA-CASE-LEW-10233] c10 N71-27126

DROPS (LIQUIDS)

Development of droplet monitoring probe for use in analysis of droplet propagation in mixed-phase fluid stream
[NASA-CASE-NPO-10985] c14 N73-20478

DRUGS

Self-scanning chromatographic-fluorographic drug detector with optical readout system
[NASA-CASE-ARC-10633-1] c05 N73-22048

DRY CELLS

Energy source with tantalum capacitors in parallel and miniature silver oxide button cells for initiating pyrotechnic devices on spacecraft and rocket vehicles
[NASA-CASE-LAR-10367-1] c03 N70-26817

DRYING

Drying chamber for photographic sheet material
[NASA-CASE-GSC-11074-1] c14 N73-28489

DRYING APPARATUS

Gas purged dry box glove reducing permeation of air or moisture into dry box or isolator by diffusion through glove
[NASA-CASE-XLE-02531] c05 N71-23080

DUCTS

Quick disconnect duct coupling device for single-handed operation
[NASA-CASE-NFS-20395] c15 N71-24903

DUST COLLECTORS

Device for removing plastic dust cover from digital computer disk packs for inspection and cleaning
[NASA-CASE-LAR-10590-1] c15 N70-26819
Cosmic dust analyzer using ion time of flight techniques to determine constituency of

hypervelocity particles such as micrometeoroids
[NASA-CASE-MSC-13802-1] c30 N72-20805

DYE LASERS

Development of laser head for simultaneous optical pumping of several dye lasers
[NASA-CASE-LAR-11341-1] c16 N73-25564
Infrared tunable dye laser with nonlinear wavelength mixing crystal in optical cavity
[NASA-CASE-ARC-10463-1] c09 N73-32111

DYES

Dye penetrant and technique for nondestructive tests of solid surfaces contacted by liquid oxygen
[NASA-CASE-XMP-02221] c18 N71-27170

DYNAMIC CHARACTERISTICS

Dynamic sensor for gas pressure or density measurement
[NASA-CASE-XAC-02877] c14 N70-41681
Design of precision vertical alignment system using laser with gravitationally sensitive cavity
[NASA-CASE-ARC-10444-1] c16 N73-33397

DYNAMIC LOADS

Multilegged support system for wind tunnel test models subjected to thermal dynamic loading
[NASA-CASE-XLA-01326] c11 N71-21481
Apparatus for measuring load on cable under static or dynamic conditions comprising pulleys pivoting structure against restraint of tension strap
[NASA-CASE-XMS-04545] c15 N71-22878
Development and characteristics of device for indicating and recording magnitude of force applied in axial direction
[NASA-CASE-MSC-15626-1] c14 N72-25411

DYNAMIC MODULUS OF ELASTICITY

Apparatus for testing metallic and nonmetallic beams or rods by bending at high temperatures in vacuum or inert atmosphere
[NASA-CASE-XLE-01300] c15 N70-41993

DYNAMIC RESPONSE

Lunar and planetary gravity simulator to test vehicular response to landing
[NASA-CASE-XLA-00493] c11 N70-34786
Pressure sensor network for measuring liquid dynamic response in flight including fuel tank acceleration, liquid slosh amplitude, and fuel depth monitoring
[NASA-CASE-XLA-05541] c12 N71-26387
Response analyzing apparatus for liquid vapor interface sensor of sloshing rocket propellant
[NASA-CASE-NFS-11204] c14 N71-29134

DYNAMIC STRUCTURAL ANALYSIS

Development of system for measuring damping characteristics of structure or system subjected to random forces or influences
[NASA-CASE-ARC-10154-1] c14 N72-22440

DYNAMIC TESTS

Hydraulic support equipment for full scale dynamic testing of large rocket vehicle under free flight conditions
[NASA-CASE-XMP-01772] c11 N70-41677
Hydraulic support apparatus for dynamic testing of space vehicles under near-free flight conditions
[NASA-CASE-XMF-03248] c11 N71-10604

DYNAMOMETERS

Dynamometer measuring microforce thrust produced by ion engine
[NASA-CASE-XLE-00702] c14 N70-40203
Development of thrust dynamometer for measuring performance of jet and rocket engines
[NASA-CASE-XLE-05260] c14 N71-20429

E

EAR

Ear oximeter for monitoring blood oxygenation and pressure, pulse rate, and pressure pulse curve, using dc and ac amplifiers
[NASA-CASE-XAC-05422] c04 N71-23185

EARTH ATMOSPHERE

Ablation sensor for measuring surface ablation rate of material on vehicles entering earths atmosphere on entry into planetary atmospheres
[NASA-CASE-XLA-01791] c14 N71-22991

EARTH ORBITS

Electric furnace for vacuum and zero gravity melting of high melting point materials during

- earth orbit
[NASA-CASE-MFS-20710] c11 N72-23215
- Design and development of space shuttle system for delivering payload to earth orbit or celestial orbit
[NASA-CASE-MSC-12391] c30 N73-12884
- ECOLOGIC ANALYSIS**
Economical satellite aided vehicle avoidance system for preventing midair collisions
[NASA-CASE-ERC-10419] c21 N72-21631
- EFFICIENCY**
Recovering efficiency of solar cells damaged by environmental radiation through thermal annealing
[NASA-CASE-XGS-04047-2] c03 N72-11062
High efficiency multifrequency feed
[NASA-CASE-GSC-113173] c09 N74-20863
- EJECTION**
Apparatus for ejecting covers of instrument packages using differential pressure principle
[NASA-CASE-XMP-04132] c15 N69-27502
- EJECTION SEATS**
Ejector for separating astronaut from ejection seat during prelaunch or initial launch phase of flight
[NASA-CASE-XMS-04625] c05 N71-20718
- EJECTORS**
Automatic ejection valve for attitude control and midcourse guidance of space vehicles
[NASA-CASE-XNP-00676] c15 N70-38996
Ejector for separating astronaut from ejection seat during prelaunch or initial launch phase of flight
[NASA-CASE-XMS-04625] c05 N71-20718
Latching mechanism with pivoting catch and self-contained spring ejector
[NASA-CASE-XLA-03538] c15 N71-24897
- ELASTIC BODIES**
Belleville spring assembly with elastic guides having low hysteresis
[NASA-CASE-XNP-09452] c15 N69-27504
Development of systems for automatically and continually suppressing or attenuating bending motion in elastic bodies
[NASA-CASE-IAC-05632] c32 N71-23971
Device for measuring tensile forces applied to tension members
[NASA-CASE-MFS-21728-1] c14 N73-25467
- ELASTIC DEFORMATION**
Measuring shear-creep compliance of solid and liquid materials used in spacecraft components
[NASA-CASE-XLE-01481] c14 N71-10781
Development of systems for automatically and continually suppressing or attenuating bending motion in elastic bodies
[NASA-CASE-IAC-05632] c32 N71-23971
- ELASTIC MEDIA**
Miniature vibration isolator utilizing elastic tubing material
[NASA-CASE-XLA-01019] c15 N70-40156
- ELASTIC PROPERTIES**
Elastic universal joint for rocket motor mounting
[NASA-CASE-XNP-00416] c15 N70-36947
Resilient vehicle wheel for lunar surface travel
[NASA-CASE-MFS-20400] c31 N71-18611
Threadless fastener apparatus comprising receiving apertures for plurality of articles, self-locked condition, and capable of using nonmalleable materials in both ends
[NASA-CASE-IPR-05302] c15 N71-23254
Chemical and elastic properties of fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c06 N73-33076
A meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c14 N74-10421
- ELASTIC SHEETS**
Hot forming of plastic sheets
[NASA-CASE-XMS-05516] c15 N71-17803
- ELASTOMERS**
Elastomer loaded with metal particles for elastic biomedical electrodes
[NASA-CASE-ARC-10268-1] c09 N70-12620
Describing metal valve pintle with encapsulated elastomeric body
[NASA-CASE-BSC-12116-1] c15 N71-17648
Development of apparatus for measuring successive increments of strain on elastomers
[NASA-CASE-XMF-04680] c15 N71-19489
- Preparation of elastomeric diamine silazane polymers
[NASA-CASE-XMF-04133] c06 N71-20717
Leak resistant bonded elastomeric seal for secondary electrochemical cells
[NASA-CASE-XGS-02631] c03 N71-23006
Ultra-flexible biomedical electrodes and wires
[NASA-CASE-ARC-10268-2] c05 N74-11900
Ultra-flexible biomedical electrode and wires
[NASA-CASE-ARC-10268-3] c05 N74-11901
- ELECTRIC ARCS**
Magnetically diffused radial electric arc heater
[NASA-CASE-XLA-00330] c33 N70-34540
Controlled arc spot welding method
[NASA-CASE-XMF-00392] c15 N70-34814
Triggering system for electric arc driven impulse wind tunnel
[NASA-CASE-XMF-00411] c11 N70-36913
Electric arc device for minimizing electrode ablation and heating gases to supersonic or hypersonic wind tunnel temperatures
[NASA-CASE-XAC-00319] c25 N70-41628
Electric arc heater with supersonic nozzle and fixed arc length for use in high temperature wind tunnels
[NASA-CASE-XAC-01677] c09 N71-20816
Arc electrode of graphite with tantalum ball tip
[NASA-CASE-XLE-04788] c09 N71-22987
High powered arc electrodes --- producing solar simulator radiation
[NASA-CASE-LBW-11162-1] c09 N74-12913
- ELECTRIC BATTERIES**
Spacecraft battery seals
[NASA-CASE-IGS-03864] c15 N69-24320
Sealed electric storage battery with gas manifold interconnecting each cell
[NASA-CASE-XNP-03378] c03 N71-11051
Battery charging system with cell to cell voltage balance
[NASA-CASE-IGS-05432] c03 N71-19438
Development and characteristics of battery charging circuits with coulometer for control of available current
[NASA-CASE-GSC-10487-1] c03 N71-24719
Heat activated emf cells with aluminum anode
[NASA-CASE-LEH-11359] c03 N71-28579
Development of device for simulating charge and discharge cycle of battery in synchronous orbit
[NASA-CASE-GSC-11211-1] c03 N72-25020
Development of HyLar enclosure for maintaining temperature of balloon-borne batteries and electronic modules
[NASA-CASE-GSC-11620-1] c14 N72-33379
Development of test probe device for simultaneous determination of condition of cells in multi-cell storage battery
[NASA-CASE-MFS-20761-1] c03 N73-17037
Development of timing device for conserving batteries on remote data collection platform by generating synchronous time windows
[NASA-CASE-GSC-11182-1] c31 N73-32769
Storage battery comprising negative plates of a wedge shaped configuration --- for preventing shape change induced malfunctions
[NASA-CASE-NPO-11806-1] c03 N74-19693
- ELECTRIC BRIDGES**
Pulsed excitation voltage circuit for strain gage bridge transducers
[NASA-CASE-FRC-10036] c09 N72-22200
Bridge-type gain control circuit
[NASA-CASE-GSC-10786-1] c10 N72-28241
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2(B)] c09 N74-14941
- ELECTRIC CELLS**
Expanding and contracting connector strip for solar cell array of Minbus satellite
[NASA-CASE-XGS-01395] c03 N69-21539
Design and characteristics of heat activated electric cell with anode made from one or more alkali metals and cathode made from oxidizing material
[NASA-CASE-LEH-11358] c03 N71-26084
Development and characteristics of ion-exchange membrane and electrode assembly for fuel cells or electrolysis cells
[NASA-CASE-XMS-02063] c03 N71-29044
- ELECTRIC CHARGE**
Indicator device for monitoring charge of wet cell battery, using semiconductor light

- emitter and photodetector
[NASA-CASE-NPO-10194] c03 N71-20407
- Automatically charging battery of electric storage cells
[NASA-CASE-XNP-04758] c03 N71-24605
- ELECTRIC CHOPPERS**
- Monostable multivibrator for conserving power in spacecraft systems
[NASA-CASE-GSC-10082-1] c10 N72-20221
- ELECTRIC COILS**
- Broadband chokes and absorbers to reduce spurious radiation patterns of antenna array caused by support structures
[NASA-CASE-XMS-05303] c07 N69-27462
- ELECTRIC CONDUCTORS**
- Hollow spherical electrode for shielding dielectric junction between high voltage conductor and insulator
[NASA-CASE-XLE-03778] c09 N69-21542
- Conductor for connecting parallel cells into submodules in series to form solar cell matrix
[NASA-CASE-NPO-10821] c03 N71-19545
- Electrical switching device comprising conductive liquid confined within square loop of deformable nonconductive tubing also used for leveling
[NASA-CASE-NPO-10037] c09 N71-19610
- Dry electrode design with wire sandwiched between two flexible conductive discs for monitoring physiological responses
[NASA-CASE-FRC-10029] c09 N71-24618
- Development of process for forming insulating layer between two electrical conductor or semiconductor materials
[NASA-CASE-LEW-10489-1] c15 N72-25447
- Controlled distribution of electrophoretic samples in flow path through conductive screens
[NASA-CASE-MFS-21395-1] c14 N72-27425
- Coaxial electrical conductor for high gamma flux locations of thermionic converter
[NASA-CASE-LEW-10950-1] c09 N72-31239
- Improved injector with porous plug for bubbles of gas into feed lines of electrically conductive liquid
[NASA-CASE-NPO-11377] c15 N73-27406
- ELECTRIC CONNECTORS**
- Distribution of currents to circuits using electrical adaptor
[NASA-CASE-XLA-01288] c09 N69-21470
- Fixture for simultaneously supporting several components for electrical testing
[NASA-CASE-XNP-06032] c09 N69-21926
- Releasable coupling device designed to receive and retain matching ends of electrical connectors
[NASA-CASE-XMS-07846-1] c09 N69-21927
- Electrical feedthrough connection for printed circuit boards
[NASA-CASE-XMF-01483] c14 N69-27431
- Electrical connector pin with wiping action to assure reliable contact
[NASA-CASE-XNP-04238] c09 N69-39734
- Rectangular electric conductors for conductor cables to withstand spacecraft vibration and controlled atmosphere
[NASA-CASE-MFS-14741] c09 N70-20737
- Patent data on terminal insert connector for flat electric cables
[NASA-CASE-XMF-00324] c09 N70-34596
- Electric connector for printed cable to printed cable or to printed board
[NASA-CASE-XMF-00369] c09 N70-36494
- Electrical connection for printed circuits on common board, using bellows principle in rivet
[NASA-CASE-XNP-05082] c15 N70-41960
- Method of making molded electric connector for use with flat conductor cables
[NASA-CASE-XMF-03498] c15 N71-15986
- Design and development of electric connectors for rigid and semirigid coaxial cables
[NASA-CASE-XNP-04732] c09 N71-20851
- Connector internal force gage for measuring strength of electrical connection
[NASA-CASE-XNP-03918] c14 N71-23087
- Maintaining current flow through solar cells with open connection using shunting diode
[NASA-CASE-XLE-04535] c03 N71-23354
- Electrical connections for thin film hybrid microcircuits
[NASA-CASE-XMS-02182] c10 N71-28783
- Breakaway multiwire electrical cable connector with particular application for umbilical type cables
[NASA-CASE-NPO-11140] c15 N72-17455
- Reliability of electrical connectors after heat sterilization
[NASA-CASE-NPO-10694] c09 N72-20200
- Development of electric connector and pin assembly with radio frequency absorbing sleeve to reduce radio frequency interference
[NASA-CASE-XLA-02609] c09 N72-25256
- Electrical interconnection of unilluminated solar cells in solar battery array
[NASA-CASE-GSC-10344-1] c03 N72-27053
- Separable flat cable connector with isolated electrical contacts
[NASA-CASE-MFS-20757] c09 N72-28225
- Ultra-flexible biomedical electrodes and wires
[NASA-CASE-ARC-10268-2] c05 N74-11900
- Ultra-flexible biomedical electrode and wires
[NASA-CASE-ARC-10268-3] c05 N74-11901
- ELECTRIC CONTACTS**
- Solid state switching circuit design to increase current capacity of low rated relay contacts
[NASA-CASE-XNP-09228] c09 N69-27500
- Characteristics of hermetically sealed electric switch with flexible operating capability
[NASA-CASE-XNP-09808] c09 N71-12518
- Electrode connection for n-on-p silicon solar cell
[NASA-CASE-XLE-04787] c03 N71-20492
- Development of slip ring assembly with inner and outer peripheral surfaces used as electrical contacts for brushes
[NASA-CASE-XNF-01049] c15 N71-23049
- Separable flat cable connector with isolated electrical contacts
[NASA-CASE-MFS-20757] c09 N72-28225
- Ultra-flexible biomedical electrodes and wires
[NASA-CASE-ARC-10268-2] c05 N74-11900
- Ultra-flexible biomedical electrode and wires
[NASA-CASE-ARC-10268-3] c05 N74-11901
- ELECTRIC CONTROL**
- Switching series regulator with gating control network
[NASA-CASE-XMS-09352] c09 N71-23316
- ELECTRIC CURRENT**
- Including didymium hydrate in nickel hydroxide of positive electrode of storage batteries to increase ampere hour capacity
[NASA-CASE-XGS-03505] c03 N71-10608
- Development of in-line fuse device for protection of electric circuits from excessive currents and voltages
[NASA-CASE-MSC-12135-1] c09 N71-12526
- Micromicroampere current measuring circuit, with two subminiature thermionic diodes with filament cathodes
[NASA-CASE-XNP-00384] c09 N71-13530
- Connector internal force gage for measuring strength of electrical connection
[NASA-CASE-XNP-03918] c14 N71-23087
- Electric circuit for producing high current pulse having fast rise and fall time
[NASA-CASE-XMS-04919] c09 N71-23270
- Electric circuit for reversing direction of current flow
[NASA-CASE-XNP-00952] c10 N71-23271
- Maintaining current flow through solar cells with open connection using shunting diode
[NASA-CASE-XLE-04535] c03 N71-23354
- Color television system utilizing single gun current sensitive color cathode ray tube
[NASA-CASE-ERC-10098] c09 N71-28618
- Current dependent variable inductance for input filter chokes of ac or dc power supplies
[NASA-CASE-ERC-10139] c09 N72-17154
- Amplifying circuit with constant current source for accumulator load and high gain voltage amplification
[NASA-CASE-NPO-11023] c09 N72-17155
- Commutator for steering precisely controlled bidirectional currents through numerous loads by use of magnetic core shift registers
[NASA-CASE-NPO-10743] c08 N72-21199
- Current protection equipment for saturable core transformers
[NASA-CASE-ERC-10075-2] c09 N72-22196

- Development of thermal to electric power conversion system using solid state switches of electrical currents to load for Seebeck effect compensation
[NASA-CASE-NPO-11388] c03 N72-23048
- Load current sensor for series pulse width modulated power supply
[NASA-CASE-GSC-10656-1] c09 N72-25249
- Electrode with multiple columnar conductors for limiting field emission current
[NASA-CASE-ERC-10015-2] c10 N72-27246
- Means of vapor deposition using electric current and evaporator filament
[NASA-CASE-LAR-10541-1] c15 N72-32487
- ELECTRIC DISCHARGES**
- Electric discharge apparatus for electrohydraulic explosive forming
[NASA-CASE-XMF-00375] c15 N70-34249
- High voltage pulse generator for testing flash and ignition limits of nonmetallic materials in controlled atmospheres
[NASA-CASE-MSC-12178-1] c09 N71-13518
- Pulse generating circuit for operation at very high duty cycles and repetition rates
[NASA-CASE-XNP-00745] c10 N71-28960
- Rapidly pulsed, high intensity, incoherent light source
[NASA-CASE-XLE-2529-3] c09 N74-20859
- ELECTRIC ENERGY STORAGE**
- Electric current measuring apparatus design including saturable core transformer and energy storage device to avoid magnetizing current errors from transformer output winding
[NASA-CASE-XGS-02439] c14 N71-19431
- ELECTRIC EQUIPMENT**
- Characteristics of high power, low distortion, alternating current power amplifier
[NASA-CASE-LAR-10218-1] c09 N70-34559
- Design and development of electric generator for space power system
[NASA-CASE-XLE-04250] c09 N71-20446
- Development of electrical system for measuring high impedance
[NASA-CASE-XMS-08589-1] c09 N71-20569
- Design, development, and operating principles of power supply with starting circuit which is independent of voltage regulator
[NASA-CASE-XMS-01991] c09 N71-21449
- Development of method for improving signal to noise ratio and accuracy of Wheatstone bridge type radiation measuring instrument
[NASA-CASE-XLA-02810] c14 N71-25901
- Design and development of buck-boost voltage regulator circuit with additive or subtractive alternating current impressed on variable direct current source voltage
[NASA-CASE-GSC-10735-1] c10 N71-26085
- Development and characteristics of electronically resettable fuse with saturable core current sensing transformer having two outside legs and center leg
[NASA-CASE-XGS-11177] c09 N71-27001
- Development and characteristics of voltage regulator for connection in series with alternating current source and load using three leg, two-window transformer
[NASA-CASE-ERC-10113] c09 N71-27053
- Development of electric circuit for production of different pulse width signals
[NASA-CASE-XLA-07788] c09 N71-29139
- Development of solar energy powered heliotrope assembly to orient solar array toward sun
[NASA-CASE-GSC-10945-1] c21 N72-31637
- Development of temperature compensated light source with components and circuitry for maintaining luminous intensity independent of temperature variations
[NASA-CASE-ARC-10467-1] c09 N73-14214
- Development and characteristics of hermetically sealed coaxial package for containing microwave semiconductor components
[NASA-CASE-GSC-10791-1] c15 N73-14469
- Overvoltage protection network
[NASA-CASE-ARC-10197-1] c09 N74-17929
- Self-regulating proportionally controlled heating apparatus and technique
[NASA-CASE-GSC-11752-1] c33 N74-19583
- ELECTRIC EQUIPMENT TESTS**
- Fixture for simultaneously supporting several components for electrical testing
[NASA-CASE-XNP-06032] c09 N69-21926
- Electrical testing apparatus for detecting amplitude and width of transient pulse
[NASA-CASE-XMF-06519] c09 N71-12519
- Variable water load for dissipating large amounts of electrical power during high voltage power supply tests
[NASA-CASE-XNP-05381] c09 N71-20842
- ELECTRIC FIELD STRENGTH**
- Low impedance apparatus for measuring electrostatic field intensity near space vehicles
[NASA-CASE-XLE-00820] c14 N71-16014
- Space environment simulation system for measuring spacecraft electric field strength in plasma sheath
[NASA-CASE-XLE-02038] c09 N71-16086
- Device for measuring two orthogonal components of force with gallium flotation of measuring target for use in vacuum environments
[NASA-CASE-XAC-04885] c14 N71-23790
- Apparatus to determine electric field strength by measuring deflection of electron beam impinging on target
[NASA-CASE-IMF-06617] c09 N71-24843
- ELECTRIC FIELDS**
- Electric analog for measuring induced drag on nonplanar airfoils
[NASA-CASE-XLA-00755] c01 N71-13410
- Electric analog for measuring induced drag on nonplanar airfoils
[NASA-CASE-XLA-05828] c01 N71-13411
- Instrument for measuring potentials on two dimensional electric field plot
[NASA-CASE-XLA-08493] c10 N71-19421
- Electron beam deflection devices for measuring electric fields
[NASA-CASE-XMF-10289] c14 N71-23699
- Electrodes having array of small surfaces for field ionization
[NASA-CASE-ERC-10013] c09 N71-26678
- Monitor for electric fields of cloud formations in particular area
[NASA-CASE-KSC-10731-1] c14 N73-10461
- Apparatus for determining distance to lighting strokes from single station by magnetic and electric field sensing antennas
[NASA-CASE-KSC-10698] c07 N73-20175
- Development and characteristics of apparatus for measuring intensity of electric field in atmosphere
[NASA-CASE-KSC-10730-1] c14 N73-32318
- Fine particulate capture device
[NASA-CASE-LEW-11583-1] c15 N74-13199
- ELECTRIC FILTERS**
- Describing static inverter with single or multiple phase output
[NASA-CASE-XMF-00663] c08 N71-18752
- Apparatus for filtering input signals
[NASA-CASE-NPO-10198] c09 N71-24806
- Active RC filter networks and amplifiers for deep space magnetic field measurement
[NASA-CASE-XAC-05462-2] c10 N72-17171
- Active filter circuit comprising passive RC network and dc voltage or operational amplifier
[NASA-CASE-XAC-05462] c09 N72-20209
- Multiloop RC active filter network with low parameter sensitivity and low amplifier gain
[NASA-CASE-ARC-10192] c09 N72-21245
- Development of electric connector and pin assembly with radio frequency absorbing sleeve to reduce radio frequency interference
[NASA-CASE-XLA-02609] c09 N72-25256
- Filter for third order phase locked loops in signal receivers
[NASA-CASE-NPO-11941-1] c10 N73-27171
- ELECTRIC FUSES**
- Development of in-line fuse device for protection of electric circuits from excessive currents and voltages
[NASA-CASE-MSC-12135-1] c09 N71-12526
- Single electrical circuit component combining diode, fuse, and blown indicator with elongated tube of heat resistant transparent material
[NASA-CASE-XKS-03381] c09 N71-22796
- ELECTRIC GENERATORS**
- Regulated dc to dc converter

- [NASA-CASE-XGS-03429] c03 N69-21330
Nuclear electric generator for accelerating charged propellant particles in electrostatic propulsion system
- [NASA-CASE-XLE-00818] c22 N70-34248
Design and development of electric generator for space power system
- [NASA-CASE-XLE-04250] c09 N71-20446
Development and characteristics of single or double pulse generator which produces constant width pulses in nanosecond region
- [NASA-CASE-XGS-03427] c10 N71-23029
Development of slip ring assembly with inner and outer peripheral surfaces used as electrical contacts for brushes
- [NASA-CASE-XMF-01049] c15 N71-23049
Conversion of positive dc voltage to positive dc voltage of lower amplitude
- [NASA-CASE-XMF-14301] c09 N71-23188
High temperature ferromagnetic cobalt-base alloy for electrical power generating equipment
- [NASA-CASE-XLE-03629] c17 N71-23248
Solid state integrator for converting variable width pulses into analog voltage
- [NASA-CASE-XLA-03356] c10 N71-23315
Electric power system with circulatory liquid coolant cooling system
- [NASA-CASE-MFS-14114-2] c09 N71-24807
Device utilizing RC rate generators for continuous slow speed measurement
- [NASA-CASE-XMF-02966] c10 N71-24863
Device for voltage conversion using controlled pulse widths and arrangements to generate ac output voltage
- [NASA-CASE-MFS-10068] c10 N71-25139
Multiple varactor for generating high frequencies with high power and high conversion efficiency
- [NASA-CASE-XMF-04958-1] c10 N71-26414
Circuit design for failure sensing and protecting low voltage electric generator and power transmission networks
- [NASA-CASE-GSC-10114-1] c10 N71-27366
Electric power system with thermionic diodes and circulatory liquid metal coolant lines
- [NASA-CASE-MFS-14114] c33 N71-27862
Power converters for supplying direct current at one voltage from source at another voltage
- [NASA-CASE-XER-11046] c09 N72-22203
Inductive-capacitive loops as load insensitive power converters
- [NASA-CASE-ERC-10268] c09 N72-25252
Dc to ac to dc converter with transistor driven synchronous rectifiers
- [NASA-CASE-GSC-11126-1] c09 N72-25253
Device for converting electromagnetic wave energy into electric power
- [NASA-CASE-GSC-11394-1] c09 N73-32109
Brushless electromechanical generator for sine and cosine functions
- [NASA-CASE-LAR-11389-1] c09 N73-32121
Heat operated cryogenic electrical generator --- using liquid helium conversion
- [NASA-CASE-NPO-13303-1] c03 N74-19701
Electric power generation system directly from laser power
- [NASA-CASE-NPO-13308-1] c03 N74-19702
- ELECTRIC IGNITION**
- Method of making solid propellant rocket motor having reliable high altitude capabilities, long shelf life, and capable of firing with nozzle closure with foamed plastic permanent mandrel
- [NASA-CASE-XLA-04126] c28 N71-26779
- ELECTRIC MOTORS**
- Automatic control of voltage supply to direct current motor
- [NASA-CASE-XMS-04215-1] c09 N69-39987
Electronic circuit system for controlling electric motor speed
- [NASA-CASE-XMF-01129] c09 N70-38712
Using electron beam switching for brushless motor commutation
- [NASA-CASE-XGS-01451] c09 N71-10677
Direct current electromotive system for regenerative braking of electric motor
- [NASA-CASE-XMF-01096] c10 N71-16030
Describing angular position and velocity sensing apparatus
- [NASA-CASE-XGS-05680] c14 N71-17585
Reversible current directing circuitry for reversible motor control
- [NASA-CASE-XLA-09371] c10 N71-18724
Stepping motor control apparatus exciting windings in proper time sequence to cause motor to rotate in either direction
- [NASA-CASE-GSC-10366-1] c10 N71-18772
Electromagnetic braking arrangement for controlling rotor rotation in electric motor
- [NASA-CASE-XNP-06936] c15 N71-24695
Electric motor control system with pulse width modulation for providing automatic null seeking servo
- [NASA-CASE-XMF-05195] c10 N71-24861
Velocity limiting safety system for motor driven research vehicle
- [NASA-CASE-XLA-07473] c15 N71-24895
Design and development of electric motor with stationary field and armature windings which operates on direct current
- [NASA-CASE-XGS-05290] c09 N71-25999
Circuits for controlling reversible dc motor
- [NASA-CASE-XNP-07477] c09 N71-26092
Pulse duration control device for driving slow response time loads in selected sequence including switching and delay circuits and magnetic storage
- [NASA-CASE-XGS-04224] c10 N71-26418
Feedback control for direct current motor to achieve constant speed under varying loads
- [NASA-CASE-MFS-14610] c09 N71-28886
Optimal control system for automatic speed regulation of electric driven motor vehicle
- [NASA-CASE-NPO-11210] c11 N72-20244
Direct current motor including stationary field windings and stationary armature winding
- [NASA-CASE-XGS-07805] c15 N72-33476
Speed control system for dc motor equipped with brushless Hall effect device
- [NASA-CASE-MFS-20207-1] c09 N73-32107
- ELECTRIC NETWORKS**
- Electric network for monitoring temperatures, detecting critical temperatures, and indicating critical time duration
- [NASA-CASE-XMF-01097] c10 N71-16058
Development and characteristics of single or double pulse generator which produces constant width pulses in nanosecond region
- [NASA-CASE-XGS-03427] c10 N71-23029
Switching series regulator with gating control network
- [NASA-CASE-XMS-09352] c09 N71-23316
Broadband frequency discriminator with resistive captive inductive networks
- [NASA-CASE-NPO-10096] c07 N71-24583
- ELECTRIC POTENTIAL**
- Battery charging system with cell to cell voltage balance
- [NASA-CASE-XGS-05432] c03 N71-19438
Conversion of positive dc voltage to positive dc voltage of lower amplitude
- [NASA-CASE-XMF-14301] c09 N71-23188
Solid state integrator for converting variable width pulses into analog voltage
- [NASA-CASE-XLA-03356] c10 N71-23315
Device for monitoring voltage by generating signal when voltages drop below predetermined value
- [NASA-CASE-KSC-10020] c10 N71-27338
Transmitter receiver system for measuring millivolt electrical signals with high common mode potential
- [NASA-CASE-XLE-03155-2] c09 N72-20205
Plotter device for automatically drawing equipotential lines on sheet of resistance paper
- [NASA-CASE-NPO-11134] c09 N72-21246
Pulsed excitation voltage circuit for strain gage bridge transducers
- [NASA-CASE-FRC-10036] c09 N72-22200
Power converters for supplying direct current at one voltage from source at another voltage
- [NASA-CASE-XER-11046] c09 N72-22203
Continuously variable, voltage-controlled phase shifter
- [NASA-CASE-NPO-11129] c09 N72-33204
Development of test probe device for simultaneous determination of condition of cells in multi-cell storage battery

- [NASA-CASE-MFS-20761-1] c03 N73-17037
Controllable high voltage source having fast settling time
- [NASA-CASE-GSC-11844-1] c09 N74-19853
ELECTRIC POWER
Switching circuit with regeneratively connected transistors eliminating power consumption when not in use
- [NASA-CASE-XNP-02654] c10 N70-42032
Variable water load for dissipating large amounts of electrical power during high voltage power supply tests
- [NASA-CASE-XNP-05381] c09 N71-20842
ELECTRIC POWER SUPPLIES
Current dependent variable inductance for input filter chokes of ac or dc power supplies
- [NASA-CASE-ERC-10139] c09 N72-17154
Development of thermal to electric power conversion system using solid state switches of electrical currents to load for Seebeck effect compensation
- [NASA-CASE-NPO-11388] c03 N72-23048
Development of electrical circuit for suppressing oscillations across inductor operating in resonant mode
- [NASA-CASE-ERC-10403-1] c10 N73-26228
Powerplexer for distribution of dc power levels to loads which require different voltages
- [NASA-CASE-MSC-12396-1] c03 N73-31988
Reliable electrical element heater using plural wire system and backup power sources
- [NASA-CASE-MFS-21462-1] c09 N74-14935
ELECTRIC POWER TRANSMISSION
Power switch with transfluxor type magnetic core
- [NASA-CASE-NPO-10242] c09 N71-24803
Circuit design for failure sensing and protecting low voltage electric generator and power transmission networks
- [NASA-CASE-GSC-10114-1] c10 N71-27366
Powerplexer for distribution of dc power levels to loads which require different voltages
- [NASA-CASE-MSC-12396-1] c03 N73-31988
Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver
- [NASA-CASE-MFS-21470-1] c10 N74-19870
ELECTRIC PROPULSION
Electric propulsion engine test chamber
- [NASA-CASE-XLE-00252] c11 N70-34844
ELECTRIC PULSES
RC transistor circuit to indicate each pulse of pulse train and occurrence of nth pulse
- [NASA-CASE-XMF-00906] c09 N70-41655
Design and development of variable pulse width multiplier
- [NASA-CASE-XLA-02850] c09 N71-20447
Piezoelectric transducer for monitoring sound waves of physiological origin
- [NASA-CASE-XMS-05365] c14 N71-22993
Development and characteristics of single or double pulse generator which produces constant width pulses in nanosecond region
- [NASA-CASE-XGS-03427] c10 N71-23029
Solid state integrator for converting variable width pulses into analog voltage
- [NASA-CASE-XLA-03356] c10 N71-23315
Development and characteristics of electric circuitry for detecting electrical pulses rise time and amplitude
- [NASA-CASE-XMF-08804] c09 N71-24717
Circuit for measuring wide range of pulse rates by utilizing high capacity counter
- [NASA-CASE-XNP-06234] c10 N71-27137
Precision full wave rectifier circuit for rectifying incoming electrical signals having positive or negative polarity with only positive output signals
- [NASA-CASE-ARC-10101-1] c09 N71-33109
Transmitter receiver system for measuring millivolt electrical signals with high common mode potential
- [NASA-CASE-XLE-03155-2] c09 N72-20205
Orthotic arm joint --- for manipulating objects in response to electrical signals
- [NASA-CASE-MFS-21611-1] c05 N74-10100
ELECTRIC RELAYS
Spark gap type protective circuit for fast sensing and removal of overvoltage conditions
- [NASA-CASE-IAC-08981] c09 N69-39897
Time division multiplexer with magnetic latching relays
- [NASA-CASE-XNP-00431] c09 N70-38998
Alarm system design for monitoring one or more relay circuits
- [NASA-CASE-XMS-10984-1] c10 N71-19417
Time division relay synchronizer with master sync pulse for activating binary counter to produce signal identifying time slot for station
- [NASA-CASE-GSC-10373-1] c07 N71-19773
Relay circuit breaker with magnetic latching to provide conductive and nonconductive paths for current devices
- [NASA-CASE-MSC-11277] c09 N71-29008
Piezoelectric relay --- with pair of bimorphs
- [NASA-CASE-GSC-11627-1] c09 N74-19852
ELECTRIC ROCKET ENGINES
Electric rocket engine with electron bombardment ionization chamber
- [NASA-CASE-XNP-04124] c28 N71-21822
ELECTRIC SWITCHES
Thermionic diode switch for use in high temperature region to chop current from dc source
- [NASA-CASE-NPO-10404] c03 N71-12255
Characteristics of hermetically sealed electric switch with flexible operating capability
- [NASA-CASE-XNP-09808] c09 N71-12518
Electrical switching device comprising conductive liquid confined within square loop of deformable nonconductive tubing also used for leveling
- [NASA-CASE-NPO-10037] c09 N71-19610
System for checking status of several double-throw switches by readout indications
- [NASA-CASE-XLA-08799] c10 N71-27272
Pulse generating circuit for operation at very high duty cycles and repetition rates
- [NASA-CASE-XNP-00745] c10 N71-28960
High dc switch for causing abrupt, cyclic, decreases of current to operate under zero or varying gravity conditions
- [NASA-CASE-LEW-10155-1] c09 N71-29035
Zero power telemetry actuated switch for biomedical equipment
- [NASA-CASE-ARC-10105] c09 N72-17153
Development of differential pressure control system using motion of mechanical diaphragms to operate electric switch
- [NASA-CASE-MFS-14216] c14 N73-13418
ELECTRIC TERMINALS
Electrical connector pin with wiping action to assure reliable contact
- [NASA-CASE-XMF-04238] c09 N69-39734
Patent data on terminal insert connector for flat electric cables
- [NASA-CASE-XMF-00324] c09 N70-34596
Tool attachment for spreading or moving away loose elements from terminal posts during winding of filamentary elements
- [NASA-CASE-XMF-02107] c15 N71-10809
Electrical spot terminal assembly for printed circuit boards
- [NASA-CASE-NPO-10034] c15 N71-17685
Device for resistance soldering electrical leads to solder cups of multiple terminal block
- [NASA-CASE-GSC-10913] c15 N72-22491
Development of electric connector and pin assembly with radio frequency absorbing sleeve to reduce radio frequency interference
- [NASA-CASE-XLA-02609] c09 N72-25256
ELECTRIC WELDING
Development of electric welding torch with casing on one end to form inert gas shield
- [NASA-CASE-XMF-02330] c15 N71-23798
Electric resistance spot welding and brazing for producing metal bonds with superior mechanical and structural characteristics
- [NASA-CASE-LAR-11072-1] c15 N73-20535
Process for welding compressor and turbine blades to rotors and discs of jet engines
- [NASA-CASE-LEW-10533-1] c15 N73-28515
ELECTRIC WIRE
Apparatus for forming wire grids for electric strain gages
- [NASA-CASE-XLE-00023] c15 N70-33330
Control of fusion welding through use of thermocouple wire
- [NASA-CASE-MFS-06074] c15 N71-20393

- Ablation sensor for measuring char layer recession rate using electric wires
[NASA-CASE-XLA-01794] c33 N71-21586
- Device for resistance soldering electrical leads to solder cups of multiple terminal block
[NASA-CASE-GSC-10913] c15 N72-22491
- Lead attachment for high temperature operation of electronic devices
[NASA-CASE-BRC-10224] c09 N72-25261
- Device for bending leads projecting from printed circuit boards
[NASA-CASE-MPS-22133-1] c15 N73-18473
- Electrically conductive wire storage in plastic capsule that allows for unfolding
[NASA-CASE-LAR-10168-1] c09 N73-22151
- ELECTRICAL ENGINEERING**
- Counter-divider circuit for accuracy and reliability in binary circuits
[NASA-CASE-XNP-00421] c09 N70-34502
- Vibrating element electrometer producing high conversion gain by input current control of elements resonant frequency displacement amplitude
[NASA-CASE-XAC-02807] c09 N71-23021
- ELECTRICAL FAULTS**
- Overcurrent protecting circuit for push-pull transistor amplifiers
[NASA-CASE-MSC-12033-1] c09 N71-13531
- Circuit design for failure sensing and protecting low voltage electric generator and power transmission networks
[NASA-CASE-GSC-10114-1] c10 N71-27366
- Test method and equipment for identifying faulty cells or connections in solar cell assemblies
[NASA-CASE-NPO-10401] c03 N72-20033
- Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c08 N74-17911
- ELECTRICAL IMPEDANCE**
- High voltage transistor circuit
[NASA-CASE-XNP-06937] c09 N71-19516
- Development of electrical system for measuring high impedance
[NASA-CASE-XMS-08589-1] c09 N71-20569
- Signaling summary alarm circuit with semiconductor switch for faulty contact indications
[NASA-CASE-XLE-03061-1] c10 N71-24798
- Electronic signal-handling circuit with constant input impedance
[NASA-CASE-ARC-10348-1] c10 N72-10205
- ELECTRICAL INSULATION**
- Water cooled solenoid capable of producing magnetic field intensities up to 100 kilogauss
[NASA-CASE-XNP-01951] c09 N70-41929
- Method and apparatus for removing plastic insulation from wire using cryogenic equipment
[NASA-CASE-MPS-10340] c15 N71-17628
- Nonconductive tube as feed system for plasma thruster
[NASA-CASE-XLE-02902] c25 N71-21694
- Internal labyrinth and shield structure to improve electrical isolation of propellant feed source from ion thruster
[NASA-CASE-LEW-10210-1] c28 N71-26781
- Development of process for forming insulating layer between two electrical conductor or semiconductor materials
[NASA-CASE-LEW-10489-1] c15 N72-25447
- Isolated dc amplifier for bioelectric measurements
[NASA-CASE-ARC-10596-1] c09 N72-27233
- Procedure for making insulating foil for use in multilayer insulating system
[NASA-CASE-LEW-11484-1] c15 N73-22415
- Development of stored charge device using field effect transistor technology
[NASA-CASE-NPO-11156-2] c03 N73-30974
- ELECTRICAL MEASUREMENT**
- Capacitance measuring device for determining flare accuracy on tapered tubes
[NASA-CASE-XKS-03495] c14 N69-39785
- Bootstrap unloading circuits for sampling transducer voltage sources without drawing current
[NASA-CASE-XNP-09768] c09 N71-12516
- Micromicroampere current measuring circuit, with two subminiature thermionic diodes with filament cathodes
[NASA-CASE-XNP-00384] c09 N71-13530
- Low impedance apparatus for measuring electrostatic field intensity near space vehicles
[NASA-CASE-XLE-00820] c14 N71-16014
- Electric current measuring apparatus design including saturable core transformer and energy storage device to avoid magnetizing current errors from transformer output winding
[NASA-CASE-XGS-02439] c14 N71-19431
- High voltage divider system for attenuating high voltages to convenient levels suitable for introduction to measuring circuits
[NASA-CASE-XLE-02008] c09 N71-21583
- Ablation sensor for measuring char layer recession rate using electric wires
[NASA-CASE-XLA-01794] c33 N71-21586
- Current measurement by use of Hall effect generator
[NASA-CASE-XAC-01662] c14 N71-23037
- Connector internal force gage for measuring strength of electrical connection
[NASA-CASE-XNP-03918] c14 N71-23087
- Voltage range selection apparatus for sensing and applying voltages to electronic instruments without loading signal source
[NASA-CASE-XMS-06497] c14 N71-26244
- ELECTRICAL PROPERTIES**
- Voltage drift compensation circuit for analog-to-digital converter
[NASA-CASE-XNP-04780] c08 N71-19687
- Development and characteristics of electronically resettable fuse with saturable core current sensing transformer having two outside legs and center leg
[NASA-CASE-XGS-11177] c09 N71-27001
- Development and characteristics of voltage regulator for connection in series with alternating current source and load using three leg, two-window transformer
[NASA-CASE-ERC-10113] c09 N71-27053
- Development of system with electrical properties which vary with changes in temperature for use with feedback loop in operational amplifier circuit
[NASA-CASE-MSC-13276-1] c14 N71-27058
- Electrically coupled individually encapsulated solar cell matrix
[NASA-CASE-NPO-11190] c03 N71-34044
- Development of performed attachable thermocouple from thermoelectrically different metals
[NASA-CASE-LEW-11072-2] c14 N72-28443
- Development of stored charge device using field effect transistor technology
[NASA-CASE-NPO-11156-2] c03 N73-30974
- Storage battery comprising negative plates of a wedge shaped configuration --- for preventing shape change induced malfunctions
[NASA-CASE-NPO-11806-1] c03 N74-19693
- ELECTRICAL RESISTANCE**
- Development of electrical system for indicating optimum contact between electrode and metal surface to permit improved soldering operation
[NASA-CASE-KSC-10242] c15 N72-23497
- Radio frequency source resistance measuring instruments of varied design
[NASA-CASE-NPO-11291-1] c14 N73-30388
- ELECTRICAL RESISTIVITY**
- Describing method for vapor deposition of gallium arsenide films to manganese substrates to provide semiconductor devices with low resistance substrates
[NASA-CASE-XNP-01328] c26 N71-18064
- Simulating operation of thermopile vacuum gage tube at high and low pressures
[NASA-CASE-XLA-02758] c14 N71-18481
- Electrically conductive fluorocarbon polymers
[NASA-CASE-XLE-06774-2] c06 N72-25150
- ELECTRICITY**
- Thermionic converter for converting heat energy directly into electrical energy
[NASA-CASE-XLE-01903] c22 N71-23599
- ELECTRO-OPTICS**
- Electro-optical system with scan-in illuminator and scan-out photosensor for scanning variable transmittance objects
[NASA-CASE-NPO-11106] c14 N70-34697
- Electro-optical system for maintaining two-axis alignment during milling operations on large tank-sections

[NASA-CASE-XHF-00908] c14 N70-40238
Automatic polarimeter capable of measuring
transient birefringence changes in
electro-optic materials

[NASA-CASE-XNP-08883] c23 N71-16101
Design and development of light sensing device
for controlling orientation of object relative
to sun or other light source

[NASA-CASE-NPO-11201] c14 N72-27409
Electro-optical stabilization of calibrated
light source

[NASA-CASE-HSC-12293-1] c14 N72-27411
Electro-optical system for scanning variable
transmittance objects

[NASA-CASE-NPO-11106-2] c23 N72-28696
Electronic optical transfer function analyzer
using scanning image dissection system to
produce representative output signal

[NASA-CASE-NFS-21672-1] c23 N73-22630
ELECTROACOUSTIC TRANSDUCERS
Transducer for monitoring oxygen flow in
respirator

[NASA-CASE-FRC-10012] c14 N72-17329
Application of acoustic transducers for
suspending object at center of chamber under
near weightless conditions

[NASA-CASE-NPO-13263-1] c15 N73-31443
ELECTROACOUSTIC WAVES
Phonocardiogram simulator producing electrical
voltage waves to control amplitude and
duration between simulated sounds

[NASA-CASE-XKS-10804] c05 N71-24606
ELECTROCARDIOGRAPHY
Phonocardiogram simulator producing electrical
voltage waves to control amplitude and
duration between simulated sounds

[NASA-CASE-XKS-10804] c05 N71-24606
Insulated electrode for electrocardiographic
recording without paste electrolyte

[NASA-CASE-HSC-14339-1] c05 N73-21151
Development of instantaneous reading tachometer
for measuring electrocardiogram signal rate

[NASA-CASE-NFS-20418] c14 N73-24473
ELECTROCHEMICAL CELLS
Apparatus for measuring polymer membrane
expansion in electrochemical cells

[NASA-CASE-XGS-03865] c14 N69-21363
Preventing pressure buildup in electrochemical
cells by reacting palladium oxide with evolved
hydrogen

[NASA-CASE-XGS-01419] c03 N70-41864
Nonmagnetic hermetically sealed battery case
made of epoxy resin and woven glass tape for
use with electrochemical cells in spacecraft

[NASA-CASE-XGS-00886] c03 N71-11053
Epoxy resin sealing device for electrochemical
cells in high vacuum environments

[NASA-CASE-XGS-02630] c03 N71-22974
Sealed electrochemical cell with flexible casing
for varying electrolyte level in cell

[NASA-CASE-XGS-01513] c03 N71-23336
Elimination of two step voltage discharge
property of silver zinc batteries by using
divalent silver oxide capacity of cell to
charge anodes to monovalent silver state

[NASA-CASE-XGS-01674] c03 N71-29129
Flexible, frangible electrochemical cell and
package for operation in low temperature
environment

[NASA-CASE-XGS-10010] c03 N72-15986
Development of test probe device for
simultaneous determination of condition of
cells in multi-cell storage battery

[NASA-CASE-NFS-20761-1] c03 N73-17037
Porous electrode for use in electrochemical cells

[NASA-CASE-GSC-11368-1] c09 N73-32108
ELECTROCHEMISTRY
Electrochemically reversible silver-silver
chloride electrode for detecting bioelectric
potential differences generated by human
muscles and organs

[NASA-CASE-XHS-02872] c05 N69-21925
ELECTRODEPOSITION
Binding layer of semiconductor particles by
electrodeposition

[NASA-CASE-INP-01959] c26 N71-23043
Electrodeposition method for producing
crystalline material from dense gaseous medium

[NASA-CASE-NPO-10440] c15 N72-21466

ELECTRODES

Hollow spherical electrode for shielding
dielectric junction between high voltage
conductor and insulator

[NASA-CASE-XLE-03778] c09 N69-21542
Electrochemically reversible silver-silver
chloride electrode for detecting bioelectric
potential differences generated by human
muscles and organs

[NASA-CASE-XHS-02872] c05 N69-21925
Bonding method for improving contact between
lead telluride thermoelectric elements and
tungsten electrodes

[NASA-CASE-XGS-04554] c15 N69-39786
Elastomer loaded with metal particles for
elastic biomedical electrodes

[NASA-CASE-ARC-10268-1] c09 N70-12620
Ionization vacuum gage

[NASA-CASE-INP-00646] c14 N70-35666
Accel and focus electrode design for ion engine
with improved efficiency

[NASA-CASE-XNP-02839] c28 N70-41922
Including didymium hydrate in nickel hydroxide
of positive electrode of storage batteries to
increase ampere hour capacity

[NASA-CASE-XGS-03505] c03 N71-10608
Apertured electrode focusing system for ion
sources with nonuniform plasma density

[NASA-CASE-INP-03332] c09 N71-10618
Electromedical garment, applying
vectorcardiologic type electrodes to human
torsos for data recording during physical
activity

[NASA-CASE-XFR-10856] c05 N71-11189
Electrode attached to helmets for detecting low
level signals from skin of living creatures

[NASA-CASE-ARC-10043-1] c05 N71-11193
Characteristics of pressed disc electrode for
biological measurements

[NASA-CASE-XHS-04212-1] c05 N71-12346
Electrode connection for n-on-p silicon solar cell

[NASA-CASE-XLE-04787] c03 N71-20492
Arc electrode of graphite with tantalum ball tip

[NASA-CASE-XLE-04788] c09 N71-22987
Electrode sealing and insulation for fuel cells
containing caustic liquid electrolytes using
powdered plastic and metal

[NASA-CASE-XHS-01625] c15 N71-23022
Automatic recording McLeod gage with three
electrodes and solenoid valve connection

[NASA-CASE-XLE-03280] c14 N71-23093
Dry electrode design with wire sandwiched
between two flexible conductive discs for
monitoring physiological responses

[NASA-CASE-FRC-10029] c09 N71-24618
Development and characteristics of electrodes in
which poisoning by organic molecules is
prevented by ion selective electrolytic
deposition of hydrophilic protein colloid

[NASA-CASE-XHS-04213-1] c09 N71-26002
Adhesive spray process for attaching biomedical
skin electrodes

[NASA-CASE-XFR-07658-1] c05 N71-26293
Electrodes having array of small surfaces for
field ionization

[NASA-CASE-ERC-10013] c09 N71-26678
Manufacturing process for making perspiration
resistant-stress resistant biopotential
electrode

[NASA-CASE-HSC-90153-2] c05 N72-25120
Dry electrode manufacture, using silver powder
with cement

[NASA-CASE-FRC-10029-2] c05 N72-25121
Compressible electrolyte saturated sponge
electrode for biomedical applications

[NASA-CASE-HSC-13648] c05 N72-27103
Electrode with multiple columnar conductors for
limiting field emission current

[NASA-CASE-ERC-10015-2] c10 N72-27246
Coaxial, high density, hypervelocity plasma
generator and accelerator using electrodes

[NASA-CASE-NFS-20589] c25 N72-32688
Insulated electrode for electrocardiographic
recording without paste electrolyte

[NASA-CASE-HSC-14339-1] c05 N73-21151
Characteristics of ion rocket engine with
combination keeper electrode and electron baffle

[NASA-CASE-NPO-11880] c28 N73-24783

Silicon carbide backward diode with coated lead attachment
[NASA-CASE-ERC-10224-2] c09 N73-27150

Porous electrode for use in electrochemical cells
[NASA-CASE-GSC-11368-1] c09 N73-32108

Ultra-flexible biomedical electrodes and wires
[NASA-CASE-ARC-10268-2] c05 N74-11900

Ultra-flexible biomedical electrode and wires
[NASA-CASE-ARC-10268-3] c05 N74-11901

High powered arc electrodes --- producing solar simulator radiation
[NASA-CASE-LEW-11162-1] c09 N74-12913

Method of making porous conductive supports for electrodes --- by electroforming and stacking nickel foils
[NASA-CASE-GSC-11367-1] c03 N74-19692

ELECTROHYDRAULIC FORMING

Electric discharge apparatus for electrohydraulic explosive forming
[NASA-CASE-XMF-00375] c15 N70-34249

ELECTROHYDRODYNAMICS

Control valve for switching main stream of fluid from one stable position to another by means of electrohydrodynamic forces
[NASA-CASE-NPO-10416] c12 N71-27332

ELECTROKINETICS

Zeta potential flowmeter for measuring very slow to very high flows
[NASA-CASE-XNP-06509] c14 N71-23226

ELECTROLYSIS

Water electrolysis rocket engine with self-regulating stoichiometric fuel mixing regulator
[NASA-CASE-XGS-08729] c28 N71-14044

Operation method for combined electrolysis device and fuel cell using molten salt to produce power by thermoelectric regeneration mechanism
[NASA-CASE-XLE-01645] c03 N71-20904

ELECTROLYTES

Apparatus for measuring polymer membrane expansion in electrochemical cells
[NASA-CASE-XGS-03865] c14 N69-21363

Electrolytically regenerative hydrogen-oxygen fuel cells
[NASA-CASE-XLE-04526] c03 N71-11052

Sealed electrochemical cell with flexible casing for varying electrolyte level in cell
[NASA-CASE-XGS-01513] c03 N71-23336

Compressible electrolyte saturated sponge electrode for biomedical applications
[NASA-CASE-MSC-13648] c05 N72-27103

ELECTROLYTIC CELLS

Heat activated cell with aluminum anode
[NASA-CASE-LEW-11359-2] c03 N72-20034

Actuator operated by electrolytic drive gas generator and evacuator
[NASA-CASE-NPO-11369] c15 N73-13467

ELECTROMAGNETIC ABSORPTION

Optical imaging system for increasing light absorption efficiency of imaging detector
[NASA-CASE-ARC-10194-1] c23 N73-20741

ELECTROMAGNETIC FIELDS

Tumbling motion system for object demagnetization
[NASA-CASE-XGS-02437] c15 N69-21472

Device for high vacuum film deposition with electromagnetic ion steering
[NASA-CASE-NPO-10331] c09 N71-26701

Metal detection system with electromagnetic transmitter with single coil and receiver with single coil
[NASA-CASE-ARC-10265-1] c10 N72-28240

Low power electromagnetic flowmeter system producing zero output signal for zero flow
[NASA-CASE-ARC-10362-1] c14 N73-32326

Electromagnetic flow rate meter --- for liquid metals
[NASA-CASE-LEW-10981-1] c14 N74-21018

ELECTROMAGNETIC HAMMERS

Method and apparatus for shaping and joining large diameter metal tubes using magnetomotive forces
[NASA-CASE-XMF-05114] c15 N71-17650

Portable magnetomotive hammer for metal working
[NASA-CASE-XMF-03793] c15 N71-24833

ELECTROMAGNETIC INTERFERENCE

Sealed housing for protecting electronic equipment against electromagnetic interference
[NASA-CASE-MSC-12168-1] c09 N71-18600

ELECTROMAGNETIC MEASUREMENT

Apparatus for measuring backscatter and transmission characteristics of sample segment of large spherical passive satellites
[NASA-CASE-XGS-02608] c07 N70-41678

ELECTROMAGNETIC NOISE

Development of idler feedback system to reduce electronic noise problem in two parametric amplifiers
[NASA-CASE-LAR-10253-1] c09 N72-25258

Audio equipment for removing impulse noise from audio signals
[NASA-CASE-NPO-11631] c10 N73-12244

ELECTROMAGNETIC PUMPS

Multiducted electromagnetic pump for conductive liquids
[NASA-CASE-NPO-10755] c15 N71-27084

ELECTROMAGNETIC RADIATION

Inflatable radar reflector unit - lightweight, highly reflective to electromagnetic radiation, and adaptable for erection and deployment with minimum effort and time
[NASA-CASE-XMS-00893] c07 N70-40063

Development of electromagnetic wave transmission line circulator and application to parametric amplifier circuits
[NASA-CASE-XNP-02140] c09 N71-23097

Left and right hand circular electromagnetic polarization excitation by phase shifter and hybrid networks
[NASA-CASE-GSC-10021-1] c09 N71-24595

Development of method for suppressing excitation of electromagnetic surface waves on dielectric converter antenna
[NASA-CASE-XLA-10772] c07 N71-28980

Characteristics of microwave antenna with conical reflectors to generate plane wave front
[NASA-CASE-NPO-11661] c07 N73-14130

Focusing optical collimator for high resolution scanning of electromagnetic radiations, neutrons, and other particles
[NASA-CASE-MFS-20932-1] c14 N73-27380

Method and apparatus for measuring electromagnetic radiation
[NASA-CASE-LEW-11159-1] c14 N73-28488

ELECTROMAGNETIC SHIELDING

Shielded flat conductor cable fabricated by electroless and electrolytic plating
[NASA-CASE-MFS-13687] c09 N71-28691

ELECTROMAGNETIC WAVE FILTERS

Design and characteristics of laser camera system with diffusion filter of small particles with average diameter larger than wavelength of laser light
[NASA-CASE-NPO-10417] c16 N71-33410

ELECTROMAGNETIC WAVE TRANSMISSION

Apparatus for measuring backscatter and transmission characteristics of sample segment of large spherical passive satellites
[NASA-CASE-XGS-02608] c07 N70-41678

ELECTROMAGNETISM

Electromagnetic braking arrangement for controlling rotor rotation in electric motor
[NASA-CASE-XNP-06936] c15 N71-24695

ELECTROMAGNETS

Oscillatory electromagnetic mirror drive system for horizon scanners
[NASA-CASE-XLA-03724] c14 N69-27461

Water cooled solenoid capable of producing magnetic field intensities up to 100 kilogauss
[NASA-CASE-XNP-01951] c09 N70-41929

Magnetic element position sensing device, using misaligned electromagnets
[NASA-CASE-XGS-07514] c23 N71-16099

Electroexplosive safe-arm initiator using electric driven electromagnetic coils and magnets to align charge
[NASA-CASE-LAR-10372] c09 N71-18599

Magnetic bearing with diverse magnetic sources coupled to same air gap via different low magnetic reluctance paths for use with permanent magnets
[NASA-CASE-GSC-11079-1] c21 N71-28461

ELECTROMECHANICAL DEVICES

Hand tool for cutting and sealing fusible fabrics
[NASA-CASE-XMF-09386] c15 N69-21854

Electromechanical actuator and its use in rocket thrust control valve
[NASA-CASE-XNP-05975] c15 N69-23185

- Power controlled bimetallic electromechanical actuator for accurate, timely, and reliable response to remote control signal
[NASA-CASE-XNP-09776] c09 N69-39929
- Electro-mechanical circuit for converting floating intelligence signal to common electrically grounded intelligence recorder
[NASA-CASE-XAC-00086] c09 N70-33182
- Describing device for velocity control of electromechanical drive mechanism of scanning mirror of interferometer
[NASA-CASE-XGS-03532] c14 N71-17627
- Mechanical actuator wherein linear motion changes to rotational motion
[NASA-CASE-XGS-04548] c15 N71-24045
- Solid state force measuring electromechanical transducers made of piezoresistive materials
[NASA-CASE-ERC-10088] c26 N71-25490
- Electromechanical control actuator system using double differential screws
[NASA-CASE-ERC-10022] c15 N71-26635
- Miniature electromechanical junction transducer operating on piezjunction effect and utilizing epoxy for stress coupling component
[NASA-CASE-ERC-10087] c14 N71-27334
- Service life of electromechanical device for generating sine/cosine functions
[NASA-CASE-LAR-10503-1] c09 N72-21248
- Electromechanical actuator for producing mechanical force and/or motion in response to electrical signals
[NASA-CASE-NPO-11738-1] c09 N73-30185
- Brushless electromechanical generator for sine and cosine functions
[NASA-CASE-LAR-11389-1] c09 N73-32121
- ELECTROMETERS**
Vibrating element electrometer producing high conversion gain by input current control of elements resonant frequency displacement amplitude
[NASA-CASE-XAC-02807] c09 N71-23021
- ELECTROSTATIC FORCES**
Heat activated emf cells with aluminum anode
[NASA-CASE-LEH-11359] c03 N71-28579
- ELECTRON BEAM WELDING**
Portable electron beam welding chamber
[NASA-CASE-LEH-11531] c15 N71-14932
- Development of device to prevent high voltage arcing in electron beam welding
[NASA-CASE-XHF-08522] c15 N71-19486
- ELECTRON BEAMS**
Using electron beam switching for brushless motor computation
[NASA-CASE-XGS-01451] c09 N71-10677
- Electron beam scanning system for improved image definition and reduced power requirements for video signal transmission
[NASA-CASE-ERC-10552] c09 N71-12539
- Electron beam deflection devices for measuring electric fields
[NASA-CASE-XHF-10289] c14 N71-23699
- Apparatus to determine electric field strength by measuring deflection of electron beam impinging on target
[NASA-CASE-XNP-06617] c09 N71-24843
- Characteristics of infrared photodetectors manufactured from semiconductor material irradiated by electron beam
[NASA-CASE-LAR-10728-1] c14 N73-12445
- Device for converting optical images into electron beams
[NASA-CASE-GSC-11602-1] c09 N73-13214
- Electron beam controller --- using magnetic field to refocus spent electron beam in microwave oscillator tube
[NASA-CASE-LEH-11617-1] c09 N74-10195
- ELECTRON BOMBARDMENT**
Improved cathode containing barium carbonate block and heated tungsten screen for electron bombardment ion thruster
[NASA-CASE-XLE-07087] c06 N69-39889
- Device and method for particle bombardment of specimens in electron microscope and measurement of beam intensities
[NASA-CASE-XGS-01725] c14 N69-39982
- Electric rocket engine with electron bombardment ionization chamber
[NASA-CASE-XNP-04124] c28 N71-21822
- Electronic cathodes for use in electron bombardment ion thrusters
[NASA-CASE-XLE-04501] c09 N71-23190
- Production of iodine isotope by high energy bombardment of cesium heat pipe causing spallation reaction
[NASA-CASE-LEH-11390-2] c24 N73-20763
- Single grid accelerator system for electron bombardment type ion thruster
[NASA-CASE-XLE-10453-2] c28 N73-27699
- ELECTRON DENSITY PROFILES**
Development and characteristics of test equipment for determining temperature and electron density of plasma based on derivation of absorption coefficients
[NASA-CASE-ARC-10598-1] c25 N73-29750
- ELECTRON DISTRIBUTION**
Development and characteristics of test equipment for determining temperature and electron density of plasma based on derivation of absorption coefficients
[NASA-CASE-ARC-10598-1] c25 N73-29750
- ELECTRON EMISSION**
Vacuum thermionic converter with short-circuited triodes and increased electron transmission and conversion efficiency
[NASA-CASE-XLE-01015] c03 N69-39898
- ELECTRON FLUX DENSITY**
Device and method for particle bombardment of specimens in electron microscope and measurement of beam intensities
[NASA-CASE-XGS-01725] c14 N69-39982
- ELECTRON IRRADIATION**
Electrostatic ion engines using high velocity electrons to ionize propellant
[NASA-CASE-XLE-00376] c28 N70-37245
- ELECTRON MICROSCOPES**
Device and method for particle bombardment of specimens in electron microscope and measurement of beam intensities
[NASA-CASE-XGS-01725] c14 N69-39982
- Electron microscope and method of making annular objective aperture
[NASA-CASE-ARC-10448-1] c14 N72-21421
- Electron microscope aperture system
[NASA-CASE-ARC-10448-2] c14 N74-12190
- Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c14 N74-12191
- ELECTRON PLASMA**
Apparatus for producing highly conductive, high temperature electron plasma with homogenous temperature and pressure distribution
[NASA-CASE-XLA-00147] c25 N70-34661
- ELECTRON TRANSFER**
Method for treating metal surfaces to prevent secondary electron transmission
[NASA-CASE-XNP-09469] c24 N71-25555
- ELECTRON TRANSITIONS**
Laser utilizing infrared rotation transitions of diatomic gas for production of different wavelengths
[NASA-CASE-ARC-10370-1] c16 N72-10432
- ELECTRON TUBES**
Direct radiation cooling of linear beam collector tubes
[NASA-CASE-XNP-09227] c15 N69-24319
- Refractory filament series circuitry for radiant heater
[NASA-CASE-XLE-00387] c33 N70-34812
- ELECTRON TUNNELING**
A doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c14 N74-20022
- ELECTRONIC CONTROL**
Electronic and mechanical scanning control system for monopulse tracking antenna
[NASA-CASE-XGS-05582] c07 N69-27460
- Electronic circuit system for controlling electric motor speed
[NASA-CASE-XHF-01129] c09 N70-38712
- Scanning signal phase and amplitude electronic control device with hybrid T waveguide junction
[NASA-CASE-NPO-10302] c10 N71-26142
- Ion beam deflector system for electronic thrust vector control for ion propulsion yaw, pitch, and roll forces
[NASA-CASE-LEH-10689-1] c28 N71-26173
- Electronic detection system for peak acceleration limits in vibrational testing of

- spacecraft components
[NASA-CASE-NPO-10556] c14 N71-27185
- Control and information system for digital
telemetry data using analog converter to
digitize sensed parameter values
[NASA-CASE-NPO-11016] c08 N72-31226
- ELECTRONIC EQUIPMENT**
- Electronic and mechanical scanning control
system for monopulse tracking antenna
[NASA-CASE-XGS-05582] c07 N69-27460
- Development of pulse-activated polarographic
hydrogen detector
[NASA-CASE-XNP-06531] c14 N71-17575
- Development of stable electronic amplifier
adaptable for monolithic and thin film
construction
[NASA-CASE-XGS-02812] c09 N71-19466
- Development and characteristics of oscillating
static inverter
[NASA-CASE-XGS-05289] c09 N71-19470
- Development of electromagnetic wave transmission
line circulator and application to parametric
amplifier circuits
[NASA-CASE-XNP-02140] c09 N71-23097
- Development of optimum pre-detection diversity
combining receiving system adapted for use
with amplitude modulation, phase modulation,
and frequency modulation systems
[NASA-CASE-XGS-00740] c07 N71-23098
- Electronic cathodes for use in electron
bombardment ion thrusters
[NASA-CASE-XLE-04501] c09 N71-23190
- Method and apparatus for adjusting thermal
conductance in electronic components for space
use
[NASA-CASE-XNP-05524] c33 N71-24876
- Development and characteristics of solid state
acoustic variable time delay line using direct
current voltage and radio frequency pulses
[NASA-CASE-ERC-10032] c10 N71-25900
- Voltage range selection apparatus for sensing
and applying voltages to electronic
instruments without loading signal source
[NASA-CASE-XMS-06497] c14 N71-26244
- Digital sensor for counting fringes produced by
interferometers with improved sensitivity and
one photomultiplier tube to eliminate
alignment problem
[NASA-CASE-LAR-10204] c14 N71-27215
- Device for rapid adjustment and maintenance of
temperature in electronic components
[NASA-CASE-XNP-02792] c14 N71-28958
- Apparatus with summing network for compression
of analog data by decreasing slope threshold
sampling
[NASA-CASE-NPO-10769] c08 N72-11171
- Readily assembled universal environment housing
for electronic equipment
[NASA-CASE-KSC-10031] c15 N72-22486
- Lead attachment for high temperature operation
of electronic devices
[NASA-CASE-ERC-10224] c09 N72-25261
- Development of method and apparatus for
detecting surface ions on silicon diodes and
transistors
[NASA-CASE-ERC-10325] c15 N72-25457
- Development of differential phase shift keyed
signal receiver to resolve differential phase
shift in incoming signal
[NASA-CASE-MSC-14066-1] c10 N73-10269
- Development and characteristics of data decoder
to process convolution encoded information
[NASA-CASE-NPO-11371] c08 N73-12177
- Characteristics of digital data processor using
pulse from clock source to derive binary
singlets to show state of various indicators in
processor
[NASA-CASE-GSC-10975-1] c08 N73-13187
- Development and characteristics for
automatically displaying digits in any desired
order using optical techniques
[NASA-CASE-XKS-00348] c09 N73-14215
- Thermochromic compositions for detecting heat
levels in electronic circuits and devices
[NASA-CASE-NPO-10764-1] c14 N73-14428
- Development of phase control coupling for use
with phased array antenna
[NASA-CASE-ERC-10285] c10 N73-16206
- Device for locating electrically nonlinear
objects and determining distance to object by
FM signal transmission
[NASA-CASE-KSC-10108] c14 N73-25461
- Development of electronic circuit for
measurement transducer power supply to be used
for liquid level measurement in liquid
propellant rocket engines
[NASA-CASE-NFS-21698-1] c09 N73-26196
- Development of equipment and method for
electrifying dielectric to determine
electrostatic properties
[NASA-CASE-NFS-22129-1] c09 N73-26197
- Electronic strain level counter on in-flight
aircraft
[NASA-CASE-LAR-10756-1] c32 N73-26910
- Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c09 N74-12912
- ELECTRONIC EQUIPMENT TESTS**
- Apparatus for automatically testing analog to
digital converters for open and short circuits
[NASA-CASE-XLA-06713] c14 N71-28991
- Test set for signal conditioner modules
[NASA-CASE-KSC-10750-1] c14 N73-23527
- ELECTRONIC FILTERS**
- Self-tuning electronic filter for maintaining
constant bandwidth and center frequency gain
[NASA-CASE-ARC-10264-1] c09 N73-20231
- ELECTRONIC MODULES**
- Thermal conductive, electrically insulated
cleavable adhesive connection between
electronic module and heat sink
[NASA-CASE-XMS-02087] c09 N70-41717
- Fabrication methods for matrices of solar cell
submodules
[NASA-CASE-XNP-05821] c03 N71-11056
- Development and characteristics of cooling
system to maintain temperature of rack mounted
electronic modules
[NASA-CASE-MSC-12389] c33 N71-29052
- Development of Mylar enclosure for maintaining
temperature of balloon-borne batteries and
electronic modules
[NASA-CASE-GSC-11620-1] c14 N72-33379
- Development of mechanical linkage for lifting
pin-supported electronic packages from
electronic circuit boards without damage to
connector pins
[NASA-CASE-NPO-13157-1] c15 N73-26475
- ELECTRONIC PACKAGING**
- Electrical feedthrough connection for printed
circuit boards
[NASA-CASE-XNP-01483] c14 N69-27431
- Capacitor fabrication by solidifying mixture of
ferromagnetic metal particles,
nonferromagnetic particles, and dielectric
material
[NASA-CASE-LEW-10364-1] c09 N71-13522
- Method of evaluating moisture barrier properties
of materials used in electronics encapsulation
[NASA-CASE-NPO-10051] c18 N71-24934
- Electrical connections for thin film hybrid
microcircuits
[NASA-CASE-XMS-02182] c10 N71-28783
- Flexible, frangible electrochemical cell and
package for operation in low temperature
environment
[NASA-CASE-XGS-10010] c03 N72-15986
- Development and characteristics of hermetically
sealed coaxial package for containing
microwave semiconductor components
[NASA-CASE-GSC-10791-1] c15 N73-14469
- Techniques for packaging and mounting printed
circuit boards
[NASA-CASE-NFS-21919-1] c10 N73-25243
- Integrated circuit package with lead structure
and method of preparing the same
[NASA-CASE-NFS-21374-1] c10 N74-12951
- ELECTRONIC RECORDING SYSTEMS**
- Electronic recording system for spatial mass
distribution of liquid rocket propellant
droplets or vapors ejected from high velocity
nozzles
[NASA-CASE-NPO-10185] c10 N71-26339
- ELECTRONIC TRANSDUCERS**
- Fiber optic transducers for monitoring and
analysis of vibration in aerospace vehicles
and onboard equipment
[NASA-CASE-XNP-02433] c14 N71-10616

- Transducer circuit design with single coaxial cable for input and output connections including incorporation into miniaturized catheter transducer
[NASA-CASE-ARC-10132-1] c09 N71-24597
- Circuit design for failure sensing and protecting low voltage electric generator and power transmission networks
[NASA-CASE-GSC-10114-1] c10 N71-27366
- Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2 (B)] c09 N74-14941
- ELECTROPHORESIS**
Zero gravity, constant flow electrophoretic separating apparatus
[NASA-CASE-MFS-21394-1] c12 N72-27310
- Controlled distribution of electrophoretic samples in flow path through conductive screens
[NASA-CASE-MFS-21395-1] c14 N72-27425
- ELECTROPHOTOTHERMISTERS**
Method and photodetector device for locating abnormal voids in low density materials
[NASA-CASE-MFS-20044] c14 N71-28993
- ELECTROPHYSIOLOGY**
Dry electrode design with wire sandwiched between two flexible conductive discs for monitoring physiological responses
[NASA-CASE-FRC-10029] c09 N71-24618
- ELECTROPLATING**
Method of plating copper on aluminum to permit conventional soldering of structural aluminum bodies
[NASA-CASE-XLA-08966-1] c17 N71-25903
- Shielded flat conductor cable fabricated by electroless and electrolytic plating
[NASA-CASE-MFS-13687] c09 N71-28691
- Technique and equipment for sputtering using apertured electrode and pulsed substrate bias
[NASA-CASE-LEH-10920-1] c17 N73-24569
- ELECTROSTATIC CHARGE**
Charged particle analyzer with periodically varying voltage applied across electrostatic deflection members
[NASA-CASE-XAC-05506-1] c24 N71-16095
- Development of equipment and method for electrifying dielectric to determine electrostatic properties
[NASA-CASE-MFS-22129-1] c09 N73-26197
- ELECTROSTATIC ENGINES**
Colloidal particle generator for electrostatic engine for propelling space vehicles
[NASA-CASE-XLE-00817] c28 N70-33265
- Encapsulated heater forming hollow body for cathode used in ion thruster
[NASA-CASE-LEH-10814-1] c28 N70-35422
- Electrostatic ion engines using high velocity electrons to ionize propellant
[NASA-CASE-XLE-00376] c28 N70-37245
- Electron bombardment ion rocket engine with improved propellant introduction system
[NASA-CASE-XLE-02066] c28 N71-15661
- ELECTROSTATIC GENERATORS**
Electrostatic modulator for communicating through plasma sheath formed around spacecraft during reentry
[NASA-CASE-XLA-01400] c07 N70-41331
- ELECTROSTATIC PRECIPITATORS**
Fine particulate capture device
[NASA-CASE-LEH-11583-1] c15 N74-13199
- ELECTROSTATIC PROBES**
Low impedance apparatus for measuring electrostatic field intensity near space vehicles
[NASA-CASE-XLE-00820] c14 N71-16014
- ELECTROSTATIC PROPULSION**
Nuclear electric generator for accelerating charged propellant particles in electrostatic propulsion system
[NASA-CASE-XLE-00818] c22 N70-34248
- High voltage insulators for direct current in acceleration system of electrostatic thruster
[NASA-CASE-XLE-01902] c28 N71-10574
- Electrostatic microthruster propulsion system with annular slit colloid thruster
[NASA-CASE-GSC-10709-1] c28 N71-25213
- ELECTROSTATICS**
Development of equipment and method for electrifying dielectric to determine electrostatic properties
[NASA-CASE-MFS-22129-1] c09 N73-26197
- Electrostatic entrained material measurement system --- comprising vacuum source and tube
[NASA-CASE-MFS-22128-2] c14 N74-18098
- ELECTROTHERMAL ENGINES**
Electrothermal rocket engine using resistance heated heat exchanger
[NASA-CASE-XLE-00267] c28 N70-33356
- High resistance cross flow heat exchangers for electrothermal rocket engines
[NASA-CASE-XLE-01783] c28 N70-34175
- ELEVATION**
Tracking mount for laser telescope employed in tracking large rockets and space vehicles to give information regarding azimuth and elevation
[NASA-CASE-MFS-14017] c14 N71-26627
- Automatic braking device for rapidly transferring humans or materials from elevated location
[NASA-CASE-XKS-07814] c15 N71-27067
- ELEVATORS (LIFTS)**
Centrifuge mounted motion simulator with elevator mechanism
[NASA-CASE-XAC-00399] c11 N70-34815
- Guide member for stabilizing cable of open shaft elevator
[NASA-CASE-KSC-10513] c15 N72-25453
- ELEVONS**
Supersonic or hypersonic vehicle control system comprising elevons with hinge line sweep and free of adverse aerodynamic cross coupling
[NASA-CASE-XLA-08967] c02 N71-27088
- ELLIPSES**
Ellipsograph for describing and cutting ellipses with minimal axial dimensions
[NASA-CASE-XLA-03102] c14 N71-21079
- ELONGATION**
Strain gage measurement of elongation due to thermally and mechanically induced stresses
[NASA-CASE-XGS-04478] c14 N71-24233
- EMERGENCIES**
Silent alarm system for multiple room facility or school
[NASA-CASE-NPO-11307-1] c10 N73-30205
- EMERGENCY BREATHING TECHNIQUES**
Pulmonary resuscitation method and apparatus with adjustable pressure regulator
[NASA-CASE-XMS-01115] c05 N70-39922
- EMERGENCY LIFE SUSTAINING SYSTEMS**
Development and characteristics of inflatable structure to provide escape from orbit for spacecrafts under emergency conditions
[NASA-CASE-XMS-06162] c31 N71-28851
- Three transceiver lunar emergency system to relay voice communication of astronaut
[NASA-CASE-MFS-21042] c07 N72-25171
- Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c05 N74-18805
- EMISSION SPECTRA**
Emission spectroscopy method for contamination monitoring of inert gas metal arc welding
[NASA-CASE-XMF-02039] c15 N71-15871
- EMITTANCE**
High thermal emittance black surface coatings and process for applying to metal and metal alloy surfaces used in radiative cooling of spacecraft
[NASA-CASE-XLA-06199] c15 N71-24875
- EMITTERS**
Inverted geometry transistor for use with monolithic integrated circuit
[NASA-CASE-ARC-10330-1] c09 N73-32112
- EMULSIONS**
Apparatus for obtaining isotropic irradiation on film emulsion from parallel radiation source
[NASA-CASE-MFS-20095] c24 N72-11595
- ENCAPSULATING**
Controlled caging and uncaging mechanism for remote instrument control
[NASA-CASE-GSC-11063-1] c03 N70-35584
- Development of bacteriostatic conformal coating and methods of application
[NASA-CASE-GSC-10007] c18 N71-16046
- Flexible, repairable, pottable composition for encapsulating electric connectors
[NASA-CASE-XGS-05780] c18 N71-25881
- Test chambers with orifice and helium mass spectrometer for detecting leak rate of encapsulated semiconductor devices
[NASA-CASE-FRC-10150] c14 N71-28992

- Electrically coupled individually encapsulated solar cell matrix
[NASA-CASE-NPO-11190] c03 N71-34044
- ENCLOSURES**
Method and apparatus for bowing of instrument panels to improve radio frequency shielded enclosure
[NASA-CASE-XMF-09422] c07 N71-19436
- ENDOSCOPES**
Borescope with adjustable hinged telescoping optical system
[NASA-CASE-NFS-15162] c14 N72-32452
- ENDOTHERMIC REACTIONS**
Sensor device with switches for measuring surface recession of charring and noncharring ablators
[NASA-CASE-XLA-01781] c14 N69-39975
- ENEMY PERSONNEL**
Development of electronic detection system for remotely determining number and movement of enemy personnel
[NASA-CASE-ARC-10097-2] c07 N73-25160
- ENERGY ABSORPTION**
Non-reusable kinetic energy absorber for application in soft landing of space vehicles
[NASA-CASE-XLE-00810] c15 N70-34861
Low onset rate energy absorber in form of strut assembly for crew couch of Apollo command module
[NASA-CASE-MSC-12279-1] c15 N70-35679
Air brake device for absorbing and measuring power from rotating shafts
[NASA-CASE-XLE-00720] c14 N70-40201
Design and development of double acting shock absorber for spacecraft docking operations
[NASA-CASE-XMS-03722] c15 N71-21530
Nonreusable energy absorbing device comprising ring member with plurality of recesses, cutting members, and guide member mounted in each recess
[NASA-CASE-XMF-10040] c15 N71-22877
Suspended mass oscillation damper based on impact energy absorption for damping wind induced oscillations of tall stacks, antennas, and umbilical towers
[NASA-CASE-LAR-10193-1] c15 N71-27146
Energy absorption device in high precision gear train for protection against damage to components caused by stop loads
[NASA-CASE-XNP-01848] c15 N71-28959
Shock absorber for use as protective barrier in impact energy absorbing system
[NASA-CASE-NPO-10671] c15 N72-20443
High energy absorption docking system design for docking large spacecraft
[NASA-CASE-NFS-20863] c31 N73-26876
Metal shearing energy absorber
[NASA-CASE-BQN-10638-1] c15 N73-30460
- ENERGY CONVERSION**
Thermoelectric power conversion by liquid metal flowing through magnetic field
[NASA-CASE-XNP-00644] c03 N70-36803
Concentrator device for controlling direction of solar energy onto energy converters
[NASA-CASE-XLE-01716] c09 N70-40234
Device for converting electromagnetic wave energy into electric power
[NASA-CASE-GSC-11394-1] c09 N73-32109
Heat operated cryogenic electrical generator --- using liquid helium conversion
[NASA-CASE-NPO-13303-1] c03 N74-19701
Electric power generation system directly from laser power
[NASA-CASE-NPO-13308-1] c03 N74-19702
- ENERGY CONVERSION EFFICIENCY**
Vacuum thermionic converter with short-circuited triodes and increased electron transmission and conversion efficiency
[NASA-CASE-XLE-01015] c03 N69-39898
Direct conversion of thermal energy into electrical energy using crossed electric and magnetic fields
[NASA-CASE-XLE-00212] c03 N70-34134
Increasing power conversion efficiency of electronic amplifiers by power supply switching
[NASA-CASE-XMS-00945] c09 N71-10798
- ENERGY DISSIPATION**
Energy dissipating shock absorbing system for land payload recovery or vehicle braking
[NASA-CASE-XLA-00754] c15 N70-34850
- ENERGY SOURCES**
Energy source with tantalum capacitors in parallel and miniature silver oxide button cells for initiating pyrotechnic devices on spacecraft and rocket vehicles
[NASA-CASE-LAR-10367-1] c03 N70-26817
Pulse generator for synchronizing or resetting electronic signals without requiring separate external source
[NASA-CASE-IGS-03632] c09 N71-23311
- ENERGY STORAGE**
Switching mechanism with energy stored in coil spring
[NASA-CASE-XGS-00473] c03 N70-38713
Development of stored charge device using field effect transistor technology
[NASA-CASE-NPO-11156-2] c03 N73-30974
- ENGINE CONTROL**
Direct current electromotive system for regenerative braking of electric motor
[NASA-CASE-XMF-01096] c10 N71-16030
Development and characteristics of system for integrated control of engine power and aerodynamic configuration of aircraft during landing approach
[NASA-CASE-ARC-10456-1] c02 N73-30938
- ENGINE COOLANTS**
Apparatus for cooling and injecting hypergolic propellants into combustion chamber of small rocket engine
[NASA-CASE-XLE-00303] c15 N70-36535
Injector manifold assembly for bipropellant rocket engines providing for fuel propellant to serve as coolant
[NASA-CASE-XMF-00148] c28 N70-38710
- ENGINE DESIGN**
Design and development of gas turbine combustion unit with nozzle guide vanes for introducing diluent air into combustion gases
[NASA-CASE-XLE-103477-1] c28 N71-20330
Construction and method of arranging plurality of ion engines to form cluster thereby increasing efficiency and control by decreasing heat radiated to space
[NASA-CASE-XNP-02923] c28 N71-23081
Design and development of movable turbine inlet guide vanes to provide aerodynamic choking for jet engine
[NASA-CASE-LAR-10642-1] c28 N72-27820
- ENGINE FAILURE**
System for monitoring presence of neutrals in streams of ions - ion engine control
[NASA-CASE-XNP-02592] c24 N71-20518
- ENGINE INLETS**
Design and development of movable turbine inlet guide vanes to provide aerodynamic choking for jet engine
[NASA-CASE-LAR-10642-1] c28 N72-27820
- ENGINE MONITORING INSTRUMENTS**
System for monitoring presence of neutrals in streams of ions - ion engine control
[NASA-CASE-XNP-02592] c24 N71-20518
- ENGINE TESTS**
Electric propulsion engine test chamber
[NASA-CASE-XLE-00252] c11 N70-34844
- ENGINEERING DRAWINGS**
High-temperature, high-pressure spherical segment valve
[NASA-CASE-XAC-00074] c15 N70-34817
Graphic illustration of lifting body design
[NASA-CASE-FRC-10063] c01 N71-12217
Specifications and drawings for semipassive optical communication system
[NASA-CASE-XLA-01090] c07 N71-12389
Method of making molded electric connector for use with flat conductor cables
[NASA-CASE-XMF-03498] c15 N71-15986
- ENTHALPY**
Measuring conductive heat flow and thermal conductivity of laminar gas stream in cylindrical plug to simulate atmospheric reentry
[NASA-CASE-XLE-00266] c14 N70-34156
- ENVIRONMENT SIMULATION**
Method and apparatus for applying compressional forces to skeletal structure of subject to simulate force during ambulatory conditions
[NASA-CASE-ARC-10100-1] c05 N71-24738
Gravity environment simulation by locomotion and restraint aid for studying manual operation

- performance of astronauts at zero gravity
[NASA-CASE-ARC-10153] c05 N71-28619
- ENVIRONMENTAL SIMULATORS**
Space environment simulator for testing
spacecraft components under aerospace conditions
[NASA-CASE-NPO-10141] c11 N71-24964
- ENVIRONMENTAL CONTROL**
Portable environmental control and life support
system for astronaut in and out of spacecraft
[NASA-CASE-XMS-09632-1] c05 N71-11203
Portable apparatus producing high velocity
annular air column surrounding low velocity,
filtered, superclean air central core for
industrial clean room environmental control
[NASA-CASE-XMF-03212] c15 N71-22721
Development and characteristics of thermal
sensitive panel for controlling ratio of solar
absorptivity to surface emissivity for space
vehicle temperature control
[NASA-CASE-XLA-07728] c33 N71-22890
Dual solid cryogenics for spacecraft refrigeration
insuring low temperature cooling for extended
periods
[NASA-CASE-GSC-10188-1] c23 N71-24725
Vibration control of flexible bodies in steady
accelerating environment
[NASA-CASE-LAR-10106-1] c15 N71-27169
Test chamber for determining decomposition and
autoignition of materials used in spacecraft
under controlled environmental conditions
[NASA-CASE-KSC-10198] c11 N71-28629
Readily assembled universal environment housing
for electronic equipment
[NASA-CASE-KSC-10031] c15 N72-22486
Environmentally controlled suit for working in
sterile chamber
[NASA-CASE-LAR-10076-1] c05 N73-20137
Dual stage check valve for cryogenic supply
systems used in space flight environmental
control system
[NASA-CASE-HSC-13587-1] c15 N73-30459
Spacecraft with artificial gravity and earthlike
atmosphere
[NASA-CASE-LEW-11101-1] c31 N73-32750
- ENVIRONMENTAL ENGINEERING**
Thermal control wall panel with application to
spacecraft cabins
[NASA-CASE-XLA-01243] c33 N71-22792
- ENVIRONMENTAL TESTS**
Multisample test chamber for exposing materials
to X rays, temperature change, and gaseous
conditions and determination of material effects
[NASA-CASE-XMS-02930] c11 N71-23042
Space suit using nonflexible material with low
leakage and providing protection against
thermal extremes, physical punctures, and
radiation with high mobility articulation
[NASA-CASE-XAC-07043] c05 N71-23161
Flammability test chamber for testing materials
in certain predetermined environments
[NASA-CASE-KSC-10126] c11 N71-24985
Multiaxes vibration device for making vibration
tests along orthogonal axes of test specimen
[NASA-CASE-NFS-20242] c14 N73-19421
- ENVIRONMENTS**
Hermetically sealed elbow actuator for use in
severe environments
[NASA-CASE-NFS-14710] c09 N72-22195
- ENZYME ACTIVITY**
Use of enzyme hexokinase and glucose to reduce
inherent light levels of ATP in luciferase
compositions
[NASA-CASE-IGS-05533] c04 N69-27487
Enzymatic luminescent bioassay method for
determining bacterial levels in urine
[NASA-CASE-GSC-11092-2] c04 N73-27052
- ENZYMERS**
Protein sterilization of firefly luciferase
without denaturation
[NASA-CASE-GSC-10225-1] c06 N73-27086
- EPOXY COMPOUNDS**
Synthesis of siloxane containing epoxy polymers
with low dielectric properties
[NASA-CASE-NFS-13994-1] c06 N71-11240
Synthesis of siloxane containing epoxide and
diamine polymers
[NASA-CASE-NFS-13994-2] c06 N72-25148
- EPOXY RESINS**
Nonmagnetic hermetically sealed battery case
made of epoxy resin and woven glass tape for
use with electrochemical cells in spacecraft
[NASA-CASE-XGS-00886] c03 N71-11053
Epoxy resin sealing device for electrochemical
cells in high vacuum environments
[NASA-CASE-XGS-02630] c03 N71-22974
Cold metal hydroforming techniques using epoxy
molds for counteracting creep or stretch
[NASA-CASE-XLE-05641-1] c15 N71-26346
Miniature electromechanical junction transducer
operating on piezjunction effect and
utilizing epoxy for stress coupling component
[NASA-CASE-ERC-10087] c14 N71-27334
Infusible polymer production from reaction of
polyfunctional epoxy resins with
polyfunctional aziridine compounds
[NASA-CASE-NPO-10701] c06 N71-28620
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c18 N74-16249
- EQUIPMENT**
Bimetallic fluid displacement apparatus --- for
stirring and heating stored gases and liquids
[NASA-CASE-ARC-10441-1] c15 N74-15126
- EQUIPMENT SPECIFICATIONS**
Differential pressure cell insensitive to
changes in ambient temperature and extreme
overload
[NASA-CASE-XAC-00042] c14 N70-34816
High-temperature, high-pressure spherical
segment valve
[NASA-CASE-XAC-00074] c15 N70-34817
Remote-reading torque meter for use where high
horsepowers are transmitted at high rotative
speeds
[NASA-CASE-XLE-00503] c14 N70-34818
Magnetically centered liquid column float
[NASA-CASE-XAC-00030] c14 N70-34820
Electric propulsion engine test chamber
[NASA-CASE-XLE-00252] c11 N70-34844
Channel-type shell construction for rocket
engines and related configurations
[NASA-CASE-XLE-00144] c28 N70-34860
Non-reusable kinetic energy absorber for
application in soft landing of space vehicles
[NASA-CASE-XLE-00810] c15 N70-34861
Slit regulated gas journal bearing
[NASA-CASE-XNP-00476] c15 N70-38620
Specifications and drawings for semipassive
optical communication system
[NASA-CASE-XLA-01090] c07 N71-12389
Stretcher with rigid head and neck support with
capability of supporting immobilized person in
vertical position for removal from vehicle
hatch to exterior also useful as splint
stretcher
[NASA-CASE-XNP-06589] c05 N71-23159
Development of test apparatus for subjecting
metal specimen to tensile and compressive
loads at constant temperature
[NASA-CASE-LAR-10426-1] c32 N72-27947
Development of performed attachable thermocouple
from thermoelectrically different metals
[NASA-CASE-LEW-11072-2] c14 N72-28443
Development of vortex fluid amplifier for
throttling rocket exhaust
[NASA-CASE-LEH-10374-1] c28 N73-13773
Simplified technique and device for producing
industrial grade synthetic diamonds
[NASA-CASE-NFS-20698-2] c15 N73-19457
Anti-buckling fatigue test assembly --- for
subjecting metal specimen to tensile and
compressive loads at constant temperature
[NASA-CASE-LAR-10426-1] c32 N74-19528
- EQUIPOTENTIALS**
Equipotential space suits utilizing mechanical
aids to minimize astronaut energy at bending
joints
[NASA-CASE-LAR-10007-1] c05 N71-11195
Instrument for measuring potentials on two
dimensional electric field plot
[NASA-CASE-XLA-08493] c10 N71-19421
- ERGOMETERS**
Development of restraint system for securing
personnel to ergometer while exercising under
weightless conditions
[NASA-CASE-NFS-21046-1] c14 N73-27377
Versatile ergometer with work load control
[NASA-CASE-NFS-21109-1] c05 N73-27941

- Tilting table for testing human body in variety of positions while exercising on ergometer or other biomedical devices
[NASA-CASE-MFS-21010-1] c05 N73-30078
- Pneumatic foot pedal operated fluidic exercising device
[NASA-CASE-MSC-11561-1] c05 N73-32014
- Ergometer calibrator --- for any ergometer utilizing rotating shaft
[NASA-CASE-MFS-21045-1] c14 N74-11288
- ERROR ANALYSIS**
Development of computer program for estimating reliability of self-repair and fault-tolerant systems with respect to selected system and mission parameters
[NASA-CASE-NPO-13086-1] c15 N73-12495
- ERROR CORRECTING DEVICES**
Error correction circuitry for binary signal channels
[NASA-CASE-XNP-03263] c09 N71-18843
- Multiplexed communication system design including automatic correction of transmission errors introduced by frequency spectrum shifts
[NASA-CASE-XNP-01306] c07 N71-20814
- Description of error correcting methods for use with digital data computers and apparatus for encoding and decoding digital data
[NASA-CASE-XNP-02748] c08 N71-22749
- Guide accessories for correctly aligning paper in typewriter to correct typographical errors
[NASA-CASE-MFS-15218-1] c15 N73-31438
- ERROR DETECTION CODES**
Self testing and repairing computer comprising control and diagnostic unit and rollback points for error correction
[NASA-CASE-NPO-10567] c08 N71-24633
- ERROR SIGNALS**
Error correction circuitry for binary signal channels
[NASA-CASE-XNP-03263] c09 N71-18843
- Feedback controller for sampling error signals within single control formulation time interval
[NASA-CASE-GSC-10554-1] c08 N71-29033
- ERRORS**
Analog to digital converter using offset voltage to eliminate errors
[NASA-CASE-MSC-13110-1] c08 N72-22163
- ESCAPE CAPSULES**
Aerial capsule emergency separation device using jettisonable towers
[NASA-CASE-XLA-00115] c03 N70-33343
- Emergency escape cabin system for launch towers
[NASA-CASE-XKS-02342] c05 N71-11199
- Spacecraft design with single point aerodynamic and hydrodynamic stability for emergency transport of men from space station to splashdown
[NASA-CASE-MSC-13281] c31 N72-18859
- ESCAPE SYSTEMS**
Design and specifications of emergency escape system for spacecraft structures
[NASA-CASE-MSC-12086-1] c05 N71-12345
- Automatic braking device for rapidly transferring humans or materials from elevated location
[NASA-CASE-XKS-07814] c15 N71-27067
- ESTERS**
Fluorinated esters of polycarboxylic acid and lubricating compositions for use at extreme temperature
[NASA-CASE-MFS-21040-1] c06 N73-30098
- ETCHING**
Reusable masking boot for chemical machining operations
[NASA-CASE-XNP-02092] c15 N70-42033
- Development of method for etching copper
[NASA-CASE-XGS-06306] c17 N71-16044
- Composition and process for improving definition of resin masks used in chemical etching
[NASA-CASE-XGS-04993] c14 N71-17574
- Etching aluminum alloys with aqueous solution containing sulfuric acid, hydrofluoric acid, and an alkali metal dischromate for adhesive bonding
[NASA-CASE-XMP-02303] c17 N71-23828
- Selective plating of etched circuits without removing previous plating
[NASA-CASE-XGS-03120] c15 N71-24047
- Nickel plating onto etched aluminum castings
[NASA-CASE-XNP-04148] c17 N71-24830
- Scanning nozzle plating system for etching or plating metals on substrates without masking
[NASA-CASE-NPO-11758-1] c15 N72-28507
- ETHERS**
Method for producing alternating ether-siloxane copolymers with stable properties when exposed to elevated temperatures and UV radiation
[NASA-CASE-XMF-02584] c06 N71-20905
- Chemical synthesis of hydroxy terminated perfluoro ethers as intermediates for highly fluorinated polyurethane resins
[NASA-CASE-NPO-10768] c06 N71-27254
- Formation of polyurethane resins from hydroxy terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c06 N72-27144
- ETHYLENE OXIDE**
Using ethylene oxide in preparation of sterilized solid rocket propellants and encapsulating materials
[NASA-CASE-XNP-01749] c27 N70-41897
- Ethylene oxide sterilization and encapsulating process for sterile preservation of instruments and solid propellants
[NASA-CASE-XNP-09763] c14 N71-20461
- EUTECTIC ALLOYS**
High temperature bonding of sapphire to sapphire by eutectic Al₂O₃ and ZrO₂ mixture to form sapphire rubidium maser cell
[NASA-CASE-GSC-11577-1] c15 N73-19467
- EVACUATING (VACUUM)**
Filling honeycomb matrix with deaerated paste filler
[NASA-CASE-XMS-01108] c15 N69-24322
- Sealing evacuation port and evacuating vacuum container such as space jackets
[NASA-CASE-XMF-03290] c15 N71-23256
- Gas leak detection in evacuated systems using ultraviolet radiation probe
[NASA-CASE-ERC-10034] c15 N71-24896
- Vacuum displacement compression molding of tubular bodies from thermosetting plastics
[NASA-CASE-LAR-10782-2] c15 N73-31444
- EVAPORATION**
Evaporating crucible of tantalum-tungsten foil, nickel alumina bonding agent, and ceramic coating
[NASA-CASE-XLA-03105] c15 N69-27483
- EVAPORATORS**
Spatier proof evaporant source design for use in vacuum deposition of solid thin films on substrates
[NASA-CASE-XMF-06065] c15 N71-20395
- Means of vapor deposition using electric current and evaporator filament
[NASA-CASE-LAR-10541-1] c15 N72-32487
- EXERCISE (PHYSIOLOGY)**
Development of restraint system for securing personnel to ergometer while exercising under weightless conditions
[NASA-CASE-MFS-21046-1] c14 N73-27377
- Tilting table for testing human body in variety of positions while exercising on ergometer or other biomedical devices
[NASA-CASE-MFS-21010-1] c05 N73-30078
- Manual actuator --- for spacecraft exercising machines
[NASA-CASE-MFS-21481-1] c15 N74-18127
- EXHAUST GASES**
Device for adding water to high velocity exhaust jets to reduce velocity, noise, and temperature
[NASA-CASE-XMF-01813] c28 N70-41582
- Reduction of jet engine noise due to turbulent mixing of exhaust gases with ambient atmosphere
[NASA-CASE-ARC-10712-1] c28 N73-20826
- Gas turbine exhaust nozzle --- for noise reduction
[NASA-CASE-LEW-11569-1] c28 N74-15453
- EXHAUST NOZZLES**
High thrust annular liquid propellant rocket engine and exhaust nozzle design
[NASA-CASE-XLE-00078] c28 N70-33284
- Exhaust nozzle with afterburning for generating thrust
[NASA-CASE-XLA-00154] c28 N70-33374
- Penshaped, supersonic exhaust nozzle design
[NASA-CASE-XLE-00057] c28 N70-38711
- Automatic ejection valve for attitude control and midcourse guidance of space vehicles

- [NASA-CASE-XNP-00676] c15 N70-38996
Jet aircraft exhaust nozzle for noise reduction
- [NASA-CASE-LAR-10951-1] c28 N73-19819
Shrouded divergent body attached to exhaust
nozzle for jet noise suppression
- [NASA-CASE-LEH-11286-1] c02 N73-21066
- EXPANDABLE STRUCTURES**
Expanding and contracting connector strip for
solar cell array of Nimbus satellite
- [NASA-CASE-XGS-01395] c03 N69-21539
Method of compactly packaging centrifugally
expandable lightweight flexible reflector
satellite
- [NASA-CASE-XLA-00138] c31 N70-37981
Foldable conduit capable of springing back as
self erecting structural member
- [NASA-CASE-XLE-00620] c32 N70-41579
Collapsible high gain antenna which can be
automatically expanded to operating state
- [NASA-CASE-KSC-10392] c07 N73-26117
Expandable space frames with high expansion to
collapse ratio
- [NASA-CASE-ERC-10365-1] c31 N73-32749
- EXPANSION**
Apparatus for measuring polymer membrane
expansion in electrochemical cells
- [NASA-CASE-IGS-03865] c14 N69-21363
Elastomeric extensometer for measuring surface
area changes of human body caused by body
expansion and contraction
- [NASA-CASE-HFS-21049-1] c14 N73-11405
- EXPERIMENTAL DESIGN**
Efficient operation of improved hydrofoil design
- [NASA-CASE-XLA-00229] c12 N70-33305
Sealed electric storage battery with gas
manifold interconnecting each cell
- [NASA-CASE-XNP-03378] c03 N71-11051
Electrode attached to helmets for detecting low
level signals from skin of living creatures
- [NASA-CASE-ARC-10043-1] c05 N71-11193
Conditioning suit for normal function of
astronaut cardiovascular system in gravity
environment
- [NASA-CASE-XLA-02898] c05 N71-20268
Space suit using nonflexible material with low
leakage and providing protection against
thermal extremes, physical punctures, and
radiation with high mobility articulation
- [NASA-CASE-XAC-07043] c05 N71-23161
- EXPLOSIONS**
Device for detection of combustion light
preceding gaseous explosions
- [NASA-CASE-LAR-10739-1] c14 N73-16484
- EXPLOSIVE DEVICES**
Stage separation using remote control release of
joint with explosive insert
- [NASA-CASE-XLA-02854] c15 N69-27490
Hermetically sealed explosive release mechanism
for actuator device
- [NASA-CASE-IGS-00824] c15 N71-16078
Development of non-magnetic indexing device for
orienting magnetic flux sensing instrument in
magnetic field without generation of
detrimental magnetic fields
- [NASA-CASE-IGS-02422] c15 N71-21529
Development of apparatus for detonating
explosive devices in order to determine forces
generated and detonation propagation rate
- [NASA-CASE-LAR-10800-1] c33 N72-27959
Development and characteristics of squib
actuated explosive disconnect for spacecraft
release from launch vehicle
- [NASA-CASE-NPO-11330] c33 N73-26958
- EXPLOSIVE FORMING**
Electric discharge apparatus for
electrohydraulic explosive forming
- [NASA-CASE-XNP-00375] c15 N70-34249
- EXPLOSIVE WELDING**
Explosive welding of thin metal scarf joint
- [NASA-CASE-LAR-11211-1] c15 N73-14480
Method for eliminating noise and debris of
explosive welding techniques by using complete
enclosure
- [NASA-CASE-LAR-10941-2] c15 N73-32371
Totally confined explosive welding --- apparatus
to reduce noise level and protect personnel
during explosive bonding
- [NASA-CASE-LAR-10941-1] c15 N74-21057
- EXPLOSIVES**
Development of technique and apparatus for
optically detonating insensitive high explosives
- [NASA-CASE-NPO-11743-1] c33 N73-29959
Production of intermetallic compounds by effect
of shock waves from explosions and compaction
of powder
- [NASA-CASE-HFS-20861-1] c18 N73-32437
- EXPONENTIAL FUNCTIONS**
Digital quasi-exponential function generator
- [NASA-CASE-NPO-11130] c08 N72-20176
- EXPOSURE**
Mechanical exposure interlock device for
preventing film overexposure in oscilloscope
camera
- [NASA-CASE-LAR-10319-1] c14 N73-32322
- EXPULSION BLADDERS**
Expulsion bladder equipped storage tank structure
- [NASA-CASE-XNP-00612] c11 N70-38182
Rubber composition for expulsion bladders and
diaphragms for use with hydrazine
- [NASA-CASE-NPO-11433] c18 N71-31140
- EXTENSIONS**
Support for flexible conductor cable between
drawers or racks holding electronic equipment
and cabinet assembly housing drawers or racks
- [NASA-CASE-XNP-07587] c15 N71-18701
- EXTENSOMETERS**
Transducer frame for use with extensometer to
continuously monitor specimen sample
- [NASA-CASE-XLA-10322] c15 N72-17452
Elastomeric extensometer for measuring surface
area changes of human body caused by body
expansion and contraction
- [NASA-CASE-HFS-21049-1] c14 N73-11405
- EXTRACTION**
Liquid-gas separator adapted for use in zero
gravity environment - drawings
- [NASA-CASE-XHS-01624] c15 N70-40062
- EXTRAVEHICULAR ACTIVITY**
Portable environmental control and life support
system for astronaut in and out of spacecraft
- [NASA-CASE-XHS-09632-1] c05 N71-11203
Hand-held maneuvering unit for propulsion and
attitude control of astronauts in zero or
reduced gravity environment
- [NASA-CASE-XHS-05304] c05 N71-12336
Internal and external serpentine devices for
performing physical operations around orbital
space stations
- [NASA-CASE-XNP-05344] c31 N71-16345
Releasable, pin-type fastener, easily operated
during EVA
- [NASA-CASE-ARC-10140-1] c15 N71-17653
Design and development of flexible tunnel for
use by spacecrews in performing extravehicular
activities
- [NASA-CASE-HSC-12243-1] c05 N71-24728
Open loop life support subsystem using breathing
bag as reservoir for EVA
- [NASA-CASE-HSC-12411-1] c05 N72-20096
Intra- and extravehicular life support space
suite for Apollo astronauts
- [NASA-CASE-HSC-12609-1] c05 N73-32012
- EXTREMELY LOW RADIO FREQUENCIES**
VHF/UHF parasitic probe antenna for spacecraft
communication
- [NASA-CASE-IRS-09340] c07 N71-24614
- EXTRUDING**
Extrusion can for extruding ceramics under heat
and pressure
- [NASA-CASE-NPO-10812] c15 N73-13464
- EYE (LABATORY)**
Sight switch using infrared source and sensor
mounted beside eye
- [NASA-CASE-XNP-03934] c09 N71-22985
Ultrasonic device for ophthalmic eye surgery
with safe removal of macerated material
- [NASA-CASE-LEH-11669-1] c05 N73-27062
Surgical liquification pump for removing
macerated tissue from eye
- [NASA-CASE-LEH-12051-1] c04 N73-32000
- EYE EXAMINATIONS**
Optical vision testing unit for testing eyes and
visual system of human subject
- [NASA-CASE-HSC-13601-1] c05 N72-11088
Automated visual sensitivity tester for
determining visual field sensitivity and blind
spot size

[NASA-CASE-ARC-10329-1] c05 N73-26072
 Visual examination apparatus
 [NASA-CASE-ARC-10329-2] c05 N74-19761
EYEPIECES
 Wide angle eyepiece with long eye-relief distance
 [NASA-CASE-XMS-06056-1] c23 N71-24857

F

FABRICATION

Fabrication of pressure-telemetry transducers
 [NASA-CASE-XNP-09752] c14 N69-21541
 Fabrication method for lightweight
 regeneratively cooled combustion chamber of
 channel construction
 [NASA-CASE-XLE-00150] c28 N70-41818
 Fabrication methods for matrices of solar cell
 submodules
 [NASA-CASE-XNP-05821] c03 N71-11056
 Capacitor fabrication by solidifying mixture of
 ferromagnetic metal particles,
 nonferromagnetic particles, and dielectric
 material
 [NASA-CASE-LEW-10364-1] c09 N71-13522
 Method and apparatus for fabricating solar cell
 panels
 [NASA-CASE-XNP-03413] c03 N71-26726
 Fabrication of root cord restrained fabric suit
 sections from sheets of fabric
 [NASA-CASE-MSC-12398] c05 N72-20098
 Method of fabricating equal length insulated wire
 [NASA-CASE-FRC-10038] c15 N72-20444
 Development of thin film temperature sensor from
 TaO
 [NASA-CASE-NPO-11775] c26 N72-28761

FABRICS

Hand tool for cutting and sealing fusible fabrics
 [NASA-CASE-XNP-09386] c15 N69-21854
 Fabrication of root cord restrained fabric suit
 sections from sheets of fabric
 [NASA-CASE-MSC-12398] c05 N72-20098

FABRY-PEROT INTERFEROMETERS

Fabry-Perot interferometer retrodirective
 reflector modulator for optical communication
 [NASA-CASE-XGS-04480] c16 N69-27491

FACSIMILE COMMUNICATION

Restoration and improvement of demodulated
 facsimile video signals
 [NASA-CASE-GSC-10185-1] c07 N72-12081
 Integration of spectrometer capability with
 imagery function of facsimile cameras for use
 on planetary landers
 [NASA-CASE-LAR-11207-1] c14 N73-28496

FACTORIAL DESIGN

Space suit with pressure-volume compensator system
 [NASA-CASE-XLA-05332] c05 N71-11194
 Equipotential space suits utilizing mechanical
 aids to minimize astronaut energy at bending
 joints
 [NASA-CASE-LAR-10007-1] c05 N71-11195

FAIL-SAFE SYSTEMS

Fail-safe multiple transformer circuit
 configuration
 [NASA-CASE-NPO-11078] c09 N72-25262
 Fail safe latching mechanism for spacecraft
 docking
 [NASA-CASE-MSC-12549-1] c15 N73-11443

FAILURE MODES

Method for reducing mass of ball bearings for
 long life operation at high speed
 [NASA-CASE-LEW-10856-1] c15 N72-22490
 Inverter ratio failure detector
 [NASA-CASE-NPO-13160-1] c14 N74-18090

FAIRINGS

System for deploying and ejecting releasable
 clamshell fairing sections from spinning
 sounding rockets
 [NASA-CASE-GSC-10590-1] c31 N73-14853

FALLING SPHERES

Device for determining acceleration of gravity
 by interferometric measurement of travel of
 falling body
 [NASA-CASE-XNP-05844] c14 N71-17587

FAR INFRARED RADIATION

Collimator for analyzing spatial location of
 near and distant sources of radiation
 [NASA-CASE-MPS-20546-2] c14 N73-30389

FAR ULTRAVIOLET RADIATION

Transient heat transfer gage for measuring total

radiant intensity from far ultraviolet and
 ionized high temperature gases
 [NASA-CASE-XNP-09802] c33 N71-15641

FASTENERS

Force measuring instrument for structural
 members, particularly fastening bolts or studs
 [NASA-CASE-XNP-00456] c14 N70-34705
 Lightweight life preserver without fastening
 devices
 [NASA-CASE-XMS-00864] c05 N70-36493
 Nut and bolt fastener permitting all-directional
 movement of skin sections with respect to
 supporting structure
 [NASA-CASE-XLA-01807] c15 N71-10799
 Releasable, pin-type fastener, easily operated
 during EVA
 [NASA-CASE-ARC-10140-1] c15 N71-17653
 Ultrasonic wrench for applying vibratory energy
 to mechanical fasteners
 [NASA-CASE-MFS-20586] c15 N71-17686
 Design and development of electric connectors
 for rigid and semirigid coaxial cables
 [NASA-CASE-XNP-04732] c09 N71-20851
 Design, development, and characteristics of
 latching mechanism for operation in limited
 access areas
 [NASA-CASE-XMS-03745] c15 N71-21076
 Design and development of module joint clamping
 device for application to solar array
 construction
 [NASA-CASE-XNP-02341] c15 N71-21531
 Threadless fastener apparatus comprising
 receiving apertures for plurality of articles,
 self-locked condition, and capable of using
 nonmalleable materials in both ends
 [NASA-CASE-XPR-05302] c15 N71-23254
 Development of resilient fastener for attaching
 skin of aerospace vehicles to permit movement
 of skin relative to framework
 [NASA-CASE-XLA-01027] c31 N71-24035
 Pneumatic mechanism for releasing hook and loop
 fasteners between large rigid structures
 [NASA-CASE-XMS-10660-1] c15 N71-25975

FATIGUE (MATERIALS)
 Servocontrol system for measuring local stresses
 at geometric discontinuity in stressed material
 [NASA-CASE-XLA-08530] c32 N71-25360

FATIGUE LIFE
 Fatigue resistant shear pin with hollow shaft
 and two plugs
 [NASA-CASE-XLA-09122] c15 N69-27505
 Improving load capacity and fatigue life of
 rolling element systems in rockets and missiles
 [NASA-CASE-XLE-02999] c15 N71-16052
 Method for reducing mass of ball bearings for
 long life operation at high speed
 [NASA-CASE-LEW-10856-1] c15 N72-22490
 Fatigue life of hybrid antifriction bearings at
 ultrahigh speeds
 [NASA-CASE-LEW-11152-1] c15 N73-32359

FATIGUE TESTING MACHINES
 Cryostat for use with horizontal fatigue testing
 machines at low temperatures
 [NASA-CASE-XNP-10968] c14 N71-24234
 Fatigue testing apparatus with light shield and
 infrared reflector for high temperature
 evaluation of loaded sheet samples
 [NASA-CASE-XLA-01782] c14 N71-26136

FATIGUE TESTS
 Fatigue testing device applying random discrete
 load levels to test specimen and applicable to
 aircraft structures
 [NASA-CASE-XLA-02131] c32 N70-42003

FATS
 Cross linked polymer system for oil or fat
 absorption properties
 [NASA-CASE-NPO-11609-1] c06 N72-22114

FECES
 Fecal waste disposal container
 [NASA-CASE-XMS-06761] c05 N69-23192

FEED SYSTEMS
 Nonconductive tube as feed system for plasma
 thruster
 [NASA-CASE-XLE-02902] c25 N71-21694
 Method and apparatus for pressurizing propellant
 tanks used in propulsion motor feed system
 [NASA-CASE-XNP-00650] c27 N71-28929
 Pressurized tank for feeding liquid waste into
 processing equipment

- [NASA-CASE-LAR-10365-1] c05 N72-27102
Pressurized inert gas feed for lighting system
[NASA-CASE-KSC-10644] c09 N72-27227
Dual frequency feed systems for Cassegrainian antennas
[NASA-CASE-NPO-13091-1] c09 N73-12214
Improved injector with porous plug for bubbles of gas into feed lines of electrically conductive liquid
[NASA-CASE-NPO-11377] c15 N73-27406
- FEEDBACK**
RC networks with voltage amplifier, RC input circuit, and positive feedback
[NASA-CASE-ARC-10020] c10 N72-17172
Multistage feedback shift register with states decomposable into cycles of equal length
[NASA-CASE-NPO-11082] c08 N72-22167
Inverter oscillator with voltage feedback
[NASA-CASE-NPO-10760] c09 N72-25254
- FEEDBACK AMPLIFIERS**
Development of system with electrical properties which vary with changes in temperature for use with feedback loop in operational amplifier circuit
[NASA-CASE-MS-C-13276-1] c14 N71-27058
Phase locked demodulator with bandwidth switching amplifier circuit
[NASA-CASE-INP-01107] c10 N71-28859
Monostable multivibrator for producing output pulse widths with positive feedback NOR gates
[NASA-CASE-MS-C-13492-1] c10 N71-28860
Circuit with differential amplifier for synthesizing capacitance multiplier with microminiaturized feedback components
[NASA-CASE-NPO-11948-1] c10 N73-15255
Design of integrated circuit with two amplifiers and feedback stabilization for single channel gyration
[NASA-CASE-MFS-22343-1] c09 N73-18224
- FEEDBACK CIRCUITS**
Low power drain transistor feedback circuit
[NASA-CASE-XGS-04999] c09 N69-24317
Linear three-tap feedback shift register
[NASA-CASE-NPO-10351] c08 N71-12503
Frequency control network for current feedback oscillators converting dc voltage to ac or higher dc voltages
[NASA-CASE-GSC-10041-1] c10 N71-19418
Feedback integrating circuit with grounded capacitor for signal processing
[NASA-CASE-XAC-10607] c10 N71-23669
Development of idler feedback system to reduce electronic noise problem in two parametric amplifiers
[NASA-CASE-LAR-10253-1] c09 N72-25258
Linear shift register with feedback logic for generating pseudonoise linear recurring binary sequences
[NASA-CASE-NPO-11406] c08 N73-12175
- FEEDBACK CONTROL**
Describing continuous analog to digital converter with parallel digital output and nonlinear feedback
[NASA-CASE-XAC-04031] c08 N71-18594
Pulsed magnetic core memory element with blocking oscillator feedback for interrogation without loss of digital information
[NASA-CASE-XGS-03303] c08 N71-18595
Binary to decimal decoder logic circuit design with feedback control and display device
[NASA-CASE-XKS-06167] c08 N71-24890
Feedback control for direct current motor to achieve constant speed under varying loads
[NASA-CASE-MFS-14610] c09 N71-28886
Feedback controller for sampling error signals within single control formulation time interval
[NASA-CASE-GSC-10554-1] c08 N71-29033
Closed loop servosystem for variable speed tape recorders onboard spacecraft
[NASA-CASE-NPO-10700] c07 N71-33613
Development of aerodynamic control system to control flutter over large range of oscillatory frequencies using stability augmentation techniques
[NASA-CASE-LAR-10682-1] c02 N73-26004
Regulated dc-to-dc converter for voltage step-up or step-down with input-output isolation
[NASA-CASE-NQN-10792-1] c09 N74-11049
- FEEDBACK FREQUENCY MODULATION**
Method and apparatus for communicating through ionized layer of gases surrounding spacecraft during reentry into planetary atmospheres
[NASA-CASE-XLA-01127] c07 N70-41372
Characteristics of data-aided carrier tracking loop used for tracking carrier in angle modulated communications system
[NASA-CASE-NPO-11282] c10 N73-16205
- FEDERS**
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c04 N74-15778
- FERRITES**
Magnetic recording head composed of ferrite core coated with thin film of aluminum-iron-silicon alloy
[NASA-CASE-GSC-10097-1] c08 N71-27210
Ferrite memory arrays from pre-formed metal conductors
[NASA-CASE-LAR-10994-1] c18 N73-30536
- FERROMAGNETISM**
High temperature ferromagnetic cobalt-base alloy for electrical power generating equipment
[NASA-CASE-XLE-03629] c17 N71-23248
- FIBER OPTICS**
Fiber optic transducers for monitoring and analysis of vibration in aerospace vehicles and onboard equipment
[NASA-CASE-XHP-02433] c14 N71-10616
- FIBERS**
Process for fiberizing ceramic materials with high fusion temperatures and tensile strength
[NASA-CASE-XNP-00597] c18 N71-23088
Fiber separating and cleaning method and apparatus
[NASA-CASE-LAR-11224-1] c15 N74-20072
- FIELD EFFECT TRANSISTORS**
Frequency to analog converters with unipolar field effect transistor for determining potential charge by pulse duration of input signal
[NASA-CASE-XNP-07040] c08 N71-12500
Voltage controlled, variable frequency relaxation oscillator with MOSFET variable current feed
[NASA-CASE-GSC-10022-1] c10 N71-25882
Circuitry for high input impedance video processor with high noise immunity
[NASA-CASE-NPO-10199] c09 N72-17156
Development and characteristics of data multiplexer circuit using field effect transistors arranged in tree switching configuration
[NASA-CASE-NPO-11333] c08 N72-22162
Single integrated circuit chip with field effect transistor
[NASA-CASE-GSC-10835-1] c09 N72-33205
Development of stored charge device using field effect transistor technology
[NASA-CASE-NPO-11156-2] c03 N73-30974
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential of field effect device
[NASA-CASE-GSC-11425-1] c24 N74-20329
- FIELD EMISSION**
Electrode with multiple columnar conductors for limiting field emission current
[NASA-CASE-ERC-10015-2] c10 N72-27246
- FILAMENT WINDING**
Tool attachment for spreading or moving away loose elements from terminal posts during winding of filamentary elements
[NASA-CASE-XHP-02107] c15 N71-10809
Fabrication of filament wound propellant tank for cryogenic storage
[NASA-CASE-XLE-03803-2] c15 N71-17651
Twisted wire or tube superconductor for filament windings
[NASA-CASE-LEB-11015] c26 N73-32571
- FILAMENTS**
Refractory filament series circuitry for radiant heater
[NASA-CASE-XLE-00367] c33 N70-34812
Controlled diffusion reaction process for masking substrate of twisted multifilament superconductive ribbon
[NASA-CASE-LEB-11726-1] c26 N73-26752
- FILLERS**
Filling honeycomb matrix with deaerated paste.

filler
[NASA-CASE-XMS-01108] c15 N69-24322

FILE COOLING
Multislotted film cooled pyrolytic graphite rocket
nozzle
[NASA-CASE-XNP-04389] c28 N71-20942

FILES
Apparatus for obtaining isotropic irradiation on
film emulsion from parallel radiation source
[NASA-CASE-HFS-20095] c24 N72-11595

FILTERS
Development of filter system for control of
outgas contamination in vacuum conditions
using absorbent beds of molecular sieve
zeolite, silica gel, and charcoal
[NASA-CASE-HFS-14711] c15 N71-26185
Heated tungsten filter for removing oxygen
impurities from cesium
[NASA-CASE-XNP-04262-2] c17 N71-26773
Centrifugal separator using lyophobic filter
[NASA-CASE-LAR-10194-1] c12 N72-11293

FINS
Thrust and attitude control apparatus using jet
nozzle in movable canard surface or fin
configuration
[NASA-CASE-XLE-03583] c31 N71-17629
Deployable flexible ventral fins providing
triangular planform of flexible material for
spin recovery of aircraft
[NASA-CASE-LAR-10753-1] c02 N73-10031

FIRE PREVENTION
Hydrogen fire blink detector for high altitude
rocket or ground installation
[NASA-CASE-HFS-15063] c14 N72-25412
Fiber modified polyurethane foam for ballistic
protection
[NASA-CASE-ARC-10714-1] c18 N74-11366
Method and apparatus for checking fire detectors
[NASA-CASE-GSC-11600-1] c14 N74-21019

FIREPROOFING
Fireproof potassium silicate coating
composition, insoluble in water after
application
[NASA-CASE-GSC-10072] c18 N71-14014
Lightweight fire resistant plastic foam for
thermal protection of reentry vehicles and
aircraft structures
[NASA-CASE-ARC-10180-1] c28 N72-20767
Intumescent paint containing nitrile rubber for
fire protection
[NASA-CASE-ARC-10196-1] c18 N73-13562
Para-benzoquinone dioxime and concentrated
mineral acid processed to yield intumescent or
fire resistant, heat insulating materials
[NASA-CASE-ARC-10304-1] c18 N73-26572
Process for developing flame retardant
elastomeric composition textiles for use in
space suits
[NASA-CASE-MSC-14331-1] c18 N73-27501
Flexible fire retardant polyisocyanate modified
neoprene foam --- for thermal protective devices
[NASA-CASE-ARC-10180-1] c06 N74-12814

FIRE
Device for generating and controlling combustion
products for testing of fire detection system
[NASA-CASE-GSC-11095-1] c14 N72-10375
Device for detecting hydrogen fires onboard high
altitude rockets
[NASA-CASE-HFS-13130] c10 N72-17173

FIBING (IGNITING)
Contamination free separation nut eliminating
combustion products from ambient surroundings
generated by squib firing
[NASA-CASE-XGS-01971] c15 N71-15922

FISSIONABLE MATERIALS
Nuclear gaseous reactor for heating working
fluid to high temperatures
[NASA-CASE-XLE-00321] c22 N70-34572

FITTINGS
Design and development of quick release connector
[NASA-CASE-XLA-01141] c15 N71-13789
Development and characteristics of strainer for
flared tube fitting
[NASA-CASE-XLA-05056] c15 N72-11389
Development of manually operated tool for facing
exposed end to insert installed in honeycomb
panel
[NASA-CASE-HFS-21485-1] c15 N72-31490

FIXED WINGS

Design of supersonic aircraft with novel fixed,
swept wing planform
[NASA-CASE-XLA-04451] c02 N71-12243

FLAME SPRAYING

Flame or plasma spraying for molybdenum coating
of carbon or graphite surfaces to prevent
oxidative corrosion
[NASA-CASE-XLA-00302] c15 N71-16077
Modification of polyurethanes with alkyl halide
resins, inorganic salts, and encapsulated
volatile and reactive halogen for fuel fire
control
[NASA-CASE-ARC-10098-1] c06 N71-24739
Method of making pressure tight seal for super
alloy
[NASA-CASE-LAR-10170-1] c15 N74-11301

FLAMES

Anodizing method for providing metal surfaces
with temperature reducing coatings against
flames
[NASA-CASE-XLE-00035] c33 N71-29151

FLAMMABILITY

Flammability test chamber for testing materials
in certain predetermined environments
[NASA-CASE-KSC-10126] c11 N71-24985
Development of apparatus for testing burning
rate and flammability of materials
[NASA-CASE-XMS-09690] c33 N72-25913

FLANGES

Cassegrain antenna subreflector flange for
suppressing ground noise and increasing
antenna transmitting efficiency
[NASA-CASE-XNP-00683] c09 N70-35425
Light baffle with oblate hemispheroid surface
and shading flange
[NASA-CASE-NPO-10337] c14 N71-15604

FLAPS (CONTROL SURFACES)

Upper surface, external flow, jet-augmented flap
configuration for high wing jet aircraft for
noise reduction
[NASA-CASE-XLA-00087] c02 N70-33332
Assembly for opening flight capsule stabilizing
and decelerating flaps with reference to
capsule recovery
[NASA-CASE-XMF-00641] c31 N70-36410
Direct lift control system having flaps with
slots adjacent to their leading edge and
particularly adapted for lightweight aircraft
[NASA-CASE-LAR-10249-1] c02 N71-26110
Characteristics of system for providing yaw
control of vehicles at high supersonic and
hypersonic speeds by deflecting flaps mounted
on upper wing surface
[NASA-CASE-LAR-11140-1] c02 N73-20008
Adjustable airfoil for reversible cowl flap
inlet thrust augmentation
[NASA-CASE-ARC-10754-1] c28 N73-32624

FLARED BODIES

Development and characteristics of strainer for
flared tube fitting
[NASA-CASE-XLA-05056] c15 N72-11389

FLAT CONDUCTORS

Method of making molded electric connector for
use with flat conductor cables
[NASA-CASE-XMF-03498] c15 N71-15986
Shielded flat conductor cable fabricated by
electroless and electrolytic plating
[NASA-CASE-HFS-13687] c09 N71-28691
Shielded flat conductor cable of ribbonlike
wires laminates in thin flexible insulation
[NASA-CASE-HFS-13687-2] c09 N72-22198
Separable flat cable connector with isolated
electrical contacts
[NASA-CASE-HFS-20757] c09 N72-28225

FLAT PLATES

Reduced gravity liquid configuration simulator
to study propellant behavior in rocket fuel
tanks
[NASA-CASE-XLE-02624] c12 N69-39988
Exponential horn, copper plate, magnetic hammer,
and anvil in apparatus for making diamonds
[NASA-CASE-HFS-20698] c15 N72-20446

FLEXIBILITY

Weatherproof helix antenna
[NASA-CASE-KKS-08485] c07 N71-19493
Flexible bellows joint shielding sleeve for
propellant transfer pipelines
[NASA-CASE-XNP-01855] c15 N71-28937

FLEXIBLE BODIES

Flexible backup bar for welding awkwardly shaped structures
 [NASA-CASE-XMF-00722] c15 N70-40204

Characteristics of hermetically sealed electric switch with flexible operating capability
 [NASA-CASE-XNP-09808] c09 N71-12518

Flexible composite membrane structure impervious to extremely reactive chemicals in rocket propellants
 [NASA-CASE-XNP-08837] c18 N71-16210

Development and characteristics of self supporting space vehicle
 [NASA-CASE-XLA-00117] c31 N71-17680

Design and development of flexible tunnel for use by spacecrews in performing extravehicular activities
 [NASA-CASE-MS-C-12243-1] c05 N71-24728

Vibration control of flexible bodies in steady accelerating environment
 [NASA-CASE-LAR-10106-1] c15 N71-27169

Flexible barrier membrane comprising porous substrate and incorporating liquid gallium or indium metal used as sealant barriers for spacecraft walls and pumping liquid propellants
 [NASA-CASE-INP-08881] c17 N71-28747

Development of device for simulating cyclic thermal loading of flexible materials by application of mechanical stresses and deformations
 [NASA-CASE-LAR-10270-1] c32 N72-25877

Development and characteristics of supporting frame to isolate payloads from multi-gravitational forces
 [NASA-CASE-MFS-21680-1] c15 N73-20525

FLEXIBLE WINGS

Aeroflexible wing structure with air scoop for inflating stiffeners with ram air
 [NASA-CASE-XLA-06095] c01 N69-39981

Deployment system for flexible wing with rigid superstructure
 [NASA-CASE-XLA-01220] c02 N70-41863

Development and characteristics of control system for flexible wings
 [NASA-CASE-XLA-06958] c02 N71-11038

FLEXING

Two degree inverted flexure from single block of material
 [NASA-CASE-ARC-10345-1] c15 N73-12488

FLIGHT

Flow meter for measuring stagnation pressure in boundary layer around high speed flight vehicle
 [NASA-CASE-IFR-02007] c12 N71-24692

FLIGHT ALTITUDE

Surface based altitude measuring system for accurately measuring altitude of airborne vehicle
 [NASA-CASE-ERC-10412-1] c09 N73-12211

Terminal guidance system --- for guiding aircraft into preselected altitude and/or heading at terminal point
 [NASA-CASE-FRC-10049-1] c21 N74-13420

FLIGHT CONTROL

Aircraft indicator for pilot control of takeoff roll, climbout path and verticle flight path in poor visibility conditions
 [NASA-CASE-XLA-00487] c14 N70-40157

Two axis flight controller with potentiometer control shafts directly coupled to rotatable ball members
 [NASA-CASE-IFR-04104] c03 N70-42073

Development of aircraft control system with high performance electrically controlled and mechanically operated hydraulic valves for precise flight operation
 [NASA-CASE-XAC-00048] c02 N71-29128

Characteristics of system for providing yaw control of vehicles at high supersonic and hypersonic speeds by deflecting flaps mounted on upper wing surface
 [NASA-CASE-LAR-11140-1] c02 N73-20008

Development of flight simulator system to show position of joystick displacement
 [NASA-CASE-NPO-11497] c08 N73-25206

Development and characteristics of system for integrated control of engine power and aerodynamic configuration of aircraft during landing approach
 [NASA-CASE-ARC-10456-1] c02 N73-30938

Solid state controller three axes controller
 [NASA-CASE-MS-C-12394-1] c03 N74-10942

FLIGHT CREWS

Survival couch for aircraft or spacecraft crews
 [NASA-CASE-XLA-00118] c05 N70-33285

FLIGHT RECORDERS

Event recorder with constant speed motor which rotates recording disk
 [NASA-CASE-XLA-01832] c14 N71-21006

FLIGHT SAFETY

Aerial capsule emergency separation device using jettisonable towers
 [NASA-CASE-XLA-00115] c03 N70-33343

Development and characteristics of electronic signalling system and data processing equipment for warning systems to avoid midair collisions between aircraft
 [NASA-CASE-LAR-10717-1] c21 N73-30641

FLIGHT SIMULATION

Lunar landing flight research vehicle
 [NASA-CASE-XPR-00929] c31 N70-34966

Television simulation for aircraft and space flight
 [NASA-CASE-XPR-03107] c09 N71-19449

Electrical circuit selection device for simulating stage separation of flight vehicle
 [NASA-CASE-XKS-04631] c10 N71-23663

FLIGHT SIMULATORS

Kinesthetic control simulator with multiple degree of freedom of movement similar to lunar flying vehicles
 [NASA-CASE-LAR-10276-1] c11 N70-26813

Centrifuge mounted motion simulator with elevator mechanism
 [NASA-CASE-XAC-00399] c11 N70-34815

Table structure and rotating magnet system simulating gravitational forces on spacecraft and displaying trajectories between Earth, Venus, and Mercury
 [NASA-CASE-XNP-00708] c14 N70-35394

Wind tunnel test section for simulating high Reynolds number over transonic speed range
 [NASA-CASE-MFS-20509] c11 N72-17183

Device for applying simulated g-forces to arm of aircraft simulator pilot
 [NASA-CASE-LAR-10550-1] c11 N72-27271

Development of flight simulator system to show position of joystick displacement
 [NASA-CASE-NPO-11497] c08 N73-25206

FLIGHT TESTS

Device for measuring drag forces in flight tests
 [NASA-CASE-XLA-00113] c14 N70-33386

FLIGHT VEHICLES

Construction of leading edges of surfaces for aerial vehicles performing from subsonic to above transonic speeds
 [NASA-CASE-XLA-01486] c01 N71-23497

Electro-optical attitude sensing device for landing approach of flight vehicle
 [NASA-CASE-XNS-01994-1] c14 N72-17326

Design and development of active control system for air cushion vehicle to reduce or eliminate effects of excessive vertical vibratory acceleration
 [NASA-CASE-LAR-10531-1] c02 N73-13023

FLIP-FLOPS

Bistable multivibrator circuits operating at high speed and low power dissipation
 [NASA-CASE-XGS-00823] c10 N71-15910

Stepping motor control apparatus exciting windings in proper time sequence to cause motor to rotate in either direction
 [NASA-CASE-GSC-10366-1] c10 N71-18772

Interrogator and current driver circuit for combination with transistor flip-flop circuit
 [NASA-CASE-XGS-03058] c10 N71-19547

FLOATING

Floating baffle for tank drain
 [NASA-CASE-KSC-10639] c15 N73-26472

Modification of one man life raft
 [NASA-CASE-LAR-10241-1] c05 N74-14845

FLOATS

Magnetically centered liquid column float
 [NASA-CASE-XAC-00030] c14 N70-34820

FLOTATION

Development and characteristics of rescue litter with inflatable flotation device for water rescue application
 [NASA-CASE-XMS-04170] c05 N71-22748

FLOW DIRECTION INDICATORS

Electric circuit for reversing direction of current flow
[NASA-CASE-XNP-00952] c10 N71-23271
Flow angle sensor and remote readout system for use with cryogenic fluids
[NASA-CASE-XLE-04503] c14 N71-24864

FLOW DISTRIBUTION

Photographing surface flow patterns on wind tunnel test models
[NASA-CASE-XLA-01353] c14 N70-41366
Color photointerpretation of interference colors reflected from thin film oil-coated components in moving gases for gas flow visualization
[NASA-CASE-XMP-01779] c12 N71-20815
Air conditioning system and automatic distribution device for distributing air flow from opposite directions in supply duct
[NASA-CASE-GSC-11445-1] c15 N72-28503

Laser Doppler velocimeter for simultaneously measuring orthogonal fluid velocity components without flow field perturbation
[NASA-CASE-ARC-10637-1] c14 N73-21390

FLOW MEASUREMENT

Collapsible flow test device for obstructed passages
[NASA-CASE-XMS-04917] c14 N69-24257
Simulated fuel assembly-type flow measurement apparatus for coolant flow in reactor core
[NASA-CASE-XLE-00724] c14 N70-34669
Mass flow meter containing beta source for measuring nonpolar liquid flow
[NASA-CASE-MFS-20485] c14 N72-11365
Instrument for measuring magnitude and direction of flow velocity in flow field
[NASA-CASE-LAR-10855-1] c14 N73-13415
System for measuring drag forces in a turbulently flowing fluid
[NASA-CASE-ARC-10755-1] c14 N74-14115
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c14 N74-18101

FLOW REGULATORS

Antibacklash circuit for hydraulic drive system
[NASA-CASE-XNP-01020] c03 N71-12260
Tubular flow restrictor for gas flow control in pipeline
[NASA-CASE-NPO-10117] c15 N71-15608
Fluid flow control valve for regulating fluids in molecular quantities
[NASA-CASE-XLE-00703] c15 N71-15967
Control of gas flow from pressurized vessel by thermal expansion of metal plug
[NASA-CASE-NPO-10298] c12 N71-17661
Semitoroidal diaphragm cavitating flow control valve
[NASA-CASE-XNP-09704] c12 N71-18615
Describing device for changing flow rate of fluid in duct in response to change in temperature
[NASA-CASE-MFS-14259] c15 N71-19213
Pneumatic servoamplifier for controlling flow regulation
[NASA-CASE-MSC-12121-1] c15 N71-27147
Gas flow control device, including housing and input port
[NASA-CASE-NPO-11479] c15 N73-13462

FLOW STABILITY

Detonation reaction engine comprising outer housing enclosing pair of inner walls for continuous flow
[NASA-CASE-XMP-06926] c28 N71-22983
Constant flow velocity generator for calibrating hot-wire anemometers
[NASA-CASE-MFS-21424-1] c12 N73-16248

FLOW VELOCITY

Continuous variation of propellant flow and thrust by application of liquid foam flow theory to injection orifice
[NASA-CASE-XLE-00177] c28 N70-40367
Measuring density of single and two-phase cryogenic fluids in rocket fuel tanks
[NASA-CASE-XLE-00688] c14 N70-41330
Device for adding water to high velocity exhaust jets to reduce velocity, noise, and temperature
[NASA-CASE-XMP-01813] c28 N70-41582

Positive displacement flowmeter for measuring extremely low flows of fluid with self calibrating features
[NASA-CASE-XMP-02822] c14 N70-41994
Zeta potential flowmeter for measuring very slow to very high flows
[NASA-CASE-XNP-06509] c14 N71-23226
Device for simultaneously determining density, velocity, and temperature of streaming gas
[NASA-CASE-XLA-03375] c16 N71-24074
Doppler shifted laser beam as fluid velocity sensor
[NASA-CASE-XAC-10770-1] c16 N71-24828
Flowmeters for sensing low fluid flow rate and pressure for application to respiration rate studies
[NASA-CASE-FRC-10022] c12 N71-26546
Force balanced throttle valve for fuel control in rocket engines
[NASA-CASE-NPO-10808] c15 N71-27432
Flow rate switch for detecting variations in fluid flow velocity through conduits of pressurized systems
[NASA-CASE-NPO-10722] c09 N72-20199
Instrument for measuring magnitude and direction of flow velocity in flow field
[NASA-CASE-LAR-10855-1] c14 N73-13415
Constant flow velocity generator for calibrating hot-wire anemometers
[NASA-CASE-MFS-21424-1] c12 N73-16248
Procedure for generating uniform flow at varying velocities in wind tunnel test section
[NASA-CASE-ARC-10710-1] c11 N73-27175

FLOW VISUALIZATION

Method and apparatus for measuring shock layer radiation distribution about high velocity objects
[NASA-CASE-XAC-02970] c14 N69-39896
Color photointerpretation of interference colors reflected from thin film oil-coated components in moving gases for gas flow visualization
[NASA-CASE-XMP-01779] c12 N71-20815

FLOWMETERS

Collapsible flow test device for obstructed passages
[NASA-CASE-XMS-04917] c14 N69-24257
Simulated fuel assembly-type flow measurement apparatus for coolant flow in reactor core
[NASA-CASE-XLE-00724] c14 N70-34669
Positive displacement flowmeter for measuring extremely low flows of fluid with self calibrating features
[NASA-CASE-XMP-02822] c14 N70-41994
Heated element sensor for fluid flow detection in thermal conductive conduit with adaptive means to determine flow rate and direction
[NASA-CASE-MSC-12084-1] c12 N71-17569
Describing laser Doppler velocimeter for measuring mean velocity and turbulence of fluid flow
[NASA-CASE-MFS-20386] c21 N71-19212
Zeta potential flowmeter for measuring very slow to very high flows
[NASA-CASE-XNP-06509] c14 N71-23226
Flow meter for measuring stagnation pressure in boundary layer around high speed flight vehicle
[NASA-CASE-XPR-02007] c12 N71-24692
Doppler shifted laser beam as fluid velocity sensor
[NASA-CASE-XAC-10770-1] c16 N71-24828
Flowmeters for sensing low fluid flow rate and pressure for application to respiration rate studies
[NASA-CASE-FRC-10022] c12 N71-26546
Mass flow meter containing beta source for measuring nonpolar liquid flow
[NASA-CASE-MFS-20485] c14 N72-11365
Respiratory analysis system to determine gas flow rate and frequency of respiration and expiration cycles in real time
[NASA-CASE-MSC-13436-1] c05 N73-32015
Low power electromagnetic flowmeter system producing zero output signal for zero flow
[NASA-CASE-ARC-10362-1] c14 N73-32326
System for measuring drag forces in a turbulently flowing fluid
[NASA-CASE-ARC-10755-1] c14 N74-14115
Electromagnetic flow rate meter --- for liquid metals

- [NASA-CASE-LEW-10981-1] c14 N74-21018
- FLUID AMPLIFIERS**
- Fluid jet amplifier with fluid from jet nozzle
deflected by inlet pressure
[NASA-CASE-XLE-03512] c12 N69-21466
- Multiple vortex amplifier system as fluid valve
[NASA-CASE-XMF-04709] c15 N71-15609
- Shear modulated fluid amplifier of high pressure
hydraulic vortex amplifier type
[NASA-CASE-MFS-10412] c12 N71-17578
- Development of vortex fluid amplifier for
throttling rocket exhaust
[NASA-CASE-LEW-10374-1] c28 N73-13773
- Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c09 N74-11050
- FLUID FILMS**
- Journal bearings --- for lubricant films
[NASA-CASE-LEW-11076-1] c15 N74-21061
- FLUID FILTERS**
- Absorbent apparatus for separating gas from
liquid-gas stream used in environmental
control under zero gravity conditions
[NASA-CASE-XMS-01492] c05 N70-41297
- Compact high pressure filter for rocket fuel lines
[NASA-CASE-XNP-00732] c28 N70-41447
- Development of liquid separating system using
capillary device connected to flexible bladder
storage chamber
[NASA-CASE-XMS-13052] c14 N71-20427
- Design and characteristics of system for
regenerating fluid filter to remove trapped
particles with application to space shuttle
systems
[NASA-CASE-MSC-14273-1] c12 N73-28179
- FLUID FLOW**
- Fluid jet amplifier with fluid from jet nozzle
deflected by inlet pressure
[NASA-CASE-XLE-03512] c12 N69-21466
- Pneumatic system for cyclic control of fluid
flow in pneumatic device
[NASA-CASE-XMS-04843] c03 N69-21469
- Conical valve plug for use with reactive
cryogenic fluids
[NASA-CASE-XLE-00715] c15 N70-34859
- Pressure regulating system with high pressure
fluid source, adapted to maintain constant
downstream pressure
[NASA-CASE-INP-00450] c15 N70-38603
- Antiflutter check valve for use with high
pressure fluid flow
[NASA-CASE-XNP-01152] c15 N70-41811
- Inductive liquid level detection system
[NASA-CASE-XLE-01609] c14 N71-10500
- Multiple vortex amplifier system as fluid valve
[NASA-CASE-XMF-04709] c15 N71-15609
- Heated element sensor for fluid flow detection
in thermal conductive conduit with adaptive
means to determine flow rate and direction
[NASA-CASE-MSC-12084-1] c12 N71-17569
- Throttle valve for regulating fluid flow volume
[NASA-CASE-XNP-09698] c15 N71-18580
- Photometric flow meter with comparator reference
means
[NASA-CASE-XGS-01331] c14 N71-22996
- Combination pressure transducer-calibrator
assembly for measuring fluid
[NASA-CASE-XNP-01660] c14 N71-23036
- Valve assembly for controlling simultaneously
more than one fluid flow, and having stable
qualities under loads
[NASA-CASE-XMS-05890] c09 N71-23191
- Flowmeters for sensing low fluid flow rate and
pressure for application to respiration rate
studies
[NASA-CASE-FRC-10022] c12 N71-26546
- Control valve for switching main stream of fluid
from one stable position to another by means
of electrohydrodynamic forces
[NASA-CASE-NPO-10416] c12 N71-27332
- Fluid control jet amplifiers
[NASA-CASE-XLE-09341] c12 N71-28741
- Mass flow meter containing beta source for
measuring nonpolar liquid flow
[NASA-CASE-MFS-20485] c14 N72-11365
- Flow rate switch for detecting variations in
fluid flow velocity through conduits of
pressurized systems
[NASA-CASE-NPO-10722] c09 N72-20199
- Torsional disconnect device for releasably
coupling distal ends of fluid conduits
[NASA-CASE-NPO-10704] c15 N72-20445
- Capacitive tank gaging device for monitoring one
constituent of two phase fluid by sensing
dielectric constant
[NASA-CASE-MFS-21629] c14 N72-22442
- Transferring liquid nitrogen through vacuum
chamber to cryopanel
[NASA-CASE-LAR-10031] c15 N72-22484
- Design and development of device for moving
liquid through pipes without use of mechanical
pumps
[NASA-CASE-LAR-10799-1] c12 N73-12295
- Design and development of device to prevent
geysering during convective circulation of
cryogenic fluids
[NASA-CASE-KSC-10615] c15 N73-12486
- Constant flow velocity generator for calibrating
hot-wire anemometers
[NASA-CASE-MFS-21424-1] c12 N73-16248
- Laser Doppler velocimeter for simultaneously
measuring orthogonal fluid velocity components
without flow field perturbation
[NASA-CASE-ARC-10637-1] c14 N73-21390
- Design and development of thermomechanical pump
for transmitting warming fluid through fluid
circuit to control temperature of spacecraft
instrumentation
[NASA-CASE-NPO-11417] c15 N73-24513
- Design and characteristics of system for
regenerating fluid filter to remove trapped
particles with application to space shuttle
systems
[NASA-CASE-MSC-14273-1] c12 N73-28179
- System for measuring drag forces in a
turbulently flowing fluid
[NASA-CASE-ARC-10755-1] c14 N74-14115
- Combined dual scatter, local oscillator laser
Doppler velocimeter
[NASA-CASE-ARC-10642-1] c14 N74-18099
- Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c14 N74-18101
- Flow control valve --- for high temperature fluids
[NASA-CASE-NPO-11951-1] c15 N74-21065
- FLUID INJECTION**
- Solid propellant ignition with hypergolic fluid
injected to predetermined portions of propellant
[NASA-CASE-XLE-00207] c28 N70-33375
- Method for igniting solid propellant rocket
motors by injecting hypergolic fluids
[NASA-CASE-XLE-01988] c27 N71-15634
- Constructing fluid spike nozzle to eliminate
heat transfer and high temperature problems
inherent in physical spikes
[NASA-CASE-XGS-01143] c31 N71-15647
- Method and apparatus for producing fine
particles in cryogenic liquid bath for gelled
rocket propellants
[NASA-CASE-NPO-10250] c23 N71-16212
- Fluid transferring system design for purging
toxic, corrosive, or noxious fluids and fumes
from materials handling equipment for
cleansing and accident prevention
[NASA-CASE-XMS-01905] c12 N71-21089
- Tertiary flow injection system for thrust
vectoring of propulsive nozzle flow
[NASA-CASE-MFS-20831] c28 N71-29153
- FLUID JETS**
- Directed fluid stream for propeller blade
loading control
[NASA-CASE-XAC-00139] c02 N70-34856
- FLUID LOGIC**
- Logic AND gate for fluid circuits
[NASA-CASE-XLA-07391] c12 N71-17579
- FLUID MECHANICS**
- Fluid leakage detection system with automatic
monitoring capability
[NASA-CASE-LAR-10323-1] c12 N71-17573
- Development and characteristics of parallel
plate viscometer for determination of absolute
viscosity of liquids and viscoelastic materials
[NASA-CASE-NPO-11387] c14 N73-14429
- FLUID POWER**
- Fluid power transmission and gas bearing system
[NASA-CASE-XMS-01445] c12 N71-16031

- Low friction gas bearing system for fluid power transmission to bearing-supported payload
[NASA-CASE-ERC-10097] c15 N71-28465
- FLUID ROTOR GYROSCOPES**
Piezoelectric pump for supplying fluid at high frequencies to gyroscope fluid suspension system
[NASA-CASE-XNP-05429] c26 N71-21824
- FLUID SWITCHING ELEMENTS**
Two phase fluid pressurization system for propellant tank
[NASA-CASE-MSC-12390] c27 N71-29155
- FLUID TRANSMISSION LINES**
Device for suppressing pressure oscillations in fluid transmission lines
[NASA-CASE-MFS-10354] c12 N70-41976
Device for suppressing pressure oscillations in fluid transmission line
[NASA-CASE-MFS-10354-2] c12 N72-25306
- FLUIDIC CIRCUITS**
Using molds for fabricating individual fluid circuit components
[NASA-CASE-XLA-07829] c15 N72-16329
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c14 N74-18101
- FLUIDICS**
Fluidic-thermochromic display device
[NASA-CASE-ERC-10031] c12 N71-18603
Plasma-fluidic hybrid display system combining high brightness and memory characteristics
[NASA-CASE-ERC-10100] c09 N71-33519
Continuous gas flow control by fluidic proportional thruster system
[NASA-CASE-ARC-10106-1] c28 N72-22769
Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c09 N74-11050
- FLUIDS**
Automated fluid chemical analyzer for microchemical analysis of small quantities of liquids by use of selected reagents and analyzer units
[NASA-CASE-XNP-09451] c06 N71-26754
Detection of bacteria in biological fluids and foods
[NASA-CASE-GSC-11533-1] c14 N73-13435
Fluid polydimethylsiloxane resin with low outgassing properties in cured state
[NASA-CASE-GSC-11358-1] c06 N73-26100
- FLUORESCENCE**
Spectrophotofluorometer with 3-dimensional display to identify fluorescence spectra of carcinogenic and noncarcinogenic hydrocarbons
[NASA-CASE-XGS-01231] c14 N70-41676
Sealed fluorescent tube light unit capable of connection with other units to form string of work lights
[NASA-CASE-XKS-05932] c09 N71-26787
- FLUORIDES**
Self lubricating fluoride-metal composite materials for outer space applications
[NASA-CASE-XLE-08511] c18 N71-23710
Development of fluoride coating to prevent oxidation of beryllium surfaces at elevated temperatures
[NASA-CASE-LEW-10327] c17 N71-33408
Perfluoro polyether acyl fluorides
[NASA-CASE-NPO-10765] c06 N72-20121
- FLUORINATION**
Fluorinated polyurethanes produced by reacting hydroxy terminated perfluoro polyether with diisocyanate
[NASA-CASE-NPO-10767-2] c06 N72-27151
Fluorinated esters of polycarboxylic acid and lubricating compositions for use at extreme temperature
[NASA-CASE-MFS-21040-1] c06 N73-30098
- FLUORINE**
Reaction of polyperfluoropolyenes with fluorine to produce saturated polymer chain or create reactive sites on chain
[NASA-CASE-NPO-10862] c06 N72-22107
- FLUORO COMPOUNDS**
Synthesis of polyfluorobutadiene by polymerization of perfluorobutadiene with diisopropyl peroxydicarbonate
[NASA-CASE-NPO-10863] c06 N70-11251
Low pressure perfluorobutadiene polymerization with peroxide catalysts
[NASA-CASE-NPO-10447] c06 N70-11252
- Oxygen difluoride in synthesis of fluoropolymers
[NASA-CASE-NPO-12061-1] c06 N72-21106
Preparation of fluoroalkoxy ethers by reacting fluoroalkylene oxides with alkali salt of polyfluoroalkylene diol
[NASA-CASE-MFS-10507] c06 N73-30101
Preparation of fluorinated polyethers from 2-hydro-perhaloisopropyl alcohols
[NASA-CASE-MFS-11492] c06 N73-30102
Chemical and elastic properties of fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c06 N73-33076
- FLUOROCARBONS**
Electrically conductive fluorocarbon polymers
[NASA-CASE-XLE-06774-2] c06 N72-25150
- FLUOROSCOPY**
Self-scanning chromatographic-fluorographic drug detector with optical readout system
[NASA-CASE-ARC-10633-1] c05 N73-22048
- FLUTTER**
Antiflutter check valve for use with high pressure fluid flow
[NASA-CASE-XNP-01152] c15 N70-41811
Development of aerodynamic control system to control flutter over large range of oscillatory frequencies using stability augmentation techniques
[NASA-CASE-LAR-10682-1] c02 N73-26004
- FLUX (RATE)**
Solid state device for mapping flux and power in nuclear reactor cores
[NASA-CASE-XLE-00301] c14 N70-36808
Fluxgate magnetometer for measuring magnetic field along two axes using one sensor
[NASA-CASE-GSC-10441-1] c14 N71-27325
- FLUX DENSITY**
Particle beam power density detection and measurement apparatus
[NASA-CASE-XLE-00243] c14 N70-38602
- FLUXES**
Hydrazine monoperfluoro alkanoate solder flux leaving corrosion resistant coating, for metals such as copper
[NASA-CASE-XNP-03459-2] c18 N71-15688
Metal soldering with hydrazine monoperfluoro alkanoate for corrosion resistant coatings
[NASA-CASE-XNP-03459] c15 N71-21078
- FOAMS**
Fire retardant polyisocyanurate foam with high temperature resistance
[NASA-CASE-ARC-10280-1] c18 N70-34695
Plastic foam generator for space vehicle instrument payload package flotation in water landing
[NASA-CASE-XLA-00838] c03 N70-36778
Continuous variation of propellant flow and thrust by application of liquid foam flow theory to injection orifice
[NASA-CASE-XLE-00177] c28 N70-40367
Development of foam insulation for filament wound cryogenic storage tank
[NASA-CASE-XLE-03803] c15 N71-23816
Carboxyl terminated polyester prepolymers and foams produced from prepolymers and materials
[NASA-CASE-NPO-10596] c06 N71-25929
Storage stable, thermally activated foaming compositions for erecting and rigidizing mechanisms of thin sheet solar collectors
[NASA-CASE-LAR-10373-1] c18 N71-26155
Method of making solid propellant rocket motor having reliable high altitude capabilities, long shelf life, and capable of firing with nozzle closure with foamed plastic permanent mandrel
[NASA-CASE-XLA-04126] c28 N71-26779
Foam insulation thickness measuring and injection device for spacecraft applications
[NASA-CASE-MFS-20261] c14 N71-27005
Description of method for making homogeneous foamed materials in weightless environment using materials having different physical properties
[NASA-CASE-XMF-09902] c15 N72-11387
Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c06 N74-12812
- FOCUSING**
X ray collimating structure for focusing radiation directly onto detector

- [NASA-CASE-XHQ-04106] c14 N70-40240
Apertured electrode focusing system for ion sources with nonuniform plasma density
[NASA-CASE-XMP-03332] c09 N71-10618
Development and characteristics of Petzval type objective including field shaping lens for focusing light of specified wavelength band on curved photoreceptor
[NASA-CASE-GSC-10700] c23 N71-30027
Absolute focus locking device for microscopes to maintain set focus for extended time period
[NASA-CASE-LAR-10184] c14 N72-22445
Electron beam controller --- using magnetic field to refocus spent electron beam in microwave oscillator tube
[NASA-CASE-LEW-11617-1] c09 N74-10195
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c14 N74-10420
- FOILS (MATERIALS)**
Foil seal between parts moving relative to each other
[NASA-CASE-XLE-05130] c15 N69-21362
Procedure for making insulating foil for use in multilayer insulating system
[NASA-CASE-LEW-11484-1] c15 N73-22415
- FOLDING**
Characteristics of device for folding thin flexible sheets into compact configuration
[NASA-CASE-XLA-00137] c15 N70-33180
- FOLDING STRUCTURES**
Lenticular vehicle with foldable aerodynamic control flaps and reaction jets for operation above and within earth's atmosphere
[NASA-CASE-XGS-00260] c31 N70-37924
Collapsible, space erectable loop antenna system for space vehicle
[NASA-CASE-XHP-00437] c07 N70-40202
Unfolding boom assembly with knuckle joints for positioning equipment for spacecraft
[NASA-CASE-XGS-00938] c32 N70-41367
Foldable conduit capable of springing back as self erecting structural member
[NASA-CASE-XLE-00620] c32 N70-41579
Foldable, double cone and parabolic reflector system for solar ray concentration
[NASA-CASE-XLA-04622] c03 N70-41580
Method for deployment of flexible wing glider from space vehicle with minimum impact and loading
[NASA-CASE-XHS-00907] c02 N70-41630
Development and characteristics of variable sweep wing control system for supersonic aircraft
[NASA-CASE-XLA-03659] c02 N71-11041
Hydraulic actuator design for space deployment of heat radiators
[NASA-CASE-HSC-11817-1] c15 N71-26611
Apparatus and method of assembling building blocks by folding pre-cut flat sheets of material during on-site construction
[NASA-CASE-HSC-12233-1] c15 N72-25454
Electrically conductive wire storage in plastic capsule that allows for unfolding
[NASA-CASE-LAR-10168-1] c09 N73-22151
- FOOD**
Detection of bacteria in biological fluids and foods
[NASA-CASE-GSC-11533-1] c14 N73-13435
- FORCE**
Electromechanical actuator for producing mechanical force and/or motion in response to electrical signals
[NASA-CASE-NPO-11738-1] c09 N73-30185
- FORCE DISTRIBUTION**
Device for handling heavy loads by distributing forces
[NASA-CASE-XNP-04969] c11 N69-27466
Development of two force component measuring device
[NASA-CASE-XAC-04886-1] c14 N71-20439
Tensile strength testing device having pulley guides for exerting multiple forces on test specimen
[NASA-CASE-XNP-05634] c15 N71-24834
Development and characteristics of device for indicating and recording magnitude of force applied in axial direction
[NASA-CASE-HSC-15626-1] c14 N72-25411
- Variable direction force coupler for transmitting force along selectable curve path
[NASA-CASE-HFS-20317] c15 N73-13463
- FORMALDEHYDE**
Chemical synthesis of formaldehyde based disinfectants without penetrating odor and eye and ear irritation properties
[NASA-CASE-NPO-12115-1] c06 N73-17153
- FORMATES**
Preparation of polyurethane polymer by reacting hydroxy polyformal with organic diisocyanate
[NASA-CASE-HFS-10509] c06 N73-30103
- FORMING TECHNIQUES**
Apparatus for forming wire grids for electric strain gages
[NASA-CASE-XLE-00023] c15 N70-33330
Hot forming of plastic sheets
[NASA-CASE-XMS-05516] c15 N71-17803
Forming tubes from long thin flat metal strips
[NASA-CASE-XGS-04175] c15 N71-18579
Portable magnetomotive hammer for metal working
[NASA-CASE-XHP-03793] c15 N71-24833
Forming mold for polishing and machining curved solar magnesium reflector with reinforcing ribs
[NASA-CASE-XLE-08917-2] c15 N71-24836
Heat treatment and tooling for forming shapes from thermosetting honeycomb core sheets
[NASA-CASE-NPO-11036] c15 N72-24522
Compression molding apparatus for thermosetting plastic compositions
[NASA-CASE-LAR-10489-2] c15 N73-31446
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c17 N74-10521
Drilled ball bearing with a one piece anti-tipping cage assembly
[NASA-CASE-LEW-11925-1] c15 N74-18133
- FOUNDATIONS**
Base support for expandable and contractible coupling between two members
[NASA-CASE-NPO-11059] c15 N72-17454
- FOURIER TRANSFORMATION**
Photographic film restoration system using Fourier transformation lenses and spatial filter
[NASA-CASE-HSC-12448-1] c14 N72-20394
Continuous Fourier transform method and apparatus
[NASA-CASE-ARC-10466-1] c08 N73-21199
- FRACTIONATION**
Purification apparatus for vaporization and fractional distillation of liquids
[NASA-CASE-XNP-08124] c15 N71-27184
- FRACTURE MECHANICS**
Apparatus for testing metallic and nonmetallic beams or rods by bending at high temperatures in vacuum or inert atmosphere
[NASA-CASE-XLE-01300] c15 N70-41993
- FRAMES**
Shock absorbing articulated multiple couch assembly
[NASA-CASE-HSC-11253] c05 N71-12343
Pliable frame for sunglasses in emergency survival kits
[NASA-CASE-XMS-06064] c05 N71-23096
Expandable space frames with high expansion to collapse ratio
[NASA-CASE-ERC-10365-1] c31 N73-32749
- FRAISING CAMERAS**
High speed photo-optical time recorder for indicating time at exposure of each frame of high speed movie camera film
[NASA-CASE-KSC-10294] c14 N72-18411
- FREE FLIGHT TEST APPARATUS**
Hydraulic support equipment for full scale dynamic testing of large rocket vehicle under free flight conditions
[NASA-CASE-XHP-01772] c11 N70-41677
Hydraulic support apparatus for dynamic testing of space vehicles under near-free flight conditions
[NASA-CASE-XNP-03248] c11 N71-10604
Free flight suspension system for use with aircraft models in wind tunnel tests
[NASA-CASE-XLA-00939] c11 N71-15926
- FREEZE DRYING**
Rice preparation process consisting of cooking, two freezing-thawing cycles, and then freeze drying
[NASA-CASE-HSC-13540-1] c05 N72-33096

- FREON**
Solar energy power system --- using freon
[NASA-CASE-MFS-21628-1] c29 N74-14496
- FREQUENCIES**
Controlled oscillator system with a time dependent output frequency
[NASA-CASE-NPO-11962-1] c09 N74-10194
High efficiency multifrequency feed
[NASA-CASE-GSC-113173] c09 N74-20863
- FREQUENCY ANALYZERS**
Describing frequency discriminator using digital logic circuits and supplying single binary output signal
[NASA-CASE-MFS-14322] c08 N71-18692
Broadband frequency discriminator with resistive captive inductive networks
[NASA-CASE-NPO-10096] c07 N71-24583
Audio frequency analysis circuit for determining, displaying, and recording frequency of sweeping audio frequency signal
[NASA-CASE-NPO-11147] c14 N72-27408
Continuous Fourier transform method and apparatus
[NASA-CASE-ARC-10466-1] c08 N73-21199
- FREQUENCY CONTROL**
Automatic control of voltage supply to direct current motor
[NASA-CASE-XMS-04215-1] c09 N69-39987
Variable frequency magnetic coupled multivibrator with temperature compensated frequency control circuit
[NASA-CASE-XGS-00458] c09 N70-38604
Variable frequency magnetic coupled multivibrator with output signal of constant amplitude and waveform
[NASA-CASE-XGS-00131] c09 N70-38995
Development of automatic frequency discriminators and control for phase lock loop providing frequency preset capabilities
[NASA-CASE-XMF-08665] c10 N71-19467
Linear accelerator frequency control system
[NASA-CASE-XGS-05441] c10 N71-22962
Tuning arrangement for frequency control of magnetron-type electron discharge device
[NASA-CASE-XNP-09771] c09 N71-24841
Development of acoustical controlled distributed feedback laser with continuous frequency spectrum tuning
[NASA-CASE-NPO-13175-1] c16 N73-27431
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c07 N74-11000
Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c07 N74-19790
- FREQUENCY CONVERTERS**
Frequency to analog converters with unipolar field effect transistor for determining potential charge by pulse duration of input signal
[NASA-CASE-XNP-07040] c08 N71-12500
Describing static inverter with single or multiple phase output
[NASA-CASE-XMF-00663] c08 N71-18752
Voltage controlled, variable frequency relaxation oscillator with MOSFET variable current feed
[NASA-CASE-GSC-10022-1] c10 N71-25882
Development of family of frequency to amplitude converters for frequency analysis of complex input signal waveforms
[NASA-CASE-MSC-12395] c09 N72-25257
- FREQUENCY DISTRIBUTION**
Monopole antenna system for maximum omnidirectional efficiency for use on satellites
[NASA-CASE-XLA-00414] c07 N70-38200
Variable frequency subcarrier oscillator with temperature compensation
[NASA-CASE-XNP-03916] c09 N71-28810
- FREQUENCY DIVIDERS**
Low phase noise frequency divider for use with deep space network communication system
[NASA-CASE-NPO-11569] c10 N73-26229
Technique for extending the frequency range of digital dividers
[NASA-CASE-LAR-10730-1] c10 N74-10223
Symmetrical odd-modulus frequency divider
[NASA-CASE-NPO-13426-1] c09 N74-18869
- FREQUENCY DIVISION MULTIPLEXING**
Earth satellite relay station for frequency multiplexed voice transmission
[NASA-CASE-GSC-10118-1] c07 N71-24621
- System for monitoring condition responsive devices by using frequency division multiplex technique
[NASA-CASE-KSC-10521] c07 N73-20176
- FREQUENCY MEASUREMENT**
Measurement system for physical quantity represented by or converted to variable frequency signal
[NASA-CASE-MFS-20658-1] c14 N73-30386
- FREQUENCY MODULATION**
Accelerometer with FM output signals indicative of mechanical strain on it
[NASA-CASE-XLA-00492] c14 N70-34799
Circuitry for generating sync signals in FM communication systems including video information
[NASA-CASE-XNP-10830] c07 N71-11281
Demodulator for simultaneous demodulation of two modulating ac signal carriers close in frequency
[NASA-CASE-XMF-01160] c07 N71-11298
Optical tracker with pair of FM reticles having patterns 90 deg out of phase
[NASA-CASE-XGS-05715] c23 N71-16100
Atomic hydrogen maser with bulb temperature control by output frequency difference signal for wall shift elimination
[NASA-CASE-HQX-10654-1] c16 N73-13489
Device for locating electrically nonlinear objects and determining distance to object by FM signal transmission
[NASA-CASE-KSC-10108] c14 N73-25461
Symmetrical odd-modulus frequency divider
[NASA-CASE-NPO-13426-1] c09 N74-18869
Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c07 N74-19790
- FREQUENCY MULTIPLIERS**
Multiple varactor for generating high frequencies with high power and high conversion efficiency
[NASA-CASE-XMF-04958-1] c10 N71-26414
- FREQUENCY RANGES**
Variable time constant, wide frequency range smoothing network for noise removal from pulse chains
[NASA-CASE-XGS-01983] c10 N70-41964
Variable frequency nuclear magnetic resonance spectrometer providing drive signals over wide frequency range and minimizing noise effects
[NASA-CASE-XNP-09830] c14 N71-26266
Technique for extending the frequency range of digital dividers
[NASA-CASE-LAR-10730-1] c10 N74-10223
Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c14 N74-20019
- FREQUENCY RESPONSE**
Adjustable frequency response microphone
[NASA-CASE-LAR-11170-1] c07 N74-12843
- FREQUENCY SHIFT**
Doppler frequency shift correction device for multiplex communication with Applications Technology Satellites
[NASA-CASE-XGS-02749] c07 N69-39978
Serrordyne traveling wave tube reentrant amplifier for synchronous communication satellites operating at microwave frequencies
[NASA-CASE-XGS-01022] c07 N71-16088
Multiplexed communication system design including automatic correction of transmission errors introduced by frequency spectrum shifts
[NASA-CASE-XNP-01306] c07 N71-20814
Doppler shifted laser beam as fluid velocity sensor
[NASA-CASE-XAC-10770-1] c16 N71-24828
- FREQUENCY SHIFT KEYING**
Frequency shift keyed demodulator - circuit diagrams
[NASA-CASE-XGS-02889] c07 N71-11282
Frequency shift keying apparatus for use with pulse code modulation data transmission system
[NASA-CASE-XGS-01537] c07 N71-23405
- FREQUENCY STABILITY**
Gas laser frequency stabilized by position of mirrors in resonant cavity
[NASA-CASE-XGS-03644] c16 N71-18614
Solid state broadband stable power amplifier
[NASA-CASE-XNP-10854] c10 N71-26331
- FREQUENCY STANDARDS**
Development of method for synchronizing clocks at several ground stations based on signals

- received from spacecraft or satellites
[NASA-CASE-XNP-08875] c10 N71-23099
- FREQUENCY SYNCHRONIZATION**
Synchronized digital communication system
[NASA-CASE-XNP-03623] c09 N73-28084
- FREQUENCY SYNTHESIZERS**
Digitally controlled frequency synthesizer for pulse frequency modulation telemetry systems
[NASA-CASE-XGS-02317] c09 N71-23525
- FRICTION**
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c15 N74-18132
- FRICTION FACTOR**
Self lubricating gears and other mechanical parts having surface adapted to frictional contact
[NASA-CASE-MFS-14971] c15 N71-24984
- FRICTION MEASUREMENT**
Kinetic and static friction force measurement between magnetic tape and magnetic head surfaces
[NASA-CASE-XNP-08680] c14 N71-22995
- FRICTION REDUCTION**
Development of low friction magnetic recording tape
[NASA-CASE-XGS-00373] c23 N71-15978
Hollow high strength rolling elements for antifriction bearings fabricated from preformed components
[NASA-CASE-LEW-11026-1] c15 N73-33383
- FRICTIONLESS ENVIRONMENTS**
Air bearings for near frictionless transfer of loads from one body to another
[NASA-CASE-XMF-01887] c15 N71-10617
Platform with several ground effect pads and plenum chambers
[NASA-CASE-MFS-14685] c31 N71-15689
Development of apparatus for simulating zero gravity conditions
[NASA-CASE-MFS-12750] c27 N71-16223
- FROST**
Insulating system for receptacles of liquefied gases using wire cloth for forming frost layer
[NASA-CASE-XMF-00341] c15 N70-33323
- FUEL CELLS**
Inorganic ion exchange membrane electrolytes for fuel cell use
[NASA-CASE-XNP-04264] c03 N69-21337
Operation method for combined electrolysis device and fuel cell using molten salt to produce power by thermoelectric regeneration mechanism
[NASA-CASE-XLE-01645] c03 N71-20904
Electrode sealing and insulation for fuel cells containing caustic liquid electrolytes using powdered plastic and metal
[NASA-CASE-XMS-01625] c15 N71-23022
Development and characteristics of ion-exchange membrane and electrode assembly for fuel cells or electrolysis cells
[NASA-CASE-XMS-02063] c03 N71-29044
Method for producing asbestos matrix suitable for use in fuel cell or electrolysis cell
[NASA-CASE-HSC-12568-1] c18 N73-16577
- FUEL CONTROL**
Attitude and propellant flow control system for liquid propellant rocket vehicles
[NASA-CASE-XHF-00185] c21 N70-34539
Flexible ring slosh damping baffle for spacecraft fuel tank
[NASA-CASE-LAR-10317-1] c32 N71-16103
Submerged fuel tank baffles to prevent sloshing in liquid propellant rocket flight
[NASA-CASE-XLA-04605] c32 N71-16106
Control valve and coaxial variable injector for controlling bipropellant mixture ratio and flow
[NASA-CASE-XNP-09702] c15 N71-17654
Force balanced throttle valve for fuel-control in rocket engines
[NASA-CASE-NPO-10808] c15 N71-27432
Variable-orifice hydraulic mechanism for aircraft gas turbine engine fuel control
[NASA-CASE-LEW-11187-1] c28 N73-19793
- FUEL FLOW**
Development of system for preheating vaporized fuel for use with internal combustion engines
[NASA-CASE-NPO-12072] c28 N72-22772
- FUEL FLOW REGULATORS**
Solenoid two-step valve for bipropellant flow rate control to rocket engine
[NASA-CASE-XHS-04890-1] c15 N70-22192
Water electrolysis rocket engine with self-regulating stoichiometric fuel mixing regulator
[NASA-CASE-XGS-08729] c28 N71-14044
- FUEL GAGES**
Response analyzing apparatus for liquid vapor interface sensor of sloshing rocket propellant
[NASA-CASE-MFS-11204] c14 N71-29134
- FUEL INJECTION**
Apparatus for cooling and injecting hypergolic propellants into combustion chamber of small rocket engine
[NASA-CASE-XLE-00303] c15 N70-36535
Fuel injection system for maximum combustion efficiency of rocket engines
[NASA-CASE-XLE-00111] c28 N70-38199
Propellant injection assembly having individually removable and replaceable nozzles for liquid fueled rocket engines
[NASA-CASE-XHF-00968] c28 N71-15660
Fuel and oxidizer injection head for thrust chamber of reaction engine
[NASA-CASE-NPO-10046] c28 N72-17843
Improved injector with porous plug for bubbles of gas into feed lines of electrically conductive liquid
[NASA-CASE-NPO-11377] c15 N73-27406
Rocket propellant injector with porous faceplate for rocket engine combustion chamber
[NASA-CASE-LEW-11071-1] c27 N73-27695
- FUEL PUMPS**
Variable displacement fuel pump for internal combustion engines
[NASA-CASE-MSC-12139-1] c28 N71-14058
- FUEL SYSTEMS**
Internal labyrinth and shield structure to improve electrical isolation of propellant feed source from ion thruster
[NASA-CASE-LEW-10210-1] c28 N71-26781
Development of system for preheating vaporized fuel for use with internal combustion engines
[NASA-CASE-NPO-12072] c28 N72-22772
Development of electronic circuit for measurement transducer power supply to be used for liquid level measurement in liquid propellant rocket engines
[NASA-CASE-MFS-21698-1] c09 N73-26196
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c28 N74-13502
- FUEL TANK PRESSURIZATION**
Fuel tank pressure-relief device for venting cryogenic liquid vapors through tubes with porous plug
[NASA-CASE-XLE-00288] c15 N70-34247
Automatically reciprocating, high pressure pump for use in spacecraft cryogenic propellants
[NASA-CASE-XNP-04731] c15 N71-24042
Method and apparatus for pressurizing propellant tanks used in propulsion motor feed system
[NASA-CASE-XNP-00650] c27 N71-28929
- FUEL TANKS**
Reduced gravity liquid configuration simulator to study propellant behavior in rocket fuel tanks
[NASA-CASE-XLE-02624] c12 N69-39988
Flexible ring slosh damping baffle for spacecraft fuel tank
[NASA-CASE-LAR-10317-1] c32 N71-16103
Submerged fuel tank baffles to prevent sloshing in liquid propellant rocket flight
[NASA-CASE-XLA-04605] c32 N71-16106
Pressure sensor network for measuring liquid dynamic response in flight including fuel tank acceleration, liquid slosh amplitude, and fuel depth monitoring
[NASA-CASE-XLA-05541] c12 N71-26387
Electrical failure detector in solid rocket propellant motor insulation against thermal degradation by fuel grain
[NASA-CASE-XHF-03968] c14 N71-27186
- FUEL VALVES**
Apparatus for cooling and injecting hypergolic propellants into combustion chamber of small rocket engine
[NASA-CASE-XLE-00303] c15 N70-36535
Serritoidal diaphragm cavitating flow control valve
[NASA-CASE-XNP-09704] c12 N71-18615

- Filler valve design for supplying liquid propellants at high pressure to space vehicles
[NASA-CASE-XNP-01747] c15 N71-23024
- FUNCTION GENERATORS**
- Mechanical function generators with potentiometer as sensing element
[NASA-CASE-XAC-00001] c15 N71-28952
- Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c08 N72-20176
- Service life of electromechanical device for generating sine/cosine functions
[NASA-CASE-LAR-10503-1] c09 N72-21248
- Function generators for producing complex vibration mode patterns used to identify vibration mode data
[NASA-CASE-LAR-10310-1] c10 N73-20253
- Integrated circuit tangent function generator
[NASA-CASE-MSC-13907-1] c10 N73-26230
- FURLABLE ANTENNAS**
- Development and characteristics of extensible dipole antenna using deformable, tubular metallic strip element
[NASA-CASE-HQN-00937] c07 N71-28979
- Furlable antenna for spacecraft
[NASA-CASE-NPO-11361] c07 N72-32169
- FURNACES**
- High speed infrared furnace
[NASA-CASE-XLE-10466] c17 N69-25147
- Development of black-body source calibration furnace
[NASA-CASE-XLE-01399] c33 N71-15625
- Induction heating of metallurgical specimens to high temperatures in coil furnace
[NASA-CASE-XLE-04026] c14 N71-23267
- Electric furnace for vacuum and zero gravity melting of high melting point materials during earth orbit
[NASA-CASE-MPS-20710] c11 N72-23215
- FUSION (MELTING)**
- Silver chloride use in technique for fusion bonding of graphite to silver, glass, ceramics, and certain other metals
[NASA-CASE-XGS-00963] c15 N69-39735
- Process for fiberizing ceramic materials with high fusion temperatures and tensile strength
[NASA-CASE-XNP-00597] c18 N71-23088
- FUSION WELDING**
- Fabricating solar cells with dielectric layers to improve glass fusion
[NASA-CASE-XGS-04531] c03 N69-24267
- Control of fusion welding through use of thermocouple wire
[NASA-CASE-MPS-06074] c15 N71-20393
- Diffusion welding in air --- solid state welding of butt joint by fusion welding, surface cleaning, and heating
[NASA-CASE-LEW-11387-1] c15 N74-18128
- G**
- GADOLINIUM**
- Doping silicon material with gadolinium to increase radiation resistance of solar cells
[NASA-CASE-XLE-02792] c26 N71-10607
- Gadolinium or samarium doped-silicon semiconductor material with resistance to radiation damage for use in solar cells
[NASA-CASE-XLE-10715] c26 N71-23292
- GALLIUM**
- Device for measuring two orthogonal components of force with gallium flotation of measuring target for use in vacuum environments
[NASA-CASE-XAC-04885] c14 N71-23790
- GALLIUM ARSENIDES**
- Describing method for vapor deposition of gallium arsenide films to manganese substrates to provide semiconductor devices with low resistance substrates
[NASA-CASE-XNP-01328] c26 N71-18064
- Gallium arsenide solar cell preparation by surface deposition of cuprous iodide on thin n-type polycrystalline layers and heating in iodine vapor
[NASA-CASE-XNP-01960] c09 N71-23027
- Water content in vapor deposition atmosphere for forming n-type and p-type junctions of zinc doped gallium arsenide
[NASA-CASE-XNP-01961] c26 N71-29156
- Graded band gap p-n junction gallium arsenide/gallium aluminum arsenide solar cell
[NASA-CASE-LAR-11174-1] c03 N73-26047
- GALVANIC SKIN RESPONSE**
- Adhesive spray process for attaching biomedical skin electrodes
[NASA-CASE-XFR-07658-1] c05 N71-26293
- GAMMA RAYS**
- Coaxial electrical conductor for high gamma flux locations of thermionic converter
[NASA-CASE-LEW-10950-1] c09 N72-31239
- Design of gamma ray spectrometer for measurement of intense radiation using Compton scattering effect
[NASA-CASE-MPS-21441-1] c14 N73-30392
- GANTRY CRANES**
- Design and characteristics of mechanically extended and telescoping boom on crane assembly
[NASA-CASE-NPO-11118] c03 N72-25021
- GARMENTS**
- Electromedical garment, applying vectorcardiologic type electrodes to human torsos for data recording during physical activity
[NASA-CASE-XFR-10856] c05 N71-11189
- GAS ANALYSIS**
- Gas analyzer for bi-gaseous mixtures suitable for use in test facilities
[NASA-CASE-XLA-01131] c14 N71-10774
- Describing crystal oscillator instrument for detecting condensable gas contaminants in vacuum apparatus
[NASA-CASE-NPO-10144] c14 N71-17701
- Design and characteristics of time of flight mass spectrometer to measure or analyze gases at low pressures and time of flight of single gas molecule
[NASA-CASE-XNP-01056] c14 N71-23041
- Microwave double resonance spectroscopy absorption cell for gas analysis
[NASA-CASE-LAR-10305] c14 N71-26137
- Ion microprobe mass spectrometer with cooled electrode target for analyzing traces of fluids
[NASA-CASE-ERC-10014] c14 N71-28863
- Development and characteristics of injection system for use with gas chromatograph
[NASA-CASE-ARC-10349-1] c14 N72-21433
- Nondispersive gas analysis using radiation detection for quantitative analysis
[NASA-CASE-ARC-10308-1] c06 N72-31141
- Apparatus for analyzing gas samples in containers including vacuum chamber, mass spectrometer, and gas chromatography
[NASA-CASE-GSC-10903-1] c14 N73-12444
- Analysis of volatile organic compounds --- quantitative and qualitative analysis of trace amounts in gas samples
[NASA-CASE-MSC-14428-1] c06 N74-19776
- GAS BAGS**
- Payload soft landing system using stowable gas bag
[NASA-CASE-XLA-09881] c31 N71-16085
- GAS BEARINGS**
- Externally pressurized air bearing for gyros operating in high temperature, low gravity environments
[NASA-CASE-XMF-00515] c15 N70-34664
- Slit regulated gas journal bearing
[NASA-CASE-XNP-00476] c15 N70-38620
- Air bearings for spacecraft gyros
[NASA-CASE-XMF-00339] c15 N70-39896
- Air bearings for near frictionless transfer of loads from one body to another
[NASA-CASE-XNP-01887] c15 N71-10617
- Fluid power transmission and gas bearing system
[NASA-CASE-XMS-01445] c12 N71-16031
- Bismuth and lead surface coatings for gas bearings in aerospace engineering
[NASA-CASE-XGS-02011] c15 N71-20739
- Swivel support for gas bearing for position adjustment between ball and supporting cup
[NASA-CASE-XMF-07808] c15 N71-23812
- Low friction gas bearing system for fluid power transmission to bearing-supported payload
[NASA-CASE-ERC-10097] c15 N71-28465
- Gas bearing for model support with capacity for measuring angular displacement of model in bearing
[NASA-CASE-XLA-09346] c15 N71-28740

- Journal air bearing with cylindrical cup designed to ride on shaft
[NASA-CASE-MFS-20423] c15 N72-11388
- Air bearing for use in exterior environment for moving heavy loads
[NASA-CASE-WLP-10002] c15 N72-17451
- GAS CHROMATOGRAPHY**
- Micropacked column for rapid chromatographic analysis using low gas flow rates
[NASA-CASE-XNP-04816] c06 N69-39936
- Automatic baseline stabilization for ionization detector used in gas chromatograph
[NASA-CASE-XNP-03128] c10 N70-41991
- Gas chromatographic method for determining water in nitrogen tetroxide rocket propellant
[NASA-CASE-NPO-10234] c06 N72-17094
- Development and characteristics of injection system for use with gas chromatograph
[NASA-CASE-ARC-10344-1] c14 N72-21433
- Gas chromatographic method for analyzing hydrogen deuterium mixtures
[NASA-CASE-NPO-11322] c06 N72-25146
- Ultraviolet chromatographic detector for quantitative and qualitative analysis of compounds
[NASA-CASE-HQN-10756-1] c14 N72-25428
- Apparatus for analyzing gas samples in containers including vacuum chamber, mass spectrometer, and gas chromatography
[NASA-CASE-GSC-10903-1] c14 N73-12444
- Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c14 N74-20021
- GAS COOLED REACTORS**
- Gaseous core diffusion nuclear reactor for thermal energy generation
[NASA-CASE-LEW-10250-1] c22 N71-28759
- GAS COOLING**
- Gas balancing, cryogenic refrigeration apparatus with Joule-Thomson valve assembly
[NASA-CASE-NPO-10309] c15 N69-23190
- Gas cooled high temperature thermocouple
[NASA-CASE-XLE-09475-1] c33 N71-15568
- GAS DENSITY**
- Dynamic sensor for gas pressure or density measurement
[NASA-CASE-XAC-02877] c14 N70-41681
- Device for simultaneously determining density, velocity, and temperature of streaming gas
[NASA-CASE-XLA-03375] c16 N71-24074
- Coherent light beam device and method for measuring gas density in vacuum chambers
[NASA-CASE-XER-11203] c14 N71-28994
- Absorbing gas reactivity control system for minimizing power distribution and perturbation in nuclear reactors
[NASA-CASE-XLE-04599] c22 N72-20597
- Electrodeposition method for producing crystalline material from dense gaseous medium
[NASA-CASE-NPO-10440] c15 N72-21466
- Wide range dynamic pressure sensor with vibrating diaphragm for measuring density and pressure of gaseous environment
[NASA-CASE-ARC-10263-1] c14 N72-22438
- Absolute pressure measuring device for measuring gas density level in high vacuum range
[NASA-CASE-LAR-10000] c14 N73-30394
- GAS DETECTORS**
- Method and transducer device for detecting presence of hydrogen gas
[NASA-CASE-XMF-03873] c06 N69-39733
- Development of device for detecting hydrogen in ambient environments
[NASA-CASE-MFS-11537] c14 N71-20442
- Gas leak detection in evacuated systems using ultraviolet radiation probe
[NASA-CASE-ERC-10034] c15 N71-24896
- Fast response miniature carbon dioxide detector with no moving parts for measuring concentration in any atmosphere
[NASA-CASE-MSC-13332-1] c14 N72-21408
- GAS DISCHARGE TUBES**
- Direct current powered self repeating plasma accelerator with interconnected annular and linear discharge channels
[NASA-CASE-XLA-03103] c25 N71-21693
- GAS DISCHARGES**
- Radio frequency noise generator having microwave slow-wave structure in gas discharge plasma
[NASA-CASE-XER-11019] c09 N71-23598
- GAS EVOLUTION**
- Development of filter system for control of outgas contamination in vacuum conditions using absorbent beds of molecular sieve zeolite, silica gel, and charcoal
[NASA-CASE-MFS-14711] c15 N71-26185
- GAS EXPANSION**
- Sealed electric storage battery with gas manifold interconnecting each cell
[NASA-CASE-XNP-03378] c03 N71-11051
- Method and apparatus for producing very low temperature refrigeration based on gas pressure balance
[NASA-CASE-XNP-08877] c15 N71-23025
- Gas-operated actuator with cyclic motion of expansion chamber
[NASA-CASE-NPO-11340] c15 N72-33477
- GAS FLOW**
- Tubular flow restrictor for gas flow control in pipeline
[NASA-CASE-NPO-10117] c15 N71-15608
- Developing high pressure gas purification and filtration system for use in test operations of space vehicles
[NASA-CASE-MFS-12806] c14 N71-17588
- Burst diaphragm flow initiator for installation in short duration wind tunnels
[NASA-CASE-MFS-12915] c11 N71-17600
- Color photointerpretation of interference colors reflected from thin film oil-coated components in moving gases for gas flow visualization
[NASA-CASE-XMF-01779] c12 N71-20815
- Transducer for monitoring oxygen flow in respirator
[NASA-CASE-FRC-10012] c14 N72-17329
- Design, development, and operation of shock tube with bypass piston tunnel
[NASA-CASE-NPO-12109] c11 N72-22245
- Continuous gas flow control by fluidic proportional thruster system
[NASA-CASE-ARC-10106-1] c28 N72-22769
- Development of filter apparatus for gas separation and characteristics of filter cell support frame for improved operation
[NASA-CASE-MSC-12297] c14 N72-23457
- Pressurized inert gas feed for lighting system
[NASA-CASE-KSC-10644] c09 N72-27227
- Development of method for controlling vapor content of gas
[NASA-CASE-NPO-10633] c03 N72-28025
- Gas flow control device, including housing and input port
[NASA-CASE-NPO-11479] c15 N73-13462
- Constant flow velocity generator for calibrating hot-wire anemometers
[NASA-CASE-MFS-21424-1] c12 N73-16248
- Development and characteristics of device for removing condensate from heat exchangers with straight through gas flow
[NASA-CASE-MSC-14143-1] c33 N73-32823
- Compact hydrogenator
[NASA-CASE-NPO-11682-1] c15 N74-15127
- Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c14 N74-18101
- GAS GENERATORS**
- Chlorine generator for purifying water in life support systems of manned spacecraft
[NASA-CASE-XLA-08913] c14 N71-28933
- Gas operated quick disconnect coupling for umbilical connectors
[NASA-CASE-NPO-11202] c15 N72-25450
- Actuator operated by electrolytic drive gas generator and evacuator
[NASA-CASE-NPO-11369] c15 N73-13467
- Development and operating principles of gas generator for deploying recovery parachutes from space capsules during atmospheric entry
[NASA-CASE-LAR-10549-1] c31 N73-13898
- GAS GUNS**
- Electric arc device for minimizing electrode ablation and heating gases to supersonic or hypersonic wind tunnel temperatures
[NASA-CASE-XAC-00319] c25 N70-41628
- GAS HEATING**
- Binetallic fluid displacement apparatus --- for stirring and heating stored gases and liquids
[NASA-CASE-ARC-10441-1] c15 N74-15126
- GAS INJECTION**
- Pressurized gas injection for burning rate

- control of solid propellants
[NASA-CASE-XLE-03494] c27 N71-21819
- Compact hydrogenator
[NASA-CASE-NPO-11682-1] c15 N74-15127
- GAS IONIZATION**
Electrostatic modulator for communicating through plasma sheath formed around spacecraft during reentry
[NASA-CASE-XLA-01400] c07 N70-41331
- Multichannel photoionization chamber for measuring absorption, photoionization yield, and coefficients of gases
[NASA-CASE-ERC-10044-1] c14 N71-27090
- GAS LASERS**
Gas laser frequency stabilized by position of mirrors in resonant cavity
[NASA-CASE-XGS-03644] c16 N71-18614
- Laser utilizing infrared rotation transitions of diatomic gas for production of different wavelengths
[NASA-CASE-ARC-10370-1] c16 N72-10432
- Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c16 N74-16187
- GAS LUBRICANTS**
High temperature gas lubricant consisting of two fluoro-bromo-methanes
[NASA-CASE-XLE-00353] c18 N70-39897
- GAS MASERS**
Solid state chemical source for ammonia beam masers
[NASA-CASE-XGS-01504] c16 N70-41578
- Atomic hydrogen maser with bulb temperature control by output frequency difference signal for wall shift elimination
[NASA-CASE-HQN-10654-1] c16 N73-13489
- GAS MIXTURES**
Gas analyzer for bi-gaseous mixtures suitable for use in test facilities
[NASA-CASE-XLA-01131] c14 N71-10774
- Equipment for measuring partial water vapor pressure in gas tank
[NASA-CASE-XMS-01618] c14 N71-20741
- Separation cell with permeable membranes for fluid mixture component separation
[NASA-CASE-XMS-02952] c18 N71-20742
- Gas chromatographic method for analyzing hydrogen deuterium mixtures
[NASA-CASE-NPO-11322] c06 N72-25146
- GAS PIPES**
Tubular flow restrictor for gas flow control in pipeline
[NASA-CASE-NPO-10117] c15 N71-15608
- GAS PRESSURE**
Expulsion and measuring device for determining quantity of liquid in tank under conditions of weightlessness
[NASA-CASE-XMS-01546] c14 N70-40233
- Dynamic sensor for gas pressure or density measurement
[NASA-CASE-XAC-02877] c14 N70-41681
- Wide range dynamic pressure sensor with vibrating diaphragm for measuring density and pressure of gaseous environment
[NASA-CASE-ARC-10263-1] c14 N72-22438
- GAS STREAMS**
Device for simultaneously determining density, velocity, and temperature of streaming gas
[NASA-CASE-XLA-03375] c16 N71-24074
- Device for measuring stagnation pressure of supersonic gas streams
[NASA-CASE-LAR-11139-1] c14 N73-20483
- GAS TEMPERATURE**
Device for simultaneously determining density, velocity, and temperature of streaming gas
[NASA-CASE-XLA-03375] c16 N71-24074
- GAS TURBINE ENGINES**
Variable-orifice hydraulic mechanism for aircraft gas turbine engine fuel control
[NASA-CASE-LEW-11187-1] c28 N73-19793
- Airflow distribution control in gas turbine engines
[NASA-CASE-LEW-11593-1] c28 N73-25816
- Swirl can, full-annulus combustion chambers for high performance gas turbine engines
[NASA-CASE-LEW-11326-1] c23 N73-30665
- GAS TURBINES**
Method for maintaining good performance in gas turbine during air flow distortion
[NASA-CASE-LEW-10286-1] c28 N71-28915
- Gas turbine exhaust nozzle --- for noise reduction
[NASA-CASE-LEW-11569-1] c28 N74-15453
- GAS VALVES**
High-temperature, high-pressure spherical segment valve
[NASA-CASE-XAC-00074] c15 N70-34817
- Shrink-fit vacuum system gas valve
[NASA-CASE-XGS-00587] c15 N70-35087
- Gas valve operated by thermally expanding and contracting device
[NASA-CASE-XLE-00815] c15 N70-35407
- Three-port transfer valve with one port open continuously suitable for manned space flight
[NASA-CASE-XAC-01158] c15 N71-23051
- GAS WELDING**
Emission spectroscopy method for contamination monitoring of inert gas metal arc welding
[NASA-CASE-XMF-02039] c15 N71-15871
- GASEOUS DIFFUSION**
Gas purged dry box glove reducing permeation of air or moisture into dry box or isolator by diffusion through glove
[NASA-CASE-XLE-02531] c05 N71-23080
- Gaseous core diffusion nuclear reactor for thermal energy generation
[NASA-CASE-LEW-10250-1] c22 N71-28759
- GASEOUS FISSION REACTORS**
Nuclear gaseous reactor for heating working fluid to high temperatures
[NASA-CASE-XLE-00321] c22 N70-34572
- Gaseous core diffusion nuclear reactor for thermal energy generation
[NASA-CASE-LEW-10250-1] c22 N71-28759
- GASEOUS ROCKET PROPELLANTS**
Electrostatic ion engines using high velocity electrons to ionize propellant
[NASA-CASE-XLE-00376] c28 N70-37245
- Detonation reaction engine comprising outer housing enclosing pair of inner walls for continuous flow
[NASA-CASE-XMF-06926] c28 N71-22983
- GASES**
Apparatus and process for volumetrically dispensing reagent quantities of volatile chemicals for small batch reactions
[NASA-CASE-NPO-10070] c15 N71-27372
- High speed scanner for measuring mass of preselected gases at high sampling rate
[NASA-CASE-LAR-10766-1] c14 N72-21432
- Observation window for internal gas confining chamber
[NASA-CASE-NPO-10890] c11 N73-12265
- Device for detection of combustion light preceding gaseous explosions
[NASA-CASE-LAR-10739-1] c14 N73-16484
- GASKETS**
Leakproof soft metal seal for use in very high vacuum systems operating at cryogenic temperatures
[NASA-CASE-XGS-02441] c15 N70-41629
- Reinforced polyquinoxaline gasket and method of preparing the same --- resistant to ionizing radiation and liquid hydrogen temperatures
[NASA-CASE-MFS-21364-1] c15 N74-18126
- GATES (CIRCUITS)**
Flux gate magnetometer with toroidal gating coil and solenoidal output coil for signal modulation or amplification
[NASA-CASE-XGS-01881] c09 N70-40123
- Silicon controlled rectifier pulse gate amplifier for blocking false gating caused by negative transient voltages
[NASA-CASE-XLA-07497] c09 N71-12514
- Logic AND gate for fluid circuits
[NASA-CASE-XLA-07391] c12 N71-17579
- Synchronous counter design incorporating cascaded binary stages driven by previous stages and inputs through NAND gates
[NASA-CASE-XGS-02440] c08 N71-19432
- Switching series regulator with gating control network
[NASA-CASE-XMS-09352] c09 N71-23316
- GATES (OPENINGS)**
Longitudinal film gate and lock mechanism for securing film in motion picture cameras under vibration and high acceleration loads
[NASA-CASE-LAR-10686] c14 N71-28935
- GEARS**
Precision stepping drive device using cam disk

- [NASA-CASE-MFS-14772] c15 N71-17692
Gearing system for eliminating backlash and filtering input torque fluctuations from high inertia load
- [NASA-CASE-XGS-04227] c15 N71-21744
Self lubricating gears and other mechanical parts having surface adapted to frictional contact
- [NASA-CASE-MFS-14971] c15 N71-24984
Development and characteristics of concentric output differential gearing system
- [NASA-CASE-ARC-10462-1] c15 N73-29459
GELLED ROCKET PROPELLANTS
Method and apparatus for producing fine particles in cryogenic liquid bath for gelled rocket propellants
- [NASA-CASE-NPO-10250] c23 N71-16212
GELS
Intermittent type silica gel adsorption refrigerator for providing temperature control for spacecraft components
- [NASA-CASE-XNP-00920] c15 N71-15906
Chemical synthesis of formaldehyde based disinfectants without penetrating odor and eye and ear irritation properties
- [NASA-CASE-NPO-12115-1] c06 N73-17153
GENERATORS
Constant flow velocity generator for calibrating hot-wire anemometers
- [NASA-CASE-MFS-21424-1] c12 N73-16248
GIMBALS
Gimballed partially submerged nozzle for solid propellant rocket engines for providing directional control
- [NASA-CASE-XMF-01544] c28 N70-34162
Inertial gimbal alignment system for spacecraft guidance
- [NASA-CASE-XMF-01669] c21 N71-23289
Three stage motion restraining mechanism for restraining and damping three dimensional vibrational movement of gimballed package during launch of spacecraft
- [NASA-CASE-GSC-10306-1] c15 N71-24694
Hermetically sealed vibration damper design for use in gimbal assembly of spacecraft inertial guidance system
- [NASA-CASE-MSC-10959] c15 N71-26243
Low friction bearing and lock mechanism for two-axis gimbal carrying satellite payload
- [NASA-CASE-GSC-10556-1] c31 N71-26537
GLANDS (SEALS)
Development of mating flat surfaces to inhibit leakage of fluid around shafts
- [NASA-CASE-XLE-10326-2] c15 N72-29488
GLASS
Fabricating solar cells with dielectric layers to improve glass fusion
- [NASA-CASE-XGS-04531] c03 N69-24267
Reduced gravity liquid configuration simulator to study propellant behavior in rocket fuel tanks
- [NASA-CASE-XLE-02624] c12 N69-39988
Metal pattern bonding technique for cover glass attachment to silicon solar cells for space applications
- [NASA-CASE-XLE-08569] c03 N71-23449
Apparatus for applying thin glass slides to solar cells
- [NASA-CASE-NPO-10575] c03 N72-25019
Silicon solar cell with plastic film binding to cover glass
- [NASA-CASE-LEW-11065-2] c03 N73-26048
Glass-to-metal seals comprising relatively high expansion metals
- [NASA-CASE-LEW-10698-1] c15 N74-21063
GLASS COATINGS
Method of attaching cover glass to silicon solar cell without using adhesive
- [NASA-CASE-XLE-08569-2] c03 N71-24681
Helium outgassing process for fused glass coating on ion accelerator grid
- [NASA-CASE-LEW-10278-1] c15 N71-28582
Development of process for constructing protective covers for solar cells
- [NASA-CASE-GSC-11514-1] c03 N72-24037
GLASS ELECTRODES
Liquid junction for glass electrode or pH meters
- [NASA-CASE-NPO-10682] c15 N70-34699
GLASS FIBERS
Nonmagnetic hermetically sealed battery case made of epoxy resin and woven glass tape for use with electrochemical cells in spacecraft
- [NASA-CASE-XGS-00886] c03 N71-11053
Lathe tool and holder combination for machining resin impregnated fiberglass cloth laminates
- [NASA-CASE-XLA-10470] c15 N72-21489
Development of procedure for repairing fiberglass structures which retains geometry and strength of original structure
- [NASA-CASE-LAR-10416-1] c15 N72-27527
Development and characteristics of polyimide impregnated laminates with fiberglass cloth backing for application as printed circuit boards
- [NASA-CASE-MFS-20408] c18 N73-12604
Fiber modified polyurethane foam for ballistic protection
- [NASA-CASE-ARC-10714-1] c18 N74-11366
GLIDE PATHS
Development and characteristics of system for integrated control of engine power and aerodynamic configuration of aircraft during landing approach
- [NASA-CASE-ARC-10456-1] c02 N73-30938
GLOBES
Orbital and entry tracking accessory for globes --- to provide range requirements for reentry vehicles to any landing site
- [NASA-CASE-LAB-10626-1] c14 N74-21015
GLOVES
Gas purged dry box glove reducing permeation of air or moisture into dry box or isolator by diffusion through glove
- [NASA-CASE-XLE-02531] c05 N71-23080
GLOW DISCHARGES
Deposition of alloy films --- on irregularly shaped metal object
- [NASA-CASE-LEW-11262-1] c18 N74-13270
GLUCOSE
Use of enzyme hexokinase and glucose to reduce inherent light levels of ATP in luciferase compositions
- [NASA-CASE-XGS-05533] c04 N69-27487
GOLD COATINGS
Lithium drifted silicon radiation detector with gold rectifying contacts
- [NASA-CASE-XLE-10529] c14 N69-23191
GONDOLAS
System for controlling torque buildup in suspension of gondola connected to balloon by parachute shroud lines
- [NASA-CASE-GSC-11077-1] c02 N73-13008
GRANULAR MATERIALS
Development of device for separating, collecting, and viewing soil particles
- [NASA-CASE-XNP-09770] c15 N71-20440
GRAPHITE
Silver chloride use in technique for fusion bonding of graphite to silver, glass, ceramics, and certain other metals
- [NASA-CASE-XGS-00963] c15 N69-39735
Diffusion bonded graphite reinforced aluminum composites
- [NASA-CASE-MFS-21077] c18 N71-34502
GRATINGS (SPECTRA)
Concave grating spectrometer for use in near and vacuum ultraviolet regions
- [NASA-CASE-IGS-01036] c14 N70-40003
GRAVIMETERS
Device for determining acceleration of gravity by interferometric measurement of travel of falling body
- [NASA-CASE-XMF-05844] c14 N71-17587
GRAVITATION
Design of precision vertical alignment system using laser with gravitationally sensitive cavity
- [NASA-CASE-ARC-10444-1] c16 N73-33397
GRAVITATIONAL CONSTANT
Gravity device for accurate and rapid indication of relative gravity conditions aboard accelerating carrier
- [NASA-CASE-XMF-00424] c11 N70-38196
GRAVITATIONAL EFFECTS
Computation method and apparatus for predicting solar flares by correlating planetary ephemeris data with gravitational force

effects on sun
[NASA-CASE-ERC-10323-1] c30 N70-22183

Gravity environment simulation by locomotion and restraint aid for studying manual operation performance of astronauts at zero gravity
[NASA-CASE-ARC-10153] c05 N71-28619

GRAVITATIONAL FIELDS
Difference indicating circuit used in conjunction with device measuring gravitational fields
[NASA-CASE-XNP-08274] c10 N71-13537

GRAVITY GRADIENT SATELLITES
Stabilization system for gravity-oriented satellites using single damper rod
[NASA-CASE-XAC-01591] c31 N71-17729

Method of stationkeeping for lenticular gravity gradient satellites
[NASA-CASE-XLA-03132] c31 N71-22969

GRAVITY GRADIOMETERS
Gravity device for accurate and rapid indication of relative gravity conditions aboard accelerating carrier
[NASA-CASE-XMP-00424] c11 N70-38196

Gravity gradient attitude control system with gravity gradiometer and reaction wheels for artificial satellite attitude control
[NASA-CASE-GSC-10555-1] c21 N71-27324

GRIDS
Process for fabricating matched pairs of dished screen and accelerator grids for ion thruster accelerator system
[NASA-CASE-LEW-11694-1] c28 N73-22721

GRINDING (MATERIAL REMOVAL)
Laser device for removing material from rotating object for dynamic balancing
[NASA-CASE-MPS-11279] c16 N71-20400

Grinding mixtures of powdered metals and inert fillers for conversion to halide
[NASA-CASE-LEW-10450-1] c15 N72-25448

GRINDING MACHINES
Tool positioning holder for grinding by ball nose milling cutter
[NASA-CASE-LAR-10450-1] c15 N73-10504

GROOVES
Nonreusable energy absorbing device comprising ring member with plurality of recesses, cutting members, and guide member mounted in each recess
[NASA-CASE-XMP-10040] c15 N71-22877

Spiral groove seal --- for hydraulic rotating shaft
[NASA-CASE-LEW-10326-3] c15 N74-10474

Spiral groove seal --- for rotating shaft
[NASA-CASE-XLE-10326-4] c15 N74-15125

GROUND EFFECT MACHINES
Hovering type flying vehicle design and principle mechanisms for manned or unmanned use
[NASA-CASE-MSC-12111-1] c02 N71-11039

Platform with several ground effect pads and plenum chambers
[NASA-CASE-MPS-14685] c31 N71-15689

Tubular guideway for high speed ground effect machines
[NASA-CASE-LAR-10256-1] c11 N72-20253

Design and development of active control system for air cushion vehicle to reduce or eliminate effects of excessive vertical vibratory acceleration
[NASA-CASE-LAR-10531-1] c02 N73-13023

GROUND HANDLING
Supporting and protecting frame structure and plug for empty thrust chamber assembly, handling, and shipping
[NASA-CASE-XMP-00580] c11 N70-35383

GROUND STATIONS
Traffic control system for supersonic transports using synchronous satellite for data relay between vehicles and ground station
[NASA-CASE-GSC-10087-1] c02 N71-19287

Spacecraft transponder and ground station radar system for mapping planetary surfaces
[NASA-CASE-NPO-11001] c07 N72-21118

GROUND SUPPORT EQUIPMENT
Equipment for testing of ground station ranging equipment and spacecraft transponders
[NASA-CASE-XMS-05454-1] c07 N71-12391

Controlled release device for use in launching rockets or missiles
[NASA-CASE-XKS-03338] c15 N71-24043

GROUND-AIR-GROUND COMMUNICATIONS

Fabry-Perot interferometer retrodirective reflector modulator for optical communication
[NASA-CASE-XGS-04480] c16 N69-27491

Closed loop radio communication ranging system to determine distance between moving airborne vehicle and fixed ground station
[NASA-CASE-XNP-01501] c21 N70-41930

Location identification system with ground based transmitter and aircraft borne receiver/decoder
[NASA-CASE-ERC-10324] c07 N72-25173

GUIDANCE (MOTION)
Hovering type flying vehicle design and principle mechanisms for manned or unmanned use
[NASA-CASE-MSC-12111-1] c02 N71-11039

Development of adjustable attitude guide block for setting pins perpendicular to irregular convex work surface
[NASA-CASE-XLA-07911] c15 N71-15571

Longitudinal film gate and lock mechanism for securing film in motion picture cameras under vibration and high acceleration loads
[NASA-CASE-LAR-10686] c14 N71-28935

Combination guide and rotary bearing for freely moving shaft
[NASA-CASE-XLA-00013] c15 N71-29136

Guide member for stabilizing cable of open shaft elevator
[NASA-CASE-KSC-10513] c15 N72-25453

GUIDANCE SENSORS
Light sensitive digital aspect sensor for attitude control of earth satellites or space probes
[NASA-CASE-XGS-00359] c14 N70-34158

Guidance analyzer having suspended spacecraft simulating sphere for astronavigation
[NASA-CASE-XNP-09572] c14 N71-15621

Optical gauging system for monitoring machine tool alignment
[NASA-CASE-XAC-09489-1] c15 N71-26673

Development of light sensing system for controlled orientation of object relative to sun or other light source
[NASA-CASE-NPO-11311] c14 N72-25414

GUIDE VANES
Design and development of movable turbine inlet guide vanes to provide aerodynamic choking for jet engine
[NASA-CASE-LAR-10642-1] c28 N72-27820

GUN LAUNCHERS
Self-obturator gas-operated launcher for launching projectiles in decontaminated medium
[NASA-CASE-NPO-11013] c11 N72-22247

GUNN EFFECT
Voltage tunable Gunn effect semiconductor for microwave generation
[NASA-CASE-XER-07894] c09 N71-18721

Gunn effect microwave diodes with RF shielding
[NASA-CASE-ERC-10119] c26 N72-21701

Multiterminal Gunn-type semiconductor microwave generator for producing stable signals
[NASA-CASE-XER-07895] c26 N72-25679

Microwave generator using Gunn effect for magnetic tuning
[NASA-CASE-NPO-12106] c09 N73-15235

GYRATORS
Design of gyrator circuit using operational amplifiers to replace ungrounded inductors
[NASA-CASE-XAC-10608-1] c09 N71-12517

Design of integrated circuit with two amplifiers and feedback stabilization for single channel gyrator
[NASA-CASE-MPS-22343-1] c09 N73-18224

Gyrator circuit using MOS field effect transistors
[NASA-CASE-MPS-21433] c09 N73-20232

Integrated circuit power gyrator with Z-matrix design using parallel transistors
[NASA-CASE-MPS-22342-1] c09 N73-24236

GYROSCOPES
Externally pressurized air bearing for gyros operating in high temperature, low gravity environments
[NASA-CASE-XMP-00515] c15 N70-34664

Air bearings for spacecraft gyros
[NASA-CASE-XMP-00339] c15 N70-39896

Development of spacecraft experiment pointing and attitude control system
[NASA-CASE-XLA-05464] c21 N71-14132

- Spin stabilized gyroscope having spinning rotor and stationary platform
[NASA-CASE-GSC-11479-1] c21 N73-11680
- Strapped down gyroscope aligned with sun and star tracker optical axis calibrating roll, yaw and pitch values
[NASA-CASE-ARC-10716-1] c31 N73-32784
- Temperature compensated digital inertial sensor --- circuit for maintaining inertial element of gyroscope or accelerometer at constant position
[NASA-CASE-NPO-13044-1] c14 N74-15094
- GYROSTABILIZERS**
- Spin stabilized gyroscope having spinning rotor and stationary platform
[NASA-CASE-GSC-11479-1] c21 N73-11680
- H**
- HAFNIUM**
- Thermal shock resistant hafnia ceramic materials
[NASA-CASE-LAR-10894-1] c18 N73-14584
- HALIDES**
- Grinding mixtures of powdered metals and inert fillers for conversion to halide
[NASA-CASE-LEB-10450-1] c15 N72-25448
- HALL EFFECT**
- Current measurement by use of Hall effect generator
[NASA-CASE-XAC-01662] c14 N71-23037
- Brushless dc tachometer design with Hall effect crystals and output voltage magnitude proportional to rotor speed
[NASA-CASE-MFS-20385] c09 N71-24904
- Development of Hall effect transducer for converting mechanical shaft rotations into proportional electrical signals
[NASA-CASE-LAR-10620-1] c09 N72-25255
- Development and characteristics of magnetometer with single Bi₂Se₃ crystal as sensing element
[NASA-CASE-LEW-11632-1] c14 N72-25440
- Hall effect magnetometer for measuring magnetic fields
[NASA-CASE-LEB-11632-2] c14 N73-29437
- Speed control system for dc motor equipped with brushless Hall effect device
[NASA-CASE-MFS-20207-1] c09 N73-32107
- HALL GENERATORS**
- Current measurement by use of Hall effect generator
[NASA-CASE-XAC-01662] c14 N71-23037
- HALOGENS**
- Modification of polyurethanes with alkyl halide resins, inorganic salts, and encapsulated volatile and reactive halogen for fuel fire control
[NASA-CASE-ARC-10098-1] c06 N71-24739
- HAMMERS**
- Exponential horn, copper plate, magnetic hammer, and anvil in apparatus for making diamonds
[NASA-CASE-MFS-20698] c15 N72-20446
- HAND (ANATOMY)**
- Mechanically operated hand which can depress trigger using touch control device
[NASA-CASE-MFS-20413] c15 N72-21463
- HANDLING EQUIPMENT**
- Supporting and protecting frame structure and plug for empty thrust chamber assembly, handling, and shipping
[NASA-CASE-XHF-00580] c11 N70-35383
- Handling tool for printed circuit cards
[NASA-CASE-MFS-20453] c15 N71-29133
- HARDENING**
- Boron radiation hardening for stabilizing gate threshold potential of MOS devices
[NASA-CASE-GSC-11425-2] c09 N73-32114
- HARMONIC GENERATORS**
- Wideband generator for producing sine wave quadrature and second harmonic of input signal
[NASA-CASE-NPO-11133] c10 N72-20223
- HARNESSES**
- Helmet and torso tiedown mechanism for shortening pressure suits upon inflation
[NASA-CASE-XHS-00784] c05 N71-12335
- One hand backpack harness
[NASA-CASE-LAR-10102-1] c05 N72-23085
- Combined shoulder harness and lap belt restraint system for use in aircraft or automobiles
[NASA-CASE-ARC-10519-1] c05 N72-31117
- Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c05 N74-18805
- HATCHES**
- Design and specifications of emergency escape system for spacecraft structures
[NASA-CASE-MSC-12086-1] c05 N71-12345
- HEART FUNCTION**
- Development of instantaneous reading tachometer for measuring electrocardiogram signal rate
[NASA-CASE-MFS-20418] c14 N73-24473
- Ultrasonic biomedical measuring and recording apparatus --- for recording motion of internal organs such as heart valves
[NASA-CASE-ARC-10597-1] c05 N74-20726
- HEART RATE**
- Digital cardiometer incorporating circuit for measuring heartbeat rate of subject over predetermined portion of one minute also converting rate to beats per minute
[NASA-CASE-XHS-02399] c05 N71-22896
- Development of instantaneous reading tachometer for measuring electrocardiogram signal rate
[NASA-CASE-MFS-20418] c14 N73-24473
- Digital computing cardiometer
[NASA-CASE-MFS-20284-1] c05 N74-12778
- HEAT**
- Thermionic converter for converting heat energy directly into electrical energy
[NASA-CASE-XLE-01903] c22 N71-23599
- HEAT EXCHANGERS**
- Electrothermal rocket engine using resistance heated heat exchanger
[NASA-CASE-XLE-00267] c28 N70-33356
- Space suit body heat exchanger design composed of thermal conductance yarn and liquid coolant loops
[NASA-CASE-XHS-09571] c05 N71-19439
- Dual solid cryogenics for spacecraft refrigeration insuring low temperature cooling for extended periods
[NASA-CASE-GSC-10188-1] c23 N71-24725
- Shell-side liquid metal boiler employing tube and shell heat exchanger
[NASA-CASE-NPO-10831] c33 N72-20915
- Heat exchanger and decontamination system for multistage refrigeration unit
[NASA-CASE-NPO-10634] c23 N72-25619
- Development and characteristics of device for removing condensate from heat exchangers with straight through gas flow
[NASA-CASE-MSC-14143-1] c33 N73-32823
- HEAT FLUX**
- Heat flux sensor assembly with proviso for heat shield to reduce radiative transfer between sensor elements
[NASA-CASE-XHS-05909-1] c14 N69-27459
- Heat flux sensor adapted for mounting on aircraft or spacecraft to measure aerodynamic heat flux inflow to aircraft skin
[NASA-CASE-IFR-03802] c33 N71-23085
- Radial heat flux transformer for use in heating and cooling processes
[NASA-CASE-NPO-10828] c33 N72-17948
- HEAT MEASUREMENT**
- Electromagnetic energy detection by thermal sensor with vibrating electrode
[NASA-CASE-XAC-10768] c09 N71-18830
- HEAT PIPES**
- Electric power system utilizing thermionic plasma diodes in parallel and heat pipes as cathodes
[NASA-CASE-XHF-05843] c03 N71-11055
- Microwave power receiving antenna solving heat dissipation problems by construction of elements as heat pipe devices
[NASA-CASE-MFS-20333] c09 N71-13486
- Double-wall isothermal cylinder containing heat transfer fluid thermal reservoir as spacecraft insulation cover
[NASA-CASE-MFS-20355] c33 N71-25353
- Production of iodine isotope by high energy bombardment of cesium heat pipe causing spallation reaction
[NASA-CASE-LEB-11390-2] c24 N73-20763
- Heat pipe production of high purity radioiodine for thyroid measurements
[NASA-CASE-LEB-11390-3] c11 N73-28128
- Structural heat pipe for spacecraft wall thermal insulation system

- [NASA-CASE-GSC-11619-1] c33 N73-32828
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c33 N74-19584
- HEAT PUMPS**
Thermal pump-compressor for converting solar energy
[NASA-CASE-XLA-00377] c33 N71-17610
Manually activated heat pump for mechanically converting human operator output into heat energy
[NASA-CASE-NPO-10677] c05 N72-11084
Design and development of thermomechanical pump for transmitting warming fluid through fluid circuit to control temperature of spacecraft instrumentation
[NASA-CASE-NPO-11417] c15 N73-24513
- HEAT RADIATORS**
Capillary radiator for carrying heat transfer liquid in planetary spacecraft structures
[NASA-CASE-XLE-03307] c33 N71-14035
Hydraulic actuator design for space deployment of heat radiators
[NASA-CASE-MSC-11817-1] c15 N71-26611
Development of method and equipment for testing heat radiative properties of material under controlled environmental conditions
[NASA-CASE-MPS-20096] c14 N71-30026
- HEAT RESISTANT ALLOYS**
Preparation of nickel alloys for jet turbine blades operating at high temperatures
[NASA-CASE-XLE-00151] c17 N70-33283
Nickel alloy series for aerospace structures subjected to high temperatures
[NASA-CASE-XLE-00283] c17 N70-36616
High temperature cobalt-base alloy resistant to corrosion by liquid metals and to sublimation in vacuum environment
[NASA-CASE-XLE-02991] c17 N71-16025
Brazing alloy adapted for brazing corrosion resistant steel to refractory metals, also for brazing refractory metals to other refractory metals
[NASA-CASE-XNP-03063] c17 N71-23365
Intermetallic coating for nickel based superalloy
[NASA-CASE-LEW-11348-1] c17 N72-25517
Superalloys from prealloyed powders at high temperatures
[NASA-CASE-LEW-10805-1] c15 N73-13465
Refractory porcelain enamel passive thermal control coating for high temperature alloys
[NASA-CASE-MPS-22324-1] c18 N73-21471
Development of method for fabricating cermet and analysis of various compositions to show electrical and physical properties
[NASA-CASE-NPO-13120-1] c18 N73-23629
Method of making pressure tight seal for super alloy
[NASA-CASE-LAR-10170-1] c15 N74-11301
Method of forming articles of manufacture from superalloy powders
[NASA-CASE-LEW-10805-2] c15 N74-13179
- HEAT SHIELDING**
Heat flux sensor assembly with proviso for heat shield to reduce radiative transfer between sensor elements
[NASA-CASE-XMS-05909-1] c14 N69-27459
Oven for heat treating heat shields
[NASA-CASE-XMS-04318] c15 N69-27871
Compact heat shielding for interplanetary space vehicles
[NASA-CASE-XMS-00486] c33 N70-33344
Sandwich panel structure for removing heat from shield between hot and cold areas
[NASA-CASE-XLA-00349] c33 N70-37979
Aerodynamic configuration of reentry vehicle heat shield to provide longitudinal and directional stability at hypersonic velocities
[NASA-CASE-XMS-04142] c31 N70-41631
Transpirationally cooled heat ablation system for interplanetary spacecraft reentry shielding
[NASA-CASE-XMS-02677] c31 N70-42075
Synthesis of azine polymers for heat shields by azine-aromatic aldehyde reaction
[NASA-CASE-XMF-08656] c06 N71-11242
Synthesis of Schiff bases for heat shields by acetal amine reactions
[NASA-CASE-XMF-08652] c06 N71-11243
Preparation and characteristics of lightweight refractory insulation
- [NASA-CASE-XMF-05279] c18 N71-16124
Development and characteristics of thermal radiation shielding of refractory metal foil used for induction furnace
[NASA-CASE-XLE-03432] c33 N71-24145
Design and development of spacecraft with outer shell structure heat shielding and built-in, removable excursion module
[NASA-CASE-MSC-13047-1] c31 N71-25434
Structure of fabric layers for micrometeoroid protection garment with capability for eliminating heat shorts for use in manufacturing space suits
[NASA-CASE-MSC-12109] c18 N71-26285
- HEAT SINKS**
Thermal conductive, electrically insulated cleavable adhesive connection between electronic module and heat sink
[NASA-CASE-XMS-02087] c09 N70-41717
Development and characteristics of calorimeter with integral heat sink for maintenance of constant temperature
[NASA-CASE-XNP-04208] c33 N71-29051
- HEAT SOURCES**
Black body radiometer design with temperature sensing and cavity heat source cone winding
[NASA-CASE-XNP-09701] c14 N71-26475
Radioactive isotope capsule container design for atmospheric reentry protection and heat transmission to spacecraft
[NASA-CASE-LEW-11227-1] c33 N71-35153
Thermally cascaded thermoelectric generator with radioisotopic heat source
[NASA-CASE-NPO-10753] c03 N72-26031
- HEAT TRANSFER**
Thermal switch for transferring excess heat from one region to another heat dissipating one
[NASA-CASE-XNP-00463] c33 N70-36847
Sandwich panel structure for removing heat from shield between hot and cold areas
[NASA-CASE-XLA-00349] c33 N70-37979
Apparatus for cryogenic liquid storage with heat transfer reduction and for liquid transfer at zero gravity conditions
[NASA-CASE-XLE-00345] c15 N70-38020
Method for improving heat transfer characteristics in nucleate boiling process
[NASA-CASE-XMS-04268] c33 N71-16277
Design and development of device for cooling inner conductor of coaxial cable
[NASA-CASE-XNP-09775] c09 N71-20445
Heat sensing instrument, using thermocouple junction connected under heavy conducting material
[NASA-CASE-XLA-01551] c14 N71-22989
Mixed liquid and vapor phase analyzer design with thermocouples for relative heat transfer measurement
[NASA-CASE-NPO-10691] c14 N71-26199
Development and characteristics of cooling system to maintain temperature of rack mounted electronic modules
[NASA-CASE-MSC-12389] c33 N71-29052
Development of method and equipment for testing heat radiative properties of material under controlled environmental conditions
[NASA-CASE-MPS-20096] c14 N71-30026
Manually activated heat pump for mechanically converting human operator output into heat energy
[NASA-CASE-NPO-10677] c05 N72-11084
High intensity radiant energy pulse source for calibrating heat transfer gages with thermoluminescent shutter activation
[NASA-CASE-ARC-10178-1] c09 N72-17152
Development of thermocouple instrument for measuring temperature of wall heated by flowing fluid without disturbing boundary layer
[NASA-CASE-XLE-05230] c14 N72-27410
Design and development of device for moving liquid through pipes without use of mechanical pumps
[NASA-CASE-LAR-10799-1] c12 N73-12295
Development and characteristics of thermal control system for maintaining constant temperature within spacecraft module with wide variations of component heat transfer
[NASA-CASE-GSC-11018-1] c31 N73-30829

- Thermal flux transfer system for maintaining thrust chamber of operative reaction motor at given temperatures
[NASA-CASE-NPO-12070-1] c28 N73-32606
- Electrostatically controlled heat transfer system for conducting thermal energy
[NASA-CASE-NPO-11942-1] c33 N73-32818
- Heat transfer device
[NASA-CASE-NPO-11120-1] c33 N74-18552
- HEAT TRANSMISSION**
Radioactive isotope capsule container design for atmospheric reentry protection and heat transmission to spacecraft
[NASA-CASE-LEW-11227-1] c33 N71-35153
- HEAT TREATMENT**
High speed infrared furnace
[NASA-CASE-XLI-10466] c17 N69-25147
Oven for heat treating heat shields
[NASA-CASE-XHS-04318] c15 N69-27871
Vacuum method for molding thermosetting compounds used as ablative materials
[NASA-CASE-XLA-01091] c15 N71-10672
Production of refractory bodies with controlled porosity by pressing and heating mixtures of refractory and inert metal powders
[NASA-CASE-LEW-10393-1] c17 N71-15468
White paint production by heating impure aluminum silicate clay having low solar absorptance
[NASA-CASE-XNP-02139] c18 N71-24184
Method for diffusion welding dissimilar metals in vacuum chamber
[NASA-CASE-GSC-10303] c15 N72-22487
Development of method for fabricating ceramets and analysis of various compositions to show electrical and physical properties
[NASA-CASE-NPO-13120-1] c18 N73-23629
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c17 N74-10521
An improved heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c05 N74-17858
Diffusion welding --- heat treatment of nickel alloys following single step vacuum welding process
[NASA-CASE-LEW-11388-2] c15 N74-21055
- HEATERS**
Reliable electrical element heater using plural wire system and backup power sources
[NASA-CASE-MFS-21462-1] c09 N74-14935
- HEATING**
Development of system for preheating vaporized fuel for use with internal combustion engines
[NASA-CASE-NPO-12072] c28 N72-22772
Diffusion welding in air --- solid state welding of butt joint by fusion welding, surface cleaning, and heating
[NASA-CASE-LEW-11387-1] c15 N74-18128
- HEATING EQUIPMENT**
Using heat control unit to preheat circulating fluid
[NASA-CASE-IMP-04237] c33 N71-16278
Electric arc heater with supersonic nozzle and fixed arc length for use in high temperature wind tunnels
[NASA-CASE-XAC-01677] c09 N71-20816
Radial heat flux transformer for use in heating and cooling processes
[NASA-CASE-NPO-10828] c33 N72-17948
Self-cycling fluid heater for heating continuous fluid stream to ultrahigh temperatures to facilitate chemical reactions
[NASA-CASE-MSC-15567-1] c33 N73-16918
- HELICAL ANTENNAS**
Weatherproof helix antenna
[NASA-CASE-XKS-08485] c07 N71-19493
Collapsible high gain antenna which can be automatically expanded to operating state
[NASA-CASE-KSC-10392] c07 N73-26117
- HELICOPTER BARKS**
Variable geometry rotor system for direct control over wake vortex
[NASA-CASE-LAR-10557] c02 N72-11018
- HELIUM**
Helium refining by superfluidity
[NASA-CASE-XNP-00733] c06 N70-34946
Apparatus and method capable of receiving large quantity of high pressure helium, removing impurities, and discharging at received pressure
[NASA-CASE-IMP-06888] c15 N71-24044
- HELIUM-NEON LASERS**
Design and development of multichannel laser remote control system using modulated helium-neon laser as transmitter and light collector as receiving antenna
[NASA-CASE-LAR-10311-1] c16 N73-16536
- HELMETS**
Transparent polycarbonate resin, shell helmet and latch design for high altitude and space flight
[NASA-CASE-XHS-04935] c05 N71-11190
Electrode attached to helmets for detecting low level signals from skin of living creatures
[NASA-CASE-ARC-10043-1] c05 N71-11193
Venting device for pressurized space suit helmet to eliminate vomit expelled by crewmen
[NASA-CASE-XHS-09652-1] c05 N71-26333
- HEMISPHERICAL SHELLS**
Light baffle with oblate hemispheroid surface and shading flange
[NASA-CASE-NPO-10337] c14 N71-15604
- HERMETIC SEALS**
Piston in bore cutter for severing parachute control lines and sealing cable hole to prevent water leakage into load
[NASA-CASE-XHS-04072] c15 N70-42017
Hermetically sealed explosive release mechanism for actuator device
[NASA-CASE-XGS-00824] c15 N71-16078
Sealing apparatus for joining two pieces of frangible materials
[NASA-CASE-XLA-01494] c15 N71-24164
Method for locating leaks in hermetically sealed containers
[NASA-CASE-ERC-10045] c15 N71-24910
Hermetically sealed vibration damper design for use in gimbal assembly of spacecraft inertial guidance system
[NASA-CASE-MSC-10959] c15 N71-26243
Method of forming ceramic to metal seals impervious to gaseous and liquid mercury at high temperature
[NASA-CASE-XNP-01263-2] c15 N71-26312
Pressure seals suitable for use in environmental test chambers
[NASA-CASE-NPO-10796] c15 N71-27068
Hermetic sealing device for ends of tubular bodies during materials testing operations
[NASA-CASE-NPO-10431] c15 N71-29132
Hermetically sealed elbow actuator for use in severe environments
[NASA-CASE-MFS-14710] c09 N72-22195
Portable device for detecting pneumatic pressure leaks in hermetically sealed housings
[NASA-CASE-MFS-21761-1] c14 N73-18444
Heat transfer device
[NASA-CASE-NPO-11120-1] c33 N74-18552
- HEXOKINASE**
Use of enzyme hexokinase and glucose to reduce inherent light levels of ATP in luciferase compositions
[NASA-CASE-XGS-05533] c04 N69-27487
- HIGH ACCELERATION**
Astronaut restraint suit for high acceleration protection
[NASA-CASE-XAC-00405] c05 N70-41819
- HIGH ALTITUDE**
Compact bellows spirometer for high speed and high altitude space travel
[NASA-CASE-XAR-01547] c05 N69-21473
- HIGH ALTITUDE ENVIRONMENTS**
Method of baking solid propellant rocket motor having reliable high altitude capabilities, long shelf life, and capable of firing with nozzle closure with foamed plastic permanent mandrel
[NASA-CASE-XLA-04126] c28 N71-26779
- HIGH ASPECT RATIO**
Aerospace configuration with low and high aspect ratio variability for high and low speed flight
[NASA-CASE-XLA-00142] c02 N70-33286
Aerodynamic configuration for aircraft capable of high speed flight and low drag for low speed takeoff or landing upon presently existing airfields
[NASA-CASE-XLA-00806] c02 N70-34858
- HIGH ENERGY INTERACTIONS**
Converging coaxial plasma accelerator for

- generating dense high velocity plasma bursts
[NASA-CASE-ARC-10109] c25 N71-29181
- HIGH FREQUENCIES**
Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c09 N69-24318
Holder for high frequency crystal resonators
[NASA-CASE-XNP-03637] c15 N71-21311
Multiple varactor for generating high frequencies with high power and high conversion efficiency
[NASA-CASE-XMF-04958-1] c10 N71-26414
- HIGH PASS FILTERS**
Radio frequency coaxial filter to provide dc isolation and low frequency signal rejection in audio range
[NASA-CASE-IGS-01418] c09 N71-23573
- HIGH POLYMERS**
Shock and vibration damping device using temperature sensitive solid amorphous polymers
[NASA-CASE-XAC-11225] c14 N69-27486
- HIGH PRESSURE**
High-temperature, high-pressure spherical segment valve
[NASA-CASE-XAC-00074] c15 N70-34817
High pressure four-way valve with O ring adapted to pass across inlet port
[NASA-CASE-XNP-00214] c15 N70-36908
Compact high pressure filter for rocket fuel lines
[NASA-CASE-XNP-00732] c28 N70-41447
Antiflutter check valve for use with high pressure fluid flow
[NASA-CASE-XNP-01152] c15 N70-41811
High pressure liquid flow sight assembly for wide temperature range applications including cryogenic fluids
[NASA-CASE-XLE-02998] c14 N70-42074
Structural design of high pressure regulator valve
[NASA-CASE-XNP-00710] c15 N71-10778
Hypersonic test facility for studying ablation in models under high pressure and high temperature
[NASA-CASE-XLA-00378] c11 N71-15925
Development and characteristics of high pressure control valve
[NASA-CASE-MSC-11010] c15 N71-19485
Valve seat with resilient support ring for venting valves subjected to high pressure sealing loads
[NASA-CASE-IKS-02582] c15 N71-21234
Apparatus and method capable of receiving large quantity of high pressure helium, removing impurities, and discharging at received pressure
[NASA-CASE-XMF-06888] c15 N71-24044
Liquid aerosol dispenser with explosively driven piston to compress light gas to extremely high pressure
[NASA-CASE-MFS-20829] c12 N72-21310
- HIGH RESOLUTION**
High resolution radar transmitting system for transmitting optical pulses to targets
[NASA-CASE-NPO-11426] c07 N73-26119
Focusing optical collimator for high resolution scanning of electromagnetic radiations, neutrons, and other particles
[NASA-CASE-MFS-20932-1] c14 N73-27380
- HIGH SPEED**
Compact bellows spirometer for high speed and high altitude space travel
[NASA-CASE-XAR-01547] c05 N69-21473
High speed low level voltage commutating switch
[NASA-CASE-XAC-00060] c09 N70-39915
Impact testing machine for imparting large impact forces on high velocity packages
[NASA-CASE-XNP-04817] c14 N71-23225
Flow meter for measuring stagnation pressure in boundary layer around high speed flight vehicle
[NASA-CASE-XFR-02007] c12 N71-24692
Method for reducing mass of ball bearings for long life operation at high speed
[NASA-CASE-LEW-10856-1] c15 N72-22490
Two stage light gas plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c11 N74-18891
- HIGH SPEED CAMERAS**
Electrically operated rotary shutter for television camera aboard spacecraft
[NASA-CASE-XNP-00637] c14 N70-40273
- HIGH STRENGTH**
Method for making fiber composites with high strength at high temperatures
[NASA-CASE-LEW-10424-2-2] c18 N72-25539
- HIGH STRENGTH ALLOYS**
High strength, corrosion resistant cobalt-based alloys for aerospace structures
[NASA-CASE-XLE-00726] c17 N71-15644
High strength aluminum casting alloy for cryogenic applications in aerospace engineering
[NASA-CASE-IMF-02786] c17 N71-20743
Production of high strength refractory compounds and microconstituents into refractory metal matrix
[NASA-CASE-XLE-03940] c18 N71-26153
High strength nickel based alloys
[NASA-CASE-LEW-10874-1] c17 N72-22535
Cobalt-tungsten alloys with superior strength at elevated temperatures
[NASA-CASE-LEW-10436-1] c17 N73-32415
- HIGH STRENGTH STEELS**
Prevention of hydrogen embrittlement of high strength steel --- by additive potassium hydroxide in hydrazine
[NASA-CASE-NPO-12122-1] c27 N74-20397
- HIGH TEMPERATURE**
High temperature source of thermal radiation
[NASA-CASE-XLE-00490] c33 N70-34545
Thermionic diode switch for use in high temperature region to chop current from dc source
[NASA-CASE-NPO-10404] c03 N71-12255
Hypersonic test facility for studying ablation in models under high pressure and high temperature
[NASA-CASE-XLA-00378] c11 N71-15925
Process for fiberizing ceramic materials with high fusion temperatures and tensile strength
[NASA-CASE-XNP-00597] c18 N71-23088
Induction heating of metallurgical specimens to high temperatures in coil furnace
[NASA-CASE-XLE-04026] c14 N71-23267
Method of forming ceramic to metal seals impervious to gaseous and liquid mercury at high temperature
[NASA-CASE-XNP-01263-2] c15 N71-26312
Method for making fiber composites with high strength at high temperatures
[NASA-CASE-LEW-10424-2-2] c18 N72-25539
Superalloys from prealloyed powders at high temperatures
[NASA-CASE-LEW-10805-1] c15 N73-13465
- HIGH TEMPERATURE AIR**
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10612-1] c12 N73-28144
- HIGH TEMPERATURE ENVIRONMENTS**
High speed infrared furnace
[NASA-CASE-XLE-10466] c17 N69-25147
Nickel alloy series for aerospace structures subjected to high temperatures
[NASA-CASE-XLE-00283] c17 N70-36616
Water cooled gage for strain measurements in high temperature environments
[NASA-CASE-XNP-09205] c14 N71-17657
- HIGH TEMPERATURE FLUIDS**
Self-cycling fluid heater for heating continuous fluid stream to ultrahigh temperatures to facilitate chemical reactions
[NASA-CASE-MSC-15567-1] c33 N73-16918
- HIGH TEMPERATURE GASES**
Multiple wavelength radiation measuring instrument for determining hot body or gas temperature
[NASA-CASE-XLE-00011] c14 N70-41946
Ablative resins used for retarding regression in ablative material
[NASA-CASE-XLE-05913] c33 N71-14032
Transient heat transfer gage for measuring total radiant intensity from far ultraviolet and ionized high temperature gases
[NASA-CASE-XNP-09802] c33 N71-15641
Generation of high temperature, high mass flow, and high Reynolds number air at hypersonic speeds
[NASA-CASE-LAR-10578-1] c12 N73-25262
- HIGH TEMPERATURE LUBRICANTS**
Production of barium fluoride-calcium fluoride composite lubricant for bearings or seals
[NASA-CASE-XLE-08511-2] c18 N71-16105

- Self lubricating fluoride-metal composite materials for outer space applications
[NASA-CASE-XLE-08511] c18 N71-23710
- HIGH TEMPERATURE PLASMAS**
Apparatus for producing highly conductive, high temperature electron plasma with homogenous temperature and pressure distribution
[NASA-CASE-XLA-00147] c25 N70-34661
- HIGH TEMPERATURE PROPELLANTS**
Development of system for delivering vaporized mercury to electron bombardment ion engine
[NASA-CASE-NPO-10737] c28 N72-11709
- HIGH TEMPERATURE RESEARCH**
Fire retardant polyisocyanurate foam with high temperature resistance
[NASA-CASE-ARC-10280-1] c18 N70-34695
Gas cooled high temperature thermocouple
[NASA-CASE-XLE-09475-1] c33 N71-15568
Fatigue testing apparatus with light shield and infrared reflector for high temperature evaluation of loaded sheet samples
[NASA-CASE-XLA-01782] c14 N71-26136
- HIGH TEMPERATURE TESTS**
High-temperature, high-pressure spherical segment valve
[NASA-CASE-XAC-00074] c15 N70-34817
Test apparatus for determining mechanical properties of refractory materials at high temperatures in vacuum or inert atmospheres
[NASA-CASE-XLE-00335] c14 N70-35368
Apparatus for testing metallic and nonmetallic beams or rods by bending at high temperatures in vacuum or inert atmosphere
[NASA-CASE-XLE-01300] c15 N70-41993
- HIGH VACUUM**
Epoxy resin sealing device for electrochemical cells in high vacuum environments
[NASA-CASE-XGS-02630] c03 N71-22974
Device for high vacuum film deposition with electromagnetic ion steering
[NASA-CASE-NPO-10331] c09 N71-26701
Absolute pressure measuring device for measuring gas density level in high vacuum range
[NASA-CASE-LAR-10000] c14 N73-30394
- HIGH VACUUM ORBITAL SIMULATOR**
Space environmental work simulator with portions of space suit mounted to vacuum chamber wall
[NASA-CASE-XMP-07488] c11 N71-18773
- HIGH VOLTAGES**
Hollow spherical electrode for shielding dielectric junction between high voltage conductor and insulator
[NASA-CASE-XLE-03778] c09 N69-21542
High voltage cable for use in high intensity ionizing radiation fields
[NASA-CASE-XNP-00738] c09 N70-38201
High voltage pulse generator for testing flash and ignition limits of nonmetallic materials in controlled atmospheres
[NASA-CASE-MSC-12178-1] c09 N71-13518
High voltage transistor circuit
[NASA-CASE-XNP-06937] c09 N71-19516
High voltage divider system for attenuating high voltages to convenient levels suitable for introduction to measuring circuits
[NASA-CASE-XLE-02008] c09 N71-21583
- HISTOGRAMS**
System for storing histogram data in optimum number of elements
[NASA-CASE-XNP-09785] c08 N69-21928
- HOLDERS**
Water cooled contactors for holding rotating carbon arc anode
[NASA-CASE-XNS-03700] c15 N69-24266
Quick disconnect latch and handle combination for mounting articles on walls or supporting bases in spacecraft under zero gravity conditions
[NASA-CASE-MPS-11132] c15 N71-17649
Holder for high frequency crystal resonators
[NASA-CASE-XNP-03637] c15 N71-21311
Design and construction of mechanical probe for determining if object is properly secured
[NASA-CASE-MPS-20760] c14 N72-33377
- HOLE DISTRIBUTION (MECHANICS)**
Adjustable hole cutter for forming circular openings
[NASA-CASE-MPS-22649-1] c15 N73-32376
- HOLE MOBILITY**
Hole mobility of deposited semiconductor films in vacuum utilizing thermal gradient
[NASA-CASE-XKS-04614] c15 N69-21460
- HOLOGRAPHY**
Development of focused image holography with extended sources
[NASA-CASE-ERC-10019] c16 N71-15551
Hybrid holographic system using reference, transmitted, and reflected beams simultaneously
[NASA-CASE-MPS-20074] c16 N71-15565
Recording and reconstructing focused image holograms
[NASA-CASE-ERC-10017] c16 N71-15567
Method and means for recording and reconstructing holograms without use of reference beam
[NASA-CASE-ERC-10020] c16 N71-26154
Multiple image storing system for obtaining holographic record on film of high speed projectile
[NASA-CASE-MPS-20596] c14 N72-17324
Development of technique for producing holograms using propagation of surface waves within layer of photosensitive material
[NASA-CASE-MPS-22040-1] c16 N73-26500
Thin film analyzer utilizing holographic techniques
[NASA-CASE-MPS-20823-1] c16 N73-30476
Holographic system for nondestructive testing
[NASA-CASE-MPS-21704-1] c16 N73-30478
Method and apparatus for checking the stability of a setup for making reflection type holograms
[NASA-CASE-MPS-21455-1] c16 N74-15146
Real time moving scene holographic camera system
[NASA-CASE-MPS-21087-1] c14 N74-17153
- HOING DEVICES**
Location identification system with ground based transmitter and aircraft borne receiver/decoder
[NASA-CASE-ERC-10324] c07 N72-25173
- HONEYCOMB CORES**
Technique for making foldable, inflatable, plastic honeycomb core panels for use in building and bridge structures, light and radio wave reflectors, and spacecraft
[NASA-CASE-XLA-03492] c15 N71-22713
Heat treatment and tooling for forming shapes from thermosetting honeycomb core sheets
[NASA-CASE-NPO-11036] c15 N72-24522
Honeycomb core structures of minimum surface tubule sections
[NASA-CASE-ERC-10363] c18 N72-25541
- HONEYCOMB STRUCTURES**
Filling honeycomb matrix with deaerated paste filler
[NASA-CASE-XMS-01108] c15 N69-24322
Inflatable honeycomb panel element for lightweight structures usable in space stations and other construction
[NASA-CASE-XLA-00204] c32 N70-36536
Fluid flow control valve for regulating fluids in molecular quantities
[NASA-CASE-XLE-00703] c15 N71-15967
Method and apparatus for fabrication of heat insulating and ablative reentry structure
[NASA-CASE-XMS-02009] c33 N71-20834
Method for honeycomb panel bonding by thermosetting film adhesive with electrical heat means
[NASA-CASE-XMP-01402] c18 N71-21651
Development of thermal insulation material for insulating liquid hydrogen tanks in spacecraft
[NASA-CASE-XNP-05046] c33 N71-28892
Honeycomb panels of minimal surface, periodic tubule layers
[NASA-CASE-ERC-10364] c18 N72-25540
Development of manually operated tool for facing exposed end to insert installed in honeycomb panel
[NASA-CASE-MPS-21485-1] c15 N72-31490
Development of process for bonding resinous body in cavities of honeycomb structures
[NASA-CASE-MSC-12357] c15 N73-12489
- HOPPERS**
Design and development of device to prevent clogging in hoppers containing particulate materials
[NASA-CASE-LAR-10961-1] c15 N73-12496

HORIZON SCANNERS

Oscillatory electromagnetic mirror drive system for horizon scanners
[NASA-CASE-XLA-03724] c14 N69-27461

Multi-lobar scan horizon sensor
[NASA-CASE-XGS-00809] c21 N70-35427

Attitude orientation control of spin stabilized final stage space vehicles, using horizon scanners
[NASA-CASE-XLA-00281] c21 N70-36943

Clamped amplifier circuit for horizon scanner enabling amplification and accurate measurement of specified parameters
[NASA-CASE-XGS-01784] c10 N71-20782

Horizon sensor design with digital sampling of spaced radiation-compensated thermopile infrared detectors
[NASA-CASE-XNP-06957] c14 N71-21088

Method and equipment for locating earth infrared horizon from space, independent of season and latitude
[NASA-CASE-LAR-10726-1] c14 N73-20475

HORIZONTAL SPACECRAFT LANDING
Delta winged, manned reentry vehicle capable of horizontal glide landing at low speeds
[NASA-CASE-XLA-00241] c31 N70-37986

HORIZONTAL TAIL SURFACES
Development and characteristics of translating horizontal tail assembly for supersonic aircraft
[NASA-CASE-XLA-08801-1] c02 N71-11043

HORN ANTENNAS
Device for improving efficiency of parabolic horn antenna system for linearly polarized signals
[NASA-CASE-XNP-00611] c09 N70-35219

Device for improving efficiency of parabolic reflector horn for linearly or circularly polarized waves
[NASA-CASE-XNP-00540] c09 N70-35382

Characteristics of antenna horn feeds consisting of central horn with overlapping peripheral horns
[NASA-CASE-GSC-10452] c07 N71-12396

Multiple mode horn antenna with radiation pattern of equal beamwidths and suppressed sidelobes
[NASA-CASE-XNP-01057] c07 N71-15907

Multipurpose microwave antenna, employing dish reflector with plural coaxial horn feeds
[NASA-CASE-NPO-11264] c07 N72-25174

HOT CATHODES
Improved cathode containing barium carbonate block and heated tungsten screen for electron bombardment ion thruster
[NASA-CASE-XLE-07087] c06 N69-39889

HOT PRESSING
Cermet for nuclear fuel constructed by pressing metal coated ceramic particles in die at temperature to cause bonding of metal coatings, and tested for thermal stability
[NASA-CASE-LEW-10219-1] c18 N71-28729

HOT WORKING
Hot forming of plastic sheets
[NASA-CASE-XMS-05516] c15 N71-17803

HOT-WIRE FLOWMETERS
Hot-wire liquid level detector for cryogenic propellants
[NASA-CASE-XLE-00454] c23 N71-17802

HOUSINGS
Sealed housing for protecting electronic equipment against electromagnetic interference
[NASA-CASE-MSC-12168-1] c09 N71-18600

Open type urine receptacle with tubular housing
[NASA-CASE-MSC-12324-1] c05 N72-22093

Readily assembled universal environment housing for electronic equipment
[NASA-CASE-KSC-10031] c15 N72-22486

Gas flow control device, including housing and input port
[NASA-CASE-NPO-11479] c15 N73-13462

Cryogenic gyroscope housing --- with annular disks for gas spin-up
[NASA-CASE-MFS-21136-1] c23 N74-18323

Heat transfer device
[NASA-CASE-NPO-11120-1] c33 N74-18552

HOVERING
Hovering type flying vehicle design and principle mechanisms for manned or unmanned use
[NASA-CASE-MSC-12111-1] c02 N71-11039

HUGONIOT EQUATION OF STATE

Method for determining density of impacting particles by using Hugoniot curves
[NASA-CASE-LAR-11059-1] c30 N73-26838

HULLS (STRUCTURES)
Efficient operation of improved hydrofoil design
[NASA-CASE-XLA-00229] c12 N70-33305

HUMAN BRINGS
Method and apparatus for applying compressional forces to skeletal structure of subject to simulate force during ambulatory conditions
[NASA-CASE-ARC-10100-1] c05 N71-24738

Automatic braking device for rapidly transferring humans or materials from elevated location
[NASA-CASE-XKS-07814] c15 N71-27067

HUMAN BODY
Apparatus for measuring human body mass in zero or reduced gravity environment
[NASA-CASE-XMS-03371] c05 N70-42000

Electromedical garment, applying vectorcardiologic type electrodes to human torsos for data recording during physical activity
[NASA-CASE-IPR-10856] c05 N71-11189

Thermoregulating with cooling flow pipe network for humans
[NASA-CASE-XMS-10269] c05 N71-24147

Elastomeric extensometer for measuring surface area changes of human body caused by body expansion and contraction
[NASA-CASE-MFS-21049-1] c14 N73-11405

Tilting table for testing human body in variety of positions while exercising on ergometer or other biomedical devices
[NASA-CASE-MFS-21010-1] c05 N73-30078

HUMAN FACTORS ENGINEERING
Shock absorbing couch for body support under high acceleration or deceleration forces
[NASA-CASE-XMS-01240] c05 N70-35152

Harness assembly adapted to support man on ground based apparatus which simulates weightlessness
[NASA-CASE-MFS-14671] c05 N71-12341

Multiple circuit switch apparatus requiring minimum hand and eye movement by operator
[NASA-CASE-XAC-03777] c10 N71-15909

Remote control device operated by movement of finger tips for manual control of spacecraft attitude
[NASA-CASE-XAC-02405] c09 N71-16089

Design and development of flexible tunnel for use by spacecrews in performing extravehicular activities
[NASA-CASE-MSC-12243-1] c05 N71-24728

Development of apparatus and method for quantitatively measuring brain activity as automatic indication of sleep state and level of consciousness
[NASA-CASE-MSC-13282-1] c05 N71-24729

Recording apparatus
[NASA-CASE-LAR-11353-1] c14 N74-20020

HUMAN PERFORMANCE
Optical vision testing unit for testing eyes and visual system of human subject
[NASA-CASE-MSC-13601-1] c05 N72-11088

Color perception tester for testing color code perceptiveness of individuals
[NASA-CASE-KSC-10278] c05 N72-16015

HUMAN REACTIONS
Reaction tester for testing reaction to light stimuli
[NASA-CASE-MSC-13604-1] c05 N73-13114

HUMAN WASTES
Reduced gravity fecal collector seat and urinal
[NASA-CASE-MFS-22102-1] c05 N74-20725

HYBRID COMPUTERS
Adaptive voting computer system
[NASA-CASE-MSC-13932-1] c08 N74-14920

HYBRID PROPELLANTS
Liner for hybrid solid propellants to bind propellant to rocket motor case
[NASA-CASE-XNP-09744] c27 N71-16392

HYDRAULIC CONTROL
Shear modulated fluid amplifier of high pressure hydraulic vortex amplifier type
[NASA-CASE-MFS-10412] c12 N71-17578

Throttle valve for regulating fluid flow volume
[NASA-CASE-XNP-09698] c15 N71-18580

- Fluidic-thermochromic display device
[NASA-CASE-ERC-10031] c12 N71-18603
- Development and characteristics of variable displacement fluid pump for transforming hydraulic pressures
[NASA-CASE-MPS-20830] c15 N71-30028
- HYDRAULIC EQUIPMENT**
- Hydraulic support equipment for full scale dynamic testing of large rocket vehicle under free flight conditions
[NASA-CASE-XMP-01772] c11 N70-41677
- Hydraulic support apparatus for dynamic testing of space vehicles under near-free flight conditions
[NASA-CASE-XMF-03248] c11 N71-10604
- Hydraulic drive mechanism for leveling isolation platforms
[NASA-CASE-XMS-03252] c15 N71-10658
- Antibacklash circuit for hydraulic drive system
[NASA-CASE-XNP-01020] c03 N71-12260
- Hydraulic clamping of sheet stock specimens
[NASA-CASE-XLA-05100] c15 N71-17696
- Design and development of double acting shock absorber for spacecraft docking operations
[NASA-CASE-XMS-03722] c15 N71-21530
- Hydraulic apparatus for casting and molding of liquid polymers
[NASA-CASE-XNP-07659] c06 N71-22975
- System to control speed of hydraulically movable members by limiting energy applied to actuators with hydraulic servo loop
[NASA-CASE-ARC-10131-1] c15 N71-27754
- Development of aircraft control system with high performance electrically controlled and mechanically operated hydraulic valves for precise flight operation
[NASA-CASE-XAC-00048] c02 N71-29128
- Development and characteristics of variable displacement fluid pump for transforming hydraulic pressures
[NASA-CASE-MPS-20830] c15 N71-30028
- Design and characteristics of mechanically extended and telescoping boom on crane assembly
[NASA-CASE-NPO-11118] c03 N72-25021
- Design and development of device to prevent geysering during convective circulation of cryogenic fluids
[NASA-CASE-KSC-10615] c15 N73-12486
- Redundant hydraulic control system for actuators with three main valve combination
[NASA-CASE-MPS-20944] c15 N73-13466
- Development and characteristics of combined pressure regulator and shutoff valve with variable pressure response characteristics
[NASA-CASE-NPO-13201-1] c15 N73-26474
- Rocket propellant injector with porous faceplate for rocket engine combustion chamber
[NASA-CASE-LEB-11071-1] c27 N73-27695
- Design and characteristics of system for regenerating fluid filter to remove trapped particles with application to space shuttle systems
[NASA-CASE-MSC-14273-1] c12 N73-28179
- Ultrasonically bonded valve assembly
[NASA-CASE-NPO-13360-1] c15 N74-20073
- HYDRAZINE NITROFORM**
- Solid propellant containing hydrazinium nitroformate oxidizer and polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c27 N73-16764
- HYDRAZINES**
- Catalyst bed ignition system for hydrazine propellants
[NASA-CASE-XNP-00876] c28 N70-41311
- Hydrazine monoperfluoro alkanoate solder flux leaving corrosion resistant coating, for metals such as copper
[NASA-CASE-XNP-03459-2] c18 N71-15688
- Rubber composition for expulsion bladders and diaphragms for use with hydrazine
[NASA-CASE-NPO-11433] c18 N71-31140
- Prevention of hydrogen embrittlement of high strength steel --- by additive potassium hydroxide in hydrazine
[NASA-CASE-NPO-12122-1] c27 N74-20397
- HYDROCARBON FUELS**
- Apparatus for producing hydrocarbon slurry containing small particles of magnesium for use as jet aircraft fuel
[NASA-CASE-XLE-00010] c15 N70-33382
- HYDROCARBONS**
- Solid propellant containing hydrazinium nitroformate oxidizer and polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c27 N73-16764
- HYDRODYNAMICS**
- Heat operated cryogenic electrical generator --- using liquid helium conversion
[NASA-CASE-NPO-13303-1] c03 N74-19701
- HYDROFOILS**
- Efficient operation of improved hydrofoil design
[NASA-CASE-XLA-00229] c12 N70-33305
- HYDROFORMING**
- Cold metal hydroforming techniques using epoxy molds for counteracting creep or stretch
[NASA-CASE-XLE-05641-1] c15 N71-26346
- HYDROGEN**
- Method and transducer device for detecting presence of hydrogen gas
[NASA-CASE-XMF-03873] c06 N69-39733
- Preventing pressure buildup in electrochemical cells by reacting palladium oxide with evolved hydrogen
[NASA-CASE-XGS-01419] c03 N70-41864
- Development of pulse-activated polarographic hydrogen detector
[NASA-CASE-XMF-06531] c14 N71-17575
- Development of device for detecting hydrogen in ambient environments
[NASA-CASE-MPS-11537] c14 N71-20442
- Gas chromatographic method for analyzing hydrogen deuterium mixtures
[NASA-CASE-NPO-11322] c06 N72-25146
- Hydrogen fire blink detector for high altitude rocket or ground installation
[NASA-CASE-MPS-15063] c14 N72-25412
- Separation of dissolved hydrogen from water and coating with palladium black
[NASA-CASE-MSC-13335-1] c06 N72-31140
- Atomic hydrogen maser with bulb temperature control by output frequency difference signal for wall shift elimination
[NASA-CASE-HQN-10654-1] c16 N73-13489
- Method for producing storage bulb for atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c16 N73-18508
- HYDROGEN EMBRITTLEMENT**
- Prevention of hydrogen embrittlement of high strength steel --- by additive potassium hydroxide in hydrazine
[NASA-CASE-NPO-12122-1] c27 N74-20397
- HYDROGEN OXYGEN FUEL CELLS**
- Electrolytically regenerative hydrogen-oxygen fuel cells
[NASA-CASE-XLE-04526] c03 N71-11052
- Water electrolysis rocket engine with self-regulating stoichiometric fuel mixing regulator
[NASA-CASE-XGS-08729] c28 N71-14044
- HYDROGEN PEROXIDE**
- Unit for generating thrust from catalytic decomposition of hydrogen peroxide, for high altitude aircraft or spacecraft reaction control
[NASA-CASE-XMS-00583] c28 N70-38504
- HYDROGENATION**
- Producing high purity silicon carbide on carbon base by hydrogen reduction of silicon tetrachloride
[NASA-CASE-XLA-00158] c26 N70-36805
- Compact hydrogenator
[NASA-CASE-NPO-11682-1] c15 N74-15127
- HYDROXIDES**
- Method for determining presence and type of OH in MgO
[NASA-CASE-NPO-10774] c06 N72-17095
- HYGROSCOPICITY**
- Method of evaluating moisture barrier properties of materials used in electronics encapsulation
[NASA-CASE-NPO-10051] c18 N71-24934
- HYPERBOLIC SYSTEMS**
- Development of radio locating system for monitoring geographic movement of surface vehicles in metropolitan area using unsynchronized radio broadcasting stations
[NASA-CASE-NPO-13217-1] c07 N73-26144
- HYPERFINE STRUCTURE**
- Process for producing dispersion strengthened nickel with aluminum comprising metallic matrices embedded with oxides or other

- hyperfine compounds
[NASA-CASE-XLE-06969] c17 N71-24142
- HYPERGOLIC ROCKET PROPELLANTS**
Solid propellant ignition with hypergolic fluid injected to predetermined portions of propellant [NASA-CASE-XLE-00207] c28 N70-33375
Regenerative cooling system for small rocket engine having restart capability and using noncryogenic hypergolic propellants [NASA-CASE-XLE-00685] c28 N70-41992
Method for igniting solid propellant rocket motors by injecting hypergolic fluids [NASA-CASE-XLE-01988] c27 N71-15634
- HYPERSONIC AIRCRAFT**
Multistage aerospace craft --- perspective drawings of conceptual design [NASA-CASE-XMF-02263] c02 N74-10907
- HYPERSONIC FLOW**
Design of hypersonic test facility for ablation tests and performance tests of vehicles under conditions of high temperature and pressure [NASA-CASE-XLA-05378] c11 N71-21475
- HYPERSONIC SPEED**
Leading edge design for hypersonic reentry vehicles [NASA-CASE-XLA-00165] c31 N70-33242
Aerospace vehicle with variable planform for hypersonic and subsonic flight [NASA-CASE-XLA-00805] c31 N70-38010
Variable geometry manned orbital vehicle having high aerodynamic efficiency over wide speed range and incorporating auxiliary pivotal wings [NASA-CASE-XLA-03691] c31 N71-15674
Supersonic or hypersonic vehicle control system comprising elevons with hinge line sweep and free of adverse aerodynamic cross coupling [NASA-CASE-XLA-08967] c02 N71-27088
Generation of high temperature, high mass flow, and high Reynolds number air at hypersonic speeds [NASA-CASE-LAR-10578-1] c12 N73-25262
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds [NASA-CASE-LAR-10612-1] c12 N73-28144
- HYPERSONIC VEHICLES**
Carbon dioxide purge systems to prevent condensation in spaces between cryogenic fuel tanks and hypersonic vehicle skin [NASA-CASE-XLA-01967] c31 N70-42015
- HYPERVELOCITY GUNS**
Method and apparatus for use in forming highly collimated beam of microparticles with high charge to mass ratio and injecting beam into electrostatic accelerating tube [NASA-CASE-XGS-06628] c24 N71-16213
Implosion driven, light gas, hypervelocity gun [NASA-CASE-XAC-05902] c11 N71-18578
Collapsible piston for hypervelocity gun [NASA-CASE-MSC-13789-1] c11 N73-32152
- HYPERVELOCITY IMPACT**
Method of and device for determining the characteristics and flux distribution of micrometeorites --- scanning puncture holes in sheet material with photoelectric cell [NASA-CASE-NPO-12127-1] c14 N74-13130
- HYPERVELOCITY PROJECTILES**
Impact measuring technique for determining size of hypervelocity projectiles [NASA-CASE-LAR-10913] c14 N72-16282
Multiple image storing system for obtaining holographic record on film of high speed projectile [NASA-CASE-MFS-20596] c14 N72-17324
- HYPERVELOCITY WIND TUNNELS**
Hypersonic test facility for studying ablation in models under high pressure and high temperature [NASA-CASE-XLA-00378] c11 N71-15925
Design of hypersonic test facility for ablation tests and performance tests of vehicles under conditions of high temperature and pressure [NASA-CASE-XLA-05378] c11 N71-21475
- HYSTERESIS**
Belleville spring assembly with elastic guides having low hysteresis [NASA-CASE-XNP-09452] c15 N69-27504
- IGNITERS**
Characteristics of solid propellant rocket engine with controlled rate of thrust buildup operating in vacuum environment [NASA-CASE-NPO-11559] c28 N73-24784
Remote fire stack igniter on vent stack with flame cage near top [NASA-CASE-MFS-21675-1] c33 N73-31826
- IGNITION**
Magnetically controlled plasma accelerator capable of ignition in low density gaseous environment [NASA-CASE-XLA-00327] c25 N71-29184
- IGNITION LIMITS**
High voltage pulse generator for testing flash and ignition limits of nonmetallic materials in controlled atmospheres [NASA-CASE-MSC-12178-1] c09 N71-13518
- IGNITION SYSTEMS**
Solid propellant ignition with hypergolic fluid injected to predetermined portions of propellant [NASA-CASE-XLE-00207] c28 N70-33375
Ignition system for monopropellant combustion devices [NASA-CASE-XNP-00249] c28 N70-38249
Igniter capsule for chemical ignition of liquid rocket propellants [NASA-CASE-XLE-00323] c28 N70-38505
Catalyst bed ignition system for hydrazine propellants [NASA-CASE-XNP-00876] c28 N70-41311
Motor run-up system --- for preventing power line disturbances when synchronous motor is connected to line [NASA-CASE-NPO-13374-1] c10 N74-17949
- IGNITION TEMPERATURE**
Test chamber for determining decomposition and autoignition of materials used in spacecraft under controlled environmental conditions [NASA-CASE-KSC-10198] c11 N71-28629
- ILLUMINATORS**
Camera adapter design for image magnification including lens and illuminator [NASA-CASE-XMZ-03844-1] c14 N71-26474
Illumination system design for use as sunlight simulator in space environment simulators with multiple light sources reflected to single virtual source [NASA-CASE-HQN-10] c23 N71-30292
- IMAGE CONTRAST**
Video signal enhancement of signal component representing brightness of scene element in low contrast [NASA-CASE-NPO-10343] c07 N71-27341
- IMAGE CONVERTERS**
Device for converting optical images into electron beams [NASA-CASE-GSC-11602-1] c09 N73-13214
Photoconducting semiconductor system for converting stored optical images into video signals [NASA-CASE-NPO-13131-1] c16 N73-31467
- IMAGE CORRELATORS**
Multiple pattern holographic information storage and readout system [NASA-CASE-ERC-10151] c16 N71-29131
Automatic focus control for facsimile cameras [NASA-CASE-LAR-11213-1] c14 N74-10420
- IMAGE DISSECTOR TUBES**
Apparatus for calibrating an image dissector tube [NASA-CASE-MFS-22208-1] c14 N74-18100
- IMAGE ENHANCEMENT**
Electron beam scanning system for improved image definition and reduced power requirements for video signal transmission [NASA-CASE-ERC-10552] c09 N71-12539
- IMAGE FILTERS**
Filter arrangement for controlling light intensity in motion picture camera used in optical pyrometry [NASA-CASE-XLA-00062] c14 N70-33254
- IMAGES**
Camera adapter design for image magnification including lens and illuminator [NASA-CASE-XMF-03844-1] c14 N71-26474

- Family of physical correction filters for improving optical quality of image
[NASA-CASE-HQN-10542-1] c23 N72-21663
- Stereoscopic television system, including projecting pair of binocular images
[NASA-CASE-ARC-10160-1] c23 N72-27728
- Device for converting optical images into electron beams
[NASA-CASE-GSC-11602-1] c09 N73-13214
- IMAGING TECHNIQUES**
- Highly stable optical mirror assembly optimizing image quality of light diffraction patterns
[NASA-CASE-ERC-10001] c23 N71-24868
- Noise elimination in coherent imaging system by axial rotation of optical lens for spectral distribution of degrading affects
[NASA-CASE-GSC-11133-1] c23 N72-11568
- Phototransistor imaging system with mosaic of phototransistors on semiconductor substrate
[NASA-CASE-MFS-20809] c23 N73-13660
- Computerized optical system for producing multiple images of a scene simultaneously
[NASA-CASE-MSC-12404-1] c23 N73-13661
- Optical imaging system for increasing light absorption efficiency of imaging detector
[NASA-CASE-ARC-10194-1] c23 N73-20741
- Device for displaying and recording angled views of samples to be viewed by microscope
[NASA-CASE-GSC-11690-1] c14 N73-28499
- Ritchey-Chretien telescope responsive to images located off telescope optical axis
[NASA-CASE-GSC-11487-1] c14 N73-30393
- Data storage, image tube type
[NASA-CASE-MSC-14053-1] c08 N74-12888
- Optical instruments
[NASA-CASE-MSC-14096-1] c14 N74-15095
- IMIDES**
- Synthesis and chemical properties of imidazopyrrolone/imide copolymers
[NASA-CASE-XLA-08802] c06 N71-11238
- Molding process for imidazopyrrolone polymers
[NASA-CASE-LAR-10547-1] c15 N74-13177
- IMINES**
- Synthesis of polymeric schiff bases by schiff-base exchange reactions
[NASA-CASE-XMF-08651] c06 N71-11236
- Direct synthesis of polymeric schiff bases from two amines and two aldehydes
[NASA-CASE-XMF-08655] c06 N71-11239
- Synthesis of schiff bases for heat shields by acetal amine reactions
[NASA-CASE-XMF-08652] c06 N71-11243
- Synthesis of aromatic diamines and dialdehyde polymers using Schiff base
[NASA-CASE-XMF-03074] c06 N71-24740
- IMMOBILIZATION**
- Stretcher with rigid head and neck support with capability of supporting immobilized person in vertical position for removal from vehicle hatch to exterior also useful as splint stretcher
[NASA-CASE-XMF-06589] c05 N71-23159
- Absolute focus locking device for microscopes to maintain set focus for extended time period
[NASA-CASE-LAR-10184] c14 N72-22445
- IMPACT**
- Shock absorber for use as protective barrier in impact energy absorbing system
[NASA-CASE-NPO-10671] c15 N72-20443
- System for detecting impact position of cosmic dust on detector surface
[NASA-CASE-GSC-11291-1] c25 N72-33696
- IMPACT ACCELERATION**
- Suspended mass oscillation damper based on impact energy absorption for damping wind induced oscillations of tall stacks, antennas, and umbilical towers
[NASA-CASE-LAR-10193-1] c15 N71-27146
- IMPACT DAMAGE**
- Measuring micrometeroid depth of penetration into various materials
[NASA-CASE-XLA-00941] c14 N71-23240
- IMPACT LOADS**
- Piezoelectric transducer for detecting and measuring micrometeroids
[NASA-CASE-XAC-01101] c14 N70-41957
- Impact testing machine for imparting large impact forces on high velocity packages
[NASA-CASE-INP-04817] c14 N71-23225
- IMPACT RESISTANCE**
- Electric storage battery with high impact resistance
[NASA-CASE-NPO-11021] c03 N72-20032
- IMPACT STRENGTH**
- High impact pressure regulator having minimum number of lightweight movable elements
[NASA-CASE-NPO-10175] c14 N71-18625
- IMPACT TESTING MACHINES**
- Development and characteristics of pentrometer for measuring physical properties of lunar surface
[NASA-CASE-XLA-00934] c14 N71-22765
- Impact testing machine for imparting large impact forces on high velocity packages
[NASA-CASE-INP-04817] c14 N71-23225
- IMPACT TOLERANCES**
- High impact antennas with high radiating efficiency
[NASA-CASE-NPO-10231] c07 N71-26101
- IMPEDANCE MATCHING**
- Impedance transformation device for signal mixing
[NASA-CASE-XGS-01110] c07 N69-24334
- Reflectometer for receiver input impedance match measurement
[NASA-CASE-XNP-10843] c07 N71-11267
- Radio frequency coaxial filter to provide dc isolation and low frequency signal rejection in audio range
[NASA-CASE-XGS-01418] c09 N71-23573
- Pattern and impedance matching improvements in transversely polarized triaxial antenna
[NASA-CASE-XGS-02290] c07 N71-28809
- IMPEDANCE MEASUREMENTS**
- Development of electrical system for measuring high impedance
[NASA-CASE-IMS-08589-1] c09 N71-20569
- IMPLANTATION**
- Biotelemetry apparatus with dual voltage generators for implanting in animals
[NASA-CASE-XAC-05706] c05 N71-12342
- IMPLOSIONS**
- Implosion driven, light gas, hypervelocity gun
[NASA-CASE-XAC-05902] c11 N71-18578
- IMPURITIES**
- Fabrication of sintered impurity semiconductor brushes for electrical energy transfer
[NASA-CASE-XMF-01016] c26 N71-17818
- INCOHERENT SCATTERING**
- Rapidly pulsed, high intensity, incoherent light source
[NASA-CASE-XLE-2529-3] c09 N74-20859
- INDICATING INSTRUMENTS**
- Controlled caging and uncaging mechanism for remote instrument control
[NASA-CASE-GSC-11063-1] c03 N70-35584
- Piezoelectric means for missile stage separation indication and stage initiation
[NASA-CASE-XLA-00791] c03 N70-39930
- Inductive liquid level detection system
[NASA-CASE-XLE-01609] c14 N71-10500
- Apparatus for determining quality of bond between high density material and low density material
[NASA-CASE-MFS-13686] c15 N71-18132
- Device for detecting hydrogen fires onboard high altitude rockets
[NASA-CASE-MFS-13130] c10 N72-17173
- INDUCTANCE**
- Current dependent variable inductance for input filter chokes of ac or dc power supplies
[NASA-CASE-ERC-10139] c09 N72-17154
- Inductance device with vacuum insulation and materials of low gas entrapping capability
[NASA-CASE-LEW-10330-1] c09 N72-27226
- INDUCTION HEATING**
- Induction heating of metallurgical specimens to high temperatures in coil furnace
[NASA-CASE-XLE-04026] c14 N71-23267
- INDUCTION MOTORS**
- Voltage controlled oscillator circuit for two-phase induction motor control
[NASA-CASE-MFS-21465-1] c10 N73-32145
- A variable frequency inverter for ac induction motors with torque, speed and braking control
[NASA-CASE-MFS-22088-1] c09 N74-13894
- INDUCTORS**
- Inductive liquid level detection system
[NASA-CASE-XLE-01609] c14 N71-10500

- Describing apparatus used in vacuum deposition of thin film inductive windings for spacecraft microcircuitry
[NASA-CASE-XMF-01667] c15 N71-17647
- Double-induction variable speed system for constant-frequency electrical power generation
[NASA-CASE-ERC-10065] c09 N71-27364
- INDUSTRIAL PLANTS**
- Simplified technique and device for producing industrial grade synthetic diamonds
[NASA-CASE-MFS-20698-2] c15 N73-19457
- INERTIA**
- Gearing system for eliminating backlash and filtering input torque fluctuations from high-inertia load
[NASA-CASE-XGS-04227] c15 N71-21744
- INERTIAL GUIDANCE**
- Hermetically sealed vibration damper design for use in global assembly of spacecraft inertial guidance system
[NASA-CASE-MSC-10959] c15 N71-26243
- INERTIAL PLATFORMS**
- Inertial component clamping assembly design for spacecraft guidance and control system mounting
[NASA-CASE-XMS-02184] c15 N71-20813
- Inertial gimbal alignment system for spacecraft guidance
[NASA-CASE-XMF-01669] c21 N71-23289
- Temperature compensated digital inertial sensor --- circuit for maintaining inertial element of gyroscope or accelerometer at constant position
[NASA-CASE-NPO-13044-1] c14 N74-15094
- INERTIAL REFERENCE SYSTEMS**
- Development of attitude control system for spacecraft orientation
[NASA-CASE-XGS-04393] c21 N71-14159
- Large amplitude, linear inertial reference system of vibrating string type for spacecraft reference plane
[NASA-CASE-XAC-03107] c23 N71-16098
- INFLATABLE SPACECRAFT**
- Passive thermal control coating on aluminum foil laminate for inflatable spacecraft surfaces
[NASA-CASE-XLA-01291] c33 N70-36617
- Erectable, inflatable, radio signal reflecting passive communication satellite
[NASA-CASE-XLA-00210] c30 N70-40309
- Rotating, multisided mandrel for fabricating gored inflatable spacecraft
[NASA-CASE-XLA-04143] c15 N71-17687
- Forming inflatable panels erectable in space for passive communication satellite
[NASA-CASE-XLA-03497] c15 N71-23052
- Development and characteristics of inflatable structure to provide escape from orbit for spacecrews under emergency conditions
[NASA-CASE-XMS-06162] c31 N71-28851
- INFLATABLE STRUCTURES**
- Aeroflexible wing structure with air scoop for inflating stiffeners with ram air
[NASA-CASE-XLA-06095] c01 N69-39981
- Design of inflatable life raft for aircrafts and boats
[NASA-CASE-XMS-00863] c05 N70-34857
- Lightweight life preserver without fastening devices
[NASA-CASE-XMS-00864] c05 N70-36493
- Inflatable honeycomb panel element for lightweight structures usable in space stations and other construction
[NASA-CASE-XLA-00204] c32 N70-36536
- Inflatable radar reflector unit - lightweight, highly reflective to electromagnetic radiation, and adaptable for erection and deployment with minimum effort and time
[NASA-CASE-XMS-00893] c07 N70-40063
- Temperature sensor warning system for pneumatic tires of aircraft and ground vehicles
[NASA-CASE-XLA-01926] c14 N71-15620
- Inflation system for balloon type satellites
[NASA-CASE-XGS-03351] c31 N71-16081
- Development and characteristics of protective coatings for spacecraft
[NASA-CASE-XNP-02507] c31 N71-17679
- Development and characteristics of self supporting space vehicle
[NASA-CASE-XLA-00117] c31 N71-17680
- Conforming polisher for aspheric surfaces of revolution with inflatable tube
[NASA-CASE-XGS-02884] c15 N71-22705
- Technique for making foldable, inflatable, plastic honeycomb core panels for use in building and bridge structures, light and radio wave reflectors, and spacecraft
[NASA-CASE-XLA-03492] c15 N71-22713
- Collapsible antenna boom and coaxial transmission line having inflatable inner tube
[NASA-CASE-MFS-20068] c07 N71-27191
- Space expandable tether device for use as passageway between two docked spacecraft
[NASA-CASE-XMS-10993] c15 N71-28936
- Inflatable rocket engine nozzle skirt with transpiration cooling
[NASA-CASE-MFS-20619] c28 N72-11708
- INFLATING**
- Modification of one man life raft
[NASA-CASE-LAR-10241-1] c05 N74-14845
- INFORMATION RETRIEVAL**
- Multiple pattern holographic information storage and readout system
[NASA-CASE-ERC-10151] c16 N71-29131
- INFRARED DETECTORS**
- Temperature sensitive capacitor device for detecting very low intensity infrared radiation
[NASA-CASE-XNP-09750] c14 N69-39937
- Sight switch using infrared source and sensor mounted beside eye
[NASA-CASE-XNP-03934] c09 N71-22985
- Characteristics of infrared photodetectors manufactured from semiconductor material irradiated by electron beam
[NASA-CASE-LAR-10728-1] c14 N73-12445
- A doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c14 N74-20022
- INFRARED INSTRUMENTS**
- Infrared scanning system for maintaining spacecraft orientation with earth reference
[NASA-CASE-XLA-00120] c21 N70-33181
- INFRARED LASERS**
- Monitoring atmospheric pollutants with a heterodyne radiometer transmitter-receiver
[NASA-CASE-NPO-11919-1] c14 N74-11284
- INFRARED RADIATION**
- High speed infrared furnace
[NASA-CASE-XLE-10466] c17 N69-25147
- High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c14 N74-18088
- INFRARED SCANNERS**
- Infrared scanning system for maintaining spacecraft orientation with earth reference
[NASA-CASE-XLA-00120] c21 N70-33181
- Method and equipment for locating earth infrared horizon from space, independent of season and latitude
[NASA-CASE-LAR-10726-1] c14 N73-20475
- INFRARED SPECTRA**
- Laser utilizing infrared rotation transitions of diatomic gas for production of different wavelengths
[NASA-CASE-ARC-10370-1] c16 N72-10432
- INFRARED SPECTROMETERS**
- Telespectrograph for analyzing upper atmosphere by tracking bodies reentering atmosphere at high velocities
[NASA-CASE-XLA-03273] c14 N71-18699
- INFRARED SPECTROSCOPY**
- Polymer coatings for moisture protection of optical windows in infrared spectroscopy
[NASA-CASE-ARC-10749-1] c23 N73-32542
- INFRASONIC FREQUENCIES**
- Resonant infrasonic gauging device for measuring liquid quantity in closed bladderless reservoir
[NASA-CASE-MSC-11847-1] c14 N72-11363
- INGESTION (BIOLOGY)**
- Ingestible miniaturized telemetry device for deep body temperature measurements on humans and animals
[NASA-CASE-ARC-10583-1] c05 N73-14093
- INITIATORS (EXPLOSIVES)**
- Piezoelectric means for missile stage separation indication and stage initiation
[NASA-CASE-XLA-00791] c03 N70-39930
- Electroexplosive safe-arm initiator using electric driven electromagnetic coils and magnets to align charge

- [NASA-CASE-LAR-10372] c09 N71-18599
- INJECTION**
- Foam insulation thickness measuring and injection device for spacecraft applications [NASA-CASE-HFS-20261] c14 N71-27005
- INJECTORS**
- Propellant injectors for rocket combustion chambers [NASA-CASE-XLE-00103] c28 N70-33241
- Fuel injection system for maximum combustion efficiency of rocket engines [NASA-CASE-XLE-00111] c28 N70-38199
- Injector manifold assembly for bipropellant rocket engines providing for fuel propellant to serve as coolant [NASA-CASE-XHP-00148] c28 N70-38710
- Method and apparatus for use in forming highly collimated beam of microparticles with high charge to mass ratio and injecting beam into electrostatic accelerating tube [NASA-CASE-XGS-06628] c24 N71-16213
- Control valve and coaxial variable injector for controlling bipropellant mixture ratio and flow [NASA-CASE-XNP-09702] c15 N71-17654
- Rocket engine injector orifice to accommodate changes in density, velocity, and pressure, thereby maintaining constant mass flow rate of propellant into rocket combustion chamber [NASA-CASE-XLE-03157] c28 N71-24736
- Bipropellant injector with pair of concave deflector plates [NASA-CASE-XNP-09461] c28 N72-23809
- Coaxial injector for mixing liquid propellants within combustion chambers [NASA-CASE-NPO-11095] c15 N72-25455
- Improved injector with porous plug for bubbles of gas into feed lines of electrically conductive liquid [NASA-CASE-NPO-11377] c15 N73-27406
- INLET FLOW**
- High pressure four-way valve with O ring adapted to pass across inlet port [NASA-CASE-XNP-00214] c15 N70-36908
- Method for maintaining good performance in gas turbine during air flow distortion [NASA-CASE-LEH-10286-1] c28 N71-28915
- Airflow control system for supersonic inlets [NASA-CASE-LEH-11188-1] c02 N74-20646
- INLET PRESSURE**
- Fluid jet amplifier with fluid from jet nozzle deflected by inlet pressure [NASA-CASE-XLE-03512] c12 N69-21466
- INOCULATION**
- Automatic inoculating device for agar trays using cotton swab or loop [NASA-CASE-LAR-11074-1] c05 N73-16096
- INORGANIC COATINGS**
- Composition of diffuse reflective coating containing sodium chloride in combination with diol solvent and organic wetting and drying agents [NASA-CASE-GSC-11214-1] c06 N73-13128
- INORGANIC COMPOUNDS**
- Inorganic ion exchange membrane electrolytes for fuel cell use [NASA-CASE-XNP-04264] c03 N69-21337
- Preparation of inorganic solid film lubricants with long wear life and stability in aerospace environments [NASA-CASE-XHP-03988] c15 N71-21403
- Modification of polyurethanes with alkyl halide resins, inorganic salts, and encapsulated volatile and reactive halogen for fuel fire control [NASA-CASE-ARC-10098-1] c06 N71-24739
- Inorganic thermal control and solar reflector coatings [NASA-CASE-HFS-20011] c18 N72-22566
- INPUT**
- Apparatus for filtering input signals [NASA-CASE-NPO-10198] c09 N71-24806
- Electronic signal-handling circuit with constant input impedance [NASA-CASE-ARC-10348-1] c10 N72-10205
- RC networks with voltage amplifier, RC input circuit, and positive feedback [NASA-CASE-ARC-10020] c10 N72-17172
- INSERTION LOSS**
- High impedance alternating current sensing transformer device between two bolometers for measuring insertion loss of test component [NASA-CASE-XNP-01193] c10 N71-16057
- INSERTS**
- Development of manually operated tool for facing exposed end to insert installed in honeycomb panel [NASA-CASE-HFS-21485-1] c15 N72-31490
- INSTRUMENT ERRORS**
- Solar radiation direction detector and device for compensating degradation of photocells [NASA-CASE-XLA-00183] c14 N70-40239
- INSTRUMENT FLIGHT RULES**
- Controlled visibility device for simulating poor visibility conditions in training pilots in instrument landing and flight procedures [NASA-CASE-IFR-04147] c11 N71-10748
- INSTRUMENT ORIENTATION**
- Sensor consisting of photocells mounted on pyramidal base for improved pointing accuracy of planetary trackers [NASA-CASE-XNP-04180] c07 N69-39736
- Inertial gimbal alignment system for spacecraft guidance [NASA-CASE-XHP-01669] c21 N71-23289
- Optical gauging system for monitoring machine tool alignment [NASA-CASE-XAC-09489-1] c15 N71-26673
- Development of solar energy powered heliotrope assembly to orient solar array toward sun [NASA-CASE-GSC-10945-1] c21 N72-31637
- INSTRUMENT PACKAGES**
- Apparatus for ejecting covers of instrument packages using differential pressure principle [NASA-CASE-XHP-04132] c15 N69-27502
- Removable potting compound for instrument shock protection [NASA-CASE-XLA-00482] c15 N70-36409
- Plastic foam generator for space vehicle instrument payload package flotation in water landing [NASA-CASE-XLA-00838] c03 N70-36778
- High velocity guidance and spin stabilization gyro controlled jet reaction system for launch vehicle payloads [NASA-CASE-XLA-01339] c31 N71-15692
- Ethylene oxide sterilization and encapsulating process for sterile preservation of instruments and solid propellants [NASA-CASE-XNP-09763] c14 N71-20461
- INSTRUMENTS**
- Method and apparatus for bowing of instrument panels to improve radio frequency shielded enclosure [NASA-CASE-XHP-09422] c07 N71-19436
- Design and development of pressure sensor for measuring differential pressures of few pounds per square inch [NASA-CASE-XHP-01974] c14 N71-22752
- Development of temperature compensated thrust measuring gage for measuring forces as function of time in environment with varying temperature [NASA-CASE-XGS-02319] c14 N71-22965
- Development and characteristics of self-calibrating displacement transducer for measuring magnitude and frequency of displacement of bodies [NASA-CASE-XLA-00781] c09 N71-22999
- Design, development, and characteristics of pressure and temperature sensor operating immersed in fluid flow [NASA-CASE-LEH-10281-1] c14 N72-17327
- Development of apparatus for mounting scientific experiments in spacecraft to permit utilization without maneuvering spacecraft [NASA-CASE-HSC-12372-1] c31 N72-25842
- INSULATED STRUCTURES**
- Low thermal loss piping arrangement for moving cryogenic media through double chamber structure [NASA-CASE-XNP-08882] c15 N69-39935
- INSULATION**
- Electrode attached to helmets for detecting low level signals from skin of living creatures [NASA-CASE-ARC-10043-1] c05 N71-11193
- Characteristics of foamed-in-place ceramic refractory insulating material and method of fabrication [NASA-CASE-XGS-02435] c18 N71-22998

- Method of fabricating equal length insulated wire
[NASA-CASE-FRC-10038] c15 N72-20444
- Inductance device with vacuum insulation and materials of low gas entrapping capability
[NASA-CASE-LEW-10330-1] c09 N72-27226
- Insulated electrode for electrocardiographic recording without paste electrolyte
[NASA-CASE-MSC-14339-1] c05 N73-21151
- Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c18 N74-14230
- INSULATORS**
- High voltage insulators for direct current in acceleration system of electrostatic thruster
[NASA-CASE-XLE-01902] c28 N71-10574
- INTAKE SYSTEMS**
- Deflector for preventing objects from entering nacelle inlets of jet aircraft
[NASA-CASE-XLE-00388] c28 N70-34788
- INTEGRATED CIRCUITS**
- Computer circuit performing both counting and shifting logic operations also capable of miniaturization and integration in basic circuits
[NASA-CASE-XNP-01753] c08 N71-22897
- Development and characteristics of electric circuitry for detecting electrical pulses rise time and amplitude
[NASA-CASE-XMF-08804] c09 N71-24717
- Method and apparatus for testing integrated circuit microtab welds
[NASA-CASE-ARC-10176-1] c15 N72-21464
- Single integrated circuit chip with field effect transistor
[NASA-CASE-GSC-10835-1] c09 N72-33205
- Design of integrated circuit with two amplifiers and feedback stabilization for single channel gyrator
[NASA-CASE-MFS-22343-1] c09 N73-18224
- Integrated microcircuits and complementary four-phase logic system
[NASA-CASE-MSC-14240-1] c10 N73-21240
- Integrated circuit power gyrator with 2-matrix design using parallel transistors
[NASA-CASE-MFS-22342-1] c09 N73-24236
- Integrated circuit tangent function generator
[NASA-CASE-MSC-13907-1] c10 N73-26230
- Inverted geometry transistor for use with monolithic integrated circuit
[NASA-CASE-ARC-10330-1] c09 N73-32112
- Integrated circuit package with lead structure and method of preparing the same
[NASA-CASE-MFS-21374-1] c10 N74-12951
- INTEGRATORS**
- Solid state operational integrator
[NASA-CASE-NPO-10230] c09 N71-12520
- Variable duration pulse integrator design for integrating pulse duration modulated pulses with elimination of ripple content
[NASA-CASE-XLA-01219] c10 N71-23084
- Solid state integrator for converting variable width pulses into analog voltage
[NASA-CASE-XLA-03356] c10 N71-23315
- Feedback integrating circuit with grounded capacitor for signal processing
[NASA-CASE-XAC-10607] c10 N71-23669
- High speed phase detector design indicating phase relationship between two square wave input signals
[NASA-CASE-XNP-01306-2] c09 N71-24596
- INTERFEROMETERS**
- Describing device for velocity control of electromechanical drive mechanism of scanning mirror of interferometer
[NASA-CASE-XGS-03532] c14 N71-17627
- Incremental motion drive system applied to interferometer components
[NASA-CASE-XNP-08897] c15 N71-17694
- Design and development of optical interferometer with laser light source for application to schlieren systems
[NASA-CASE-XLA-04295] c16 N71-24170
- Digital sensor for counting fringes produced by interferometers with improved sensitivity and one photomultiplier tube to eliminate alignment problem
[NASA-CASE-LAR-10204] c14 N71-27215
- Two beam interferometer-polarimeter
[NASA-CASE-NPO-11239] c14 N73-12446
- Interferometer prism and control system for precisely determining direction to remote light source
[NASA-CASE-ARC-10278-1] c14 N73-25463
- INTERMEDIATE FREQUENCY AMPLIFIERS**
- Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c14 N74-20019
- INTERMETALLICS**
- Intermetallic coating for nickel based superalloy
[NASA-CASE-LEW-11348-1] c17 N72-25517
- Controlled diffusion reaction process for masking substrate of twisted multifilament superconductive ribbon
[NASA-CASE-LEW-11726-1] c26 N73-26752
- Production of intermetallic compounds by effect of shock waves from explosions and compaction of powder
[NASA-CASE-MFS-20861-1] c18 N73-32437
- INTERNAL COMBUSTION ENGINES**
- Variable displacement fuel pump for internal combustion engines
[NASA-CASE-MSC-12139-1] c28 N71-14058
- Detonation reaction engine comprising outer housing enclosing pair of inner walls for continuous flow
[NASA-CASE-XMF-06926] c28 N71-22983
- Development of system for preheating vaporized fuel for use with internal combustion engines
[NASA-CASE-NPO-12072] c28 N72-22772
- INTERPLANETARY FLIGHT**
- Thermoelectric power system --- for outer planet space flight
[NASA-CASE-MFS-22002-1] c03 N74-18726
- INTERPLANETARY SPACE**
- Compact heat shielding for interplanetary space vehicles
[NASA-CASE-XMS-00486] c33 N70-33344
- Active RC filter networks and amplifiers for deep space magnetic field measurement
[NASA-CASE-XAC-05462-2] c10 N72-17171
- INTERPLANETARY SPACECRAFT**
- Transpirationally cooled heat ablation system for interplanetary spacecraft reentry shielding
[NASA-CASE-XMS-02677] c31 N70-42075
- INTERPLANETARY TRAJECTORIES**
- Table structure and rotating magnet system simulating gravitational forces on spacecraft and displaying trajectories between Earth, Venus, and Mercury
[NASA-CASE-XNP-00708] c14 N70-35394
- INTRA- AND EXTRAVEHICULAR ACTIVITY**
- Intra- and extravehicular life support space suite for Apollo astronauts
[NASA-CASE-MSC-12609-1] c05 N73-32012
- INVERTED CONVERTERS (DC TO AC)**
- A variable frequency inverter for ac induction motors with torque, speed and braking control
[NASA-CASE-MFS-22088-1] c09 N74-13894
- Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c14 N74-18090
- INVERTERS**
- Silicon controlled rectifier inverter with compensation of transients to avoid false gating
[NASA-CASE-XLA-08507] c09 N69-39984
- Inverter oscillator with voltage feedback
[NASA-CASE-NPO-10760] c09 N72-25254
- IODINE**
- Method of producing output voltage from photovoltaic cell using poly-N-vinyl carbazole complexed with iodine
[NASA-CASE-NPO-10373] c03 N71-18698
- Gallium arsenide solar cell preparation by surface deposition of cuprous iodide on thin n-type polycrystalline layers and heating in iodine vapor
[NASA-CASE-XNP-01960] c09 N71-23027
- IODINE ISOTOPIES**
- Apparatus for producing high purity I-123 from Xe-123 by bombarding tellurium target with cyclotron beam
[NASA-CASE-LEW-10518-2] c24 N72-28714
- Production of I-123 for use as radiopharmaceutical for low radiation exposure
[NASA-CASE-LEW-10518-1] c24 N72-33681
- Production of iodine isotope by high energy bombardment of cesium heat pipe causing spallation reaction
[NASA-CASE-LEW-11390-2] c24 N73-20763

- Heat pipe production of high purity radioiodine for thyroid measurements
[NASA-CASE-LEW-11390-3] c11 N73-28128
- Apparatus for producing high purity I-123 --- for thyroid measurement
[NASA-CASE-LEW-10518-3] c15 N74-10476
- ION ACCELERATORS**
- Helium outgassing process for fused glass coating on ion accelerator grid
[NASA-CASE-LEW-10278-1] c15 N71-28582
- ION BEAMS**
- Ion beam deflector system for electronic thrust vector control for ion propulsion yaw, pitch, and roll forces
[NASA-CASE-LEW-10689-1] c28 N71-26173
- Ion beamlets of predetermined configurations formed in screen grid of ion thruster
[NASA-CASE-LEW-11646-1] c28 N72-32760
- Development and characteristics of improved dispensing targets for ion beam particle generators
[NASA-CASE-NPO-13112-1] c11 N73-29138
- ION CHARGE**
- Coaxial anode for gas radiation counter for suppressing background ionization interference
[NASA-CASE-GSC-11492-1] c14 N73-28497
- Quadrupole mass spectrometer using noise spectrum for ion separation and identification
[NASA-CASE-KNP-04231] c14 N73-32325
- ION CONCENTRATION**
- Deposition of alloy films --- on irregularly shaped metal object
[NASA-CASE-LEW-11262-1] c18 N74-13270
- ION CURRENTS**
- System for monitoring presence of neutrals in streams of ions - ion engine control
[NASA-CASE-KNP-02592] c24 N71-20518
- ION ENGINES**
- Improved cathode containing barium carbonate block and heated tungsten screen for electron bombardment ion thruster
[NASA-CASE-XLE-07087] c06 N69-39889
- High-vacuum condenser tank for testing ion rocket engines
[NASA-CASE-XLE-00168] c11 N70-33278
- Encapsulated heater forming hollow body for cathode used in ion thruster
[NASA-CASE-LEW-10814-1] c28 N70-35422
- Electrostatic ion engines using high velocity electrons to ionize propellant
[NASA-CASE-XLE-00376] c28 N70-37245
- Metal ion rocket engine design
[NASA-CASE-XLE-00342] c28 N70-37980
- Dynamometer measuring microforce thrust produced by ion engine
[NASA-CASE-XLE-00702] c14 N70-40203
- Increasing available power per unit area in ion rocket engine by increasing beam density
[NASA-CASE-XLE-00519] c28 N70-41576
- Accel and focus electrode design for ion engine with improved efficiency
[NASA-CASE-KNP-02839] c28 N70-41922
- Ion engine with magnetic circuit for optimal discharge
[NASA-CASE-XLE-01124] c28 N71-14043
- Electron bombardment ion rocket engine with improved propellant introduction system
[NASA-CASE-XLE-02066] c28 N71-15661
- System for monitoring presence of neutrals in streams of ions - ion engine control
[NASA-CASE-KNP-02592] c24 N71-20518
- Construction and method of arranging plurality of ion engines to form cluster thereby increasing efficiency and control by decreasing heat radiated to space
[NASA-CASE-KNP-02923] c28 N71-23081
- Electronic cathodes for use in electron bombardment ion thrusters
[NASA-CASE-XLE-04501] c09 N71-23190
- Permanently magnetized ion engine casing construction for use in spacecraft propulsion systems
[NASA-CASE-KNP-06942] c28 N71-23293
- Development and characteristics of ion thruster accelerator with single glass coated grid to provide increased ion extraction capability and larger diameter accelerator system
[NASA-CASE-LEW-10106-1] c28 N71-26642
- Internal labyrinth and shield structure to improve electrical isolation of propellant feed source from ion thruster
[NASA-CASE-LEW-10210-1] c28 N71-26781
- Low mass ionizing device for use in electric thrust spacecraft engines
[NASA-CASE-KNP-01954] c28 N71-28850
- Development of system for delivering vaporized mercury to electron bombardment ion engine
[NASA-CASE-NPO-10737] c28 N72-11709
- Ion beamlets of predetermined configurations formed in screen grid of ion thruster
[NASA-CASE-LEW-11646-1] c28 N72-32760
- Process for fabricating matched pairs of dished screen and accelerator grids for ion thruster accelerator system
[NASA-CASE-LEW-11694-1] c28 N73-22721
- Characteristics of ion rocket engine with combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c28 N73-24783
- Single grid accelerator system for electron bombardment type ion thruster
[NASA-CASE-XLE-10453-2] c28 N73-27699
- ION EXCHANGE MEMBRANE ELECTROLYTES**
- Inorganic ion exchange membrane electrolytes for fuel cell use
[NASA-CASE-KNP-04264] c03 N69-21337
- Development and characteristics of ion-exchange membrane and electrode assembly for fuel cells or electrolysis cells
[NASA-CASE-KNS-02063] c03 N71-29044
- ION EXCHANGING**
- Fuel system for thermal nuclear reactor which uses inorganic ion exchanger
[NASA-CASE-LEW-11645-2] c22 N73-28660
- ION IMPACT**
- Development and characteristics of improved dispensing targets for ion beam particle generators
[NASA-CASE-NPO-13112-1] c11 N73-29138
- ION PROBES**
- Ion microprobe mass spectrometer with cooled electrode target for analyzing traces of fluids
[NASA-CASE-ERC-10014] c14 N71-28863
- ION PROPULSION**
- Variable thrust ion engine using thermal decomposition of solid cesium compound to produce propulsive vapor
[NASA-CASE-KNP-00923] c28 N70-36802
- Electrostatic ion engines using high velocity electrons to ionize propellant
[NASA-CASE-XLE-00376] c28 N70-37245
- Metal ion rocket engine design
[NASA-CASE-XLE-00342] c28 N70-37980
- Method for producing porous tungsten plates for ionizing cesium compounds for propulsion of ion engines
[NASA-CASE-XLE-00455] c28 N70-38197
- Accel and focus electrode design for ion engine with improved efficiency
[NASA-CASE-KNP-02839] c28 N70-41922
- Electric rocket engine with electron bombardment ionization chamber
[NASA-CASE-KNP-04124] c28 N71-21822
- Ion beam deflector system for electronic thrust vector control for ion propulsion yaw, pitch, and roll forces
[NASA-CASE-LEW-10689-1] c28 N71-26173
- Development and characteristics of ion thruster accelerator with single glass coated grid to provide increased ion extraction capability and larger diameter accelerator system
[NASA-CASE-LEW-10106-1] c28 N71-26642
- Development of system for delivering vaporized mercury to electron bombardment ion engine
[NASA-CASE-NPO-10737] c28 N72-11709
- Radial magnetic field for ion thruster
[NASA-CASE-LEW-10770-1] c28 N72-22770
- Automatic shunting of ion thruster magnetic field when thruster is not operating
[NASA-CASE-LEW-10835-1] c28 N72-22771
- Process for fabricating matched pairs of dished screen and accelerator grids for ion thruster accelerator system
[NASA-CASE-LEW-11694-1] c28 N73-22721
- ION SOURCES**
- Apertured electrode focusing system for ion sources with nonuniform plasma density
[NASA-CASE-KNP-03332] c09 N71-10618

- Multilayer porous refractory metal ionizer design with thick, porous, large-grain substrates and thin, porous micron-grain substrates
[NASA-CASE-XNP-04338] c17 N71-23046
- Development and characteristics of ion thruster accelerator with single glass coated grid to provide increased ion extraction capability and larger diameter accelerator system
[NASA-CASE-LEW-10106-1] c28 N71-26642
- Low mass ionizing device for use in electric thrust spacecraft engines
[NASA-CASE-XNP-01954] c28 N71-28850
- Development and characteristics of apparatus for ionization analysis
[NASA-CASE-ARC-10017-1] c14 N72-29464
- IONIZATION CHAMBERS**
- Automatic baseline stabilization for ionization detector used in gas chromatograph
[NASA-CASE-XNP-03128] c10 N70-41991
- Electric rocket engine with electron bombardment ionization chamber
[NASA-CASE-XNP-04124] c28 N71-21822
- Multichannel photoionization chamber for measuring absorption, photoionization yield, and coefficients of gases
[NASA-CASE-ERC-10044-1] c14 N71-27090
- Development and characteristics of apparatus for ionization analysis
[NASA-CASE-ARC-10017-1] c14 N72-29464
- IONIZATION GAGES**
- Ionization vacuum gage
[NASA-CASE-XNP-00646] c14 N70-35666
- Ionization control system design for monitoring separately located ion gage pressures on vacuum chambers
[NASA-CASE-XLE-00787] c14 N71-21090
- Development and characteristics of apparatus for ionization analysis
[NASA-CASE-ARC-10017-1] c14 N72-29464
- Ionization gage for measuring ultrahigh vacuum levels
[NASA-CASE-XLA-05087] c14 N73-30391
- IONIZATION POTENTIALS**
- Electrodes having array of small surfaces for field ionization
[NASA-CASE-ERC-10013] c09 N71-26678
- IONIZED GASES**
- Plasma probes having guard ring and primary sensor at same potential to prevent stray wall current collection in ionized gases
[NASA-CASE-XLE-00690] c25 N69-39884
- Transient heat transfer gage for measuring total radiant intensity from far ultraviolet and ionized high temperature gases
[NASA-CASE-XNP-09802] c33 N71-15641
- IONIZERS**
- Description of electrical equipment and system for purification of waste water by producing silver ions for bacterial control
[NASA-CASE-MSC-10960-1] c03 N71-24718
- Process for fabricating matched pairs of dished screen and accelerator grids for ion thruster accelerator system
[NASA-CASE-LEW-11694-1] c28 N73-22721
- IONIZING RADIATION**
- High voltage cable for use in high intensity ionizing radiation fields
[NASA-CASE-XNP-00738] c09 N70-38201
- Reinforced polyquinoxaline gasket and method of preparing the same --- resistant to ionizing radiation and liquid hydrogen temperatures
[NASA-CASE-MFS-21364-1] c15 N74-18126
- IONOSPHERE**
- Lightweight, rugged, inexpensive satellite battery for producing electrical power from ionosphere using electrodes with different contact potentials
[NASA-CASE-XGS-01593] c03 N70-35408
- IONS**
- Micrometeoroid analyzer using arrays of interconnected capacitors and ion detector
[NASA-CASE-ARC-10443-1] c14 N73-20477
- IRISES (MECHANICAL APERTURES)**
- Waveguide, thin film window and microwave irises
[NASA-CASE-LAR-10513-1] c07 N72-25170
- Development of thin film microwave iris installed in microwave waveguide transverse to flow of energy in waveguide
[NASA-CASE-LAR-10511-1] c09 N72-29172
- IRON OXIDES**
- System for recovering oxygen and/or water from extraterrestrial soil and iron oxide materials
[NASA-CASE-MSC-12332-1] c15 N72-15476
- IRRADIATION**
- Solar sensor with coarse and fine sensing elements for matching preirradiated cells on degradation rates
[NASA-CASE-XLA-01584] c14 N71-23269
- Apparatus for obtaining isotropic irradiation on film emulsion from parallel radiation source
[NASA-CASE-MFS-20095] c24 N72-11595
- Process for depositing pure metals by irradiating liquids
[NASA-CASE-LEW-10906-1] c06 N72-25164
- ISOCYANATES**
- Fire retardant polyisocyanurate foam with high temperature resistance
[NASA-CASE-ARC-10280-1] c18 N70-34695
- ISOLATORS**
- Internal labyrinth and shield structure to improve electrical isolation of propellant feed source from ion thruster
[NASA-CASE-LEW-10210-1] c28 N71-26781
- Development and characteristics of supporting frame to isolate payloads from multi-gravitational forces
[NASA-CASE-MFS-21680-1] c15 N73-20525
- ISOPROPYL ALCOHOL**
- Preparation of fluorinated polyethers from 2-hydro-perhaloisopropyl alcohols
[NASA-CASE-MFS-11492] c06 N73-30102
- ISOTHERMAL LAYERS**
- Double-wall isothermal cylinder containing heat transfer fluid thermal reservoir as spacecraft insulation cover
[NASA-CASE-MFS-20355] c33 N71-25353
- JET AIRCRAFT**
- Deflector for preventing objects from entering nacelle inlets of jet aircraft
[NASA-CASE-XLE-00388] c28 N70-34788
- JET AIRCRAFT NOISE**
- Upper surface, external flow, jet-augmented flap configuration for high wing jet aircraft for noise reduction
[NASA-CASE-XLA-00087] c02 N70-33332
- Jet aircraft exhaust nozzle for noise reduction
[NASA-CASE-LAR-10951-1] c28 N73-19819
- Reduction of jet engine noise due to turbulent mixing of exhaust gases with ambient atmosphere
[NASA-CASE-ARC-10712-1] c28 N73-20826
- Jet aircraft noise and sonic boom measuring device which converts sound pressure into electric current
[NASA-CASE-LAR-11173-1] c14 N73-22387
- Development of annular acoustically porous elements for installation in exhaust and inlet ducts of turbofan engine to reduce aircraft engine noise intensity
[NASA-CASE-LAR-11141-1] c02 N73-22975
- Development of aircraft configuration for reduction of jet aircraft noise by exhausting engine gases over upper surface of wing
[NASA-CASE-LAR-11087-1] c02 N73-26008
- Method and apparatus for improving operating efficiency and reducing low speed noise for turbine aircraft engines
[NASA-CASE-LAR-11310-1] c28 N73-31699
- JET AMPLIFIERS**
- Fluid jet amplifier with fluid from jet nozzle deflected by inlet pressure
[NASA-CASE-XLE-03512] c12 N69-21466
- Fluid control jet amplifiers
[NASA-CASE-XLE-09341] c12 N71-28741
- JET BLAST EFFECTS**
- Separation mechanism for use between stages of multistage rocket vehicles
[NASA-CASE-XLA-00188] c15 N71-22874
- JET CONTROL**
- Attitude control device for space vehicles
[NASA-CASE-XNP-00294] c21 N70-36938
- JET ENGINES**
- Absorptive, nonreflecting barrier mounted between closely spaced jet engines on supersonic aircraft, for preventing shock wave

- interference
[NASA-CASE-XLA-02865] c28 N71-15563
- Development of thrust dynamometer for measuring performance of jet and rocket engines
[NASA-CASE-XLE-05260] c14 N71-20429
- Afterburner-equipped jet engine nacelle with slotted configuration afterbody
[NASA-CASE-XLA-10450] c28 N71-21493
- Process for welding compressor and turbine blades to rotors and discs of jet engines
[NASA-CASE-LEW-10533-1] c15 N73-28515
- JET EXHAUST**
Development of aircraft configuration for reduction of jet aircraft noise by exhausting engine gases over upper surface of wing
[NASA-CASE-LAR-11087-1] c02 N73-26008
- JET FLAPS**
Upper surface, external flow, jet-augmented flap configuration for high wing jet aircraft for noise reduction
[NASA-CASE-XLA-00087] c02 N70-33332
- JET FLOW**
Two-phase flow system with discrete, impinging two-phase jets
[NASA-CASE-NPO-11556] c12 N72-25292
- JET MIXING FLOW**
Fuel injection system for maximum combustion efficiency of rocket engines
[NASA-CASE-XLE-00111] c28 N70-38199
- JET NOZZLES**
Fluid jet amplifier with fluid from jet nozzle deflected by inlet pressure
[NASA-CASE-XLE-03512] c12 N69-21466
- Thrust and attitude control apparatus using jet nozzle in movable canard surface or fin configuration
[NASA-CASE-XLE-03583] c31 N71-17629
- Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c14 N74-15093
- JET THRUST**
System for aerodynamic control of rocket vehicles by secondary injection of fluid into nozzle exhaust stream
[NASA-CASE-XLA-01163] c21 N71-15582
- Drive mechanism for operating reactance attitude control system for aerospace bodies
[NASA-CASE-XMF-01598] c21 N71-15583
- JETTISON SYSTEMS**
Describing assembly for opening stabilizing and decelerating flaps of flight capsules used in space research
[NASA-CASE-XMF-03169] c31 N71-15675
- System for deploying and ejecting releasable clamshell fairing sections from spinning sounding rockets
[NASA-CASE-GSC-10590-1] c31 N73-14853
- JOINING**
Transparent plastic film for attaching cover glasses to silicon solar cells
[NASA-CASE-LEW-11065-1] c03 N72-11064
- JOINTS (ANATOMY)**
Space suit with pressure-volume compensator system
[NASA-CASE-XLA-05332] c05 N71-11194
- Equipotential space suits utilizing mechanical aids to minimize astronaut energy at bending joints
[NASA-CASE-LAR-10007-1] c05 N71-11195
- Cord restraint system for pressure suit joints
[NASA-CASE-XMS-09635] c05 N71-24623
- Orthotic arm joint --- for manipulating objects in response to electrical signals
[NASA-CASE-MFS-21611-1] c05 N74-10100
- JOINTS (JUNCTIONS)**
Hollow spherical electrode for shielding dielectric junction between high voltage conductor and insulator
[NASA-CASE-XLE-03778] c09 N69-21542
- Elastic universal joint for rocket motor mounting
[NASA-CASE-XNP-00416] c15 N70-36947
- Portable device for aligning surfaces of two adjacent wall or sheet sections for joining at point of junction
[NASA-CASE-XMF-01452] c15 N70-41371
- Design and development of flexible joint for pressure suits
[NASA-CASE-XMS-09636] c05 N71-12344
- Elbow forming in jacketed pipes while maintaining separation between core shape and jacket pipes
[NASA-CASE-XNP-10475] c15 N71-24679
- Method and apparatus for precision sizing and joining of large diameter tubes by bulging or constricting overlapping ends
[NASA-CASE-XMF-05114-2] c15 N71-26148
- Universal joints for connecting two displaced shafts or members
[NASA-CASE-NPO-10646] c15 N71-28467
- Flexible bellows joint shielding sleeve for propellant transfer pipelines
[NASA-CASE-XNP-01855] c15 N71-28937
- Mechanism for restraining universal joints to prevent separation while allowing bending, angulation, and lateral offset in any position about axis
[NASA-CASE-XNP-02278] c15 N71-28951
- Reduction of peak shear stress in bonded joint
[NASA-CASE-LAR-10900-1] c15 N73-10499
- Explosive welding of thin metal scarf joint
[NASA-CASE-LAR-11211-1] c15 N73-14480
- Improved latching device for joining structural components in motionless relationship
[NASA-CASE-MFS-21606-1] c15 N73-22417
- Diffusion welding in air --- solid state welding of butt joint by fusion welding, surface cleaning, and heating
[NASA-CASE-LEW-11387-1] c15 N74-18128
- JOSEPHSON JUNCTIONS**
A doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c14 N74-20022
- JOULE-THOMSON EFFECT**
Gas balancing, cryogenic refrigeration apparatus with Joule-Thomson valve assembly
[NASA-CASE-NPO-10309] c15 N69-23190
- JOURNAL BEARINGS**
Slit regulated gas journal bearing
[NASA-CASE-XNP-00476] c15 N70-38620
- Journal air bearing with cylindrical cup designed to ride on shaft
[NASA-CASE-MFS-20423] c15 N72-11388
- Bearing sectors for controlling self excited instability of journal bearing shafts rotating at high speeds in low viscosity lubricants
[NASA-CASE-LEW-11076-2] c15 N73-20533
- Journal bearings
[NASA-CASE-LEW-11076-3] c15 N74-10475
- Journal bearings
[NASA-CASE-LEW-11076-4] c15 N74-18134
- Journal bearings --- for lubricant films
[NASA-CASE-LEW-11076-1] c15 N74-21061
- JUNCTION DIODES**
Phototransistor with base collector junction diode for integration into photo sensor arrays
[NASA-CASE-MFS-20407] c09 N73-19235
- JUNCTION TRANSISTORS**
Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c09 N69-24318
- Miniature piezoelectric junction semiconductor transducer with in situ stress coupling
[NASA-CASE-ERC-10087-2] c14 N72-31446
- K**
- KINETIC ENERGY**
Non-reusable kinetic energy absorber for application in soft landing of space vehicles
[NASA-CASE-XLE-00810] c15 N70-34861
- KINETIC FRICTION**
Kinetic and static friction force measurement between magnetic tape and magnetic head surfaces
[NASA-CASE-XNP-08680] c14 N71-22995
- KINETICS**
Micrometeoroid analyzer using arrays of interconnected capacitors and ion detector
[NASA-CASE-ARC-10443-1] c14 N73-20477
- L**
- LABORATORY EQUIPMENT**
Design of mechanical device for stirring several test tubes simultaneously
[NASA-CASE-XAC-06956] c15 N71-21177
- Gas purged dry box glove reducing permeation of air or moisture into dry box or isolator by diffusion through glove
[NASA-CASE-XLE-02531] c05 N71-23080

- Apparatus and process for volumetrically dispensing reagent quantities of volatile chemicals for small batch reactions
[NASA-CASE-NPO-10070] c15 N71-27372
- Development of variable angle device for positioning test tubes to permit optimum drying of culture medium
[NASA-CASE-LAR-10507-1] c11 N72-25284
- Development of method for controlling vapor content of gas
[NASA-CASE-NPO-10633] c03 N72-28025
- Apparatus for mixing two or more liquids under zero gravity conditions
[NASA-CASE-LAR-10195-1] c15 N73-19458
- Self-scanning chronotographic-fluorographic drug detector with optical readout system
[NASA-CASE-ARC-10633-1] c05 N73-22048
- Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c04 N74-15778
- LAMINAR FLOW**
Laminar flow of liquid coolants in rocket engines
[NASA-CASE-NPO-10122] c12 N71-17631
- LAMINATES**
Multilayer porous refractory metal ionizer design with thick, porous, large-grain substrates and thin, porous micron-grain substrates
[NASA-CASE-INP-04338] c17 N71-23046
- Method for preparing laminates of stressed face sandwich structures with light weight cores
[NASA-CASE-XLA-11028] c15 N72-21486
- Development and characteristics of polyimide impregnated laminates with fiberglass cloth backing for application as printed circuit boards
[NASA-CASE-MFS-20408] c18 N73-12604
- Development of composite structures for spacecraft to serve as anti-meteoroid device
[NASA-CASE-LAR-10788-1] c31 N73-20880
- Improved bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c15 N74-14141
- Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c18 N74-16249
- Reinforced polyquinoxaline gasket and method of preparing the same --- resistant to ionizing radiation and liquid hydrogen temperatures
[NASA-CASE-MFS-21364-1] c15 N74-18126
- LANDING AIDS**
Electro-optical attitude sensing device for landing approach of flight vehicle
[NASA-CASE-XMS-01994-1] c14 N72-17326
- Magnetic method for detection of aircraft position relative to runway
[NASA-CASE-ARC-10179-1] c21 N72-22619
- LANDING GEAR**
Pivotal shock absorbing assembly for use as load distributing portion in landing gear systems of space vehicles
[NASA-CASE-XMF-03856] c31 N70-34159
- Nose gear steering system for vehicles with main skids to provide directional stability after loss of aerodynamic control
[NASA-CASE-XLA-01804] c02 N70-34160
- Landing pad assembly for aerospace vehicles
[NASA-CASE-XMF-02853] c31 N70-36654
- Aircraft wheel spray drag alleviator for dual tandem landing gear
[NASA-CASE-XLA-01583] c02 N70-36825
- Spacecraft shock absorbing system for soft landings
[NASA-CASE-XMF-02108] c31 N70-36845
- Shock absorber for landing gear of lunar or planetary landing modules
[NASA-CASE-XMF-01045] c15 N70-40354
- Vertically descending flight vehicle landing gear for rough terrain
[NASA-CASE-XMF-01174] c02 N70-41589
- LANDING MODULES**
Shock absorber for landing gear of lunar or planetary landing modules
[NASA-CASE-XMF-01045] c15 N70-40354
- LANDING SIMULATION**
Lunar and planetary gravity simulator to test vehicular response to landing
[NASA-CASE-XLA-00493] c11 N70-34786
- LASER DOPPLER VELOCIMETERS**
Combined dual scatter, local oscillator laser Doppler velocimeter
[NASA-CASE-ARC-10642-1] c14 N74-18099
- LASER HEATING**
Electric power generation system directly from laser power
[NASA-CASE-NPO-13308-1] c03 N74-19702
- LASER MATERIALS**
Development of laser head for simultaneous optical pumping of several dye lasers
[NASA-CASE-LAR-11341-1] c16 N73-25564
- Development of technique for producing holograms using propagation of surface waves within layer of photosensitive material
[NASA-CASE-MFS-22040-1] c16 N73-26500
- Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c16 N74-16187
- LASER MODE LOCKING**
Procedure and device for effecting dual mode locking in pulsed Nd-YAG lasers
[NASA-CASE-GSC-11746-1] c16 N73-32398
- LASER MODES**
Krypton flashlamp driver system for optical laser pumping
[NASA-CASE-ERC-10283] c16 N72-25485
- Development of acoustical controlled distributed feedback laser with continuous frequency spectrum tuning
[NASA-CASE-NPO-13175-1] c16 N73-27431
- LASER OUTPUTS**
Method and apparatus using temperature control for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343
- Describing laser Doppler velocimeter for measuring mean velocity and turbulence of fluid flow
[NASA-CASE-MFS-20386] c21 N71-19212
- Development of apparatus for amplitude modulation of diode laser by periodic discharge of direct current power supply
[NASA-CASE-XMS-04269] c16 N71-22895
- Doppler shifted laser beam as fluid velocity sensor
[NASA-CASE-XAC-10770-1] c16 N71-24828
- Calibrator for measuring and modulating or demodulating laser outputs
[NASA-CASE-XLA-03410] c16 N71-25914
- Method and apparatus for optically modulating light or microwave beam
[NASA-CASE-GSC-10216-1] c23 N71-26722
- Laser machining device with dielectric functioning as beam waveguide for mechanical and medical applications
[NASA-CASE-HQN-10541-2] c15 N71-27135
- Optical communication system with gas filled waveguide for laser beam transmission
[NASA-CASE-HQN-10541-4] c16 N71-27183
- Design and development of multichannel laser remote control system using modulated helium-neon laser as transmitter and light collector as receiving antenna
[NASA-CASE-LAR-10311-1] c16 N73-16536
- Development of laser head for simultaneous optical pumping of several dye lasers
[NASA-CASE-LAR-11341-1] c16 N73-25564
- Development of technique for producing holograms using propagation of surface waves within layer of photosensitive material
[NASA-CASE-MFS-22040-1] c16 N73-26500
- Development of acoustical controlled distributed feedback laser with continuous frequency spectrum tuning
[NASA-CASE-NPO-13175-1] c16 N73-27431
- Development of technique and apparatus for optically detonating insensitive high explosives
[NASA-CASE-NPO-11743-1] c33 N73-29959
- Performance of ac power supply developed for CO2 laser system
[NASA-CASE-GSC-11222-1] c16 N73-32391
- Procedure and device for effecting dual mode locking in pulsed Nd-YAG lasers
[NASA-CASE-GSC-11746-1] c16 N73-32398
- Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c16 N74-13205
- Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c16 N74-16187
- Apparatus for scanning the surface of a cylindrical body

[NASA-CASE-NPO-11861-1] c14 N74-20009
Laser system with an antiresonant optical ring
--- optical properties and performance of beam
splitter with equal transmission and
reflection coefficients
[NASA-CASE-BQN-10844-1] c16 N74-20118
LASER RANGERS/TRACKER
Laser beam projector for continuous, precise
alignment between target, laser generator, and
astronomical telescope during tracking
[NASA-CASE-NPO-11087] c23 N71-29125
LASERS
Laser device for removing material from rotating
object for dynamic balancing
[NASA-CASE-HFS-11279] c16 N71-20400
Design and development of optical interferometer
with laser light source for application to
schlieren systems
[NASA-CASE-XLA-04295] c16 N71-24170
Self-generating optical frequency waveguide
[NASA-CASE-BQN-10541-1] c07 N71-26291
Design and characteristics of laser camera
system with diffusion filter of small
particles with average diameter larger than
wavelength of laser light
[NASA-CASE-NPO-10417] c16 N71-33410
Optical sensing of supersonic flows by
correlating deflections in laser beams through
flow
[NASA-CASE-HFS-20642] c14 N72-21407
Laser technique for breaking ice in ship path
[NASA-CASE-LAR-10815-1] c16 N72-22520
Development of acoustical controlled distributed
feedback laser with continuous frequency
spectrum tuning
[NASA-CASE-NPO-13175-1] c16 N73-27431
Design of precision vertical alignment system
using laser with gravitationally sensitive
cavity
[NASA-CASE-ARC-10444-1] c16 N73-33397
Tunable cavity resonator with ramp shaped supports
[NASA-CASE-BQN-10790-1] c16 N74-11313
Short range laser obstacle detector --- for
surface vehicles using laser diode array
[NASA-CASE-NPO-11856-1] c16 N74-15145
Testing device using X-ray lasers
[NASA-CASE-HFS-22409-1] c16 N74-18153
Long range laser traversing system
[NASA-CASE-GSC-11262-1] c16 N74-21091
LATCHES
Bolt-latch mechanism for releasing despin
weights from space vehicle
[NASA-CASE-XLA-00679] c15 N70-38601
Transparent polycarbonate resin, shell helmet
and latch design for high altitude and space
flight
[NASA-CASE-XMS-04935] c05 N71-11190
Quick disconnect latch and handle combination
for mounting articles on walls or supporting
bases in spacecraft under zero gravity
conditions
[NASA-CASE-HFS-11132] c15 N71-17649
Design, development, and characteristics of
latching mechanism for operation in limited
access areas
[NASA-CASE-XMS-03745] c15 N71-21076
Latching mechanism with pivoting catch and
self-contained spring ejector
[NASA-CASE-XLA-03538] c15 N71-24897
Latch for fastening spacecraft docking rings
[NASA-CASE-MSC-15474-1] c15 N71-26162
Fail safe latching mechanism for spacecraft
docking
[NASA-CASE-MSC-12549-1] c15 N73-11443
Improved latching device for joining structural
components in motionless relationship
[NASA-CASE-HFS-21606-1] c15 N73-22417
LATERAL CONTROL
Three-axis controller operated by hand-wrist
motion for yaw, pitch, and roll control
[NASA-CASE-IAC-01404] c05 N70-41581
Star sensor system for roll attitude control of
spacecraft
[NASA-CASE-XNF-01307] c21 N70-41856
Supersonic or hypersonic vehicle control system
comprising elevons with hinge line sweep and
free of adverse aerodynamic cross coupling
[NASA-CASE-XLA-08967] c02 N71-27088

LATERAL STABILITY

Strapped down gyroscope aligned with sun and
star tracker optical axis calibrating roll,
yaw and pitch values
[NASA-CASE-ARC-10716-1] c31 N73-32784

LATHES

Rotary spindle lathe attachments for machining
geometrical cones
[NASA-CASE-XMS-04292] c15 N71-22722
Lathe tool and holder combination for machining
resin impregnated fiberglass cloth laminates
[NASA-CASE-XLA-10470] c15 N72-21489

LAUNCH ESCAPE SYSTEMS

Emergency escape cabin system for launch towers
[NASA-CASE-XKS-02342] c05 N71-11199
Ejector for separating astronaut from ejection
seat during prelaunch or initial launch phase
of flight
[NASA-CASE-XMS-04625] c05 N71-20718

LAUNCH VEHICLES

Support techniques for restraint of slender
bodies such as launch vehicles
[NASA-CASE-XLA-02704] c11 N69-21540
Microleak detector mounted on weld seam of
propellant tank of launch vehicle
[NASA-CASE-XNF-02307] c14 N71-10779
Squib actuated disconnect for spacecraft
coupling to launch vehicle
[NASA-CASE-NPO-13172-1] c33 N73-17917

LAUNCHING PADS

Launch pad missile release system with bending
moment change rate reduction in thrust
distribution structure at liftoff
[NASA-CASE-XNF-03198] c30 N70-40353
Remotely actuated quick disconnect for tubular
umbilical conduits used to transfer fluids
from ground to rocket vehicle
[NASA-CASE-XLA-01396] c03 N71-12259
Portable equipment for validating C band launch
pad antennas and transmission lines used for
spacecraft checkout
[NASA-CASE-XKS-10543] c07 N71-26292

LEAD TELLURIDES

Bonding method for improving contact between
lead telluride thermoelectric elements and
tungsten electrodes
[NASA-CASE-XGS-04554] c15 N69-39786
Procedure for segmenting lead telluride and
silicon germanium thermoelectric elements to
obtain composite elements effective over wide
temperature range
[NASA-CASE-XGS-05718] c26 N71-16037

LEADING EDGES

Leading edge design for hypersonic reentry
vehicles
[NASA-CASE-XLA-00165] c31 N70-33242
Construction of leading edges of surfaces for
aerial vehicles performing from subsonic to
above transonic speeds
[NASA-CASE-XLA-01486] c01 N71-23497

LEAKAGE

Rocket chamber leak test fixture using tubular
plug
[NASA-CASE-XPR-09479] c14 N69-27503
Microleak detector mounted on weld seam of
propellant tank of launch vehicle
[NASA-CASE-XNF-02307] c14 N71-10779
Fluid leakage detection system with automatic
monitoring capability
[NASA-CASE-LAR-10323-1] c12 N71-17573
Space suit using nonflexible material with low
leakage and providing protection against
thermal extremes, physical punctures, and
radiation with high mobility articulation
[NASA-CASE-IAC-07043] c05 N71-23161
Development of apparatus and method for testing
leakage of large tanks
[NASA-CASE-XNF-02392] c32 N71-24285
Gas leak detection in evacuated systems using
ultraviolet radiation probe
[NASA-CASE-ERC-10034] c15 N71-24896
Method for locating leaks in hermetically sealed
containers
[NASA-CASE-ERC-10045] c15 N71-24910
Volume displacement transducer for leak
detection in hermetically sealed semiconductor
devices
[NASA-CASE-ERC-10033] c14 N71-26672

- Test chambers with orifice and helium mass spectrometer for detecting leak rate of encapsulated semiconductor devices
[NASA-CASE-ERC-10150] c14 N71-28992
- Portable device for detecting pneumatic pressure leaks in hermetically sealed housings
[NASA-CASE-NFS-21761-1] c14 N73-18444
- Leak detector with high vacuum seals
[NASA-CASE-LAR-11237-1] c14 N73-32344
- LENSERS**
- Lens assembly for solar furnace or solar simulator
[NASA-CASE-XNP-04111] c14 N71-15622
- Camera adapter design for image magnification including lens and illuminator
[NASA-CASE-XNP-03844-1] c14 N71-26474
- Development and characteristics of Petzval type objective including field shaping lens for focusing light of specified wavelength band on curved photoreceptor
[NASA-CASE-GSC-10700] c23 N71-30027
- Noise elimination in coherent imaging system by axial rotation of optical lens for spectral distribution of degrading affects
[NASA-CASE-GSC-11133-1] c23 N72-11568
- Photographic film restoration system using Fourier transformation lenses and spatial filter
[NASA-CASE-MSC-12448-1] c14 N72-20394
- Plural beam antenna with parabolic reflectors
[NASA-CASE-GSC-11013-1] c09 N73-19234
- LENTICULAR BODIES**
- Lenticular vehicle with foldable aerodynamic control flaps and reaction jets for operation above and within earth's atmosphere
[NASA-CASE-XGS-00260] c31 N70-37924
- LEVEL (HORIZONTAL)**
- Hot-wire liquid level detector for cryogenic propellants
[NASA-CASE-XLE-00454] c23 N71-17802
- LEVEL (QUANTITY)**
- Gauge for measuring quantity of liquid in spherical tank in reduced gravity
[NASA-CASE-XMS-06236] c14 N71-21007
- Conversion of positive dc voltage to positive dc voltage of lower amplitude
[NASA-CASE-XMF-14301] c09 N71-23188
- LEVELING**
- Development of adjustable attitude guide block for setting pins perpendicular to irregular convex work surface
[NASA-CASE-XLA-07911] c15 N71-15571
- Electrical switching device comprising conductive liquid confined within square loop of deformable nonconductive tubing also used for leveling
[NASA-CASE-NPO-10037] c09 N71-19610
- Adjustable support device with jacket screw for altering distance between base and supported member
[NASA-CASE-NPO-10721] c15 N72-27484
- Automatically operable self-leveling load table with plurality of solenoid valves
[NASA-CASE-NFS-22039-1] c14 N73-30428
- LIFE (DURABILITY)**
- Hollow rolling element bearings
[NASA-CASE-LEW-11087-3] c15 N74-21064
- LIFE DETECTORS**
- Use of enzyme hexokinase and glucose to reduce inherent light levels of ATP in luciferase compositions
[NASA-CASE-XGS-05533] c04 N69-27487
- Describing method for lyophilization of luciferase containing mixtures for use in life detection reactions
[NASA-CASE-XGS-05532] c06 N71-17705
- LIFE RAFTS**
- Design of inflatable life raft for aircrafts and boats
[NASA-CASE-XMS-00863] c05 N70-34857
- Inflatable stabilizing system for use on life raft to reduce rocking and preclude capsizing
[NASA-CASE-MSC-12393-1] c02 N73-26006
- Modification of one man life raft
[NASA-CASE-LAR-10241-1] c05 N74-14845
- LIFE SUPPORT SYSTEMS**
- Shock absorbing couch for body support under high acceleration or deceleration forces
[NASA-CASE-XMS-01240] c05 N70-35152
- Portable environmental control and life support system for astronaut in and out of spacecraft
[NASA-CASE-XMS-09632-1] c05 N71-11203
- Design and development of flexible tunnel for use by spacecrews in performing extravehicular activities
[NASA-CASE-MSC-12243-1] c05 N71-24728
- Development of improved convolute section for pressurized suits to provide high degree of mobility in response to minimum of applied torque
[NASA-CASE-XMS-09637-1] c05 N71-24730
- Development and characteristics of inflatable structure to provide escape from orbit for spacecrews under emergency conditions
[NASA-CASE-XMS-06162] c31 N71-28851
- Chlorine generator for purifying water in life support systems of manned spacecraft
[NASA-CASE-XLA-08913] c14 N71-28933
- Open loop life support subsystem using breathing bag as reservoir for EVA
[NASA-CASE-MSC-12411-1] c05 N72-20096
- Device for removing air from water for use in life support systems in manned space flight
[NASA-CASE-XLA-8914] c15 N73-12492
- Intra- and extravehicular life support space suite for Apollo astronauts
[NASA-CASE-MSC-12609-1] c05 N73-32012
- Catalyst Cartridge for carbon dioxide reduction unit
[NASA-CASE-LAR-10551-1] c06 N74-12813
- LIFT**
- Turbofans under wings to provide lift and thrust for STOL aircraft
[NASA-CASE-LEW-11224-1] c02 N72-10033
- LIFT DEVICES**
- Device for handling heavy loads by distributing forces
[NASA-CASE-XNP-04969] c11 N69-27466
- Techniques for recovery of multistage rocket vehicles by providing lifting surfaces on individual sections
[NASA-CASE-XNP-00389] c31 N70-34176
- Direct lift control system having flaps with slots adjacent to their leading edge and particularly adapted for lightweight aircraft
[NASA-CASE-LAR-10249-1] c02 N71-26110
- Development of auxiliary lifting system to provide ferry capability for entry vehicles
[NASA-CASE-LAR-10574-1] c11 N73-13257
- LIFT DRAG RATIO**
- Design of ring wing vehicle of high drag-to-weight ratio to withstand reentry stress into low density atmosphere
[NASA-CASE-XLA-04901] c31 N71-24315
- LIFTING BODIES**
- Techniques for recovery of multistage rocket vehicles by providing lifting surfaces on individual sections
[NASA-CASE-XNP-00389] c31 N70-34176
- Graphic illustration of lifting body design
[NASA-CASE-FRC-10063] c01 N71-12217
- Static force balancing system attached to lifting body
[NASA-CASE-LAR-10348-1] c11 N73-12264
- LIFTING REENTRY VEHICLES**
- Lenticular vehicle with foldable aerodynamic control flaps and reaction jets for operation above and within earth's atmosphere
[NASA-CASE-XGS-00260] c31 N70-37924
- Variable geometry manned orbital vehicle having high aerodynamic efficiency over wide speed range and incorporating auxiliary pivotal wings
[NASA-CASE-XLA-03691] c31 N71-15674
- Designing spacecraft for flight into space, atmospheric reentry, and landing at selected sites
[NASA-CASE-XAC-02058] c02 N71-16087
- LIGHT (VISIBLE RADIATION)**
- Light baffle with oblate hemispheroid surface and shading flange
[NASA-CASE-NPO-10337] c14 N71-15604
- Maksutov spectrograph for low light level research
[NASA-CASE-XLA-10402] c14 N71-29041
- Method and apparatus for producing intense, coherent, monochromatic light from low temperature plasma
[NASA-CASE-XNP-04167-3] c25 N72-21693
- Device for detection of combustion light preceding gaseous explosions
[NASA-CASE-LAR-10739-1] c14 N73-16484

LIGHT AIRCRAFT

Direct lift control system having flaps with slots adjacent to their leading edge and particularly adapted for lightweight aircraft
[NASA-CASE-LAR-10249-1] c02 N71-26110

LIGHT BEAMS

Cylindrical reflector for resolving wide angle light beam from telescope into narrow beam for spectroscopic analysis
[NASA-CASE-XGS-08269] c23 N71-26206
Development and characteristics of optical communications system based on modulation of light beams
[NASA-CASE-XLA-01090] c16 N71-28963
Multiple pattern holographic information storage and readout system
[NASA-CASE-ERC-10151] c16 N71-29131

LIGHT GAS GUNS

Implosion driven, light gas, hypervelocity gun
[NASA-CASE-XAC-05902] c11 N71-18578

LIGHT MODULATION

Optical retrodirective modulator with focus spoiling reflector driven by modulation signal
[NASA-CASE-GSC-10062] c14 N71-15605
Modulating and controlling intensity of light beam from high temperature source by servocontrolled rotating cylinders
[NASA-CASE-IHS-04300] c09 N71-19479
Method and apparatus for optically modulating light or microwave beam
[NASA-CASE-GSC-10216-1] c23 N71-26722
Development and characteristics of optical communications system based on modulation of light beams
[NASA-CASE-XLA-01090] c16 N71-28963
Lamp modulator for generating visual indication of presence and magnitude of signal
[NASA-CASE-KSC-10565] c09 N72-25250

LIGHT SOURCES

Light radiation direction indicator with baffle of two parallel grids
[NASA-CASE-INP-03930] c14 N69-24331
High intensity heat and light unit containing quartz lamp elements protectively positioned to withstand severe environmental stress
[NASA-CASE-XLA-00141] c09 N70-33312
Photosensitive light source device for detecting unmanned spacecraft deviation from reference attitude
[NASA-CASE-INP-00438] c21 N70-35089
Electro-optical detector for determining position of light source
[NASA-CASE-INP-01059] c23 N71-21821
Optical system for selecting particular wavelength light beams from multiple wavelength light source
[NASA-CASE-ERC-10248] c14 N72-17323
Electro-optical stabilization of calibrated light source
[NASA-CASE-HSC-12293-1] c14 N72-27411
Development of temperature compensated light source with components and circuitry for maintaining luminous intensity independent of temperature variations
[NASA-CASE-ARC-10467-1] c09 N73-14214
Interferometer prism and control system for precisely determining direction to remote light source
[NASA-CASE-ARC-10278-1] c14 N73-25463
Attitude sensor
[NASA-CASE-LAR-10586-1] c14 N74-15089

LIGHT TRANSMISSION

Hybrid holographic system using reference, transmitted, and reflected beams simultaneously
[NASA-CASE-HFS-20074] c16 N71-15565
Optical characteristics measuring apparatus
[NASA-CASE-INP-08840] c23 N71-16365
Optical monitor panel consisting of translucent screen with test or meter information projected onto it from rear for application in control rooms of missile launching and tracking stations
[NASA-CASE-XKS-03509] c14 N71-23175
Solar cell panel with light transmitting cover plate
[NASA-CASE-WPO-10747] c03 N72-22042
Method and system for transmitting and distributing optical frequency radiation
[NASA-CASE-BQN-10541-3] c23 N72-23695

Thin absorbing metallic film for increased

visible light transmission
[NASA-CASE-LAR-10836-1] c26 N72-27784
Transmitting and reflecting diffuser --- for ultraviolet light
[NASA-CASE-LAR-10385-2] c23 N74-13436

LIGHTING EQUIPMENT

Sealed fluorescent tube light unit capable of connection with other units to form string of work lights
[NASA-CASE-XKS-05932] c09 N71-26787
Pressurized inert gas feed for lighting system
[NASA-CASE-KSC-10644] c09 N72-27227

LIGHTNING

Apparatus for determining distance to lightning strokes from single station by magnetic and electric field sensing antennas
[NASA-CASE-KSC-10698] c07 N73-20175
System for locating lightning strokes by coordination of directional antenna signals
[NASA-CASE-KSC-10729-1] c09 N73-32110
Monitoring and recording lightning strokes in predetermined area
[NASA-CASE-KSC-10728-1] c14 N73-32319

LIMITER CIRCUITS

Variable duration pulse integrator design for integrating pulse duration modulated pulses with elimination of ripple content
[NASA-CASE-XLA-01219] c10 N71-23084
Circuits for amplitude limiting of random noise inputs
[NASA-CASE-WPO-10169] c10 N71-24844
Velocity limiting safety system for motor driven research vehicle
[NASA-CASE-XLA-07473] c15 N71-24895

LINEAR ACCELERATORS

Linear accelerator frequency control system
[NASA-CASE-XGS-05441] c10 N71-22962

LINEAR RECEIVERS

Antenna array at focal plane of reflector with coupling network for beam switching
[NASA-CASE-GSC-10220-1] c07 N71-27233

LINEAR SYSTEMS

Linear three-tap feedback shift register
[NASA-CASE-WPO-10351] c08 N71-12503
Family of m-ary linear feedback shift register with binary logic
[NASA-CASE-WPO-11868] c10 N73-20254

LINEARITY

Secilinear bearing comprising two rows of roller bearings separated by spherical bearings and permitting rotational and translational movement
[NASA-CASE-XLA-02809] c15 N71-22982
Mechanical actuator wherein linear motion changes to rotational motion
[NASA-CASE-XGS-04548] c15 N71-24045

LINKAGES

Development of collapsible nozzle extension for rocket engines
[NASA-CASE-HFS-11497] c28 N71-16224
Design and construction of mechanical probe for determining if object is properly secured
[NASA-CASE-HFS-20760] c14 N72-33377
Development of mechanical linkage for lifting pin-supported electronic packages from electronic circuit boards without damage to connector pins
[NASA-CASE-WPO-13157-1] c15 N73-26475

LIQUID BEARINGS

Fatigue life of hybrid antifriction bearings at ultrahigh speeds
[NASA-CASE-LER-11152-1] c15 N73-32359

LIQUID COOLING

Water cooled contactors for holding rotating carbon arc anode
[NASA-CASE-XHS-03700] c15 N69-24266
External device for liquid spray cooling of gas turbine blades
[NASA-CASE-XLR-00037] c28 N70-33372
Water cooled solenoid capable of producing magnetic field intensities up to 100 kilogauss
[NASA-CASE-INP-01951] c09 N70-41929
Laminar flow of liquid coolants in rocket engines
[NASA-CASE-WPO-10122] c12 N71-17631
Space suit body heat exchanger design composed of thermal conductance yarn and liquid coolant loops
[NASA-CASE-XHS-09571] c05 N71-19439

- Electric power system with circulatory liquid coolant cooling system
[NASA-CASE-MFS-14114-2] c09 N71-24807
- Electric power system with thermionic diodes and circulatory liquid metal coolant lines
[NASA-CASE-MFS-14114] c33 N71-27862
- Apparatus for liquid spray cooling of turbine blades
[NASA-CASE-XLE-00027] c33 N71-29152
- Automatic control device for regulating inlet water temperature of liquid cooled spacesuit
[NASA-CASE-MSC-13917-1] c05 N72-15098
- Automatic temperature control for liquid cooled space suit
[NASA-CASE-ARC-10599-1] c05 N73-26071
- LIQUID CRYSTALS**
- Development of combined velocimeter and accelerometer based on color changes in liquid crystalline material subjected to shear stresses
[NASA-CASE-ERC-10292] c14 N72-25410
- Input signal measurement using liquid crystalline elements
[NASA-CASE-ERC-10275] c26 N72-25680
- LIQUID FILLED SHELLS**
- Liquid rocket systems for propulsion and control of spacecraft
[NASA-CASE-XNP-00610] c28 N70-36910
- Design and development of fluid sample collector
[NASA-CASE-XMS-06767-1] c14 N71-20435
- Manufacture of fluid containers from fused coated polyester sheets having resealable septum
[NASA-CASE-NPO-10123] c15 N71-24835
- Omnidirectional liquid filled accelerometer design with liquid and housing temperature compensation
[NASA-CASE-HQN-10780] c14 N71-30265
- LIQUID FLOW**
- Reduced gravity liquid configuration simulator to study propellant behavior in rocket fuel tanks
[NASA-CASE-XLE-02624] c12 N69-39988
- Liquid junction for glass electrode or pH meters
[NASA-CASE-NPO-10682] c15 N70-34699
- Actuator using compressed gas as driving force to control valve handling large liquid flows
[NASA-CASE-XHQ-01208] c15 N70-35409
- Two component valve assembly for cryogenic liquid transfer regulation
[NASA-CASE-XLE-00397] c15 N70-36492
- Positive displacement flowmeter for measuring extremely low flows of fluid with self calibrating features
[NASA-CASE-XMP-02822] c14 N70-41994
- High pressure liquid flow sight assembly for wide temperature range applications including cryogenic fluids
[NASA-CASE-XLE-02998] c14 N70-42074
- Carrier liquid system containing bodies of ablative material
[NASA-CASE-LEW-10359-2] c33 N73-25952
- Zero gravity liquid transfer device, using spiral shaped screen
[NASA-CASE-KSC-10626] c14 N73-27378
- LIQUID HELIUM**
- Heat operated cryogenic electrical generator --- using liquid helium conversion
[NASA-CASE-NPO-13303-1] c03 N74-19701
- LIQUID HYDROGEN**
- Development of thermal insulation material for insulating liquid hydrogen tanks in spacecraft
[NASA-CASE-XMP-05046] c33 N71-28892
- Reinforced polyquinoxaline gasket and method of preparing the same --- resistant to ionizing radiation and liquid hydrogen temperatures
[NASA-CASE-MFS-21364-1] c15 N74-18126
- LIQUID INJECTION**
- Thrust vector control by secondary injection of fluid into rocket nozzle flow field to separate exhaust flow
[NASA-CASE-XLE-00208] c28 N70-34294
- System for aerodynamic control of rocket vehicles by secondary injection of fluid into nozzle exhaust stream
[NASA-CASE-XLA-01163] c21 N71-15582
- Propellant injection assembly having individually removable and replaceable nozzles for liquid fueled rocket engines
[NASA-CASE-XMP-00968] c28 N71-15660
- LIQUID LASERS**
- Method and apparatus using temperature control for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343
- LIQUID LEVELS**
- Inductive liquid level detection system
[NASA-CASE-XLE-01609] c14 N71-10500
- LIQUID METALS**
- Magnetohydrodynamic generator for mixing nonconductive gas and liquid metal mist to form slugs
[NASA-CASE-XLE-02083] c03 N69-39983
- Thermoelectric power conversion by liquid metal flowing through magnetic field
[NASA-CASE-XNP-00644] c03 N70-36803
- Analytical test apparatus and method for determining oxygen content in alkali liquid metal
[NASA-CASE-XLE-01997] c06 N71-23527
- Electric power system with thermionic diodes and circulatory liquid metal coolant lines
[NASA-CASE-MFS-14114] c33 N71-27862
- Flexible barrier membrane comprising porous substrate and incorporating liquid gallium or indium metal used as sealant barriers for spacecraft walls and pumping liquid propellants
[NASA-CASE-XNP-08881] c17 N71-28747
- Shell-side liquid metal boiler employing tube and shell heat exchanger
[NASA-CASE-NPO-10831] c33 N72-20915
- U shaped heated tube for distillation and purification of liquid metals
[NASA-CASE-XNP-08124-2] c06 N73-13129
- Electromagnetic flow rate meter --- for liquid metals
[NASA-CASE-LEW-10981-1] c14 N74-21018
- LIQUID NITROGEN**
- Transferring liquid nitrogen through vacuum chamber to cryopanel
[NASA-CASE-LAB-10031] c15 N72-22484
- LIQUID OXYGEN**
- Dye penetrant and technique for nondestructive tests of solid surfaces contacted by liquid oxygen
[NASA-CASE-XMP-02221] c18 N71-27170
- LIQUID PHASES**
- Method and feed system for separating and orienting liquid and vapor phases of liquid propellants in zero gravity environment
[NASA-CASE-XLE-01182] c27 N71-15635
- Hydraulic apparatus for casting and molding of liquid polymers
[NASA-CASE-XNP-07659] c06 N71-22975
- Mixed liquid and vapor phase analyzer design with thermocouples for relative heat transfer measurement
[NASA-CASE-NPO-10691] c14 N71-26199
- LIQUID PROPELLANT ROCKET ENGINES**
- High thrust annular liquid propellant rocket engine and exhaust nozzle design
[NASA-CASE-XLE-00078] c28 N70-33284
- Attitude and propellant flow control system for liquid propellant rocket vehicles
[NASA-CASE-XMP-00185] c21 N70-34539
- Injector manifold assembly for bipropellant rocket engines providing for fuel propellant to serve as coolant
[NASA-CASE-XMP-00148] c28 N70-38710
- Collapsible auxiliary tank for restarting liquid propellant rocket motors under zero gravity
[NASA-CASE-XNP-01390] c28 N70-41275
- Rocket propellant injector with porous faceplate for rocket engine combustion chamber
[NASA-CASE-LEW-11071-1] c27 N73-27695
- Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c28 N74-13502
- A space vehicle
[NASA-CASE-MFS-22734-1] c31 N74-20541
- LIQUID ROCKET PROPELLANTS**
- Propellant injectors for rocket combustion chambers
[NASA-CASE-XLE-00103] c28 N70-33241
- Liquid rocket systems for propulsion and control of spacecraft
[NASA-CASE-XNP-00610] c28 N70-36910
- Igniter capsule for chemical ignition of liquid rocket propellants
[NASA-CASE-XLE-00323] c28 N70-38505

- High temperature spark plug for igniting liquid rocket propellants
[NASA-CASE-XLE-00660] c28 N70-39925
- Compact high pressure filter for rocket fuel lines
[NASA-CASE-XNP-00732] c28 N70-41447
- Venting device for liquid propellant storage tank using magnetic field to separate liquid and gaseous phases
[NASA-CASE-XLE-01449] c15 N70-41646
- Liquid propellant tank design with semitoroidal bulkhead
[NASA-CASE-XMF-01899] c31 N70-41948
- Method and feed system for separating and orienting liquid and vapor phases of liquid propellants in zero gravity environment
[NASA-CASE-XLE-01182] c27 N71-15635
- Control valve and coaxial variable injector for controlling bipropellant mixture ratio and flow
[NASA-CASE-XNP-09702] c15 N71-17654
- Slosh and swirl alleviator for liquid propellant tanks during transport and flight
[NASA-CASE-XLA-05749] c15 N71-19569
- Filler valve design for supplying liquid propellants at high pressure to space vehicles
[NASA-CASE-XNP-01747] c15 N71-23024
- Electronic recording system for spatial mass distribution of liquid rocket propellant droplets or vapors ejected from high velocity nozzles
[NASA-CASE-NPO-10185] c10 N71-26339
- Flexible barrier membrane comprising porous substrate and incorporating liquid gallium or indium metal used as sealant barriers for spacecraft walls and pumping liquid propellants
[NASA-CASE-XNP-08881] c17 N71-28747
- Response analyzing apparatus for liquid vapor interface sensor of sloshing rocket propellant
[NASA-CASE-NFS-11204] c14 N71-29134
- Development of electronic circuit for measurement transducer power supply to be used for liquid level measurement in liquid propellant rocket engines
[NASA-CASE-NFS-21698-1] c09 N73-26196
- LIQUID SLOSHING**
- Slosh damping method for liquid rocket propellant tanks
[NASA-CASE-XMF-00658] c12 N70-38997
- Flexible ring slosh damping baffle for spacecraft fuel tank
[NASA-CASE-LAR-10317-1] c32 N71-16103
- Submerged fuel tank baffles to prevent sloshing in liquid propellant rocket flight
[NASA-CASE-XLA-04605] c32 N71-16106
- Hot-wire liquid level detector for cryogenic propellants
[NASA-CASE-XLE-00454] c23 N71-17802
- Slosh and swirl alleviator for liquid propellant tanks during transport and flight
[NASA-CASE-XLA-05749] c15 N71-19569
- Pressure sensor network for measuring liquid dynamic response in flight including fuel tank acceleration, liquid slosh amplitude, and fuel depth monitoring
[NASA-CASE-XLA-05541] c12 N71-26387
- LIQUID-GAS SEPARATORS**
- Liquid-gas separator adapted for use in zero gravity environment - drawings
[NASA-CASE-XMS-01624] c15 N70-40062
- Absorbent apparatus for separating gas from liquid-gas stream used in environmental control under zero gravity conditions
[NASA-CASE-XMS-01492] c05 N70-41297
- Venting device for liquid propellant storage tank using magnetic field to separate liquid and gaseous phases
[NASA-CASE-XLE-01449] c15 N70-41646
- Liquid-gaseous centrifugal separator for weightlessness environment
[NASA-CASE-XLA-00415] c15 N71-16079
- Vapor-liquid separator design with vapor driven pump for separated liquid pumping for application in propellant transfer
[NASA-CASE-XMF-04042] c15 N71-23023
- LIQUID-VAPOR INTERFACES**
- Describing apparatus for separating gas from cryogenic liquid under zero gravity and for venting gas from fuel tank
[NASA-CASE-XLE-00586] c15 N71-15968
- Liquid-vapor interface seal design for turbine rotating shafts including helical and molecular pumps and liquid cooling of mercury vapor
[NASA-CASE-XNP-02862-1] c15 N71-26294
- Response analyzing apparatus for liquid vapor interface sensor of sloshing rocket propellant
[NASA-CASE-NFS-11204] c14 N71-29134
- LIQUIDS**
- Liquid-gas separator adapted for use in zero gravity environment - drawings
[NASA-CASE-XMS-01624] c15 N70-40062
- Electrical switching device comprising conductive liquid confined within square loop of deformable nonconductive tubing also used for leveling
[NASA-CASE-NPO-10037] c09 N71-19610
- Purification apparatus for vaporization and fractional distillation of liquids
[NASA-CASE-XNP-08124] c15 N71-27184
- Quantitative liquid measurements in container by resonant frequencies
[NASA-CASE-XNP-02500] c18 N71-27397
- Resonant infrasonic gauging device for measuring liquid quantity in closed bladderless reservoir
[NASA-CASE-MSC-11847-1] c14 N72-11363
- Ablative system with liquid carrying ablative material bodies and forming self-replacing ablative surface
[NASA-CASE-LEW-10359] c33 N72-25911
- Pressurized tank for feeding liquid waste into processing equipment
[NASA-CASE-LAR-10365-1] c05 N72-27102
- Automatic liquid collection and disposal system
[NASA-CASE-LAR-11071-1] c15 N73-18474
- Apparatus for mixing two or more liquids under zero gravity conditions
[NASA-CASE-LAR-10195-1] c15 N73-19458
- Bi-metallic fluid displacement apparatus --- for stirring and heating stored gases and liquids
[NASA-CASE-ARC-10441-1] c15 N74-15126
- LITHIUM COMPOUNDS**
- Utilization of lithium p-lithiophenoxide to prepare star polymers
[NASA-CASE-NPO-10998-1] c06 N73-32029
- LOAD DISTRIBUTION (FORCES)**
- Force measuring instrument for structural members, particularly fastening bolts or studs
[NASA-CASE-XMF-00456] c14 N70-34705
- Multiple Belleville spring assembly with even load distribution
[NASA-CASE-XNP-00840] c15 N70-38225
- LOAD TESTING MACHINES**
- Load cell protection device using spring-loaded breakaway mechanism
[NASA-CASE-XMS-06782] c32 N71-15974
- Development of device for transferring load from load cell to bypass mechanism
[NASA-CASE-XMS-06329-1] c15 N71-20441
- LOAD TESTS**
- Differential pressure cell insensitive to changes in ambient temperature and extreme overload
[NASA-CASE-XAC-00042] c14 N70-34816
- LOADING OPERATIONS**
- Air bearings for near frictionless transfer of loads from one body to another
[NASA-CASE-XMF-01887] c15 N71-10617
- LOADS (FORCES)**
- Device for handling heavy loads by distributing forces
[NASA-CASE-XNP-04969] c11 N69-27466
- Two plane balance for simultaneous measurements of multiple forces
[NASA-CASE-XAC-00073] c14 N70-34813
- Improving load capacity and fatigue life of rolling element systems in rockets and missiles
[NASA-CASE-XLE-02999] c15 N71-16052
- Development of device for transferring load from load cell to bypass mechanism
[NASA-CASE-XMS-06329-1] c15 N71-20441
- Valve assembly for controlling simultaneously more than one fluid flow, and having stable qualities under loads
[NASA-CASE-XMS-05890] c09 N71-23191
- Solid state force measuring electromechanical transducers made of piezoresistive materials
[NASA-CASE-ERC-10088] c26 N71-25490

- Turn on current transient limiter for controlling peak current flow in high capacity load
[NASA-CASE-GSC-10413] c10 N71-26531
- Synchronous dc direct-drive system comprising multiple-loop hybrid control system controlling load directly connected to actuator
[NASA-CASE-GSC-10065-1] c10 N71-27136
- Force balanced throttle valve for fuel control in rocket engines
[NASA-CASE-NPO-10808] c15 N71-27432
- Energy absorption device in high precision gear train for protection against damage to components caused by stop loads
[NASA-CASE-XNP-01848] c15 N71-28959
- Air bearing for use in exterior environment for moving heavy loads
[NASA-CASE-WLP-10002] c15 N72-17451
- Measuring device for bearing preload using spring washers
[NASA-CASE-MFS-20434] c11 N72-25288
- Variable direction force coupler for transmitting force along selectable curve path
[NASA-CASE-MFS-20317] c15 N73-13463
- Turnbuckle device for tensile stress load measurements
[NASA-CASE-MFS-21488-1] c14 N73-23526
- Versatile ergometer with work load control
[NASA-CASE-MFS-21109-1] c05 N73-27941
- Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c14 N74-13129
- LOCATES SYSTEM**
- System for locating lightning strokes by coordination of directional antenna signals
[NASA-CASE-KSC-10729-1] c09 N73-32110
- Position determination systems --- using orbital antenna scan of celestial body
[NASA-CASE-MSC-12593-1] c09 N74-14942
- LOCKING**
- Releasable coupling device designed to receive and retain matching ends of electrical connectors
[NASA-CASE-XMS-07846-1] c09 N69-21927
- LOCKS (FASTENERS)**
- Ball locking device which releases in response to small forces when subjected to high axial loads
[NASA-CASE-XMF-01371] c15 N70-41829
- Low friction bearing and lock mechanism for two-axis gimbal carrying satellite payload
[NASA-CASE-GSC-10556-1] c31 N71-26537
- Locking device for retaining turbine rotor blades on turbine wheel
[NASA-CASE-XNP-00816] c28 N71-28928
- Longitudinal film gate and lock mechanism for securing film in motion picture cameras under vibration and high acceleration loads
[NASA-CASE-LAR-10686] c14 N71-28935
- Design of quick release locking pin for joining two or more load-carrying structural members
[NASA-CASE-MFS-18495] c15 N72-11385
- LOCOMOTION**
- Jet shoes for space locomotion
[NASA-CASE-XLA-08491] c05 N69-21380
- Attitude control training device for astronauts permitting friction-free movement with five degrees of freedom
[NASA-CASE-XMS-02977] c11 N71-10746
- Restraint torso for increased mobility and reduced physiological effects while wearing pressurized suits
[NASA-CASE-MSC-12397-1] c05 N72-25119
- LOGARITHMS**
- Technique for deriving logarithm of input signal using exponentially varying electric signal inversely
[NASA-CASE-ERC-10267] c09 N72-23173
- LOGIC CIRCUITS**
- Selective gold diffusion on monolithic silicon chips for switching and nonswitching amplifier devices and circuits and linear and digital logic circuits
[NASA-CASE-ERC-10072] c09 N70-11148
- Counter-divider circuit for accuracy and reliability in binary circuits
[NASA-CASE-XMF-00421] c09 N70-34502
- Binary to binary-coded decimal converter using single set of logic circuits notwithstanding number of shift register decades
[NASA-CASE-XNP-00432] c08 N70-35423
- Conversion system for increasing resolution of analog to digital converters
[NASA-CASE-XAC-00404] c08 N70-40125
- Data processor having multiple sections activated at different times by selective power coupling to sections
[NASA-CASE-XGS-04767] c08 N71-12494
- Binary sequence detector with few memory elements and minimized logic circuit complexity
[NASA-CASE-XNP-05415] c08 N71-12505
- Bistable multivibrator circuits operating at high speed and low power dissipation
[NASA-CASE-XGS-00823] c10 N71-15910
- Logic AND gate for fluid circuits
[NASA-CASE-XLA-07391] c12 N71-17579
- Logic circuit to ripple add and subtract binary counters for spaceborne computers
[NASA-CASE-XGS-04766] c08 N71-18602
- Constructing Exclusive-Or digital logic circuit in single module
[NASA-CASE-XLA-07732] c08 N71-18751
- Stepping motor control apparatus exciting windings in proper time sequence to cause motor to rotate in either direction
[NASA-CASE-GSC-10366-1] c10 N71-18772
- Serial digital decoder design with square circuit matrix and serial memory storage units
[NASA-CASE-NPO-10150] c08 N71-24650
- Binary to decimal decoder logic circuit design with feedback control and display device
[NASA-CASE-XKS-06167] c08 N71-24890
- Design and development of multistage current steering switch with inductively coupled magnetic cores
[NASA-CASE-XNP-08567] c09 N71-26000
- Logic circuit for generating multibit binary code word in parallel
[NASA-CASE-XNP-04623] c10 N71-26103
- Adaptive signal generating system and logic circuits for satellite television systems
[NASA-CASE-GSC-11367] c10 N71-26374
- Transistorized switching logic circuits with tunnel diodes
[NASA-CASE-GSC-10878-1] c10 N72-22236
- Logical function and circuit generator
[NASA-CASE-XLA-05099] c09 N73-13209
- Circuit with differential amplifier for synthesizing capacitance multiplier with microminiaturized feedback components
[NASA-CASE-NPO-11948-1] c10 N73-15255
- Integrated microcircuits and complementary four-phase logic system
[NASA-CASE-MSC-14240-1] c10 N73-21240
- A synchronous binary array divider
[NASA-CASE-ERC-10180-1] c08 N74-20836
- LONGITUDINAL CONTROL**
- Three-axis controller operated by hand-wrist motion for yaw, pitch, and roll control
[NASA-CASE-XAC-01404] c05 N70-41581
- LOOP ANTENNAS**
- Collapsible, space erectable loop antenna system for space vehicle
[NASA-CASE-XMF-00437] c07 N70-40202
- Automatic carrier acquisition system for phase locked loop receiver
[NASA-CASE-NPO-11628-1] c07 N73-30113
- LOOPS**
- Tape cartridge with high capacity storage of endless-loop magnetic tape
[NASA-CASE-XGS-00769] c14 N70-41647
- Endless loop tape transport mechanism for driving and tensioning recording medium in magnetic tape recorder
[NASA-CASE-XGS-01223] c07 N71-10609
- Filter for third order phase locked loops in signal receivers
[NASA-CASE-NPO-11941-1] c10 N73-27171
- High speed shutter --- electrically actuated ribbon loop for shuttering optical or fluid passageways
[NASA-CASE-ARC-10516-1] c23 N74-21300
- LOW ASPECT RATIO**
- Aerospace configuration with low and high aspect ratio variability for high and low speed flight
[NASA-CASE-XLA-00142] c02 N70-33286
- Aerodynamic configuration for aircraft capable of high speed flight and low drag for low speed takeoff or landing upon presently

- existing airfields
[NASA-CASE-XLA-00806] c02 N70-34858
- LOW COST**
Low cost efficient thermionic converter for use in nuclear reactors
[NASA-CASE-NPO-13121-1] c22 N73-12702
- LOW DENSITY MATERIALS**
Method and photodetector device for locating abnormal voids in low density materials
[NASA-CASE-MFS-20044] c14 N71-28993
Development of method and equipment for detecting cracks in materials with porous subsurface matrix covered by impervious coating
[NASA-CASE-HSC-14167-1] c14 N73-17564
- LOW FREQUENCIES**
Determining sway of buildings by low frequency device using pendulum
[NASA-CASE-XMF-00479] c14 N70-34794
- LOW MOLECULAR WEIGHTS**
Process for preparing high molecular weight polyaryloxysilanes from lower molecular weight forms
[NASA-CASE-INP-08674] c06 N71-28807
- LOW NOISE**
Low phase noise frequency divider for use with deep space network communication system
[NASA-CASE-NPO-11569] c10 N73-26229
- LOW PRESSURE**
Flowmeters for sensing low fluid flow rate and pressure for application to respiration rate studies
[NASA-CASE-FRC-10022] c12 N71-26546
- LOW SPEED**
Variable geometry manned orbital vehicle having high aerodynamic efficiency over wide speed range and incorporating auxiliary pivotal wings
[NASA-CASE-XLA-03691] c31 N71-15674
Device utilizing RC rate generators for continuous slow speed measurement
[NASA-CASE-XMF-02966] c10 N71-24863
- LOW TEMPERATURE ENVIRONMENTS**
Flexible, frangible electrochemical cell and package for operation in low temperature environment
[NASA-CASE-XGS-10010] c03 N72-15986
- LOW TEMPERATURE TESTS**
Cryostat for flexure fatigue testing of composite materials
[NASA-CASE-XMF-02964] c14 N71-17659
Cryostat for use with horizontal fatigue testing machines at low temperatures
[NASA-CASE-XMF-10968] c14 N71-24234
- LOW VACUUM**
Vibration damping system operating in low vacuum environment for spacecraft mechanisms
[NASA-CASE-XMS-01620] c23 N71-15673
- LOW VOLTAGE**
High speed low level voltage commutating switch
[NASA-CASE-XAC-00060] c09 N70-39915
Flexible monopole antenna with broad bandwidth and low voltage standing wave ratio
[NASA-CASE-MSC-12101] c09 N71-18720
Circuit design for failure sensing and protecting low voltage electric generator and power transmission networks
[NASA-CASE-GSC-10114-1] c10 N71-27366
- LUBRICANTS**
Metallic film diffusion into metal or ceramic surfaces for boundary lubrication in aerospace environments
[NASA-CASE-XLE-01765] c18 N71-10772
Metallic film diffusion for boundary lubrication in aerospace engineering
[NASA-CASE-XLE-10337] c15 N71-24046
Bearing sectors for controlling self excited instability of journal bearing shafts rotating at high speeds in low viscosity lubricants
[NASA-CASE-LEW-11076-2] c15 N73-20533
Fluorinated esters of polycarboxylic acid and lubricating compositions for use at extreme temperature
[NASA-CASE-MFS-21040-1] c06 N73-30098
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c15 N74-21058
Journal bearings --- for lubricant films
[NASA-CASE-LEW-11076-1] c15 N74-21061
- LUBRICATING OILS**
Fluid seal formed by flexible disk on rotating shaft to retain lubricating oils around shaft
[NASA-CASE-XLE-05130-2] c15 N71-19570
- LUBRICATION**
Variable resistance tension and lubrication device, using oil-saturated leather wiper
[NASA-CASE-KSC-10723-1] c15 N73-23553
Hollow high strength rolling elements for antifriction bearings fabricated from preformed components
[NASA-CASE-LEW-11026-1] c15 N73-33383
- LUBRICATION SYSTEMS**
Development of hybrid bearing lubrication system with combination of standard type lubrication and magnetic flux field for earth atmosphere and space environment operation
[NASA-CASE-INP-01641] c15 N71-22997
Lubrication for bearings by capillary action from oil reservoir of porous material
[NASA-CASE-INP-03972] c15 N71-23048
- LUMINAIRES**
Visual target luminaires for retrofire attitude control
[NASA-CASE-XMS-12158-1] c31 N69-27499
Development of ultraviolet resonance lamp with improved transmission of radiation
[NASA-CASE-ARC-10030] c09 N71-12521
Lamp modulator for generating visual indication of presence and magnitude of signal
[NASA-CASE-KSC-10565] c09 N72-25250
Electrodeless lamp circuit driven by induction
[NASA-CASE-MFS-21214-1] c09 N73-30181
- LUMINOUSITY**
Mechanism for measuring nanosecond time differences between luminous events using streak camera
[NASA-CASE-XLA-01987] c23 N71-23976
- LUMINOUS INTENSITY**
Filter arrangement for controlling light intensity in motion picture camera used in optical pyrometry
[NASA-CASE-XLA-00062] c14 N70-33254
Development of star intensity measuring system which minimizes effects of outside interference
[NASA-CASE-XNP-06510] c14 N71-23797
- LUNAR BASES**
Development and characteristics of natural circulation radiator for use with nuclear power plants installed in lunar space stations
[NASA-CASE-XHQ-03673] c33 N71-29046
- LUNAR COMMUNICATION**
Conversion system for transforming slow scan rate of Apollo TV camera on moon to fast scan of commercial TV
[NASA-CASE-XMS-07168] c07 N71-11300
Three transceiver lunar emergency system to relay voice communication of astronaut
[NASA-CASE-MFS-21042] c07 N72-25171
- LUNAR COMPOSITION**
Development and characteristics of pentrometer for measuring physical properties of lunar surface
[NASA-CASE-XLA-00934] c14 N71-22765
- LUNAR EXPLORATION**
Backpack carrier with retractable legs suitable for lunar exploration and convertible to rescue vehicle
[NASA-CASE-LAR-10056] c05 N71-12351
Development and characteristics of pentrometer for measuring physical properties of lunar surface
[NASA-CASE-XLA-00934] c14 N71-22765
Lightweight propulsion unit for movement of personnel and equipment across lunar surface
[NASA-CASE-MFS-20130] c28 N71-27585
Three transceiver lunar emergency system to relay voice communication of astronaut
[NASA-CASE-MFS-21042] c07 N72-25171
- LUNAR FLYING VEHICLES**
Kinesthetic control simulator with multiple degree of freedom of movement similar to lunar flying vehicles
[NASA-CASE-LAR-10276-1] c11 N70-26813
- LUNAR GRAVITATION**
Apparatus for training astronaut crews to perform on simulated lunar surface under conditions of lunar gravity
[NASA-CASE-XHS-04798] c11 N71-21474
- LUNAR GRAVITY SIMULATOR**
Lunar and planetary gravity simulator to test

- vehicular response to landing
[NASA-CASE-XLA-00493] c11 N70-34786
- LUNAR LANDING**
Lunar landing flight research vehicle
[NASA-CASE-XFR-00929] c31 N70-34966
- LUNAR LOGISTICS**
Lightweight propulsion unit for movement of personnel and equipment across lunar surface
[NASA-CASE-MFS-20130] c28 N71-27585
- LUNAR ROCKS**
Impact bit for cutting, collecting, and storing samples such as lunar rock cuttings
[NASA-CASE-XNP-01412] c15 N70-42034
- LUNAR SOIL**
Development of device for separating, collecting, and viewing soil particles
[NASA-CASE-XNP-09770] c15 N71-20440
Device which separates and screens particles of soil samples for vidicon viewing in vacuum and reduced gravity environments
[NASA-CASE-XNP-09770-3] c11 N71-27036
System for recovering oxygen and/or water from extraterrestrial soil and iron oxide materials
[NASA-CASE-MSC-12332-1] c15 N72-15476
Portable penetrometer for analyzing soil characteristics
[NASA-CASE-MFS-20774] c14 N73-19420
Method for obtaining oxygen from lunar or similar soil
[NASA-CASE-MSC-12408-1] c13 N74-13011
- LUNAR SURFACE VEHICLES**
Resilient vehicle wheel for lunar surface travel
[NASA-CASE-MFS-20400] c31 N71-18611
Resilient wheel design with woven wire tire and abrasive treads for lunar surface vehicles
[NASA-CASE-MFS-13929] c15 N71-27091
- LUNGS**
Piston device for producing known constant positive pressure within lungs by using thoracic muscles
[NASA-CASE-XMS-01615] c05 N70-41329
- M**
- MACHINE TOOLS**
Rotary impact-type rock drill for recovering rock cuttings
[NASA-CASE-XNP-07478] c14 N69-21923
Description of protective device for providing safe operating conditions around work piece in machine or metal working tool
[NASA-CASE-XLE-01092] c15 N71-22797
Description of device for aligning stacked sheets of paper for repetitive cutting
[NASA-CASE-XMS-04178] c15 N71-22798
Development and characteristics of frusto-conical die nub for extrusion of refractory metals
[NASA-CASE-XLE-06773] c15 N71-23817
Design and development of layout tool for machine shop use to locate point in precise reference to straight or bowed reference edge
[NASA-CASE-FRC-10005] c15 N71-26145
Optical gauging system for monitoring machine tool alignment
[NASA-CASE-XAC-09489-1] c15 N71-26673
Caterpillar micropositioner for positioning machine tools adjacent to workpiece
[NASA-CASE-GSC-10780-1] c14 N72-16283
- MACHINERY**
Design of mechanical device for stirring several test tubes simultaneously
[NASA-CASE-YAC-06956] c15 N71-21177
Precipitation detector and mechanism for stopping and restarting machinery at initiation and cessation of rain
[NASA-CASE-XLA-02619] c10 N71-26334
Development and characteristics of concentric output differential gearing system
[NASA-CASE-ARC-10462-1] c15 N73-29459
Apparatus for manufacturing polyester drive belts
[NASA-CASE-NPO-13205-1] c15 N73-31442
- MACHINING**
Laser machining device with dielectric functioning as beam waveguide for mechanical and medical applications
[NASA-CASE-HQM-10541-2] c15 N71-27135
Lathe tool and holder combination for machining resin impregnated fiberglass cloth laminates
[NASA-CASE-XLA-10470] c15 N72-21489
Drilled ball bearing with a one piece anti-tipping cage assembly
[NASA-CASE-LEW-11925-1] c15 N74-18133
- MAGNESIUM**
Chemical spot test for identifying magnesium or magnesium alloys used in aerospace applications
[NASA-CASE-LAR-10953-1] c17 N73-27445
- MAGNESIUM ALLOYS**
Procedure for bonding polytetrafluoroethylene thermal protective sleeves to magnesium alloy conical shell components with different thermal coefficients
[NASA-CASE-XLA-01262] c15 N71-21404
Chemical spot test for identifying magnesium or magnesium alloys used in aerospace applications
[NASA-CASE-LAR-10953-1] c17 N73-27446
- MAGNESIUM OXIDES**
Method for determining presence and type of OH in MgO
[NASA-CASE-NPO-10774] c06 N72-17095
- MAGNET COILS**
Improved alternator with windings of superconducting materials acting as permanent magnet
[NASA-CASE-XLE-02824] c03 N69-39890
Relay circuit breaker with magnetic latching to provide conductive and nonconductive paths for current devices
[NASA-CASE-MSC-11277] c09 N71-29008
- MAGNETIC CHARGE DENSITY**
Ion engine with magnetic circuit for optimal discharge
[NASA-CASE-XLE-01124] c28 N71-14043
- MAGNETIC CIRCUITS**
Ion engine with magnetic circuit for optimal discharge
[NASA-CASE-XLE-01124] c28 N71-14043
- MAGNETIC COILS**
Time division multiplexer with magnetic latching relays
[NASA-CASE-XNP-00431] c09 N70-38998
Linear magnetic braking system with nonuniformly wrapped primary coil producing constant braking force on secondary coil
[NASA-CASE-XLE-05079] c15 N71-17652
Electroexplosive safe-arm initiator using electric driven electromagnetic coils and magnets to align charge
[NASA-CASE-LAR-10372] c09 N71-18599
- MAGNETIC CONTROL**
Magnetically opened diaphragm design with camera shutter and expansion tube applications
[NASA-CASE-XLA-03660] c15 N71-21060
Magnetically controlled plasma accelerator capable of ignition in low density gaseous environment
[NASA-CASE-XLA-00327] c25 N71-29184
- MAGNETIC CORES**
Variable frequency magnetic coupled multivibrator with temperature compensated frequency control circuit
[NASA-CASE-XGS-00458] c09 N70-38604
Variable frequency magnetic coupled multivibrator with output signal of constant amplitude and waveform
[NASA-CASE-XGS-00131] c09 N70-38995
Electronic counter circuit utilizing magnetic core and low power consumption
[NASA-CASE-XNP-08836] c09 N71-12515
Pulsed magnetic core memory element with blocking oscillator feedback for interrogation without loss of digital information
[NASA-CASE-XGS-03303] c08 N71-18595
Describing magnetic core current switching device for steering bipolar current pulses to memory units
[NASA-CASE-NPO-10201] c08 N71-18694
Reliable magnetic core circuit apparatus with application in selection matrices for digital memories
[NASA-CASE-XNP-01318] c10 N71-23033
Magnetic current regulator for saturable core transformer
[NASA-CASE-ZRC-10075] c09 N71-24800
Power switch with transfluxor type magnetic core
[NASA-CASE-NPO-10242] c09 N71-24803
Unsaturation magnetic core transformer design with warning signal for electrical power

- processing equipment
[NASA-CASE-ERC-10125] c09 N71-24893
- Temperature sensitive magnetometer with pulsating thermally cycled magnetic core
[NASA-CASE-XAC-03740] c14 N71-26135
- Digital magnetic core memory with sensing amplifier circuits
[NASA-CASE-XNP-01012] c08 N71-28925
- Saturable magnetic core and signal detection for indicating impending saturation
[NASA-CASE-ERC-10089] c23 N72-17747
- Commutator for steering precisely controlled bidirectional currents through numerous loads by use of magnetic core shift registers
[NASA-CASE-NPO-10743] c08 N72-21199
- Banded transformer cores
[NASA-CASE-NPO-11966-1] c09 N74-17928
- MAGNETIC DIPOLES**
Torquemeter for determining magnitude of torque generated by interaction of magnetic dipole between test specimen and ambient magnetic field
[NASA-CASE-XGS-01013] c14 N71-23725
- MAGNETIC DISKS**
Device for removing plastic dust cover from digital computer disk packs for inspection and cleaning
[NASA-CASE-LAR-10590-1] c15 N70-26819
- MAGNETIC EFFECTS**
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c15 N74-18132
- MAGNETIC FIELDS**
Magnetically diffused radial electric arc heater
[NASA-CASE-XLA-00330] c33 N70-34540
- Method and apparatus for communicating through ionized layer of gases surrounding spacecraft during reentry into planetary atmospheres
[NASA-CASE-XLA-01127] c07 N70-41372
- Venting device for liquid propellant storage tank using magnetic field to separate liquid and gaseous phases
[NASA-CASE-XLE-01449] c15 N70-41646
- Ion engine with magnetic circuit for optimal discharge
[NASA-CASE-XLE-01124] c28 N71-14043
- Development of wide range linear fluxgate magnetometer
[NASA-CASE-XGS-01587] c14 N71-15962
- Magnetic element position sensing device, using misaligned electromagnets
[NASA-CASE-XGS-07514] c23 N71-16099
- Development of non-magnetic indexing device for orienting magnetic flux sensing instrument in magnetic field without generation of detrimental magnetic fields
[NASA-CASE-XGS-02422] c15 N71-21529
- Negation of magnetic fields produced by thin waferlike circuit elements in space vehicles
[NASA-CASE-XGS-03390] c03 N71-23187
- Torquemeter for determining magnitude of torque generated by interaction of magnetic dipole between test specimen and ambient magnetic field
[NASA-CASE-IGS-01013] c14 N71-23725
- Fluxgate magnetometer for measuring magnetic field along two axes using one sensor
[NASA-CASE-GSC-10441-1] c14 N71-27325
- Segmented superconducting magnet producing staggered magnetic field and suitable for broadband traveling wave masers
[NASA-CASE-IGS-10518] c16 N71-28554
- Magnetic method for detection of aircraft position relative to runway
[NASA-CASE-ARC-10179-1] c21 N72-22619
- Radial magnetic field for ion thruster
[NASA-CASE-LEH-10770-1] c28 N72-22770
- Automatic shunting of ion thruster magnetic field when thruster is not operating
[NASA-CASE-LEH-10835-1] c28 N72-22771
- Pump for cryogenic liquids using magnetocaloric material
[NASA-CASE-LEH-11672-1] c15 N73-14479
- Apparatus for determining distance to lighting strokes from single station by magnetic and electric field sensing antennas
[NASA-CASE-KSC-10698] c07 N73-20175
- Superconducting magnetic field trapping device for producing magnetic field in air
[NASA-CASE-INP-01185] c26 N73-28710
- Hall effect magnetometer for measuring magnetic fields
[NASA-CASE-LEH-11632-2] c14 N73-29437
- Electron beam controller --- using magnetic field to refocus spent electron beam in microwave oscillator tube
[NASA-CASE-LEH-11617-1] c09 N74-10195
- MAGNETIC FLUX**
Excitation and detection circuitry for flux responsive magnetic head
[NASA-CASE-XNP-04183] c09 N69-24329
- Cryogenic flux-gated magnetometer using superconductors
[NASA-CASE-IAC-02407] c14 N69-27423
- Flux gate magnetometer with toroidal gating coil and solenoidal output coil for signal modulation or amplification
[NASA-CASE-XGS-01881] c09 N70-40123
- Development of hybrid bearing lubrication system with combination of standard type lubrication and magnetic flux field for earth atmosphere and space environment operation
[NASA-CASE-XNP-01641] c15 N71-22997
- Magnetic current regulator for saturable core transformer
[NASA-CASE-ERC-10075] c09 N71-24800
- Magnetic flux pump for changing intensity of magnetic fields
[NASA-CASE-XNP-01187] c15 N73-28516
- Method for increasing intensity of magnetic field by transferring flux
[NASA-CASE-XNP-01188] c15 N73-32361
- MAGNETIC FORMING**
Portable magnetomotive hammer for metal working
[NASA-CASE-XNP-03793] c15 N71-24833
- Method and apparatus for portable high precision magnetomotive bulging, constricting, and joining of large diameter metal tubes
[NASA-CASE-XNP-05114-3] c15 N71-24865
- MAGNETIC INDUCTION**
Continuous operation, single phased, induction plasma accelerator producing supersonic speeds
[NASA-CASE-XLA-01354] c25 N70-36946
- Automatic power supply circuit design for driving inductive loads and minimizing power consumption including solenoid example
[NASA-CASE-NPO-10716] c09 N71-24892
- Double-induction variable speed system for constant-frequency electrical power generation
[NASA-CASE-ERC-10065] c09 N71-27364
- Microwave generator using Gunn effect for magnetic tuning
[NASA-CASE-NPO-12106] c09 N73-15235
- High speed shutter --- electrically actuated ribbon loop for shuttering optical or fluid passageways
[NASA-CASE-ARC-10516-1] c23 N74-21300
- MAGNETIC LENSES**
Quadrupole mass spectrometer using noise spectrum for ion separation and identification
[NASA-CASE-XNP-04231] c14 N73-32325
- MAGNETIC MATERIALS**
Low density and low viscosity magnetic propellant for use under zero gravity conditions
[NASA-CASE-XLE-01512] c12 N70-40124
- MAGNETIC MEASUREMENT**
Cryogenic flux-gated magnetometer using superconductors
[NASA-CASE-XAC-02407] c14 N69-27423
- Development of wide range linear fluxgate magnetometer
[NASA-CASE-IGS-01587] c14 N71-15962
- Active RC filter networks and amplifiers for deep space magnetic field measurement
[NASA-CASE-XAC-05462-2] c10 N72-17171
- MAGNETIC POLES**
Design of magnetohydrodynamic induction machine with end poles which produce compensating magnetic fields
[NASA-CASE-XNP-07481] c25 N69-21929
- MAGNETIC PUMPING**
Magnetic flux pump for changing intensity of magnetic fields
[NASA-CASE-XNP-01187] c15 N73-28516
- Method for increasing intensity of magnetic field by transferring flux
[NASA-CASE-XNP-01188] c15 N73-32361
- MAGNETIC RECORDING**
Development of data storage system for storing digital data in high density format on magnetic tape

- [NASA-CASE-XNP-02778] c08 N71-22710
Magnetic recording head composed of ferrite core coated with thin film of aluminum-iron-silicon alloy
- [NASA-CASE-GSC-10097-1] c08 N71-27210
- MAGNETIC SIGNALS**
Plural recorder system which limits signal recording to signals of sufficient interest
[NASA-CASE-XMS-06949] c09 N69-21467
- MAGNETIC STORAGE**
Nondestructive interrogating and state changing circuit for binary magnetic storage elements
[NASA-CASE-XGS-00174] c08 N70-34743
Magnetic matrix memory system for nondestructive reading of information contained in matrix
[NASA-CASE-XMF-05835] c08 N71-12504
Pulse duration control device for driving slow response time loads in selected sequence including switching and delay circuits and magnetic storage
[NASA-CASE-XGS-04224] c10 N71-26418
Redundant memory for enhanced reliability of digital data processing system
[NASA-CASE-GSC-10564] c10 N71-29135
Momentum wheel design for spacecraft attitude control and magnetic drum and head system for data storage
[NASA-CASE-NPO-11481] c21 N73-13644
- MAGNETIC SWITCHING**
Power switch with transfluxor type magnetic core
[NASA-CASE-NPO-10242] c09 N71-24803
Design and development of multistage current steering switch with inductively coupled magnetic cores
[NASA-CASE-XNP-08567] c09 N71-26000
- MAGNETIC TAPES**
Tape cartridge with high capacity storage of endless-loop magnetic tape
[NASA-CASE-XGS-00769] c14 N70-41647
Endless loop tape transport mechanism for driving and tensioning recording medium in magnetic tape recorder
[NASA-CASE-XGS-01223] c07 N71-10609
Development of low friction magnetic recording tape
[NASA-CASE-XGS-00373] c23 N71-15978
System for recording and reproducing PCM data from data stored on magnetic tape
[NASA-CASE-XGS-01021] c08 N71-21042
Kinetic and static friction force measurement between magnetic tape and magnetic head surfaces
[NASA-CASE-XNP-08680] c14 N71-22995
Procedure for repairing and recovering voice data from heat damaged magnetic tapes
[NASA-CASE-MSC-14219-1] c07 N73-16132
- MAGNETIZATION**
Permanently magnetized ion engine casing construction for use in spacecraft propulsion systems
[NASA-CASE-XNP-06942] c28 N71-23293
- MAGNETO-OPTICS**
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c16 N74-13205
- MAGNETOHYDRODYNAMIC FLOW**
Improving performance of magnetoplasma dynamic arc rocket engine
[NASA-CASE-LEW-11180-1] c25 N73-25760
- MAGNETOHYDRODYNAMIC GENERATORS**
Design of magnetohydrodynamic induction machine with end poles which produce compensating magnetic fields
[NASA-CASE-XNP-07481] c25 N69-21929
Magnetohydrodynamic generator for mixing nonconductive gas and liquid metal mist to form slugs
[NASA-CASE-XLE-02083] c03 N69-39983
Thermoelectric power conversion by liquid metal flowing through magnetic field
[NASA-CASE-XNP-00644] c03 N70-36803
Crossed field MHD plasma generator-accelerator
[NASA-CASE-XLA-03374] c25 N71-15562
- MAGNETOMETERS**
Nonmagnetic thermal motor for magnetometer movement
[NASA-CASE-XAR-03786] c09 N69-21313
Cryogenic flux-gated magnetometer using superconductors
- [NASA-CASE-XAC-02407] c14 N69-27423
Flux gate magnetometer with toroidal gating coil and solenoidal output coil for signal modulation or amplification
[NASA-CASE-XGS-01881] c09 N70-40123
Development of wide range linear fluxgate magnetometer
[NASA-CASE-XGS-01587] c14 N71-15962
Design and development of optically pumped resonance magnetometer for determining vectoral components in spatial coordinate system
[NASA-CASE-XGS-04879] c14 N71-20428
Temperature sensitive magnetometer with pulsating thermally cycled magnetic core
[NASA-CASE-XAC-03740] c14 N71-26135
Fluxgate magnetometer for measuring magnetic field along two axes using one sensor
[NASA-CASE-GSC-10441-1] c14 N71-27325
Development and characteristics of magnetometer with single Bi2Se3 crystal as sensing element
[NASA-CASE-LEW-11632-1] c14 N72-25440
Hall effect magnetometer for measuring magnetic fields
[NASA-CASE-LEW-11632-2] c14 N73-29437
- MAGNETRONS**
Tuning arrangement for frequency control of magnetron-type electron discharge device
[NASA-CASE-XNP-09771] c09 N71-24841
- MAGNETS**
Magnetic bearing with diverse magnetic sources coupled to same air gap via different low magnetic reluctance paths for use with permanent magnets
[NASA-CASE-GSC-11079-1] c21 N71-28461
- MAGNIFICATION**
Camera adapter design for image magnification including lens and illuminator
[NASA-CASE-XMF-03844-1] c14 N71-26474
Passive type, magnifying scratch gage, force transducer
[NASA-CASE-LAR-10496-1] c14 N72-22437
- MAGNITUDE**
Torquemeter for determining magnitude of torque generated by interaction of magnetic dipole between test specimen and ambient magnetic field
[NASA-CASE-XGS-01013] c14 N71-23725
- MAINTENANCE**
Self testing and repairing computer comprising control and diagnostic unit and rollback points for error correction
[NASA-CASE-NPO-10567] c08 N71-24633
Development of procedure for repairing fiberglass structures which retains geometry and strength of original structure
[NASA-CASE-LAR-10416-1] c15 N72-27527
Development of process for bonding resinous body in cavities of honeycomb structures
[NASA-CASE-MSC-12357] c15 N73-12489
- MAJFUNCTIONS**
Aircraft instrument for indicating malfunctions during takeoff
[NASA-CASE-XLA-00100] c14 N70-36807
- MANDRELS**
Mandrel for shaping solid propellant rocket fuel into engine casing
[NASA-CASE-XLA-00304] c27 N70-34783
Rotating, multisided mandrel for fabricating gored inflatable spacecraft
[NASA-CASE-XLA-04143] c15 N71-17687
Method of making solid propellant rocket motor having reliable high altitude capabilities, long shelf life, and capable of firing with nozzle closure with foamed plastic permanent mandrel
[NASA-CASE-XLA-04126] c28 N71-26779
- MANIFOLDS**
Injector manifold assembly for bipropellant rocket engines providing for fuel propellant to serve as coolant
[NASA-CASE-XMF-00148] c28 N70-38710
- MANIPULATORS**
Manipulator for remote handling in zero gravity environment
[NASA-CASE-MPS-14405] c15 N72-28495
Development and characteristics of variable ratio, mixed-mode, bilateral master-slave control system for space shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c31 N73-30832

- Remote manipulator system
[NASA-CASE-HFS-22022-1] c05 N74-10099
- Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c15 N74-16139
- MANNED ORBITAL LABORATORIES**
- Artificial gravity system for simulating self-locomotion capability of astronauts in rotating environments
[NASA-CASE-XLA-03127] c11 N71-10776
- MANNED ORBITAL RESEARCH LABORATORIES**
- Manned space station collapsible for launching and self-erectable in orbit
[NASA-CASE-XLA-00678] c31 N70-34296
- Radial module manned space station with artificial gravity environment
[NASA-CASE-INS-01906] c31 N70-41373
- MANNED SPACE FLIGHT**
- Three-port transfer valve with one port open continuously suitable for manned space flight
[NASA-CASE-XAC-01158] c15 N71-23051
- Device for removing air from water for use in life support systems in manned space flight
[NASA-CASE-XLA-8914] c15 N73-12492
- MANNED SPACECRAFT**
- Manned space capsule configuration for orbital flight and atmospheric reentry
[NASA-CASE-XLA-00149] c31 N70-37938
- Delta winged, manned reentry vehicle capable of horizontal glide landing at low speeds
[NASA-CASE-XLA-00241] c31 N70-37986
- Parachute system for lowering manned spacecraft from post-reentry to ocean landing
[NASA-CASE-XLA-00195] c02 N70-38009
- Design and configuration of manned space capsule
[NASA-CASE-XLA-01332] c31 N71-15664
- Development of method for producing artificial gravity in manned spacecraft
[NASA-CASE-XNP-02595] c31 N71-21881
- Chlorine generator for purifying water in life support systems of manned spacecraft
[NASA-CASE-XLA-08913] c14 N71-28933
- Collapsible couch system for manned space vehicles
[NASA-CASE-HSC-13140] c05 N72-11085
- Spacecraft with artificial gravity and earthlike atmosphere
[NASA-CASE-LEW-11101-1] c31 N73-32750
- MANGNETERS**
- Magnetically centered liquid column float
[NASA-CASE-XAC-00030] c14 N70-34820
- Absolute pressure measuring device for measuring gas density level in high vacuum range
[NASA-CASE-LAR-10000] c14 N73-30394
- MANUAL CONTROL**
- Multiple circuit switch apparatus requiring minimum hand and eye movement by operator
[NASA-CASE-XAC-03777] c10 N71-15909
- Manual control mechanism for adjusting control rod to null position
[NASA-CASE-XLA-01808] c15 N71-20740
- Manually activated heat pump for mechanically converting human operator output into heat energy
[NASA-CASE-NPO-10677] c05 N72-11084
- Development of flight simulator system to show position of joystick displacement
[NASA-CASE-NPO-11497] c08 N73-25206
- Solid state controller three axes controller
[NASA-CASE-HSC-12394-1] c03 N74-10942
- MANUFACTURING**
- Selective gold diffusion on monolithic silicon chips for switching and nonswitching amplifier devices and circuits and linear and digital logic circuits
[NASA-CASE-ERC-10072] c09 N70-11148
- Standard coupling design for mass production
[NASA-CASE-INS-02532] c15 N70-41808
- Method for baking screen with unlimited fineness of mesh and screen thickness
[NASA-CASE-XLE-00953] c15 N71-15966
- Describing apparatus for manufacturing operations in low and zero gravity environments of orbital space flight
[NASA-CASE-HFS-20410] c15 N71-19214
- Manufacture of fluid containers from fused coated polyester sheets having resealable septum
[NASA-CASE-NPO-10123] c15 N71-24835
- Method of baking solid propellant rocket motor having reliable high altitude capabilities, long shelf life, and capable of firing with nozzle closure with foamed plastic permanent mandrel
[NASA-CASE-XLA-04126] c28 N71-26779
- Shielded flat conductor cable fabricated by electroless and electrolytic plating
[NASA-CASE-HFS-13687] c09 N71-28691
- Production method for manufacturing porous tungsten bodies from tungsten powder particles
[NASA-CASE-XNP-04339] c17 N71-29137
- Apparatus for manufacturing polyester drive belts
[NASA-CASE-NPO-13205-1] c15 N73-31442
- Improved bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c15 N74-14141
- Method of baking porous conductive supports for electrodes --- by electroforming and stacking nickel foils
[NASA-CASE-GSC-11367-1] c03 N74-19692
- MAPPING**
- Solid state device for mapping flux and power in nuclear reactor cores
[NASA-CASE-XLE-00301] c14 N70-36808
- Design and development of random function tracer for obtaining coordinates of points on contour maps
[NASA-CASE-XLA-01401] c15 N71-21179
- Spacecraft transponder and ground station radar system for mapping planetary surfaces
[NASA-CASE-NPO-11001] c07 N72-21118
- MAPS**
- Orbital and entry tracking accessory for globes --- to provide range requirements for reentry vehicles to any landing site
[NASA-CASE-LAR-10626-1] c14 N74-21015
- MASERS**
- Segmented superconducting magnet producing staggered magnetic field and suitable for broadband traveling wave masers
[NASA-CASE-XGS-10518] c16 N71-28554
- Traveling wave maser for operation in 7 to 20 GHz frequency range
[NASA-CASE-NPO-11437] c16 N72-28521
- Method for producing storage bulb for atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c16 N73-18508
- High temperature bonding of sapphire to sapphire by eutectic Al2O3 and ZrO2 mixture to form sapphire rubidium maser cell
[NASA-CASE-GSC-11577-1] c15 N73-19467
- MASKING**
- Reusable masking boot for chemical machining operations
[NASA-CASE-XNP-02092] c15 N70-42033
- Composition and process for improving definition of resin masks used in chemical etching
[NASA-CASE-XGS-04993] c14 N71-17574
- MASS**
- Apparatus for measuring human body mass in zero or reduced gravity environment
[NASA-CASE-INS-03371] c05 N70-42000
- Tuned damped vibration absorber for mass vibrating in more than one degree of freedom for use with wind tunnel models
[NASA-CASE-LAR-10083-1] c15 N71-27006
- MASS BALANCE**
- Two plane balance for simultaneous measurements of multiple forces
[NASA-CASE-XAC-00073] c14 N70-34813
- Control system for pressure balance device used in calibrating pressure gages
[NASA-CASE-XNP-04134] c14 N71-23755
- MASS DISTRIBUTION**
- Electronic recording system for spatial mass distribution of liquid rocket propellant droplets or vapors ejected from high velocity nozzles
[NASA-CASE-NPO-10185] c10 N71-26339
- Controlled distribution of electrophoretic samples in flow path through conductive screens
[NASA-CASE-HFS-21395-1] c14 N72-27425
- MASS FLOW**
- Rocket engine injector orifice to accommodate changes in density, velocity, and pressure, thereby maintaining constant mass flow rate of propellant into rocket combustion chamber
[NASA-CASE-XLE-03157] c28 N71-24736
- Mass flow meter containing beta source for measuring nonpolar liquid flow
[NASA-CASE-HFS-20485] c14 N72-11365

- Generation of high temperature, high mass flow, and high Reynolds number air at hypersonic speeds
[NASA-CASE-LAR-10578-1] c12 N73-25262
- MASS SPECTROMETERS**
- Analytical photoionization mass spectrometer with argon gas filter between light source and monochromator
[NASA-CASE-LAR-10180-1] c06 N71-13461
- Design and characteristics of time of flight mass spectrometer to measure or analyze gases at low pressures and time of flight of single gas molecule
[NASA-CASE-XNP-01056] c14 N71-23041
- Ion microprobe mass spectrometer with cooled electrode target for analyzing traces of fluids
[NASA-CASE-ERC-10014] c14 N71-28863
- Test chambers with orifice and helium mass spectrometer for detecting leak rate of encapsulated semiconductor devices
[NASA-CASE-ERC-10150] c14 N71-28992
- High speed scanner for measuring mass of preselected gases at high sampling rate
[NASA-CASE-LAR-10766-1] c14 N72-21432
- Apparatus for analyzing gas samples in containers including vacuum chamber, mass spectrometer, and gas chromatography
[NASA-CASE-GSC-10903-1] c14 N73-12444
- Quadrupole mass spectrometer using noise spectrum for ion separation and identification
[NASA-CASE-XNP-04231] c14 N73-32325
- MATERIAL ABSORPTION**
- Describing sorption vacuum trap having housing with group of reentrant wall portions projecting into internal gas-pervious container filled with gas and vapor sorbent material
[NASA-CASE-XER-09519] c14 N71-18483
- MATERIALS HANDLING**
- Two component valve assembly for cryogenic liquid transfer regulation
[NASA-CASE-XLE-00397] c15 N70-36492
- Catalyst bed element removing tool
[NASA-CASE-XFR-00811] c15 N70-36901
- Air bearings for near frictionless transfer of loads from one body to another
[NASA-CASE-XMF-01887] c15 N71-10617
- Quick-release coupling for fueling rocket vehicles with cryogenic propellants
[NASA-CASE-XKS-01985] c15 N71-10782
- Method and apparatus for removing plastic insulation from wire using cryogenic equipment
[NASA-CASE-MFS-10340] c15 N71-17628
- Fluid transferring system design for purging toxic, corrosive, or noxious fluids and fumes from materials handling equipment for cleansing and accident prevention
[NASA-CASE-XMS-01905] c12 N71-21089
- Description of method for making homogeneous foamed materials in weightless environment using materials having different physical properties
[NASA-CASE-XMF-09902] c15 N72-11387
- Design and characteristics of mechanically extended and telescoping boom on crane assembly
[NASA-CASE-NPO-11118] c03 N72-25021
- Air lock mechanism for inserting and removing specimens from vacuum furnace
[NASA-CASE-LAR-10841-1] c15 N73-12494
- Design and development of device to prevent clogging in hoppers containing particulate materials
[NASA-CASE-LAR-10961-1] c15 N73-12496
- Development of ultrasonic radiation equipment for removing material from host surface and vacuum apparatus for recovery of material
[NASA-CASE-NPO-11213] c15 N73-20514
- Development and characteristics of system for skin packaging articles using thermoplastic film heating and vacuum operated equipment
[NASA-CASE-MFS-20855] c15 N73-27405
- MATERIALS RECOVERY**
- System for recovering oxygen and/or water from extraterrestrial soil and iron oxide materials
[NASA-CASE-MSC-12332-1] c15 N72-15476
- MATERIALS SCIENCE**
- Flammability test chamber for testing materials in certain predetermined environments
[NASA-CASE-KSC-10126] c11 N71-24985
- Device for measuring thermoelectric properties of materials under high pressure
[NASA-CASE-NPO-11749] c14 N73-28486
- MATERIALS TESTS**
- Development of equipment for measuring thermal shock resistance of thin discs of material
[NASA-CASE-XLE-02024] c14 N71-22964
- Multisample test chamber for exposing materials to X rays, temperature change, and gaseous conditions and determination of material effects
[NASA-CASE-XMS-02930] c11 N71-23042
- Automated ball rebound resilience test equipment for determining viscoelastic properties of polymers
[NASA-CASE-XLA-08254] c14 N71-26161
- Hermetic sealing device for ends of tubular bodies during materials testing operations
[NASA-CASE-NPO-10431] c15 N71-29132
- Development of apparatus for testing burning rate and flammability of materials
[NASA-CASE-XMS-09690] c33 N72-25913
- Multiaxes vibration device for making vibration tests along orthogonal axes of test specimen
[NASA-CASE-MFS-20242] c14 N73-19421
- Material testing system with load sensor for applying and measuring cyclic tensile and compressive loads to test specimens
[NASA-CASE-MFS-20673] c14 N73-20476
- MATHEMATICAL LOGIC**
- Logical function and circuit generator
[NASA-CASE-XLA-05099] c09 N73-13209
- MATRICES (CIRCUITS)**
- Fabrication methods for matrices of solar cell submodules
[NASA-CASE-XNP-05821] c03 N71-11056
- Magnetic matrix memory system for nondestructive reading of information contained in matrix
[NASA-CASE-XMF-05835] c08 N71-12504
- Conductor for connecting parallel cells into submodules in series to form solar cell matrix
[NASA-CASE-NPO-10821] c03 N71-19545
- Reliable magnetic core circuit apparatus with application in selection matrices for digital memories
[NASA-CASE-XNP-01318] c10 N71-23033
- Serial digital decoder design with square circuit matrix and serial memory storage units
[NASA-CASE-NPO-10150] c08 N71-24650
- Electrically connected matrix of discrete solar cell blanks
[NASA-CASE-NPO-10591] c03 N72-22041
- MCLEOD GAGES**
- Automatic recording McLeod gage with three electrodes and solenoid valve connection
[NASA-CASE-XLE-03280] c14 N71-23093
- MEASURING INSTRUMENTS**
- Capacitance measuring device for determining flare accuracy on tapered tubes
[NASA-CASE-XKS-03495] c14 N69-39785
- Characteristics and performance of electrical system to determine angular rotation
[NASA-CASE-XMF-00447] c14 N70-33179
- Two plane balance for simultaneous measurements of multiple forces
[NASA-CASE-XAC-00073] c14 N70-34813
- Parallel motion suspension device for measuring instruments
[NASA-CASE-XNP-01567] c15 N70-41310
- Method and apparatus for measuring potentials in plasmas
[NASA-CASE-XLE-00821] c25 N71-15650
- Transducer for measuring deflections from vibrating structures
[NASA-CASE-XLA-03135] c32 N71-16428
- Gage for quality control of sealing surfaces of threaded boss
[NASA-CASE-XMF-04966] c14 N71-17658
- Equipment for measuring partial water vapor pressure in gas tank
[NASA-CASE-XMS-01618] c14 N71-20741
- Gauge for measuring quantity of liquid in spherical tank in reduced gravity
[NASA-CASE-XMS-06236] c14 N71-21007
- Nonreusable energy absorbing device comprising ring member with plurality of recesses, cutting members, and guide member mounted in each recess
[NASA-CASE-XMF-10040] c15 N71-22877

- Ablation sensor for measuring surface ablation rate of material on vehicles entering earths atmosphere on entry into planetary atmospheres
[NASA-CASE-XLA-01791] c14 N71-22991
- Test fixture for measuring moment of inertia of irregularly shaped body with multiple axes
[NASA-CASE-XGS-01023] c14 N71-22992
- Electron beam deflection devices for measuring electric fields
[NASA-CASE-XMF-10289] c14 N71-23699
- Device for measuring two orthogonal components of force with gallium flotation of measuring target for use in vacuum environments
[NASA-CASE-XAC-04885] c14 N71-23790
- Gage for measuring internal angle of flare on end of tube
[NASA-CASE-XMF-04415] c14 N71-24693
- Device utilizing RC rate generators for continuous slow speed measurement
[NASA-CASE-XMF-02966] c10 N71-24863
- Solid state force measuring electromechanical transducers made of piezoresistive materials
[NASA-CASE-ERC-10088] c26 N71-25490
- Design and development of layout tool for machine shop use to locate point in precise reference to straight or bowed reference edge
[NASA-CASE-FRC-10005] c15 N71-26145
- Volume displacement transducer for leak detection in hermetically sealed semiconductor devices
[NASA-CASE-ERC-10033] c14 N71-26672
- Deformation measuring apparatus with feedback control for arbitrarily shaped structures
[NASA-CASE-LAR-10098] c32 N71-26681
- Foam insulation thickness measuring and injection device for spacecraft applications
[NASA-CASE-MFS-20261] c14 N71-27005
- Resonant infrasonic gauging device for measuring liquid quantity in closed bladderless reservoir
[NASA-CASE-MSC-11847-1] c14 N72-11363
- Measuring roll alignment of test body with respect to reference body
[NASA-CASE-GSC-10514-1] c14 N72-20379
- Sensor for detecting and measuring energy, velocity and direction of travel of a cosmic dust particle
[NASA-CASE-GSC-10503-1] c14 N72-20381
- Pumping and metering dual piston system and monitor for reaction chamber constituents
[NASA-CASE-GSC-10218-1] c15 N72-21465
- Capacitive tank gaging device for monitoring one constituent of two phase fluid by sensing dielectric constant
[NASA-CASE-MFS-21629] c14 N72-22442
- Development of mechanical device for measuring distance of point within sphere from surface of sphere
[NASA-CASE-XLA-06683] c14 N72-28436
- Surface based altitude measuring system for accurately measuring altitude of airborne vehicle
[NASA-CASE-ERC-10412-1] c09 N73-12211
- Instrument for measuring magnitude and direction of flow velocity in flow field
[NASA-CASE-LAR-10855-1] c14 N73-13415
- Device for recording locations of measurements made by hand-held noncontacting probe
[NASA-CASE-LAR-10806-1] c14 N73-15474
- Multiaxial vibration device for making vibration tests along orthogonal axes of test specimen
[NASA-CASE-MFS-20242] c14 N73-19421
- Material testing system with load sensor for applying and measuring cyclic tensile and compressive loads to test specimens
[NASA-CASE-MFS-20673] c14 N73-20476
- Development of droplet monitoring probe for use in analysis of droplet propagation in mixed-phase fluid stream
[NASA-CASE-NPO-10985] c14 N73-20478
- Remotely controlled device for detection of mass changes in selected specimens
[NASA-CASE-MFS-21556-1] c14 N73-20487
- Device for measuring tensile forces applied to tension members
[NASA-CASE-MFS-21728-1] c14 N73-25467
- Device for measuring thermoelectric properties of materials under high pressure
[NASA-CASE-NPO-11749] c14 N73-28486
- Radio frequency source resistance measuring instruments of varied design
[NASA-CASE-NPO-11291-1] c14 N73-30388
- Absolute pressure measuring device for measuring gas density level in high vacuum range
[NASA-CASE-LAR-10000] c14 N73-30394
- Thin film analyzer utilizing holographic techniques
[NASA-CASE-MFS-20823-1] c16 N73-30476
- A meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c14 N74-10421
- Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c14 N74-13129
- ### MECHANICAL DEVICES
- Mechanical coordinate converter for use with spacecraft tracking antennas
[NASA-CASE-XNP-00614] c14 N70-36907
- Load cell protection device using spring-loaded breakaway mechanism
[NASA-CASE-XMS-06782] c32 N71-15974
- Design and development of satellite despin device
[NASA-CASE-XMF-08523] c31 N71-20396
- Development of two force component measuring device
[NASA-CASE-XAC-04886-1] c14 N71-20439
- Design, development, and characteristics of latching mechanism for operation in limited access areas
[NASA-CASE-XMS-03745] c15 N71-21076
- Design of mechanical device for stirring several test tubes simultaneously
[NASA-CASE-XAC-06956] c15 N71-21177
- Design and development of random function tracer for obtaining coordinates of points on contour maps
[NASA-CASE-XLA-01401] c15 N71-21179
- Design and characteristics of device for closing canisters under high vacuum conditions
[NASA-CASE-XLA-01446] c15 N71-21528
- Development of non-magnetic indexing device for orienting magnetic flux sensing instrument in magnetic field without generation of detrimental magnetic fields
[NASA-CASE-XGS-02422] c15 N71-21529
- Design and development of module joint clamping device for application to solar array construction
[NASA-CASE-XNP-02341] c15 N71-21531
- Hand controller operable about three respectively perpendicular axes and capable of actuating signal generators for attitude control devices
[NASA-CASE-XMS-07487] c15 N71-23255
- Metal alloy bearing materials for space applications
[NASA-CASE-XLE-05033] c15 N71-23810
- Mechanical actuator wherein linear motion changes to rotational motion
[NASA-CASE-XGS-04548] c15 N71-24045
- Design and characteristics of device for showing amount of cable payed out from winch and load imposed
[NASA-CASE-MSC-12052-1] c15 N71-24599
- Design and development of release mechanism for spacecraft components, releasable despin weights, and extensible gravity booms
[NASA-CASE-XGS-08718] c15 N71-24600
- Apparatus for mechanically dispersing ultrafine metal powders subjected to shock waves
[NASA-CASE-XLE-04946] c17 N71-24911
- Self lubricating gears and other mechanical parts having surface adapted to frictional contact
[NASA-CASE-MFS-14971] c15 N71-24984
- Design and development of layout tool for machine shop use to locate point in precise reference to straight or bowed reference edge
[NASA-CASE-FRC-10005] c15 N71-26145
- Design and development of linear actuator based on bimetallic spring expansion
[NASA-CASE-NPO-10637] c15 N72-12409
- Characteristics of lightweight actuator for imparting linear motion using elongated output shaft
[NASA-CASE-NPO-11222] c15 N72-25456
- Development of mechanical device for measuring distance of point within sphere from surface of sphere

[NASA-CASE-XLA-06683] c14 N72-28436
Development of thermal compensating structure which maintains uniform length with changes in temperature

[NASA-CASE-MFS-20433] c15 N72-28496
Development of mating flat surfaces to inhibit leakage of fluid around shafts

[NASA-CASE-XLE-10326-2] c15 N72-29488
Development of solar energy powered heliotrope assembly to orient solar array toward sun

[NASA-CASE-GSC-10945-1] c21 N72-31637
Design and construction of mechanical probe for determining if object is properly secured

[NASA-CASE-MFS-20760] c14 N72-33377
Development and characteristics of rotary actuator for use on spacecraft to deploy and support pivotal structures such as solar panels

[NASA-CASE-NPO-10680] c31 N73-14855
Automatic inoculating device for agar trays using cotton swab or loop

[NASA-CASE-LAR-11074-1] c05 N73-16096
Collapsible support for antenna reflector applied to installation of spacecraft antennas

[NASA-CASE-NPO-11751] c07 N73-24176
Development of mechanical linkage for lifting pin-supported electronic packages from electronic circuit boards without damage to connector pins

[NASA-CASE-NPO-13157-1] c15 N73-26475
Pneumatic foot pedal operated fluidic exercising device

[NASA-CASE-MSC-11561-1] c05 N73-32014
Mechanical exposure interlock device for preventing film overexposure in oscilloscope camera

[NASA-CASE-LAR-10319-1] c14 N73-32322
Drilled ball bearing with a one piece anti-tipping cage assembly

[NASA-CASE-LPW-11925-1] c15 N74-18133
Reefing system

[NASA-CASE-LAR-10129-2] c15 N74-20063

MECHANICAL DRIVES

Hydraulic drive mechanism for leveling isolation platforms

[NASA-CASE-XMS-03252] c15 N71-10658
Antibacklash circuit for hydraulic drive system

[NASA-CASE-XNP-01020] c03 N71-12260
Precision stepping drive device using cam disk

[NASA-CASE-MFS-14772] c15 N71-17692
Incremental motion drive system applied to interferometer components

[NASA-CASE-XNP-08897] c15 N71-17694
Ratchet mechanism for high speed operation at reduced backlash

[NASA-CASE-MFS-12805] c15 N71-17805
Development of apparatus for automatically changing carriage speed of welding machine to obtain constant speed of torch along work surface

[NASA-CASE-XMF-07069] c15 N71-23815
Drive system for parabolic tracking antenna with reversible motion and minimal backlash

[NASA-CASE-NPO-10173] c15 N71-24696
Synchronous dc direct-drive system comprising multiple-loop hybrid control system controlling load directly connected to actuator

[NASA-CASE-GSC-10065-1] c10 N71-27136
Energy absorption device in high precision gear train for protection against damage to components caused by stop loads

[NASA-CASE-XNP-01848] c15 N71-28959
Automatic controlled drive mechanism for portable boring bar

[NASA-CASE-XLA-03661] c15 N71-33518
Two speed drive system for driving vehicle wheel

[NASA-CASE-MFS-20645] c15 N72-20463
Rotary actuator for use in environments with no rolling and sliding friction

[NASA-CASE-NPO-10244] c15 N72-26371
Development and characteristics of rotary actuator for use on spacecraft to deploy and support pivotal structures such as solar panels

[NASA-CASE-NPO-10680] c31 N73-14855
Development and characteristics of concentric output differential gearing system

[NASA-CASE-ARC-10462-1] c15 N73-29459
Optically actuated two position mechanical mover

[NASA-CASE-NPO-13105-1] c15 N74-21060

MECHANICAL ENGINEERING

Manual actuator --- for spacecraft exercising machines

[NASA-CASE-MFS-21481-1] c15 N74-18127

MECHANICAL MEASUREMENT

Air brake device for absorbing and measuring power from rotating shafts

[NASA-CASE-XLE-00720] c14 N70-40201
Water cooled gage for strain measurements in high temperature environments

[NASA-CASE-XNP-09205] c14 N71-17657
Development of apparatus for measuring successive increments of strain on elastomers

[NASA-CASE-XMF-04680] c15 N71-19489
Development of Hall effect transducer for converting mechanical shaft rotations into proportional electrical signals

[NASA-CASE-LAR-10620-1] c09 N72-25255
Development of strain gage mounting assembly for amplifying measurable deformation applied to strain gage

[NASA-CASE-NPO-13170-1] c14 N73-28495

MECHANICAL PROPERTIES

Test apparatus for determining mechanical properties of refractory materials at high temperatures in vacuum or inert atmospheres

[NASA-CASE-XLE-00335] c14 N70-35368
Electric resistance spot welding and brazing for producing metal bonds with superior mechanical and structural characteristics

[NASA-CASE-LAR-11072-1] c15 N73-20535

MECHANICS (PHYSICS)

Hovering type flying vehicle design and principle mechanisms for manned or unmanned use

[NASA-CASE-MSC-12111-1] c02 N71-11039

MEDICAL ELECTRONICS

Initial systole and diastolic notch detecting circuitry for monitoring arterial pressure pulse

[NASA-CASE-LEW-11581-1] c05 N73-18139

MEDICAL EQUIPMENT

Electromedical garment, applying vectorcardiologic type electrodes to human torsos for data recording during physical activity

[NASA-CASE-XFR-10856] c05 N71-11189
Respiration analyzing method and apparatus for determining subjects oxygen consumption in aerospace environments

[NASA-CASE-XFR-08403] c05 N71-11202
Laser machining device with dielectric functioning as beam waveguide for mechanical and medical applications

[NASA-CASE-HQN-10541-2] c15 N71-27135
Zero power telemetry actuated switch for biomedical equipment

[NASA-CASE-ARC-10105] c09 N72-17153
Automatic system for measuring and monitoring systolic and diastolic blood pressure in humans

[NASA-CASE-MSC-13999-1] c05 N72-25142
Multichannel medical monitoring system to measure physiological parameters from display device at remote control station

[NASA-CASE-MSC-14180-1] c05 N73-22045
Tilting table for testing human body in variety of positions while exercising on ergometer or other biomedical devices

[NASA-CASE-MFS-21010-1] c05 N73-30078
Automatic device for assaying urine on bacterial adenosine triphosphate content

[NASA-CASE-GSC-11169-2] c05 N73-32011
An improved heat sterilizable patient ventilator

[NASA-CASE-NPO-13313-1] c05 N74-17858
Servo-controlled intravital microscope system

[NASA-CASE-NPO-13214-1] c14 N74-19093

MEMBRANE STRUCTURES

Liquid junction for glass electrode or pH meters

[NASA-CASE-NPO-10682] c15 N70-34699
Expulsion and measuring device for determining quantity of liquid in tank under conditions of weightlessness

[NASA-CASE-XMS-01546] c14 N70-40233
Flexible composite membrane structure impervious to extremely reactive chemicals in rocket propellants

[NASA-CASE-XNP-08837] c18 N71-16210
Flexible barrier membrane comprising porous substrate and incorporating liquid gallium or indium metal used as sealant barriers for spacecraft walls and pumping liquid propellants

- [NASA-CASE-XNP-08881] c17 N71-28747
MEMBRANES
 Apparatus for measuring polymer membrane expansion in electrochemical cells
 [NASA-CASE-XGS-03865] c14 N69-21363
 Separation cell with permeable membranes for fluid mixture component separation
 [NASA-CASE-XMS-02952] c18 N71-20742
 Water insoluble, cationic permselective membrane
 [NASA-CASE-NPO-11091] c18 N72-22567
MEMORY
 Ferrite memory arrays from pre-formed metal conductors
 [NASA-CASE-LAR-10994-1] c18 N73-30536
MERCURY (METAL)
 Interrupter switching device utilizing electrodes and mercury filled capillary tubes in which current flow vaporizes mercury as circuit breaker
 [NASA-CASE-XNP-02251] c12 N71-20896
 Method of forming ceramic to metal seals impervious to gaseous and liquid mercury at high temperature
 [NASA-CASE-XNP-01263-2] c15 N71-26312
 Development of system for delivering vaporized mercury to electron bombardment ion engine
 [NASA-CASE-NPO-10737] c28 N72-11709
MERCURY VAPOR
 Interrupter switching device utilizing electrodes and mercury filled capillary tubes in which current flow vaporizes mercury as circuit breaker
 [NASA-CASE-XNP-02251] c12 N71-20896
 Liquid-vapor interface seal design for turbine rotating shafts including helical and molecular pumps and liquid cooling of mercury vapor
 [NASA-CASE-XNP-02862-1] c15 N71-26294
METABOLISM
 Automated system for monitoring oxidative metabolites of aromatic amines
 [NASA-CASE-ARC-10469-1] c06 N72-31145
METAL BONDING
 Bonding method for improving contact between lead telluride thermoelectric elements and tungsten electrodes
 [NASA-CASE-XGS-04554] c15 N69-39786
 Plasma spraying gun for forming diffusion bonded metal or ceramic coatings on substrates
 [NASA-CASE-XLE-01604-2] c15 N71-15610
 Describing metal valve pintle with encapsulated elastomeric body
 [NASA-CASE-MSC-12116-1] c15 N71-17648
 Apparatus for determining quality of bond between high density material and low density material
 [NASA-CASE-MFS-13686] c15 N71-18132
 Metal soldering with hydrazine monoperfluoro alkanoate for corrosion resistant coatings
 [NASA-CASE-XNP-03459] c15 N71-21078
 Leak resistant bonded elastomeric seal for secondary electrochemical cells
 [NASA-CASE-XGS-02631] c03 N71-23006
 Metal pattern bonding technique for cover glass attachment to silicon solar cells for space applications
 [NASA-CASE-XLE-08569] c03 N71-23449
 Development of electrical system for indicating optimum contact between electrode and metal surface to permit improved soldering operation
 [NASA-CASE-KSC-10242] c15 N72-23497
 Development of process for bonding resinous body in cavities of honeycomb structures
 [NASA-CASE-MSC-12357] c15 N73-12489
 Electric resistance spot welding and brazing for producing metal bonds with superior mechanical and structural characteristics
 [NASA-CASE-LAR-11072-1] c15 N73-20535
 Ultrasonically bonded valve assembly
 [NASA-CASE-NPO-13360-1] c15 N74-20073
 Totally confined explosive welding --- apparatus to reduce noise level and protect personnel during explosive bonding
 [NASA-CASE-LAR-10941-1] c15 N74-21057
METAL COATINGS
 Joining aluminum to stainless steel by bonding aluminum coatings onto titanium coated stainless steel and brazing aluminum to aluminum/titanium coated steel
- [NASA-CASE-MFS-07369] c15 N71-20443
 Metal soldering with hydrazine monoperfluoro alkanoate for corrosion resistant coatings
 [NASA-CASE-XNP-03459] c15 N71-21078
 Low concentration alkaline solution treatment of aluminum with metal phosphate surface coatings to improve chemical bonding and reduce coating weight
 [NASA-CASE-XLA-01995] c18 N71-23047
 Organometallic compounds of niobium and tantalum useful for film deposition
 [NASA-CASE-XNP-04023] c06 N71-28808
 Silicide coating process and composition for protection of refractory metals from oxidation
 [NASA-CASE-XLE-10910] c18 N71-29040
 Selective nickel deposition on irradiation sensitive compounds
 [NASA-CASE-LEW-10965-1] c15 N72-25452
 Intermetallic coating for nickel based superalloy
 [NASA-CASE-LEW-11348-1] c17 N72-25517
 Development and characteristics of device for applying multiple layers of noble metal to glass substrate for protection of optical surfaces
 [NASA-CASE-LAR-10362-1] c15 N72-27486
 Metallic alloy and aluminide coating for metallic base system
 [NASA-CASE-LEW-11696-1] c15 N73-10502
 Silicon carbide backward diode with coated lead attachment
 [NASA-CASE-ERC-10224-2] c09 N73-27150
 Ultraviolet light reflective coating
 [NASA-CASE-GSC-11786-1] c18 N74-10542
 A panel for selectively absorbing solar thermal energy and the method for manufacturing the panel
 [NASA-CASE-MFS-22562-1] c03 N74-19700
METAL CUTTING
 Metal shearing energy absorber
 [NASA-CASE-RQN-10638-1] c15 N73-30460
 Vee-notching device --- with adjustable carriage
 [NASA-CASE-MFS-20730-1] c14 N74-13131
METAL FILMS
 Means and methods of depositing thin films on substrates
 [NASA-CASE-XNP-00595] c15 N70-34967
 Metallic film diffusion into metal or ceramic surfaces for boundary lubrication in aerospace environments
 [NASA-CASE-XLE-01765] c18 N71-10772
 Bismuth and lead surface coatings for gas bearings in aerospace engineering
 [NASA-CASE-XGS-02011] c15 N71-20739
 Metallic film diffusion for boundary lubrication in aerospace engineering
 [NASA-CASE-XLE-10337] c15 N71-24046
 Magnetic recording head composed of ferrite core coated with thin film of aluminum-iron-silicon alloy
 [NASA-CASE-GSC-10097-1] c08 N71-27210
 Thin absorbing metallic film for increased visible light transmission
 [NASA-CASE-LAR-10836-1] c26 N72-27784
 Development of technique and apparatus for optically detonating insensitive high explosives
 [NASA-CASE-NPO-11743-1] c33 N73-29959
 Deposition of alloy films --- on irregularly shaped metal object
 [NASA-CASE-LEW-11262-1] c18 N74-13270
METAL FINISHING
 Selective plating of etched circuits without removing previous plating
 [NASA-CASE-XGS-03120] c15 N71-24047
 Refractory porcelain enamel passive thermal control coating for high temperature alloys
 [NASA-CASE-MFS-22324-1] c18 N73-21471
METAL FOILS
 Characteristics of device for folding thin flexible sheets into compact configuration
 [NASA-CASE-XLA-00137] c15 N70-33180
 Passive thermal control coating on aluminum foil laminate for inflatable spacecraft surfaces
 [NASA-CASE-XLA-01291] c33 N70-36617
 Development and characteristics of thermal radiation shielding of refractory metal foil used for induction furnace
 [NASA-CASE-XLE-03432] c33 N71-24145
 Method of making porous conductive supports for electrodes --- by electroforming and stacking

- nickel foils
[NASA-CASE-GSC-11367-1] c03 N74-19692
- METAL IONS**
Chemical synthesis of thermally stable organometallic polymers with divalent metal ion and tetraphenylphosphonitrilic units
[NASA-CASE-HQN-10364] c06 N71-27363
- METAL JOINTS**
Leakproof soft metal seal for use in very high vacuum systems operating at cryogenic temperatures
[NASA-CASE-XGS-02441] c15 N70-41629
- METAL MATRIX COMPOSITES**
High strength reinforced metallic composites for applications over wide temperature range
[NASA-CASE-XLE-02428] c17 N70-33288
Process for producing dispersion strengthened nickel with aluminum comprising metallic matrices embedded with oxides or other hyperfine compounds
[NASA-CASE-XLE-06969] c17 N71-24142
Self lubricating gears and other mechanical parts having surface adapted to frictional contact
[NASA-CASE-MFS-14971] c15 N71-24984
Development of procedure for improved distribution of refractory compounds and micro-constituents in refractory metal matrix
[NASA-CASE-XLE-03940-2] c17 N72-28536
- METAL OXIDE SEMICONDUCTORS**
Gyrator circuit using MOS field effect transistors
[NASA-CASE-MFS-21433] c09 N73-20232
Boron radiation hardening for stabilizing gate threshold potential of MOS devices
[NASA-CASE-GSC-11425-2] c09 N73-32114
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential of field effect device
[NASA-CASE-GSC-11425-1] c24 N74-20329
- METAL OXIDES**
Process for producing dispersion strengthened nickel with aluminum comprising metallic matrices embedded with oxides or other hyperfine compounds
[NASA-CASE-XLE-06969] c17 N71-24142
Photofabrication techniques for selective removal of conductive metals oxide coatings from nonconductive substrates
[NASA-CASE-ERC-10108] c06 N72-21094
Producing metal powders of controlled particle size by reducing oxide using reactive metal vapor in vacuum
[NASA-CASE-XLE-06461] c17 N72-22530
Method for obtaining oxygen from lunar or similar soil
[NASA-CASE-MSC-12408-1] c13 N74-13011
- METAL PARTICLES**
Magnetohydrodynamic generator for mixing nonconductive gas and liquid metal mist to form slugs
[NASA-CASE-XLE-02083] c03 N69-39983
Elastomer loaded with metal particles for elastic biomedical electrodes
[NASA-CASE-ARC-10268-1] c09 N70-12620
Cermets for nuclear fuel constructed by pressing metal coated ceramic particles in die at temperature to cause bonding of metal coatings, and tested for thermal stability
[NASA-CASE-LEW-10219-1] c18 N71-28729
- METAL PLATES**
Development of large area micrometeoroid impact detector panels
[NASA-CASE-XLA-05906] c31 N71-16221
Tungsten-coated tungsten-uranium dioxide nuclear fuel plates
[NASA-CASE-XLE-00209] c22 N73-32528
Strain arrestor plate --- bonding rigid thermal insulation tiles to metallic plates or structural parts
[NASA-CASE-MSC-14182-1] c18 N74-15213
- METAL POWDER**
Production of refractory bodies with controlled porosity by pressing and heating mixtures of refractory and inert metal powders
[NASA-CASE-LEW-10393-1] c17 N71-15468
Electrode sealing and insulation for fuel cells containing caustic liquid electrolytes using powdered plastic and metal
[NASA-CASE-XMS-01625] c15 N71-23022
- Apparatus for mechanically dispersing ultrafine metal powders subjected to shock waves
[NASA-CASE-XLE-04946] c17 N71-24911
Method to produce high purity copper fluoride by heating copper hydroxyfluoride powder and subjecting to flowing fluorine gas
[NASA-CASE-LEW-10794-1] c06 N72-17093
Producing metal powders of controlled particle size by reducing oxide using reactive metal vapor in vacuum
[NASA-CASE-XLE-06461] c17 N72-22530
Development of apparatus for producing metal powder particles of controlled size
[NASA-CASE-XLE-06461-2] c17 N72-28535
Metal plating process employing spraying of metallic power/peening particle mixture
[NASA-CASE-GSC-11163-1] c15 N73-32360
- METAL SHEETS**
Fatigue testing apparatus with light shield and infrared reflector for high temperature evaluation of loaded sheet samples
[NASA-CASE-XLA-01782] c14 N71-26136
Processes for making metal sheets or plaques with parallel pores of uniform size
[NASA-CASE-GSC-10984-1] c15 N71-34427
Explosive welding of thin metal scarf joint
[NASA-CASE-LAR-11211-1] c15 N73-14480
Method of making pressure tight seal for super alloy
[NASA-CASE-LAR-10170-1] c15 N74-11301
- METAL SPINNING**
Apparatus and method for spin forming tubular elbows with high strength, uniform thickness, and close tolerances
[NASA-CASE-XMP-01083] c15 N71-22723
- METAL STRIPS**
Metal ribbon wrapped outer wall for regeneratively cooled combustion chamber
[NASA-CASE-XLE-00164] c15 N70-36411
Metal strip mounting arrangement for solar cell arrays on spacecraft
[NASA-CASE-XGS-01475] c03 N71-11058
Forming tubes from long thin flat metal strips
[NASA-CASE-XGS-04175] c15 N71-18579
High speed shutter --- electrically actuated ribbon loop for shuttering optical or fluid passageways
[NASA-CASE-ARC-10516-1] c23 N74-21300
- METAL SURFACES**
Condenser-separator for dehumidifying air utilizing sintered metal surface
[NASA-CASE-XLA-08645] c15 N69-21465
Nickel plating onto etched aluminum castings
[NASA-CASE-XNP-04148] c17 N71-24830
High thermal emittance black surface coatings and process for applying to metal and metal alloy surfaces used in radiative cooling of spacecraft
[NASA-CASE-XLA-06199] c15 N71-24875
Method for treating metal surfaces to prevent secondary electron transmission
[NASA-CASE-XNP-09469] c24 N71-25555
Method of forming ceramic to metal seals impervious to gaseous and liquid mercury at high temperature
[NASA-CASE-XNP-01263-2] c15 N71-26312
Anodizing method for providing metal surfaces with temperature reducing coatings against flames
[NASA-CASE-XLE-00035] c33 N71-29151
- METAL VAPORS**
Magnetohydrodynamic generator for mixing nonconductive gas and liquid metal mist to form slugs
[NASA-CASE-XLE-02083] c03 N69-39983
Apparatus for producing hydrocarbon slurry containing small particles of magnesium for use as jet aircraft fuel
[NASA-CASE-XLE-00010] c15 N70-33382
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c16 N74-16187
- METAL WORKING**
Controlled arc spot welding method
[NASA-CASE-XMP-00392] c15 N70-34814
Method and apparatus for shaping and joining large diameter metal tubes using magnetomotive forces
[NASA-CASE-XMP-05114] c15 N71-17650

- Description of protective device for providing safe operating conditions around work piece in machine or metal working tool
[NASA-CASE-XLE-01092] c15 N71-22797
- Description of portable milling tool for milling tube or pipe ends to desired shape and thickness
[NASA-CASE-XMF-03511] c15 N71-22799
- Development and characteristics of frusto-conical die nib for extrusion of refractory metals
[NASA-CASE-XLE-06773] c15 N71-23817
- Portable magnetomotive hammer for metal working
[NASA-CASE-XMF-03793] c15 N71-24833
- Method and apparatus for portable high precision magnetomotive bulging, constricting, and joining of large diameter metal tubes
[NASA-CASE-XMF-05114-3] c15 N71-24865
- BETAL-BETAL BONDING**
Joining aluminum to stainless steel by bonding aluminum coatings onto titanium coated stainless steel and brazing aluminum to aluminum/titanium coated steel
[NASA-CASE-MFS-07369] c15 N71-20443
- Method for honeycomb panel bonding by thermosetting film adhesive with electrical heat means
[NASA-CASE-XMF-01402] c18 N71-21651
- BETALLOGRAPHY**
Development of method for etching copper
[NASA-CASE-XGS-06306] c17 N71-16044
- BETALOSILOXANE POLYMER**
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c15 N74-21058
- BETALLURGY**
Induction heating of metallurgical specimens to high temperatures in coil furnace
[NASA-CASE-XLE-04026] c14 N71-23267
- BETALS**
Transpiration cooled turbine blade made from metallic or ceramic wires
[NASA-CASE-XLE-00020] c15 N70-33226
- Self lubricating fluoride-metal composite materials for outer space applications
[NASA-CASE-XLE-08511] c18 N71-23710
- Punch and die device for forming convolution series in thin gage metal hemispheres
[NASA-CASE-XNP-05297] c15 N71-23811
- Device for bending metal ribbon or wire
[NASA-CASE-XLA-05966] c15 N72-12408
- Process for depositing pure metals by irradiating liquids
[NASA-CASE-LEW-10906-1] c06 N72-25164
- Development of performed attachable thermocouple from thermoelectrically different metals
[NASA-CASE-LEW-11072-2] c14 N72-28443
- Scanning nozzle plating system for etching or plating metals on substrates without masking
[NASA-CASE-NPO-11758-1] c15 N72-28507
- Metal plating process employing spraying of metallic power/peening particle mixture
[NASA-CASE-GSC-11163-1] c15 N73-32360
- Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c15 N74-21063
- BETEORITE COLLISIONS**
Pressurized panel meteoroid detector
[NASA-CASE-XLA-08916-2] c14 N73-28487
- Method of and device for determining the characteristics and flux distribution of micrometeorites --- scanning puncture holes in sheet material with photoelectric cell
[NASA-CASE-NPO-12127-1] c14 N74-13130
- BETEROBITES**
Method for making pressurized meteoroid penetration detector panels
[NASA-CASE-XLA-08916] c15 N71-29018
- BETEROBITIC DAMAGE**
Capacitor sandwich structure containing metal sheets of known thickness for counting penetration rates of meteoroids
[NASA-CASE-XLE-01246] c14 N71-10797
- BETEROBIT HAZARDS**
Contrast color coating for meteoroid impact position locator for space vehicles
[NASA-CASE-LAR-10629-1] c14 N73-32348
- BETEROBIT PROTECTION**
Development and characteristics of protective coatings for spacecraft
[NASA-CASE-XNP-02507] c31 N71-17679
- Development of composite structures for spacecraft to serve as anti-meteoroid device
[NASA-CASE-LAR-10788-1] c31 N73-20880
- BETEROBITIDS**
Cameras for photographing meteors in selected sky area
[NASA-CASE-LAR-10226-1] c14 N73-19419
- BETEROBITOLOGICAL BALLOONS**
Aerodynamically stable meteorological balloon using surface roughness effect
[NASA-CASE-XMF-04163] c02 N71-23007
- BETHANE**
High temperature gas lubricant consisting of two fluoro-bromo-methanes
[NASA-CASE-XLE-00353] c18 N70-39897
- BICHELSON INTERFEROMETERS**
Michelson interferometer with photodetector for optical direction sensing
[NASA-CASE-NPO-10320] c14 N71-17655
- Servo system for retroreflector of Michelson interferometer
[NASA-CASE-NPO-10300] c14 N71-17662
- Computerized optical system for producing multiple images of a scene simultaneously
[NASA-CASE-MSC-12404-1] c23 N73-13661
- BICROBALANCES**
Null-type vacuum microbalance for measuring minute mechanical displacements
[NASA-CASE-XAC-00472] c15 N70-40180
- BICROBIOLOGY**
Development of variable angle device for positioning test tubes to permit optimum drying of culture medium
[NASA-CASE-LAR-10507-1] c11 N72-25284
- Automatic swabbing apparatus for sampling of microbiological surfaces
[NASA-CASE-LAR-11069-1] c04 N73-16061
- Automatic inoculating device for agar trays using cotton swab or loop
[NASA-CASE-LAR-11074-1] c05 N73-16096
- BICROELECTRONICS**
Separation of semiconductor wafer into chips bounded by scribe lines
[NASA-CASE-ERC-10138] c26 N71-14354
- Vibrophonocardiograph comprising low weight and small volume piezoelectric microphone with amplifier having high input impedance for high sensitivity and low frequency response
[NASA-CASE-XPR-07172] c05 N71-27234
- Electrical connections for thin film hybrid microcircuits
[NASA-CASE-XMS-02182] c10 N71-28783
- Method for coating through-holes in ceramic substrates used in fabricating miniaturized electronic circuits
[NASA-CASE-XMP-05999] c15 N71-29032
- Precision surface cutter for screen circuit negatives and other microcircuits
[NASA-CASE-XLA-09843] c15 N72-27485
- Material compositions and processes for developing dielectric thick films used in microcircuit capacitors
[NASA-CASE-LAR-10294-1] c26 N72-28762
- Active tuned circuits for microelectronic construction
[NASA-CASE-GSC-11340-1] c10 N72-33230
- Organic amine and nitroaromatic mixed compound for heat change detection in microelectronic components
[NASA-CASE-NPO-10764-2] c10 N73-20259
- BICROFILMS**
Apparatus for semiautomatic inspection of microfilmed documents for density, resolution, size, and position
[NASA-CASE-MFS-20240] c14 N71-26788
- BICROBITERITES**
Method of and device for determining the characteristics and flux distribution of micrometeorites --- scanning puncture holes in sheet material with photoelectric cell
[NASA-CASE-NPO-12127-1] c14 N74-13130
- BICROBITERITIDS**
Particle detector for measuring micrometeoroid velocity in space
[NASA-CASE-XLA-00495] c14 N70-41332
- Piezoelectric transducer for detecting and measuring micrometeoroids
[NASA-CASE-XAC-01101] c14 N70-41957

- Pressurized cell micrometeoroid detector
[NASA-CASE-XLA-00936] c14 N71-14996
- Development of large area micrometeoroid impact detector panels
[NASA-CASE-XLA-05906] c31 N71-16221
- Rotary bead dropper and selector for testing micrometeorite transducers
[NASA-CASE-XGS-03304] c09 N71-22988
- Measuring micrometeoroid depth of penetration into various materials
[NASA-CASE-XLA-00941] c14 N71-23240
- Structure of fabric layers for micrometeoroid protection garment with capability for eliminating heat shorts for use in manufacturing space suits
[NASA-CASE-MSC-12109] c18 N71-26285
- Cosmic dust analyzer using ion time of flight techniques to determine constituency of hypervelocity particles such as micrometeoroids
[NASA-CASE-MSC-13802-1] c30 N72-20805
- Micrometeoroid analyzer using arrays of interconnected capacitors and ion detector
[NASA-CASE-ARC-10443-1] c14 N73-20477
- Cold cathode discharge tube with pressurized gas cell for meteoroid detection in space
[NASA-CASE-LAR-10483-1] c14 N73-32327
- Deployable pressurized cell structure for a micrometeoroid detector
[NASA-CASE-LAR-10295-1] c15 N74-21062
- MICROMINIATURIZATION**
Miniaturized radiometer for detecting low level thermal radiation
[NASA-CASE-XLA-04556] c14 N69-27484
- MICROORGANISMS**
Development of bacteriostatic conformal coating and methods of application
[NASA-CASE-GSC-10007] c18 N71-16046
- Automatic swabbing apparatus for sampling of microbiological surfaces
[NASA-CASE-LAR-11069-1] c04 N73-16061
- Portable vacuum probe surface sampler for sampling large surface areas with relatively light loading densities of microorganisms
[NASA-CASE-LAR-10623-1] c14 N73-30395
- Automatic microbial transfer device
[NASA-CASE-LAR-11354-1] c14 N74-10422
- MICROPARTICLES**
Micropacked column for rapid chromatographic analysis using low gas flow rates
[NASA-CASE-XNP-04816] c06 N69-39936
- MICROPHONES**
Audio signal processing system for noise surge elimination at low amplitude audio input
[NASA-CASE-MSC-12223-1] c07 N71-26181
- Vibrophonocardiograph comprising low weight and small volume piezoelectric microphone with amplifier having high input impedance for high sensitivity and low frequency response
[NASA-CASE-IFR-07172] c05 N71-27234
- Development of wind tunnel microphone structure to minimize effects of vibrations and eliminate unwanted signals in microphone output
[NASA-CASE-XNP-00250] c11 N71-28779
- Adjustable frequency response microphone
[NASA-CASE-LAR-11170-1] c07 N74-12843
- MICROSCOPES**
Absolute focus locking device for microscopes to maintain set focus for extended time period
[NASA-CASE-LAR-10184] c14 N72-22445
- Hand-held, lightweight, portable photomicroscope
[NASA-CASE-ARC-10468-1] c14 N73-33361
- MICROSTRUCTURE**
Production of high strength refractory compounds and microconstituents into refractory metal matrix
[NASA-CASE-XLE-03940] c18 N71-26153
- Development of procedure for improved distribution of refractory compounds and micro-constituents in refractory metal matrix
[NASA-CASE-XLE-03940-2] c17 N72-28536
- Diffusion welding --- heat treatment of pickle alloys following single step vacuum welding process
[NASA-CASE-LEW-11388-2] c15 N74-21055
- MICROTHRUST**
Electrostatic microthrust propulsion system with annular slit colloid thruster
[NASA-CASE-GSC-10709-1] c28 N71-25213
- Heated porous plug microthruster for spacecraft reaction jet controlled systems such as fuel flow regulation, propellant disassociation, and heat transfer augmentation
[NASA-CASE-GSC-10640-1] c28 N72-18766
- MICROWAVE AMPLIFIERS**
Thermally sensitive tuning probe for nullifying detuning effects in microwave cavity resonator of amplifier
[NASA-CASE-XNP-00449] c14 N70-35220
- MICROWAVE ANTENNAS**
Microwave power receiving antenna solving heat dissipation problems by construction of elements as heat pipe devices
[NASA-CASE-MPS-20333] c09 N71-13486
- Development and characteristics of low-noise multimode monopulse antenna feed system for use with microwave communication equipment
[NASA-CASE-XNP-01735] c07 N71-22750
- Microwave omnidirectional antenna for use on spacecraft
[NASA-CASE-XLA-03114] c09 N71-22888
- Portable equipment for validating C band launch pad antennas and transmission lines used for spacecraft checkout
[NASA-CASE-XKS-10543] c07 N71-26292
- Multipurpose microwave antenna, employing dish reflector with plural coaxial horn feeds
[NASA-CASE-NPO-11264] c07 N72-25174
- Omnidirectional antenna array with circumferential slots for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c09 N72-25247
- Characteristics of microwave antenna with conical reflectors to generate plane wave front
[NASA-CASE-NPO-11661] c07 N73-14130
- MICROWAVE CIRCUITS**
Quasi-optical microwave circuit with dielectric body for use with oversize waveguides
[NASA-CASE-ERC-10011] c07 N71-29065
- MICROWAVE COUPLING**
Microwave waveguide switch with rotor position control
[NASA-CASE-XNP-06507] c09 N71-23548
- MICROWAVE EQUIPMENT**
Apparatus for generating microwave signals at progressively related phase angles for driving antenna array
[NASA-CASE-ERC-10046] c10 N71-18722
- Broadband microwave waveguide window to compensate dielectric material filling
[NASA-CASE-XNP-08880] c09 N71-24808
- Dual frequency feed systems for Cassegrainian antennas
[NASA-CASE-NPO-13091-1] c09 N73-12214
- MICROWAVE FILTERS**
Microwave power divider for providing variable output power to output waveguide in fixed waveguide system
[NASA-CASE-NPO-11031] c07 N71-33606
- Selective bandpass resonators using bandstop resonator pairs for microwave frequency operation
[NASA-CASE-GSC-10990-1] c09 N73-26195
- MICROWAVE FREQUENCIES**
Varactor microwave frequency mixing circuit
[NASA-CASE-XGS-02171] c09 N69-24324
- Voltage tunable Gunn effect semiconductor for microwave generation
[NASA-CASE-XER-07894] c09 N71-18721
- Multimode antenna feed system for microwave and broadband communication
[NASA-CASE-GSC-11046-1] c07 N73-28013
- MICROWAVE OSCILLATORS**
Microwave generator using Gunn effect for magnetic tuning
[NASA-CASE-NPO-12106] c09 N73-15235
- Electron beam controller --- using magnetic field to refocus spent electron beam in microwave oscillator tube
[NASA-CASE-LEW-11617-1] c09 N74-10195
- MICROWAVE RADIONETERS**
Input radio frequency circuit for switching type absolute temperature measuring radiometer for noise sources
[NASA-CASE-ERC-11020] c14 N71-26774
- MICROWAVE REFLECTOMETERS**
Reflectometer for receiver input impedance match measurement

[NASA-CASE-XNP-10843] c07 N71-11267
Surface defect detection by reflected microwave radiation pattern
[NASA-CASE-ARC-10009-1] c15 N71-17822
MICROWAVE RESONANCE
Microwave double resonance spectroscopy absorption cell for gas analysis
[NASA-CASE-LAR-10305] c14 N71-26137
MICROWAVE SWITCHING
Design of gyrator circuit using operational amplifiers to replace ungrounded inductors
[NASA-CASE-XAC-10608-1] c09 N71-12517
MICROWAVE TUBES
Electrostatic charged particle collector containing stacked electrodes for microwave tube
[NASA-CASE-LEU-11192-1] c09 N73-13208
MICROWAVES
Radio frequency noise generator having microwave slow-wave structure in gas discharge plasma
[NASA-CASE-XER-11019] c09 N71-23598
Method and apparatus for optically modulating light or microwave beam
[NASA-CASE-GSC-10216-1] c23 N71-26722
Microwave waveguide mixer
[NASA-CASE-ERC-10179] c07 N72-20141
Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver
[NASA-CASE-BFS-21470-1] c10 N74-19870
MIDAIR COLLISIONS
Economical satellite aided vehicle avoidance system for preventing midair collisions
[NASA-CASE-ERC-10419] c21 N72-21631
Development and characteristics of electronic signalling system and data processing equipment for warning systems to avoid midair collisions between aircraft
[NASA-CASE-LAR-10717-1] c21 N73-30641
MILLIMETER WAVES
Millimeter wave antenna system for spacecraft use
[NASA-CASE-GSC-10949-1] c07 N71-28965
MILLING (MACHINING)
Rotary spindle lathe attachments for machining geometrical cones
[NASA-CASE-XMS-04292] c15 N71-22722
MILLING MACHINES
Electro-optical system for maintaining two-axis alignment during milling operations on large tank-sections
[NASA-CASE-XHF-00908] c14 N70-40238
Description of portable milling tool for milling tube or pipe ends to desired shape and thickness
[NASA-CASE-XHF-03511] c15 N71-22799
Tool positioning holder for grinding by ball nose milling cutter
[NASA-CASE-LAR-10450-1] c15 N73-10504
MINIATURE ELECTRONIC EQUIPMENT
Miniature solid state, direction sensitive, stress transducer design with bonded semiconductive piezoresistive element for sensing residual stresses
[NASA-CASE-XNP-02983] c14 N71-21091
Transducer circuit design with single coaxial cable for input and output connections including incorporation into miniaturized catheter transducer
[NASA-CASE-ARC-10132-1] c09 N71-24597
Solid state television camera system consisting of monolithic semiconductor mosaic sensor and molecular digital readout systems
[NASA-CASE-XHF-06092] c07 N71-24612
Ingestible miniaturized telemetry device for deep body temperature measurements on humans and animals
[NASA-CASE-ARC-10583-1] c05 N73-14093
MINIATURIZATION
Miniature vibration isolator utilizing elastic tubing material
[NASA-CASE-XLA-01019] c15 N70-40156
Computer circuit performing both counting and shifting logic operations also capable of miniaturization and integration in basic circuits
[NASA-CASE-XNP-01753] c08 N71-22897
Fast response miniature carbon dioxide detector with no moving parts for measuring concentration in any atmosphere
[NASA-CASE-HSC-13332-1] c14 N72-21408

MIRRORS

Pneumatic control of telescopic mirror support system
[NASA-CASE-XLA-03271] c11 N69-24321
Oscillatory electromagnetic mirror drive system for horizon scanners
[NASA-CASE-XLA-03724] c14 N69-27461
Servo system for retroreflector of Michelson interferometer
[NASA-CASE-NPO-10300] c14 N71-17662
Gas laser frequency stabilized by position of mirrors in resonant cavity
[NASA-CASE-XGS-03644] c16 N71-18614
Highly stable optical mirror assembly optimizing image quality of light diffraction patterns
[NASA-CASE-ERC-10001] c23 N71-24868
Adjustable rigid mount for trihedral mirror formed of alloy with small coefficient of thermal expansion supporting screws and spring-biased plates
[NASA-CASE-XNP-08907] c23 N71-29123
Optical range finder using reflective first surfaces mirror and transmitting beam splitter
[NASA-CASE-HSC-12105-1] c14 N72-21409
Optical mirror support system
[NASA-CASE-XER-07896-2] c23 N72-22673
Development of strain gage ambiguity sensor for measuring alignment of optical mirror segments
[NASA-CASE-BFS-20506-1] c14 N73-17563

MISSILE CONTROL

Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c09 N74-20864

MISSILE LAUNCHERS

Launch pad missile release system with bending moment change rate reduction in thrust distribution structure at liftoff
[NASA-CASE-XNP-03198] c30 N70-40353
Optical monitor panel consisting of translucent screen with test or meter information projected onto it from rear for application in control rooms of missile launching and tracking stations
[NASA-CASE-XKS-03509] c14 N71-23175
Controlled release device for use in launching rockets or missiles
[NASA-CASE-XKS-03338] c15 N71-24043

MIXING CIRCUITS

Varactor microwave frequency mixing circuit
[NASA-CASE-XGS-02171] c09 N69-24324
Microwave waveguide mixer
[NASA-CASE-ERC-10179] c07 N72-20141

MODE TRANSFORMERS

Silicon controlled rectifier inverter with compensation of transients to avoid false gating
[NASA-CASE-XLA-08507] c09 N69-39984
Dual waveguide mode source for controlling amplitudes of two modes
[NASA-CASE-XNP-03134] c07 N71-10676

MODULATION

Demodulator for carrier transducers
[NASA-CASE-MUC-10107-1] c09 N74-17930

MODULATORS

Fabry-Perot interferometer retrodirective reflector modulator for optical communication
[NASA-CASE-XGS-04480] c16 N69-27491
Optical retrodirective modulator with focus spoiling reflector driven by modulation signal
[NASA-CASE-GSC-10062] c14 N71-15605
Calibrator for measuring and modulating or demodulating laser outputs
[NASA-CASE-XLA-03410] c16 N71-25914
Full wave modulator-demodulator amplifier apparatus --- for generating rectified output signal
[NASA-CASE-FRC-10072-1] c09 N74-14939

MODULES

Biorthogonal encoder with modular design
[NASA-CASE-NPO-10629] c08 N72-18184

MOISTURE

Gas purged dry box glove reducing permeation of air or moisture into dry box or isolator by diffusion through glove
[NASA-CASE-XLE-02531] c05 N71-23080

MOISTURE BARRIERS

Method of evaluating moisture barrier properties of materials used in electronics encapsulation
[NASA-CASE-NPO-10051] c18 N71-24934

MOLDING MATERIALS

Vacuum method for molding thermosetting

- compounds used as ablative materials
[NASA-CASE-XLA-01091] c15 N71-10672
- Method of making molded electric connector for use with flat conductor cables
[NASA-CASE-XMP-03498] c15 N71-15986
- Hydraulic apparatus for casting and molding of liquid polymers
[NASA-CASE-XNP-07659] c06 N71-22975
- Cold metal hydroforming techniques using epoxy molds for counteracting creep or stretch
[NASA-CASE-XLE-05641-1] c15 N71-26346
- Molding process for imidazopyrrolone polymers
[NASA-CASE-LAR-10547-1] c15 N74-13177
- Evacuated displacement compression molding
[NASA-CASE-LAR-10782-1] c15 N74-14133
- MOLDS**
- Forming mold for polishing and machining curved solar magnesium reflector with reinforcing ribs
[NASA-CASE-XLE-08917-2] c15 N71-24836
- Using molds for fabricating individual fluid circuit components
[NASA-CASE-XLA-07829] c15 N72-16329
- Vacuum displacement compression molding of tubular bodies from thermosetting plastics
[NASA-CASE-LAR-10782-2] c15 N73-31444
- Compression molding apparatus for thermosetting plastic compositions
[NASA-CASE-LAR-10489-2] c15 N73-31446
- Evacuated displacement compression molding
[NASA-CASE-LAR-10782-1] c15 N74-14133
- Method of making an apertured casting
[NASA-CASE-LBW-11169-1] c15 N74-18131
- MOLECULAR BEAMS**
- Selector mechanism for mechanical separation and discrimination of high velocity molecular particles
[NASA-CASE-XLE-01533] c11 N71-10777
- MOLECULAR GASES**
- Compact hydrogenator
[NASA-CASE-NPO-11682-1] c15 N74-15127
- MOLECULAR PUMPS**
- Omnidirectional anisotropic molecular trap, used with vacuum pump to simulate space environments for testing spacecraft components
[NASA-CASE-XGS-00783] c30 N71-17788
- Liquid-vapor interface seal design for turbine rotating shafts including helical and molecular pumps and liquid cooling of mercury vapor
[NASA-CASE-XNP-02862-1] c15 N71-26294
- MOLECULAR ROTATION**
- Laser utilizing infrared rotation transitions of diatomic gas for production of different wavelengths
[NASA-CASE-ARC-10370-1] c16 N72-10432
- MOLECULAR SPECTROSCOPY**
- Microwave double resonance spectroscopy absorption cell for gas analysis
[NASA-CASE-LAR-10305] c14 N71-26137
- MOLTEN SALT ELECTROLYTES**
- Operation method for combined electrolysis device and fuel cell using molten salt to produce power by thermoelectric regeneration mechanism
[NASA-CASE-XLE-01645] c03 N71-20904
- MOLYBDENUM CARBIDES**
- Flame or plasma spraying for molybdenum coating of carbon or graphite surfaces to prevent oxidative corrosion
[NASA-CASE-XLA-00302] c15 N71-16077
- MOLYBDENUM COMPOUNDS**
- Method for producing refractory molybdenum disilicides
[NASA-CASE-XMS-00370] c17 N71-20941
- MOMENTS OF INERTIA**
- Test fixture for measuring moment of inertia of irregularly shaped body with multiple axes
[NASA-CASE-XGS-01023] c14 N71-22992
- MOMENTUM**
- Utilization of momentum devices for forming attitude control and damping system for spacecraft
[NASA-CASE-XLA-02551] c21 N71-21708
- Momentum-velocity analyzer for measuring minute space particles
[NASA-CASE-XMS-04201] c14 N71-22990
- MONITORS**
- Fluid leakage detection system with automatic monitoring capability
[NASA-CASE-LAR-10323-1] c12 N71-17573
- Monitoring circuit design for sampling circuit control and reduction of time-bandwidth in video communication systems
[NASA-CASE-XNP-02791] c07 N71-23026
- Optical monitor panel consisting of translucent screen with test or meter information projected onto it from rear for application in control rooms of missile launching and tracking stations
[NASA-CASE-XKS-03509] c14 N71-23175
- Peak polarity selector for monitoring waveforms
[NASA-CASE-FBC-10010] c10 N71-24862
- Circuit for monitoring power supply by ripple current indication
[NASA-CASE-KSC-10162] c09 N72-11225
- Development of droplet monitoring probe for use in analysis of droplet propagation in mixed-phase fluid stream
[NASA-CASE-NPO-10985] c14 N73-20478
- Multichannel medical monitoring system to measure physiological parameters from display device at remote control station
[NASA-CASE-MSC-14180-1] c05 N73-22045
- Monitoring and recording lightning strokes in predetermined area
[NASA-CASE-KSC-10728-1] c14 N73-32319
- Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c23 N74-21304
- MONOCHROMATIC RADIATION**
- Method and apparatus for producing intense, coherent, monochromatic light from low temperature plasma
[NASA-CASE-XNP-04167-3] c25 N72-21693
- Apparatus for producing monochromatic light from continuous plasma source
[NASA-CASE-XNP-04167-2] c25 N72-24753
- MONOCHROMATORS**
- Analytical photoionization mass spectrometer with argon gas filter between light source and monochromator
[NASA-CASE-LAR-10180-1] c06 N71-13461
- Color television system for allowing monochrome television camera to produce color pictures
[NASA-CASE-MSC-12146-1] c07 N72-17109
- MONOMERS**
- Monomer polymerization by plasma discharge as thin film for water purification membrane
[NASA-CASE-ARC-10643-1] c06 N73-29074
- Fabrication of polyphenylquinoxaline composite articles by means of in situ polymerization of monomers
[NASA-CASE-LEW-11879-1] c18 N74-20152
- MONOPOLE ANTENNAS**
- Monopole antenna system for maximum omnidirectional efficiency for use on satellites
[NASA-CASE-XLA-00414] c07 N70-38200
- Flexible monopole antenna with broad bandwidth and low voltage standing wave ratio
[NASA-CASE-MSC-12101] c09 N71-18720
- MONOPROPELLANTS**
- Ignition system for monopropellant combustion devices
[NASA-CASE-XNP-00249] c28 N70-38249
- Catalyst bed ignition system for hydrazine propellants
[NASA-CASE-XNP-00876] c28 N70-41311
- MONOPULSE ANTENNAS**
- Electronic and mechanical scanning control system for monopulse tracking antenna
[NASA-CASE-XGS-05582] c07 N69-27460
- Development and characteristics of low-noise multimode monopulse antenna feed system for use with microwave communication equipment
[NASA-CASE-XNP-01735] c07 N71-22750
- Monopulse scanning network for scanning volumetric antenna pattern
[NASA-CASE-GSC-10299-1] c09 N71-24804
- MONOPULSE RADAR**
- Polarization diversity monopulse tracking receiver design without radio frequency switches
[NASA-CASE-XGS-03501] c09 N71-20864
- Monopulse tracking system with antenna array of three radiators for deriving azimuth and elevation indications
[NASA-CASE-XGS-01155] c10 N71-21483
- MONOSTABLE MULTIVIBRATORS**
- Development and characteristics of resettable

- monostable pulse generator with charge
rundown-timing circuit
[NASA-CASE-GSC-11139] c09 N71-27016
- Monostable multivibrator for producing output
pulse widths with positive feedback NOR gates
[NASA-CASE-MSC-13492-1] c10 N71-28860
- HOSSBAUER EFFECT
Hossbauer spectrometer radiation detector
[NASA-CASE-LAR-11155-1] c14 N74-15091
- MOTION
Quick attach mechanism for moving or stationary
wires, ropes, or cables
[NASA-CASE-XFR-05421] c15 N71-22994
- MOTION PICTURES
Real time moving scene holographic camera system
[NASA-CASE-MFS-21087-1] c14 N74-17153
- MOTION STABILITY
Hydraulic drive mechanism for leveling isolation
platforms
[NASA-CASE-XMS-03252] c15 N71-10658
- MOTORS
Nonmagnetic thermal motor for magnetometer
movement
[NASA-CASE-XAR-03786] c09 N69-21313
System for maintaining motor at predetermined
speed using digital pulses.
[NASA-CASE-XMF-06892] c09 N71-24805
- Mounting
Mounting fixture for supporting thermobulb in
pipeline
[NASA-CASE-NPO-10158] c33 N71-16356
Mounting apparatus for temperature control system
[NASA-CASE-NPO-10138] c33 N71-16357
Inertial component clamping assembly design for
spacecraft guidance and control system mounting
[NASA-CASE-XMS-02184] c15 N71-20813
Techniques for packaging and mounting printed
circuit boards
[NASA-CASE-MFS-21919-1] c10 N73-25243
Journal bearings
[NASA-CASE-LEH-11076-3] c15 N74-10475
- MOVING TARGET INDICATORS
Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c09 N74-12912
- MULTICHANNEL COMMUNICATION
Tape guidance system for multichannel digital
recording system
[NASA-CASE-XNP-09453] c08 N71-19420
Plural channel data transmission system with
quadrature modulation and complementary
demodulation
[NASA-CASE-XAC-06302] c08 N71-19763
Multichannel medical monitoring system to
measure physiological parameters from display
device at remote control station
[NASA-CASE-MSC-14180-1] c05 N73-22045
Improved phase lock loop for receiver in
multichannel telemetry system with suppressed
carrier
[NASA-CASE-NPO-11593-1] c07 N73-28012
- MULTILAYER INSULATION
Electrode sealing and insulation for fuel cells
containing caustic liquid electrolytes using
powdered plastic and metal
[NASA-CASE-XMS-01625] c15 N71-23022
Multilayer insulation panels for cryogenic
liquid containers
[NASA-CASE-MFS-14023] c33 N71-25351
Electrical failure detector in solid rocket
propellant motor insulation against thermal
degradation by fuel grain
[NASA-CASE-XMF-03968] c14 N71-27186
Procedure for making insulating foil for use in
multilayer insulating system
[NASA-CASE-LEH-11484-1] c15 N73-22415
- MULTIPLE BEAM INTERVAL SCANNERS
Tracking antenna system with array for
synchronous satellite or ground based radar
[NASA-CASE-GSC-10553-1] c07 N71-19854
- MULTIPLE DOCKING ADAPTERS
Probe and drogue assembly for mechanical linking
of two space vehicles
[NASA-CASE-XMS-03613] c31 N71-16346
Multiple in-line docking capability having
intermeshing docking turrets for rotating
space stations
[NASA-CASE-MFS-20855-1] c31 N72-25853
- MULTIPLEXING
Doppler frequency shift correction device for
multiplex communication with Applications
Technology Satellites
[NASA-CASE-XGS-02749] c07 N69-39978
Multiplexed communication system design
including automatic correction of transmission
errors introduced by frequency spectrum shifts
[NASA-CASE-XNP-01306] c07 N71-20814
Satellite network synchronization system with
multiple access to multiplex repeater
[NASA-CASE-GSC-10390-1] c07 N72-11149
Apparatus with summing network for compression
of analog data by decreasing slope threshold
sampling
[NASA-CASE-NPO-10769] c08 N72-11171
Development and characteristics of data
multiplexer circuit using field effect
transistors arranged in tree switching
configuration
[NASA-CASE-NPO-11333] c08 N72-22162
Phase detector with time correlation integrator
for frequency multiplexed signals
[NASA-CASE-GSC-11744-1] c09 N73-23291
Telemetry and transmission system with
programmed sampling and multiplexing
[NASA-CASE-GSC-11388-1] c07 N73-24187
Television multiplexing system, using single
crystal controlled clock for signal
synchronization
[NASA-CASE-KSC-10654-1] c07 N73-30115
Asynchronous, multiplexing, single line
transmission and recovery data system --- for
satellite use
[NASA-CASE-NPO-13321-1] c07 N74-19806
- MULTIPLIERS
Pulse duration modulation multiplier system
[NASA-CASE-XER-09213] c07 N71-12390
Design and development of variable pulse width
multiplier
[NASA-CASE-XLA-02850] c09 N71-20447
Circuit with differential amplifier for
synthesizing capacitance multiplier with
microminiaturized feedback components
[NASA-CASE-NPO-11948-1] c10 N73-15255
- MULTISPECTRAL PHOTOGRAPHY
Computerized optical system for producing
multiple images of a scene simultaneously
[NASA-CASE-MSC-12404-1] c23 N73-13661
- MULTISTAGE ROCKET VEHICLES
Techniques for recovery of multistage rocket
vehicles by providing lifting surfaces on
individual sections
[NASA-CASE-XMF-00389] c31 N70-34176
Steerable solid propellant rocket motor adapted
to effect payload orientation as multistage
rocket stage or reduce velocity as retrorocket
[NASA-CASE-XNP-00234] c28 N70-38645
Multi-mission space vehicle module stage design
[NASA-CASE-XMF-01543] c31 N71-17730
Separation mechanism for use between stages of
multistage rocket vehicles
[NASA-CASE-XLA-00188] c15 N71-22874
Development of remotely controlled shaped charge
for lateral displacement of rocket stages
after separation
[NASA-CASE-XLA-04804] c31 N71-23008
Frangible connecting link suitable for rocket
stage separation
[NASA-CASE-MSC-11849-1] c15 N72-22488
- MULTIVIBRATORS
Extra-long monostable multivibrator employing
bistable semiconductor switch to allow
charging of timing circuit
[NASA-CASE-XGS-00381] c09 N70-34819
Variable frequency magnetic coupled
multivibrator with temperature compensated
frequency control circuit
[NASA-CASE-XGS-00458] c09 N70-38604
Variable frequency magnetic coupled
multivibrator with output signal of constant
amplitude and waveform
[NASA-CASE-XGS-00131] c09 N70-38995
Improved semiconductor multivibrator circuit
which approaches 100 percent efficiency
[NASA-CASE-XAC-00942] c10 N71-16042
Transistorized dc-coupled multivibrator with
noninverted output signal
[NASA-CASE-XNP-09450] c10 N71-18723
One shot multivibrator circuit for producing
long duration output pulses

[NASA-CASE-ARC-10137-1] c09 N71-28468
MUSCULOSKELETAL SYSTEM
 Method and apparatus for applying compressional forces to skeletal structure of subject to simulate force during ambulatory conditions
 [NASA-CASE-ARC-10100-1] c05 N71-24738

N

NACELLES

Deflector for preventing objects from entering nacelle inlets of jet aircraft
 [NASA-CASE-XLE-00388] c28 N70-34788
 Afterburner-equipped jet engine nacelle with slotted configuration afterbody
 [NASA-CASE-XLA-10450] c28 N71-21493

NAVIGATION SATELLITES

Satellite aided aircraft collision avoidance system effective for large number of aircraft
 [NASA-CASE-ERC-10090] c21 N71-24948

NEAR INFRARED RADIATION

Collimator for analyzing spatial location of near and distant sources of radiation
 [NASA-CASE-MFS-20546-2] c14 N73-30389

NEGATIVE FEEDBACK

Complementary regenerative transistorized switch circuit employing positive and negative feedback
 [NASA-CASE-XGS-02751] c09 N71-23015

NETWORK SYNTHESIS

Left and right hand circular electromagnetic polarization excitation by phase shifter and hybrid networks
 [NASA-CASE-GSC-10021-1] c09 N71-24595
 High speed phase detector design indicating phase relationship between two square wave input signals
 [NASA-CASE-XNP-01306-2] c09 N71-24596

NEUTRONS

Focusing optical collimator for high resolution scanning of electromagnetic radiations, neutrons, and other particles
 [NASA-CASE-MFS-20932-1] c14 N73-27380

NICKEL

Process for producing dispersion strengthened nickel with aluminum comprising metallic matrices embedded with oxides or other hyperfine compounds
 [NASA-CASE-XLP-06969] c17 N71-24142
 Selective nickel deposition on irradiation sensitive compounds
 [NASA-CASE-LEW-10965-1] c15 N72-25452

NICKEL ALLOYS

Preparation of nickel alloys for jet turbine blades operating at high temperatures
 [NASA-CASE-XLE-00151] c17 N70-33283
 Nickel alloy series for aerospace structures subjected to high temperatures
 [NASA-CASE-XLE-00283] c17 N70-36616
 Nickel base alloy with resistance to oxidation at high temperatures and superior stress-rupture properties
 [NASA-CASE-XLE-02082] c17 N71-16026
 High strength nickel based alloys
 [NASA-CASE-LEW-10874-1] c17 N72-22535
 Diffusion welding --- heat treatment of nickel alloys following single step vacuum welding process
 [NASA-CASE-LEW-11388-2] c15 N74-21055

NICKEL CADMIUM BATTERIES

Calorimeter for measuring thermal output of nickel cadmium batteries
 [NASA-CASE-GSC-11434-1] c14 N72-27430

NICKEL COATINGS

Intermetallic chromium containing nickel aluminide for high temperature corrosion protection of stainless steels
 [NASA-CASE-LEW-11267-1] c17 N73-32414

NICKEL COMPOUNDS

Including didymium hydrate in nickel hydroxide of positive electrode of storage batteries to increase ampere hour capacity
 [NASA-CASE-XGS-03505] c03 N71-10608

NICKEL PLATE

Nickel plating onto etched aluminum castings
 [NASA-CASE-XNP-04148] c17 N71-24830

NIOBIUM

Organometallic compounds of niobium and tantalum useful for film deposition
 [NASA-CASE-XNP-04023] c06 N71-28808

NITRILES

Intumescent paint containing nitrile rubber for fire protection
 [NASA-CASE-ARC-10196-1] c18 N73-13562

NITROAMINES

Nitroaniline sulfate, intumescent paints
 [NASA-CASE-ARC-10099-1] c18 N71-15469
 Mercaptan terminated polymer containing sulfonic acid salts of nitrosubstituted aromatic amines for heat and moisture resistant coatings
 [NASA-CASE-ARC-10325] c06 N72-25147

NITROGEN TETROXIDE

Gas chromatographic method for determining water in nitrogen tetroxide rocket propellant
 [NASA-CASE-NPO-10234] c06 N72-17094

NITROGUANIDINE

Solid propellant stabilizer containing nitroguanidine
 [NASA-CASE-NPO-12000] c27 N72-25699

NOBLE METALS

Development and characteristics of device for applying multiple layers of noble metal to glass substrate for protection of optical surfaces
 [NASA-CASE-LAR-10362-1] c15 N72-27486

NOISE GENERATORS

Pseudo-noise test set for communication system evaluation
 [NASA-CASE-MFS-22671-1] c14 N74-13146

NOISE METERS

Jet aircraft noise and sonic boom measuring device which converts sound pressure into electric current
 [NASA-CASE-LAR-11173-1] c14 N73-22387

NOISE REDUCTION

Upper surface, external flow, jet-augmented flap configuration for high wing jet aircraft for noise reduction
 [NASA-CASE-XLA-00087] c02 N70-33332
 Cassegrain antenna subreflector flange for suppressing ground noise and increasing antenna transmitting efficiency
 [NASA-CASE-XNP-00683] c09 N70-35425
 Device for adding water to high velocity exhaust jets to reduce velocity, noise, and temperature
 [NASA-CASE-XMF-01813] c28 N70-41582
 Variable time constant, wide frequency range smoothing network for noise removal from pulse chains
 [NASA-CASE-XGS-01983] c10 N70-41964
 Digital telemetry system apparatus to reduce tape recorder wow and flutter noise during playback
 [NASA-CASE-XGS-01812] c07 N71-23001
 Audio signal processing system for noise surge elimination at low amplitude audio input
 [NASA-CASE-MSC-12223-1] c07 N71-26181
 Variable frequency nuclear magnetic resonance spectrometer providing drive signals over wide frequency range and minimizing noise effects
 [NASA-CASE-XNP-09830] c14 N71-26266
 Noise elimination in coherent imaging system by axial rotation of optical lense for spectral distribution of degrading affects
 [NASA-CASE-GSC-11133-1] c23 N72-11568
 Transonic propulsion fan for turbofan engine with rotor blade spacing designed to minimize noise emission
 [NASA-CASE-LEW-11402-1] c28 N72-20770
 Audio equipment for removing impulse noise from audio signals
 [NASA-CASE-NPO-11631] c10 N73-12244
 Jet aircraft exhaust nozzle for noise reduction
 [NASA-CASE-LAR-10951-1] c28 N73-19819
 Reduction of jet engine noise due to turbulent mixing of exhaust gases with ambient atmosphere
 [NASA-CASE-ARC-10712-1] c28 N73-20826
 Shrouded divergent body attached to exhaust nozzle for jet noise suppression
 [NASA-CASE-LEW-11286-1] c02 N73-21066
 Development of annular acoustically porous elements for installation in exhaust and inlet ducts of turbofan engine to reduce aircraft engine noise intensity
 [NASA-CASE-LAR-11141-1] c02 N73-22975
 Development of aircraft configuration for reduction of jet aircraft noise by exhausting engine gases over upper surface of wing
 [NASA-CASE-LAR-11087-1] c02 N73-26008

- Method and apparatus for improving operating efficiency and reducing low speed noise for turbine aircraft engines
[NASA-CASE-LAR-11310-1] c28 N73-31699
- Method for eliminating noise and debris of explosive welding techniques by using complete enclosure
[NASA-CASE-LAR-10941-2] c15 N73-32371
- Gas turbine exhaust nozzle --- for noise reduction
[NASA-CASE-LEW-11569-1] c28 N74-15453
- Totally confined explosive welding --- apparatus to reduce noise level and protect personnel during explosive bonding
[NASA-CASE-LAR-10941-1] c15 N74-21057
- NOISE TEMPERATURE**
Input radio frequency circuit for switching type absolute temperature measuring radiometer for noise sources
[NASA-CASE-ERC-11020] c14 N71-26774
- NOISE THRESHOLD**
Threshold extension device for improving operating performance of frequency modulation demodulators by eliminating click-type noise impulses
[NASA-CASE-HSC-12165-1] c07 N71-33696
- NONDESTRUCTIVE TESTS**
Nondestructive radiographic tests of resistance welds
[NASA-CASE-XNP-02588] c15 N71-18613
- Space environment simulator for testing spacecraft components under aerospace conditions
[NASA-CASE-NPO-10141] c11 N71-24964
- Apparatus for semiautomatic inspection of microfilmed documents for density, resolution, size, and position
[NASA-CASE-MFS-20240] c14 N71-26788
- Dye penetrant and technique for nondestructive tests of solid surfaces contacted by liquid oxygen
[NASA-CASE-XMF-02221] c18 N71-27170
- Method and photodetector device for locating abnormal voids in low density materials
[NASA-CASE-MFS-20044] c14 N71-28993
- Holographic system for nondestructive testing
[NASA-CASE-MFS-21704-1] c16 N73-30478
- NONEQUILIBRIUM PLASMAS**
Plasma probes having guard ring and primary sensor at same potential to prevent stray wall current collection in ionized gases
[NASA-CASE-XLE-00690] c25 N69-39884
- NONFLAMMABLE MATERIALS**
Intumescent paint containing nitrile rubber for fire protection
[NASA-CASE-ARC-10196-1] c18 N73-13562
- Process for developing flame retardant elastomeric composition textiles for use in space suits
[NASA-CASE-HSC-14331-1] c18 N73-27501
- NONLINEAR FEEDBACK**
Design of nonlinear coherence receiver with feedback signal selection for carrier tracking in telecommunications
[NASA-CASE-NPO-11921-1] c07 N73-23118
- NONLINEAR SYSTEMS**
Detector assembly for discriminating first signal with respect to presence or absence of second signal at time of occurrence of first signal
[NASA-CASE-XMF-00701] c09 N70-40272
- Describing continuous analog to digital converter with parallel digital output and nonlinear feedback
[NASA-CASE-XAC-04031] c08 N71-18594
- Split range transducer
[NASA-CASE-XLA-11189] c10 N72-20222
- NOSE CONES**
Automatically deploying nozzle exit cone extension
[NASA-CASE-XLE-01640] c31 N71-15637
- Nose cone mounted heat resistant antenna comprising plurality of adjacent layers of silica not introducing paths of high thermal conductivity through ablative shield
[NASA-CASE-XMS-04312] c07 N71-22984
- NOSE BEARINGS**
Nose gear steering system for vehicles with main skids to provide directional stability after loss of aerodynamic control
[NASA-CASE-XLA-01804] c02 N70-34160
- NOTCH TESTS**
Vee-notching device --- with adjustable carriage
[NASA-CASE-MFS-20730-1] c14 N74-13131
- NOZZLE DESIGN**
High thrust annular liquid propellant rocket engine and exhaust nozzle design
[NASA-CASE-XLE-00078] c28 N70-33284
- Penshaped, supersonic exhaust nozzle design
[NASA-CASE-XLE-00057] c28 N70-38711
- Telescoping-spike supersonic nozzle for turbojet or ramjet engines
[NASA-CASE-XLE-00005] c28 N70-39899
- Automatically deploying nozzle exit cone extension
[NASA-CASE-XLE-01640] c31 N71-15637
- Propellant injection assembly having individually removable and replaceable nozzles for liquid fueled rocket engines
[NASA-CASE-XMF-00968] c28 N71-15660
- Development of collapsible nozzle extension for rocket engines
[NASA-CASE-MFS-11497] c28 N71-16224
- Design and development of gas turbine combustion unit with nozzle guide vanes for introducing diluent air into combustion gases
[NASA-CASE-XLE-103477-1] c28 N71-20330
- Prestressed rocket nozzle with ceramic inner rings and refractory metal outer rings
[NASA-CASE-XNP-02888] c18 N71-21068
- Scanning nozzle plating system for etching or plating metals on substrates without masking
[NASA-CASE-NPO-11758-1] c15 N72-28507
- NOZZLE FLOW**
System for aerodynamic control of rocket vehicles by secondary injection of fluid into nozzle exhaust stream
[NASA-CASE-XLA-01163] c21 N71-15582
- Constructing fluid spike nozzle to eliminate heat transfer and high temperature problems inherent in physical spikes
[NASA-CASE-XGS-01143] c31 N71-15647
- Electronic recording system for spatial mass distribution of liquid rocket propellant droplets or vapors ejected from high velocity nozzles
[NASA-CASE-NPO-10185] c10 N71-26339
- Tertiary flow injection system for thrust vectoring of propulsive nozzle flow
[NASA-CASE-MFS-20831] c28 N71-29153
- NOZZLE INSERTS**
Flexible rocket motor nozzle closure device to aid ignition and protect rocket chamber from foreign objects
[NASA-CASE-XLA-02651] c28 N70-41967
- NUCLEAR AUXILIARY POWER UNITS**
Control circuit for nuclear thermionic converter power source for spacecraft
[NASA-CASE-NPO-13114-1] c22 N73-13656
- NUCLEAR ELECTRIC POWER GENERATION**
Nuclear electric generator for accelerating charged propellant particles in electrostatic propulsion system
[NASA-CASE-XLE-00818] c22 N70-34248
- NUCLEAR EXPLOSION EFFECT**
Development of method for protecting large and oddly shaped areas from radiant and convective heat
[NASA-CASE-XNP-01310] c33 N71-28852
- NUCLEAR FUEL BURNUP**
Low cost efficient thermionic converter for use in nuclear reactors
[NASA-CASE-NPO-13121-1] c22 N73-12702
- NUCLEAR FUEL ELEMENTS**
Tungsten-coated tungsten-uranium dioxide nuclear fuel plates
[NASA-CASE-XLE-00209] c22 N73-32528
- NUCLEAR FUELS**
Two step process for cladding nuclear fuels with tungsten
[NASA-CASE-XNP-03704] c15 N71-17695
- NUCLEAR FUSION**
Converging coaxial plasma accelerator for generating dense high velocity plasma bursts
[NASA-CASE-ARC-10109] c25 N71-29181
- NUCLEAR MAGNETIC RESONANCE**
Variable frequency nuclear magnetic resonance spectrometer providing drive signals over wide frequency range and minimizing noise effects
[NASA-CASE-XNP-09830] c14 N71-26266

NUCLEAR POWER PLANTS

Development and characteristics of natural circulation radiator for use with nuclear power plants installed in lunar space stations
[NASA-CASE-XHQ-03673] c33 N71-29046

NUCLEAR REACTOR CONTROL

Absorbing gas reactivity control system for minimizing power distribution and perturbation in nuclear reactors
[NASA-CASE-XLE-04599] c22 N72-20597

NUCLEAR REACTORS

Low cost efficient thermionic converter for use in nuclear reactors
[NASA-CASE-NFO-13121-1] c22 N73-12702

NUCLEAR ROCKET ENGINES

Nuclear gaseous reactor for heating working fluid to high temperatures
[NASA-CASE-XLE-00321] c22 N70-34572

NUCLEATE BOILING

Method for improving heat transfer characteristics in nucleate boiling process
[NASA-CASE-XMS-04268] c33 N71-16277

NULL ZONES

Manual control mechanism for adjusting control rod to null position
[NASA-CASE-XLA-01808] c15 N71-20740

NUMERICAL CONTROL

Digital sensor for counting fringes produced by interferometers with improved sensitivity and one photomultiplier tube to eliminate alignment problem
[NASA-CASE-LAR-10204] c14 N71-27215

NUMERICAL INTEGRATION

Apparatus for computing square roots
[NASA-CASE-XGS-04768] c08 N71-19437
Binary concatenated coding system to measure, count, and record numerical information using minimized number of digits
[NASA-CASE-MS-C-14082-1] c08 N73-16163

NOTATION

Flexible turnstile antenna system for reducing notation in spin-oriented satellites
[NASA-CASE-XMF-00442] c31 N71-10747
Notation damper for use on spinning body
[NASA-CASE-GSC-11205-1] c15 N73-25513

NUTS (FASTENERS)

Contamination free separation nut eliminating combustion products from ambient surroundings generated by squib firing
[NASA-CASE-XGS-01971] c15 N71-15922
Split nut and bolt separation device
[NASA-CASE-XNP-06914] c15 N71-21489
Device for securing together structural members with axially stretched bolt and nut
[NASA-CASE-GSC-11149-1] c15 N73-30457

O RING SEALS

High pressure four-way valve with O ring adapted to pass across inlet port
[NASA-CASE-XNP-00214] c15 N70-36908

OHMMETERS

Development of electrical system for indicating optimum contact between electrode and metal surface to permit improved soldering operation
[NASA-CASE-KSC-10242] c15 N72-23497

OILS

Color photointerpretation of interference colors reflected from thin film oil-coated components in moving gases for gas flow visualization
[NASA-CASE-XMF-01779] c12 N71-20815
Cross linked polymer system for oil or fat absorption properties
[NASA-CASE-NFO-11609-1] c06 N72-22114

OMNIDIRECTIONAL ANTENNAS

Microwave omnidirectional antenna for use on spacecraft
[NASA-CASE-XLA-03114] c09 N71-22888
Vertically stacked collinear array of independently fed omnidirectional antennas for use in collision warning systems on commercial aircraft
[NASA-CASE-LAR-10545-1] c09 N72-21244
Omnidirectional antenna array with circumferential slots for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c09 N72-25247

ONBOARD EQUIPMENT

Survival couch for aircraft or spacecraft crews
[NASA-CASE-XLA-00118] c05 N70-33285
Cryogenic storage system for gases onboard spacecraft
[NASA-CASE-XMS-04390] c31 N70-41871
Fiber optic transducers for monitoring and analysis of vibration in aerospace vehicles and onboard equipment
[NASA-CASE-XMF-02433] c14 N71-10616
Design and construction of satellite appendage tie-down cord
[NASA-CASE-XGS-02554] c31 N71-21064
Satellite aided aircraft collision avoidance system effective for large number of aircraft
[NASA-CASE-ERC-10090] c21 N71-24948
Closed loop servosystem for variable speed tape recorders onboard spacecraft
[NASA-CASE-NFO-10700] c07 N71-33613
Collapsible couch system for manned space vehicles
[NASA-CASE-MS-C-13140] c05 N72-11085
Monostable multivibrator for conserving power in spacecraft systems
[NASA-CASE-GSC-10082-1] c10 N72-20221
Delayed simultaneous appendage release mechanism for use on spacecraft equipped with despin mechanisms and releasable components
[NASA-CASE-GSC-10814-1] c03 N73-20039
Electronic strain level counter on in-flight aircraft
[NASA-CASE-LAR-10756-1] c32 N73-26910

OPHTHALMOLOGY
Ultrasonic device for ophthalmic eye surgery with safe removal of macerated material
[NASA-CASE-LEW-11669-1] c05 N73-27062

OPTICAL COMMUNICATION
Fabry-Perot interferometer retrodirective reflector modulator for optical communication
[NASA-CASE-XGS-04480] c16 N69-27491
Specifications and drawings for semipassive optical communication system
[NASA-CASE-XLA-01090] c07 N71-12389
Optical communication system with gas filled waveguide for laser beam transmission
[NASA-CASE-HQN-10541-4] c16 N71-27183
Development and characteristics of optical communications system based on modulation of light beams
[NASA-CASE-XLA-01090] c16 N71-28963
High resolution radar transmitting system for transmitting optical pulses to targets
[NASA-CASE-NFO-11426] c07 N73-26119

OPTICAL COUPLING
Automatic quadrature control and measuring system --- using optical coupling circuitry
[NASA-CASE-MFS-21660-1] c14 N74-21017

OPTICAL DATA PROCESSING
Optical data processing system using paraboloidal reflecting surfaces
[NASA-CASE-GSC-11296-1] c23 N73-30666
Recorder/processor apparatus --- for optical data processing
[NASA-CASE-GSC-11553-1] c07 N74-15831

OPTICAL EMISSION SPECTROSCOPY
Maksutov spectrograph for low light level research
[NASA-CASE-XLA-10402] c14 N71-29041

OPTICAL EQUIPMENT
Detection instrument for light emitted from ATP biochemical reaction
[NASA-CASE-XGS-05534] c23 N71-16355
Optical characteristics measuring apparatus
[NASA-CASE-XNP-08840] c23 N71-16365
Combined optical attitude and altitude indicating instrument for use in aircraft or spacecraft
[NASA-CASE-XLA-01907] c14 N71-23268
Design and development of optical interferometer with laser light source for application to schlieren systems
[NASA-CASE-XLA-04295] c16 N71-24170
Highly stable optical mirror assembly optimizing image quality of light diffraction patterns
[NASA-CASE-ERC-10001] c23 N71-24868
Optical device containing rotatable prism and reflecting mirror for generating precise angles
[NASA-CASE-XGS-04173] c19 N71-26674
Development and characteristics of Petzval type objective including field shaping lens for focusing light of specified wavelength band on

curved photoreceptor
[NASA-CASE-GSC-10700] c23 N71-30027

Optical vision testing unit for testing eyes and visual system of human subject
[NASA-CASE-MSC-13601-1] c05 N72-11088

Slotted fine-adjustment support for optical devices
[NASA-CASE-MFS-20249] c15 N72-11386

Development of process for constructing protective covers for solar cells
[NASA-CASE-GSC-11514-1] c03 N72-24037

Development of light sensing system for controlled orientation of object relative to sun or other light source
[NASA-CASE-NPO-11311] c14 N72-25414

Development and characteristics of device for applying multiple layers of noble metal to glass substrate for protection of optical surfaces
[NASA-CASE-LAR-10362-1] c15 N72-27486

Borescope with adjustable hinged telescoping optical system
[NASA-CASE-MFS-15162] c14 N72-32452

Development and characteristics of cyclically operable, optical shutter for use as focal plane shutter for transmitting single radiation pulses
[NASA-CASE-NPO-10758] c14 N73-14427

Development of strain gage ambiguity sensor for measuring alignment of optical mirror segments
[NASA-CASE-MFS-20506-1] c14 N73-17563

Method for producing reticles for use in outer space
[NASA-CASE-GSC-11188-2] c21 N73-19630

Method and equipment for locating earth infrared horizon from space, independent of season and latitude
[NASA-CASE-LAR-10726-1] c14 N73-20475

Optical imaging system for increasing light absorption efficiency of imaging detector
[NASA-CASE-ARC-10194-1] c23 N73-20741

Development of optical system for detecting defective components in rotating machinery with emphasis on bearing assemblies
[NASA-CASE-KSC-10752-1] c15 N73-27407

Development and characteristics of single reflector interference spectrometer and associated drive system
[NASA-CASE-NPO-11932-1] c14 N73-29438

Development of technique and apparatus for optically detonating insensitive high explosives
[NASA-CASE-NPO-11743-1] c33 N73-29959

Attitude sensor
[NASA-CASE-LAR-10586-1] c14 N74-15089

Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c14 N74-20008

Laser system with an antiresonant optical ring --- optical properties and performance of beam splitter with equal transmission and reflection coefficients
[NASA-CASE-BQN-10844-1] c16 N74-20118

Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c23 N74-21304

OPTICAL FILTERS

Lens assembly for solar furnace or solar simulator
[NASA-CASE-XNP-04111] c14 N71-15622

Noise elimination in coherent imaging system by axial rotation of optical lens for spectral distribution of degrading affects
[NASA-CASE-GSC-11133-1] c23 N72-11568

Family of physical correction filters for improving optical quality of image
[NASA-CASE-BQN-10542-1] c23 N72-21663

OPTICAL HETERODYNING

Computerized optical system for producing multiple images of a scene simultaneously
[NASA-CASE-MSC-12404-1] c23 N73-13661

OPTICAL MEASUREMENT

Passive optical wind and turbulence remote detection system
[NASA-CASE-XNP-14032] c20 N71-16340

Ellipsoidal mirror reflector for measuring reflectance
[NASA-CASE-XGS-05291] c23 N71-16341

Development and characteristics of single reflector interference spectrometer and associated drive system
[NASA-CASE-NPO-11932-1] c14 N73-29438

OPTICAL MEASURING INSTRUMENTS

Design and development of optically pumped resonance magnetometer for determining vectoral components in spatial coordinate system
[NASA-CASE-XGS-04879] c14 N71-20428

Optical gauging system for monitoring machine tool alignment
[NASA-CASE-XAC-09489-1] c15 N71-26673

Optical system for selecting particular wavelength light beams from multiple wavelength light source
[NASA-CASE-ERC-10248] c14 N72-17323

Optical sensing of supersonic flows by correlating deflections in laser beams through flow
[NASA-CASE-MFS-20642] c14 N72-21407

OPTICAL PATHS

Optical instruments

[NASA-CASE-MSC-14096-1] c14 N74-15095

OPTICAL PROPERTIES

Remote-reading torque meter for use where high horsepower are transmitted at high rotative speeds
[NASA-CASE-XLE-00503] c14 N70-34818

Quasi-optical microwave circuit with dielectric body for use with oversize waveguides
[NASA-CASE-ERC-10011] c07 N71-29065

Development of light sensing system for controlled orientation of object relative to sun or other light source
[NASA-CASE-NPO-11311] c14 N72-25414

Design and development of light sensing device for controlling orientation of object relative to sun or other light source
[NASA-CASE-NPO-11201] c14 N72-27409

Device and method for determining X ray reflection efficiency, scattering properties, and surface finish of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662

Ultraviolet and thermally stable polymer compositions --- poly/(diarylsiloxy)/arylazines
[NASA-CASE-ARC-10592-2] c06 N74-11926

Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c14 N74-20008

Optically actuated two position mechanical mover
[NASA-CASE-NPO-13105-1] c15 N74-21060

OPTICAL PUMPING

Xenon flashlamp driver system for optical laser pumping
[NASA-CASE-ERC-10283] c16 N72-25485

Development of laser head for simultaneous optical pumping of several dye lasers
[NASA-CASE-LAR-11341-1] c16 N73-25564

OPTICAL PYROMETERS

Filter arrangement for controlling light intensity in motion picture camera used in optical pyrometry
[NASA-CASE-XLA-00062] c14 N70-33254

OPTICAL RADAR

Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c16 N72-13437

OPTICAL RANGE FINDERS

Electro-optical attitude sensing device for landing approach of flight vehicle
[NASA-CASE-XMS-01994-1] c14 N72-17326

Optical range finder using reflective first surfaces mirror and transmitting beam splitter
[NASA-CASE-MSC-12105-1] c14 N72-21409

OPTICAL REFLECTION

Hybrid holographic system using reference, transmitted, and reflected beams simultaneously
[NASA-CASE-MFS-20074] c16 N71-15565

Optical device containing rotatable prism and reflecting mirror for generating precise angles
[NASA-CASE-XGS-04173] c19 N71-26674

Illumination system design for use as sunlight simulator in space environment simulators with multiple light sources reflected to single virtual source
[NASA-CASE-BQN-10781] c23 N71-30292

Composition of diffuse reflective coating containing sodium chloride in combination with diol solvent and organic wetting and drying agents
[NASA-CASE-GSC-11214-1] c06 N73-13128

Ultraviolet light reflective coating
[NASA-CASE-GSC-11786-1] c18 N74-10542

OPTICAL RESONANCE

Design and development of optically pumped

resonance magnetometer for determining vectoral components in spatial coordinate system
[NASA-CASE-IGS-04679] c14 N71-20428

OPTICAL SCANNERS

Optical scanner mounted on rotating support structure with method of compensating for image or satellite rotation
[NASA-CASE-IGS-02401] c14 N69-27485

Optical apparatus for visual detection of roundness and regularity of cone surfaces
[NASA-CASE-IMP-00462] c14 N70-34298

Electro-optical system with scan-in illuminator and scan-out photosensor for scanning variable transmittance objects
[NASA-CASE-NPO-11106] c14 N70-34697

Multi-lobar scan horizon sensor
[NASA-CASE-IGS-00809] c21 N70-35427

Optical scanner with linear housing and rotating camera
[NASA-CASE-NPO-11002] c14 N72-22441

Focusing optical collimator for high resolution scanning of electromagnetic radiations, neutrons, and other particles
[NASA-CASE-MFS-20932-1] c14 N73-27380

Spacecraft attitude sensing system design with narrow field of view sensor rotating about spacecraft x-y axis
[NASA-CASE-GSC-10890-1] c21 N73-30640

Manually and automatically operable video switching system
[NASA-CASE-KSC-10782-1] c07 N73-32063

Optical instruments
[NASA-CASE-MSC-14096-1] c14 N74-15095

OPTICAL TRACKING

Sun tracker with rotatable plane-parallel plate and two photocells
[NASA-CASE-IGS-01159] c21 N71-10678

Optical tracker with pair of FM reticles having patterns 90 deg out of phase
[NASA-CASE-IGS-05715] c23 N71-16100

Tracking mount for laser telescope employed in tracking large rockets and space vehicles to give information regarding azimuth and elevation
[NASA-CASE-MFS-14017] c14 N71-26627

OPTIMIZATION

Power point tracker for maintaining optimal output voltage of power source
[NASA-CASE-GSC-10376-1] c14 N71-27407

ORBITAL MECHANICS

Design and development of space shuttle system for delivering payload to earth orbit or celestial orbit
[NASA-CASE-MSC-12391] c30 N73-12884

ORBITAL SPACE STATIONS

Radial module manned space station with artificial gravity environment
[NASA-CASE-XMS-01906] c31 N70-41373

Internal and external serpentine devices for performing physical operations around orbital space stations
[NASA-CASE-XMP-05344] c31 N71-16345

Describing apparatus for manufacturing operations in low and zero gravity environments of orbital space flight
[NASA-CASE-MFS-20410] c15 N71-19214

ORBITS

Position determination systems --- using orbital antenna scan of celestial body
[NASA-CASE-MSC-12593-1] c09 N74-14942

ORGANIC CHEMISTRY

Process for interfacial polymerization of pyromellitic dianhydride and tetraamino benzene
[NASA-CASE-XLA-03104] c06 N71-11235

ORGANIC COMPOUNDS

Synthesis of high purity dianilinosilanes
[NASA-CASE-XMF-06409] c06 N71-23230

Preparation of dicyanoacetylene and vinylidene copolymers using organic compounds
[NASA-CASE-XNP-03250] c06 N71-23500

Infusible polymer production from reaction of polyfunctional epoxy resins with polyfunctional aziridine compounds
[NASA-CASE-NPO-10701] c06 N71-28620

Composition of diffuse reflective coating containing sodium chloride in combination with diol solvent and organic wetting and drying agents
[NASA-CASE-GSC-11214-1] c06 N73-13128

Organic amine and nitroaromatic mixed compound for heat change detection in microelectronic components
[NASA-CASE-NPO-10764-2] c10 N73-20259

Analysis of volatile organic compounds --- quantitative and qualitative analysis of trace amounts in gas samples
[NASA-CASE-MSC-14428-1] c06 N74-19776

ORGANOMETALLIC COMPOUNDS

Ammonium perchlorate composite propellant with organic Cu/II/ chelate catalytic additive
[NASA-CASE-LAR-10173-1] c27 N71-14090

Organometallic compounds of niobium and tantalum useful for film deposition
[NASA-CASE-XNP-04023] c06 N71-28808

ORGANOMETALLIC POLYMERS

Chemical synthesis of thermally stable organometallic polymers with divalent metal ion and tetraphenylphosphonitrilic units
[NASA-CASE-HQM-10364] c06 N71-27363

Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c15 N74-21058

ORIFICE FLOW

Relief valve to permit slow and fast bleeding rates at difference pressure levels
[NASA-CASE-XMS-05894-1] c15 N69-21924

ORIFICES

Rocket engine injector orifice to accommodate changes in density, velocity, and pressure, thereby maintaining constant mass flow rate of propellant into rocket combustion chamber
[NASA-CASE-XLE-03157] c28 N71-24736

ORTHOGONAL MULTIPLEXING THEORY

Encoders designed to generate comma free biorthogonal Reed-Muller type code comprising conversion of 64 6-bit words into 64 32-bit data for communication purposes
[NASA-CASE-NPO-10595] c10 N71-25917

ORTHOGONALITY

Device for measuring two orthogonal components of force with gallium flotation of measuring target for use in vacuum environments
[NASA-CASE-XAC-04885] c14 N71-23790

ORTHOTROPIC CYLINDERS

Method for shaping regeneratively cooled rocket motor casing having minimum thickness at each channel cross section
[NASA-CASE-XLE-00409] c28 N71-15658

Regeneratively cooled rocket motor casing with tapered channels to insure minimum thicknesses at each channel cross section for necessary strength requirements
[NASA-CASE-XLE-05689] c28 N71-15659

OSCILLATION DAMPERS

Design and operation of viscous pendulum damper
[NASA-CASE-XLA-02079] c12 N71-16894

Stabilization system for gravity-oriented satellites using single damper rod
[NASA-CASE-XAC-01591] c31 N71-17729

Suspended mass oscillation damper based on impact energy absorption for damping wind induced oscillations of tall stacks, antennas, and umbilical towers
[NASA-CASE-LAR-10193-1] c15 N71-27146

Damper system for alleviating air flow shock loads on wind tunnel models
[NASA-CASE-XLA-09480] c11 N71-33612

OSCILLATIONS

Device for suppressing pressure oscillations in fluid transmission line
[NASA-CASE-MFS-10354-2] c12 N72-25306

Development of electrical circuit for suppressing oscillations across inductor operating in resonant mode
[NASA-CASE-ERC-10403-1] c10 N73-26228

OSCILLATORS

Oscillatory electromagnetic mirror drive system for horizon scanners
[NASA-CASE-XLA-03724] c14 N69-27461

Frequency control network for current feedback oscillators converting dc voltage to ac or higher dc voltages
[NASA-CASE-GSC-10041-1] c10 N71-19418

Development and characteristics of oscillating static inverter
[NASA-CASE-IGS-05289] c09 N71-19470

Voltage controlled oscillators and pulse amplitude modulation for signal ratio system

[NASA-CASE-XHF-04367] c09 N71-23545
 Development and characteristics of fluid oscillator analog to digital converter with variable frequency controlled by signal passing through conditioning circuit
 [NASA-CASE-LEH-10345-1] c10 N71-25899
 Sideband voltage controlled oscillator with high phase stability
 [NASA-CASE-XLA-03893] c10 N71-27271
 Variable frequency subcarrier oscillator with temperature compensation
 [NASA-CASE-XNP-03916] c09 N71-28810
 Inverter oscillator with voltage feedback
 [NASA-CASE-NPO-10760] c09 N72-25254
 Alphanumeric character display device for oscilloscopes
 [NASA-CASE-GSC-11582-1] c09 N73-32120
 Controlled oscillator system with a time dependent output frequency
 [NASA-CASE-NPO-11962-1] c09 N74-10194
 Ultra-stable oscillator with complementary transistors
 [NASA-CASE-GSC-11513-1] c09 N74-20862
OSCILLOSCOPES
 Sign wave generation simulator for variable amplitude, frequency, damping, and phase pulses for oscilloscope display
 [NASA-CASE-NPO-10251] c10 N71-27365
 Scan oscilloscope for mapping surface sensitivity of photomultiplier tube
 [NASA-CASE-LAR-10320-1] c09 N72-23172
 Mechanical exposure interlock device for preventing film overexposure in oscilloscope camera
 [NASA-CASE-LAR-10319-1] c14 N73-32322
OSBOSIS
 Monomer polymerization by plasma discharge as thin film for water purification membrane
 [NASA-CASE-ARC-10643-1] c06 N73-29074
OUTER PLANETS EXPLORERS
 Integration of spectrometer capability with imagery function of facsimile cameras for use on planetary landers
 [NASA-CASE-LAR-11207-1] c14 N73-28496
OUTGASSING
 Optical characteristics measuring apparatus
 [NASA-CASE-XNP-08840] c23 N71-16365
 Helium outgassing process for fused glass coating on ion accelerator grid
 [NASA-CASE-LEH-10278-1] c15 N71-28582
 Fluid polydimethylsiloxane resin with low outgassing properties in cured state
 [NASA-CASE-GSC-11358-1] c06 N73-26100
Ovens
 Oven for heat treating heat shields
 [NASA-CASE-XHS-04318] c15 N69-27871
OVERVOLTAGE
 Spark gap type protective circuit for fast sensing and removal of overvoltage conditions
 [NASA-CASE-XAC-08981] c09 N69-39897
 Sensing circuit for instantaneous reaction to power overloads
 [NASA-CASE-GSC-10667-1] c10 N71-33129
 Overvoltage protection network
 [NASA-CASE-ARC-10197-1] c09 N74-17929
OXIDATION
 Silicide coating process and composition for protection of refractory metals from oxidation
 [NASA-CASE-XLE-10910] c18 N71-29040
 Automated system for monitoring oxidative metabolites of aromatic amines
 [NASA-CASE-ARC-10469-1] c06 N72-31145
OXIDATION RESISTANCE
 Nickel base alloy with resistance to oxidation at high temperatures and superior stress-rupture properties
 [NASA-CASE-XLE-02082] c17 N71-16026
 Duplex aluminized coatings
 [NASA-CASE-LEH-11696-2] c18 N74-18197
OXIDE FILMS
 Method of fluxless brazing and diffusion bonding of aluminum containing components
 [NASA-CASE-HSC-14435-1] c15 N74-20071
OXIDES
 Utilization of lithium p-lithiophenoxide to prepare star polymers
 [NASA-CASE-NPO-10998-1] c06 N73-32029
OXIDIZERS
 Electrolytically regenerative hydrogen-oxygen

fuel cells
 [NASA-CASE-XLE-04526] c03 N71-11052
 Fuel and oxidizer injection head for thrust chamber of reaction engine
 [NASA-CASE-NPO-10046] c28 N72-17843
ORIMETRY
 Ear oximeter for monitoring blood oxygenation and pressure, pulse rate, and pressure pulse curve, using dc and ac amplifiers
 [NASA-CASE-XAC-05422] c04 N71-23185
OXYGEN
 Analytical test apparatus and method for determining oxygen content in alkali liquid metal
 [NASA-CASE-XLE-01997] c06 N71-23527
 Heated tungsten filter for removing oxygen impurities from cesium
 [NASA-CASE-XNP-04262-2] c17 N71-26773
 Method for detecting oxygen in gas by thermoluminescence
 [NASA-CASE-LAR-10668-1] c06 N73-16106
 Method for obtaining oxygen from lunar or similar soil
 [NASA-CASE-HSC-12408-1] c13 N74-13011
 Nonflammable coating compositions --- for use in high oxygen environments
 [NASA-CASE-HFS-20486-2] c18 N74-17283
OXYGEN CONSUMPTION
 Respiration analyzing method and apparatus for determining subjects oxygen consumption in aerospace environments
 [NASA-CASE-XPR-08403] c05 N71-11202
OXYGEN FLUORIDES
 Oxygen difluoride in synthesis of fluoropolymers
 [NASA-CASE-NPO-12061-1] c06 N72-21100
OXYGEN METABOLISM
 Metabolic analyzer --- for measuring metabolic rate and breathing dynamics of human beings
 [NASA-CASE-HFS-21415-1] c05 N74-20728

P

P-N JUNCTIONS

Lithium drifted silicon radiation detector with gold rectifying contacts
 [NASA-CASE-XLE-10529] c14 N69-23191
 Semiconductor p-n junction on needle apex to provide stress and strain sensor
 [NASA-CASE-XLA-04980] c09 N69-27422
 Improving radiation resistance of silicon semiconductor junctions by doping with lithium
 [NASA-CASE-IGS-07801] c09 N71-12513
 Silicon radiation detecting probe design for in vivo biomedical use
 [NASA-CASE-XHS-01177] c05 N71-19440
 Electrode connection for n-on-p silicon solar cell
 [NASA-CASE-XLE-04787] c03 N71-20492
 Water content in vapor deposition atmosphere for forming n-type and p-type junctions of zinc doped gallium arsenide
 [NASA-CASE-XNP-01961] c26 N71-29156
 Method for making semiconductor p-n junction stress and strain sensor
 [NASA-CASE-XLA-04980-2] c14 N72-28438
 Graded band gap p-n junction gallium arsenide/gallium aluminum arsenide solar cell
 [NASA-CASE-LAR-11174-1] c03 N73-26047
 Resin for protecting p-n semiconductor junction surface
 [NASA-CASE-ERC-10339-1] c18 N73-30532
P-TYPE SEMICONDUCTORS
 Addition of group 3 elements to silicon semiconductor material for increased resistance to radiation damage in solar cells
 [NASA-CASE-XLE-02798] c26 N71-23654
PACKAGES
 Impact testing machine for imparting large impact forces on high velocity packages
 [NASA-CASE-XNP-04817] c14 N71-23225
 One hand backpack harness
 [NASA-CASE-LAR-10102-1] c05 N72-23085
PACKAGING
 Characteristics of device for folding thin flexible sheets into compact configuration
 [NASA-CASE-XLA-00137] c15 N70-33180
 Method of compactly packaging centrifugally expandable lightweight flexible reflector satellite
 [NASA-CASE-XLA-00138] c31 N70-37981

- Electrically conductive wire storage in plastic capsule that allows for unfolding
[NASA-CASE-LAR-10168-1] c09 N73-22151
- Development and characteristics of system for skin packaging articles using thermoplastic film heating and vacuum operated equipment
[NASA-CASE-MFS-20855] c15 N73-27405
- PACKING DENSITY**
Micropacked column for rapid chromatographic analysis using low gas flow rates
[NASA-CASE-XNP-04816] c06 N69-39936
- PAD**
Journal bearings
[NASA-CASE-LBW-11076-3] c15 N74-10475
- PAINTS**
Nitroaniline sulfate, intumescent paints
[NASA-CASE-ARC-10099-1] c18 N71-15469
- Composition and production method of alkali metal silicate paint with ultraviolet reflection properties
[NASA-CASE-XGS-04799] c18 N71-24183
- White paint production by heating impure aluminum silicate clay having low solar absorptance
[NASA-CASE-XNP-02139] c18 N71-24184
- PALLADIUM COMPOUNDS**
Preventing pressure buildup in electrochemical cells by reacting palladium oxide with evolved hydrogen
[NASA-CASE-XGS-01419] c03 N70-41864
- Separation of dissolved hydrogen from water and coating with palladium black
[NASA-CASE-MSC-13335-1] c06 N72-31140
- PANELS**
Nut and bolt fastener permitting all-directional movement of skin sections with respect to supporting structure
[NASA-CASE-XLA-01807] c15 N71-10799
- Multilayer insulation panels for cryogenic liquid containers
[NASA-CASE-MFS-14023] c33 N71-25351
- Method and apparatus for fabricating solar cell panels
[NASA-CASE-XNP-03413] c03 N71-26726
- Method for making pressurized meteoroid penetration detector panels
[NASA-CASE-XLA-08916] c15 N71-29018
- Honeycomb panels of minimal surface, periodic tubule layers
[NASA-CASE-ERC-10364] c18 N72-25540
- Fabrication of light weight panel structure using pairs of elongate hollow ribs of semicircular configuration
[NASA-CASE-LAR-11052-1] c32 N73-13929
- Pressurized panel meteoroid detector
[NASA-CASE-XLA-08916-2] c14 N73-28487
- Ultrasonic scanner for radial and flat panels
[NASA-CASE-MFS-20335-1] c14 N74-10415
- A panel for selectively absorbing solar thermal energy and the method for manufacturing the panel
[NASA-CASE-MFS-22562-1] c03 N74-19700
- PANORAMIC CAMERAS**
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c14 N74-10420
- PARABOLIC ANTENNAS**
Device for improving efficiency of parabolic horn antenna system for linearly polarized signals
[NASA-CASE-XNP-00611] c09 N70-35219
- Drive system for parabolic tracking antenna with reversible motion and minimal backlash
[NASA-CASE-NPO-10173] c15 N71-24696
- PARABOLIC REFLECTORS**
Device for improving efficiency of parabolic reflector horn for linearly or circularly polarized waves
[NASA-CASE-XNP-00540] c09 N70-35382
- Foldable, double cone and parabolic reflector system for solar ray concentration
[NASA-CASE-XLA-04622] c03 N70-41580
- Self erecting parabolic reflector design for use in space
[NASA-CASE-XMS-03454] c09 N71-20658
- Plural beam antenna with parabolic reflectors
[NASA-CASE-GSC-11013-1] c09 N73-19234
- Multimode antenna feed system for microwave and broadband communication
[NASA-CASE-GSC-11046-1] c07 N73-28013
- PARABOLOID MIRRORS**
Three mirror glancing incidence system for X ray telescope
[NASA-CASE-MFS-21372] c14 N72-20397
- Optical data processing system using paraboloidal reflecting surfaces
[NASA-CASE-GSC-11296-1] c23 N73-30666
- PARACHUTE DESCENT**
Multiple parachute system for landing control of Apollo type spacecraft
[NASA-CASE-XLA-00898] c02 N70-36804
- Parachute system for lowering manned spacecraft from post-reentry to ocean landing
[NASA-CASE-XLA-00195] c02 N70-38009
- Piston in bore cutter for severing parachute control lines and sealing cable hole to prevent water leakage into load
[NASA-CASE-XMS-04072] c15 N70-42017
- Development and operating principles of gas generator for deploying recovery parachutes from space capsules during atmospheric entry
[NASA-CASE-LAR-10549-1] c31 N73-13898
- PARACHUTE FABRICS**
Lightweight, variable solidity knitted parachute fabric --- for aerodynamic decelerators
[NASA-CASE-LAR-10776-1] c02 N74-10034
- PARACHUTES**
System for controlling torque buildup in suspension of gondola connected to balloon by parachute shroud lines
[NASA-CASE-GSC-11077-1] c02 N73-13008
- PARAGLIDERS**
Multiple parachute system for landing control of Apollo type spacecraft
[NASA-CASE-XLA-00898] c02 N70-36804
- PARALLEL PLATES**
Describing instrument capable of measuring true shear viscosity of liquids and viscoelastic materials
[NASA-CASE-XNP-09462] c14 N71-17584
- PARAMETRIC AMPLIFIERS**
Development of idler feedback system to reduce electronic noise problem in two parametric amplifiers
[NASA-CASE-LAR-10253-1] c09 N72-25258
- Millimeter wave pumped parametric amplifier --- varactor diode mounting structure
[NASA-CASE-GSC-11617-1] c09 N74-10200
- PARAWINGS**
Method for deployment of flexible wing glider from space vehicle with minimum impact and loading
[NASA-CASE-XMS-00907] c02 N70-41630
- PARTIAL PRESSURE**
Equipment for measuring partial water vapor pressure in gas tank
[NASA-CASE-XMS-01618] c14 N71-20741
- PARTICLE ACCELERATION**
Selector mechanism for mechanical separation and discrimination of high velocity molecular particles
[NASA-CASE-XLE-01533] c11 N71-10777
- Method and apparatus for use in forming highly collimated beam of microparticles with high charge to mass ratio and injecting beam into electrostatic accelerating tube
[NASA-CASE-XGS-06628] c24 N71-16213
- PARTICLE ACCELERATOR TARGETS**
Development and characteristics of improved dispensing targets for ion beam particle generators
[NASA-CASE-NPO-13112-1] c11 N73-29138
- PARTICLE BEAMS**
Particle beam power density detection and measurement apparatus
[NASA-CASE-XLE-00243] c14 N70-38602
- Development and characteristics of improved dispensing targets for ion beam particle generators
[NASA-CASE-NPO-13112-1] c11 N73-29138
- Doppler shift system --- system for measuring velocities of radiating particles
[NASA-CASE-HQN-10740-1] c24 N74-19310
- PARTICLE COLLISIONS**
Momentum-velocity analyzer for measuring minute space particles
[NASA-CASE-XMS-04201] c14 N71-22990
- PARTICLE DENSITY (CONCENTRATION)**
Particle detector for measuring micrometeoroid

velocity in space
[NASA-CASE-XLA-00495] c14 N70-41332

PARTICLE EMISSION
Mosaic semiconductor radiation detector and position indicator systems engineering for low energy particles
[NASA-CASE-XGS-03230] c14 N71-23401
Apparatus for detecting particle emission lower than noise level of multiplier tube
[NASA-CASE-XLA-07813] c14 N72-17328

PARTICLE ENERGY
Particle detector for indicating incidence and energy of minute space particles
[NASA-CASE-XLA-00135] c14 N70-33322

PARTICLE MOTION
Controlled distribution of electrophoretic samples in flow path through conductive screens
[NASA-CASE-MPS-21395-1] c14 N72-27425

PARTICLE PRODUCTION
Heat pipe production of high purity radioiodine for thyroid measurements
[NASA-CASE-LEW-11390-3] c11 N73-28128
Development and characteristics of improved dispensing targets for ion beam particle generators
[NASA-CASE-NPO-13112-1] c11 N73-29138

PARTICLE SIZE DISTRIBUTION
Micropacked column for rapid chromatographic analysis using low gas flow rates
[NASA-CASE-XNP-04816] c06 N69-39936
Apparatus for producing hydrocarbon slurry containing small particles of magnesium for use as jet aircraft fuel
[NASA-CASE-XLE-00010] c15 N70-33382
Production of high strength refractory compounds and microconstituents into refractory metal matrix
[NASA-CASE-XLE-03940] c18 N71-26153

PARTICLES
Development of device for separating, collecting, and viewing soil particles
[NASA-CASE-XNP-09770] c15 N71-20440
Development of apparatus for producing metal powder particles of controlled size
[NASA-CASE-XLE-06461-2] c17 N72-28535
Particulate and solar radiation stable coating for spacecraft
[NASA-CASE-LAR-10805-1] c18 N74-16246

PARTICULATE SAMPLING
Design and development of device to prevent clogging in hoppers containing particulate materials
[NASA-CASE-LAR-10961-1] c15 N73-12496
Development and operation of apparatus for sampling particulates in gases in upper atmosphere
[NASA-CASE-HQN-10037-1] c14 N73-27376
Fine particulate capture device
[NASA-CASE-LEW-11583-1] c15 N74-13199

PASSAGEWAYS
Space expandable tether device for use as passageway between two docked spacecraft
[NASA-CASE-XMS-10993] c15 N71-28936

PASSIVE SATELLITES
Erectable, inflatable, radio signal reflecting passive communication satellite
[NASA-CASE-XLA-00210] c30 N70-40309
Apparatus for measuring backscatter and transmission characteristics of sample segment of large spherical passive satellites
[NASA-CASE-XGS-02608] c07 N70-41678
Forming inflatable panels erectable in space for passive communication satellite
[NASA-CASE-XLA-03497] c15 N71-23052

PATENTS
Electromechanical actuator and its use in rocket thrust control valve
[NASA-CASE-XNP-05975] c15 N69-23185
Gas balancing, cryogenic refrigeration apparatus with Joule-Thomson valve assembly
[NASA-CASE-NPO-10309] c15 N69-23190
Lithium drifted silicon radiation detector with gold rectifying contacts
[NASA-CASE-XLE-10529] c14 N69-23191
Fecal waste disposal container
[NASA-CASE-XMS-06761] c05 N69-23192
Thermal shock resistant hafnia ceramic materials
[NASA-CASE-LAR-10894-1] c18 N73-14584

PATIENTS

Stretcher with rigid head and neck support with capability of supporting immobilized person in vertical position for removal from vehicle hatch to exterior also useful as splint stretcher
[NASA-CASE-XMF-06589] c05 N71-23159

PATTERN RECOGNITION

Roughness detector for recording surface pattern of irregularities
[NASA-CASE-XLA-00203] c14 N70-34161
Auditory display for the blind
[NASA-CASE-HQN-10832-1] c14 N74-21014

PAYLOADS

Plastic foam generator for space vehicle instrument payload package flotation in water landing
[NASA-CASE-XLA-00838] c03 N70-36778
Stage separation system for spinning vehicles and payloads
[NASA-CASE-XLA-02132] c31 N71-10582
Payload/spent rocket engine case separation system
[NASA-CASE-XLA-05369] c31 N71-15687
High velocity guidance and spin stabilization gyro controlled jet reaction system for launch vehicle payloads
[NASA-CASE-XLA-01339] c31 N71-15692
Payload soft landing system using stowable gas bag
[NASA-CASE-XLA-09881] c31 N71-16085
Zero gravity apparatus utilizing pneumatic decelerating means to create payload subjected to zero gravity conditions by dropping its height
[NASA-CASE-XHP-06515] c14 N71-23227
Development and characteristics of supporting frame to isolate payloads from multi-gravitational forces
[NASA-CASE-MPS-21680-1] c15 N73-20525

PCM TELEMETRY

Variable time constant, wide frequency range smoothing network for noise removal from pulse chains
[NASA-CASE-XGS-01983] c10 N70-41964
Data acquisition and processing system with buffer storage and timing device for magnetic tape recording of PCM data and timing information
[NASA-CASE-NPO-12107] c08 N71-27255
High speed direct binary to binary coded decimal converter for use in PCM telemetry systems
[NASA-CASE-KSC-10326] c08 N72-21197

PELLETS

Supporting structure for simultaneous exposure of pellets to X rays
[NASA-CASE-XNP-06031] c15 N71-15606

PELTSER EFFECTS

Use of silicon controlled rectifier shorting circuit to protect thermoelectric generator source from thermal destruction
[NASA-CASE-XGS-04808] c03 N69-25146

PENETRANTS

Dye penetrant and technique for nondestructive tests of solid surfaces contacted by liquid oxygen
[NASA-CASE-XMF-02221] c18 N71-27170

PENETROMETERS

Development and characteristics of penetrometer for measuring physical properties of lunar surface
[NASA-CASE-XLA-00934] c14 N71-22765
Portable penetrometer for analyzing soil characteristics
[NASA-CASE-MFS-20774] c14 N73-19420
Auger-type soil penetrometer for burrowing into soil formations
[NASA-CASE-XNP-05530] c14 N73-32321

PERCEPTION

Measuring method for cutaneous perception using instrument with elongated tubular housing
[NASA-CASE-MSC-13609-1] c05 N72-25122

PERFLUORO COMPOUNDS

Chemical synthesis of hydroxy terminated perfluoro ethers as intermediates for highly fluorinated polyurethane resins
[NASA-CASE-NPO-10768] c06 N71-27254
Perfluoro polyether acyl fluorides
[NASA-CASE-NPO-10765] c06 N72-20121
Reaction of polyperfluoropolyenes with fluorine to produce saturated polymer chain or create

- reactive sites on chain
[NASA-CASE-NPO-10862] c06 N72-22107
- Silphenylenesiloxane polymer with in-chain
perfluoroalkyl groups
[NASA-CASE-MFS-20979] c06 N72-25151
- Polymerization of perfluorobutadiene
[NASA-CASE-NPO-10863-2] c06 N72-25152
- Formation of polyurethane resins from hydroxy
terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c06 N72-27144
- Process for preparing disilanol with in-chain
perfluoroalkyl groups
[NASA-CASE-MFS-20979-2] c06 N73-32030
- PERFORATED PLATES**
Helium outgassing process for fused glass
coating on ion accelerator grid
[NASA-CASE-LEW-10278-1] c15 N71-28582
- PERFORATED SHELLS**
Method of fabricating an article with cavities
--- with thin bottom walls
[NASA-CASE-LAR-10318-1] c14 N74-18089
- PERFORMANCE TESTS**
Flexible, frangible electrochemical cell and
package for operation in low temperature
environment
[NASA-CASE-XGS-10010] c03 N72-15986
- Test method and equipment for identifying faulty
cells or connections in solar cell assemblies
[NASA-CASE-NPO-10401] c03 N72-20033
- Development of apparatus for detonating
explosive devices in order to determine forces
generated and detonation propagation rate
[NASA-CASE-LAR-10800-1] c33 N72-27959
- PERMEABILITY**
Water insoluble, cationic permselective membrane
[NASA-CASE-NPO-11091] c18 N72-22567
- PEROXIDES**
Low pressure perfluorobutadiene polymerization
with peroxide catalysts
[NASA-CASE-NPO-10447] c06 N70-11252
- PERSPIRATION**
Manufacturing process for making perspiration
resistant-stress resistant biopotential
electrode
[NASA-CASE-MSC-90153-2] c05 N72-25120
- PERTURBATION**
Absorbing gas reactivity control system for
minimizing power distribution and perturbation
in nuclear reactors
[NASA-CASE-XLE-04599] c22 N72-20597
- Laser Doppler velocimeter for simultaneously
measuring orthogonal fluid velocity components
without flow field perturbation
[NASA-CASE-ARC-10637-1] c14 N73-21390
- PHASE COHERENCE**
Apparatus for estimating amplitude and sign of
phase difference or time lag between two signals
[NASA-CASE-NPO-11203] c10 N72-20224
- Design of nonlinear coherence receiver with
feedback signal selection for carrier tracking
in telecommunications
[NASA-CASE-NPO-11921-1] c07 N73-23118
- PHASE CONTROL**
System designed to reduce time required for
obtaining synchronization in data
communication with spacecraft utilizing
pseudonoise codes
[NASA-CASE-NPO-10214] c10 N71-26577
- Wideband voltage controlled oscillator with high
phase stability
[NASA-CASE-XLA-03893] c10 N71-27271
- System for generating timing and control signals
during repetitive fixed length serial data
transmission
[NASA-CASE-NPO-13125-1] c09 N73-18225
- Voltage controlled oscillator circuit for
two-phase induction motor control
[NASA-CASE-MFS-21465-1] c10 N73-32145
- PHASE DEMODULATORS**
Development of phase demodulation system with
two phase locked loops
[NASA-CASE-INP-00777] c10 N71-19469
- PHASE DETECTORS**
Detector assembly for discriminating first
signal with respect to presence or absence of
second signal at time of occurrence of first
signal
[NASA-CASE-XMF-00701] c09 N70-40272
- Bipolar phase detector and corrector for split
phase PCM data signals
[NASA-CASE-XGS-01590] c07 N71-12392
- High speed phase detector design indicating
phase relationship between two square wave
input signals
[NASA-CASE-XNP-01306-2] c09 N71-24596
- Voltage controlled phase shifter with low
distortion
[NASA-CASE-MFS-21671-1] c10 N73-17211
- Phase detector with time correlation integrator
for frequency multiplexed signals
[NASA-CASE-GSC-11744-1] c09 N73-23291
- Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c10 N74-14956
- PHASE DEVIATION**
System for stabilizing cable phase delay
utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c09 N74-17927
- PHASE LOCK DEMODULATORS**
Phase locked demodulator with bandwidth
switching amplifier circuit
[NASA-CASE-XNP-01107] c10 N71-28859
- PHASE LOCKED SYSTEMS**
System for phase locking onto carrier frequency
signal located within receiver bandpass
[NASA-CASE-XGS-04994] c09 N69-21543
- Phase locked loop with sideband rejecting
properties in continuous wave tracking radar
[NASA-CASE-XNP-02723] c07 N70-41680
- Development of automatic frequency
discriminators and control for phase lock loop
providing frequency preset capabilities
[NASA-CASE-XMF-08665] c10 N71-19467
- Development and characteristics of burst
synchronization detection system
[NASA-CASE-XMS-05605-1] c10 N71-19468
- Development of phase demodulation system with
two phase locked loops
[NASA-CASE-XNP-00777] c10 N71-19469
- Diversity receiving system with diversity phase
lock
[NASA-CASE-XGS-01222] c10 N71-20841
- Phase locked phase modulation system with
voltage controlled oscillator for final phase
linearity
[NASA-CASE-XNP-05382] c10 N71-23544
- Video sync processor with phase locked system
[NASA-CASE-KSC-10002] c10 N71-25865
- Characteristics of data-aided carrier tracking
loop used for tracking carrier in angle
modulated communications system
[NASA-CASE-NPO-11282] c10 N73-16205
- Filter for third order phase locked loops in
signal receivers
[NASA-CASE-NPO-11941-1] c10 N73-27171
- Improved phase lock loop for receiver in
multichannel telemetry system with suppressed
carrier
[NASA-CASE-NPO-11593-1] c07 N73-28012
- Automatic carrier acquisition system for phase
locked loop receiver
[NASA-CASE-NPO-11628-1] c07 N73-30113
- Digital phase-locked loop for accumulator output
signal phase-locked to input signal
[NASA-CASE-GSC-11623-1] c10 N73-31202
- Low speed phaselock speed control system --- for
brushless dc motor
[NASA-CASE-GSC-11127-1] c09 N74-10202
- Phase-locked servo system --- for synchronizing
rotation of two or more rotating systems
[NASA-CASE-MFS-22073-1] c09 N74-11058
- PHASE MODULATION**
Plural channel data transmission system with
quadrature modulation and complementary
demodulation
[NASA-CASE-XAC-06302] c08 N71-19763
- Adaptive notch filter, using modulation
techniques for reversed phase noise signal
[NASA-CASE-XMF-01892] c10 N71-22986
- Phase locked phase modulation system with
voltage controlled oscillator for final phase
linearity
[NASA-CASE-XNP-05382] c10 N71-23544
- Scanning signal phase and amplitude electronic
control device with hybrid T waveguide junction
[NASA-CASE-NPO-10302] c10 N71-26142
- Phase modulator with tuned variable length
electrical lines including coupling and

- varactor diode circuits
[NASA-CASE-MSC-13201-1] c07 N71-28429
- Multicarrier communications system for transmitting modulated signals from single transmitter
[NASA-CASE-NPO-11548] c07 N73-26118
- Phase modulation of tone and binary signals on carrier waves in communication systems
[NASA-CASE-GSC-11743-1] c07 N73-27107
- Decision feedback loop for tracking a polyphase modulated carrier
[NASA-CASE-NPO-13103-1] c07 N74-20811
- PHASE SHIFT**
- Bipolar phase detector and corrector for split phase PCM data signals
[NASA-CASE-XGS-01590] c07 N71-12392
- Left and right hand circular electromagnetic polarization excitation by phase shifter and hybrid networks
[NASA-CASE-GSC-10021-1] c09 N71-24595
- Pulse code modulated data from frequency multiplex communications by digital phase shift or carrier
[NASA-CASE-NPO-11338] c08 N72-25208
- PHASE SHIFT CIRCUITS**
- Design of gyrator circuit using operational amplifiers to replace ungrounded inductors
[NASA-CASE-XAC-10608-1] c09 N71-12517
- Phase shifting circuit for selecting phase of input signal
[NASA-CASE-ARC-10269-1] c10 N72-16172
- Continuously variable, voltage-controlled phase shifter
[NASA-CASE-NPO-11129] c09 N72-33204
- Voltage controlled phase shifter with low distortion
[NASA-CASE-MFS-21671-1] c10 N73-17211
- Voltage controlled oscillator circuit for two-phase induction motor control
[NASA-CASE-MFS-21465-1] c10 N73-32145
- PHASE SHIFT KEYING**
- Development of communication system for transmitting differential phase shift keyed signals from input data bits without timing or phase reference signals
[NASA-CASE-MSC-14065-1] c07 N73-10215
- Development of differential phase shift keyed signal receiver to resolve differential phase shift in incoming signal
[NASA-CASE-MSC-14066-1] c10 N73-10269
- Decision feedback loop for tracking a polyphase modulated carrier
[NASA-CASE-NPO-13103-1] c07 N74-20811
- PHASE SWITCHING INTERFEROMETERS**
- Interferometric tuning acquisition and tracking radar antenna system
[NASA-CASE-XMS-09610] c07 N71-24625
- PHASE TRANSFORMATIONS**
- Magnetohydrodynamic generator for mixing nonconductive gas and liquid metal mist to form slugs
[NASA-CASE-XLE-02083] c03 N69-39983
- Method and feed system for separating and orienting liquid and vapor phases of liquid propellants in zero gravity environment
[NASA-CASE-XLE-01182] c27 N71-15635
- PHASED ARRAYS**
- Development of phase control coupling for use with phased array antenna
[NASA-CASE-ERC-10285] c10 N73-16206
- PHASED LOCKED SYSTEMS**
- Bit synchronization system using digital data transition tracking phased locked loop
[NASA-CASE-NPO-10844] c07 N72-20140
- Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c08 N74-12887
- PHENOLIC RESINS**
- Improved bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c15 N74-14141
- PHENOLS**
- Utilization of lithium p-lithiphenoxide to prepare star polymers
[NASA-CASE-NPO-10998-1] c06 N73-32029
- PHONOCARDIOGRAPHY**
- Phonocardiogram simulator producing electrical voltage waves to control amplitude and duration between simulated sounds
[NASA-CASE-XKS-10804] c05 N71-24606
- Vibrophonocardiograph comprising low weight and small volume piezoelectric microphone with amplifier having high input impedance for high sensitivity and low frequency response
[NASA-CASE-XFR-07172] c05 N71-27234
- PHOSPHATES**
- Low concentration alkaline solution treatment of aluminum with metal phosphate surface coatings to improve chemical bonding and reduce coating weight
[NASA-CASE-XLA-01995] c18 N71-23047
- PHOSPHONITRILES**
- Chemical synthesis of thermally stable organometallic polymers with divalent metal ion and tetraphenylphosphonitrilic units
[NASA-CASE-BQN-10364] c06 N71-27363
- PHOTOCATHODES**
- Spectrometer using photoelectric effect to obtain spectral data
[NASA-CASE-XNP-04161] c14 N71-15599
- PHOTOCONDUCTIVITY**
- Photofabrication techniques for selective removal of conductive metals oxide coatings from nonconductive substrates
[NASA-CASE-ERC-10108] c06 N72-21094
- PHOTOCONDUCTORS**
- Electronic divider and multiplier for analog electric signals
[NASA-CASE-XFR-05637] c09 N71-19480
- Photoconducting semiconductor system for converting stored optical images into video signals
[NASA-CASE-NPO-13131-1] c16 N73-31467
- PHOTOELECTRIC CELLS**
- Sun tracker with rotatable plane-parallel plate and two photocells
[NASA-CASE-XGS-01159] c21 N71-10678
- Method of and device for determining the characteristics and flux distribution of micrometeorites --- scanning puncture holes in sheet material with photoelectric cell
[NASA-CASE-NPO-12127-1] c14 N74-13130
- PHOTOELECTRIC EFFECT**
- Spectrometer using photoelectric effect to obtain spectral data
[NASA-CASE-XNP-04161] c14 N71-15599
- PHOTOELECTRIC MATERIALS**
- Light radiation direction indicator with baffle of two parallel grids
[NASA-CASE-XNP-03930] c14 N69-24331
- Use of thin film light detector
[NASA-CASE-NPD-11432-2] c14 N74-15090
- PHOTOGRAPHIC EQUIPMENT**
- Camera protecting device for use in photographing rocket engine nozzles or other engine components
[NASA-CASE-NPO-10174] c14 N71-18465
- PHOTOGRAPHIC FILM**
- Longitudinal film gate and lock mechanism for securing film in motion picture cameras under vibration and high acceleration loads
[NASA-CASE-LAR-10686] c14 N71-28935
- Photographic film restoration system using Fourier transformation lenses and spatial filter
[NASA-CASE-MSC-12448-1] c14 N72-20394
- Mechanical exposure interlock device for preventing film overexposure in oscilloscope camera
[NASA-CASE-LAR-10319-1] c14 N73-32322
- PHOTOGRAPHIC MEASUREMENT**
- Photographic method for measuring viscoelastic strain in solid propellants and other materials
[NASA-CASE-XNP-01153] c32 N71-17645
- Impact measuring technique for determining size of hypervelocity projectiles
[NASA-CASE-LAR-10913] c14 N72-16282
- PHOTOGRAPHIC PROCESSING EQUIPMENT**
- Drying chamber for photographic sheet material
[NASA-CASE-GSC-11074-1] c14 N73-28489
- PHOTOGRAPHIC RECORDING**
- Photographing surface flow patterns on wind tunnel test models
[NASA-CASE-XLA-01353] c14 N70-41366
- Development of focused image holography with extended sources
[NASA-CASE-ERC-10019] c16 N71-15551
- Recording and reconstructing focused image holograms
[NASA-CASE-ERC-10017] c16 N71-15567

Method and means for recording and reconstructing holograms without use of reference beam
[NASA-CASE-ERC-10020] c16 N71-26154

Multiple image storing system for obtaining holographic record on film of high speed projectile
[NASA-CASE-MFS-20596] c14 N72-17324

Phototropic composition of matter with sensitivity to ultraviolet light and usable for producing positive photographic images
[NASA-CASE-XGS-03736] c14 N72-22443

Development of technique for producing holograms using propagation of surface waves within layer of photosensitive material
[NASA-CASE-MFS-22040-1] c16 N73-26500

Method for determining thermo-physical properties of specimens --- photographic recording of changes in thin film phase-change temperature indicating material in wind tunnel
[NASA-CASE-LAR-11053-1] c33 N74-18551

PHOTOIONIZATION

Multichannel photoionization chamber for measuring absorption, photoionization yield, and coefficients of gases
[NASA-CASE-ERC-10044-1] c14 N71-27090

PHOTOMETERS

Michelson interferometer with photodetector for optical direction sensing
[NASA-CASE-NPO-10320] c14 N71-17655

Indicator device for monitoring charge of wet cell battery, using semiconductor light emitter and photodetector
[NASA-CASE-NPO-10194] c03 N71-20407

Electro-optical detector for determining position of light source
[NASA-CASE-INP-01059] c23 N71-21821

Photometric flow meter with comparator reference means
[NASA-CASE-XGS-01331] c14 N71-22996

Development of radiant energy sensor to detect the radiant energy wavelength bands from portions of radiating body
[NASA-CASE-ERC-10174] c14 N72-25409

Characteristics of infrared photodetectors manufactured from semiconductor material irradiated by electron beam
[NASA-CASE-LAR-10728-1] c14 N73-12445

PHOTOMICROGRAPHY

Stereo photomicrography system with stereo microscope for viewing specimen at various magnifications
[NASA-CASE-LAR-10176-1] c14 N72-20380

Device for displaying and recording angled views of samples to be viewed by microscope
[NASA-CASE-GSC-11690-1] c14 N73-28499

Hand-held, lightweight, portable photomicroscope
[NASA-CASE-ARC-10468-1] c14 N73-33361

PHOTOMULTIPLIER TUBES

Photomultiplier detector of Canopus for spacecraft attitude control
[NASA-CASE-XNP-03914] c21 N71-10771

Electronic divider and multiplier for analog electric signals
[NASA-CASE-XFR-05637] c09 N71-19480

Circuit design for determining amount of photomultiplier tube light detection utilizing variable current source and dark current signals of opposite polarity
[NASA-CASE-XMS-03478] c14 N71-21040

Apparatus for detecting particle emission lower than noise level of multiplier tube
[NASA-CASE-XLA-07813] c14 N72-17328

Scan oscilloscope for mapping surface sensitivity of photomultiplier tube
[NASA-CASE-LAR-10320-1] c09 N72-23172

Design and development of light sensing device for controlling orientation of object relative to sun or other light source
[NASA-CASE-NPO-11201] c14 N72-27409

Control circuit for reducing bias voltage and radiation sensitivity of photomultiplier
[NASA-CASE-ARC-10593-1] c09 N73-30187

PHOTOSENSITIVITY

Photosensitive light source device for detecting unmanned spacecraft deviation from reference attitude
[NASA-CASE-XNP-00438] c21 N70-35089

Light sensitive control system for automatically opening and closing dome of solar optical telescope
[NASA-CASE-MSC-10966] c14 N71-19568

Scan oscilloscope for mapping surface sensitivity of photomultiplier tube
[NASA-CASE-LAR-10320-1] c09 N72-23172

Apparatus for calibrating an image dissector tube
[NASA-CASE-MPS-22208-1] c14 N74-18100

PHOTOTRANSISTORS

Phototransistor imaging system with mosaic of phototransistors on semiconductor substrate
[NASA-CASE-MFS-20809] c23 N73-13660

Phototransistor with base collector junction diode for integration into photo sensor arrays
[NASA-CASE-MFS-20407] c09 N73-19235

PHOTOTROPISM

Phototropic composition of matter with sensitivity to ultraviolet light and usable for producing positive photographic images
[NASA-CASE-XGS-03736] c14 N72-22443

PHOTOVISCOELASTICITY

Photographic method for measuring viscoelastic strain in solid propellants and other materials
[NASA-CASE-XNP-01153] c32 N71-17645

PHOTOVOLTAIC CELLS

Sensor consisting of photocells mounted on pyramidal base for improved pointing accuracy of planetary trackers
[NASA-CASE-XNP-04180] c07 N69-39736

Light sensitive digital aspect sensor for attitude control of earth satellites or space probes
[NASA-CASE-XGS-00359] c14 N70-34158

Method of producing output voltage from photovoltaic cell using poly-N-vinyl carbazole complexed with iodine
[NASA-CASE-NPO-10373] c03 N71-18698

Use of thin film light detector
[NASA-CASE-NPO-11432-2] c14 N74-15090

PHOTOVOLTAIC EFFECT

Semiconductor in resonant cavity for improving signal to noise ratio of communication receiver
[NASA-CASE-MSC-12259-1] c07 N70-12616

Use of thin film light detector
[NASA-CASE-NPO-11432-2] c14 N74-15090

PHYSICAL PROPERTIES

Chemical and physical properties of synthetic polyurethane polymer prepared by reacting hydroxy carbonate with organic diisocyanate
[NASA-CASE-MFS-10512] c06 N73-30099

Ultraviolet and thermally stable polymer compositions --- poly(diarylsiloxy)/arylazines
[NASA-CASE-ARC-10592-2] c06 N74-11926

PHYSIOLOGICAL EFFECTS

Restraint torso for increased mobility and reduced physiological effects while wearing pressurized suits
[NASA-CASE-MSC-12397-1] c05 N72-25119

PHYSIOLOGICAL TESTS

Vibrophonocardiograph comprising low weight and small volume piezoelectric microphone with amplifier having high input impedance for high sensitivity and low frequency response
[NASA-CASE-IPR-07172] c05 N71-27234

Multichannel medical monitoring system to measure physiological parameters from display device at remote control station
[NASA-CASE-MSC-14180-1] c05 N73-22045

PHYSIOLOGY

Piezoelectric transducer for monitoring sound waves of physiological origin
[NASA-CASE-XMS-05365] c14 N71-22993

Computer controlled infusion pump for time varying input of calcium into physiological systems
[NASA-CASE-ARC-10447-1] c05 N73-14092

PIERCING

Pressurized cell micrometeoroid detector
[NASA-CASE-XLA-00936] c14 N71-14996

Modification of one man life raft
[NASA-CASE-LAR-10241-1] c05 N74-14845

PIEZOELECTRIC CRYSTALS

Miniature solid state, direction sensitive, stress transducer design with bonded semiconductive piezoresistive element for sensing residual stresses
[NASA-CASE-XNP-02983] c14 N71-21091

- Ultra-stable oscillator with complementary transistors
[NASA-CASE-GSC-11513-1] c09 N74-20862
- PIEZOELECTRIC TRANSDUCERS**
Piezoelectric transducer for detecting and measuring micrometeoroids
[NASA-CASE-XAC-01101] c14 N70-41957
Describing crystal oscillator instrument for detecting condensable gas contaminants in vacuum apparatus
[NASA-CASE-NPO-10144] c14 N71-17701
Piezoelectric transducer for monitoring sound waves of physiological origin
[NASA-CASE-XMS-05365] c14 N71-22993
Miniature piezoelectric semiconductor transducer with in situ stress coupling
[NASA-CASE-ERC-10087-2] c14 N72-31446
Piezoelectric relay --- with pair of bimorphs
[NASA-CASE-GSC-11627-1] c09 N74-19852
- PIEZOELECTRICITY**
Piezoelectric means for missile stage separation indication and stage initiation
[NASA-CASE-XLA-00791] c03 N70-39930
Piezoelectric pump for supplying fluid at high frequencies to gyroscope fluid suspension system
[NASA-CASE-XNP-05429] c26 N71-21824
Miniature electromechanical junction transducer operating on piezoelectric effect and utilizing epoxy for stress coupling component
[NASA-CASE-ERC-10087] c14 N71-27334
- PIEZORESISTIVE TRANSDUCERS**
Miniature solid state, direction sensitive, stress transducer design with bonded semiconductor piezoresistive element for sensing residual stresses
[NASA-CASE-XNP-02983] c14 N71-21091
Solid state force measuring electromechanical transducers made of piezoresistive materials
[NASA-CASE-ERC-10088] c26 N71-25490
- PIGMENTS**
Binder stabilized zinc oxide pigmented coating for spacecraft thermal control
[NASA-CASE-XMP-07770-2] c18 N71-26772
- PILOT TRAINING**
Controlled visibility device for simulating poor visibility conditions in training pilots in instrument landing and flight procedures
[NASA-CASE-XPR-04147] c11 N71-10748
- PILOTS (PERSONNEL)**
Pilot warning indicator system of intruder aircraft
[NASA-CASE-ERC-10226-1] c14 N73-16483
- PIPS**
Fatigue resistant shear pin with hollow shaft and two plugs
[NASA-CASE-XLA-09122] c15 N69-27505
Blade vibration damping pins for turbomachinery
[NASA-CASE-XLE-00155] c28 N71-29154
Design of quick release locking pin for joining two or more load-carrying structural members
[NASA-CASE-HFS-18495] c15 N72-11385
- PINTLES**
Describing metal valve pintle with encapsulated elastomeric body
[NASA-CASE-HSC-12116-1] c15 N71-17648
- PIPE FLOW**
Design and development of device for moving liquid through pipes without use of mechanical pumps
[NASA-CASE-LAR-10799-1] c12 N73-12295
- PIPELINES**
Flexible bellows joint shielding sleeve for propellant transfer pipelines
[NASA-CASE-XNP-01855] c15 N71-28937
- PIPES (TUBES)**
Capacitance measuring device for determining flare accuracy on tapered tubes
[NASA-CASE-IKS-03495] c14 N69-39785
Low thermal loss piping arrangement for moving cryogenic media through double chamber structure
[NASA-CASE-XNP-08882] c15 N69-39935
Foldable conduit capable of springing back as self erecting structural member
[NASA-CASE-XLE-00620] c32 N70-41579
Mounting fixture for supporting thermobulb in pipeline
[NASA-CASE-NPO-10158] c33 N71-16356
Method and apparatus for shaping and joining large diameter metal tubes using magnetomotive forces
[NASA-CASE-XMP-05114] c15 N71-17650
Sealed separable connection for thin wall metal tube
[NASA-CASE-NPO-10064] c15 N71-17693
Electrical switching device comprising conductive liquid confined within square loop of deformable nonconductive tubing also used for leveling
[NASA-CASE-NPO-10037] c09 N71-19610
Hand tool for forming dimples and nipples on end portion of tubes
[NASA-CASE-XMS-06876] c15 N71-21536
Nonconductive tube as feed system for plasma thruster
[NASA-CASE-XLE-02902] c25 N71-21694
Apparatus and method for spin forming tubular elbows with high strength, uniform thickness, and close tolerances
[NASA-CASE-XMP-01083] c15 N71-22723
Description of portable milling tool for milling tube or pipe ends to desired shape and thickness
[NASA-CASE-XMP-03511] c15 N71-22799
Gage for measuring internal angle of flare on end of tube
[NASA-CASE-XMP-04415] c14 N71-24693
Method and apparatus for portable high precision magnetomotive bulging, constricting, and joining of large diameter metal tubes
[NASA-CASE-XMP-05114-3] c15 N71-24865
Portable cutting machine for piping weld preparation
[NASA-CASE-IKS-07953] c15 N71-26134
Method and apparatus for precision sizing and joining of large diameter tubes by bulging or constricting overlapping ends
[NASA-CASE-XMP-05114-2] c15 N71-26148
Collapsible antenna boom and coaxial transmission line having inflatable inner tube
[NASA-CASE-MFS-20068] c07 N71-27191
Process for developing filament reinforced plastic tubes used in research and development programs
[NASA-CASE-LAR-10203-1] c15 N72-16330
Tubular guideway for high speed ground effect machines
[NASA-CASE-LAR-10256-1] c11 N72-20253
Torsional disconnect device for releasably coupling distal ends of fluid conduits
[NASA-CASE-NPO-10704] c15 N72-20445
Open type urine receptacle with tubular housing
[NASA-CASE-HSC-12324-1] c05 N72-22093
Measuring method for cutaneous perception using instrument with elongated tubular housing
[NASA-CASE-HSC-13609-1] c05 N72-25122
Low mass truss structure with elongated thin-walled tubular segments
[NASA-CASE-LAR-10546-1] c11 N72-25287
Honeycomb panels of minimal surface, periodic tubule layers
[NASA-CASE-ERC-10364] c18 N72-25540
Honeycomb core structures of minimum surface tubule sections
[NASA-CASE-ERC-10363] c18 N72-25541
U shaped heated tube for distillation and purification of liquid metals
[NASA-CASE-XNP-08124-2] c06 N73-13129
Cable guide and restraint device for reefing tubes in uniform manner
[NASA-CASE-LAR-10129-1] c15 N73-25512
Twisted wire or tube superconductor for filament windings
[NASA-CASE-LEB-11015] c26 N73-32571
- PISTONS**
Automatically reciprocating, high pressure pump for use in spacecraft cryogenic propellants
[NASA-CASE-XNP-04731] c15 N71-24042
Pumping and metering dual piston system and monitor for reaction chamber constituents
[NASA-CASE-GSC-10218-1] c15 N72-21465
Collapsible piston for hypervelocity gun
[NASA-CASE-HSC-13789-1] c11 N73-32152
Airflow control system for supersonic inlets
[NASA-CASE-LEB-11188-1] c02 N74-20646
- PITCH**
Strapped down gyroscope aligned with sun and star tracker optical axis calibrating roll, yaw and pitch values
[NASA-CASE-ARC-10716-1] c31 N73-32784

PIVOTS

Apparatus for measuring load on cable under static or dynamic conditions comprising pulleys pivoting structure against restraint of tension strap
[NASA-CASE-XMS-04545] c15 N71-22878

PLANE WAVES
Characteristics of microwave antenna with conical reflectors to generate plane wave front
[NASA-CASE-NPO-11661] c07 N73-14130

PLANET EPHIMERIDES
Computation method and apparatus for predicting solar flares by correlating planetary ephemeris data with gravitational force effects on sun
[NASA-CASE-ERC-10323-1] c30 N70-22183

PLANETARY ATMOSPHERES
Planetary atmospheric investigation using split trajectory dual flyby mode
[NASA-CASE-XAC-08494] c30 N71-15990

Wind tunnel method for simulating flow fields around blunt vehicles entering planetary atmospheres without involving high temperatures
[NASA-CASE-LAR-11138] c12 N71-20436

Ablation sensor for measuring surface ablation rate of material on vehicles entering earths atmosphere on entry into planetary atmospheres
[NASA-CASE-XLA-01791] c14 N71-22991

PLANETARY GRAVITATION
Lunar and planetary gravity simulator to test vehicular response to landing
[NASA-CASE-XLA-00493] c11 N70-34786

Table structure and rotating magnet system simulating gravitational forces on spacecraft and displaying trajectories between Earth, Venus, and Mercury
[NASA-CASE-XNP-00708] c14 N70-35394

PLANETARY LANDING
Multiple parachute system for landing control of Apollo type spacecraft
[NASA-CASE-XLA-00898] c02 N70-36804

Payload soft landing system using stowable gas bag
[NASA-CASE-XLA-09881] c31 N71-16085

PLANETARY ORBITS
Self-erectable space structures of flexible foam for application in planetary orbits
[NASA-CASE-XLA-00686] c31 N70-34135

Manned space station collapsible for launching and self-erectable in orbit
[NASA-CASE-XLA-00678] c31 N70-34296

PLANETARY RADIATION
Attitude sensor with scanning mirrors for detecting orientation of space vehicle with respect to planet
[NASA-CASE-XLA-00793] c21 N71-22880

PLANETARY SURFACES
Spacecraft transponder and ground station radar system for mapping planetary surfaces
[NASA-CASE-NPO-11001] c07 N72-21118

PLANTS (BOTANY)
Rotary plant growth accelerating apparatus --- for weightlessness simulation
[NASA-CASE-ARC-10722-1] c04 N74-13807

PLASMA ACCELERATION
Increasing available power per unit area in ion rocket engine by increasing beam density
[NASA-CASE-XLE-00519] c28 N70-41576

Coaxial, high density, hypervelocity plasma generator and accelerator using electrodes
[NASA-CASE-MPS-20589] c25 N72-32688

PLASMA ACCELERATORS
Crossed-field plasma accelerator for laboratory simulation of atmospheric reentry conditions
[NASA-CASE-XLA-00675] c25 N70-33267

Continuous operation, single phased, induction plasma accelerator producing supersonic speeds
[NASA-CASE-XLA-01354] c25 N70-36946

Crossed field MHD plasma generator-accelerator
[NASA-CASE-XLA-03374] c25 N71-15562

Direct current powered self repeating plasma accelerator with interconnected annular and linear discharge channels
[NASA-CASE-XLA-03103] c25 N71-21693

Converging coaxial plasma accelerator for generating dense high velocity plasma bursts
[NASA-CASE-ARC-10109] c25 N71-29181

Magnetically controlled plasma accelerator capable of ignition in low density gaseous environment

[NASA-CASE-XLA-00327] c25 N71-29184
Two stage light gas plasma projectile accelerator
[NASA-CASE-MPS-22287-1] c11 N74-18891

PLASMA CONTROL
Development of self-energized plasma compressor for compressing plasma discharged from coaxial plasma generator
[NASA-CASE-MPS-22145-1] c25 N73-26721

Superconducting magnetic field trapping device for producing magnetic field in air
[NASA-CASE-XNP-01185] c26 N73-28710

PLASMA CYLINDERS
Plasma-fluidic hybrid display system combining high brightness and memory characteristics
[NASA-CASE-ERC-10100] c09 N71-33519

PLASMA DENSITY
Apertured electrode focusing system for ion sources with nonuniform plasma density
[NASA-CASE-XNP-03332] c09 N71-10618

PLASMA DIAGNOSTICS
Plasma probes having guard ring and primary sensor at same potential to prevent stray wall current collection in ionized gases
[NASA-CASE-XLE-00690] c25 N69-39884

Apparatus for measuring conductivity and velocity of plasma with multiple sensing coils positioned in plasma
[NASA-CASE-XAC-05695] c25 N71-16073

Development and characteristics of test equipment for determining temperature and electron density of plasma based on derivation of absorption coefficients
[NASA-CASE-ARC-10598-1] c25 N73-29750

PLASMA DYNAMICS
Apparatus for measuring conductivity and velocity of plasma with multiple sensing coils positioned in plasma
[NASA-CASE-XAC-05695] c25 N71-16073

Development of self-energized plasma compressor for compressing plasma discharged from coaxial plasma generator
[NASA-CASE-MPS-22145-1] c25 N73-26721

PLASMA ENGINES
Nonconductive tube as feed system for plasma thruster
[NASA-CASE-XLE-02902] c25 N71-21694

PLASMA FLUX MEASUREMENTS
Development and characteristics of test equipment for determining temperature and electron density of plasma based on derivation of absorption coefficients
[NASA-CASE-ARC-10598-1] c25 N73-29750

PLASMA GENERATORS
Apparatus for producing highly conductive, high temperature electron plasma with homogenous temperature and pressure distribution
[NASA-CASE-XLA-00147] c25 N70-34661

Crossed field MHD plasma generator-accelerator
[NASA-CASE-XLA-03374] c25 N71-15562

Coaxial, high density, hypervelocity plasma generator and accelerator using electrodes
[NASA-CASE-MPS-20589] c25 N72-32688

Development of self-energized plasma compressor for compressing plasma discharged from coaxial plasma generator
[NASA-CASE-MPS-22145-1] c25 N73-26721

PLASMA GUNS
Plasma spraying gun for forming diffusion bonded metal or ceramic coatings on substrates
[NASA-CASE-XLE-01604-2] c15 N71-15610

PLASMA LAYERS
Electrostatic modulator for communicating through plasma sheath formed around spacecraft during reentry
[NASA-CASE-XLA-01400] c07 N70-41331

Method and apparatus for communicating through ionized layer of gases surrounding spacecraft during reentry into planetary atmospheres
[NASA-CASE-XLA-01127] c07 N70-41372

Reentry communication by injection of water droplets into plasma layer surrounding space vehicle
[NASA-CASE-XLA-01552] c07 N71-11284

PLASMA POTENTIALS
Method and apparatus for measuring potentials in plasmas
[NASA-CASE-XLE-00821] c25 N71-15650

PLASMA PROBES
Plasma probes having guard ring and primary

- sensor at same potential to prevent stray wall current collection in ionized gases
[NASA-CASE-XLE-00690] c25 N69-39884
- Small plasma probe using tungsten wire collector in tubular shield
[NASA-CASE-XLE-02578] c25 N71-20747
- PLASMA PROPULSION**
Process for fabricating matched pairs of dished screen and accelerator grids for ion thruster accelerator system
[NASA-CASE-LEH-11694-1] c28 N73-22721
- PLASMA RADIATION**
Development of method for measuring electron density gradients of plasma sheath around space vehicle during atmospheric entry
[NASA-CASE-XLA-06232] c25 N71-20563
- Apparatus for producing monochromatic light from continuous plasma source
[NASA-CASE-INP-04167-2] c25 N72-24753
- PLASMA SHEATHS**
Space environment simulation system for measuring spacecraft electric field strength in plasma sheath
[NASA-CASE-XLE-02038] c09 N71-16086
- Development of method for measuring electron density gradients of plasma sheath around space vehicle during atmospheric entry
[NASA-CASE-XLA-06232] c25 N71-20563
- PLASMA SPRAYING**
Flame or plasma spraying for molybdenum coating of carbon or graphite surfaces to prevent oxidative corrosion
[NASA-CASE-XLA-00302] c15 N71-16077
- PLASMA TEMPERATURE**
Development and characteristics of test equipment for determining temperature and electron density of plasma based on derivation of absorption coefficients
[NASA-CASE-ARC-10598-1] c25 N73-29750
- PLASMAS (PHYSICS)**
Apparatus for measuring conductivity and velocity of plasma with multiple sensing coils positioned in plasma
[NASA-CASE-XAC-05695] c25 N71-16073
- PLASTIC COATINGS**
Process permitting application of synthetic resin coating to irregular-shaped objects at ambient temperature
[NASA-CASE-XNP-06508] c18 N69-39895
- Development and characteristics of system for skin packaging articles using thermoplastic film heating and vacuum operated equipment
[NASA-CASE-HFS-20855] c15 N73-27405
- Polymer coatings for moisture protection of optical windows in infrared spectroscopy
[NASA-CASE-ARC-10749-1] c23 N73-32542
- PLASTIC DEFORMATION**
Process for analysis of strain field of structures subjected to large deformations involving low modulus substrate with thin coating
[NASA-CASE-LAR-10765-1] c32 N73-20740
- PLASTIC TAPES**
Development of flexible thermocouple in form of tape for adaptation to special temperature measuring conditions
[NASA-CASE-LEH-11072-1] c14 N73-24472
- PLASTICS**
Hot forming of plastic sheets
[NASA-CASE-XMS-05516] c15 N71-17803
- Technique for making foldable, inflatable, plastic honeycomb core panels for use in building and bridge structures, light and radio wave reflectors, and spacecraft
[NASA-CASE-XLA-03492] c15 N71-22713
- Electrode sealing and insulation for fuel cells containing caustic liquid electrolytes using powdered plastic and metal
[NASA-CASE-XMS-01625] c15 N71-23022
- Dielectric apparatus for heating, fusing, and hardening of organic matrix to form plastic material into shaped product
[NASA-CASE-LAR-10121-1] c15 N71-26721
- Plastic sphere for radar tracking and calibration
[NASA-CASE-XLA-11154] c07 N72-21117
- Compression molding apparatus for thermosetting plastic compositions
[NASA-CASE-LAR-10489-2] c15 N73-31446
- PLATES (STRUCTURAL MEMBERS)**
Foil seal between parts moving relative to each other
[NASA-CASE-XLE-05130] c15 N69-21362
- PLATFORMS**
Development of timing device for conserving batteries on remote data collection platform by generating synchronous time windows
[NASA-CASE-GSC-11182-1] c31 N73-32769
- PLATING**
Selective plating of etched circuits without removing previous plating
[NASA-CASE-XGS-03120] c15 N71-24047
- Scanning nozzle plating system for etching or plating metals on substrates without masking
[NASA-CASE-NPO-11758-1] c15 N72-28507
- Metal plating process employing spraying of metallic power/peening particle mixture
[NASA-CASE-GSC-11163-1] c15 N73-32360
- PLENUM CHAMBERS**
Platform with several ground effect pads and plenum chambers
[NASA-CASE-HFS-14685] c31 N71-15689
- Development of filter apparatus for gas separation and characteristics of filter cell support frame for improved operation
[NASA-CASE-HSC-12297] c14 N72-23457
- PLOTTERS**
Plotter device for automatically drawing equipotential lines on sheet of resistance paper
[NASA-CASE-NPO-11134] c09 N72-21246
- PLOTTING**
Instrument for measuring potentials on two dimensional electric field plot
[NASA-CASE-XLA-08493] c10 N71-19421
- PLUGS**
Rocket chamber leak test fixture using tubular plug
[NASA-CASE-XFR-09479] c14 N69-27503
- Fatigue resistant shear pin with hollow shaft and two plugs
[NASA-CASE-XLA-09122] c15 N69-27505
- Control of gas flow from pressurized vessel by thermal expansion of metal plug
[NASA-CASE-NPO-10298] c12 N71-17661
- Heated porous plug microthruster for spacecraft reaction jet controlled systems such as fuel flow regulation, propellant disassociation, and heat transfer augmentation
[NASA-CASE-GSC-10640-1] c28 N72-18766
- PNEUMATIC CONTROL**
Pneumatic system for cyclic control of fluid flow in pneumatic device
[NASA-CASE-XMS-04843] c03 N69-21469
- Pneumatic control of telescopic mirror support system
[NASA-CASE-XLA-03271] c11 N69-24321
- Actuator using compressed gas as driving force to control valve handling large liquid flows
[NASA-CASE-XHQ-01208] c15 N70-35409
- Pneumatic mechanism for releasing hook and loop fasteners between large rigid structures
[NASA-CASE-XMS-10660-1] c15 N71-25975
- Pneumatic foot pedal operated fluidic exercising device
[NASA-CASE-HSC-11561-1] c05 N73-32014
- PNEUMATIC EQUIPMENT**
Development and characteristics of high pressure control valve
[NASA-CASE-HSC-11010] c15 N71-19485
- Pneumatic cantilever beams and platform for space erectable structure
[NASA-CASE-XLA-01731] c32 N71-21045
- Fluid transferring system design for purging toxic, corrosive, or noxious fluids and fumes from materials handling equipment for cleansing and accident prevention
[NASA-CASE-XMS-01905] c12 N71-21089
- Zero gravity apparatus utilizing pneumatic decelerating means to create payload subjected to zero gravity conditions by dropping its height
[NASA-CASE-XHF-06515] c14 N71-23227
- Pneumatic servoamplifier for controlling flow regulation
[NASA-CASE-HSC-12121-1] c15 N71-27147
- Portable device for detecting pneumatic pressure leaks in hermetically sealed housings
[NASA-CASE-HFS-21761-1] c14 N73-18444

Inflatable stabilizing system for use on life raft to reduce rocking and preclude capsizing
[NASA-CASE-MSC-12393-1] c02 N73-26006

Ultrasonically bonded valve assembly
[NASA-CASE-NPO-13360-1] c15 N74-20073

POINT SOURCES

Electronic background suppression field scanning sensor for detecting point source targets
[NASA-CASE-XGS-05211] c07 N69-39980

X ray collimating structure for focusing radiation directly onto detector
[NASA-CASE-IHQ-04106] c14 N70-40240

POINTING CONTROL SYSTEMS

Development of reflector system for application to line-of-sight pointing and tracking telescopes
[NASA-CASE-NPO-10468] c23 N71-33229

POLAR ORBITS

Spin phase synchronization of cartwheel satellite in polar orbit
[NASA-CASE-XGS-05579] c31 N71-15676

POLARIMETERS

Automatic polarimeter capable of measuring transient birefringence changes in electro-optic materials
[NASA-CASE-XNP-08883] c23 N71-16101

Two beam interferometer-polarimeter
[NASA-CASE-NPO-11239] c14 N73-12446

POLARITY

Converting output of positive dc voltage source to negative dc voltage across load with common reference point
[NASA-CASE-XMP-08217] c03 N71-23239

Peak polarity selector for monitoring waveforms
[NASA-CASE-FRC-10010] c10 N71-24862

Precision full wave rectifier circuit for rectifying incoming electrical signals having positive or negative polarity with only positive output signals
[NASA-CASE-ARC-10101-1] c09 N71-33109

POLARIZATION (WAVES)

Automatic nulling system for interference signal at multichannel receiver by polarization adjustment
[NASA-CASE-NPO-13140-1] c07 N73-27106

POLARIZED ELECTROMAGNETIC RADIATION

Device for improving efficiency of parabolic horn antenna system for linearly polarized signals
[NASA-CASE-XNP-00611] c09 N70-35219

Device for improving efficiency of parabolic reflector horn for linearly or circularly polarized waves
[NASA-CASE-XNP-00540] c09 N70-35382

POLISHING

Conforming polisher for aspheric surfaces of revolution with inflatable tube
[NASA-CASE-XGS-02884] c15 N71-22705

POLYBUTADIENE

Synthesis of polyfluorobutadiene by polymerization of perfluorobutadiene with diisopropyl peroxydicarbonate
[NASA-CASE-NPO-10863] c06 N70-11251

Low pressure perfluorobutadiene polymerization with peroxide catalysts
[NASA-CASE-NPO-10447] c06 N70-11252

POLYCARBONATES

Transparent polycarbonate resin, shell helmet and latch design for high altitude and space flight
[NASA-CASE-YMS-04935] c05 N71-11190

POLYESTERS

Carboxyl terminated polyester prepolymers and foams produced from prepolymers and materials
[NASA-CASE-NPO-10596] c06 N71-25929

Apparatus for manufacturing polyester drive belts
[NASA-CASE-NPO-13205-1] c15 N73-31442

POLYETHER RESINS

Preparation of stable polyurethane polymer by reacting polymer with diisocyanate
[NASA-CASE-MFS-10506] c06 N73-30100

Preparation of fluorohydroxy ethers by reacting fluoroalkylene oxides with alkali salt of polyfluoroalkylene diol
[NASA-CASE-MFS-10507] c06 N73-30101

Preparation of fluorinated polyethers from 2-hydro-perhaloisopropyl alcohols
[NASA-CASE-MFS-11492] c06 N73-30102

POLYIMIDES

Stable polyimide synthesis from mixtures of monomeric diamines and polycarboxylic acid esters
[NASA-CASE-LEW-11325-1] c06 N73-27980

Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c06 N74-12812

Aromatic polyimide preparation --- with low softening temperatures
[NASA-CASE-LAR-11372-1] c06 N74-19772

POLYISOBUTYLENE

Chemical process for production of polyisobutylene compounds and application as solid rocket propellant binder
[NASA-CASE-NPO-10893] c27 N73-22710

POLYMER CHEMISTRY

New trifunctional alcohol derived from trimer acid and novel method of preparation
[NASA-CASE-NPO-10714] c06 N69-31244

Synthesis of siloxane containing epoxy polymers with low dielectric properties
[NASA-CASE-MFS-13994-1] c06 N71-11240

Apparatus for determining volatile condensable material present in polymeric products
[NASA-CASE-XNP-09699] c06 N71-24607

POLYMERIC FILMS

Ethylene oxide sterilization and encapsulating process for sterile preservation of instruments and solid propellants
[NASA-CASE-XNP-09763] c14 N71-20461

Hydraulic apparatus for casting and molding of liquid polymers
[NASA-CASE-XNP-07659] c06 N71-22975

Transparent plastic film for attaching cover glasses to silicon solar cells
[NASA-CASE-LEW-11065-1] c03 N72-11064

Thermodielectric radiometer using polymer film as capacitor
[NASA-CASE-ARC-10138-1] c14 N72-24477

Silicon solar cell with plastic film binding to cover glass
[NASA-CASE-LEW-11065-2] c03 N73-26048

Development and characteristics of system for skin packaging articles using thermoplastic film heating and vacuum operated equipment
[NASA-CASE-MFS-20855] c15 N73-27405

POLYMERIZATION

Synthesis of polyfluorobutadiene by polymerization of perfluorobutadiene with diisopropyl peroxydicarbonate
[NASA-CASE-NPO-10863] c06 N70-11251

Low pressure perfluorobutadiene polymerization with peroxide catalysts
[NASA-CASE-NPO-10447] c06 N70-11252

Process for interfacial polymerization of pyromellitic dianhydride and tetraamino benzene
[NASA-CASE-XLA-03104] c06 N71-11235

Synthesis and chemical properties of imidazopyrrolone/imide copolymers
[NASA-CASE-XLA-08802] c06 N71-11238

Direct synthesis of polymeric schiff bases from two amines and two aldehydes
[NASA-CASE-XMP-08655] c06 N71-11239

Synthesis of azine polymers for heat shields by azine-aromatic aldehyde reaction
[NASA-CASE-XNP-08656] c06 N71-11242

Synthesis of schiff bases for heat shields by acetal amine reactions
[NASA-CASE-XMP-08652] c06 N71-11243

Preparation of elastomeric diamine silazane polymers
[NASA-CASE-XMP-04133] c06 N71-20717

Reaction of polyperfluoropolyenes with fluorine to produce saturated polymer chain or create reactive sites on chain
[NASA-CASE-NPO-10862] c06 N72-22107

Cross linked polymer system for oil or fat absorption properties
[NASA-CASE-NPO-11609-1] c06 N72-22114

Silphenylenesiloxane polymer with in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979] c06 N72-25151

Polymerization of perfluorobutadiene
[NASA-CASE-NPO-10863-2] c06 N72-25152

Monomer polymerization by plasma discharge as thin film for water purification membrane
[NASA-CASE-ARC-10643-1] c06 N73-29074

- Preparation of fluorohydroxy ethers by reacting fluoroalkylene oxides with alkali salt of polyfluoroalkylene diol
[NASA-CASE-MFS-10507] c06 N73-30101
- Preparation of fluorinated polyethers from 2-hydro-perhaloisopropyl alcohols
[NASA-CASE-MFS-11492] c06 N73-30102
- Fabrication of polyphenylquinoxaline composite articles by means of in situ polymerization of monomers
[NASA-CASE-LEH-11879-1] c18 N74-20152
- POLYMERS**
- Preparation of ordered poly/arylenesiloxane/polymers
[NASA-CASE-XMF-10753] c06 N71-11237
- Synthesis of aromatic diamines and dialdehyde polymers using Schiff base
[NASA-CASE-XMF-03074] c06 N71-24740
- Automated ball rebound resilience test equipment for determining viscoelastic properties of polymers
[NASA-CASE-XLA-08254] c14 N71-26161
- Infusible polymer production from reaction of polyfunctional epoxy resins with polyfunctional aziridine compounds
[NASA-CASE-NPO-10701] c06 N71-28620
- Development of solid state polymer coating for obtaining thermal balance in spacecraft components
[NASA-CASE-XLA-01745] c33 N71-28903
- Mercaptan terminated polymer containing sulfonic acid salts of nitrosubstituted aromatic amines for heat and moisture resistant coatings
[NASA-CASE-ARC-10325] c06 N72-25147
- Solid propellant containing hydrazinium nitroformate oxidizer and polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c27 N73-16764
- Chemical process for production of polyisobutylene compounds and application as solid rocket propellant binder
[NASA-CASE-NPO-10893] c27 N73-22710
- Utilization of lithium p-lithiophenoxide to prepare star polymers
[NASA-CASE-NPO-10998-1] c06 N73-32029
- Ultraviolet and thermally stable polymer compositions --- poly/(diarylsiloxy)/arylazines
[NASA-CASE-ARC-10592-2] c06 N74-11926
- Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c15 N74-20071
- Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c18 N74-21156
- POLYTETRAFLUOROETHYLENE**
- Procedure for bonding polytetrafluoroethylene thermal protective sleeves to magnesium alloy conical shell components with different thermal coefficients
[NASA-CASE-XLA-01262] c15 N71-21404
- POLYURETHANE FOAM**
- Self-erectable space structures of flexible foam for application in planetary orbits
[NASA-CASE-XLA-00686] c31 N70-34135
- Modification of polyurethanes with alkyl halide resins, inorganic salts, and encapsulated volatile and reactive halogen for fuel fire control
[NASA-CASE-ARC-10098-1] c06 N71-24739
- Lightweight fire resistant plastic foam for thermal protection of reentry vehicles and aircraft structures
[NASA-CASE-ARC-10180-1] c28 N72-20767
- Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c18 N74-11366
- Flexible fire retardant polyisocyanate modified neoprene foam --- for thermal protective devices
[NASA-CASE-ARC-10180-1] c06 N74-12814
- POLYURETHANE RESINS**
- Chemical synthesis of hydroxy terminated perfluoro ethers as intermediates for highly fluorinated polyurethane resins
[NASA-CASE-NPO-10768] c06 N71-27254
- Formation of polyurethane resins from hydroxy terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c06 N72-27144
- Fluorinated polyurethanes produced by reacting hydroxy terminated perfluoro polyether with diisocyanate
[NASA-CASE-NPO-10767-2] c06 N72-27151
- Chemical and physical properties of synthetic polyurethane polymer prepared by reacting hydroxy carbonate with organic diisocyanate
[NASA-CASE-MFS-10512] c06 N73-30099
- Preparation of stable polyurethane polymer by reacting polymer with diisocyanate
[NASA-CASE-MFS-10506] c06 N73-30100
- Preparation of polyurethane polymer by reacting hydroxy polyformal with organic diisocyanate
[NASA-CASE-MFS-10509] c06 N73-30103
- Chemical and elastic properties of fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c06 N73-33076
- POROUS MATERIALS**
- Production of refractory bodies with controlled porosity by pressing and heating mixtures of refractory and inert metal powders
[NASA-CASE-LEH-10393-1] c17 N71-15468
- Multilayer porous refractory metal ionizer design with thick, porous, large-grain substrates and thin, porous micron-grain substrates
[NASA-CASE-XNP-04338] c17 N71-23046
- Lubrication for bearings by capillary action from oil reservoir of porous material
[NASA-CASE-XNP-03972] c15 N71-23048
- Method and photodetector device for locating abnormal voids in low density materials
[NASA-CASE-MFS-20044] c14 N71-28993
- Production method for manufacturing porous tungsten bodies from tungsten powder particles
[NASA-CASE-XNP-04339] c17 N71-29137
- Compressible electrolyte saturated sponge electrode for biomedical applications
[NASA-CASE-MSC-13648] c05 N72-27103
- Development of method and equipment for detecting cracks in materials with porous subsurface matrix covered by impervious coating
[NASA-CASE-MSC-14187-1] c14 N73-17564
- Porous electrode for use in electrochemical cells
[NASA-CASE-GSC-11368-1] c09 N73-32108
- Method of making porous conductive supports for electrodes --- by electroforming and stacking nickel foils
[NASA-CASE-GSC-11367-1] c03 N74-19692
- POROUS PLATES**
- Method for producing porous tungsten plates for ionizing cesium compounds for propulsion of ion engines
[NASA-CASE-XLE-00455] c28 N70-38197
- PORTABLE EQUIPMENT**
- Portable electron beam welding chamber
[NASA-CASE-LEH-11531] c15 N71-14932
- Portable apparatus producing high velocity annular air column surrounding low velocity, filtered, superclean air central core for industrial clean room environmental control
[NASA-CASE-XMF-03212] c15 N71-22721
- Portable cutting machine for piping weld preparation
[NASA-CASE-XKS-07953] c15 N71-26134
- Method and apparatus for precision sizing and joining of large diameter tubes by bulging or constricting overlapping ends
[NASA-CASE-XMF-05114-2] c15 N71-26148
- Portable cryogenic cooling system design including turbine pump, cooling chamber, and atomizer
[NASA-CASE-NPO-10467] c23 N71-26654
- Automatic controlled drive mechanism for portable boring bar
[NASA-CASE-XLA-03661] c15 N71-33518
- One hand backpack harness
[NASA-CASE-LAR-10102-1] c05 N72-23085
- Portable tester for monitoring bacterial contamination by adenosine triphosphate light reaction
[NASA-CASE-GSC-10879-1] c14 N72-25413
- Portable device for detecting pneumatic pressure leaks in hermetically sealed housings
[NASA-CASE-MFS-21761-1] c14 N73-18444
- Portable penetrometer for analyzing soil characteristics
[NASA-CASE-MFS-20774] c14 N73-19420
- Tool exchange capabilities of portable wrench characterized by telescopic sleeve
[NASA-CASE-MFS-22283-1] c15 N73-30462

- Hand-held, lightweight, portable photomicroscope
[NASA-CASE-ARC-10468-1] c14 N73-33361
- PORTS (OPENINGS)**
Sealing evacuation port and evacuating vacuum container such as space jackets
[NASA-CASE-XMF-03290] c15 N71-23256
- POSITION (LOCATION)**
Position locating system for remote aircraft using voice communication and digital signals
[NASA-CASE-GSC-10087-2] c21 N71-13958
Development of telemetry system for position location and data acquisition
[NASA-CASE-GSC-10083-1] c30 N71-16090
Automatic braking device for rapidly transferring humans or materials from elevated location
[NASA-CASE-XKS-07814] c15 N71-27067
System and method for position locating for air traffic control involving supersonic transports
[NASA-CASE-GSC-10087-3] c07 N72-12080
Location identification system with ground based transmitter and aircraft borne receiver/decoder
[NASA-CASE-ERC-10324] c07 N72-25173
System for detecting impact position of cosmic dust on detector surface
[NASA-CASE-GSC-11291-1] c25 N72-33696
Device for recording locations of measurements made by hand-held noncontacting probe
[NASA-CASE-LAR-10806-1] c14 N73-15474
Development of radio locating system for monitoring geographic movement of surface vehicles in metropolitan area using unsynchronized radio broadcasting stations
[NASA-CASE-NPO-13217-1] c07 N73-26144
Collimator for analyzing spatial location of near and distant sources of radiation
[NASA-CASE-MFS-20546-2] c14 N73-30389
- POSITION INDICATORS**
Rocket-borne aspect sensor consisting of radiation sensor, apertured disk, commutator, and counting circuits
[NASA-CASE-XGS-08266] c14 N69-27432
Characteristics and performance of electrical system to determine angular rotation
[NASA-CASE-XMF-00447] c14 N70-33179
Magnetic element position sensing device, using misaligned electromagnets
[NASA-CASE-XGS-07514] c23 N71-16099
Describing angular position and velocity sensing apparatus
[NASA-CASE-XGS-05680] c14 N71-17585
Mosaic semiconductor radiation detector and position indicator systems engineering for low energy particles
[NASA-CASE-XGS-03230] c14 N71-23401
Doppler compensated communication system for locating supersonic transport position
[NASA-CASE-GSC-10087-4] c07 N73-20174
Aircraft mounted crash location transmitter for emergency signal transmission after crashes
[NASA-CASE-MFS-16609-2] c07 N73-31084
- POSITIONING**
Centering device with ultrafine adjustment for use with roundness measuring apparatus
[NASA-CASE-XMF-00480] c14 N70-39898
Portable device for aligning surfaces of two adjacent wall or sheet sections for joining at point of junction
[NASA-CASE-XMF-01452] c15 N70-41371
Electro-optical/computer system for aligning large structural members and maintaining correct position
[NASA-CASE-XNP-02029] c14 N70-41955
Manual control mechanism for adjusting control rod to null position
[NASA-CASE-XLA-01808] c15 N71-20740
Tool positioning holder for grinding by ball nose milling cutter
[NASA-CASE-LAR-10450-1] c15 N73-10504
Rotating raster generator
[NASA-CASE-FRC-10071-1] c07 N74-20813
- POSITIONING DEVICES (MACHINERY)**
Swivel support for gas bearing for position adjustment between ball and supporting cup
[NASA-CASE-XMF-07808] c15 N71-23812
Caterpillar micropositioner for positioning machine tools adjacent to workpiece
[NASA-CASE-GSC-10780-1] c14 N72-16283
- Positioning mechanism for converting translatory motion into rotary motion
[NASA-CASE-NPO-10679] c15 N72-21462
Design and development of test stand system for supporting test items in vacuum chamber
[NASA-CASE-MFS-21362] c11 N73-20267
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c05 N74-13818
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c23 N74-21304
- POSITIVE FEEDBACK**
Complementary regenerative transistorized switch circuit employing positive and negative feedback
[NASA-CASE-XGS-02751] c09 N71-23015
- POTABLE WATER**
Potable water reclamation from human wastes in zero-G environment
[NASA-CASE-XLA-03213] c05 N71-11207
Utilization of solar radiation by solar still for converting salt and brackish water into potable water
[NASA-CASE-XMS-04533] c15 N71-23086
Chlorine generator for purifying water in life support systems of manned spacecraft
[NASA-CASE-XLA-08913] c14 N71-28933
Potable water dispenser
[NASA-CASE-MFS-21115-1] c05 N74-12779
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c05 N74-17853
- POTASSIUM SILICATES**
Fireproof potassium silicate coating composition, insoluble in water after application
[NASA-CASE-GSC-10072] c18 N71-14014
- POTENTIOMETERS (INSTRUMENTS)**
Two axis flight controller with potentiometer control shafts directly coupled to rotatable ball members
[NASA-CASE-XPR-04104] c03 N70-42073
Device for controlling rotary potentiometer mounted on aircraft steering wheel or aileron control
[NASA-CASE-XAC-10019] c15 N71-23809
Mechanical function generators with potentiometer as sensing element
[NASA-CASE-XAC-00001] c15 N71-28952
- POTTING COMPOUNDS**
Removable potting compound for instrument shock protection
[NASA-CASE-XLA-00482] c15 N70-36409
Flexible, repairable, pottable composition for encapsulating electric connectors
[NASA-CASE-XGS-05180] c18 N71-25881
Thermally conductive polymer for potting electrical components
[NASA-CASE-GSC-11304-1] c06 N72-21105
- POWDER METALLURGY**
Freeze casting of metal ceramic and refractory compound powders into plastic slips
[NASA-CASE-XLE-00106] c15 N71-16076
Production method for manufacturing porous tungsten bodies from tungsten powder particles
[NASA-CASE-XNP-04339] c17 N71-29137
Dry electrode manufacture, using silver powder with cement
[NASA-CASE-FRC-10029-2] c05 N72-25121
Grinding mixtures of powdered metals and inert fillers for conversion to halide
[NASA-CASE-LEW-10450-1] c15 N72-25448
Superalloys from prealloyed powders at high temperatures
[NASA-CASE-LEW-10805-1] c15 N73-13465
Development of method for fabricating cermet and analysis of various compositions to show electrical and physical properties
[NASA-CASE-NPO-13120-1] c18 N73-23629
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c17 N74-10521
Method of forming articles of manufacture from superalloy powders
[NASA-CASE-LEW-10805-2] c15 N74-13179
- POWER AMPLIFIERS**
Characteristics of high power, low distortion, alternating current power amplifier
[NASA-CASE-LAR-10218-1] c09 N70-34559

- Power supply with automatic power factor conversion system
[NASA-CASE-XMS-02159] c10 N71-22961
- Solid state broadband stable power amplifier
[NASA-CASE-XNP-10854] c10 N71-26331
- High efficiency transformerless amplitude modulator coupled to RF power amplifier
[NASA-CASE-GSC-10668-1] c07 N71-28430
- POWER EFFICIENCY**
- Low power drain transistor feedback circuit
[NASA-CASE-XGS-04999] c09 N69-24317
- Excitation and detection circuitry for flux responsive magnetic head
[NASA-CASE-XNP-04183] c09 N69-24329
- Increasing available power per unit area in ion rocket engine by increasing beam density
[NASA-CASE-XLE-00519] c28 N70-41576
- Absorbing gas reactivity control system for minimizing power distribution and perturbation in nuclear reactors
[NASA-CASE-XLE-04599] c22 N72-20597
- POWER GAIN**
- Serrodyne traveling wave tube reentrant amplifier for synchronous communication satellites operating at microwave frequencies
[NASA-CASE-XGS-01022] c07 N71-16088
- Switching circuit for control of cathode ray tube beam with fast rise time for output signal
[NASA-CASE-KSC-10647-1] c10 N72-31273
- POWER LIMITERS**
- Monostable multivibrator for conserving power in spacecraft systems
[NASA-CASE-GSC-10082-1] c10 N72-20221
- POWER LINES**
- Patent data on terminal insert connector for flat electric cables
[NASA-CASE-XMP-00324] c09 N70-34596
- Motor run-up system --- for preventing power line disturbances when synchronous motor is connected to line
[NASA-CASE-NPO-13374-1] c10 N74-17949
- POWER SERIES**
- Describing circuit for obtaining sum of squares of numbers
[NASA-CASE-XGS-04765] c08 N71-18693
- POWER SPECTRA**
- Method and apparatus for high resolution power spectrum analysis
[NASA-CASE-NPO-10748] c08 N72-20177
- POWER SUPPLIES**
- Tape recorder designed for low power consumption and resistance to operational failure under high stress conditions
[NASA-CASE-XGS-08259] c14 N71-23698
- Current dependent variable inductance for input filter chokes of ac or dc power supplies
[NASA-CASE-ERC-10139] c09 N72-17154
- Performance of ac power supply developed for CO₂ laser system
[NASA-CASE-GSC-11222-1] c16 N73-32391
- POWER SUPPLY CIRCUITS**
- Regulated dc to dc converter
[NASA-CASE-XGS-03429] c03 N69-21330
- Power control switching circuit using low voltage semiconductor controlled rectifiers for high voltage isolation
[NASA-CASE-XNP-02713] c10 N69-39888
- Increasing power conversion efficiency of electronic amplifiers by power supply switching
[NASA-CASE-XMS-00945] c09 N71-10798
- Electric power system utilizing thermionic plasma diodes in parallel and heat pipes as cathodes
[NASA-CASE-XMF-05843] c03 N71-11055
- Pulsed energy power system for application of combustible gases to turbine controlling ac voltage generator
[NASA-CASE-MSC-13112] c03 N71-11057
- Data processor having multiple sections activated at different times by selective power coupling to sections
[NASA-CASE-XGS-04767] c08 N71-12494
- Microwave power receiving antenna solving heat dissipation problems by construction of elements as heat pipe devices
[NASA-CASE-MFS-20333] c09 N71-13486
- Design, development, and operating principles of power supply with starting circuit which is independent of voltage regulator
[NASA-CASE-XMS-01991] c09 N71-21449
- Power supply with automatic power factor conversion system
[NASA-CASE-XMS-02159] c10 N71-22961
- Electric circuit for reversing direction of current flow
[NASA-CASE-XNP-00952] c10 N71-23271
- Power supply with overload protection for series stage transistor
[NASA-CASE-XMS-00913] c10 N71-23543
- Automatic power supply circuit design for driving inductive loads and minimizing power consumption including solenoid example
[NASA-CASE-NPO-10716] c09 N71-24892
- Unsaturating magnetic core transformer design with warning signal for electrical power processing equipment
[NASA-CASE-ERC-10125] c09 N71-24893
- Device for monitoring voltage by generating signal when voltages drop below predetermined value
[NASA-CASE-KSC-10020] c10 N71-27338
- Power point tracker for maintaining optimal output voltage of power source
[NASA-CASE-GSC-10376-1] c14 N71-27407
- Microwave power divider for providing variable output power to output waveguide in fixed waveguide system
[NASA-CASE-NPO-11031] c07 N71-33606
- Circuit for monitoring power supply by ripple current indication
[NASA-CASE-KSC-10162] c09 N72-11225
- Dc to ac to dc converter with transistor driven synchronous rectifiers
[NASA-CASE-GSC-11126-1] c09 N72-25253
- Integrated circuit power gyrator with Z-matrix design using parallel transistors
[NASA-CASE-MFS-22342-1] c09 N73-24236
- PRECESSION**
- Dynamic precession damping of spin-stabilized vehicles by using rate gyroscope and angular accelerometer
[NASA-CASE-XLA-01989] c21 N70-34295
- PRECISION**
- Precision stepping drive device using cam disk
[NASA-CASE-MFS-14772] c15 N71-17692
- Method and apparatus for precision sizing and joining of large diameter tubes by bulging or constricting overlapping ends
[NASA-CASE-XMP-05114-2] c15 N71-26148
- PREDICTION ANALYSIS TECHNIQUES**
- A space vehicle
[NASA-CASE-MFS-22734-1] c31 N74-20541
- PREFLIGHT OPERATIONS**
- Automatic balancing device for use on frictionless supported attitude-controlled test platforms
[NASA-CASE-LAR-10774] c10 N71-13545
- PRELAUNCH TESTS**
- Low loss parasitic probe antenna for prelaunch tests of spacecraft antennas
[NASA-CASE-XKS-09348] c09 N71-13521
- Digital computer system for automatic prelaunch checkout of spacecraft
[NASA-CASE-XKS-08012-2] c31 N71-15566
- PREPOLYMERS**
- Carboxyl terminated polyester prepolymers and foams produced from prepolymers and materials
[NASA-CASE-NPO-10596] c06 N71-25929
- PRESSURE CHAMBERS**
- Triggering system for electric arc driven impulse wind tunnel
[NASA-CASE-XMP-00411] c11 N70-36913
- Whole body measurement systems --- for weightlessness simulation
[NASA-CASE-MSC-13972-1] c05 N74-10975
- PRESSURE DISTRIBUTION**
- Piston device for producing known constant positive pressure within lungs by using thoracic muscles
[NASA-CASE-XMS-01615] c05 N70-41329
- Preventing pressure buildup in electrochemical cells by reacting palladium oxide with evolved hydrogen
[NASA-CASE-XGS-01419] c03 N70-41864
- Device for suppressing pressure oscillations in fluid transmission line
[NASA-CASE-MFS-10354-2] c12 N72-25306

PRESSURE EFFECTS

Vacuum displacement compression molding of tubular bodies from thermosetting plastics
[NASA-CASE-LAR-10782-2] c15 N73-31444
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c09 N74-17927

PRESSURE GAGES

Differential pressure cell insensitive to changes in ambient temperature and extreme overload
[NASA-CASE-XAC-00042] c14 N70-34816
Blood pressure measuring system for separately recording dc and ac pressure signals of Korotkoff sounds
[NASA-CASE-XMS-06061] c05 N71-23317
Control system for pressure balance device used in calibrating pressure gages
[NASA-CASE-XMF-04134] c14 N71-23755
Improved McLeod gage for pressure measurement
[NASA-CASE-XAC-04458] c14 N71-24232
Ultrahigh vacuum gauge with two collector electrodes
[NASA-CASE-LAR-02743] c14 N73-32324

PRESSURE GRADIENTS

Positive displacement flowmeter for measuring extremely low flows of fluid with self calibrating features
[NASA-CASE-XMF-02822] c14 N70-41994

PRESSURE MEASUREMENTS

Design and development of inertia diaphragm pressure transducer
[NASA-CASE-XAC-02981] c14 N71-21072
Design and development of pressure sensor for measuring differential pressures of few pounds per square inch
[NASA-CASE-XMF-01974] c14 N71-22752
Improved McLeod gage for pressure measurement
[NASA-CASE-XAC-04458] c14 N71-24232
Coherent light beam device and method for measuring gas density in vacuum chambers
[NASA-CASE-XER-11203] c14 N71-28994
Design, development, and characteristics of pressure and temperature sensor operating immersed in fluid flow
[NASA-CASE-LEW-10281-1] c14 N72-17327
Calibration of vacuum gauges for measuring total and partial pressures in ultrahigh vacuum region
[NASA-CASE-XGS-07752] c14 N73-30390
Absolute pressure measuring device for measuring gas density level in high vacuum range
[NASA-CASE-LAR-10000] c14 N73-30394
Wind tunnel model and method
[NASA-CASE-LAR-10812-1] c11 N74-17955

PRESSURE OSCILLATIONS

Device for suppressing pressure oscillations in fluid transmission lines
[NASA-CASE-MFS-10354] c12 N70-41976

PRESSURE REDUCTION

Relief valve to permit slow and fast bleeding rates at difference pressure levels
[NASA-CASE-XMS-05894-1] c15 N69-21924
Sealed electric storage battery with gas manifold interconnecting each cell
[NASA-CASE-XNP-03378] c03 N71-11051

PRESSURE REGULATORS

Pressure regulating system with high pressure fluid source, adapted to maintain constant downstream pressure
[NASA-CASE-XNP-00450] c15 N70-38603
Pulmonary resuscitation method and apparatus with adjustable pressure regulator
[NASA-CASE-XMS-01115] c05 N70-39922
Structural design of high pressure regulator valve
[NASA-CASE-XNP-00710] c15 N71-10778
Space suit with pressure-volume compensator system
[NASA-CASE-XLA-05332] c05 N71-11194
Portable environmental control and life support system for astronaut in and out of spacecraft
[NASA-CASE-XMS-09632-1] c05 N71-11203
Antibacklash circuit for hydraulic drive system
[NASA-CASE-XNP-01020] c03 N71-12260
High impact pressure regulator having minimum number of lightweight movable elements
[NASA-CASE-NPO-10175] c14 N71-18625
Pressure regulator for space suit worn underwater to simulate space environment for testing and experimentation
[NASA-CASE-MFS-20332] c05 N72-20097

Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c05 N73-25125
Development and characteristics of combined pressure regulator and shutoff valve with variable pressure response characteristics
[NASA-CASE-NPO-13201-1] c15 N73-26474

PRESSURE SENSORS

Fabrication of pressure-telemetry transducers
[NASA-CASE-XNP-09752] c14 N69-21541
Pressure probe for sensing ambient static air pressures
[NASA-CASE-XLA-00481] c14 N70-36824
Ambient atmospheric pressure sensing device for determining altitude of flight vehicles
[NASA-CASE-XLA-00128] c15 N70-37925
Dynamic sensor for gas pressure or density measurement
[NASA-CASE-XAC-02877] c14 N70-41681
Design and development of inertia diaphragm pressure transducer
[NASA-CASE-XAC-02981] c14 N71-21072
Design and development of pressure sensor for measuring differential pressures of few pounds per square inch
[NASA-CASE-XMF-01974] c14 N71-22752
Combination pressure transducer-calibrator assembly for measuring fluid
[NASA-CASE-XNP-01660] c14 N71-23036
Pressure sensor network for measuring liquid dynamic response in flight including fuel tank acceleration, liquid slosh amplitude, and fuel depth monitoring
[NASA-CASE-XLA-05541] c12 N71-26387
Miniature electromechanical junction transducer operating on piezoelectric effect and utilizing epoxy for stress coupling component
[NASA-CASE-ERC-10087] c14 N71-27334
Method for making pressurized meteoroid penetration detector panels
[NASA-CASE-XLA-08916] c15 N71-29018
Design, development, and characteristics of pressure and temperature sensor operating immersed in fluid flow
[NASA-CASE-LEW-10281-1] c14 N72-17327
Pressure transducer for systems for measuring forces of compression
[NASA-CASE-NPO-10832] c14 N72-21405
Pressure operated electrical switch responsive to pressure decrease after pressure increase
[NASA-CASE-LAR-10137-1] c09 N72-22204
Wide range dynamic pressure sensor with vibrating diaphragm for measuring density and pressure of gaseous environment
[NASA-CASE-ARC-10263-1] c14 N72-22438
Development of differential pressure control system using motion of mechanical diaphragms to operate electric switch
[NASA-CASE-MFS-14216] c14 N73-13418
Initial systole and diastolic notch detecting circuitry for monitoring arterial pressure pulse
[NASA-CASE-LEW-11581-1] c05 N73-18139
Portable device for detecting pneumatic pressure leaks in hermetically sealed housings
[NASA-CASE-MFS-21761-1] c14 N73-18444
Device for measuring stagnation pressure of supersonic gas streams
[NASA-CASE-LAR-11139-1] c14 N73-20483
Pressurized panel meteoroid detector
[NASA-CASE-XLA-08916-2] c14 N73-28487
System for calibrating pressure transducer
[NASA-CASE-LAR-10910-1] c14 N74-13132

PRESSURE SUITS
Helmet and torso tiedown mechanism for shortening pressure suits upon inflation
[NASA-CASE-XMS-00784] c05 N71-12335
Design and development of flexible joint for pressure suits
[NASA-CASE-XMS-09636] c05 N71-12344
Cord restraint system for pressure suit joints
[NASA-CASE-XMS-09635] c05 N71-24623
Development of improved convolute section for pressurized suits to provide high degree of mobility in response to minimum of applied torque
[NASA-CASE-XMS-09637-1] c05 N71-24730
Fabrication of root cord restrained fabric suit sections from sheets of fabric
[NASA-CASE-MSC-12398] c05 N72-20098

- Restraint torso for increased mobility and reduced physiological effects while wearing pressurized suits
[NASA-CASE-MSC-12397-1] c05 N72-25119
- PRESSURE SWITCHES**
Reinforcing beam system for highly flexible diaphragms in valves or pressure switches
[NASA-CASE-XNP-01962] c32 N70-41370
- PRESSURE VESSELS**
Liquid rocket systems for propulsion and control of spacecraft
[NASA-CASE-XNP-00610] c28 N70-36910
Thin walled pressure test vessel using low-melting alloy-filled joint to attach shell to heads
[NASA-CASE-XLE-04677] c15 N71-10577
Control of gas flow from pressurized vessel by thermal expansion of metal plug
[NASA-CASE-NPO-10298] c12 N71-17661
Method and apparatus for inducing compressive stresses in pressure vessel to prevent stress corrosion
[NASA-CASE-XLA-07390] c15 N71-18616
Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c14 N74-15093
- PRESSURE WELDING**
Diffusion welding --- heat treatment of nickel alloys following single step vacuum welding process
[NASA-CASE-LEW-11388-2] c15 N74-21055
- PRESTRESSING**
Prestressed rocket nozzle with ceramic inner rings and refractory metal outer rings
[NASA-CASE-XNP-02888] c18 N71-21068
- PRETREATMENT**
Anti-wettable materials brazing processes using titanium and zirconium for surface pretreatment
[NASA-CASE-XMS-03537] c15 N69-21477
- PRINTED CIRCUITS**
Electrical feedthrough connection for printed circuit boards
[NASA-CASE-XMF-01483] c14 N69-27431
Electric connector for printed cable to printed cable or to printed board
[NASA-CASE-XNP-00369] c09 N70-36494
Electrical connection for printed circuits on common board, using bellows principle in rivet
[NASA-CASE-XNP-05082] c15 N70-41960
Electrical spot terminal assembly for printed circuit boards
[NASA-CASE-NPO-10034] c15 N71-17685
Solder coating process for printed copper circuit protection
[NASA-CASE-XMF-01599] c09 N71-20705
Handling tool for printed circuit cards
[NASA-CASE-MFS-20453] c15 N71-29133
Development and characteristics of polyimide impregnated laminates with fiberglass cloth backing for application as printed circuit boards
[NASA-CASE-MFS-20408] c18 N73-12604
Device for bending leads projecting from printed circuit boards
[NASA-CASE-MFS-22133-1] c15 N73-18473
Techniques for packaging and mounting printed circuit boards
[NASA-CASE-MFS-21919-1] c10 N73-25243
- PRINTOUTS**
Handling tool for printed circuit cards
[NASA-CASE-MFS-20453] c15 N71-29133
- PRISMS**
Interferometer prism and control system for precisely determining direction to remote light source
[NASA-CASE-ARC-10278-1] c14 N73-25463
- PROBES**
Method and apparatus for connecting two spacecraft with probe of one inserted in rocket engine nozzle of other spacecraft
[NASA-CASE-MFS-11133] c31 N71-16222
Development of droplet monitoring probe for use in analysis of droplet propagation in mixed-phase fluid stream
[NASA-CASE-NPO-10985] c14 N73-20478
- PRODUCT DEVELOPMENT**
Using molds for fabricating individual fluid circuit components
[NASA-CASE-XLA-07829] c15 N72-16329
- Process for developing filament reinforced plastic tubes used in research and development programs
[NASA-CASE-LAR-10203-1] c15 N72-16330
Simplified technique and device for producing industrial grade synthetic diamonds
[NASA-CASE-MPS-20698-2] c15 N73-19457
- PRODUCTION ENGINEERING**
Standard coupling design for mass production
[NASA-CASE-XMS-02532] c15 N70-41808
Fabrication of curved reflector segments for solar mirror
[NASA-CASE-XLE-08917] c15 N71-15597
Production of barium fluoride-calcium fluoride composite lubricant for bearings or seals
[NASA-CASE-XLE-08511-2] c18 N71-16105
Fabrication of sintered impurity semiconductor brushes for electrical energy transfer
[NASA-CASE-XMF-01016] c26 N71-17818
Technique for making foldable, inflatable, plastic honeycomb core panels for use in building and bridge structures, light and radio wave reflectors, and spacecraft
[NASA-CASE-XLA-03492] c15 N71-22713
Multilayer porous refractory metal ionizer design with thick, porous, large-grain substrates and thin, porous micron-grain substrates
[NASA-CASE-XNP-04338] c17 N71-23046
Permanently magnetized ion engine casing construction for use in spacecraft propulsion systems
[NASA-CASE-XNP-06942] c28 N71-23293
Dry electrode design with wire sandwiched between two flexible conductive discs for monitoring physiological responses
[NASA-CASE-FRC-10029] c09 N71-24618
Processes for making metal sheets or plaques with parallel pores of uniform size
[NASA-CASE-GSC-10984-1] c15 N71-34427
Production method of star tracking reticles for transmitting in visible and near ultraviolet regions
[NASA-CASE-GSC-11188-1] c14 N73-32320
- PROJECTILES**
Self-obturator gas-operated launcher for launching projectiles in decontaminated medium
[NASA-CASE-NPO-11013] c11 N72-22247
Two stage light gas plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c11 N74-18891
- PROJECTORS**
Optical projector system for establishing optimum arrangement of instrument displays in aircraft, spacecraft, other vehicles, and industrial instrument consoles
[NASA-CASE-XNP-03853] c23 N71-21882
- PROPAGATION MODES**
Dual waveguide mode source for controlling amplitudes of two modes
[NASA-CASE-XNP-03134] c07 N71-10676
- PROPELLANT BINDERS**
Chemical process for production of polyisobutylene compounds and application as solid rocket propellant binder
[NASA-CASE-NPO-10893] c27 N73-22710
- PROPELLANT COMBUSTION**
Spherical solid propellant rocket engine having abrupt burnout
[NASA-CASE-XHQ-01897] c28 N70-35381
Rocket combustion chamber stability by controlling transverse instability during propellant combustion
[NASA-CASE-XLE-04603] c33 N71-21507
- PROPELLANT DECOMPOSITION**
Unit for generating thrust from catalytic decomposition of hydrogen peroxide, for high altitude aircraft or spacecraft reaction control
[NASA-CASE-IMS-00583] c28 N70-38504
- PROPELLANT GRAINS**
Grain configuration for solid propellant rocket engines
[NASA-CASE-XGS-03556] c27 N70-35534
- PROPELLANT TANKS**
Liquid rocket systems for propulsion and control of spacecraft
[NASA-CASE-XNP-00610] c28 N70-36910
Slosh damping method for liquid rocket propellant tanks
[NASA-CASE-XMF-00658] c12 N70-38997

Expulsion and measuring device for determining quantity of liquid in tank under conditions of weightlessness
[NASA-CASE-XMS-01546] c14 N70-40233

Collapsible auxiliary tank for restarting liquid propellant rocket motors under zero gravity
[NASA-CASE-XNP-01390] c28 N70-41275

Liquid propellant tank design with semitoroidal bulkhead
[NASA-CASE-XMF-01899] c31 N70-41948

Microleak detector mounted on weld seam of propellant tank of launch vehicle
[NASA-CASE-XMF-02307] c14 N71-10779

Fabrication of filament wound propellant tank for cryogenic storage
[NASA-CASE-XLE-03803-2] c15 N71-17651

Slosh and swirl alleviator for liquid propellant tanks during transport and flight
[NASA-CASE-XLA-05749] c15 N71-19569

Two phase fluid pressurization system for propellant tank
[NASA-CASE-XSC-12390] c27 N71-29155

PROPELLANT TRANSFER

Two component valve assembly for cryogenic liquid transfer regulation
[NASA-CASE-XLE-00397] c15 N70-36492

Apparatus for cryogenic liquid storage with heat transfer reduction and for liquid transfer at zero gravity conditions
[NASA-CASE-XLE-00345] c15 N70-38020

Continuous variation of propellant flow and thrust by application of liquid foam flow theory to injection orifice
[NASA-CASE-XLE-00177] c28 N70-40367

Method and feed system for separating and orienting liquid and vapor phases of liquid propellants in zero gravity environment
[NASA-CASE-XLE-01182] c27 N71-15635

Electron bombardment ion rocket engine with improved propellant introduction system
[NASA-CASE-XLE-02066] c28 N71-15661

Rocket combustion chamber stability by controlling transverse instability during propellant combustion
[NASA-CASE-XLE-04603] c33 N71-21507

Vapor-liquid separator design with vapor driven pump for separated liquid pumping for application in propellant transfer
[NASA-CASE-XNP-04042] c15 N71-23023

Filler valve design for supplying liquid propellants at high pressure to space vehicles
[NASA-CASE-XNP-01747] c15 N71-23024

Internal labyrinth and shield structure to improve electrical isolation of propellant feed source from ion thruster
[NASA-CASE-XLEW-10210-1] c28 N71-26781

Flexible bellows joint shielding sleeve for propellant transfer pipelines
[NASA-CASE-XNP-01855] c15 N71-28937

PROPELLER BLADES

Directed fluid stream for propeller blade loading control
[NASA-CASE-XAC-00139] c02 N70-34856

PROPORTIONAL CONTROL

Proportional controller for regulating aircraft or spacecraft motion about three axes
[NASA-CASE-XAC-03392] c03 N70-41954

PROPULSION SYSTEM CONFIGURATIONS

Electrothermal rocket engine using resistance heated heat exchanger
[NASA-CASE-XLE-00267] c28 N70-33356

Grain configuration for solid propellant rocket engines
[NASA-CASE-XGS-03556] c27 N70-35534

Shrouded composite propulsion system configuration
[NASA-CASE-XLA-01043] c28 N71-10780

Electrostatic microthrust propulsion system with annular slit colloid thruster
[NASA-CASE-XSC-10709-1] c28 N71-25213

Method and apparatus for pressurizing propellant tanks used in propulsion motor feed system
[NASA-CASE-XNP-00650] c27 N71-28929

PROPULSIVE EFFICIENCY

Method and apparatus for improving operating efficiency and reducing low speed noise for turbine aircraft engines
[NASA-CASE-XLR-11310-1] c28 N73-31699

PROSTHETIC DEVICES

Prosthetic limb with tactile sensing device

[NASA-CASE-XFS-16570-1] c05 N73-32013

Orthotic arm joint --- for manipulating objects in response to electrical signals
[NASA-CASE-XFS-21611-1] c05 N74-10100

PROTECTION

Camera protecting device for use in photographing rocket engine nozzles or other engine components
[NASA-CASE-NPO-10174] c14 N71-18465

PROTECTIVE CLOTHING

Conditioning tanned sharkskin for use as abrasive resistant clothing
[NASA-CASE-XMS-09691-1] c18 N71-15545

One piece human garment for use as contamination proof garment
[NASA-CASE-XSC-12206-1] c05 N71-17599

Thermoregulating with cooling flow pipe network for humans
[NASA-CASE-XMS-10269] c05 N71-24147

Development of improved convolute section for pressurized suits to provide high degree of mobility in response to minimum of applied torque
[NASA-CASE-XMS-09637-1] c05 N71-24730

Voice operated receiving and transmitting system for use in protective suits
[NASA-CASE-XSC-10164] c07 N71-33108

PROTECTIVE COATINGS

Process permitting application of synthetic resin coating to irregular-shaped objects at ambient temperature
[NASA-CASE-XNP-06508] c18 N69-39895

Ultraviolet radiation resistant alkali-metal silicate coatings for temperature control of spacecraft
[NASA-CASE-XGS-04119] c18 N69-39979

Application techniques for protecting materials during salt bath brazing
[NASA-CASE-XLE-00046] c15 N70-33311

Removable potting compound for instrument shock protection
[NASA-CASE-XLA-00482] c15 N70-36409

Passive thermal control coating on aluminum foil laminate for inflatable spacecraft surfaces
[NASA-CASE-XLA-01291] c33 N70-36617

Using ethylene oxide in preparation of sterilized solid rocket propellants and encapsulating materials
[NASA-CASE-XNP-01749] c27 N70-41897

Fireproof potassium silicate coating composition, insoluble in water after application
[NASA-CASE-XSC-10072] c18 N71-14014

Development of bacteriostatic conformal coating and methods of application
[NASA-CASE-XSC-10007] c18 N71-16046

Vapor deposited laminated nitride-silicon coating for corrosion prevention of carbonaceous surfaces
[NASA-CASE-XLA-00284] c15 N71-16075

Flame or plasma spraying for molybdenum coating of carbon or graphite surfaces to prevent oxidative corrosion
[NASA-CASE-XLA-00302] c15 N71-16077

Development and characteristics of protective coatings for spacecraft
[NASA-CASE-XNP-02507] c31 N71-17679

Development of thermal insulation system for wing and control surfaces of hypersonic aircraft and reentry vehicles
[NASA-CASE-XLA-00892] c33 N71-17897

Bismuth and lead surface coatings for gas bearings in aerospace engineering
[NASA-CASE-XGS-02011] c15 N71-20739

Composition and production method of alkali metal silicate paint with ultraviolet reflection properties
[NASA-CASE-XGS-04799] c18 N71-24183

Method for treating metal surfaces to prevent secondary electron transmission
[NASA-CASE-XNP-09469] c24 N71-25555

Development of solid state polymer coating for obtaining thermal balance in spacecraft components
[NASA-CASE-XLA-01745] c33 N71-28903

Method for coating through-holes in ceramic substrates used in fabricating miniaturized electronic circuits
[NASA-CASE-XNP-05999] c15 N71-29032

- Zinc dust formulation for abrasion resistant steel coatings
[NASA-CASE-GSC-10361-1] c18 N72-23581
- Development of process for constructing protective covers for solar cells
[NASA-CASE-GSC-11514-1] c03 N72-24037
- Development and characteristics of device for applying multiple layers of noble metal to glass substrate for protection of optical surfaces
[NASA-CASE-LAR-10362-1] c15 N72-27486
- Detergent with glyceryl esters and oil as protective coating to prevent fogging of space suit visor
[NASA-CASE-HSC-13530-2] c06 N73-11107
- Development of method and equipment for detecting cracks in materials with porous subsurface matrix covered by impervious coating
[NASA-CASE-HSC-14187-1] c14 N73-17564
- Improved silicide coatings for refractory metals employed in space shuttles and gas turbine engine components
[NASA-CASE-LEW-11179-1] c17 N73-22474
- Resin for protecting p-n semiconductor junction surface
[NASA-CASE-ERC-10339-1] c18 N73-30532
- Particulate and solar radiation stable coating for spacecraft
[NASA-CASE-LAR-10805-1] c18 N74-16246
- Nonflammable coating compositions --- for use in high oxygen environments
[NASA-CASE-HFS-20486-2] c18 N74-17283
- Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-HSC-14435-1] c15 N74-20071
- PROTECTORS**
Load cell protection device using spring-loaded breakaway mechanism
[NASA-CASE-XMS-06782] c32 N71-15974
- Payload soft landing system using storable gas bag
[NASA-CASE-XLA-09881] c31 N71-16085
- PROTEINS**
Protein sterilization of firefly luciferase without denaturation
[NASA-CASE-GSC-10225-1] c06 N73-27086
- PROTON IRRADIATION**
Ultraviolet radiation detector in presence of proton radiation using sensor tubes within shielding mechanism
[NASA-CASE-HFS-21577-1] c03 N73-20042
- PSUEDONOISE**
System designed to reduce time required for obtaining synchronization in data communication with spacecraft utilizing pseudonoise codes
[NASA-CASE-NPO-10214] c10 N71-26577
- Linear shift register with feedback logic for generating pseudonoise linear recurring binary sequences
[NASA-CASE-NPO-11406] c08 N73-12175
- Multicarrier communications system for transmitting modulated signals from single transmitter
[NASA-CASE-NPO-11548] c07 N73-26118
- PULLEYS**
Apparatus for measuring load on cable under static or dynamic conditions comprising pulleys pivoting structure against restraint of tension strap
[NASA-CASE-XHS-04545] c15 N71-22878
- Tensile strength testing device having pulley guides for exerting multiple forces on test specimen
[NASA-CASE-XNP-05634] c15 N71-24834
- PULMONARY CIRCULATION**
Pulmonary resuscitation method and apparatus with adjustable pressure regulator
[NASA-CASE-XHS-01115] c05 N70-39922
- PULMONARY FUNCTIONS**
Piston device for producing known constant positive pressure within lungs by using thoracic muscles
[NASA-CASE-XHS-01615] c05 N70-41329
- PULSE AMPLITUDE**
Monitoring system for signal amplitude ranges over predetermined time interval
[NASA-CASE-XHS-04061-1] c09 N69-39885
- Analog to digital converter for converting pulses to frequencies
[NASA-CASE-XLA-00670] c08 N71-12501
- Electrical testing apparatus for detecting amplitude and width of transient pulse
[NASA-CASE-XHP-06519] c09 N71-12519
- Analog to digital converter circuit for pulse height analysis
[NASA-CASE-XNP-00477] c08 N73-28045
- PULSE AMPLITUDE MODULATION**
Voltage controlled oscillators and pulse amplitude modulation for signal ratio system
[NASA-CASE-XHP-04367] c09 N71-23545
- PULSE CODE MODULATION**
Adaptive compression signal processor for PCM communication systems
[NASA-CASE-XLA-03076] c07 N71-11266
- Bipolar phase detector and corrector for split phase PCM data signals
[NASA-CASE-XGS-01590] c07 N71-12392
- System for recording and reproducing PCM data from data stored on magnetic tape
[NASA-CASE-XGS-01021] c08 N71-21042
- Frequency shift keying apparatus for use with pulse code modulation data transmission system
[NASA-CASE-XGS-01537] c07 N71-23405
- Data reduction and transmission system for TV PCM data
[NASA-CASE-NPO-11243] c07 N72-20154
- Pulse code modulated data from frequency multiplex communications by digital phase shift or carrier
[NASA-CASE-NPO-11338] c08 N72-25208
- Bit synchronization of PCM communications signal, without separate synchronization channel by digital correlation
[NASA-CASE-NPO-11302-1] c07 N73-13149
- Method and apparatus for a single channel digital communications system --- synchronization of received PCM signal by digital correlation with reference signal
[NASA-CASE-NPO-11302-2] c07 N74-10132
- Multifunction audio digitizer --- producing direct delta and pulse code modulation
[NASA-CASE-HSC-13855-1] c07 N74-17885
- Digital transmitter for data bus communications system
[NASA-CASE-HSC-14558-1] c07 N74-17888
- Pulse code modulated signal synchronizer
[NASA-CASE-HSC-12462-1] c07 N74-20809
- Pulse code modulated signal synchronizer
[NASA-CASE-HSC-12494-1] c07 N74-20810
- PULSE COMMUNICATION**
Phase shift data transmission system with pseudo-noise synchronization code modulated with digital data into single channel for spacecraft communication
[NASA-CASE-XNP-00911] c08 N70-41961
- PULSE DURATION**
Frequency to analog converters with unipolar field effect transistor for determining potential charge by pulse duration of input signal
[NASA-CASE-XNP-07040] c08 N71-12500
- Electrical testing apparatus for detecting amplitude and width of transient pulse
[NASA-CASE-XHP-06519] c09 N71-12519
- Design and development of variable pulse width multiplier
[NASA-CASE-XLA-02850] c09 N71-20447
- Device for voltage conversion using controlled pulse widths and arrangements to generate ac output voltage
[NASA-CASE-HFS-10068] c10 N71-25139
- One shot multivibrator circuit for producing long duration output pulses
[NASA-CASE-ARC-10137-1] c09 N71-28468
- Pulse stretcher for processing narrow pulses between pulse generators and conventional instruments
[NASA-CASE-HSC-14130-1] c10 N73-26232
- PULSE DURATION MODULATION**
Pulse duration modulation multiplier system
[NASA-CASE-XER-09213] c07 N71-12390
- Variable duration pulse integrator design for integrating pulse duration modulated pulses with elimination of ripple content
[NASA-CASE-XLA-01219] c10 N71-23084
- Electric motor control system with pulse width modulation for providing automatic null seeking servo

- [NASA-CASE-XMF-05195] c10 N71-24861
Pulse duration control device for driving slow response time loads in selected sequence including switching and delay circuits and magnetic storage
- [NASA-CASE-XGS-04224] c10 N71-26418
Monostable multivibrator for producing output pulse widths with positive feedback NOR gates
- [NASA-CASE-MSC-13492-1] c10 N71-28860
Load current sensor for series pulse width modulated power supply
- [NASA-CASE-GSC-10656-1] c09 N72-25249
Peak holding circuit for extremely narrow pulses
- [NASA-CASE-MSC-14129-1] c10 N73-26231
- PULSE FREQUENCY MODULATION**
Electric current measuring apparatus design including saturable core transformer and energy storage device to avoid magnetizing current errors from transformer output winding
- [NASA-CASE-XGS-02439] c14 N71-19431
Digitally controlled frequency synthesizer for pulse frequency modulation telemetry systems
- [NASA-CASE-XGS-02317] c09 N71-23525
Noninterruptible digital counter circuit design with display device for pulse frequency modulation
- [NASA-CASE-XNP-09759] c08 N71-24891
Threshold extension device for improving operating performance of frequency modulation demodulators by eliminating click-type noise impulses
- [NASA-CASE-MSC-12165-1] c07 N71-33696
- PULSE FREQUENCY MODULATION TELEMETRY**
Communication system for transmitting biomedical information obtained from patient in moving ambulance to hospital for diagnosis
- [NASA-CASE-FRC-10031] c05 N70-20717
- PULSE GENERATORS**
High voltage pulse generator for testing flash and ignition limits of nonmetallic materials in controlled atmospheres
- [NASA-CASE-MSC-12178-1] c09 N71-13518
Interrogator and current driver circuit for combination with transistor flip-flop circuit
- [NASA-CASE-XGS-03058] c10 N71-19547
Electric circuit for producing high current pulse having fast rise and fall time
- [NASA-CASE-XMS-04919] c09 N71-23270
Pulse generator for synchronizing or resetting electronic signals without requiring separate external source
- [NASA-CASE-XGS-03632] c09 N71-23311
Development and characteristics of resettable monostable pulse generator with charge rundown-timing circuit
- [NASA-CASE-GSC-11139] c09 N71-27016
Pulse generating circuit for operation at very high duty cycles and repetition rates
- [NASA-CASE-XNP-00745] c10 N71-28960
Pulse coupling circuit with switch between generator and winding
- [NASA-CASE-LEW-10433-1] c09 N72-22197
Circuitry for generating random square wave pulses using white noise source
- [NASA-CASE-MSC-14131-1] c09 N73-26199
Method and apparatus for nondestructive testing --- using high frequency arc discharges
- [NASA-CASE-MFS-21233-1] c23 N74-15395
- PULSE RATE**
Circuit for measuring wide range of pulse rates by utilizing high capacity counter
- [NASA-CASE-XNP-06234] c10 N71-27137
- PULSE WIDTH AMPLITUDE CONVERTERS**
Peak holding circuit for extremely narrow pulses
- [NASA-CASE-MSC-14129-1] c10 N73-26231
- PULSED LASERS**
Repetitively pulsed wavelength selective carbon dioxide laser
- [NASA-CASE-ERC-10178] c16 N71-24832
Remote detection and measurement of clear air turbulence using pulsed laser radar
- [NASA-CASE-MFS-21244-1] c20 N73-21523
Procedure and device for effecting dual mode locking in pulsed Nd-YAG lasers
- [NASA-CASE-GSC-11746-1] c16 N73-32398
- PULSED RADIATION**
Development and characteristics of cyclically operable, optical shutter for use as focal plane shutter for transmitting single radiation pulses
- [NASA-CASE-NPO-10758] c14 N73-14427
- PULSES**
High resolution radar transmitting system for transmitting optical pulses to targets
- [NASA-CASE-NPO-11426] c07 N73-26119
- PUMP SEALS**
Flexible barrier membrane comprising porous substrate and incorporating liquid gallium or indium metal used as sealant barriers for spacecraft walls and pumping liquid propellants
- [NASA-CASE-XNP-08881] c17 N71-28747
Spiral groove seal --- for hydraulic rotating shaft
- [NASA-CASE-LEW-10326-3] c15 N74-10474
- PUMPS**
Piezoelectric pump for supplying fluid at high frequencies to gyroscope fluid suspension system
- [NASA-CASE-XNP-05429] c26 N71-21824
Vapor-liquid separator design with vapor driven pump for separated liquid pumping for application in propellant transfer
- [NASA-CASE-XMF-04042] c15 N71-23023
Automatically reciprocating, high pressure pump for use in spacecraft cryogenic propellants
- [NASA-CASE-XNP-04731] c15 N71-24042
Development and Characteristics of variable displacement fluid pump for transforming hydraulic pressures
- [NASA-CASE-MFS-20830] c15 N71-30028
Pumping and metering dual piston system and monitor for reaction chamber constituents
- [NASA-CASE-GSC-10218-1] c15 N72-21465
Pump for cryogenic liquids using magnetocaloric material
- [NASA-CASE-LEW-11672-1] c15 N73-14479
- PUNCHED CARDS**
Describing device for flagging punched business cards
- [NASA-CASE-XLA-02705] c08 N71-15908
Handling tool for printed circuit cards
- [NASA-CASE-MFS-20453] c15 N71-29133
- PUNCHES**
Punch and die device for forming convolution series in thin gage metal hemispheres
- [NASA-CASE-XNP-05297] c15 N71-23811
- PURGING**
Carbon dioxide purge systems to prevent condensation in spaces between cryogenic fuel tanks and hypersonic vehicle skin
- [NASA-CASE-XLA-01967] c31 N70-42015
Developing high pressure gas purification and filtration system for use in test operations of space vehicles
- [NASA-CASE-MFS-12806] c14 N71-17588
Fluid transferring system design for purging toxic, corrosive, or noxious fluids and fumes from materials handling equipment for cleansing and accident prevention
- [NASA-CASE-XMS-01905] c12 N71-21089
Device for back purging thrust engines
- [NASA-CASE-XMS-04826] c28 N71-28849
- PURIFICATION**
Apparatus and method capable of receiving large quantity of high pressure helium, removing impurities, and discharging at received pressure
- [NASA-CASE-XMF-06888] c15 N71-24044
Purification apparatus for vaporization and fractional distillation of liquids
- [NASA-CASE-XNP-08124] c15 N71-27184
- PURITY**
Synthesis of high purity dianilinosilanes
- [NASA-CASE-XNP-06409] c06 N71-23230
- PYROLYTIC GRAPHITE**
Multislit film cooled pyrolytic graphite rocket nozzle
- [NASA-CASE-XNP-04389] c28 N71-20942
- PYROLYTIC MATERIALS**
Design, development, and characteristics of ablation structures
- [NASA-CASE-XMS-01816] c33 N71-15623
- PYROMETERS**
Sensor device with switches for measuring surface recession of charring and noncharring ablators
- [NASA-CASE-XLA-01781] c14 N69-39975
- PIROTECHNICS**
Energy source with tantalum capacitors in parallel and miniature silver oxide button

cells for initiating pyrotechnic devices on spacecraft and rocket vehicles
 [NASA-CASE-LAR-10367-1] c03 N70-26817
 development and characteristics of squib actuated explosive disconnect for spacecraft release from launch vehicle
 [NASA-CASE-NPO-11330] c33 N73-26958

Q

Q VALUES

Design of active RC network capable of operating at high Q values with reduced sensitivity to gain amplification and number of passive components
 [NASA-CASE-ARC-10042-2] c10 N72-11256

QUADRATURES

Automatic quadrature control and measuring system --- using optical coupling circuitry
 [NASA-CASE-MFS-21660-1] c14 N74-21017

QUALITATIVE ANALYSIS

Ultraviolet chromatographic detector for quantitative and qualitative analysis of compounds
 [NASA-CASE-HQN-10756-1] c14 N72-25428
 Analysis of volatile organic compounds --- quantitative and qualitative analysis of trace amounts in gas samples
 [NASA-CASE-MSC-14428-1] c06 N74-19776

QUANTITATIVE ANALYSIS

Mixed liquid and vapor phase analyzer design with thermocouples for relative heat transfer measurement
 [NASA-CASE-NPO-10691] c14 N71-26199
 Quantitative liquid measurements in container by resonant frequencies
 [NASA-CASE-XNP-02500] c18 N71-27397
 Ultraviolet chromatographic detector for quantitative and qualitative analysis of compounds
 [NASA-CASE-HQN-10756-1] c14 N72-25428
 Nondispersive gas analysis using radiation detection for quantitative analysis
 [NASA-CASE-ARC-10308-1] c06 N72-31141
 Analysis of volatile organic compounds --- quantitative and qualitative analysis of trace amounts in gas samples
 [NASA-CASE-MSC-14428-1] c06 N74-19776

QUARTZ

Ultraviolet filter of thorium fluoride and cryolite on quartz base
 [NASA-CASE-INP-02340] c23 N69-24332

QUARTZ LAMPS

High intensity heat and light unit containing quartz lamp elements protectively positioned to withstand severe environmental stress
 [NASA-CASE-XLA-00141] c09 N70-33312
 Light shield and cooling apparatus for high intensity ultraviolet lamps
 [NASA-CASE-LAR-10089-1] c15 N73-13474

R

RACKS (FRAMES)

Design and development of test stand system for supporting test items in vacuum chamber
 [NASA-CASE-MFS-21362] c11 N73-20267

RADAR ANTENNAS

Interferometric tuning acquisition and tracking radar antenna system
 [NASA-CASE-XMS-09610] c07 N71-24625

RADAR DETECTION

Remote detection and measurement of clear air turbulence using pulsed laser radar
 [NASA-CASE-MFS-21244-1] c20 N73-21523

RADAR EQUIPMENT

Spacecraft transponder and ground station radar system for mapping planetary surfaces
 [NASA-CASE-NPO-11001] c07 N72-21118

RADAR RANGE

Radar signal receiver arrangement for extending range and increasing signal to noise ratio
 [NASA-CASE-XNP-00748] c07 N70-36911

RADAR RECEIVERS

Polarization diversity monopulse tracking receiver design without radio frequency switches
 [NASA-CASE-XGS-03501] c09 N71-20864

RADAR RECEPTION

Radar signal receiver arrangement for extending

range and increasing signal to noise ratio
 [NASA-CASE-XNP-00748] c07 N70-36911

RADAR REFLECTORS

Inflatable radar reflector unit - lightweight, highly reflective to electromagnetic radiation, and adaptable for erection and deployment with minimum effort and time
 [NASA-CASE-XMS-00893] c07 N70-40063

RADAR TRACKING

Tracking antenna system with array for synchronous satellite or ground based radar
 [NASA-CASE-GSC-10553-1] c07 N71-19854
 Polarization diversity monopulse tracking receiver design without radio frequency switches
 [NASA-CASE-XGS-03501] c09 N71-20864
 Monopulse tracking system with antenna array of three radiators for deriving azimuth and elevation indications
 [NASA-CASE-XGS-01155] c10 N71-21483
 Plastic sphere for radar tracking and calibration
 [NASA-CASE-XLA-11154] c07 N72-21117

RADAR TRANSMITTERS

High resolution radar transmitting system for transmitting optical pulses to targets
 [NASA-CASE-NPO-11426] c07 N73-26119

RADIAL FLOW

Radial heat flux transformer for use in heating and cooling processes
 [NASA-CASE-NPO-10828] c33 N72-17948

RADIANCE

Method and apparatus for measuring shock layer radiation distribution about high velocity objects
 [NASA-CASE-XAC-02970] c14 N69-39896

RADIANT COOLING

Direct radiation cooling of linear beam collector tubes
 [NASA-CASE-XNP-09227] c15 N69-24319
 High thermal emittance black surface coatings and process for applying to metal and metal alloy surfaces used in radiative cooling of spacecraft
 [NASA-CASE-XLA-06199] c15 N71-24875

RADIANT FLUX DENSITY

High intensity radiant energy pulse source for calibrating heat transfer gages with thermoluminescent shutter activation
 [NASA-CASE-ARC-10178-1] c09 N72-17152

RADIANT HEATING

High intensity heat and light unit containing quartz lamp elements protectively positioned to withstand severe environmental stress
 [NASA-CASE-XLA-00141] c09 N70-33312
 High temperature source of thermal radiation
 [NASA-CASE-XLE-00490] c33 N70-34545
 Refractory filament series circuitry for radiant heater
 [NASA-CASE-XLE-00387] c33 N70-34812
 Unfired ceramic insulation for protection from radiant heating environments
 [NASA-CASE-MFS-14253] c33 N71-24858

RADIATION

Development of radiant energy sensor to detect the radiant energy wavelength bands from portions of radiating body
 [NASA-CASE-ERC-10174] c14 N72-25409
 Development of thermopile with sensor surface to receive radiant energy and to provide measurement of energy quantity
 [NASA-CASE-NPO-11493] c14 N73-12447

RADIATION COUNTERS

Particle detector for indicating incidence and energy of minute space particles
 [NASA-CASE-XLA-00135] c14 N70-33322
 Sensing method and device for determining orientation of space vehicle or satellite by using particle traps
 [NASA-CASE-XGS-00466] c21 N70-34297
 Solid state device for mapping flux and power in nuclear reactor cores
 [NASA-CASE-XLE-00301] c14 N70-36808
 Particle beam power density detection and measurement apparatus
 [NASA-CASE-XLE-00243] c14 N70-38602
 Automatic baseline stabilization for ionization detector used in gas chromatograph
 [NASA-CASE-XNP-03128] c10 N70-41991
 Method of forming thin window drifted silicon charged particle detector

[NASA-CASE-XLE-00808] c24 N71-10560
Development of dosimeter for measuring absorbed dose of high energy ionizing radiation
[NASA-CASE-XLA-03645] c14 N71-20430
Apparatus for detecting particle emission lower than noise level of multiplier tube
[NASA-CASE-XLA-07813] c14 N72-17328
Coaxial anode for gas radiation counter for suppressing background ionization interference
[NASA-CASE-GSC-11492-1] c14 N73-28497
Radiation or charged particle detector and amplifier
[NASA-CASE-NPO-12128-1] c14 N73-32317

RADIATION DAMAGE
Addition of group 3 elements to silicon semiconductor material for increased resistance to radiation damage in solar cells
[NASA-CASE-XLE-02798] c26 N71-23654
Recovering efficiency of solar cells damaged by environmental radiation through thermal annealing
[NASA-CASE-XGS-04047-2] c03 N72-11062

RADIATION DETECTORS
Radiation source and detection system for measuring amount of liquid inside tanks independently of liquid configuration
[NASA-CASE-MSC-12280] c27 N71-16348
Detection instrument for light emitted from ATP biochemical reaction
[NASA-CASE-XGS-05534] c23 N71-16355
Circuit design for determining amount of photomultiplier tube light detection utilizing variable current source and dark current signals of opposite polarity
[NASA-CASE-XMS-03478] c14 N71-21040
Attitude sensor with scanning mirrors for detecting orientation of space vehicle with respect to planet
[NASA-CASE-XLA-00793] c21 N71-22880
Mosaic semiconductor radiation detector and position indicator systems engineering for low energy particles
[NASA-CASE-XGS-03230] c14 N71-23401
Nondispersive gas analysis using radiation detection for quantitative analysis
[NASA-CASE-ARC-10308-1] c06 N72-31141
Ultraviolet radiation detector in presence of proton radiation using sensor tubes within shielding mechanism
[NASA-CASE-MFS-21577-1] c03 N73-20042
Radiation source tracker comprised of sectorized matrix of detectors with output voltages corresponding to irradiance levels
[NASA-CASE-NPO-11686] c14 N73-25462
Radiation or charged particle detector and amplifier
[NASA-CASE-NPO-12128-1] c14 N73-32317
Mossbauer spectrometer radiation detector
[NASA-CASE-LAR-11155-1] c14 N74-15091
High field CDS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c14 N74-18088
Wide angle sun sensor --- consisting of cylinder, insulation, and pair of detectors
[NASA-CASE-NPO-13327-1] c14 N74-18093

RADIATION DISTRIBUTION
Space simulator with uniform test region radiation distribution, adapted to simulate Venus solar radiations
[NASA-CASE-XNP-00459] c11 N70-38675

RADIATION DOSAGE
Development of dosimeter for measuring absorbed dose of high energy ionizing radiation
[NASA-CASE-XLA-03645] c14 N71-20430

RADIATION EFFECTS
Method for temperature compensating semiconductor gages by exposure to high energy radiation
[NASA-CASE-XLA-04555-1] c14 N71-25892

RADIATION HARDENING
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential of field effect device
[NASA-CASE-GSC-11425-1] c24 N74-20329

RADIATION MEASUREMENT
Development of thermopile with sensor surface to receive radiant energy and to provide measurement of energy quantity
[NASA-CASE-NPO-11493] c14 N73-12447

RADIATION MEASURING INSTRUMENTS

Rocket-borne aspect sensor consisting of radiation sensor, aperture disk, commutator, and counting circuits
[NASA-CASE-XGS-08266] c14 N69-27432
Infrared scanning system for maintaining spacecraft orientation with earth reference
[NASA-CASE-XLA-00120] c21 N70-33181
Multiple wavelength radiation measuring instrument for determining hot body or gas temperature
[NASA-CASE-XLE-00011] c14 N70-41946
Development of method for improving signal to noise ratio and accuracy of Wheatstone bridge type radiation measuring instrument
[NASA-CASE-XLA-02810] c14 N71-25901
Development of thermopile with sensor surface to receive radiant energy and to provide measurement of energy quantity
[NASA-CASE-NPO-11493] c14 N73-12447
Phototransistor with base collector junction diode for integration into photo sensor arrays
[NASA-CASE-MFS-20407] c09 N73-19235
Method and apparatus for measuring electromagnetic radiation
[NASA-CASE-LEW-11159-1] c14 N73-28488
Design of gamma ray spectrometer for measurement of intense radiation using Compton scattering effect
[NASA-CASE-MFS-21441-1] c14 N73-30392

RADIATION PROTECTION

Development of method for protecting large and oddly shaped areas from radiant and convective heat
[NASA-CASE-XNP-01310] c33 N71-28852
Cooling and radiation protection of ruby lasers using copper sulfate solution in alcohol
[NASA-CASE-MFS-20180] c16 N72-12440

RADIATION SHIELDING

Encapsulated heater forming hollow body for cathode used in ion thruster
[NASA-CASE-LEW-10814-1] c28 N70-35422
Describing hot filament type Bayard-Alpert ionization gage with ion collector buried or removed from grid structure
[NASA-CASE-XLA-07424] c14 N71-18482
Sealed housing for protecting electronic equipment against electromagnetic interference
[NASA-CASE-MSC-12168-1] c09 N71-18600
Internal labyrinth and shield structure to improve electrical isolation of propellant feed source from ion thruster
[NASA-CASE-LEW-10210-1] c28 N71-26781
Light shield and cooling apparatus for high intensity ultraviolet lamps
[NASA-CASE-LAR-10089-1] c15 N73-13474
Ultraviolet radiation detector in presence of proton radiation using sensor tubes within shielding mechanism
[NASA-CASE-MFS-21577-1] c03 N73-20042

RADIATION SOURCES

Sight switch using infrared source and sensor mounted beside eye
[NASA-CASE-XMP-03934] c09 N71-22985
Apparatus for obtaining isotropic irradiation on film emulsion from parallel radiation source
[NASA-CASE-MFS-20095] c24 N72-11595
Radiation source tracker comprised of sectorized matrix of detectors with output voltages corresponding to irradiance levels
[NASA-CASE-NPO-11686] c14 N73-25462
High powered arc electrodes --- producing solar simulator radiation
[NASA-CASE-LEW-11162-1] c09 N74-12913

RADIATION SPECTRA

Maksutov spectrograph for low light level research
[NASA-CASE-XLA-10402] c14 N71-29041

RADIATION TOLERANCE

Ultraviolet radiation resistant alkali-metal silicate coatings for temperature control of spacecraft
[NASA-CASE-XGS-04119] c18 N69-39979
Doping silicon material with gadolinium to increase radiation resistance of solar cells
[NASA-CASE-XLE-02792] c26 N71-10607
Improving radiation resistance of silicon semiconductor junctions by doping with lithium
[NASA-CASE-XGS-07801] c09 N71-12513

- Control circuit for reducing bias voltage and radiation sensitivity of photomultiplier
[NASA-CASE-ARC-10593-1] c09 N73-30187
- RADIATIVE HEAT TRANSFER**
- Heat flux sensor assembly with proviso for heat shield to reduce radiative transfer between sensor elements
[NASA-CASE-XMS-05909-1] c14 N69-27459
- Capillary radiator for carrying heat transfer liquid in planetary spacecraft structures
[NASA-CASE-XLE-03307] c33 N71-14035
- Transient heat transfer gage for measuring total radiant intensity from far ultraviolet and ionized high temperature gases
[NASA-CASE-XNP-09802] c33 N71-15641
- Construction and method of arranging plurality of ion engines to form cluster thereby increasing efficiency and control by decreasing heat radiated to space
[NASA-CASE-XNP-02923] c28 N71-23081
- RADIATORS**
- Development and characteristics of natural circulation radiator for use with nuclear power plants installed in lunar space stations
[NASA-CASE-XHQ-03673] c33 N71-29046
- RADIO ANTENNAS**
- Low loss parasitic probe antenna for prelaunch tests of spacecraft antennas
[NASA-CASE-XKS-09348] c09 N71-13521
- VHF/UHF parasitic probe antenna for spacecraft communication
[NASA-CASE-XKS-09340] c07 N71-24614
- Development and characteristics of extensible dipole antenna using deformable tubular metallic strip element
[NASA-CASE-HQN-00937] c07 N71-28979
- RADIO ASTRONOMY**
- Synchronous detection system for detecting weak radio astronomical signals
[NASA-CASE-XNP-09832] c30 N71-23723
- RADIO CONTROL**
- Radio frequency controlled solid state switch
[NASA-CASE-ARC-10136-1] c09 N72-22202
- RADIO FREQUENCIES**
- Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c07 N69-24323
- Automatic gain control amplifier system
[NASA-CASE-XMS-05307] c09 N69-24330
- Method and apparatus for bowing of instrument panels to improve radio frequency shielded enclosure
[NASA-CASE-XMF-09422] c07 N71-19436
- Development of automatic frequency discriminators and control for phase lock loop providing frequency preset capabilities
[NASA-CASE-XMF-08665] c10 N71-19467
- System generating sidereal frequency signals from signals of standard solar frequency without use of mixing operations or feedback loops
[NASA-CASE-XGS-02610] c14 N71-23174
- Radio frequency coaxial filter to provide dc isolation and low frequency signal rejection in audio range
[NASA-CASE-XGS-01418] c09 N71-23573
- Variable frequency nuclear magnetic resonance spectrometer providing drive signals over wide frequency range and minimizing noise effects
[NASA-CASE-XNP-09830] c14 N71-26266
- High efficiency transformerless amplitude modulator coupled to RF power amplifier
[NASA-CASE-GSC-10668-1] c07 N71-28430
- Technique and equipment for sputtering using apertured electrode and pulsed substrate bias
[NASA-CASE-LEW-10920-1] c17 N73-24569
- Radio frequency source resistance measuring instruments of varied design
[NASA-CASE-NPO-11291-1] c14 N73-30388
- Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c14 N74-20019
- RADIO FREQUENCY INTERFERENCE**
- Radio frequency noise generator having microwave slow-wave structure in gas discharge plasma
[NASA-CASE-XER-11019] c09 N71-23598
- Automatic nulling system for interference signal at multichannel receiver by polarization adjustment
[NASA-CASE-NPO-13140-1] c07 N73-27106
- RADIO FREQUENCY SHIELDING**
- Gunn effect microwave diodes with RF shielding
[NASA-CASE-ERC-10119] c26 N72-21701
- Process for making RF shielded cable connector assemblies and resulting structures
[NASA-CASE-GSC-11215-1] c09 N73-28083
- RADIO RECEIVERS**
- Radio receiver with array of independently steerable antennas for deep space communication
[NASA-CASE-XLA-00901] c07 N71-10775
- Development of optimum pre-detection diversity combining receiving system adapted for use with amplitude modulation, phase modulation, and frequency modulation systems
[NASA-CASE-XGS-00740] c07 N71-23098
- RADIO RELAY SYSTEMS**
- Satellite radio communication system with remote steerable antenna
[NASA-CASE-XNP-02389] c07 N71-28900
- RADIO SIGNALS**
- Erectable, inflatable, radio signal reflecting passive communication satellite
[NASA-CASE-XLA-00210] c30 N70-40309
- Synchronous detection system for detecting weak radio astronomical signals
[NASA-CASE-XNP-09832] c30 N71-23723
- RADIO STARS**
- System generating sidereal frequency signals from signals of standard solar frequency without use of mixing operations or feedback loops
[NASA-CASE-XGS-02610] c14 N71-23174
- RADIO TELEMETRY**
- Digital telemetry system apparatus to reduce tape recorder wow and flutter noise during playback
[NASA-CASE-XGS-01812] c07 N71-23001
- RADIO TRANSMITTERS**
- Development of radio locating system for monitoring geographic movement of surface vehicles in metropolitan area using unsynchronized radio broadcasting stations
[NASA-CASE-NPO-13217-1] c07 N73-26144
- Aircraft mounted crash location transmitter for emergency signal transmission after crashes
[NASA-CASE-MFS-16609-2] c07 N73-31084
- RADIO WAVES**
- Gunn effect microwave diodes with RF shielding
[NASA-CASE-ERC-10119] c26 N72-21701
- RADIOACTIVE ISOTOPES**
- Radioactive isotope capsule container design for atmospheric reentry protection and heat transmission to spacecraft
[NASA-CASE-LEW-11227-1] c33 N71-35153
- Thermally cascaded thermoelectric generator with radioisotopic heat source
[NASA-CASE-NPO-10753] c03 N72-26031
- RADIOBIOLOGY**
- Production of I-123 for use as radiopharmaceutical for low radiation exposure
[NASA-CASE-LEW-10518-1] c24 N72-33681
- RADIOGRAPHY**
- Nondestructive radiographic tests of resistance welds
[NASA-CASE-XNP-02588] c15 N71-18613
- RADIOHETERS**
- Miniaturized radiometer for detecting low level thermal radiation
[NASA-CASE-XLA-04556] c14 N69-27484
- Black body radiometer design with temperature sensing and cavity heat source cone winding
[NASA-CASE-XNP-09701] c14 N71-26475
- Black body radiometer having isothermally surrounded cavity for ultraviolet, visible, and infrared radiation
[NASA-CASE-NPO-10810] c14 N71-27323
- Thermoelectric radiometer using polymer film as capacitor
[NASA-CASE-ARC-10138-1] c14 N72-24477
- Development of radiant energy sensor to detect the radiant energy wavelength bands from portions of radiating body
[NASA-CASE-ERC-10174] c14 N72-25409
- Development of radiometric sensor to warn aircraft pilots of region of clear air turbulence along flight path
[NASA-CASE-ERC-10081] c14 N72-28437
- Design and development of radiometer to observe steady state radiation in vacuum environment

- [NASA-CASE-MPS-21108-1] c14 N73-12455
Radiometric measuring system for solar activity
and atmospheric attenuation and emission
[NASA-CASE-ERC-10276] c14 N73-26432
- RADIOTELEPHONES**
Communication system for transmitting biomedical
information obtained from patient in moving
ambulance to hospital for diagnosis
[NASA-CASE-FRC-10031] c05 N70-20717
- RAIN**
Precipitation detector and mechanism for
stopping and restarting machinery at
initiation and cessation of rain
[NASA-CASE-XLA-02619] c10 N71-26334
- RAMJET ENGINES**
Telescoping-spike supersonic nozzle for turbojet
or ramjet engines
[NASA-CASE-XLE-00005] c28 N70-39899
- RANDOM LOADS**
Fatigue testing device applying random discrete
load levels to test specimen and applicable to
aircraft structures
[NASA-CASE-XLA-02131] c32 N70-42003
- RANDOM NOISE**
Circuits for amplitude limiting of random noise
inputs
[NASA-CASE-NPO-10169] c10 N71-24844
Digital servocontrol system for random noise
excitation in reverberant acoustic chamber
[NASA-CASE-NPO-11623-1] c23 N72-25628
- RANDOM PROCESSES**
Circuitry for generating random square wave
pulses using white noise source
[NASA-CASE-MSC-14131-1] c09 N73-26199
- RANGE FINDERS**
Closed loop radio communication ranging system
to determine distance between moving airborne
vehicle and fixed ground station
[NASA-CASE-XNP-01501] c21 N70-41930
- RANGEFINDING**
Equipment for testing of ground station ranging
equipment and spacecraft transponders
[NASA-CASE-XMS-05454-1] c07 N71-12391
Spacecraft ranging system
[NASA-CASE-NPO-10066] c09 N71-18598
Binary coded sequential acquisition ranging
system for distance measurements
[NASA-CASE-NPO-11194] c08 N72-25209
Loop transponder for regenerating code of
mu-type ranging system
[NASA-CASE-NPO-11707] c07 N73-25161
Orbital and entry tracking accessory for globes
--- to provide range requirements for reentry
vehicles to any landing site
[NASA-CASE-LAR-10626-1] c14 N74-21015
- RARE EARTH COMPOUNDS**
Including didymium hydrate in nickel hydroxide
of positive electrode of storage batteries to
increase ampere hour capacity
[NASA-CASE-XGS-03505] c03 N71-10608
- RARE GASES**
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c16 N74-16187
- RAREFIED GASES**
Magnetically controlled plasma accelerator
capable of ignition in low density gaseous
environment
[NASA-CASE-XLA-00327] c25 N71-29184
- RATES (PER TIME)**
Apparatus and digital technique for coding rate
data
[NASA-CASE-LAR-10128-1] c08 N73-20217
- RC CIRCUITS**
RC transistor circuit to indicate each pulse of
pulse train and occurrence of nth pulse
[NASA-CASE-XMF-00906] c09 N70-41655
Device utilizing RC rate generators for
continuous slow speed measurement
[NASA-CASE-XMF-02966] c10 N71-24863
Digital data handling circuits for pulse
amplifiers
[NASA-CASE-XNP-01068] c10 N71-28739
Design of active RC network capable of operating
at high Q values with reduced sensitivity to
gain amplification and number of passive
components
- [NASA-CASE-ARC-10042-2] c10 N72-11256
Active RC filter networks and amplifiers for
deep space magnetic field measurement
[NASA-CASE-XAC-05462-2] c10 N72-17171
RC networks with voltage amplifier, RC input
circuit, and positive feedback
[NASA-CASE-ARC-10020] c10 N72-17172
Active filter circuit comprising passive RC
network and dc voltage or operational amplifier
[NASA-CASE-XAC-05462] c09 N72-20209
Multiloop RC active filter network with low
parameter sensitivity and low amplifier gain
[NASA-CASE-ARC-10192] c09 N72-21245
Temperature control system comprised of
wheatstone bridge with RC circuit
[NASA-CASE-NPO-11304] c14 N73-26430
- REACTION CONTROL**
Development of voice operated controller for
controlling reaction jets of spacecraft
[NASA-CASE-XLA-04063] c31 N71-33160
- REACTION WHEELS**
Satellite stabilization reaction wheel scanner
[NASA-CASE-XGS-02629] c14 N71-21082
Gravity gradient attitude control system with
gravity gradiometer and reaction wheels for
artificial satellite attitude control
[NASA-CASE-GSC-10555-1] c21 N71-27324
- REACTIVITY**
Absorbing gas reactivity control system for
minimizing power distribution and perturbation
in nuclear reactors
[NASA-CASE-XLE-04599] c22 N72-20597
- REACTOR CORES**
Simulated fuel assembly-type flow measurement
apparatus for coolant flow in reactor core
[NASA-CASE-XLE-00724] c14 N70-34669
Solid state device for mapping flux and power in
nuclear reactor cores
[NASA-CASE-XLE-00301] c14 N70-36808
Reactor heated in-core diodes for energy
conversion
[NASA-CASE-NPO-10542] c09 N72-27228
- REACTOR TECHNOLOGY**
Nuclear reactor control rod assembly with
improved driving mechanism
[NASA-CASE-XLE-00298] c22 N70-34501
- READOUT**
Flow angle sensor and remote readout system for
use with cryogenic fluids
[NASA-CASE-XLE-04503] c14 N71-24864
System for checking status of several
double-throw switches by readout indications
[NASA-CASE-XLA-08799] c10 N71-27272
- REAL TIME OPERATION**
Respiratory analysis system to determine gas
flow rate and frequency of respiration and
expiration cycles in real time
[NASA-CASE-MSC-13436-1] c05 N73-32015
Real time moving scene holographic camera system
[NASA-CASE-MPS-21087-1] c14 N74-17153
- RECEIVERS**
Semiconductor in resonant cavity for improving
signal to noise ratio of communication receiver
[NASA-CASE-MSC-12259-1] c07 N70-12616
Design of nonlinear coherence receiver with
feedback signal selection for carrier tracking
in telecommunications
[NASA-CASE-NPO-11921-1] c07 N73-23118
Improved phase lock loop for receiver in
multichannel telemetry system with suppressed
carrier
[NASA-CASE-NPO-11593-1] c07 N73-28012
Automatic carrier acquisition system for phase
locked loop receiver
[NASA-CASE-NPO-11628-1] c07 N73-30113
- RECONSTRUCTION**
Method and means for recording and
reconstructing holograms without use of
reference beam
[NASA-CASE-ERC-10020] c16 N71-26154
- RECORDING INSTRUMENTS**
Weighing and recording device for obtaining
precise automatic record of small changes in
force
[NASA-CASE-XLA-02605] c14 N71-10773
Blood pressure measuring system for separately
recording dc and ac pressure signals of
Korotkoff sounds
[NASA-CASE-XMS-06061] c05 N71-23317

- Helical recorder for multiple channel recording
[NASA-CASE-GSC-10614-1] c09 N72-11224
- Device for recording locations of measurements made by hand-held noncontacting probe
[NASA-CASE-LAR-10806-1] c14 N73-15474
- Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c16 N74-13205
- RECOVERABILITY**
Ejectable underwater sound source recovery assembly
[NASA-CASE-LAR-10595-1] c15 N74-16135
- RECOVERABLE LAUNCH VEHICLES**
Techniques for recovery of multistage rocket vehicles by providing lifting surfaces on individual sections
[NASA-CASE-XMF-00389] c31 N70-34176
- RECOVERABLE SPACECRAFT**
Describing assembly for opening stabilizing and decelerating flaps of flight capsules used in space research
[NASA-CASE-XMF-03169] c31 N71-15675
- RECOVERY PARACHUTES**
Parachute system for lowering manned spacecraft from post-reentry to ocean landing
[NASA-CASE-XLA-00195] c02 N70-38009
- Development and operating principles of gas generator for deploying recovery parachutes from space capsules during atmospheric entry
[NASA-CASE-LAR-10549-1] c31 N73-13898
- RECTANGULAR PANELS**
Rectangular solar cell stacked panels to generate electrical power aboard spacecraft
[NASA-CASE-NPO-11771] c03 N73-20040
- RECTIFIERS**
Lithium drifted silicon radiation detector with gold rectifying contacts
[NASA-CASE-XLE-10529] c14 N69-23191
- Power control switching circuit using low voltage semiconductor controlled rectifiers for high voltage isolation
[NASA-CASE-XNP-02713] c10 N69-39888
- Precision full wave rectifier circuit for rectifying incoming electrical signals having positive or negative polarity with only positive output signals
[NASA-CASE-ARC-10101-1] c09 N71-33109
- Voltage amplitude-responsive trigger circuit with silicon controlled rectifier
[NASA-CASE-GSC-10221-1] c09 N72-23171
- Dc to ac to dc converter with transistor driven synchronous rectifiers
[NASA-CASE-GSC-11126-1] c09 N72-25253
- REDUCED GRAVITY**
Reduced gravity liquid configuration simulator to study propellant behavior in rocket fuel tanks
[NASA-CASE-XLE-02624] c12 N69-39988
- Apparatus for measuring human body mass in zero or reduced gravity environment
[NASA-CASE-XMS-03371] c05 N70-42000
- Cable suspension and inclined walkway system for simulating reduced or zero gravity environments
[NASA-CASE-XLA-01787] c11 N71-16028
- Development of restraint system for securing personnel to ergometer while exercising under weightless conditions
[NASA-CASE-MFS-21046-1] c14 N73-27377
- REDUCTION (CHEMISTRY)**
Producing metal powders of controlled particle size by reducing oxide using reactive metal vapor in vacuum
[NASA-CASE-XLE-06461] c17 N72-22530
- REDUNDANT COMPONENTS**
Redundant memory for enhanced reliability of digital data processing system
[NASA-CASE-GSC-10564] c10 N71-29135
- REENTRY COMMUNICATION**
Electrostatic modulator for communicating through plasma sheath formed around spacecraft during reentry
[NASA-CASE-XLA-01400] c07 N70-41331
- Method and apparatus for communicating through ionized layer of gases surrounding spacecraft during reentry into planetary atmospheres
[NASA-CASE-XLA-01127] c07 N70-41372
- Reentry communication by injection of water droplets into plasma layer surrounding space vehicle
[NASA-CASE-XLA-01552] c07 N71-11284
- REENTRY SHIELDING**
Transpirationally cooled heat ablation system for interplanetary spacecraft reentry shielding
[NASA-CASE-XMS-02677] c31 N70-42075
- Method and apparatus for fabrication of heat insulating and ablative reentry structure
[NASA-CASE-XMS-02009] c33 N71-20834
- Radioactive isotope capsule container design for atmospheric reentry protection and heat transmission to spacecraft
[NASA-CASE-LEW-11227-1] c33 N71-35153
- Ablative heat shield for protection from aerodynamic heating of reentry spacecraft
[NASA-CASE-MSC-12143-1] c33 N72-17947
- REENTRY TRAJECTORIES**
Aerodynamic configuration of reentry vehicle heat shield to provide longitudinal and directional stability at hypersonic velocities
[NASA-CASE-XMS-04142] c31 N70-41631
- REENTRY VEHICLES**
Leading edge design for hypersonic reentry vehicles
[NASA-CASE-XLA-00165] c31 N70-33242
- Delta winged, manned reentry vehicle capable of horizontal glide landing at low speeds
[NASA-CASE-XLA-00241] c31 N70-37986
- Telespectrograph for analyzing upper atmosphere by tracking bodies reentering atmosphere at high velocities
[NASA-CASE-XLA-03273] c14 N71-18699
- Ablation sensor for measuring surface ablation rate of material on vehicles entering earth's atmosphere on entry into planetary atmospheres
[NASA-CASE-XLA-01791] c14 N71-22991
- Design of ring wing vehicle of high drag-to-weight ratio to withstand reentry stress into low density atmosphere
[NASA-CASE-XLA-04901] c31 N71-24315
- Development of auxiliary lifting system to provide ferry capability for entry vehicles
[NASA-CASE-LAR-10574-1] c11 N73-13257
- Development and operating principles of gas generator for deploying recovery parachutes from space capsules during atmospheric entry
[NASA-CASE-LAR-10549-1] c31 N73-13898
- REFERENCE SYSTEMS**
Automatic frequency control device for providing frequency reference for voltage controlled oscillator
[NASA-CASE-KSC-10393] c09 N72-21247
- REFINING**
Helium refining by superfluidity
[NASA-CASE-XNP-00733] c06 N70-34946
- REFLECTANCE**
Optical characteristics measuring apparatus
[NASA-CASE-XNP-08840] c23 N71-16365
- Device for determining acceleration of gravity by interferometric measurement of travel of falling body
[NASA-CASE-XMF-05844] c14 N71-17587
- Highly stable optical mirror assembly optimizing image quality of light diffraction patterns
[NASA-CASE-ERC-10001] c23 N71-24868
- Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-3] c23 N73-32538
- REFLECTED WAVES**
Device and method for determining X ray reflection efficiency, scattering properties, and surface finish of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662
- REFLECTION**
Vacuum preparation of zinc titanate pigment resistant to loss of reflective properties
[NASA-CASE-MFS-13532] c18 N72-17532
- REFLECTOMETERS**
Ellipsoidal mirror reflector for measuring reflectance
[NASA-CASE-XGS-05291] c23 N71-16341
- REFLECTORS**
Method of compactly packaging centrifugally expandable lightweight flexible reflector satellite
[NASA-CASE-XLA-00138] c31 N70-37981
- Antenna design with self erecting mesh reflector
[NASA-CASE-XGS-09190] c31 N71-16102
- Cylindrical reflector for resolving wide angle light beam from telescope into narrow beam for

spectroscopic analysis
[NASA-CASE-XGS-08269] c23 N71-26206

Conical reflector antenna with feed approximating line source
[NASA-CASE-NPO-10303] c07 N72-22127

Target acquisition antenna feed with reflector system
[NASA-CASE-GSC-10064-1] c10 N72-22235

Multipurpose microwave antenna, employing dish reflector with plural coaxial horn feeds
[NASA-CASE-NPO-11264] c07 N72-25174

Characteristics of microwave antenna with conical reflectors to generate plane wave front
[NASA-CASE-NPO-11661] c07 N73-14130

REFRACTORY MATERIALS

Test apparatus for determining mechanical properties of refractory materials at high temperatures in vacuum or inert atmospheres
[NASA-CASE-XLE-00335] c14 N70-35368

Method for producing refractory molybdenum disilicides
[NASA-CASE-XMS-00370] c17 N71-20941

Prestressed rocket nozzle with ceramic inner rings and refractory metal outer rings
[NASA-CASE-XNP-02888] c18 N71-21068

Semiconductor device manufacture using refractory dielectrics as diffusant masks and interconnection insulating materials
[NASA-CASE-XER-08476-1] c26 N72-17820

Electric furnace for vacuum and zero gravity melting of high melting point materials during earth orbit
[NASA-CASE-NPS-20710] c11 N72-23215

REFRACTORY METALS

Refractory filament series circuitry for radiant heater
[NASA-CASE-XLE-00387] c33 N70-34812

Production of refractory bodies with controlled porosity by pressing and heating mixtures of refractory and inert metal powders
[NASA-CASE-LEW-10393-1] c17 N71-15468

Multilayer porous refractory metal ionizer design with thick, porous, large-grain substrates and thin, porous micron-grain substrates
[NASA-CASE-XNP-04338] c17 N71-23046

Brazing alloy adapted for brazing corrosion resistant steel to refractory metals, also for brazing refractory metals to other refractory metals
[NASA-CASE-XNP-03063] c17 N71-23365

Development and characteristics of thermal radiation shielding of refractory metal foil used for induction furnace
[NASA-CASE-XLE-03432] c33 N71-24145

Production of high strength refractory compounds and microconstituents into refractory metal matrix
[NASA-CASE-XLE-03940] c18 N71-26153

Silicide coating process and composition for protection of refractory metals from oxidation
[NASA-CASE-XLE-10910] c18 N71-29040

Development of procedure for improved distribution of refractory compounds and micro-constituents in refractory metal matrix
[NASA-CASE-XLE-03940-2] c17 N72-28536

Improved silicide coatings for refractory metals employed in space shuttles and gas turbine engine components
[NASA-CASE-LEW-11179-1] c17 N73-22474

Method of making an apertured casting
[NASA-CASE-LEW-11169-1] c15 N74-18131

REFRIGERATING

Heat exchanger and decontamination system for multistage refrigeration unit
[NASA-CASE-NPO-10634] c23 N72-25619

REFRIGERATING MACHINERY

Gas balancing, cryogenic refrigeration apparatus with Joule-Thomson valve assembly
[NASA-CASE-NPO-10309] c15 N69-23190

Method and apparatus for producing very low temperature refrigeration based on gas pressure balance
[NASA-CASE-XNP-08877] c15 N71-23025

Dual solid cryogenics for spacecraft refrigeration insuring low temperature cooling for extended periods
[NASA-CASE-GSC-10188-1] c23 N71-24725

REFRIGERATORS

Intermittent type silica gel adsorption refrigerator for providing temperature control for spacecraft components
[NASA-CASE-XNP-00920] c15 N71-15906

REGENERATION (ENGINEERING)

Switching circuit with regeneratively connected transistors eliminating power consumption when not in use
[NASA-CASE-XNP-02654] c10 N70-42032

Direct current electromotive system for regenerative braking of electric motor
[NASA-CASE-XNP-01096] c10 N71-16030

REGENERATIVE COOLING

Metal ribbon wrapped outer wall for regeneratively cooled combustion chamber
[NASA-CASE-XLE-00164] c15 N70-36411

Fabrication method for lightweight regeneratively cooled combustion chamber of channel construction
[NASA-CASE-XLE-00150] c28 N70-41818

Regenerative cooling system for small rocket engine having restart capability and using noncryogenic hypergolic propellants
[NASA-CASE-XLE-00685] c28 N70-41992

Regenerative cooling system for rocket combustion chamber using coolant tubes in convergent-divergent nozzle
[NASA-CASE-XLE-04857] c28 N71-23968

Thermocouple apparatus for measuring wall temperatures in regeneratively cooled rocket engines having thin walled cooling passages
[NASA-CASE-XLE-05230-2] c14 N73-13417

REGENERATIVE FUEL CELLS

Electrolytically regenerative hydrogen-oxygen fuel cells
[NASA-CASE-XLE-04526] c03 N71-11052

REGENERATORS

Loop transponder for regenerating code of mu-type ranging system
[NASA-CASE-NPO-11707] c07 N73-25161

REGISTERS (COMPUTERS)

Data processor with plural register stages for selectively interconnecting with each other to effect multiplicity of operations
[NASA-CASE-GSC-10186] c08 N71-33110

REINFORCED PLASTICS

Process for developing filament reinforced plastic tubes used in research and development programs
[NASA-CASE-LAR-10203-1] c15 N72-16330

Development of procedure for repairing fiberglass structures which retains geometry and strength of original structure
[NASA-CASE-LAR-10416-1] c15 N72-27527

REINFORCEMENT (STRUCTURES)

Reinforcing beam system for highly flexible diaphragms in valves or pressure switches
[NASA-CASE-XNP-01962] c32 N70-41370

Fabrication of light weight panel structure using pairs of elongate hollow ribs of semicircular configuration
[NASA-CASE-LAR-11052-1] c32 N73-13929

REINFORCING FIBERS

High strength reinforced metallic composites for applications over wide temperature range
[NASA-CASE-XLE-02428] c17 N70-33288

Method for producing fiber reinforced metallic composites with high strength and elasticity over wide temperature range
[NASA-CASE-XLE-00231] c17 N70-38198

Description of method for producing metallic composites reinforced with ceramic and refractory hard metals that are fibered in place
[NASA-CASE-XLE-03925] c18 N71-22894

Production and application of sprayable fiber reinforced ablation material
[NASA-CASE-XLA-04251] c18 N71-26100

RELAXATION OSCILLATORS

Voltage controlled, variable frequency relaxation oscillator with MOSFET variable current feed
[NASA-CASE-GSC-10022-1] c10 N71-25882

RELAY SATELLITES

Earth satellite relay station for frequency multiplexed voice transmission
[NASA-CASE-GSC-10118-1] c07 N71-24621

RELEASING

Bolt-latch mechanism for releasing despin

- Weights from space vehicle
[NASA-CASE-XLA-00679] c15 N70-38601
- Quick-release coupling for fueling rocket vehicles with cryogenic propellants
[NASA-CASE-XKS-01985] c15 N71-10782
- Design and development of release mechanism for spacecraft components, releasable despin weights, and extensible gravity booms
[NASA-CASE-XGS-08718] c15 N71-24600
- Pneumatic mechanism for releasing hook and loop fasteners between large rigid structures
[NASA-CASE-XHS-10660-1] c15 N71-25975
- Delayed simultaneous appendage release mechanism for use on spacecraft equipped with despin mechanisms and releasable components
[NASA-CASE-GSC-10814-1] c03 N73-20039
- RELIABILITY ANALYSIS**
Development of computer program for estimating reliability of self-repair and fault-tolerant systems with respect to selected system and mission parameters
[NASA-CASE-NPO-13086-1] c15 N73-12495
- RELIABILITY ENGINEERING**
Improving load capacity and fatigue life of rolling element systems in rockets and missiles
[NASA-CASE-XLE-02999] c15 N71-16052
- Gage for quality control of sealing surfaces of threaded boss
[NASA-CASE-XHF-04966] c14 N71-17658
- Reliability of automatic refilling valving device for cryogenic liquid systems
[NASA-CASE-NPO-11177] c15 N72-17453
- Reliability of electrical connectors after heat sterilization
[NASA-CASE-NPO-10694] c09 N72-20200
- Reliable electrical element heater using plural wire system and backup power sources
[NASA-CASE-HFS-21462-1] c09 N74-14935
- Hollow rolling element bearings
[NASA-CASE-LEB-11087-3] c15 N74-21064
- RELIEF VALVES**
Relief valve to permit slow and fast bleeding rates at difference pressure levels
[NASA-CASE-XHS-05894-1] c15 N69-21924
- Describing apparatus for separating gas from cryogenic liquid under zero gravity and for venting gas from fuel tank
[NASA-CASE-XLE-00586] c15 N71-15968
- Redundant hydraulic control system for actuators with three main valve combination
[NASA-CASE-HFS-20944] c15 N73-13466
- REMOTE CONTROL**
Oscillatory electromagnetic mirror drive system for horizon scanners
[NASA-CASE-XLA-03724] c14 N69-27461
- Stage separation using remote control release of joint with explosive insert
[NASA-CASE-XLA-02854] c15 N69-27490
- Power controlled bimetallic electromechanical actuator for accurate, timely, and reliable response to remote control signal
[NASA-CASE-XNP-09776] c09 N69-39929
- Controlled caging and uncaging mechanism for remote instrument control
[NASA-CASE-GSC-11063-1] c03 N70-35584
- Two component valve assembly for cryogenic liquid transfer regulation
[NASA-CASE-XLE-00397] c15 N70-36492
- Remotely actuated quick disconnect mechanism for umbilical cables
[NASA-CASE-XLA-00711] c03 N71-12258
- Remotely actuated quick disconnect for tubular umbilical conduits used to transfer fluids from ground to rocket vehicle
[NASA-CASE-XLA-01396] c03 N71-12259
- Remote control device operated by movement of finger tips for manual control of spacecraft attitude
[NASA-CASE-XAC-02405] c09 N71-16089
- Satellite radio communication system with remote steerable antenna
[NASA-CASE-XNP-02389] c07 N71-28900
- Laser beam projector for continuous, precise alignment between target, laser generator, and astronomical telescope during tracking
[NASA-CASE-NPO-11087] c23 N71-29125
- Solid state remote circuit selector switching circuit
[NASA-CASE-LEB-10387] c09 N72-22201
- Design and development of multichannel laser remote control system using modulated helium-neon laser as transmitter and light collector as receiving antenna
[NASA-CASE-LAR-10311-1] c16 N73-16536
- Remotely controlled device for detection of mass changes in selected specimens
[NASA-CASE-HFS-21556-1] c14 N73-20487
- Remote manipulator system
[NASA-CASE-HFS-22022-1] c05 N74-10099
- REMOTE HANDLING**
Manipulator for remote handling in zero gravity environment
[NASA-CASE-HFS-14405] c15 N72-28495
- Apparatus for remote handling of materials --- mixing or analyzing dangerous chemicals
[NASA-CASE-LAR-10634-1] c15 N74-18123
- REMOTE SENSORS**
Passive optical wind and turbulence remote detection system
[NASA-CASE-XHF-14032] c20 N71-16340
- Ionization control system design for monitoring separately located ion gage pressures on vacuum chambers
[NASA-CASE-XLE-00787] c14 N71-21090
- Flow angle sensor and remote readout system for use with cryogenic fluids
[NASA-CASE-XLE-04503] c14 N71-24864
- Time synchronization system for synchronizing clocks at remote locations with master clock using moon reflected coded signals
[NASA-CASE-NPO-10143] c10 N71-26326
- Development of radionetric sensor to warn aircraft pilots of region of clear air turbulence along flight path
[NASA-CASE-ERC-10081] c14 N72-28437
- Design and development of radionetric to observe steady state radiation in vacuum environment
[NASA-CASE-HFS-21108-1] c14 N73-12455
- Development of electronic detection system for remotely determining number and movement of enemy personnel
[NASA-CASE-ARC-10097-2] c07 N73-25160
- Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver
[NASA-CASE-HFS-21470-1] c10 N74-19870
- REMOVAL**
Catalyst bed element removing tool
[NASA-CASE-XPR-00811] c15 N70-36901
- REPEATERS**
Time division relay synchronizer with master sync pulse for activating binary counter to produce signal identifying time slot for station
[NASA-CASE-GSC-10373-1] c07 N71-19773
- REPLACING**
Indexing mechanism for cathode array substitution in electron beam tube
[NASA-CASE-NPO-10625] c09 N71-26182
- RESCUE OPERATIONS**
Backpack carrier with retractable legs suitable for lunar exploration and convertible to rescue vehicle
[NASA-CASE-LAR-10056] c05 N71-12351
- Development and characteristics of rescue litter with inflatable flotation device for water rescue application
[NASA-CASE-XHS-04170] c05 N71-22748
- RESEARCH AND DEVELOPMENT**
Process for developing filament reinforced plastic tubes used in research and development programs
[NASA-CASE-LAR-10203-1] c15 N72-16330
- RESEARCH VEHICLES**
Lunar landing flight research vehicle
[NASA-CASE-XPR-00929] c31 N70-34966
- Velocity limiting safety system for motor driven research vehicle
[NASA-CASE-XLA-07473] c15 N71-24895
- RESIDUAL STRESS**
Miniature solid state, direction sensitive, stress transducer design with bonded semiconductive piezoresistive element for sensing residual stresses
[NASA-CASE-XNP-02983] c14 N71-21091
- Manufacturing process for making perspiration resistant-stress resistant biopotential electrode
[NASA-CASE-HSC-90153-2] c05 N72-25120

RESILIENCE

Automated ball rebound resilience test equipment for determining viscoelastic properties of polymers
[NASA-CASE-XLA-08254] c14 N71-26161

RESIN BONDING

Procedure for bonding polytetrafluoroethylene thermal protective sleeves to magnesium alloy conical shell components with different thermal coefficients
[NASA-CASE-XLA-01262] c15 N71-21404
Silicon solar cell with plastic film binding to cover glass
[NASA-CASE-LEW-11065-2] c03 N73-26048

RESINS

Modification of polyurethanes with alkyl halide resins, inorganic salts, and encapsulated volatile and reactive halogen for fuel fire control
[NASA-CASE-ARC-10098-1] c06 N71-24739
Development of process for bonding resinous body in cavities of honeycomb structures
[NASA-CASE-MSC-12357] c15 N73-12489
Resin for protecting p-n semiconductor junction surface
[NASA-CASE-ERC-10339-1] c18 N73-30532

RESISTANCE

Manufacturing process for making perspiration resistant-stress resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c05 N72-25120
Variable resistance tension and lubrication device, using oil-saturated leather wiper
[NASA-CASE-KSC-10723-1] c15 N73-23553

RESISTANCE HEATING

High resistance cross flow heat exchangers for electrothermal rocket engines
[NASA-CASE-XLE-01783] c28 N70-34175

RESISTORS

High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c07 N73-23106

RESOLUTION

Conversion system for increasing resolution of analog to digital converters
[NASA-CASE-XAC-00404] c08 N70-40125
Cylindrical reflector for resolving wide angle light beam from telescope into narrow beam for spectroscopic analysis
[NASA-CASE-XGS-08269] c23 N71-26206

RESONANT FREQUENCIES

Vibrating element electrometer producing high conversion gain by input current control of elements resonant frequency displacement amplitude
[NASA-CASE-XAC-02807] c09 N71-23021
Quantitative liquid measurements in container by resonant frequencies
[NASA-CASE-XNP-02500] c18 N71-27397
Development of electrical circuit for suppressing oscillations across inductor operating in resonant mode
[NASA-CASE-ERC-10403-1] c10 N73-26228

RESONATORS

Selective bandpass resonators using bandstop resonator pairs for microwave frequency operation
[NASA-CASE-GSC-10990-1] c09 N73-26195

RESPIRATION

Respiration analyzing method and apparatus for determining subjects oxygen consumption in aerospace environments
[NASA-CASE-XFR-08403] c05 N71-11202

RESPIRATORS

Transducer for monitoring oxygen flow in respirator
[NASA-CASE-FRC-10012] c14 N72-17329

RESPIRATORY RATE

Flowmeters for sensing low fluid flow rate and pressure for application to respiration rate studies
[NASA-CASE-FRC-10022] c12 N71-26546
Respiratory analysis system to determine gas flow rate and frequency of respiration and expiration cycles in real time
[NASA-CASE-MSC-13436-1] c05 N73-32015
Metabolic analyzer --- for measuring metabolic rate and breathing dynamics of human beings
[NASA-CASE-MFS-21415-1] c05 N74-20728

RESPIROMETERS

Metabolic analyzer --- for measuring metabolic rate and breathing dynamics of human beings
[NASA-CASE-MFS-21415-1] c05 N74-20728

RESPONSES

System for monitoring condition responsive devices by using frequency division multiplex technique
[NASA-CASE-KSC-10521] c07 N73-20176

RESTARTABLE ROCKET ENGINES

Collapsible auxiliary tank for restarting liquid propellant rocket motors under zero gravity
[NASA-CASE-XNP-01390] c28 N70-41275
Regenerative cooling system for small rocket engine having restart capability and using noncryogenic hypergolic propellants
[NASA-CASE-XLE-00685] c28 N70-41992

RESUSCITATION

Pulmonary resuscitation method and apparatus with adjustable pressure regulator
[NASA-CASE-XMS-01115] c05 N70-39922

RETARDING

Ablative resins used for retarding regression in ablative material
[NASA-CASE-XLE-05913] c33 N71-14032

RETICLES

Optical tracker with pair of FM reticles having patterns 90 deg out of phase
[NASA-CASE-XGS-05715] c23 N71-16100
Method for producing reticles for use in outer space
[NASA-CASE-GSC-11188-2] c21 N73-19630
Production method of star tracking reticles for transmitting in visible and near ultraviolet regions
[NASA-CASE-GSC-11188-1] c14 N73-32320
Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c14 N74-20008

RETRACTABLE EQUIPMENT

Retractable runway lights
[NASA-CASE-XLA-00119] c11 N70-33329
Support for flexible conductor cable between drawers or racks holding electronic equipment and cabinet assembly housing drawers or racks
[NASA-CASE-XMF-07587] c15 N71-18701

RETROFIRING

Visual target luminaires for retrofire attitude control
[NASA-CASE-XMS-12158-1] c31 N69-27499
Device for use in descending spacecraft as altitude sensor for actuating deceleration retrorockets
[NASA-CASE-XMS-03792] c14 N70-41812

RETROREFLECTION

Servo system for retroreflector of Michelson interferometer
[NASA-CASE-NPO-10300] c14 N71-17662

RETROROCKET ENGINES

Steerable solid propellant rocket motor adapted to effect payload orientation as multistage rocket stage or reduce velocity as retrorocket
[NASA-CASE-XNP-00234] c28 N70-38645

REUSABLE SPACECRAFT

Recoverable, reusable single stage booster capable of injecting large payloads into circular earth orbit
[NASA-CASE-XMF-01973] c31 N70-41588
Design and configuration of aerospace vehicle for performing earth orbit mission and returning to preselected landing site
[NASA-CASE-MFS-21527] c31 N72-15781
Spacecraft configurations and aerodynamic characteristics of space shuttle systems with two reusable stages
[NASA-CASE-MSC-12433] c31 N73-14854

REUSE

Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c18 N74-14230

REVERSED FLOW

Multistage multiple reentry axial flow reaction turbine with reverse flow reentry ducting
[NASA-CASE-XLE-00170] c15 N70-36412
Reversible current directing circuitry for reversible motor control
[NASA-CASE-XLA-09371] c10 N71-18724
Positive locking check valve for stopping reversed flow
[NASA-CASE-XMS-09310] c15 N71-22706

REYNOLDS NUMBER

Wind tunnel test section for simulating high Reynolds number over transonic speed range
[NASA-CASE-MPS-20509] c11 N72-17183

RIBBONS

Metal ribbon wrapped outer wall for regeneratively cooled combustion chamber
[NASA-CASE-XLE-00164] c15 N70-36411
Device for bending metal ribbon or wire
[NASA-CASE-XLA-05966] c15 N72-12408
Controlled diffusion reaction process for masking substrate of twisted multifilament superconductive ribbon
[NASA-CASE-LEW-11726-1] c26 N73-26752

RIBOFLAVIN

Bioassay of flavin coenzymes
[NASA-CASE-GSC-10565-1] c06 N72-25149

RIBS (SUPPORTS)

Aeroflexible wing structure with air scoop for inflating stiffeners with ram air
[NASA-CASE-XLA-06095] c01 N69-39981
Fabrication of light weight panel structure using pairs of elongate hollow ribs of semicircular configuration
[NASA-CASE-LAR-11052-1] c32 N73-13929

RICE

Rice preparation process consisting of cooking, two freezing-thawing cycles, and then freeze drying
[NASA-CASE-MSC-13540-1] c05 N72-33096

RIGID STRUCTURES

Pneumatic mechanism for releasing hook and loop fasteners between large rigid structures
[NASA-CASE-XMS-10660-1] c15 N71-25975
Storage stable, thermally activated foaming compositions for erecting and rigidizing mechanisms of thin sheet solar collectors
[NASA-CASE-LAR-10373-1] c18 N71-26155
Adjustable rigid mount for trihedral mirror formed of alloy with small coefficient of thermal expansion supporting screws and spring-biased plates
[NASA-CASE-XNP-08907] c23 N71-29123

RIGID HINGS

Deployment system for flexible wing with rigid superstructure
[NASA-CASE-XLA-01220] c02 N70-41863

RING CURRENTS

Design of transistorized ring counter circuit with special steering and triggering circuits
[NASA-CASE-XGS-03095] c09 N69-27463

RING STRUCTURES

Reversible ring counter using cascaded single silicon controlled rectifier stages
[NASA-CASE-XGS-01473] c09 N71-10673
Nonreusable energy absorbing device comprising ring member with plurality of recesses, cutting members, and guide member mounted in each recess
[NASA-CASE-XMF-10040] c15 N71-22877
Electron microscope and method of making annular objective aperture
[NASA-CASE-ARC-10448-1] c14 N72-21421

RING HINGS

Design of ring wing vehicle of high drag-to-weight ratio to withstand reentry stress into low density atmosphere
[NASA-CASE-XLA-04901] c31 N71-24315

RIPPLES

Circuit for monitoring power supply by ripple current indication
[NASA-CASE-KSC-10162] c09 N72-11225

RIVETS

Electrical connection for printed circuits on common board, using bellows principle in rivet
[NASA-CASE-XNP-05082] c15 N70-41960

ROCKET ENGINE CASES

Method for shaping regeneratively cooled rocket motor casing having minimum thickness at each channel cross section
[NASA-CASE-XLE-00409] c28 N71-15658
Regeneratively cooled rocket motor casing with tapered channels to insure minimum thicknesses at each channel cross section for necessary strength requirements
[NASA-CASE-XLE-05689] c28 N71-15659
Payload/spent rocket engine case separation system
[NASA-CASE-XLA-05369] c31 N71-15687

Liner for hybrid solid propellants to bind propellant to rocket motor case
[NASA-CASE-XNP-09744] c27 N71-16392
Permanently magnetized ion engine casing construction for use in spacecraft propulsion systems
[NASA-CASE-XNP-06942] c28 N71-23293

ROCKET ENGINE DESIGN

High thrust annular liquid propellant rocket engine and exhaust nozzle design
[NASA-CASE-XLE-00078] c28 N70-33284
Spherical solid propellant rocket engine design
[NASA-CASE-XLA-00105] c28 N70-33331
Spherical solid propellant rocket engine having abrupt burnout
[NASA-CASE-XHQ-01897] c28 N70-35381
Metal ion rocket engine design
[NASA-CASE-XLE-00342] c28 N70-37980
Improvement in rocket engine performance with swirling flow exhaust nozzle development
[NASA-CASE-XNP-03692] c28 N71-24321
Characteristics of ion rocket engine with combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c28 N73-24783
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c28 N74-13502

ROCKET ENGINES

Channel-type shell construction for rocket engines and related configurations
[NASA-CASE-XLE-00144] c28 N70-34860
Encapsulated heater forming hollow body for cathode used in ion thruster
[NASA-CASE-LEW-10814-1] c28 N70-35422
Apparatus for cooling and injecting hypergolic propellants into combustion chamber of small rocket engine
[NASA-CASE-XLE-00303] c15 N70-36535
Elastic universal joint for rocket motor mounting
[NASA-CASE-XNP-00416] c15 N70-36947
Water electrolysis rocket engine with self-regulating stoichiometric fuel mixing regulator
[NASA-CASE-XGS-08729] c28 N71-14044
Method for igniting solid propellant rocket motors by injecting hypergolic fluids
[NASA-CASE-XLE-01988] c27 N71-15634
Laminar flow of liquid coolants in rocket engines
[NASA-CASE-NPO-10122] c12 N71-17631
Improvement in rocket engine performance with swirling flow exhaust nozzle development
[NASA-CASE-XNP-03692] c28 N71-24321
System for removing and repairing spacecraft control thrusters by use of portable air locks
[NASA-CASE-MPS-20325] c28 N71-27095
Device for back purging thrust engines
[NASA-CASE-XMS-04826] c28 N71-28849
Development of method for cooling high temperature wall members with cooling medium having high heat absorption capability
[NASA-CASE-HQN-00938] c33 N71-29053
Automatic shunting of ion thruster magnetic field when thruster is not operating
[NASA-CASE-LEW-10835-1] c28 N72-22771
Vacuum chamber with scale model of rocket engine base area of space vehicle
[NASA-CASE-MPS-20620] c11 N72-27262
Transpiration-cooled rocket chamber formed of porous metal wall
[NASA-CASE-LEW-11118-1] c15 N72-32501
Thermocouple apparatus for measuring wall temperatures in regeneratively cooled rocket engines having thin walled cooling passages
[NASA-CASE-XLE-05230-2] c14 N73-13417
Improving performance of magnetoplasma dynamic arc rocket engine
[NASA-CASE-LEW-11180-1] c25 N73-25760

ROCKET EXHAUST

Thrust vector control by secondary injection of fluid into rocket nozzle flow field to separate exhaust flow
[NASA-CASE-XLE-00208] c28 N70-34294
Development of vortex fluid amplifier for throttling rocket exhaust
[NASA-CASE-LEW-10374-1] c28 N73-13773

ROCKET FIRING

Design and characteristics of linkage to alleviate rocket vehicle divergence during launch
[NASA-CASE-XLA-00256] c31 N71-15663

ROCKET FLIGHT

Development of technique for control of free flight rocket vehicles
[NASA-CASE-XLA-00937] c31 N71-17691

ROCKET LAUNCHING

Design and characteristics of linkage to alleviate rocket vehicle divergence during launch
[NASA-CASE-XLA-00256] c31 N71-15663
Controlled release device for use in launching rockets or missiles
[NASA-CASE-XKS-03338] c15 N71-24043

ROCKET NOZZLES

Gimbaled partially submerged nozzle for solid propellant rocket engines for providing directional control
[NASA-CASE-XMF-01544] c28 N70-34162
Large area-ratio nozzles for rocket motor thrust chambers
[NASA-CASE-XLE-00145] c28 N70-36806
Flexible rocket motor nozzle closure device to aid ignition and protect rocket chamber from foreign objects
[NASA-CASE-XLA-02651] c28 N70-41967
Automatically deploying nozzle exit cone extension
[NASA-CASE-XLE-01640] c31 N71-15637
Method for testing rocket nozzles at high tensile stress levels
[NASA-CASE-NPO-10311] c31 N71-15643
Development of collapsible nozzle extension for rocket engines
[NASA-CASE-MFS-11497] c28 N71-16224
Camera protecting device for use in photographing rocket engine nozzles or other engine components
[NASA-CASE-NPO-10174] c14 N71-18465
Multislot film cooled pyrolytic graphite rocket nozzle
[NASA-CASE-XNP-04389] c28 N71-20942
Prestressed rocket nozzle with ceramic inner rings and refractory metal outer rings
[NASA-CASE-XNP-02888] c18 N71-21068
Improvement in rocket engine performance with swirling flow exhaust nozzle development
[NASA-CASE-XNP-03692] c28 N71-24321
Development of method for cooling high temperature wall members with cooling medium having high heat absorption capability
[NASA-CASE-HQN-00938] c33 N71-29053
Inflatable rocket engine nozzle skirt with transpiration cooling
[NASA-CASE-MFS-20619] c28 N72-11708
Thin walled nozzle with insulative nonablative coating for solid propellant rocket engines
[NASA-CASE-NPO-11458] c28 N72-23810

ROCKET OXIDIZERS

Utilization of inorganic metal-oxidizer materials in solid rocket propellants resulting in increased combustion efficiency
[NASA-CASE-NPO-11975-1] c27 N73-17802

ROCKET PROPELLANTS

Solenoid two-step valve for bipropellant flow rate control to rocket engine
[NASA-CASE-XMS-04890-1] c15 N70-22192
Rocket engine injector orifice to accommodate changes in density, velocity, and pressure, thereby maintaining constant mass flow rate of propellant into rocket combustion chamber
[NASA-CASE-XLE-03157] c28 N71-24736
Bipropellant injector with pair of concave deflector plates
[NASA-CASE-XNP-09461] c28 N72-23809

ROCKET TEST FACILITIES

High-vacuum condenser tank for testing ion rocket engines
[NASA-CASE-XLE-00168] c11 N70-33278
Micro-pound extended range thrust stand for small rocket engines
[NASA-CASE-GSC-10710-1] c28 N71-27094

ROCKET THRUST

Solid propellant rocket vehicle thrust control method and apparatus
[NASA-CASE-XNP-00217] c28 N70-38181
High voltage insulators for direct current in acceleration system of electrostatic thruster
[NASA-CASE-XLE-01902] c28 N71-10574
Characteristics of solid propellant rocket engine with controlled rate of thrust buildup operating in vacuum environment

[NASA-CASE-NPO-11559]

c28 N73-24784

ROCKET VEHICLES

Umbilical separator for rockets
[NASA-CASE-XNP-00425] c11 N70-38202
Hydraulic support equipment for full scale dynamic testing of large rocket vehicle under free flight conditions
[NASA-CASE-XMF-01772] c11 N70-41677
Design and characteristics of linkage to alleviate rocket vehicle divergence during launch
[NASA-CASE-XLA-00256] c31 N71-15663
Development of technique for control of free flight rocket vehicles
[NASA-CASE-XLA-00937] c31 N71-17691

ROCKET-BORNE INSTRUMENTS

Rocket-borne aspect sensor consisting of radiation sensor, apertured disk, commutator, and counting circuits
[NASA-CASE-XGS-08266] c14 N69-27432

ROCKETS

Device for detecting hydrogen fires onboard high altitude rockets
[NASA-CASE-MFS-13130] c10 N72-17173

ROCKS

Rotary impact-type rock drill for recovering rock cuttings
[NASA-CASE-XNP-07478] c14 N69-21923

ROLL

Measuring roll alignment of test body with respect to reference body
[NASA-CASE-GSC-10514-1] c14 N72-20379

ROLLER BEARINGS

Solid lubricant applied to porous roller bearings prior to use in ultrahigh vacuum
[NASA-CASE-XLE-09527] c15 N71-17688
Semilinear bearing comprising two rows of roller bearings separated by spherical bearings and permitting rotational and translational movement
[NASA-CASE-XLA-02809] c15 N71-22982
Low mass rolling element bearing assembly
[NASA-CASE-LEW-11087-1] c15 N73-30458
Method of making rolling element bearings
[NASA-CASE-LEW-11087-2] c15 N74-15128

ROLLERS

Improving load capacity and fatigue life of rolling element systems in rockets and missiles
[NASA-CASE-XLE-02999] c15 N71-16052

ROLLING CONTACT LOADS

Development of rolling element bearing for operation in ultrahigh vacuum environment
[NASA-CASE-XLB-09527-2] c15 N71-26189

ROLLING MOMENTS

Star sensor system for roll attitude control of spacecraft
[NASA-CASE-XNP-01307] c21 N70-41856

ROOM TEMPERATURE

Process permitting application of synthetic resin coating to irregular-shaped objects at ambient temperature
[NASA-CASE-XNP-06508] c18 N69-39895

ROTARY STABILITY

Drive mechanism for operating reactance attitude control system for aerospace bodies
[NASA-CASE-XNP-01598] c21 N71-15583
Combination guide and rotary bearing for freely moving shaft
[NASA-CASE-XLA-00013] c15 N71-29136
Journal bearings
[NASA-CASE-LEW-11076-3] c15 N74-10475

ROTARY WING AIRCRAFT

Aircraft control system for rotary wing aircraft
[NASA-CASE-ERC-10439] c02 N73-19004

ROTARY WINGS

Variable geometry rotor system for direct control over wake vortex
[NASA-CASE-LAR-10557] c02 N72-11018

ROTATING BODIES

Optical scanner mounted on rotating support structure with method of compensating for image or satellite rotation
[NASA-CASE-XGS-02401] c14 N69-27485
Laser device for removing material from rotating object for dynamic balancing
[NASA-CASE-MFS-11279] c16 N71-20400
Development and characteristics of annular momentum control device for two axis stabilization of spacecraft
[NASA-CASE-LAR-11051-1] c21 N73-28646

- Phase-locked servo system --- for synchronizing rotation of two or more rotating systems
[NASA-CASE-MFS-22073-1] c09 N74-11058
- Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c15 N74-18132
- ROTATING DISKS**
- Foil seal between parts moving relative to each other
[NASA-CASE-XLE-05130] c15 N69-21362
- Rocket-borne aspect sensor consisting of radiation sensor, apertured disk, commutator, and counting circuits
[NASA-CASE-XGS-08266] c14 N69-27432
- ROTATING ELECTRICAL MACHINES**
- Modulating and controlling intensity of light beam from high temperature source by servocontrolled rotating cylinders
[NASA-CASE-XMS-04300] c09 N71-19479
- Design and development of electric motor with stationary field and armature windings which operates on direct current
[NASA-CASE-XGS-05290] c09 N71-25999
- Double-induction variable speed system for constant-frequency electrical power generation
[NASA-CASE-ERC-10065] c09 N71-27364
- ROTATING ENVIRONMENTS**
- Radial module manned space station with artificial gravity environment
[NASA-CASE-XMS-01906] c31 N70-41373
- Artificial gravity system for simulating self-locomotion capability of astronauts in rotating environments
[NASA-CASE-XLA-03127] c11 N71-10776
- Rotary plant growth accelerating apparatus --- for weightlessness simulation
[NASA-CASE-ARC-10722-1] c04 N74-13807
- ROTATING GENERATORS**
- Rotating raster generator
[NASA-CASE-FRC-10071-1] c07 N74-20813
- ROTATING MIRRORS**
- Optical retrodirective modulator with focus spoiling reflector driven by modulation signal
[NASA-CASE-GSC-10062] c14 N71-15605
- Attitude sensor with scanning mirrors for detecting orientation of space vehicle with respect to planet
[NASA-CASE-XLA-00793] c21 N71-22880
- Optical device containing rotatable prism and reflecting mirror for generating precise angles
[NASA-CASE-XGS-04173] c19 N71-26674
- Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c23 N74-21304
- ROTATING SHAFTS**
- Fluid seal formed by flexible disk on rotating shaft to retain lubricating oils around shaft
[NASA-CASE-XLE-05130-2] c15 N71-19570
- Anemometer with braking mechanism to prevent rotation of wind driven elements
[NASA-CASE-XNP-05224] c14 N71-23726
- Electromagnetic braking arrangement for controlling rotor rotation in electric motor
[NASA-CASE-XNP-06936] c15 N71-24695
- Liquid-vapor interface seal design for turbine rotating shafts including helical and molecular pumps and liquid cooling of mercury vapor
[NASA-CASE-XNP-02862-1] c15 N71-26294
- Combination guide and rotary bearing for freely moving shaft
[NASA-CASE-XLA-00013] c15 N71-29136
- Development of Hall effect transducer for converting mechanical shaft rotations into proportional electrical signals
[NASA-CASE-LAR-0620-1] c09 N72-25255
- Bearing sectors for controlling self excited instability of journal bearing shafts rotating at high speeds in low viscosity lubricants
[NASA-CASE-LEW-11076-2] c15 N73-20533
- Digital servocontroller for rotating antenna shaft
[NASA-CASE-KSC-10769-1] c09 N73-27153
- Development of optical system for detecting defective components in rotating machinery with emphasis on bearing assemblies
[NASA-CASE-KSC-10752-1] c15 N73-27407
- High speed, self-acting shaft seal
[NASA-CASE-LEW-11274-1] c15 N73-29457
- Ergometer calibrator --- for any ergometer utilizing rotating shaft
[NASA-CASE-MFS-21045-1] c14 N74-11288
- Spiral groove seal --- for rotating shaft
[NASA-CASE-XLE-10326-4] c15 N74-15125
- ROTATION**
- Semilinear bearing comprising two rows of roller bearings separated by spherical bearings and permitting rotational and translational movement
[NASA-CASE-XLA-02809] c15 N71-22982
- Mechanical actuator wherein linear motion changes to rotational motion
[NASA-CASE-XGS-04548] c15 N71-24045
- Positioning mechanism for converting translatory motion into rotary motion
[NASA-CASE-NPO-10679] c15 N72-21462
- ROTOR BLADES (TURBOMACHINERY)**
- Locking device for retaining turbine rotor blades on turbine wheel
[NASA-CASE-XNP-00816] c28 N71-28928
- Blade vibration damping pins for turbomachinery
[NASA-CASE-XLE-00155] c28 N71-29154
- Transonic propulsion fan for turbofan engine with rotor blade spacing designed to minimize noise emission
[NASA-CASE-LEW-11402-1] c28 N72-20770
- Apparatus for welding blades to rotors
[NASA-CASE-LEW-10533-2] c15 N74-11300
- ROTOR SPEED**
- Brushless dc tachometer design with Hall effect crystals and output voltage magnitude proportional to rotor speed
[NASA-CASE-MFS-20385] c09 N71-24904
- ROTORS**
- Multistage, multiple reentry, single rotor, axial flow turbine
[NASA-CASE-XLE-00085] c28 N70-39895
- Describing angular position and velocity sensing apparatus
[NASA-CASE-XGS-05680] c14 N71-17585
- Microwave waveguide switch with rotor position control
[NASA-CASE-XNP-06507] c09 N71-23548
- Electromagnetic braking arrangement for controlling rotor rotation in electric motor
[NASA-CASE-XNP-06936] c15 N71-24695
- Rotary vane attenuator with two stators and intermediary rotor, using resistive and orthogonally disposed cards
[NASA-CASE-NPO-11418-1] c14 N73-13420
- Process for welding compressor and turbine blades to rotors and discs of jet engines
[NASA-CASE-LEW-10533-1] c15 N73-28515
- RUBBER**
- Rubber composition for expulsion bladders and diaphragms for use with hydrazine
[NASA-CASE-NPO-11433] c18 N71-31140
- RUBBER COATINGS**
- Intumescent paint containing nitrile rubber for fire protection
[NASA-CASE-ARC-10196-1] c18 N73-13562
- RUBY LASERS**
- Cooling and radiation protection of ruby lasers using copper sulfate solution in alcohol
[NASA-CASE-MFS-20180] c16 N72-12440
- RUNWAY ALIGNMENT**
- Magnetic method for detection of aircraft position relative to runway
[NASA-CASE-ARC-10179-1] c21 N72-22619
- RUNWAY LIGHTS**
- Retractable runway lights
[NASA-CASE-XLA-00119] c11 N70-33329
- RUPTURING**
- Knife structure for controlling rupture of shock tube diaphragms
[NASA-CASE-XAC-00731] c11 N71-15960
- S**
- SAFETY DEVICES**
- Helmet and torso tiedown mechanism for shortening pressure suits upon inflation
[NASA-CASE-XMS-00784] c05 N71-12335
- Positive locking check valve for stopping reversed flow
[NASA-CASE-XMS-09310] c15 N71-22706
- Description of protective device for providing safe operating conditions around work piece in machine or metal working tool
[NASA-CASE-XLE-01092] c15 N71-22797

- Velocity limiting safety system for motor driven research vehicle
[NASA-CASE-XLA-07473] c15 N71-24895
- Device for generating and controlling combustion products for testing of fire detection system
[NASA-CASE-GSC-11095-1] c14 N72-10375
- Restraint torso for increased mobility and reduced physiological effects while wearing pressurized suits
[NASA-CASE-MSC-12397-1] c05 N72-25119
- Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c05 N74-18805
- Totally confined explosive welding --- apparatus to reduce noise level and protect personnel during explosive bonding
[NASA-CASE-LAR-10941-1] c15 N74-21057
- SALT BATHS**
- Application techniques for protecting materials during salt bath brazing
[NASA-CASE-XLE-00046] c15 N70-33311
- SAMARIUM**
- Gadolinium or samarium doped-silicon semiconductor material with resistance to radiation damage for use in solar cells
[NASA-CASE-XLE-10715] c26 N71-23292
- SAMPLES**
- Portable vacuum probe surface sampler for sampling large surface areas with relatively light loading densities of microorganisms
[NASA-CASE-LAR-10623-1] c14 N73-30395
- SAMPLING**
- Impact bit for cutting, collecting, and storing samples such as lunar rock cuttings
[NASA-CASE-XNP-01412] c15 N70-42034
- Design and development of fluid sample collector
[NASA-CASE-XMS-06767-1] c14 N71-20435
- Design and development of two types of atmosphere sampling chambers
[NASA-CASE-NPO-11373] c13 N72-25323
- Automatic swabbing apparatus for sampling of microbiological surfaces
[NASA-CASE-LAR-11069-1] c04 N73-16061
- Digital to analog converter for sampled signal reconstruction
[NASA-CASE-MSC-12458-1] c08 N73-32081
- SANDWICH STRUCTURES**
- Sandwich panel structure for removing heat from shield between hot and cold areas
[NASA-CASE-XLA-00349] c33 N70-37979
- Particle detector for measuring micrometeoroid velocity in space
[NASA-CASE-XLA-00495] c14 N70-41332
- Capacitor sandwich structure containing metal sheets of known thickness for counting penetration rates of meteoroids
[NASA-CASE-XLE-01246] c14 N71-10797
- Technique for making foldable, inflatable, plastic honeycomb core panels for use in building and bridge structures, light and radio wave reflectors, and spacecraft
[NASA-CASE-XLA-03492] c15 N71-22713
- Punch and die device for forming convolution series in thin gage metal hemispheres
[NASA-CASE-XNP-05297] c15 N71-23811
- Method for preparing laminates of stressed face sandwich structures with light weight cores
[NASA-CASE-XLA-11028] c15 N72-21486
- SAPPHIRE**
- High temperature bonding of sapphire to sapphire by eutectic Al₂O₃ and ZrO₂ mixture to form sapphire rubidium maser cell
[NASA-CASE-GSC-11577-1] c15 N73-19467
- SATELLITE ANTENNAS**
- Monopole antenna system for maximum omnidirectional efficiency for use on satellites
[NASA-CASE-XLA-00414] c07 N70-38200
- Development of antenna system for spin stabilized communication satellite for simultaneous reception and transmission of data
[NASA-CASE-XGS-02607] c31 N71-23009
- SATELLITE ATTITUDE CONTROL**
- Photosensitive light source device for detecting unmanned spacecraft deviation from reference attitude
[NASA-CASE-XNP-00438] c21 N70-35089
- Attitude control system for spacecraft based on conversion of incident solar radiation on movable control surfaces into mechanical torques
[NASA-CASE-XNP-02982] c31 N70-41855
- Design and development of satellite despinn device
[NASA-CASE-IMF-08523] c31 N71-20396
- Utilization of momentum devices for forming attitude control and damping system for spacecraft
[NASA-CASE-XLA-02551] c21 N71-21708
- Gravity gradient attitude control system with gravity gradiometer and reaction wheels for artificial satellite attitude control
[NASA-CASE-GSC-10555-1] c21 N71-27324
- Method and apparatus for providing active attitude control for spacecraft by converting any attitude motion of vehicle into simple rotational motion
[NASA-CASE-HQN-10439] c21 N72-21624
- Momentum wheel design for spacecraft attitude control and magnetic drum and head system for data storage
[NASA-CASE-NPO-11481] c21 N73-13644
- SATELLITE CONTROL**
- Stabilization system for gravity-oriented satellites using single damper rod
[NASA-CASE-XAC-01591] c31 N71-17729
- SATELLITE DESIGN**
- Inflation system for balloon type satellites
[NASA-CASE-XGS-03351] c31 N71-16081
- SATELLITE INSTRUMENTS**
- Satellite stabilization reaction wheel scanner
[NASA-CASE-XGS-02629] c14 N71-21082
- Economical satellite aided vehicle avoidance system for preventing midair collisions
[NASA-CASE-ERC-10419] c21 N72-21631
- SATELLITE NETWORKS**
- Satellite network synchronization system with multiple access to multiplex repeater
[NASA-CASE-GSC-10390-1] c07 N72-11149
- SATELLITE ORBITS**
- Development of method and apparatus for spinning satellite about selected axis after reaching predetermined orientation
[NASA-CASE-HQN-00936] c31 N71-29050
- SATELLITE ORIENTATION**
- Sensing method and device for determining orientation of space vehicle or satellite by using particle traps
[NASA-CASE-XGS-00466] c21 N70-34297
- Spin phase synchronization of cartwheel satellite in polar orbit
[NASA-CASE-XGS-05579] c31 N71-15676
- Development of method and apparatus for spinning satellite about selected axis after reaching predetermined orientation
[NASA-CASE-HQN-00936] c31 N71-29050
- Analog spatial maneuver computer with three output angles for obtaining desired spatial attitude
[NASA-CASE-GSC-10880-1] c08 N72-11172
- SATELLITE PERTURBATION**
- Flexible turnstile antenna system for reducing nutation in spin-oriented satellites
[NASA-CASE-XMF-00442] c31 N71-10747
- SATELLITE ROTATION**
- Optical scanner mounted on rotating support structure with method of compensating for image or satellite rotation
[NASA-CASE-XGS-02401] c14 N69-27485
- Stretch Yo-Yo mechanism for reducing initial spin rate of space vehicle
[NASA-CASE-XGS-00619] c30 N70-40016
- Development of method and apparatus for spinning satellite about selected axis after reaching predetermined orientation
[NASA-CASE-HQN-00936] c31 N71-29050
- SATELLITE TELEVISION**
- Adaptive signal generating system and logic circuits for satellite television systems
[NASA-CASE-GSC-11367] c10 N71-26374
- SATELLITE TRACKING**
- Design and development of tracking receiver for tracking satellites and receiving radio signal transmissions under adverse noise conditions
[NASA-CASE-XGS-08679] c10 N71-21473
- Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c07 N74-15838
- SATELLITE TRANSMISSION**
- Asynchronous, multiplexing, single line transmission and recovery data system --- for satellite use

- [NASA-CASE-NPO-13321-1] c07 N74-19806
SATELLITE-BORNE PHOTOGRAPHY
 Rotary solenoid shutter drive assembly and
 rotary inertia damper and stop plate assembly
 --- for use with cameras mounted in satellites
 [NASA-CASE-GSC-11560-1] c09 N74-20861
- SATURATION**
 Saturable magnetic core and signal detection for
 indicating impending saturation
 [NASA-CASE-ERC-10089] c23 N72-17747
- SAWTOOTH WAVEFORMS**
 Linear sawtooth voltage wave generator with
 transistor timing circuit having capacitor and
 zener diode feedback loops
 [NASA-CASE-XMS-01315] c09 N70-41675
- SCANNERS**
 Electronic and mechanical scanning control
 system for monopulse tracking antenna
 [NASA-CASE-XGS-05582] c07 N69-27460
 Electronic background suppression field scanning
 sensor for detecting point source targets
 [NASA-CASE-XGS-05211] c07 N69-39980
 Electron beam scanning system for improved image
 definition and reduced power requirements for
 video signal transmission
 [NASA-CASE-ERC-10552] c09 N71-12539
 Satellite stabilization reaction wheel scanner
 [NASA-CASE-XGS-02629] c14 N71-21082
 Monopulse scanning network for scanning
 volumetric antenna pattern
 [NASA-CASE-GSC-10299-1] c09 N71-24804
 High speed scanner for measuring mass of
 preselected gases at high sampling rate
 [NASA-CASE-LAR-10766-1] c14 N72-21432
 Scan oscilloscope for mapping surface
 sensitivity of photomultiplier tube
 [NASA-CASE-LAR-10320-1] c09 N72-23172
 Ultrasonic scanner for radial and flat panels
 [NASA-CASE-HFS-20335-1] c14 N74-10415
 Apparatus for scanning the surface of a
 cylindrical body
 [NASA-CASE-NPO-11861-1] c14 N74-20009
- SCANNING**
 Conversion system for transforming slow scan
 rate of Apollo TV camera on moon to fast scan
 of commercial TV
 [NASA-CASE-XMS-07168] c07 N71-11300
 Operation of vidicon tube for scanning spatial
 charge density pattern
 [NASA-CASE-XNP-06028] c09 N71-23189
 Electro-optical system for scanning variable
 transmittance objects
 [NASA-CASE-NPO-11106-2] c23 N72-28696
 Electronic optical transfer function analyzer
 using scanning image dissection system to
 produce representative output signal
 [NASA-CASE-HFS-21672-1] c23 N73-22630
 Position determination systems --- using orbital
 antenna scan of celestial body
 [NASA-CASE-HSC-12593-1] c09 N74-14942
- SCHOOLS**
 Silent alarm system for multiple room facility or
 school
 [NASA-CASE-NPO-11307-1] c10 N73-30205
- SCOOPS**
 Aeroflexible wing structure with air scoop for
 inflating stiffeners with ram air
 [NASA-CASE-XLA-06095] c01 N69-39981
- SCREENS**
 Electromechanical control actuator system using
 double differential screws
 [NASA-CASE-ERC-10022] c15 N71-26635
 Adjustable support device with jacket screw for
 altering distance between base and supported
 member
 [NASA-CASE-NPO-10721] c15 N72-27484
- SCRUBBERS**
 Developing high pressure gas purification and
 filtration system for use in test operations
 of space vehicles
 [NASA-CASE-HFS-12806] c14 N71-17588
- SEA ICE**
 Laser technique for breaking ice in ship path
 [NASA-CASE-LAR-10815-1] c16 N72-22520
- SEALERS**
 Design and development of flexible joint for
 pressure suits
 [NASA-CASE-XMS-09636] c05 N71-12344
- Epoxy resin sealing device for electrochemical
 cells in high vacuum environments
 [NASA-CASE-XGS-02630] c03 N71-22974
 Leak resistant bonded elastomeric seal for
 secondary electrochemical cells
 [NASA-CASE-XGS-02631] c03 N71-23006
 Self lubricating fluoride-metal composite
 materials for outer space applications
 [NASA-CASE-XLE-08511] c18 N71-23710
- SEALING**
 Foil seal between parts moving relative to each
 other
 [NASA-CASE-XLE-05130] c15 N69-21362
 Hand tool for cutting and sealing fusible fabrics
 [NASA-CASE-XMF-09386] c15 N69-21854
 Sealed electric storage battery with gas
 manifold interconnecting each cell
 [NASA-CASE-XNP-03378] c03 N71-11051
 Epoxy resin sealing device for electrochemical
 cells in high vacuum environments
 [NASA-CASE-XGS-02630] c03 N71-22974
 Electrode sealing and insulation for fuel cells
 containing caustic liquid electrolytes using
 powdered plastic and metal
 [NASA-CASE-XMS-01625] c15 N71-23022
 Sealing evacuation port and evacuating vacuum
 container such as space jackets
 [NASA-CASE-XNP-03290] c15 N71-23256
 Segmented sealing surface in valve seat
 [NASA-CASE-NPO-10606] c15 N72-25451
- SEALS (STOPPERS)**
 Spacecraft battery seals
 [NASA-CASE-XGS-03864] c15 N69-24320
 Flexible inflatable seal for butterfly valves
 [NASA-CASE-XLE-00101] c15 N70-33376
 Shrink-fit vacuum system gas valve
 [NASA-CASE-XGS-00587] c15 N70-35087
 Thin walled pressure test vessel using
 low-melting alloy-filled joint to attach shell
 to heads
 [NASA-CASE-XLE-04677] c15 N71-10577
 Fluid seal formed by flexible disk on rotating
 shaft to retain lubricating oils around shaft
 [NASA-CASE-XLE-05130-2] c15 N71-19570
 Sealed storage container for channel carriers
 with mounted miniature electronic components
 [NASA-CASE-HFS-20075] c09 N71-26133
 Liquid-vapor interface seal design for turbine
 rotating shafts including helical and
 molecular pumps and liquid cooling of mercury
 vapor
 [NASA-CASE-XNP-02862-1] c15 N71-26294
 High speed, self-acting shaft seal
 [NASA-CASE-LEW-11274-1] c15 N73-29457
 Leak detector with high vacuum seals
 [NASA-CASE-LAR-11237-1] c14 N73-32344
 Spiral groove seal --- for rotating shaft
 [NASA-CASE-XLE-10326-4] c15 N74-15125
 Glass-to-metal seals comprising relatively high
 expansion metals
 [NASA-CASE-LEW-10698-1] c15 N74-21063
- SEALS (JOINTS)**
 Sealing apparatus for joining two pieces of
 frangible materials
 [NASA-CASE-XLA-01494] c15 N71-24164
 Cord restraint system for pressure suit joints
 [NASA-CASE-XMS-09635] c05 N71-24623
 Method of making pressure tight seal for super
 alloy
 [NASA-CASE-LAR-10170-1] c15 N74-11301
- SEAT BELTS**
 Combined shoulder harness and lap belt restraint
 system for use in aircraft or automobiles
 [NASA-CASE-ARC-10519-1] c05 N72-31117
 Shoulder harness and lap belt restraint system
 [NASA-CASE-ARC-10519-2] c05 N74-18805
- SECTORS**
 Bearing sectors for controlling self excited
 instability of journal bearing shafts rotating
 at high speeds in low viscosity lubricants
 [NASA-CASE-LEB-11076-2] c15 N73-20533
- SEGMENTS**
 Fabrication of curved reflector segments for
 solar mirror
 [NASA-CASE-XLE-08917] c15 N71-15597
- SEISMIC WAVES**
 Determining sway of buildings by low frequency
 device using pendulum
 [NASA-CASE-XMF-00479] c14 N70-34794

SELECTORS

- Selector mechanism for mechanical separation and discrimination of high velocity molecular particles
[NASA-CASE-XLE-01533] c11 N71-10777
- Peak polarity selector for monitoring waveforms
[NASA-CASE-FRC-10010] c10 N71-24862
- SELF ALIGNMENT**
Electro-optical system for maintaining two-axis alignment during milling operations on large tank-sections
[NASA-CASE-XMF-00908] c14 N70-40238
- SELF ERECTING DEVICES**
Self-erectable space structures of flexible foam for application in planetary orbits
[NASA-CASE-XLA-00686] c31 N70-34135
- Manned space station collapsible for launching and self-erectable in orbit
[NASA-CASE-XLA-00678] c31 N70-34296
- Manned space station launched in packaged condition and self erecting in orbit
[NASA-CASE-XLA-00258] c31 N70-38676
- Foldable conduit capable of springing back as self erecting structural member
[NASA-CASE-XLE-00620] c32 N70-41579
- Antenna design with self erecting mesh reflector
[NASA-CASE-XGS-09190] c31 N71-16102
- Self erecting parabolic reflector design for use in space
[NASA-CASE-XMS-03454] c09 N71-20658
- SELF LUBRICATING MATERIALS**
Self lubricating fluoride-metal composite materials for outer space applications
[NASA-CASE-XLE-08511] c18 N71-23710
- Self lubricating gears and other mechanical parts having surface adapted to frictional contact
[NASA-CASE-MFS-14971] c15 N71-24984
- SELF MANEUVERING UNITS**
Hand-held maneuvering unit for propulsion and attitude control of astronauts in zero or reduced gravity environment
[NASA-CASE-XMS-05304] c05 N71-12336
- Lightweight propulsion unit for movement of personnel and equipment across lunar surface
[NASA-CASE-MFS-20130] c28 N71-27585
- SELF PROPAGATION**
Self-generating optical frequency waveguide
[NASA-CASE-HQN-10541-1] c07 N71-26291
- SEMICONDUCTOR DEVICES**
Fixture for simultaneously supporting several components for electrical testing
[NASA-CASE-XNP-06032] c09 N69-21926
- Semiconductor p-n junction on needle apex to provide stress and strain sensor
[NASA-CASE-XLA-04980] c09 N69-27422
- Selective gold diffusion on monolithic silicon chips for switching and nonswitching amplifier devices and circuits and linear and digital logic circuits
[NASA-CASE-ERC-10072] c09 N70-11148
- Extra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit
[NASA-CASE-XGS-00381] c09 N70-34819
- Method of forming thin window drifted silicon charged particle detector
[NASA-CASE-XLE-00808] c24 N71-10560
- Doping silicon material with gadolinium to increase radiation resistance of solar cells
[NASA-CASE-XLE-02792] c26 N71-10607
- Separation of semiconductor wafer into chips bounded by scribe lines
[NASA-CASE-ERC-10138] c26 N71-14354
- Voltage tunable Gunn effect semiconductor for microwave generation
[NASA-CASE-XER-07894] c09 N71-18721
- Indicator device for monitoring charge of wet cell battery, using semiconductor light emitter and photodetector
[NASA-CASE-NPO-10194] c03 N71-20407
- Signaling summary alarm circuit with semiconductor switch for faulty contact indications
[NASA-CASE-XLE-03061-1] c10 N71-24798
- Method for temperature compensating semiconductor gages by exposure to high energy radiation
[NASA-CASE-XLA-04555-1] c14 N71-25892
- Development and characteristics of fluid oscillator analog to digital converter with variable frequency controlled by signal passing through conditioning circuit
[NASA-CASE-LEW-10345-1] c10 N71-25899
- Volume displacement transducer for leak detection in hermetically sealed semiconductor devices
[NASA-CASE-ERC-10033] c14 N71-26672
- Inverter drive circuit for semiconductor switch
[NASA-CASE-LEW-10233] c10 N71-27126
- Test chambers with orifice and helium mass spectrometer for detecting leak rate of encapsulated semiconductor devices
[NASA-CASE-ERC-10150] c14 N71-28992
- Semiconductor device manufacture using refractory dielectrics as diffusant masks and interconnection insulating materials
[NASA-CASE-XER-08476-1] c26 N72-17820
- Single crystal film semiconductor devices
[NASA-CASE-ERC-10222] c09 N72-22199
- Development of process for forming insulating layer between two electrical conductor or semiconductor materials
[NASA-CASE-LEW-10489-1] c15 N72-25447
- Multiterminal Gunn-type semiconductor microwave generator for producing stable signals
[NASA-CASE-XER-07895] c26 N72-25679
- Miniature piezoelectric semiconductor transducer with in situ stress coupling
[NASA-CASE-ERC-10087-2] c14 N72-31446
- Development and characteristics of hermetically sealed coaxial package for containing microwave semiconductor components
[NASA-CASE-GSC-10791-1] c15 N73-14469
- Photoconducting semiconductor system for converting stored optical images into video signals
[NASA-CASE-NPO-13131-1] c16 N73-31467
- SEMICONDUCTOR JUNCTIONS**
Gallium arsenide solar cell preparation by surface deposition of cuprous iodide on thin n-type polycrystalline layers and heating in iodine vapor
[NASA-CASE-XNP-01960] c09 N71-23027
- Miniature electromechanical junction transducer operating on piezoelectric effect and utilizing epoxy for stress coupling component
[NASA-CASE-ERC-10087] c14 N71-27334
- Resin for protecting p-n semiconductor junction surface
[NASA-CASE-ERC-10339-1] c18 N73-30532
- SEMICONDUCTORS (MATERIALS)**
Hole mobility of deposited semiconductor films in vacuum utilizing thermal gradient
[NASA-CASE-XKS-04614] c15 N69-21460
- Semiconductor in resonant cavity for improving signal to noise ratio of communication receiver
[NASA-CASE-MSC-12259-1] c07 N70-12616
- Improved semiconductor multivibrator circuit which approaches 100 percent efficiency
[NASA-CASE-XAC-00942] c10 N71-16042
- Fabrication of sintered impurity semiconductor brushes for electrical energy transfer
[NASA-CASE-XMF-01016] c26 N71-17818
- Binding layer of semiconductor particles by electrodeposition
[NASA-CASE-XNP-01959] c26 N71-23043
- Gadolinium or samarium doped-silicon semiconductor material with resistance to radiation damage for use in solar cells
[NASA-CASE-XLE-10715] c26 N71-23292
- Characteristics of infrared photodetectors manufactured from semiconductor material irradiated by electron beam
[NASA-CASE-LAR-10728-1] c14 N73-12445
- SENSITIVITY**
Design of active RC network capable of operating at high Q values with reduced sensitivity to gain amplification and number of passive components
[NASA-CASE-ARC-10042-2] c10 N72-11256
- SENSORS**
Improved bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c15 N74-14141
- SENSORY PERCEPTION**
Prosthetic limb with tactile sensing device
[NASA-CASE-MFS-16570-1] c05 N73-32013

SEPARATED FLOW

- Thrust vector control by secondary injection of fluid into rocket nozzle flow field to separate exhaust flow
[NASA-CASE-XLE-00208] c28 N70-34294
- Double hinged flap for boundary layer control over trailing edges of wings
[NASA-CASE-XLA-01290] c02 N70-42016
- Separation cell with permeable membranes for fluid mixture component separation
[NASA-CASE-XMS-02952] c18 N71-20742

SEPARATORS

- Condenser-separator for dehumidifying air utilizing sintered metal surface
[NASA-CASE-XLA-08645] c15 N69-21465
- Umbilical separator for rockets
[NASA-CASE-XNP-00425] c11 N70-38202
- Liquid-gas separator adapted for use in zero gravity environment - drawings
[NASA-CASE-XMS-01624] c15 N70-40062
- Describing apparatus for separating gas from cryogenic liquid under zero gravity and for venting gas from fuel tank
[NASA-CASE-XLE-00586] c15 N71-15968
- Liquid-gaseous centrifugal separator for weightlessness environment
[NASA-CASE-XLA-00415] c15 N71-16079
- Development of liquid separating system using capillary device connected to flexible bladder storage chamber
[NASA-CASE-XMS-13052] c14 N71-20427
- Vapor-liquid separator design with vapor driven pump for separated liquid pumping for application in propellant transfer
[NASA-CASE-XMF-04042] c15 N71-23023
- Centrifugal separator using lyophobic filter
[NASA-CASE-LAR-10194-1] c12 N72-11293
- Device for removing air from water for use in life support systems in manned space flight
[NASA-CASE-XLA-8914] c15 N73-12492

SEQUENCING

- Synchronous counter design incorporating cascaded binary stages driven by previous stages and inputs through NAND gates
[NASA-CASE-XGS-02440] c08 N71-19432
- Pulse duration control device for driving slow response time loads in selected sequence including switching and delay circuits and magnetic storage
[NASA-CASE-XGS-04224] c10 N71-26418
- Digital function generator for generating any arbitrary single valued function
[NASA-CASE-NPO-11104] c08 N72-22165
- MOD 2 sequential function generator for multibit sequence, with two-bit shift register for each pair of bits
[NASA-CASE-NPO-10636] c08 N72-25210
- Linear shift register with feedback logic for generating pseudonoise linear recurring binary sequences
[NASA-CASE-NPO-11406] c08 N73-12175

SEQUENTIAL ANALYSIS

- Binary coded sequential acquisition ranging system for distance measurements
[NASA-CASE-NPO-11194] c08 N72-25209
- Event sequence detector with several input and shift register responsive to clock pulses
[NASA-CASE-NPO-11703-1] c10 N73-32144

SEQUENTIAL CONTROL

- Linear three-tap feedback shift register
[NASA-CASE-NPO-10351] c08 N71-12503
- Binary sequence detector with few memory elements and minimized logic circuit complexity
[NASA-CASE-XNP-05415] c08 N71-12505

SERVICE LIFE

- Service life of electromechanical device for generating sine/cosine functions
[NASA-CASE-LAR-10503-1] c09 N72-21248

SERVOAMPLIFIERS

- Pneumatic servoamplifier for controlling flow regulation
[NASA-CASE-BSC-12121-1] c15 N71-27147

SERVOCONTROL

- Electronic and mechanical scanning control system for monopulse tracking antenna
[NASA-CASE-XGS-05582] c07 N69-27460
- Proportional controller for regulating aircraft or spacecraft motion about three axes
[NASA-CASE-XAC-03392] c03 N70-41954

- Modulating and controlling intensity of light beam from high temperature source by servocontrolled rotating cylinders
[NASA-CASE-XMS-04300] c09 N71-19479
 - Servocontrol system for measuring local stresses at geometric discontinuity in stressed material
[NASA-CASE-XLA-08530] c32 N71-25360
 - System to control speed of hydraulically movable members by limiting energy applied to actuators with hydraulic servo loop
[NASA-CASE-ARC-10131-1] c15 N71-27754
 - Digital servocontrol system for random noise excitation in reverberant acoustic chamber
[NASA-CASE-NPO-11623-1] c23 N72-25628
 - Digital servocontroller for rotating antenna shaft
[NASA-CASE-KSC-10769-1] c09 N73-27153
 - Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c15 N74-16139
 - Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c14 N74-19093
- SERVO MECHANISMS**
- Servo system for retroreflector of Michelson interferometer
[NASA-CASE-NPO-10300] c14 N71-17662
 - Mechanical function generators with potentiometer as sensing element
[NASA-CASE-XAC-00001] c15 N71-28952
 - Closed loop servosystem for variable speed tape recorders onboard spacecraft
[NASA-CASE-NPO-10700] c07 N71-33613
 - Characteristics of lightweight actuator for imparting linear motion using elongated output shaft
[NASA-CASE-NPO-11222] c15 N72-25456
 - Development and characteristics of rotary actuator for use on spacecraft to deploy and support pivotal structures such as solar panels
[NASA-CASE-NPO-10680] c31 N73-14855

SERVO MOTORS

- Automatic closed circuit television arc guidance control for welding joints
[NASA-CASE-NPS-13046] c07 N71-19433
- Electric motor control system with pulse width modulation for providing automatic null seeking servo
[NASA-CASE-XMF-05195] c10 N71-24861
- Development and characteristics of cyclically operable, optical shutter for use as focal plane shutter for transmitting single radiation pulses
[NASA-CASE-NPO-10758] c14 N73-14427
- Development and characteristics of rotary actuator for use on spacecraft to deploy and support pivotal structures such as solar panels
[NASA-CASE-NPO-10680] c31 N73-14855
- Phase-locked servo system --- for synchronizing rotation of two or more rotating systems
[NASA-CASE-NPS-22073-1] c09 N74-11058

SEWAGE

- Raw water sewage treatment
[NASA-CASE-NPO-13224-1] c05 N73-31011

SHAFTS (MACHINE ELEMENTS)

- Fatigue resistant shear pin with hollow shaft and two plugs
[NASA-CASE-XLA-09122] c15 N69-27505
- Elastic universal joint for rocket motor mounting
[NASA-CASE-XNP-00416] c15 N70-36947
- Air brake device for absorbing and measuring power from rotating shafts
[NASA-CASE-XLE-00720] c14 N70-40201
- Two axis flight controller with potentiometer control shafts directly coupled to rotatable ball members
[NASA-CASE-XPR-04104] c03 N70-42073
- Ratchet mechanism for high speed operation at reduced backlash
[NASA-CASE-NPS-12805] c15 N71-17805
- Universal joints for connecting two displaced shafts or members
[NASA-CASE-NPO-10646] c15 N71-28467
- Development of mating flat surfaces to inhibit leakage of fluid around shafts
[NASA-CASE-XLE-10326-2] c15 N72-29488
- Fatigue life of hybrid antifriction bearings at ultrahigh speeds
[NASA-CASE-LEB-11152-1] c15 N73-32359
- Spiral groove seal --- for hydraulic rotating shaft
[NASA-CASE-LEB-10326-3] c15 N74-10474

- Journal bearings
[NASA-CASE-LEW-11076-4] c15 N74-18134
- SHAPED CHARGES**
Coupling device for linear shaped charge for space vehicle abort system
[NASA-CASE-XLA-00189] c33 N70-36846
Development of remotely controlled shaped charge for lateral displacement of rocket stages after separation
[NASA-CASE-XLA-04804] c31 N71-23008
- SHAPERS**
Mandrel for shaping solid propellant rocket fuel into engine casing
[NASA-CASE-XLA-00304] c27 N70-34783
Hand tool for forming dimples and nipples on end portion of tubes
[NASA-CASE-XMS-06876] c15 N71-21536
Dielectric apparatus for heating, fusing, and hardening of organic matrix to form plastic material into shaped product
[NASA-CASE-LAR-10121-1] c15 N71-26721
- SHARKS**
Conditioning tanned sharkskin for use as abrasive resistant clothing
[NASA-CASE-XMS-09691-1] c18 N71-15545
- SHEAR CREEP**
Measuring shear-creep compliance of solid and liquid materials used in spacecraft components
[NASA-CASE-XLE-01481] c14 N71-10781
- SHEAR FLOW**
Shear modulated fluid amplifier of high pressure hydraulic vortex amplifier type
[NASA-CASE-MFS-10412] c12 N71-17578
- SHEAR PROPERTIES**
Describing instrument capable of measuring true shear viscosity of liquids and viscoelastic materials
[NASA-CASE-XNP-09462] c14 N71-17584
- SHEAR STRESS**
Fatigue resistant shear pin with hollow shaft and two plugs
[NASA-CASE-XLA-09122] c15 N69-27505
Development of combined velocimeter and accelerometer based on color changes in liquid crystalline material subjected to shear stresses
[NASA-CASE-ERC-10292] c14 N72-25410
Reduction of peak shear stress in bonded joint
[NASA-CASE-LAR-10900-1] c15 N73-10499
- SHELLS (STRUCTURAL FORMS)**
Channel-type shell construction for rocket engines and related configurations
[NASA-CASE-XLE-00144] c28 N70-34860
- SHIELDING**
Flexible bellows joint shielding sleeve for propellant transfer pipelines
[NASA-CASE-XNP-01855] c15 N71-28937
Shielded flat conductor cable of ribbonlike wires laminates in thin flexible insulation
[NASA-CASE-MFS-13687-2] c09 N72-22198
- SHIFT REGISTERS**
Binary to binary-coded decimal converter using single set of logic circuits notwithstanding number of shift register decades
[NASA-CASE-XNP-00432] c08 N70-35423
Linear three-tap feedback shift register
[NASA-CASE-NPO-10351] c08 N71-12503
Computer circuit performing both counting and shifting logic operations also capable of miniaturization and integration in basic circuits
[NASA-CASE-XNP-01753] c08 N71-22897
Commutator for steering precisely controlled bidirectional currents through numerous loads by use of magnetic core shift registers
[NASA-CASE-NPO-10743] c08 N72-21199
Multistage feedback shift register with states decomposable into cycles of equal length
[NASA-CASE-NPO-11082] c08 N72-22167
MOD 2 sequential function generator for multibit sequence, with two-bit shift register for each pair of bits
[NASA-CASE-NPO-10636] c08 N72-25210
Linear shift register with feedback logic for generating pseudonoise linear recurring binary sequences
[NASA-CASE-NPO-11406] c08 N73-12175
Family of m-ary linear feedback shift register with binary logic
[NASA-CASE-NPO-11868] c10 N73-20254
- Nonrecursive counting digital filter containing shift register
[NASA-CASE-NPO-11821-1] c08 N73-26175
Event sequence detector with several input and shift register responsive to clock pulses
[NASA-CASE-NPO-11703-1] c10 N73-32144
- SHOCK ABSORBERS**
Pivotal shock absorbing assembly for use as load distributing portion in landing gear systems of space vehicles
[NASA-CASE-XMP-03856] c31 N70-34159
Energy dissipating shock absorbing system for land payload recovery or vehicle braking
[NASA-CASE-XLA-00754] c15 N70-34850
Shock absorbing couch for body support under high acceleration or deceleration forces
[NASA-CASE-XMS-01240] c05 N70-35152
Low onset rate energy absorber in form of strut assembly for crew couch of Apollo command module
[NASA-CASE-MSC-12279-1] c15 N70-35679
Landing pad assembly for aerospace vehicles
[NASA-CASE-XMP-02853] c31 N70-36654
Spacecraft shock absorbing system for soft landings
[NASA-CASE-XMP-02108] c31 N70-36845
Shock absorber for landing gear of lunar or planetary landing modules
[NASA-CASE-XMP-01045] c15 N70-40354
Shock absorbing articulated multiple couch assembly
[NASA-CASE-MSC-11253] c05 N71-12343
Design and development of double acting shock absorber for spacecraft docking operations
[NASA-CASE-XMS-03722] c15 N71-21530
Impact energy absorber with decreasing absorption rate
[NASA-CASE-XLA-01530] c14 N71-23092
Energy absorbing crew couch strut for Apollo command module
[NASA-CASE-MSC-12279] c15 N72-17450
Shock absorber for use as protective barrier in impact energy absorbing system
[NASA-CASE-NPO-10671] c15 N72-20443
Development and characteristics of supporting frame to isolate payloads from multi-gravitational forces
[NASA-CASE-MFS-21680-1] c15 N73-20525
Viscoelastic shock absorbing mount for electrical circuit board
[NASA-CASE-NPO-13253-1] c15 N73-31445
- SHOCK LOADS**
Damper system for alleviating air flow shock loads on wind tunnel models
[NASA-CASE-XLA-09480] c11 N71-33612
- SHOCK RESISTANCE**
Removable potting compound for instrument shock protection
[NASA-CASE-XLA-00482] c15 N70-36409
Thermal shock resistant hafnia ceramic materials
[NASA-CASE-LAR-10894-1] c18 N73-14584
- SHOCK TUBES**
Knife structure for controlling rupture of shock tube diaphragms
[NASA-CASE-XAC-00731] c11 N71-15960
Design, development, and operation of shock tube with bypass piston tunnel
[NASA-CASE-NPO-12109] c11 N72-22245
- SHOCK WAVE INTERACTION**
Absorptive, nonreflecting barrier mounted between closely spaced jet engines on supersonic aircraft, for preventing shock wave interference
[NASA-CASE-XLA-02865] c28 N71-15563
- SHOCK WAVE LUMINESCENCE**
Method and apparatus for measuring shock layer radiation distribution about high velocity objects
[NASA-CASE-XAC-02970] c14 N69-39896
- SHOCK WAVE PROFILES**
Method and apparatus for measuring shock layer radiation distribution about high velocity objects
[NASA-CASE-XAC-02970] c14 N69-39896
- SHOCK WAVES**
Apparatus for mechanically dispersing ultrafine metal powders subjected to shock waves
[NASA-CASE-XLE-04946] c17 N71-24911
Electrical device for developing converging spherical shock waves

[NASA-CASE-MFS-20890] c14 N72-22439
Development of technique and apparatus for
optically detonating insensitive high explosives
[NASA-CASE-NPO-11743-1] c33 N73-29959
Production of intermetallic compounds by effect
of shock waves from explosions and compaction
of powder
[NASA-CASE-MFS-20861-1] c18 N73-32437

SHOES
Jet shoes for space locomotion
[NASA-CASE-XLA-08491] c05 N69-21380

SHORT CIRCUITS
Use of silicon controlled rectifier shorting
circuit to protect thermoelectric generator
source from thermal destruction
[NASA-CASE-YGS-04808] c03 N69-25146
Vacuum thermionic converter with short-circuited
triodes and increased electron transmission
and conversion efficiency
[NASA-CASE-XLE-01015] c03 N69-39898
Apparatus for automatically testing analog to
digital converters for open and short circuits
[NASA-CASE-XLA-06713] c14 N71-28991

SHORT TAKEOFF AIRCRAFT
Turbofans under wings to provide lift and thrust
for STOL aircraft
[NASA-CASE-LEH-11224-1] c02 N72-10033

SHROUDS
Shrouded composite propulsion system configuration
[NASA-CASE-XLA-01043] c28 N71-10780

SHUTTERS
High speed shutter --- electrically actuated
ribbon loop for shuttering optical or fluid
passageways
[NASA-CASE-ARC-10516-1] c23 N74-21300

SIDEBANDS
Phase locked loop with sideband rejecting
properties in continuous wave tracking radar
[NASA-CASE-XNP-02723] c07 N70-41680

SIDELobe REDUCTION
Multiple mode horn antenna with radiation
pattern of equal beamwidths and suppressed
sidelobes
[NASA-CASE-XNP-01057] c07 N71-15907

SIBERS
Processes for making metal sheets or plaques
with parallel pores of uniform size
[NASA-CASE-GSC-10984-1] c15 N71-34427

SIGNAL ANALYSIS
Design and development of signal detection and
tracking apparatus
[NASA-CASE-XGS-03502] c10 N71-20852
Phase detector with time correlation integrator
for frequency multiplexed signals
[NASA-CASE-GSC-11744-1] c09 N73-23291
Method and apparatus for a single channel
digital communications system ---
synchronization of received PCM signal by
digital correlation with reference signal
[NASA-CASE-NPO-11302-2] c07 N74-10132

SIGNAL ANALYZERS
Monitoring system for signal amplitude ranges
over predetermined time interval
[NASA-CASE-XHS-04061-1] c09 N69-39885
Feedback controller for sampling error signals
within single control formulation time interval
[NASA-CASE-GSC-10554-1] c08 N71-29033
Development of family of frequency to amplitude
converters for frequency analysis of complex
input signal waveforms
[NASA-CASE-MSC-12395] c09 N72-25257
Device for performing statistical time-series
analysis of complex electrical signal waveforms
[NASA-CASE-MSC-12428-1] c10 N73-25240
Pulse stretcher for processing narrow pulses
between pulse generators and conventional
instruments
[NASA-CASE-MSC-14130-1] c10 N73-26232

SIGNAL DETECTION
Position locating system for remote aircraft
using voice communication and digital signals
[NASA-CASE-GSC-10087-2] c21 N71-13958
Saturable magnetic core and signal detection for
indicating impending saturation
[NASA-CASE-ERC-10089] c23 N72-17747

SIGNAL DETECTORS
Roughness detector for recording surface pattern
of irregularities
[NASA-CASE-XLA-00203] c14 N70-34161

Electrical testing apparatus for detecting
amplitude and width of transient pulse
[NASA-CASE-XMF-06519] c09 N71-12519
System for monitoring presence of neutrals in
streams of ions - ion engine control
[NASA-CASE-XNP-02592] c24 N71-20518
Development of apparatus for generating output
signal commensurate with information contained
in input signal
[NASA-CASE-ERC-10041] c08 N71-29138

SIGNAL ENCODING
Adaptive compression signal processor for PCM
communication systems
[NASA-CASE-XLA-03076] c07 N71-11266

SIGNAL GENERATORS
Plural recorder system which limits signal
recording to signals of sufficient interest
[NASA-CASE-XMS-06949] c09 N69-21467
Alternating current signal generator providing
plurality of amplitude modulated output signals
[NASA-CASE-XNP-05612] c09 N69-21468
Circuitry for generating sync signals in FM
communication systems including video
information
[NASA-CASE-XNP-10830] c07 N71-11281
Apparatus for generating microwave signals at
progressively related phase angles for driving
antenna array
[NASA-CASE-ERC-10046] c10 N71-18722
System generating sidereal frequency signals
from signals of standard solar frequency
without use of mixing operations or feedback
loops
[NASA-CASE-XGS-02610] c14 N71-23174
Hand controller operable about three
respectively perpendicular axes and capable of
actuating signal generators for attitude
control devices
[NASA-CASE-XMS-07467] c15 N71-23255
Voltage controlled oscillators and pulse
amplitude modulation for signal ratio system
[NASA-CASE-XMF-04367] c09 N71-23545
Sampling circuit for signal processing in
multiplex transmission by Fourier analysis
[NASA-CASE-NPO-10388] c07 N71-24622
Signaling summary alarm circuit with
semiconductor switch for faulty contact
indications
[NASA-CASE-XLE-03061-1] c10 N71-24798
Adaptive signal generating system and logic
circuits for satellite television systems
[NASA-CASE-GSC-11367] c10 N71-26374
Device for monitoring voltage by generating
signal when voltages drop below predetermined
value
[NASA-CASE-KSC-10020] c10 N71-27338
System for control of variable signal generator
[NASA-CASE-NPO-11064] c07 N72-11150
Digital function generator for generating any
arbitrary single valued function
[NASA-CASE-NPO-11104] c08 N72-22165
Development of Hall effect transducer for
converting mechanical shaft rotations into
proportional electrical signals
[NASA-CASE-LAR-10620-1] c09 N72-25255
Digital servocontrol system for random noise
excitation in reverberant acoustic chamber
[NASA-CASE-NPO-11623-1] c23 N72-25628
Multiterminal Gunn-type semiconductor microwave
generator for producing stable signals
[NASA-CASE-XER-07895] c26 N72-25679
Audio frequency analysis circuit for
determining, displaying, and recording
frequency of sweeping audio frequency signal
[NASA-CASE-NPO-11147] c14 N72-27408
System for generating timing and control signals
during repetitive fixed length serial data
transmission
[NASA-CASE-NPO-13125-1] c09 N73-18225
Test set for signal conditioner modules
[NASA-CASE-KSC-10750-1] c14 N73-23527

SIGNAL MEASUREMENT
Transmitter receiver system for measuring
millivolt electrical signals with high common
mode potential
[NASA-CASE-XLB-03155-2] c09 N72-20205

SIGNAL MIXING
Impedance transformation device for signal mixing
[NASA-CASE-XGS-01110] c07 N69-24334

SIGNAL PROCESSING

Adaptive compression signal processor for PCM communication systems
[NASA-CASE-XLA-03076] c07 N71-11266

Conversion system for transforming slow scan rate of Apollo TV camera on moon to fast scan of commercial TV
[NASA-CASE-XMS-07168] c07 N71-11300

Difference indicating circuit used in conjunction with device measuring gravitational fields
[NASA-CASE-XNP-08274] c10 N71-13537

Circuitry for developing autocorrelation function continuously within signal receiving period
[NASA-CASE-XNP-00746] c07 N71-21476

System generating sidereal frequency signals from signals of standard solar frequency without use of mixing operations or feedback loops
[NASA-CASE-XGS-02610] c14 N71-23174

Feedback integrating circuit with grounded capacitor for signal processing
[NASA-CASE-XAC-10607] c10 N71-23669

Sampling circuit for signal processing in multiplex transmission by Fourier analysis
[NASA-CASE-NPO-10388] c07 N71-24622

Video signal processing system for sampling video brightness levels
[NASA-CASE-NPO-10140] c07 N71-24742

Monopulse scanning network for scanning volumetric antenna pattern
[NASA-CASE-GSC-10299-1] c09 N71-24804

Apparatus for filtering input signals
[NASA-CASE-NPO-10198] c09 N71-24806

Video sync processor with phase locked system
[NASA-CASE-KSC-10002] c10 N71-25865

Transient video signal tape recorder with expanded playback
[NASA-CASE-ARC-10003-1] c09 N71-25866

Scanning signal phase and amplitude electronic control device with hybrid T waveguide junction
[NASA-CASE-NPO-10302] c10 N71-26142

Variable frequency nuclear magnetic resonance spectrometer providing drive signals over wide frequency range and minimizing noise effects
[NASA-CASE-XNP-09830] c14 N71-26266

Development of apparatus for generating output signal commensurate with information contained in input signal
[NASA-CASE-ERC-10041] c08 N71-29138

Development of electric circuit for production of different pulse width signals
[NASA-CASE-XLA-07788] c09 N71-29139

Phase shifting circuit for selecting phase of input signal
[NASA-CASE-ARC-10269-1] c10 N72-16172

Processing system for semiperiodic electrical signals to produce real time contoured display
[NASA-CASE-MSC-13407-1] c10 N72-20225

Design and characteristics of recording system for selective reprocessing and filtering of data to obtain optimum signal to noise ratios
[NASA-CASE-ERC-10112] c07 N72-21119

Technique for deriving logarithm of input signal using exponentially varying electric signal inversely
[NASA-CASE-ERC-10267] c09 N72-23173

Development and characteristics of telemetry system using computer-accessed circuits and remotely controlled from ground station
[NASA-CASE-NPO-11358] c07 N72-25172

Development of differential phase shift keyed signal receiver to resolve differential phase shift in incoming signal
[NASA-CASE-MSC-14066-1] c10 N73-10269

Characteristics of digital data processor using pulse from clock source to derive binary singles to show state of various indicators in processor
[NASA-CASE-GSC-10975-1] c08 N73-13187

Characteristics of two channel telemetry system with two data rate channels for high and low data rate communication
[NASA-CASE-NPO-11572] c07 N73-16121

Pulse stretcher for processing narrow pulses between pulse generators and conventional instruments
[NASA-CASE-MSC-14130-1] c10 N73-26232

Measurement system for physical quantity represented by or converted to variable frequency signal
[NASA-CASE-MFS-20658-1] c14 N73-30386

Digital to analog converter for sampled signal reconstruction
[NASA-CASE-MSC-12458-1] c08 N73-32081

Anti-multipath digital signal detector
[NASA-CASE-LAR-11379-1] c07 N74-11005

Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c09 N74-11050

SIGNAL RECEPTION

Radar signal receiver arrangement for extending range and increasing signal to noise ratio
[NASA-CASE-XNP-00748] c07 N70-36911

Reflectometer for receiver input impedance match measurement
[NASA-CASE-XNP-10843] c07 N71-11267

Diversity receiving system with diversity phase lock
[NASA-CASE-XGS-01222] c10 N71-20841

Design and development of signal detection and tracking apparatus
[NASA-CASE-XGS-03502] c10 N71-20852

Development of optimum pre-detection diversity combining receiving system adapted for use with amplitude modulation, phase modulation, and frequency modulation systems
[NASA-CASE-XGS-00740] c07 N71-23098

Binary data decoding device for use at receiving end of communication channel
[NASA-CASE-NPO-10118] c07 N71-24741

Development of electronic circuit for combining input signals on two separate antennas to form two processed signals
[NASA-CASE-MSC-12205-1] c07 N71-27056

Input signal measurement using liquid crystalline elements
[NASA-CASE-ERC-10275] c26 N72-25680

Development of differential phase shift keyed signal receiver to resolve differential phase shift in incoming signal
[NASA-CASE-MSC-14066-1] c10 N73-10269

Filter for third order phase locked loops in signal receivers
[NASA-CASE-NPO-11941-1] c10 N73-27171

Electromechanical actuator for producing mechanical force and/or motion in response to electrical signals
[NASA-CASE-NPO-11738-1] c09 N73-30185

SIGNAL REFLECTION

Reflectometer for receiver input impedance match measurement
[NASA-CASE-XNP-10843] c07 N71-11267

SIGNAL STABILIZATION

Linear accelerator frequency control system
[NASA-CASE-XGS-05441] c10 N71-22962

Development of apparatus for generating output signal commensurate with information contained in input signal
[NASA-CASE-ERC-10041] c08 N71-29138

Automatic nulling system for interference signal at multichannel receiver by polarization adjustment
[NASA-CASE-NPO-13140-1] c07 N73-27106

SIGNAL TO NOISE RATIOS

Semiconductor in resonant cavity for improving signal to noise ratio of communication receiver
[NASA-CASE-MSC-12259-1] c07 N70-12616

Radar signal receiver arrangement for extending range and increasing signal to noise ratio
[NASA-CASE-XNP-00748] c07 N70-36911

Detector assembly for discriminating first signal with respect to presence or absence of second signal at time of occurrence of first signal
[NASA-CASE-XMF-00701] c09 N70-40272

Automatic estimation of signal to noise ratio and other parameters in signal communication systems
[NASA-CASE-XNP-05254] c07 N71-20791

Voltage controlled oscillators and pulse amplitude modulation for signal ratio system
[NASA-CASE-XMF-04367] c09 N71-23545

Design and characteristics of recording system for selective reprocessing and filtering of data to obtain optimum signal to noise ratios
[NASA-CASE-ERC-10112] c07 N72-21119

- Development of idler feedback system to reduce electronic noise problem in two parametric amplifiers
[NASA-CASE-LAR-10253-1] c09 N72-25258
- Superconductive resonant cavity for improved signal to noise ratio in communication signal
[NASA-CASE-HSC-12259-2] c07 N72-33146
- Signal to noise ratio determination circuit using bandpass limiter
[NASA-CASE-GSC-11239-1] c10 N73-25241
- Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c07 N74-19788
- SIGNAL TRANSMISSION**
- Synchronizing apparatus for multi-access satellite time division multiplex system
[NASA-CASE-XGS-05918] c07 N69-39974
- Electro-mechanical circuit for converting floating intelligence signal to common electrically grounded intelligence recorder
[NASA-CASE-XAC-00086] c09 N70-33182
- Demodulator for simultaneous demodulation of two modulating ac signal carriers close in frequency
[NASA-CASE-XMP-01160] c07 N71-11298
- Bipolar phase detector and corrector for split phase PCM data signals
[NASA-CASE-XGS-01590] c07 N71-12392
- Automatic estimation of signal to noise ratio and other parameters in signal communication systems
[NASA-CASE-XNP-05254] c07 N71-20791
- Multiplexed communication system design including automatic correction of transmission errors introduced by frequency spectrum shifts
[NASA-CASE-XNP-01306] c07 N71-20814
- Adaptive notch filter, using modulation techniques for reversed phase noise signal
[NASA-CASE-XMP-01892] c10 N71-22986
- Pulse generator for synchronizing or resetting electronic signals without requiring separate external source
[NASA-CASE-IGS-03632] c09 N71-23311
- Device for locating electrically nonlinear objects and determining distance to object by FM signal transmission
[NASA-CASE-KSC-10108] c14 N73-25461
- Phase modulation of tone and binary signals on carrier waves in communication systems
[NASA-CASE-GSC-11743-1] c07 N73-27107
- Television multiplexing system, using single crystal controlled clock for signal synchronization
[NASA-CASE-KSC-10654-1] c07 N73-30115
- Aircraft mounted crash location transmitter for emergency signal transmission after crashes
[NASA-CASE-MFS-16609-2] c07 N73-31084
- Controlled oscillator system with a time dependent output frequency
[NASA-CASE-NPO-11962-1] c09 N74-10194
- Digital transmitter for data bus communications system
[NASA-CASE-HSC-14558-1] c07 N74-17888
- Pulse code modulated signal synchronizer
[NASA-CASE-HSC-12462-1] c07 N74-20809
- Pulse code modulated signal synchronizer
[NASA-CASE-HSC-12494-1] c07 N74-20810
- SIGNALS**
- Electronic signal-handling circuit with constant input impedance
[NASA-CASE-ARC-10348-1] c10 N72-10205
- Photoconducting semiconductor system for converting stored optical images into video signals
[NASA-CASE-NPO-13131-1] c16 N73-31467
- SILANES**
- Preparation of elastomeric diamine silazane polymers
[NASA-CASE-XMP-04133] c06 N71-20717
- Synthesis of high purity dianilinosilanes
[NASA-CASE-XMP-06409] c06 N71-23230
- Process for preparing high molecular weight polyaryloxysilanes from lower molecular weight forms
[NASA-CASE-XMP-08674] c06 N71-28807
- SILICATES**
- Ultraviolet radiation resistant alkali-metal silicate coatings for temperature control of spacecraft
[NASA-CASE-XGS-04119] c18 N69-39979
- SILICIDES**
- Silicide coating process and composition for protection of refractory metals from oxidation
[NASA-CASE-XLE-10910] c18 N71-29040
- Improved silicide coatings for refractory metals employed in space shuttles and gas turbine engine components
[NASA-CASE-LEB-11179-1] c17 N73-22474
- SILICON**
- Method of forming thin window drifted silicon charged particle detector
[NASA-CASE-XLE-00808] c24 N71-10560
- Gadolinium or samarium doped-silicon semiconductor material with resistance to radiation damage for use in solar cells
[NASA-CASE-XLE-10715] c26 N71-23292
- Metal pattern bonding technique for cover glass attachment to silicon solar cells for space applications
[NASA-CASE-XLE-08569] c03 N71-23449
- SILICON CARBIDES**
- Deposition method for epitaxial beta SiC films having high degree of crystallographic perfection
[NASA-CASE-ERC-10120] c26 N69-33482
- Producing high purity silicon carbide on carbon base by hydrogen reduction of silicon tetrachloride
[NASA-CASE-XLA-00158] c26 N70-36805
- Device for producing high purity silicon carbide on carbon base by hydrogen reduction of silicon tetrachloride
[NASA-CASE-XLA-02057] c26 N70-40015
- SILICON COMPOUNDS**
- Doping silicon material with gadolinium to increase radiation resistance of solar cells
[NASA-CASE-XLE-02792] c26 N71-10607
- Process for preparing disilanol with in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979-2] c06 N73-32030
- SILICON CONTROLLED RECTIFIERS**
- Use of silicon controlled rectifier shorting circuit to protect thermoelectric generator source from thermal destruction
[NASA-CASE-XGS-04808] c03 N69-25146
- Silicon controlled rectifier inverter with compensation of transients to avoid false gating
[NASA-CASE-XLA-08507] c09 N69-39984
- Reversible ring counter using cascaded single silicon controlled rectifier stages
[NASA-CASE-XGS-01473] c09 N71-10673
- Silicon controlled rectifier pulse gate amplifier for blocking false gating caused by negative transient voltages
[NASA-CASE-XLA-07497] c09 N71-12514
- SILICON DIOXIDE**
- Intermittent type silica gel adsorption refrigerator for providing temperature control for spacecraft components
[NASA-CASE-XNP-00920] c15 N71-15906
- Nose cone mounted heat resistant antenna comprising plurality of adjacent layers of silica not introducing paths of high thermal conductivity through ablative shield
[NASA-CASE-XMS-04312] c07 N71-22984
- Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c18 N74-14230
- Method and apparatus for stable silicon dioxide layers on silicon grown in silicon nitride ambient
[NASA-CASE-ERC-10073-1] c06 N74-19769
- SILICON FILMS**
- Deposition method for epitaxial beta SiC films having high degree of crystallographic perfection
[NASA-CASE-ERC-10120] c26 N69-33482
- SILICON JUNCTIONS**
- Improving radiation resistance of silicon semiconductor junctions by doping with lithium
[NASA-CASE-XGS-07801] c09 N71-12513
- SILICON NITRIDES**
- Method and apparatus for stable silicon dioxide layers on silicon grown in silicon nitride ambient
[NASA-CASE-ERC-10073-1] c06 N74-19769
- SILICON RADIATION DETECTORS**
- Lithium drifted silicon radiation detector with gold rectifying contacts
[NASA-CASE-XLE-10529] c14 N69-23191

- Silicon radiation detecting probe design for in vivo biomedical use
[NASA-CASE-XMS-01177] c05 N71-19440
- SILICON TRANSISTORS**
Vapor deposition method for forming metallized tungsten contacts on silicon substrates
[NASA-CASE-GSC-10695-1] c09 N72-25259
Development of method and apparatus for detecting surface ions on silicon diodes and transistors
[NASA-CASE-ERC-10325] c15 N72-25457
- SILICONIZING**
Vapor deposited laminated nitride-silicon coating for corrosion prevention of carbonaceous surfaces
[NASA-CASE-XLA-00284] c15 N71-16075
- SILOXANES**
Synthesis of siloxane containing epoxy polymers with low dielectric properties
[NASA-CASE-MFS-13994-1] c06 N71-11240
Method for producing alternating ether-siloxane copolymers with stable properties when exposed to elevated temperatures and UV radiation
[NASA-CASE-XMF-02584] c06 N71-20905
Synthesis of siloxane containing epoxide and diamine polymers
[NASA-CASE-MFS-13994-2] c06 N72-25148
Silphenylenesiloxane polymer with in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979] c06 N72-25151
Fluid polydimethylsiloxane resin with low outgassing properties in cured state
[NASA-CASE-GSC-11358-1] c06 N73-26100
- SILVER**
Dry electrode manufacture, using silver powder with cement
[NASA-CASE-FRC-10029-2] c05 N72-25121
- SILVER CHLORIDES**
Electrochemically reversible silver-silver chloride electrode for detecting bioelectric potential differences generated by human muscles and organs
[NASA-CASE-XMS-02872] c05 N69-21925
Silver chloride use in technique for fusion bonding of graphite to silver, glass, ceramics, and certain other metals
[NASA-CASE-XGS-00963] c15 N69-39735
- SILVER COMPOUNDS**
Description of electrical equipment and system for purification of waste water by producing silver ions for bacterial control
[NASA-CASE-MSC-10960-1] c03 N71-24718
- SILVER ZINC BATTERIES**
Elimination of two step voltage discharge property of silver zinc batteries by using divalent silver oxide capacity of cell to charge anodes to monovalent silver state
[NASA-CASE-XGS-01674] c03 N71-29129
- SIMULATORS**
Development of apparatus for simulating zero gravity conditions
[NASA-CASE-MFS-12750] c27 N71-16223
Phonocardiogram simulator producing electrical voltage waves to control amplitude and duration between simulated sounds
[NASA-CASE-XKS-10804] c05 N71-24606
Sign wave generation simulator for variable amplitude, frequency, damping, and phase pulses for oscilloscope display
[NASA-CASE-NPO-10251] c10 N71-27365
- SINE SERIES**
Service life of electromechanical device for generating sine/cosine functions
[NASA-CASE-LAR-10503-1] c09 N72-21248
Function generators for producing complex vibration mode patterns used to identify vibration mode data
[NASA-CASE-LAR-10310-1] c10 N73-20253
- SINE WAVES**
Sign wave generation simulator for variable amplitude, frequency, damping, and phase pulses for oscilloscope display
[NASA-CASE-NPO-10251] c10 N71-27365
Wideband generator for producing sine wave quadrature and second harmonic of input signal
[NASA-CASE-NPO-11133] c10 N72-20223
Brushless electromechanical generator for sine and cosine functions
[NASA-CASE-LAR-11389-1] c09 N73-32121
- SINGLE CRYSTALS**
Producing high purity silicon carbide on carbon base by hydrogen reduction of silicon tetrachloride
[NASA-CASE-XLA-00158] c26 N70-36805
Single crystal film semiconductor devices
[NASA-CASE-ERC-10222] c09 N72-22199
Development and characteristics of magnetometer with single Bi₂Se₃ crystal as sensing element
[NASA-CASE-LEW-11632-1] c14 N72-25440
- SINTERING**
Condenser-separator for dehumidifying air utilizing sintered metal surface
[NASA-CASE-XLA-08645] c15 N69-21465
Production of refractory bodies with controlled porosity by pressing and heating mixtures of refractory and inert metal powders
[NASA-CASE-LEW-10393-1] c17 N71-15468
Development of method for fabricating cernets and analysis of various compositions to show electrical and physical properties
[NASA-CASE-NPO-13120-1] c18 N73-23629
- SIZE (DIMENSIONS)**
Development of apparatus for producing metal powder particles of controlled size
[NASA-CASE-XLE-06461-2] c17 N72-28535
- SIZE DETERMINATION**
Impact measuring technique for determining size of hypervelocity projectiles
[NASA-CASE-LAR-10913] c14 N72-16282
- SIZE SEPARATION**
Method and apparatus for precision sizing and joining of large diameter tubes by bulging or constricting overlapping ends
[NASA-CASE-XMF-05114-2] c15 N71-26148
Device which separates and screens particles of soil samples for vidicon viewing in vacuum and reduced gravity environments
[NASA-CASE-XMF-09770-3] c11 N71-27036
- SIZING (SHAPING)**
Method and apparatus for shaping and joining large diameter metal tubes using magnetomotive forces
[NASA-CASE-XMF-05114] c15 N71-17650
- SIZING SCREENS**
Method for making screen with unlimited fineness of mesh and screen thickness
[NASA-CASE-XLE-00953] c15 N71-15966
Screen particle separator for soil samples
[NASA-CASE-XMF-09770-2] c15 N72-22483
- SKENNESS**
Tape guidance system for multichannel digital recording system
[NASA-CASE-XNP-09453] c08 N71-19420
- SKID LANDINGS**
Nose gear steering system for vehicles with main skids to provide directional stability after loss of aerodynamic control
[NASA-CASE-XLA-01804] c02 N70-34160
- SKIN (ANATOMY)**
Conditioning tanned sharkskin for use as abrasive resistant clothing
[NASA-CASE-XMS-09691-1] c18 N71-15545
- SKIN (STRUCTURAL MEMBER)**
Development of resilient fastener for attaching skin of aerospace vehicles to permit movement of skin relative to framework
[NASA-CASE-XLA-01027] c31 N71-24035
- SKIN TEMPERATURE (NON-BIOLOGICAL)**
Heat flux sensor adapted for mounting on aircraft or spacecraft to measure aerodynamic heat flux inflow to aircraft skin
[NASA-CASE-XPR-03802] c33 N71-23085
- SKIRTS**
Inflatable rocket engine nozzle skirt with transpiration cooling
[NASA-CASE-MFS-20619] c28 N72-11708
- SLEEP**
Development of apparatus and method for quantitatively measuring brain activity as automatic indication of sleep state and level of consciousness
[NASA-CASE-MSC-13282-1] c05 N71-24729
- SLEEVES**
Nonreusable energy absorbing device comprising ring member with plurality of recesses, cutting members, and guide member mounted in each recess
[NASA-CASE-XMF-10040] c15 N71-22877

- Tool exchange capabilities of portable wrench characterized by telescopic sleeve
[NASA-CASE-MFS-22283-1] c15 N73-30462
- SLENDER BODIES**
Support techniques for restraint of slender bodies such as launch vehicles
[NASA-CASE-XLA-02704] c11 N69-21540
- SLIDING CONTACT**
Electrical connector pin with wiping action to assure reliable contact
[NASA-CASE-XMF-04238] c09 N69-39734
Development of slip ring assembly with inner and outer peripheral surfaces used as electrical contacts for brushes
[NASA-CASE-XMF-01049] c15 N71-23049
- SLIP CASTING**
Freeze casting of metal ceramic and refractory compound powders into plastic slips
[NASA-CASE-XLE-00106] c15 N71-16076
- SLITS**
Slit regulated gas journal bearing
[NASA-CASE-XNP-00476] c15 N70-38620
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c15 N74-21059
- SLOT ANTENNAS**
Planar array circularly polarized antenna with wall slot excitation
[NASA-CASE-NPO-10301] c07 N72-11148
Omnidirectional antenna array with circumferential slots for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c09 N72-25247
Circularly polarized antenna with linearly polarized pair of elements
[NASA-CASE-ERC-10214] c09 N72-31235
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c09 N74-20864
- SLOTS**
Belleville spring assembly with elastic guides having low hysteresis
[NASA-CASE-XNP-09452] c15 N69-27504
Direct lift control system having flaps with slots adjacent to their leading edge and particularly adapted for lightweight aircraft
[NASA-CASE-LAR-10249-1] c02 N71-26110
Slotted fine-adjustment support for optical devices
[NASA-CASE-MFS-20249] c15 N72-11386
- SLURRY PROPELLANTS**
Apparatus for producing hydrocarbon slurry containing small particles of magnesium for use as jet aircraft fuel
[NASA-CASE-XLB-00010] c15 N70-33382
- SHOCK**
Development of method for protecting large and oddly shaped areas from radiant and convective heat
[NASA-CASE-XNP-01310] c33 N71-28852
- SODIUM CHLORIDES**
Composition of diffuse reflective coating containing sodium chloride in combination with diol solvent and organic wetting and drying agents
[NASA-CASE-GSC-11214-1] c06 N73-13128
- SOFT LANDING**
Non-reusable kinetic energy absorber for application in soft landing of space vehicles
[NASA-CASE-XLE-00810] c15 N70-34861
Spacecraft shock absorbing system for soft landings
[NASA-CASE-XMF-02108] c31 N70-36845
Payload soft landing system using stowable gas bag
[NASA-CASE-XLA-09861] c31 N71-16085
- SOFT LANDING SPACECRAFT**
Pivotal shock absorbing assembly for use as load distributing portion in landing gear systems of space vehicles
[NASA-CASE-XMF-03856] c31 N70-34159
- SOIL SCIENCE**
Auger-type soil penetrometer for burrowing into soil formations
[NASA-CASE-XNP-05530] c14 N73-32321
- SOILS**
Screen particle separator for soil samples
[NASA-CASE-XNP-09770-2] c15 N72-22483
Soil burrowing mole apparatus
[NASA-CASE-XNP-07169] c15 N73-32362
- SOLAR ACTIVITY**
Computation method and apparatus for predicting solar flares by correlating planetary ephemeris data with gravitational force effects on sun
[NASA-CASE-ERC-10323-1] c30 N70-22183
Radiometric measuring system for solar activity and atmospheric attenuation and emission
[NASA-CASE-ERC-10276] c14 N73-26432
- SOLAR ARRAYS**
Deployable cantilever support for deploying solar cell arrays aboard spacecraft and reducing transient loading
[NASA-CASE-NPO-10883] c31 N72-22874
Electrical interconnection of unilluminated solar cells in solar battery array
[NASA-CASE-GSC-10344-1] c03 N72-27053
Development of solar energy powered heliotrope assembly to orient solar array toward sun
[NASA-CASE-GSC-10945-1] c21 N72-31637
Method of making silicon solar cell array --- and mounting on flexible substrate
[NASA-CASE-LER-11069-1] c03 N74-14784
- SOLAR CELLS**
Fabricating solar cells with dielectric layers to improve glass fusion
[NASA-CASE-XGS-04531] c03 N69-24267
Solar radiation direction detector and device for compensating degradation of photocells
[NASA-CASE-XLA-00183] c14 N70-40239
Attitude control system for spacecraft based on conversion of incident solar radiation on movable control surfaces into mechanical torques
[NASA-CASE-XNP-02982] c31 N70-41855
Simulating voltage-current characteristic curves of solar cell panel with different operational parameters
[NASA-CASE-XMS-01554] c10 N71-10578
Doping silicon material with gadolinium to increase radiation resistance of solar cells
[NASA-CASE-XLE-02792] c26 N71-10607
Modifying existing solar cells for temperature control
[NASA-CASE-NPO-10109] c03 N71-11049
Solar battery with interconnecting means for plural cells
[NASA-CASE-XNP-06506] c03 N71-11050
Fabrication methods for matrices of solar cell submodules
[NASA-CASE-XNP-05821] c03 N71-11056
Metal strip mounting arrangement for solar cell arrays on spacecraft
[NASA-CASE-XGS-01475] c03 N71-11058
Conductor for connecting parallel cells into submodules in series to form solar cell matrix
[NASA-CASE-NPO-10821] c03 N71-19545
Space erectable rollout solar array of arcuate solar panels furling on tapered drum for spacecraft storage during launch
[NASA-CASE-NPO-10188] c03 N71-20273
Electrode connection for n-on-p silicon solar cell
[NASA-CASE-XLE-04787] c03 N71-20492
Fabrication of solar cell banks for attaching solar cells to base members or substrates
[NASA-CASE-XNP-00826] c03 N71-20895
Gallium arsenide solar cell preparation by surface deposition of cuprous iodide on thin n-type polycrystalline layers and heating in iodine vapor
[NASA-CASE-XNP-01960] c09 N71-23027
Gadolinium or samarium doped-silicon semiconductor material with resistance to radiation damage for use in solar cells
[NASA-CASE-XLE-10715] c26 N71-23292
Maintaining current flow through solar cells with open connection using shunting diode
[NASA-CASE-XLE-04535] c03 N71-23354
Metal pattern bonding technique for cover glass attachment to silicon solar cells for space applications
[NASA-CASE-XLR-08569] c03 N71-23449
Addition of group 3 elements to silicon semiconductor material for increased resistance to radiation damage in solar cells
[NASA-CASE-XLE-02798] c26 N71-23654
Method of attaching cover glass to silicon solar cell without using adhesive
[NASA-CASE-XLE-08569-2] c03 N71-24681

- Method and apparatus for fabricating solar cell panels
[NASA-CASE-XNP-03413] c03 N71-26726
- Development and characteristics of solar cells with phosphors in cover glass to improve response to solar ultraviolet radiation
[NASA-CASE-ARC-10050] c03 N71-33409
- Electrically coupled individually encapsulated solar cell matrix
[NASA-CASE-NPO-11190] c03 N71-34044
- Recovering efficiency of solar cells damaged by environmental radiation through thermal annealing
[NASA-CASE-XGS-04047-2] c03 N72-11062
- Transparent plastic film for attaching cover glasses to silicon solar cells
[NASA-CASE-LEW-11065-1] c03 N72-11064
- Spacecraft solar cell system with switching circuit to provide compensation for environmental changes
[NASA-CASE-GSC-10669-1] c03 N72-20031
- Test method and equipment for identifying faulty cells or connections in solar cell assemblies
[NASA-CASE-NPO-10401] c03 N72-20033
- Electrically connected matrix of discrete solar cell blanks
[NASA-CASE-NPO-10591] c03 N72-22041
- Solar cell panel with light transmitting cover plate
[NASA-CASE-NPO-10747] c03 N72-22042
- Development of process for constructing protective covers for solar cells
[NASA-CASE-GSC-11514-1] c03 N72-24037
- Apparatus for applying thin glass slides to solar cells
[NASA-CASE-NPO-10575] c03 N72-25019
- Electrical interconnection of unilluminated solar cells in solar battery array
[NASA-CASE-GSC-10344-1] c03 N72-27053
- Rectangular solar cell stacked panels to generate electrical power aboard spacecraft
[NASA-CASE-NPO-11771] c03 N73-20040
- Graded band gap p-n junction gallium arsenide/gallium aluminum arsenide solar cell
[NASA-CASE-LAR-11174-1] c03 N73-26047
- Silicon solar cell with plastic film binding to cover glass
[NASA-CASE-LEW-11065-2] c03 N73-26048
- Method of making silicon solar cell array --- and mounting on flexible substrate
[NASA-CASE-LEW-11069-1] c03 N74-14784
- SOLAR COLLECTORS**
- Expanding and contracting connector strip for solar cell array of Nimbus satellite
[NASA-CASE-XGS-01395] c03 N69-21539
- Concentrator device for controlling direction of solar energy onto energy converters
[NASA-CASE-XLE-01716] c09 N70-40234
- Space erectable rollup solar array of arcuate solar panels furled on tapered drum for spacecraft storage during launch
[NASA-CASE-NPO-10188] c03 N71-20273
- Storage stable, thermally activated foaming compositions for erecting and rigidizing mechanisms of thin sheet solar collectors
[NASA-CASE-LAR-10373-1] c18 N71-26155
- Development and characteristics of solar cells with phosphors in cover glass to improve response to solar ultraviolet radiation
[NASA-CASE-ARC-10050] c03 N71-33409
- SOLAR ENERGY**
- Rectangular solar cell stacked panels to generate electrical power aboard spacecraft
[NASA-CASE-NPO-11771] c03 N73-20040
- Solar energy power system --- using freon
[NASA-CASE-MFS-21628-1] c29 N74-14496
- SOLAR ENERGY ABSORBERS**
- A panel for selectively absorbing solar thermal energy and the method for manufacturing the panel
[NASA-CASE-MFS-22562-1] c03 N74-19700
- SOLAR FURNACES**
- Lens assembly for solar furnace or solar simulator
[NASA-CASE-XNP-04111] c14 N71-15622
- SOLAR GENERATORS**
- Describing method for vapor deposition of gallium arsenide films to manganese substrates to provide semiconductor devices with low resistance substrates
[NASA-CASE-XNP-01328] c26 N71-18064
- SOLAR GRAVITATION**
- Table structure and rotating magnet system simulating gravitational forces on spacecraft and displaying trajectories between Earth, Venus, and Mercury
[NASA-CASE-XNP-00708] c14 N70-35394
- SOLAR OBSERVATORIES**
- Light sensitive control system for automatically opening and closing dome of solar optical telescope
[NASA-CASE-MSC-10966] c14 N71-19568
- SOLAR RADIATION**
- Space simulator with uniform test region radiation distribution, adapted to simulate Venus solar radiations
[NASA-CASE-XNP-00459] c11 N70-38675
- Design and characteristics of device for sensing solar radiation and providing spacecraft attitude control to maintain direction with respect to incident radiation
[NASA-CASE-XNP-05535] c14 N71-23040
- Utilization of solar radiation by solar still for converting salt and brackish water into potable water
[NASA-CASE-XMS-04533] c15 N71-23086
- Particulate and solar radiation stable coating for spacecraft
[NASA-CASE-LAR-10805-1] c18 N74-16246
- Wide angle sun sensor --- consisting of cylinder, insulation, and pair of detectors
[NASA-CASE-NPO-13327-1] c14 N74-18093
- SOLAR RADIO EMISSION**
- System generating sidereal frequency signals from signals of standard solar frequency without use of mixing operations or feedback loops
[NASA-CASE-XGS-02610] c14 N71-23174
- SOLAR REFLECTORS**
- Foldable, double cone and parabolic reflector system for solar ray concentration
[NASA-CASE-XLA-04622] c03 N70-41580
- Modifying existing solar cells for temperature control
[NASA-CASE-NPO-10109] c03 N71-11049
- Fabrication of curved reflector segments for solar mirror
[NASA-CASE-XLE-08917] c15 N71-15597
- Thermal pump-compressor for converting solar energy
[NASA-CASE-XLA-00377] c33 N71-17610
- Forming mold for polishing and machining curved solar magnesium reflector with reinforcing ribs
[NASA-CASE-XLE-08917-2] c15 N71-24836
- Inorganic thermal control and solar reflector coatings
[NASA-CASE-MFS-20011] c18 N72-22566
- SOLAR SENSORS**
- Sensor consisting of photocells mounted on pyramidal base for improved pointing accuracy of planetary trackers
[NASA-CASE-XNP-04180] c07 N69-39736
- Spacecraft attitude control system using solar and earth sensors, gyroscopes, and jet actuators
[NASA-CASE-XNP-00465] c21 N70-35395
- Sun tracker with rotatable plane-parallel plate and two photocells
[NASA-CASE-XGS-01159] c21 N71-10678
- Solar sensor with coarse and fine sensing elements for matching preirradiated cells on degradation rates
[NASA-CASE-XLA-01584] c14 N71-23269
- SOLAR SIMULATORS**
- Lens assembly for solar furnace or solar simulator
[NASA-CASE-XNP-04111] c14 N71-15622
- High powered arc electrodes --- producing solar simulator radiation
[NASA-CASE-LEW-11162-1] c09 N74-12913
- SOLDERED JOINTS**
- Soldering device particularly suited to making high quality wiring joints for aerospace engineering utilizing capillary attraction to regulate flow of solder
[NASA-CASE-XLA-08911] c15 N71-27214
- SOLDERING**
- Hydrazine monoperfluoro alkanoate solder flux leaving corrosion resistant coating, for metals such as copper
[NASA-CASE-XNP-03459-2] c18 N71-15688

- Metal soldering with hydrazine monoperfluoro
alkanoate for corrosion resistant coatings
[NASA-CASE-XNP-03459] c15 N71-21078
- Method of plating copper on aluminum to permit
conventional soldering of structural aluminum
bodies
[NASA-CASE-XLA-08966-1] c17 N71-25903
- Device for resistance soldering electrical leads
to solder cups of multiple terminal block
[NASA-CASE-GSC-10913] c15 N72-22491
- Development of electrical system for indicating
optimum contact between electrode and metal
surface to permit improved soldering operation
[NASA-CASE-KSC-10242] c15 N72-23497
- SOLDERS**
Solder coating process for printed copper
circuit protection
[NASA-CASE-XNP-01599] c09 N71-20705
- SOLENOID VALVES**
Solenoid two-step valve for bipropellant flow
rate control to rocket engine
[NASA-CASE-XMS-04890-1] c15 N70-22192
- Automatic recording McLeod gage with three
electrodes and solenoid valve connection
[NASA-CASE-XLE-03280] c14 N71-23093
- Solenoid valve including guide for armature and
valve member
[NASA-CASE-GSC-10607-1] c15 N72-20442
- Automatically operable self-leveling load table
with plurality of solenoid valves
[NASA-CASE-MPS-22039-1] c14 N73-30428
- SOLENOIDS**
Water cooled solenoid capable of producing
magnetic field intensities up to 100 kilogauss
[NASA-CASE-XNP-01951] c09 N70-41929
- Automatic power supply circuit design for
driving inductive loads and minimizing power
consumption including solenoid example
[NASA-CASE-NPO-10716] c09 N71-24892
- Rotary solenoid shutter drive assembly and
rotary inertia damper and stop plate assembly
--- for use with cameras mounted in satellites
[NASA-CASE-GSC-11560-1] c09 N74-20861
- SOLID LUBRICANTS**
Bonded solid lubricant coatings of calcium
fluoride and binder for high temperature
stability
[NASA-CASE-XMS-00259] c18 N70-36400
- Solid lubricant applied to porous roller
bearings prior to use in ultrahigh vacuum
[NASA-CASE-XLE-09527] c15 N71-17688
- Preparation of inorganic solid film lubricants
with long wear life and stability in aerospace
environments
[NASA-CASE-XNP-03988] c15 N71-21403
- Development of rolling element bearing for
operation in ultrahigh vacuum environment
[NASA-CASE-XLE-09527-2] c15 N71-26189
- SOLID PROPELLANT IGNITION**
Solid propellant ignition with hypergolic fluid
injected to predetermined portions of propellant
[NASA-CASE-XLE-00207] c28 N70-33375
- Method for igniting solid propellant rocket
motors by injecting hypergolic fluids
[NASA-CASE-XLE-01988] c27 N71-15634
- SOLID PROPELLANT ROCKET ENGINES**
Spherical solid propellant rocket engine design
[NASA-CASE-XLA-00105] c28 N70-33331
- Handrel for shaping solid propellant rocket fuel
into engine casing
[NASA-CASE-XLA-00304] c27 N70-34783
- Spherical solid propellant rocket engine having
abrupt burnout
[NASA-CASE-XBQ-01897] c28 N70-35381
- Grain configuration for solid propellant rocket
engines
[NASA-CASE-XGS-03556] c27 N70-35534
- Solid propellant rocket vehicle thrust control
method and apparatus
[NASA-CASE-XNP-00217] c28 N70-38181
- Steerable solid propellant rocket motor adapted
to effect payload orientation as multistage
rocket stage or reduce velocity as retrorocket
[NASA-CASE-XNP-00234] c28 N70-38645
- Method of making solid propellant rocket motor
having reliable high altitude capabilities,
long shelf life, and capable of firing with
nozzle closure with foamed plastic permanent
mandrel
[NASA-CASE-XLA-04126] c28 N71-26779
- Electrical failure detector in solid rocket
propellant motor insulation against thermal
degradation by fuel grain
[NASA-CASE-XNP-03968] c14 N71-27186
- Solid propellant rocket engine with venting
system to control effective nozzle throat area
[NASA-CASE-XNP-03282] c28 N72-20758
- Thin walled nozzle with insulative nonablative
coating for solid propellant rocket engines
[NASA-CASE-NPO-11458] c28 N72-23810
- Characteristics of solid propellant rocket
engine with controlled rate of thrust buildup
operating in vacuum environment
[NASA-CASE-NPO-11559] c28 N73-24784
- A space vehicle
[NASA-CASE-MPS-22734-1] c31 N74-20541
- SOLID PROPELLANTS**
Variable thrust ion engine using thermal
decomposition of solid cesium compound to
produce propulsive vapor
[NASA-CASE-XNP-00923] c28 N70-36802
- Photographic method for measuring viscoelastic
strain in solid propellants and other materials
[NASA-CASE-XNP-01153] c32 N71-17645
- Ethylene oxide sterilization and encapsulating
process for sterile preservation of
instruments and solid propellants
[NASA-CASE-XNP-09763] c14 N71-20461
- Chemical process for production of
polyisobutylene compounds and application as
solid rocket propellant binder
[NASA-CASE-NPO-10893] c27 N73-22710
- SOLID ROCKET BINDERS**
Liner for hybrid solid propellants to bind
propellant to rocket motor case
[NASA-CASE-XNP-09744] c27 N71-16392
- SOLID ROCKET PROPELLANTS**
Using ethylene oxide in preparation of
sterilized solid rocket propellants and
encapsulating materials
[NASA-CASE-XNP-01749] c27 N70-41897
- Pressurized gas injection for burning rate
control of solid propellants
[NASA-CASE-XLE-03494] c27 N71-21819
- Solid propellant stabilizer containing
nitroguanidine
[NASA-CASE-NPO-12000] c27 N72-25699
- Solid propellant containing hydrazinium
nitroformate oxidizer and polymeric
hydrocarbon binder
[NASA-CASE-NPO-12015] c27 N73-16764
- Utilization of inorganic metal-oxidizer
materials in solid rocket propellants
resulting in increased combustion efficiency
[NASA-CASE-NPO-11975-1] c27 N73-17802
- SOLID STATE**
Solid state chemical source for ammonia beam
masers
[NASA-CASE-XGS-01504] c16 N70-41578
- SOLID STATE DEVICES**
Solid state switching circuit design to increase
current capacity of low rated relay contacts
[NASA-CASE-XNP-09228] c09 N69-27500
- Temperature compensated solid state differential
amplifier with application in
bioinstrumentation circuits
[NASA-CASE-XAC-00435] c09 N70-35440
- Solid state device for mapping flux and power in
nuclear reactor cores
[NASA-CASE-XLE-00301] c14 N70-36808
- Solid state operational integrator
[NASA-CASE-NPO-10230] c09 N71-12520
- Microvave power receiving antenna solving heat
dissipation problems by construction of
elements as heat pipe devices
[NASA-CASE-MPS-20333] c09 N71-13486
- Computer circuit performing both counting and
shifting logic operations also capable of
miniaturization and integration in basic
circuits
[NASA-CASE-XNP-01753] c08 N71-22897
- Solid state television camera system consisting
of monolithic semiconductor mosaic sensor and
molecular digital readout systems
[NASA-CASE-XNP-06092] c07 N71-24612
- Solid state circuit for switching alternating
current input signal as function of direct
current gating transistor

[NASA-CASE-XNP-06505] c10 N71-24799
Solid state force measuring electromechanical transducers made of piezoresistive materials
[NASA-CASE-ERC-10088] c26 N71-25490
Development and characteristics of solid state acoustic variable time delay line using direct current voltage and radio frequency pulses
[NASA-CASE-ERC-10032] c10 N71-25900
Solid state broadband stable power amplifier
[NASA-CASE-XNP-10854] c10 N71-26331
Solid state remote circuit selector switching circuit
[NASA-CASE-LEW-10387] c09 N72-22201
Radio frequency controlled solid state switch
[NASA-CASE-ARC-10136-1] c09 N72-22202
Development of thermal to electric power conversion system using solid state switches of electrical currents to load for Seebeck effect compensation
[NASA-CASE-NPO-11388] c03 N72-23048
Solid state switch for variable circuit switching
[NASA-CASE-NPO-10817-1] c08 N73-30135
Full wave modulator-demodulator amplifier apparatus --- for generating rectified output signal
[NASA-CASE-FRC-10072-1] c09 N74-14939

SOLID SURFACES
Dye penetrant and technique for nondestructive tests of solid surfaces contacted by liquid oxygen
[NASA-CASE-XMF-02221] c18 N71-27170

SOLUBILITY
Fireproof potassium silicate coating composition, insoluble in water after application
[NASA-CASE-GSC-10072] c18 N71-14014

SOLUTIONS
Specific wavelength colorimeter for measuring given solute concentration in test sample
[NASA-CASE-HSC-14081-1] c14 N73-18443

SOLVENTS
Chemical synthesis of formaldehyde based disinfectants without penetrating odor and eye and ear irritation properties
[NASA-CASE-NPO-12115-1] c06 N73-17153

SONIC BOOMS
Jet aircraft noise and sonic boom measuring device which converts sound pressure into electric current
[NASA-CASE-LAR-11173-1] c14 N73-22387

SOUND GENERATORS
Ejectable underwater sound source recovery assembly
[NASA-CASE-LAR-10595-1] c15 N74-16135

SOUND PRESSURE
Jet aircraft noise and sonic boom measuring device which converts sound pressure into electric current
[NASA-CASE-LAR-11173-1] c14 N73-22387

SOUND TRANSDUCERS
Method and transducer device for detecting presence of hydrogen gas
[NASA-CASE-XMF-03873] c06 N69-39733
Sensor for detecting and measuring energy, velocity and direction of travel of a cosmic dust particle
[NASA-CASE-GSC-10503-1] c14 N72-20381

SOUND WAVES
Piezoelectric transducer for monitoring sound waves of physiological origin
[NASA-CASE-XMS-05365] c14 N71-22993
Application of acoustic transducers for suspending object at center of chamber under near weightless conditions
[NASA-CASE-NPO-13263-1] c15 N73-31443

SOUNDING ROCKETS
Development of attitude control system for sounding rocket stabilization during ballistic phase of flight
[NASA-CASE-XGS-01654] c31 N71-24750
System for deploying and ejecting releasable clamshell fairing sections from spinning sounding rockets
[NASA-CASE-GSC-10590-1] c31 N73-14853

SPACE CAPSULES
Assembly for opening flight capsule stabilizing and decelerating flaps with reference to capsule recovery
[NASA-CASE-XMF-00641] c31 N70-36410

Design and configuration of manned space capsule
[NASA-CASE-XLA-01332] c31 N71-15664
Describing assembly for opening stabilizing and decelerating flaps of flight capsules used in space research
[NASA-CASE-XMF-03169] c31 N71-15675

SPACE COMMUNICATION
Radio receiver with array of independently steerable antennas for deep space communication
[NASA-CASE-XLA-00901] c07 N71-10775
Design and development of tracking receiver for tracking satellites and receiving radio signal transmissions under adverse noise conditions
[NASA-CASE-XGS-08679] c10 N71-21473
Development of antenna system for spin stabilized communication satellite for simultaneous reception and transmission of data
[NASA-CASE-XGS-02607] c31 N71-23009
Design and development of closed-loop, digital data communication system using optimum number of interconnecting wires
[NASA-CASE-MSC-13912-1] c07 N73-12151

SPACE ENVIRONMENT SIMULATION
Simulating voltage-current characteristic curves of solar cell panel with different operational parameters
[NASA-CASE-XMS-01554] c10 N71-10578
Method and feed system for separating and orienting liquid and vapor phases of liquid propellants in zero gravity environment
[NASA-CASE-XLE-01182] c27 N71-15635
Cable suspension and inclined walkway system for simulating reduced or zero gravity environments
[NASA-CASE-XLA-01787] c11 N71-16028
Space environment simulation system for measuring spacecraft electric field strength in plasma sheath
[NASA-CASE-XLE-02038] c09 N71-16086
Optical characteristics measuring apparatus
[NASA-CASE-XNP-08840] c23 N71-16365
Omnidirectional anisotropic molecular trap, used with vacuum pump to simulate space environments for testing spacecraft components
[NASA-CASE-XGS-00783] c30 N71-17788
Space environmental work simulator with portions of space suit mounted to vacuum chamber wall
[NASA-CASE-XMF-07488] c11 N71-18773
Low and zero gravity simulator for astronaut training
[NASA-CASE-MFS-10555] c11 N71-19494
Self lubricating fluoride-metal composite materials for outer space applications
[NASA-CASE-XLE-08511] c18 N71-23710
Test chamber for determining decomposition and autoignition of materials used in spacecraft under controlled environmental conditions
[NASA-CASE-KSC-10198] c11 N71-28629
Illumination system design for use as sunlight simulator in space environment simulators with multiple light sources reflected to single virtual source
[NASA-CASE-HQN-10781] c23 N71-30292
Pressure regulator for space suit worn underwater to simulate space environment for testing and experimentation
[NASA-CASE-MFS-20332] c05 N72-20097

SPACE ERECTABLE STRUCTURES
Self-erectable space structures of flexible foam for application in planetary orbits
[NASA-CASE-XLA-00686] c31 N70-34135
Manned space station collapsible for launching and self-erectable in orbit
[NASA-CASE-XLA-00678] c31 N70-34296
Manned space station launched in packaged condition and self erecting in orbit
[NASA-CASE-XLA-00258] c31 N70-38676
Collapsible, space erectable loop antenna system for space vehicle
[NASA-CASE-XMF-00437] c07 N70-40202
Erectable, inflatable, radio signal reflecting passive communication satellite
[NASA-CASE-XLA-00210] c30 N70-40309
Deployment system for flexible wing with rigid superstructure
[NASA-CASE-XLA-01220] c02 N70-41863
Capillary radiator for carrying heat transfer liquid in planetary spacecraft structures
[NASA-CASE-XLE-03307] c33 N71-14035

- Describing apparatus for manufacturing operations in low and zero gravity environments of orbital space flight
[NASA-CASE-MFS-20410] c15 N71-19214
- Space erectable rollup solar array of arcuate solar panels furled on tapered drum for spacecraft storage during launch
[NASA-CASE-NPO-10188] c03 N71-20273
- Self erecting parabolic reflector design for use in space
[NASA-CASE-XMS-03454] c09 N71-20658
- Pneumatic cantilever beams and platform for space erectable structure
[NASA-CASE-XLA-01731] c32 N71-21045
- Hydraulic actuator design for space deployment of heat radiators
[NASA-CASE-MSC-11817-1] c15 N71-26611
- Space expandable tether device for use as passageway between two docked spacecraft
[NASA-CASE-XMS-10993] c15 N71-28936
- Expandable space frames with high expansion to collapse ratio
[NASA-CASE-ERC-10365-1] c31 N73-32749
- SPACE EXPLORATION**
- Self-propelled vehicle with wheel, track laying, and walking capability for exploratory exploration
[NASA-CASE-NPO-11366] c11 N73-26238
- SPACE FLIGHT**
- Portable environmental control and life support system for astronaut in and out of spacecraft
[NASA-CASE-XMS-09632-1] c05 N71-11203
- Television simulation for aircraft and space flight
[NASA-CASE-XFR-03107] c09 N71-19449
- SPACE MAINTENANCE**
- System for removing and repairing spacecraft control thrusters by use of portable air locks
[NASA-CASE-MFS-20325] c28 N71-27095
- SPACE MANUFACTURING**
- Application of acoustic transducers for suspending object at center of chamber under near weightless conditions
[NASA-CASE-NPO-13263-1] c15 N73-31443
- SPACE MISSIONS**
- Planetary atmospheric investigation using split trajectory dual flyby mode
[NASA-CASE-XAC-08494] c30 N71-15990
- Elimination of tracking occultation problems occurring during continuous monitoring of interplanetary missions by using Earth orbiting communications satellite
[NASA-CASE-XAC-06029-1] c31 N71-24813
- Design and development of space shuttle system for delivering payload to earth orbit or celestial orbit
[NASA-CASE-MSC-12391] c30 N73-12884
- SPACE NAVIGATION**
- Electrical and electromechanical trigonometric computation assembly and space vehicle guidance system for aligning perpendicular axes of two sets of three-axes coordinate references
[NASA-CASE-XMF-00684] c21 N71-21688
- Momentum wheel design for spacecraft attitude control and magnetic drum and head system for data storage
[NASA-CASE-NPO-11481] c21 N73-13644
- Method for producing reticles for use in outer space
[NASA-CASE-GSC-11188-2] c21 N73-19630
- SPACE ORIENTATION**
- Sensing method and device for determining orientation of space vehicle or satellite by using particle traps
[NASA-CASE-XGS-00466] c21 N70-34297
- SPACE REMEDIAL**
- Method and apparatus for connecting two spacecraft with probe of one inserted in rocket engine nozzle of other spacecraft
[NASA-CASE-MFS-11133] c31 N71-16222
- SPACE SHUTTLES**
- Designing spacecraft for flight into space, atmospheric reentry, and landing at selected sites
[NASA-CASE-XAC-02058] c02 N71-16087
- Design and development of space shuttle system for delivering payload to earth orbit or celestial orbit
[NASA-CASE-MSC-12391] c30 N73-12884
- Spacecraft configurations and aerodynamic characteristics of space shuttle systems with two reusable stages
[NASA-CASE-MSC-12433] c31 N73-14854
- Improved silicide coatings for refractory metals employed in space shuttles and gas turbine engine components
[NASA-CASE-LEW-11179-1] c17 N73-22474
- Development and characteristics of variable ratio, mixed-mode, bilateral master-slave control system for space shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c31 N73-30832
- SPACE SIMULATORS**
- Space simulator with uniform test region radiation distribution, adapted to simulate Venus solar radiations
[NASA-CASE-XNP-00459] c11 N70-38675
- Variable geometry manned orbital vehicle having high aerodynamic efficiency over wide speed range and incorporating auxiliary pivotal wings
[NASA-CASE-XLA-03691] c31 N71-15674
- Development of method and equipment for testing heat radiative properties of material under controlled environmental conditions
[NASA-CASE-MFS-20096] c14 N71-30026
- SPACE STATIONS**
- Manned space station launched in packaged condition and self erecting in orbit
[NASA-CASE-XLA-00258] c31 N70-38676
- Multiple in-line docking capability having intermeshing docking turrets for rotating space stations
[NASA-CASE-MFS-20855-1] c31 N72-25853
- SPACE SUITS**
- Astronaut restraint suit for high acceleration protection
[NASA-CASE-XAC-00405] c05 N70-41819
- Space suit with pressure-volume compensator system
[NASA-CASE-XLA-05332] c05 N71-11194
- Equipotential space suits utilizing mechanical aids to minimize astronaut energy at bending joints
[NASA-CASE-LAR-10007-1] c05 N71-11195
- One piece human garment for use as contamination proof garment
[NASA-CASE-MSC-12206-1] c05 N71-17599
- Space environmental work simulator with portions of space suit mounted to vacuum chamber wall
[NASA-CASE-XMF-07488] c11 N71-18773
- Space suit body heat exchanger design composed of thermal conductance yarn and liquid coolant loops
[NASA-CASE-XMS-09571] c05 N71-19439
- Conditioning suit for normal function of astronaut cardiovascular system in gravity environment
[NASA-CASE-XLA-02898] c05 N71-20268
- Space suit using nonflexible material with low leakage and providing protection against thermal extremes, physical punctures, and radiation with high mobility articulation
[NASA-CASE-XAC-07043] c05 N71-23161
- Sealing evacuation port and evacuating vacuum container such as space jackets
[NASA-CASE-XMF-03290] c15 N71-23256
- Structure of fabric layers for micrometeoroid protection garment with capability for eliminating heat shorts for use in manufacturing space suits
[NASA-CASE-MSC-12109] c18 N71-26285
- Venting device for pressurized space suit helmet to eliminate vomit expelled by crewmen
[NASA-CASE-XMS-09652-1] c05 N71-26333
- Automatic control device for regulating inlet water temperature of liquid cooled spacesuit
[NASA-CASE-MSC-13917-1] c05 N72-15098
- Pressure regulator for space suit worn underwater to simulate space environment for testing and experimentation
[NASA-CASE-MFS-20332] c05 N72-20097
- Space suit with improved waist and torso movement
[NASA-CASE-ARC-10275-1] c05 N72-22092
- Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c05 N73-25125
- Automatic temperature control for liquid cooled space suit
[NASA-CASE-ARC-10599-1] c05 N73-26071

- Process for developing flame retardant elastomeric composition textiles for use in space suits
[NASA-CASE-MSC-14331-1] c18 N73-27501
- Intra- and extravehicular life support space suite for Apollo astronauts
[NASA-CASE-MSC-12609-1] c05 N73-32012
- SPACE VEHICLE CHECKOUT PROGRAM**
- Hydraulic support apparatus for dynamic testing of space vehicles under near-free flight conditions
[NASA-CASE-XMP-03248] c11 N71-10604
- Digital computer system for automatic prelaunch checkout of spacecraft
[NASA-CASE-XKS-08012-2] c31 N71-15566
- Developing high pressure gas purification and filtration system for use in test operations of space vehicles
[NASA-CASE-MFS-12806] c14 N71-17588
- SPACECRAFT**
- Metal strip mounting arrangement for solar cell arrays on spacecraft
[NASA-CASE-XGS-01475] c03 N71-11058
- Attitude sensor with scanning mirrors for detecting orientation of space vehicle with respect to planet
[NASA-CASE-XLA-00793] c21 N71-22880
- Negation of magnetic fields produced by thin waferlike circuit elements in space vehicles
[NASA-CASE-XGS-03390] c03 N71-23187
- Low mass ionizing device for use in electric thrust spacecraft engines
[NASA-CASE-XNP-01954] c28 N71-28850
- Vacuum chamber with scale model of rocket engine base area of space vehicle
[NASA-CASE-MFS-20620] c11 N72-27262
- Particulate and solar radiation stable coating for spacecraft
[NASA-CASE-LAR-10805-1] c18 N74-16246
- SPACECRAFT ANTENNAS**
- Low loss parasitic probe antenna for prelaunch tests of spacecraft antennas
[NASA-CASE-XKS-09348] c09 N71-13521
- Millimeter wave antenna system for spacecraft use
[NASA-CASE-GSC-10949-1] c07 N71-28965
- Low weight, integrated thermoelectric generator/antenna combination for spacecraft
[NASA-CASE-XER-09521] c09 N72-12136
- Omnidirectional antenna array with circumferential slots for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c09 N72-25247
- Furlable antenna for spacecraft
[NASA-CASE-NPO-11361] c07 N72-32169
- Collapsible support for antenna reflector applied to installation of spacecraft antennas
[NASA-CASE-NPO-11751] c07 N73-24176
- SPACECRAFT CABIN ATMOSPHERES**
- Thermal control wall panel with application to spacecraft cabins
[NASA-CASE-XLA-01243] c33 N71-22792
- Nonflammable coating compositions --- for use in high oxygen environments
[NASA-CASE-MFS-20486-2] c18 N74-17283
- SPACECRAFT COMMUNICATION**
- Synchronizing apparatus for multi-access satellite time division multiplex system
[NASA-CASE-XGS-05918] c07 N69-39974
- Phase shift data transmission system with pseudo-noise synchronization code modulated with digital data into single channel for spacecraft communication
[NASA-CASE-XNP-00911] c08 N70-41961
- Design and development of tracking receiver for tracking satellites and receiving radio signal transmissions under adverse noise conditions
[NASA-CASE-XGS-08679] c10 N71-21473
- Microwave omnidirectional antenna for use on spacecraft
[NASA-CASE-XLA-03114] c09 N71-22888
- VHF/UHF parasitic probe antenna for spacecraft communication
[NASA-CASE-XKS-09340] c07 N71-24614
- System designed to reduce time required for obtaining synchronization in data communication with spacecraft utilizing pseudonoise codes
[NASA-CASE-NPO-10214] c10 N71-26577
- Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c09 N74-20864
- SPACECRAFT COMPONENTS**
- Rectangular electric conductors for conductor cables to withstand spacecraft vibration and controlled atmosphere
[NASA-CASE-MFS-14741] c09 N70-20737
- Vibration damping system operating in low vacuum environment for spacecraft mechanisms
[NASA-CASE-XMS-01620] c23 N71-15673
- Intermittent type silica gel adsorption refrigerator for providing temperature control for spacecraft components
[NASA-CASE-XNP-00920] c15 N71-15906
- Omnidirectional anisotropic molecular trap, used with vacuum pump to simulate space environments for testing spacecraft components
[NASA-CASE-XGS-00783] c30 N71-17788
- Spacecraft air lock system to provide ingress and egress of astronaut without subjecting vehicular environment to vacuum of space
[NASA-CASE-XLA-02050] c31 N71-22968
- Development and characteristics of docking structure and apparatus for spacecraft docking
[NASA-CASE-XMP-05941] c31 N71-23912
- Design and development of release mechanism for spacecraft components, releasable despin weights, and extensible gravity booms
[NASA-CASE-XGS-08718] c15 N71-24600
- Space environment simulator for testing spacecraft components under aerospace conditions
[NASA-CASE-NPO-10141] c11 N71-24964
- Design and development of spacecraft with outer shell structure heat shielding and built-in, removable excursion module
[NASA-CASE-MSC-13047-1] c31 N71-25434
- Electronic detection system for peak acceleration limits in vibrational testing of spacecraft components
[NASA-CASE-NPO-10556] c14 N71-27185
- Development of solid state polymer coating for obtaining thermal balance in spacecraft components
[NASA-CASE-XLA-01745] c33 N71-28903
- Development of apparatus for mounting scientific experiments in spacecraft to permit utilization without maneuvering spacecraft
[NASA-CASE-MSC-12372-1] c31 N72-25842
- Squib actuated disconnect for spacecraft coupling to launch vehicle
[NASA-CASE-NPO-13172-1] c33 N73-17917
- Development and characteristics of supporting frame to isolate payloads from multi-gravitational forces
[NASA-CASE-MFS-21680-1] c15 N73-20525
- Development and characteristics of variable ratio, mixed-mode, bilateral master-slave control system for space shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c31 N73-30832
- SPACECRAFT CONFIGURATIONS**
- Inflatable honeycomb panel element for lightweight structures usable in space stations and other construction
[NASA-CASE-XLA-00204] c32 N70-36536
- Lenticular vehicle with foldable aerodynamic control flaps and reaction jets for operation above and within earth's atmosphere
[NASA-CASE-XGS-00260] c31 N70-37924
- Stage separation system for spinning vehicles and payloads
[NASA-CASE-XLA-02132] c31 N71-10582
- Design and configuration of aerospace vehicle for performing earth orbit mission and returning to preselected landing site
[NASA-CASE-MPS-21527] c31 N72-15781
- Spacecraft configurations and aerodynamic characteristics of space shuttle systems with two reusable stages
[NASA-CASE-MSC-12433] c31 N73-14854
- A space vehicle
[NASA-CASE-MFS-22734-1] c31 N74-20541
- SPACECRAFT CONSTRUCTION MATERIALS**
- Pressurized cell micrometeoroid detector
[NASA-CASE-XLA-00936] c14 N71-14996
- Flexible barrier membrane comprising porous substrate and incorporating liquid gallium or indium metal used as sealant barriers for spacecraft walls and pumping liquid propellants

- [NASA-CASE-XNP-08881] c17 N71-28747
SPACECRAFT CONTROL
 Light sensitive digital aspect sensor for attitude control of earth satellites or space probes
 [NASA-CASE-XGS-00359] c14 N70-34158
 Spacecraft attitude control system using solar and earth sensors, gyroscopes, and jet actuators
 [NASA-CASE-XNP-00465] c21 N70-35395
 Multiple parachute system for landing control of Apollo type spacecraft
 [NASA-CASE-XLA-00898] c02 N70-36804
 Attitude control device for space vehicles
 [NASA-CASE-XNP-00294] c21 N70-36938
 Attitude orientation control of spin stabilized final stage space vehicles, using horizon scanners
 [NASA-CASE-XLA-00281] c21 N70-36943
 Aerodynamic configuration of reentry vehicle heat shield to provide longitudinal and directional stability at hypersonic velocities
 [NASA-CASE-XMS-04142] c31 N70-41631
 Star sensor system for roll attitude control of spacecraft
 [NASA-CASE-XNP-01307] c21 N70-41856
 Photomultiplier detector of Canopus for spacecraft attitude control
 [NASA-CASE-XNP-03914] c21 N71-10771
 Development of spacecraft experiment pointing and attitude control system
 [NASA-CASE-XLA-05464] c21 N71-14132
 Development of attitude control system for spacecraft orientation
 [NASA-CASE-XGS-04393] c21 N71-14159
 Drive mechanism for operating reactance attitude control system for aerospace bodies
 [NASA-CASE-XMF-01598] c21 N71-15583
 Attitude detection system using stellar references for three-axis control and spin stabilized spacecraft
 [NASA-CASE-XGS-03431] c21 N71-15642
 Large amplitude, linear inertial reference system of vibrating string type for spacecraft reference plane
 [NASA-CASE-XAC-03107] c23 N71-16098
 Construction and method of arranging plurality of ion engines to form cluster thereby increasing efficiency and control by decreasing heat radiated to space
 [NASA-CASE-XNP-02923] c28 N71-23081
 Ion beam deflector system for electronic thrust vector control for ion propulsion yaw, pitch, and roll forces
 [NASA-CASE2-LEW-10689-1] c28 N71-26173
 Heated porous plug microthrustor for spacecraft reaction jet controlled systems such as fuel flow regulation, propellant disassociation, and heat transfer augmentation
 [NASA-CASE-GSC-10640-1] c28 N72-18766
 Development of thrust control system for application to control of aircraft and spacecraft
 [NASA-CASE-MSC-13397-1] c21 N72-25595
SPACECRAFT DESIGN
 Lunar landing flight research vehicle
 [NASA-CASE-XFR-00929] c31 N70-34966
 Design and configuration of manned space capsule
 [NASA-CASE-XLA-01332] c31 N71-15664
 Development of spacecraft radiator cover
 [NASA-CASE-MSC-12049] c31 N71-16080
 Method and apparatus for connecting two spacecraft with probe of one inserted in rocket engine nozzle of other spacecraft
 [NASA-CASE-MFS-11133] c31 N71-16222
 Development and characteristics of protective coatings for spacecraft
 [NASA-CASE-XNP-02507] c31 N71-17679
 Development and characteristics of self supporting space vehicle
 [NASA-CASE-XLA-00117] c31 N71-17680
 Multi-mission space vehicle module stage design
 [NASA-CASE-XMF-01543] c31 N71-17730
 Development and characteristics of docking structure and apparatus for spacecraft docking
 [NASA-CASE-XMF-05941] c31 N71-23912
 Design and development of spacecraft with outer shell structure heat shielding and built-in, removable excursion module
 [NASA-CASE-MSC-13047-1] c31 N71-25434
 Design and configuration of aerospace vehicle for performing earth orbit mission and returning to preselected landing site
 [NASA-CASE-MFS-21527] c31 N72-15781
 Spacecraft design with single point aerodynamic and hydrodynamic stability for emergency transport of men from space station to splashdown
 [NASA-CASE-MSC-13281] c31 N72-18859
 A space vehicle
 [NASA-CASE-MFS-22734-1] c31 N74-20541
SPACECRAFT DOCKING
 Probe and drogue assembly for mechanical linking of two space vehicles
 [NASA-CASE-XMS-03613] c31 N71-16346
 Development and characteristics of docking structure and apparatus for spacecraft docking
 [NASA-CASE-XMF-05941] c31 N71-23912
 Latch for fastening spacecraft docking rings
 [NASA-CASE-MSC-15474-1] c15 N71-26162
 Multiple in-line docking capability having intermeshing docking turrets for rotating space stations
 [NASA-CASE-MFS-20855-1] c31 N72-25853
 Fail safe latching mechanism for spacecraft docking
 [NASA-CASE-MSC-12549-1] c15 N73-11443
 High energy absorption docking system design for docking large spacecraft
 [NASA-CASE-MFS-20863] c31 N73-26876
 Development of spacecraft docking system for optical alignment of spacecraft using television camera system
 [NASA-CASE-MSC-12559-1] c31 N73-26879
SPACECRAFT ELECTRONIC EQUIPMENT
 Equipment for testing of ground station ranging equipment and spacecraft transponders
 [NASA-CASE-XMS-05454-1] c07 N71-12391
 Describing apparatus used in vacuum deposition of thin film inductive windings for spacecraft microcircuitry
 [NASA-CASE-XMF-01667] c15 N71-17647
 Nose cone mounted heat resistant antenna comprising plurality of adjacent layers of silica not introducing paths of high thermal conductivity through ablative shield
 [NASA-CASE-XMS-04312] c07 N71-22984
SPACECRAFT ENVIRONMENTS
 Portable environmental control and life support system for astronaut in and out of spacecraft
 [NASA-CASE-XMS-09632-1] c05 N71-11203
 Quick disconnect latch and handle combination for mounting articles on walls or supporting bases in spacecraft under zero gravity conditions
 [NASA-CASE-MFS-11132] c15 N71-17649
 Dual solid cryogenics for spacecraft refrigeration insuring low temperature cooling for extended periods
 [NASA-CASE-GSC-10188-1] c23 N71-24725
 Dual stage check valve for cryogenic supply systems used in space flight environmental control system
 [NASA-CASE-MSC-13587-1] c15 N73-30459
 Metering gun for dispensing precisely measured charges of fluid
 [NASA-CASE-MFS-21163-1] c05 N74-17853
SPACECRAFT GUIDANCE
 Automatic ejection valve for attitude control and midcourse guidance of space vehicles
 [NASA-CASE-XNP-00676] c15 N70-38996
 Electrical and electromechanical trigonometric computation assembly and space vehicle guidance system for aligning perpendicular axes of two sets of three-axes coordinate references
 [NASA-CASE-XNP-00684] c21 N71-21688
 Design and characteristics of device for sensing solar radiation and providing spacecraft attitude control to maintain direction with respect to incident radiation
 [NASA-CASE-XNP-05535] c14 N71-23040
 Inertial gimbal alignment system for spacecraft guidance
 [NASA-CASE-XMF-01669] c21 N71-23289
 Hermetically sealed vibration damper design for use in gimbal assembly of spacecraft inertial guidance system
 [NASA-CASE-MSC-10959] c15 N71-26243

SPACECRAFT INSTRUMENTS

- Mechanical coordinate converter for use with spacecraft tracking antennas
[NASA-CASE-XNP-00614] c14 N70-36907
- Air bearings for spacecraft gyros
[NASA-CASE-XMF-00339] c15 N70-39896
- Unfolding boom assembly with knuckle joints for positioning equipment for spacecraft
[NASA-CASE-XGS-00938] c32 N70-41367
- Pressurized cell micrometeoroid detector
[NASA-CASE-XLA-00936] c14 N71-14996
- Guidance analyzer having suspended spacecraft simulating sphere for astronavigation
[NASA-CASE-XNP-09572] c14 N71-15621
- Inertial component clamping assembly design for spacecraft guidance and control system mounting
[NASA-CASE-XMS-02184] c15 N71-20813
- Optical projector system for establishing optimum arrangement of instrument displays in aircraft, spacecraft, other vehicles, and industrial instrument consoles
[NASA-CASE-XNP-03853] c23 N71-21882
- Combined optical attitude and altitude indicating instrument for use in aircraft or spacecraft
[NASA-CASE-XLA-01907] c14 N71-23268
- Spacecraft transponder and ground station radar system for mapping planetary surfaces
[NASA-CASE-NPO-11001] c07 N72-21118
- Method and apparatus for providing active attitude control for spacecraft by converting any attitude motion of vehicle into simple rotational motion
[NASA-CASE-HQN-10439] c21 N72-21624
- Star scanner for spin-stabilized spacecraft
[NASA-CASE-GSC-11569-1] c14 N73-11404
- Design and development of thermomechanical pump for transmitting warming fluid through fluid circuit to control temperature of spacecraft instrumentation
[NASA-CASE-NPO-11417] c15 N73-24513
- Deployable pressurized cell structure for a micrometeoroid detector
[NASA-CASE-LAR-10295-1] c15 N74-21062
- SPACECRAFT LANDING**
- Non-reusable kinetic energy absorber for application in soft landing of space vehicles
[NASA-CASE-XLE-00810] c15 N70-34861
- Plastic foam generator for space vehicle instrument payload package flotation in water landing
[NASA-CASE-XLA-00838] c03 N70-36778
- Device for use in descending spacecraft as altitude sensor for actuating deceleration retro-rockets
[NASA-CASE-XMS-03792] c14 N70-41812
- SPACECRAFT LAUNCHING**
- Three stage motion restraining mechanism for restraining and damping three dimensional vibrational movement of gimbaled package during launch of spacecraft
[NASA-CASE-GSC-10306-1] c15 N71-24694
- Development and characteristics of squib actuated explosive disconnect for spacecraft release from launch vehicle
[NASA-CASE-NPO-11330] c33 N73-26958
- SPACECRAFT MODELS**
- Space environment simulation system for measuring spacecraft electric field strength in plasma sheath
[NASA-CASE-XLE-02038] c09 N71-16086
- SPACECRAFT MODULES**
- Radial module manned space station with artificial gravity environment
[NASA-CASE-XMS-01906] c31 N70-41373
- Multi-mission space vehicle module stage design
[NASA-CASE-XMF-01543] c31 N71-17730
- Design and development of spacecraft with outer shell structure heat shielding and built-in, removable excursion module
[NASA-CASE-MSC-13047-1] c31 N71-25434
- Development and characteristics of thermal control system for maintaining constant temperature within spacecraft module with wide variations of component heat transfer
[NASA-CASE-GSC-11018-1] c31 N73-30829
- SPACECRAFT POSITION INDICATORS**
- Device for determining relative angular position of spacecraft and radiating celestial body
[NASA-CASE-GSC-11444-1] c14 N73-28490
- Spacecraft attitude sensing system design with narrow field of view sensor rotating about spacecraft x-y axis
[NASA-CASE-GSC-10890-1] c21 N73-30640
- SPACECRAFT POWER SUPPLIES**
- Spacecraft battery seals
[NASA-CASE-XGS-03864] c15 N69-24320
- Electrical power system for space flight vehicles operating over extended periods
[NASA-CASE-XMF-00517] c03 N70-34157
- Lightweight, rugged, inexpensive satellite battery for producing electrical power from ionosphere using electrodes with different contact potentials
[NASA-CASE-XGS-01593] c03 N70-35408
- Design and development of electric generator for space power system
[NASA-CASE-XLE-04250] c09 N71-20446
- Monostable multivibrator for conserving power in spacecraft systems
[NASA-CASE-GSC-10082-1] c10 N72-20221
- Control circuit for nuclear thermionic converter power source for spacecraft
[NASA-CASE-NPO-13114-1] c22 N73-13656
- Rectangular solar cell stacked panels to generate electrical power aboard spacecraft
[NASA-CASE-NPO-11771] c03 N73-20040
- Thermoelectric power system --- for outer planet space flight
[NASA-CASE-MFS-22002-1] c03 N74-18726
- SPACECRAFT PROPULSION**
- Colloidal particle generator for electrostatic engine for propelling space vehicles
[NASA-CASE-XLE-00817] c28 N70-33265
- Spacecraft trajectory correction propulsion system
[NASA-CASE-XNP-01104] c28 N70-39931
- Permanently magnetized ion engine casing construction for use in spacecraft propulsion systems
[NASA-CASE-XNP-06942] c28 N71-23293
- Development of voice operated controller for controlling reaction jets of spacecraft
[NASA-CASE-XLA-04063] c31 N71-33160
- SPACECRAFT RECOVERY**
- Assembly for opening flight capsule stabilizing and decelerating flaps with reference to capsule recovery
[NASA-CASE-XMF-00641] c31 N70-36410
- Method for deployment of flexible wing glider from space vehicle with minimum impact and loading
[NASA-CASE-XMS-00907] c02 N70-41630
- SPACECRAFT REENTRY**
- Manned space capsule configuration for orbital flight and atmospheric reentry
[NASA-CASE-ILA-00149] c31 N70-37938
- Event recorder with constant speed motor which rotates recording disk
[NASA-CASE-XLA-01832] c14 N71-21006
- SPACECRAFT SHIELDING**
- Development and characteristics of protective coatings for spacecraft
[NASA-CASE-XNP-02507] c31 N71-17679
- Double-wall isothermal cylinder containing heat transfer fluid thermal reservoir as spacecraft insulation cover
[NASA-CASE-MFS-20355] c33 N71-25353
- Binder stabilized zinc oxide pigmented coating for spacecraft thermal control
[NASA-CASE-XMF-07770-2] c18 N71-26772
- SPACECRAFT STABILITY**
- Satellite stabilization reaction wheel scanner
[NASA-CASE-XGS-02629] c14 N71-21082
- Development and characteristics of annular momentum control device for two axis stabilization of spacecraft
[NASA-CASE-LAR-11051-1] c21 N73-28646
- Attitude sensor
[NASA-CASE-LAR-10586-1] c14 N74-15089
- SPACECRAFT STRUCTURES**
- Collapsible, space erectable loop antenna system for space vehicle
[NASA-CASE-XMF-00437] c07 N70-40202
- Electro-optical system for maintaining two-axis alignment during milling operations on large tank-sections
[NASA-CASE-XMF-00908] c14 N70-40238

- Development of spacecraft radiator cover
[NASA-CASE-MSC-12049] c31 N71-16080
- Design and construction of satellite appendage tie-down cord
[NASA-CASE-XGS-02554] c31 N71-21064
- Development and characteristics of thermal sensitive panel for controlling ratio of solar absorptivity to surface emissivity for space vehicle temperature control
[NASA-CASE-XLA-07728] c33 N71-22890
- Space expandable tether device for use as passageway between two docked spacecraft
[NASA-CASE-XMS-10993] c15 N71-28936
- Delayed simultaneous appendage release mechanism for use on spacecraft equipped with despinn mechanisms and releasable components
[NASA-CASE-GSC-10814-1] c03 N73-20039
- Development of composite structures for spacecraft to serve as anti-meteoroid device
[NASA-CASE-LAR-10788-1] c31 N73-20880
- Pressurized panel meteoroid detector
[NASA-CASE-XLA-08916-2] c14 N73-28487
- Structural heat pipe for spacecraft wall thermal insulation system
[NASA-CASE-GSC-11619-1] c33 N73-32828
- SPACECRAFT TELEVISION**
- Electrically operated rotary shutter for television camera aboard spacecraft
[NASA-CASE-INP-00637] c14 N70-40273
- Conversion system for transforming slow scan rate of Apollo TV camera on moon to fast scan of commercial TV
[NASA-CASE-XMS-07168] c07 N71-11300
- SPACECRAFT TRACKING**
- Spacecraft ranging system
[NASA-CASE-NPO-10066] c09 N71-18598
- Elimination of tracking occultation problems occurring during continuous monitoring of interplanetary missions by using Barth orbiting communications satellite
[NASA-CASE-XAC-06029-1] c31 N71-24813
- Tracking mount for laser telescope employed in tracking large rockets and space vehicles to give information regarding azimuth and elevation
[NASA-CASE-MFS-14017] c14 N71-26627
- Orbital and entry tracking accessory for globes --- to provide range requirements for reentry vehicles to any landing site
[NASA-CASE-LAR-10626-1] c14 N74-21015
- SPACECREWS**
- Development and characteristics of inflatable structure to provide escape from orbit for spacecrews under emergency conditions
[NASA-CASE-XMS-06162] c31 N71-28851
- SPALLATION**
- Production of iodine isotope by high energy bombardment of cesium heat pipe causing spallation reaction
[NASA-CASE-LEW-11390-2] c24 N73-20763
- SPARK GAPS**
- Spark gap type protective circuit for fast sensing and removal of overvoltage conditions
[NASA-CASE-XAC-08981] c09 N69-39897
- Mechanism for measuring nanosecond time differences between luminous events using streak camera
[NASA-CASE-XLA-01987] c23 N71-23976
- SPARK IGNITION**
- High temperature spark plug for igniting liquid rocket propellants
[NASA-CASE-XLE-00660] c28 N70-39925
- SPARK PLUGS**
- High temperature spark plug for igniting liquid rocket propellants
[NASA-CASE-XLE-00660] c28 N70-39925
- SPATIAL DISTRIBUTION**
- Electronic recording system for spatial mass distribution of liquid rocket propellant droplets or vapors ejected from high velocity nozzles
[NASA-CASE-NPO-10185] c10 N71-26339
- SPATIAL FILTERING**
- Photographic film restoration system using Fourier transformation lenses and spatial filter
[NASA-CASE-HSC-12448-1] c14 N72-20394
- SPECTRAL REFLECTANCE**
- Development and characteristics of single reflector interference spectrometer and associated drive system
[NASA-CASE-NPO-11932-1] c14 N73-29438
- SPECTROHETERS**
- Spectrometer using photoelectric effect to obtain spectral data
[NASA-CASE-INP-04161] c14 N71-15599
- Variable frequency nuclear magnetic resonance spectrometer providing drive signals over wide frequency range and minimizing noise effects
[NASA-CASE-XNP-09830] c14 N71-26266
- Haksutov spectrograph for low light level research
[NASA-CASE-XLA-10402] c14 N71-29041
- Dual purpose optical instrument capable of simultaneously acting as spectrometer and diffractometer
[NASA-CASE-INP-05231] c14 N73-28491
- Integration of spectrometer capability with imagery function of facsimile cameras for use on planetary landers
[NASA-CASE-LAR-11207-1] c14 N73-28496
- Development and characteristics of single reflector interference spectrometer and associated drive system
[NASA-CASE-NPO-11932-1] c14 N73-29438
- Design of gamma ray spectrometer for measurement of intense radiation using Compton scattering effect
[NASA-CASE-MFS-21441-1] c14 N73-30392
- Mossbauer spectrometer radiation detector
[NASA-CASE-LAR-11155-1] c14 N74-15091
- SPECTROPHOTOMETERS**
- Spectrophotofluorometer with 3-dimensional display to identify fluorescence spectra of carcinogenic and noncarcinogenic hydrocarbons
[NASA-CASE-XGS-01231] c14 N70-41676
- SPECTROSCOPIC ANALYSIS**
- Cylindrical reflector for resolving wide angle light beam from telescope into narrow beam for spectroscopic analysis
[NASA-CASE-XGS-08269] c23 N71-26206
- SPECTRUM ANALYSIS**
- Spectrometer using photoelectric effect to obtain spectral data
[NASA-CASE-INP-04161] c14 N71-15599
- Emission spectroscopy method for contamination monitoring of inert gas metal arc welding
[NASA-CASE-INP-02039] c15 N71-15871
- Method and apparatus for high resolution power spectrum analysis
[NASA-CASE-NPO-10748] c08 N72-20177
- SPEED CONTROL**
- System for maintaining motor at predetermined speed using digital pulses
[NASA-CASE-XNP-06892] c09 N71-24805
- Optimal control system for automatic speed regulation of electric driven motor vehicle
[NASA-CASE-NPO-11210] c11 N72-20244
- Low speed phaselock speed control system --- for brushless dc motor
[NASA-CASE-GSC-11127-1] c09 N74-10202
- SPEED REGULATORS**
- Feedback control for direct current motor to achieve constant speed under varying loads
[NASA-CASE-MFS-14610] c09 N71-28886
- SPHERES**
- Guidance analyzer having suspended spacecraft simulating sphere for astronaut navigation
[NASA-CASE-XNP-09572] c14 N71-15621
- Plastic sphere for radar tracking and calibration
[NASA-CASE-XLA-11154] c07 N72-21117
- SPHERICAL SHELLS**
- Hollow spherical electrode for shielding dielectric junction between high voltage conductor and insulator
[NASA-CASE-XLE-03778] c09 N69-21542
- Development of mechanical device for measuring distance of point within sphere from surface of sphere
[NASA-CASE-XLA-06683] c14 N72-28436
- SPHERICAL TANKS**
- Gauge for measuring quantity of liquid in spherical tank in reduced gravity
[NASA-CASE-XMS-06236] c14 N71-21007
- SPHERICAL WAVES**
- Electrical device for developing converging spherical shock waves
[NASA-CASE-MFS-20890] c14 N72-22439
- SPIKE NOZZLES**
- Constructing fluid spike nozzle to eliminate heat transfer and high temperature problems

- inherent in physical spikes
[NASA-CASE-XGS-01143] c31 N71-15647
- SPIN DYNAMICS**
- Deployable flexible ventral fins providing
triangular planform of flexible material for
spin recovery of aircraft
[NASA-CASE-LAR-10753-1] c02 N73-10031
- Mutation damper for use on spinning body
[NASA-CASE-GSC-11205-1] c15 N73-25513
- SPIN REDUCTION**
- Optical scanner mounted on rotating support
structure with method of compensating for
image or satellite rotation
[NASA-CASE-XGS-02401] c14 N69-27485
- Bolt-latch mechanism for releasing despin
weights from space vehicle
[NASA-CASE-XLA-00679] c15 N70-38601
- Stretch Yo-Yo mechanism for reducing initial
spin rate of space vehicle
[NASA-CASE-XGS-00619] c30 N70-40016
- Stage separation system for spinning vehicles
and payloads
[NASA-CASE-XLA-02132] c31 N71-10582
- Flexible turnstile antenna system for reducing
mutation in spin-oriented satellites
[NASA-CASE-XMF-00442] c31 N71-10747
- SPIN STABILIZATION**
- Dynamic precession damping of spin-stabilized
vehicles by using rate gyroscope and angular
accelerometer
[NASA-CASE-XLA-01989] c21 N70-34295
- Attitude orientation control of spin stabilized
final stage space vehicles, using horizon
scanners
[NASA-CASE-XLA-00281] c21 N70-36943
- Attitude detection system using stellar
references for three-axis control and spin
stabilized spacecraft
[NASA-CASE-XGS-03431] c21 N71-15642
- Spin phase synchronization of cartwheel
satellite in polar orbit
[NASA-CASE-XGS-05579] c31 N71-15676
- High velocity guidance and spin stabilization
gyro controlled jet reaction system for launch
vehicle payloads
[NASA-CASE-XLA-01339] c31 N71-15692
- Spin stabilized gyroscope having spinning rotor
and stationary platform
[NASA-CASE-GSC-11479-1] c21 N73-11680
- SPIRAL WRAPPING**
- Adjustable spiral wire winding device
[NASA-CASE-XMS-02383] c15 N71-15918
- SPIRALS (CONCENTRATORS)**
- Spiral groove seal --- for hydraulic rotating
shaft
[NASA-CASE-LEW-10326-3] c15 N74-10474
- SPIROMETERS**
- Compact bellows spirometer for high speed and
high altitude space travel
[NASA-CASE-XAR-01547] c05 N69-21473
- SPLINTS**
- Stretcher with rigid head and neck support with
capability of supporting immobilized person in
vertical position for removal from vehicle
hatch to exterior also useful as splint
stretcher
[NASA-CASE-XMP-06589] c05 N71-23159
- SPORES**
- Lyophilized spore dispenser
[NASA-CASE-LAR-10544-1] c15 N74-13178
- SPOT WELDS**
- Controlled arc spot welding method
[NASA-CASE-XMP-00392] c15 N70-34814
- Automatic closed circuit television arc guidance
control for welding joints
[NASA-CASE-MFS-13046] c07 N71-19433
- Electric resistance spot welding and brazing for
producing metal bonds with superior mechanical
and structural characteristics
[NASA-CASE-LAR-11072-1] c15 N73-20535
- SPRAYED COATINGS**
- Plasma spraying gun for forming diffusion bonded
metal or ceramic coatings on substrates
[NASA-CASE-XLE-01604-2] c15 N71-15610
- Production and application of sprayable fiber
reinforced ablation material
[NASA-CASE-XLA-04251] c18 N71-26100
- Metal plating process employing spraying of
metallic power/peening particle mixture
- [NASA-CASE-GSC-11163-1] c15 N73-32360
- SPRAYERS**
- External device for liquid spray cooling of gas
turbine blades
[NASA-CASE-XLE-00037] c28 N70-33372
- Adhesive spray process for attaching biomedical
skin electrodes
[NASA-CASE-XPR-07658-1] c05 N71-26293
- Apparatus for liquid spray cooling of turbine
blades
[NASA-CASE-XLE-00027] c33 N71-29152
- SPRAYING**
- Aircraft wheel spray drag alleviator for dual
tandem landing gear
[NASA-CASE-XLA-01583] c02 N70-36825
- SPREADING**
- Tool attachment for spreading or moving away
loose elements from terminal posts during
winding of filamentary elements
[NASA-CASE-XMP-02107] c15 N71-10809
- SPRINGS (ELASTIC)**
- Belleville spring assembly with elastic guides
having low hysteresis
[NASA-CASE-XNP-09452] c15 N69-27504
- Multiple Belleville spring assembly with even
load distribution
[NASA-CASE-XNP-00840] c15 N70-38225
- Switching mechanism with energy stored in coil
spring
[NASA-CASE-XGS-00473] c03 N70-38713
- Load cell protection device using spring-loaded
breakaway mechanism
[NASA-CASE-XMS-06782] c32 N71-15974
- Vibration isolation system, using coaxial
helical compression springs
[NASA-CASE-NPO-11012] c15 N72-11391
- SPUTTERING**
- Deposition method for epitaxial beta SiC films
having high degree of crystallographic
perfection
[NASA-CASE-ERC-10120] c26 N69-33482
- Development of procedure for producing thin
transparent films of zinc oxide on transparent
refractory substrate
[NASA-CASE-FRC-10019] c15 N73-12487
- Technique and equipment for sputtering using
apertured electrode and pulsed substrate bias
[NASA-CASE-LEW-10920-1] c17 N73-24569
- SQUARE WAVES**
- High speed phase detector design indicating
phase relationship between two square wave
input signals
[NASA-CASE-XNP-01306-2] c09 N71-24596
- Circuitry for generating random square wave
pulses using white noise source
[NASA-CASE-MSC-14131-1] c09 N73-26199
- SQUARES (MATHEMATICS)**
- Apparatus for computing square roots
[NASA-CASE-XGS-04768] c08 N71-19437
- SQUIBS**
- Contamination free separation nut eliminating
combustion products from ambient surroundings
generated by squib firing
[NASA-CASE-XGS-01971] c15 N71-15922
- STABILITY**
- Bearing sectors for controlling self excited
instability of journal bearing shafts rotating
at high speeds in low viscosity lubricants
[NASA-CASE-LEW-11076-2] c15 N73-20533
- STABILITY DERIVATIVES**
- Aircraft configuration for reducing effects of
nose-down pitching moments due to high lift
forces, loss of trim lift, and engine-out
yawing moments
[NASA-CASE-LAR-11252-1] c02 N73-26007
- STABILITY TESTS**
- Method and apparatus for checking the stability
of a setup for making reflection type holograms
[NASA-CASE-MFS-21455-1] c16 N74-15146
- STABILIZATION**
- Electro-optical stabilization of calibrated
light source
[NASA-CASE-MSC-12293-1] c14 N72-27411
- System for controlling torque buildup in
suspension of gondola connected to balloon by
parachute shroud lines
[NASA-CASE-GSC-11077-1] c02 N73-13008
- Development of aerodynamic control system to
control flutter over large range of

- oscillatory frequencies using stability augmentation techniques
[NASA-CASE-LAR-10682-1] c02 N73-26004
- Boron radiation hardening for stabilizing gate threshold potential of MOS devices
[NASA-CASE-GSC-11425-2] c09 N73-32114
- Journal bearings
[NASA-CASE-LEW-11076-4] c15 N74-18134
- STABILIZED PLATFORMS**
Hydraulic drive mechanism for leveling isolation platforms
[NASA-CASE-XHS-03252] c15 N71-10658
- STABILIZERS**
Design and development of satellite despin device
[NASA-CASE-XNF-08523] c31 N71-20396
- STABILIZERS (AGENTS)**
Solid propellant stabilizer containing nitroguanidine
[NASA-CASE-NPO-12000] c27 N72-25699
- STABILIZERS (FLUID DYNAMICS)**
Assembly for opening flight capsule stabilizing and decelerating flaps with reference to capsule recovery
[NASA-CASE-XNF-00641] c31 N70-36410
- Mechanical stabilization system for VTOL aircraft
[NASA-CASE-XLA-06339] c02 N71-13422
- Attitude stabilizer for nonguided missile or vehicle with respect to trajectory
[NASA-CASE-ARC-10134] c30 N72-17873
- Inflatable stabilizing system for use on life raft to reduce rocking and preclude capsizing
[NASA-CASE-MSC-12393-1] c02 N73-26006
- STABLE OSCILLATIONS**
Automatic measuring and recording of gain and zero drift characteristics of electronic amplifier
[NASA-CASE-XHS-05562-1] c09 N69-39986
- STACKS**
Remote fire stack igniter on vent stack with flame cage near top
[NASA-CASE-MFS-21675-1] c33 N73-31826
- STAGE SEPARATION**
Stage separation using remote control release of joint with explosive insert
[NASA-CASE-XLA-02854] c15 N69-27490
- Piezoelectric means for missile stage separation indication and stage initiation
[NASA-CASE-XLA-00791] c03 N70-39930
- Space vehicle stage coupling and quick release separation mechanism
[NASA-CASE-XLA-01441] c15 N70-41679
- Stage separation system for spinning vehicles and payloads
[NASA-CASE-XLA-02132] c31 N71-10582
- Payload/spent rocket engine case separation system
[NASA-CASE-XLA-05369] c31 N71-15687
- Separation mechanism for use between stages of multistage rocket vehicles
[NASA-CASE-XLA-00188] c15 N71-22874
- Development of remotely controlled shaped charge for lateral displacement of rocket stages after separation
[NASA-CASE-XLA-04804] c31 N71-23008
- Electrical circuit selection device for simulating stage separation of flight vehicle
[NASA-CASE-XKS-04631] c10 N71-23663
- Frangible connecting link suitable for rocket stage separation
[NASA-CASE-MSC-11849-1] c15 N72-22488
- STAGNATION PRESSURE**
Flow meter for measuring stagnation pressure in boundary layer around high speed flight vehicle
[NASA-CASE-XFB-02007] c12 N71-24692
- Device for measuring stagnation pressure of supersonic gas streams
[NASA-CASE-LAR-11139-1] c14 N73-20483
- STAGNATION TEMPERATURE**
Measuring conductive heat flow and thermal conductivity of laminar gas stream in cylindrical plug to simulate atmospheric reentry
[NASA-CASE-XLE-00266] c14 N70-34156
- STAINLESS STEELS**
Joining aluminum to stainless steel by bonding aluminum coatings onto titanium coated stainless steel and brazing aluminum to aluminum/titanium coated steel
[NASA-CASE-MFS-07369] c15 N71-20443
- Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c15 N74-15130
- Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c33 N74-19584
- STAR TRACKERS**
Star sensor system for roll attitude control of spacecraft
[NASA-CASE-XNP-01307] c21 N70-41856
- Sun tracker with rotatable plane-parallel plate and two photocells
[NASA-CASE-XGS-01159] c21 N71-10678
- Photomultiplier detector of Canopus for spacecraft attitude control
[NASA-CASE-XNP-03914] c21 N71-10771
- Attitude detection system using stellar references for three-axis control and spin stabilized spacecraft
[NASA-CASE-XGS-03431] c21 N71-15642
- Relay controlled voltage switching unit for scanning circuitry of star tracker
[NASA-CASE-NPO-11253] c09 N72-17157
- Star scanner for spin-stabilized spacecraft
[NASA-CASE-GSC-11569-1] c14 N73-11404
- Method for producing reticles for use in outer space
[NASA-CASE-GSC-11188-2] c21 N73-19630
- Production method of star tracking reticles for transmitting in visible and near ultraviolet regions
[NASA-CASE-GSC-11188-1] c14 N73-32320
- Strapped down gyroscope aligned with sun and star tracker optical axis calibrating roll, yaw and pitch values
[NASA-CASE-ARC-10716-1] c31 N73-32784
- Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c14 N74-20008
- STARK EFFECT**
Resonant waveguide Stark cell --- using microwave spectrometers
[NASA-CASE-LAR-11352-1] c09 N74-19854
- STARTERS**
Starting circuit design for initiating and maintaining arcs in vapor lamps
[NASA-CASE-XNP-01058] c09 N71-12540
- STATIC FRICTION**
Kinetic and static friction force measurement between magnetic tape and magnetic head surfaces
[NASA-CASE-XNP-08680] c14 N71-22995
- STATIC INVERTERS**
Describing static inverter with single or multiple phase output
[NASA-CASE-XMP-00663] c08 N71-18752
- Development and characteristics of oscillating static inverter
[NASA-CASE-XGS-05289] c09 N71-19470
- STATIC LOADS**
Measuring shear-creep compliance of solid and liquid materials used in spacecraft components
[NASA-CASE-XLE-01481] c14 N71-10781
- Apparatus for measuring load on cable under static or dynamic conditions comprising pulleys pivoting structure against restraint of tension strap
[NASA-CASE-XMS-04545] c15 N71-22878
- STATIC PRESSURE**
Pressure probe for sensing ambient static air pressures
[NASA-CASE-XLA-00481] c14 N70-36824
- Ambient atmospheric pressure sensing device for determining altitude of flight vehicles
[NASA-CASE-XLA-00128] c15 N70-37925
- STATIONKEEPING**
Method of stationkeeping for lenticular gravity gradient satellites
[NASA-CASE-XLA-03132] c31 N71-22969
- STATISTICAL CORRELATION**
Optical sensing of supersonic flows by correlating deflections in laser beams through flow
[NASA-CASE-MFS-20642] c14 N72-21407
- STEAM TURBINES**
Vapor generating boiler system for turbine motor
[NASA-CASE-XLE-00785] c33 N71-16104
- STEELS**
Zinc dust formulation for abrasion resistant steel coatings
[NASA-CASE-GSC-10361-1] c18 N72-23581
- STEERABLE ANTENNAS**
Apparatus for generating microwave signals at progressively related phase angles for driving

- antenna array
[NASA-CASE-ERC-10046] c10 N71-18722
- Satellite radio communication system with remote steerable antenna
[NASA-CASE-XNP-02389] c07 N71-28900
- Amplitude steered array
[NASA-CASE-GSC-11446-1] c09 N74-20860
- STEERING**
- Steerable solid propellant rocket motor adapted to effect payload orientation as multistage rocket stage or reduce velocity as retrorocket
[NASA-CASE-XNP-00234] c28 N70-38645
- STELLAR LUMINOSITY**
- Development of star intensity measuring system which minimizes effects of outside interference
[NASA-CASE-XNP-06510] c14 N71-23797
- STELLAR SPECTRA**
- Development of star intensity measuring system which minimizes effects of outside interference
[NASA-CASE-XNP-06510] c14 N71-23797
- STEREOPHOTOGRAPHY**
- Stereo photomicrography system with stereo microscope for viewing specimen at various magnifications
[NASA-CASE-LAR-10176-1] c14 N72-20380
- STEREOSCOPIC VISION**
- Stereoscopic television system, including projecting pair of binocular images
[NASA-CASE-ARC-10160-1] c23 N72-27728
- STERILIZATION**
- Using ethylene oxide in preparation of sterilized solid rocket propellants and encapsulating materials
[NASA-CASE-XNP-01749] c27 N70-41897
- Ethylene oxide sterilization and encapsulating process for sterile preservation of instruments and solid propellants
[NASA-CASE-XNP-09763] c14 N71-20461
- Environmentally controlled suit for working in sterile chamber
[NASA-CASE-LAR-10076-1] c05 N73-20137
- Protein sterilization of firefly luciferase without denaturation
[NASA-CASE-GSC-10225-1] c06 N73-27086
- An improved heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c05 N74-17858
- STERILIZATION EFFECTS**
- Reliability of electrical connectors after heat sterilization
[NASA-CASE-NPO-10694] c09 N72-20200
- STIMULATED EMISSION**
- Repetitively pulsed wavelength selective carbon dioxide laser
[NASA-CASE-ERC-10178] c16 N71-24832
- STIRRING**
- Design of mechanical device for stirring several test tubes simultaneously
[NASA-CASE-IAC-06956] c15 N71-21177
- STORAGE**
- Design and development of fluid sample collector
[NASA-CASE-XMS-06767-1] c14 N71-20435
- STORAGE BATTERIES**
- Leak resistant bonded elastomeric seal for secondary electrochemical cells
[NASA-CASE-XGS-02631] c03 N71-23006
- Automatically charging battery of electric storage cells
[NASA-CASE-XNP-04758] c03 N71-24605
- Elimination of two step voltage discharge property of silver zinc batteries by using divalent silver oxide capacity of cell to charge anodes to monovalent silver state
[NASA-CASE-XGS-01674] c03 N71-29129
- Electric storage battery with high impact resistance
[NASA-CASE-NPO-11021] c03 N72-20032
- STORAGE STABILITY**
- Storage stable, thermally activated foaming compositions for erecting and rigidizing mechanisms of thin sheet solar collectors
[NASA-CASE-LAR-10373-1] c18 N71-26155
- STORAGE TANKS**
- Expulsion bladder equipped storage tank structure
[NASA-CASE-XNP-00612] c11 N70-38182
- Development of apparatus and method for testing leakage of large tanks
[NASA-CASE-XNP-02392] c32 N71-24285
- STRAIN GAGE ACCELEROMETERS**
- Accelerometer with FM output signals indicative of mechanical strain on it
[NASA-CASE-XLA-00492] c14 N70-34799
- Strain gage accelerometer for angular acceleration measurement
[NASA-CASE-XMS-05936] c14 N70-41682
- STRAIN GAGE BALANCES**
- Self-balancing strain gage transducer with bridge circuit
[NASA-CASE-MFS-12827] c14 N71-17656
- STRAIN GAGES**
- Semiconductor p-n junction on needle apex to provide stress and strain sensor
[NASA-CASE-XLA-04980] c09 N69-27422
- Apparatus for forming wire grids for electric strain gages
[NASA-CASE-XLE-00023] c15 N70-33330
- Force measuring instrument for structural members, particularly fastening bolts or studs
[NASA-CASE-XMP-00456] c14 N70-34705
- Difference indicating circuit used in conjunction with device measuring gravitational fields
[NASA-CASE-XNP-08274] c10 N71-13537
- Water cooled gage for strain measurements in high temperature environments
[NASA-CASE-XNP-09205] c14 N71-17657
- Development of apparatus for measuring successive increments of strain on elastomers
[NASA-CASE-XMP-04680] c15 N71-19489
- Strain gage measurement of elongation due to thermally and mechanically induced stresses
[NASA-CASE-XGS-04478] c14 N71-24233
- Method for temperature compensating semiconductor gages by exposure to high energy radiation
[NASA-CASE-XLA-04555-1] c14 N71-25892
- Pulsed excitation voltage circuit for strain gage bridge transducers
[NASA-CASE-FRC-10036] c09 N72-22200
- Method for making semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980-2] c14 N72-28438
- Development of strain gage ambiguity sensor for measuring alignment of optical mirror segments
[NASA-CASE-MFS-20506-1] c14 N73-17563
- Turnbuckle device for tensile stress load measurements
[NASA-CASE-MFS-21488-1] c14 N73-23526
- Development of strain gage mounting assembly for amplifying measurable deformation applied to strain gage
[NASA-CASE-NPO-13170-1] c14 N73-28495
- STRAIN RATE**
- Process for analysis of strain field of structures subjected to large deformations involving low modulus substrate with thin coating
[NASA-CASE-LAR-10765-1] c32 N73-20740
- STRAPDOWN INERTIAL GUIDANCE**
- Strapped down gyroscope aligned with sun and star tracker optical axis calibrating roll, yaw and pitch values
[NASA-CASE-ARC-10716-1] c31 N73-32784
- STRAPS**
- A meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c14 N74-10421
- STRESS ANALYSIS**
- Development of system for measuring damping characteristics of structure or system subjected to random forces or influences
[NASA-CASE-ARC-10154-1] c14 N72-22440
- Process for analysis of strain field of structures subjected to large deformations involving low modulus substrate with thin coating
[NASA-CASE-LAR-10765-1] c32 N73-20740
- STRESS CORROSION**
- Method to prevent stress corrosion cracking in titanium alloys
[NASA-CASE-NPO-10271] c17 N71-16393
- Method and apparatus for inducing compressive stresses in pressure vessel to prevent stress corrosion
[NASA-CASE-XLA-07390] c15 N71-18616
- STRESS MEASUREMENT**
- Semiconductor p-n junction on needle apex to provide stress and strain sensor
[NASA-CASE-XLA-04980] c09 N69-27422

- Force measuring instrument for structural members, particularly fastening bolts or studs
[NASA-CASE-XMP-00456] c14 N70-34705
- Self-balancing strain gage transducer with bridge circuit
[NASA-CASE-MFS-12827] c14 N71-17656
- Servocontrol system for measuring local stresses at geometric discontinuity in stressed material
[NASA-CASE-XLA-08530] c32 N71-25360
- Turnbuckle device for tensile stress load measurements
[NASA-CASE-MFS-21488-1] c14 N73-23526
- Development of strain gage mounting assembly for amplifying measurable deformation applied to strain gage
[NASA-CASE-NPO-13170-1] c14 N73-28495
- STRESS RELIEVING**
- Nut and bolt fastener permitting all-directional movement of skin sections with respect to supporting structure
[NASA-CASE-XLA-01807] c15 N71-10799
- STRESSES**
- Tape recorder designed for low power consumption and resistance to operational failure under high stress conditions
[NASA-CASE-XGS-08259] c14 N71-23698
- Strain gage measurement of elongation due to thermally and mechanically induced stresses
[NASA-CASE-XGS-04478] c14 N71-24233
- Strain arrestor plate --- bonding rigid thermal insulation tiles to metallic plates or structural parts
[NASA-CASE-MSC-14182-1] c18 N74-15213
- STRETCHERS**
- Development and characteristics of rescue litter with inflatable flotation device for water rescue application
[NASA-CASE-XMS-04170] c05 N71-22748
- Stretcher with rigid head and neck support with capability of supporting immobilized person in vertical position for removal from vehicle hatch to exterior also useful as splint stretcher
[NASA-CASE-XNP-06589] c05 N71-23159
- STRETCHING**
- Device for securing together structural members with axially stretched bolt and nut
[NASA-CASE-GSC-11149-1] c15 N73-30457
- STRINGS**
- Cord restraint system for pressure suit joints
[NASA-CASE-XMS-09635] c05 N71-24623
- STRUCTURAL DESIGN**
- Design of inflatable life raft for aircrafts and boats
[NASA-CASE-XMS-00863] c05 N70-34857
- Structural design of high pressure regulator valve
[NASA-CASE-XNP-00710] c15 N71-10778
- Graphic illustration of lifting body design
[NASA-CASE-FRC-10063] c01 N71-12217
- Design of ring wing vehicle of high drag-to-weight ratio to withstand reentry stress into low density atmosphere
[NASA-CASE-XLA-04901] c31 N71-24315
- Airfoil with cambered trailing edge section for supersonic flight
[NASA-CASE-LAR-10585-1] c01 N73-14981
- STRUCTURAL MEMBERS**
- Broadband chokes and absorbers to reduce spurious radiation patterns of antenna array caused by support structures
[NASA-CASE-XMS-05303] c07 N69-27462
- Electro-optical/computer system for aligning large structural members and maintaining correct position
[NASA-CASE-XNP-02029] c14 N70-41955
- Nut and bolt fastener permitting all-directional movement of skin sections with respect to supporting structure
[NASA-CASE-XLA-01807] c15 N71-10799
- Universal joints for connecting two displaced shafts or members
[NASA-CASE-NPO-10646] c15 N71-28467
- Fabrication of light weight panel structure using pairs of elongate hollow ribs of semicircular configuration
[NASA-CASE-LAR-11052-1] c32 N73-13929
- Device for securing together structural members with axially stretched bolt and nut
[NASA-CASE-GSC-11149-1] c15 N73-30457
- Strain arrestor plate --- bonding rigid thermal insulation tiles to metallic plates or structural parts
[NASA-CASE-MSC-14182-1] c18 N74-15213
- STRUCTURAL STABILITY**
- Improved latching device for joining structural components in motionless relationship
[NASA-CASE-MFS-21606-1] c15 N73-22417
- STRUCTURAL VIBRATION**
- Rectangular electric conductors for conductor cables to withstand spacecraft vibration and controlled atmosphere
[NASA-CASE-MFS-14741] c09 N70-20737
- Determining sway of buildings by low frequency device using pendulum
[NASA-CASE-XMP-00479] c14 N70-34794
- Transducer for measuring deflections from vibrating structures
[NASA-CASE-XLA-03135] c32 N71-16428
- STRUCTURES**
- Deformation measuring apparatus with feedback control for arbitrarily shaped structures
[NASA-CASE-LAR-10098] c32 N71-26681
- STRUTS**
- Low onset rate energy absorber in form of strut assembly for crew couch of Apollo command module
[NASA-CASE-MSC-12279-1] c15 N70-35679
- Collapsible support for antenna reflector applied to installation of spacecraft antennas
[NASA-CASE-NPO-11751] c07 N73-24176
- STUDS (STRUCTURAL MEMBERS)**
- Design of quick release locking pin for joining two or more load-carrying structural members
[NASA-CASE-MFS-18495] c15 N72-11385
- Tool for mounting and removing studs with adhesive coated head portion
[NASA-CASE-MFS-20299] c15 N72-11392
- SUBMINIATURIZATION**
- Micronicroampere current measuring circuit, with two subminiature thermionic diodes with filament cathodes
[NASA-CASE-XNP-00384] c09 N71-13530
- SUBREFLECTORS**
- Dish antenna having switching beamwidth with truncated concave ellipsoid subreflector
[NASA-CASE-GSC-11760-1] c09 N73-32116
- SUBSONIC SPEED**
- Aerospace vehicle with variable planform for hypersonic and subsonic flight
[NASA-CASE-XLA-00805] c31 N70-38010
- Construction of leading edges of surfaces for aerial vehicles performing from subsonic to above transonic speeds
[NASA-CASE-XLA-01486] c01 N71-23497
- SUBSONIC WIND TUNNELS**
- Variable geometry wind tunnel for testing aircraft models at subsonic speeds
[NASA-CASE-XLA-07430] c11 N72-22246
- SUBSTRATES**
- Means and methods of depositing thin films on substrates
[NASA-CASE-XNP-00595] c15 N70-34967
- Fabrication of solar cell banks for attaching solar cells to base members or substrates
[NASA-CASE-XNP-00826] c03 N71-20895
- Method and apparatus for fabricating solar cell panels
[NASA-CASE-XNP-03413] c03 N71-26726
- Scanning nozzle plating system for etching or plating metals on substrates without masking
[NASA-CASE-NPO-11758-1] c15 N72-28507
- SUBSTRUCTURES**
- Supporting structure for simultaneous exposure of pellets to X rays
[NASA-CASE-XNP-06031] c15 N71-15606
- SULFATES**
- Nitroaniline sulfate, intumescent paints
[NASA-CASE-ARC-10099-1] c18 N71-15469
- SULFUR COMPOUNDS**
- Hexcapten terminated polymer containing sulfonic acid salts of nitrosubstituted aromatic amines for heat and moisture resistant coatings
[NASA-CASE-ARC-10325] c06 N72-25147
- SUM RULES**
- Describing circuit for obtaining sum of squares of numbers
[NASA-CASE-IGS-04765] c08 N71-18693
- SUNGLASSES**
- Pliable frame for sunglasses in emergency

- survival kits
[NASA-CASE-XMS-06064] c05 N71-23096
- SUNLIGHT**
Illumination system design for use as sunlight simulator in space environment simulators with multiple light sources reflected to single virtual source
[NASA-CASE-HQN-10781] c23 N71-30292
- SUPERCONDUCTING MAGNETS**
Cryogenic flux-gated magnetometer using superconductors
[NASA-CASE-XAC-02407] c14 N69-27423
Improved alternator with windings of superconducting materials acting as permanent magnet
[NASA-CASE-XLE-02824] c03 N69-39890
Segmented superconducting magnet producing staggered magnetic field and suitable for broadband traveling wave masers
[NASA-CASE-XGS-10518] c16 N71-28554
Operating properties of superconducting magnet in vacuum environment
[NASA-CASE-XNP-06503] c23 N71-29049
- SUPERCONDUCTIVITY**
Superconducting alternator design with cryogenic fluid for cooling windings below critical temperature
[NASA-CASE-XLE-02823] c09 N71-23443
Superconductive resonant cavity for improved signal to noise ratio in communication signal
[NASA-CASE-MS-12259-2] c07 N72-33146
Superconducting magnetic field trapping device for producing magnetic field in air
[NASA-CASE-XNP-01185] c26 N73-28710
A doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c14 N74-20022
- SUPERCONDUCTORS**
Superconductive accelerometer employing variable force principle to determine acceleration of bodies
[NASA-CASE-XMF-01099] c14 N71-15969
Controlled diffusion reaction process for masking substrate of twisted multifilament superconductive ribbon
[NASA-CASE-LEW-11726-1] c26 N73-26752
Twisted wire or tube superconductor for filament windings
[NASA-CASE-LEW-11015] c26 N73-32571
- SUPERFLUIDITY**
Helium refining by superfluidity
[NASA-CASE-XNP-00733] c06 N70-34946
- SUPERSONIC AIRCRAFT**
Variable sweep wing configuration for supersonic aircraft
[NASA-CASE-XLA-00230] c02 N70-33255
Supersonic aircraft variable sweep wing planform for varying aspect ratio
[NASA-CASE-XLA-00350] c02 N70-38011
Development and characteristics of variable sweep wing control system for supersonic aircraft
[NASA-CASE-XLA-03659] c02 N71-11041
Development and characteristics of translating horizontal tail assembly for supersonic aircraft
[NASA-CASE-XLA-08801-1] c02 N71-11043
Design of supersonic aircraft with novel fixed, swept wing planform
[NASA-CASE-XLA-04451] c02 N71-12243
Absorptive, nonreflecting barrier mounted between closely spaced jet engines on supersonic aircraft, for preventing shock wave interference
[NASA-CASE-XLA-02865] c28 N71-15563
Design of aircraft with rotatable wing for producing high speed aerodynamic configuration
[NASA-CASE-ARC-10470-2] c02 N73-30018
- SUPERSONIC AIRFOILS**
Airfoil with cambered trailing edge section for supersonic flight
[NASA-CASE-LAR-10585-1] c01 N73-14981
- SUPERSONIC COMBUSTION**
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c28 N74-13502
- SUPERSONIC DRAG**
Bluff-shaped annular configuration for supersonic decelerator for reentry vehicles
[NASA-CASE-XLE-00222] c02 N70-37939
- SUPERSONIC FLIGHT**
Variable aspect ratio and variable sweep delta wing planforms for supersonic aircraft
[NASA-CASE-XLA-00221] c02 N70-33266
Supersonic or hypersonic vehicle control system comprising elevons with hinge line sweep and free of adverse aerodynamic cross coupling
[NASA-CASE-XLA-08967] c02 N71-27088
- SUPERSONIC FLOW**
Optical sensing of supersonic flows by correlating deflections in laser beams through flow
[NASA-CASE-MPS-20642] c14 N72-21407
Device for measuring stagnation pressure of supersonic gas streams
[NASA-CASE-LAR-11139-1] c14 N73-20483
- SUPERSONIC INLETS**
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c02 N74-20546
- SUPERSONIC NOZZLES**
Penshaped, supersonic exhaust nozzle design
[NASA-CASE-XLE-00057] c28 N70-38711
Telescoping-spike supersonic nozzle for turbojet or ramjet engines
[NASA-CASE-XLE-00005] c28 N70-39899
Electric arc heater with supersonic nozzle and fixed arc length for use in high temperature wind tunnels
[NASA-CASE-XAC-01677] c09 N71-20816
- SUPERSONIC SPEEDS**
Continuous operation, single phased, induction plasma accelerator producing supersonic speeds
[NASA-CASE-XLA-01354] c25 N70-36946
- SUPERSONIC TRANSPORTS**
Position locating system for remote aircraft using voice communication and digital signals
[NASA-CASE-GSC-10087-2] c21 N71-13958
Traffic control system for supersonic transports using synchronous satellite for data relay between vehicles and ground station
[NASA-CASE-GSC-10087-1] c02 N71-19287
System and method for position locating for air traffic control involving supersonic transports
[NASA-CASE-GSC-10087-3] c07 N72-12080
Doppler compensated communication system for locating supersonic transport position
[NASA-CASE-GSC-10087-4] c07 N73-20174
- SUPPORT SYSTEMS**
Hydraulic support apparatus for dynamic testing of space vehicles under near-free flight conditions
[NASA-CASE-XMF-03248] c11 N71-10604
Supporting structure for simultaneous exposure of pellets to X rays
[NASA-CASE-XNP-06031] c15 N71-15606
Multilegged support system for wind tunnel test models subjected to thermal dynamic loading
[NASA-CASE-XLA-01326] c11 N71-21481
Adjustable support device with jacket screw for altering distance between base and supported member
[NASA-CASE-NPO-10721] c15 N72-27484
- SUPPORTS**
Support techniques for restraint of slender bodies such as launch vehicles
[NASA-CASE-XLA-02704] c11 N69-21540
Pneumatic control of telescopic mirror support system
[NASA-CASE-XLA-03271] c11 N69-24321
Optical scanner mounted on rotating support structure with method of compensating for image or satellite rotation
[NASA-CASE-XGS-02401] c14 N69-27485
Support for flexible conductor cable between drawers or racks holding electronic equipment and cabinet assembly housing drawers or racks
[NASA-CASE-XMF-07587] c15 N71-18701
Swivel support for gas bearing for position adjustment between ball and supporting cup
[NASA-CASE-XMF-07808] c15 N71-23812
Tracking mount for laser telescope employed in tracking large rockets and space vehicles to give information regarding azimuth and elevation
[NASA-CASE-MPS-14017] c14 N71-26627
Gas bearing for model support with capacity for measuring angular displacement of model in bearing
[NASA-CASE-XLA-09346] c15 N71-28740

- Adjustable rigid mount for trihedral mirror formed of alloy with small coefficient of thermal expansion supporting screws and spring-biased plates
[NASA-CASE-XNP-08907] c23 N71-29123
- Slotted fine-adjustment support for optical devices
[NASA-CASE-MFS-20249] c15 N72-11386
- Base support for expansible and contractible coupling between two members
[NASA-CASE-NPO-11059] c15 N72-17454
- Optical mirror support system
[NASA-CASE-XER-07896-2] c23 N72-22673
- Fixture for supporting articles during vibration tests comprising integral annular unit
[NASA-CASE-MFS-20523] c14 N72-27412
- Design and development of test stand system for supporting test items in vacuum chamber
[NASA-CASE-MFS-21362] c11 N73-20267
- Development and characteristics of supporting frame to isolate payloads from multi-gravitational forces
[NASA-CASE-MFS-21680-1] c15 N73-20525
- Collapsible support for antenna reflector applied to installation of spacecraft antennas
[NASA-CASE-NPO-11751] c07 N73-24176
- Viscoelastic shock absorbing mount for electrical circuit board
[NASA-CASE-NPO-13253-1] c15 N73-31445
- Method of making porous conductive supports for electrodes --- by electroforming and stacking nickel foils
[NASA-CASE-GSC-11367-1] c03 N74-19692
- SUPPRESSORS**
Electronic background suppression field scanning sensor for detecting point source targets
[NASA-CASE-IGS-05211] c07 N69-39980
- SURFACE DEFECTS**
Surface defect detection by reflected microwave radiation pattern
[NASA-CASE-ARC-10009-1] c15 N71-17822
- SURFACE DIFFUSION**
Metallic film diffusion into metal or ceramic surfaces for boundary lubrication in aerospace environments
[NASA-CASE-XLE-01765] c18 N71-10772
- SURFACE FINISHING**
Development of procedure for producing thin transparent films of zinc oxide on transparent refractory substrate
[NASA-CASE-FRC-10019] c15 N73-12487
- Device and method for determining X ray reflection efficiency, scattering properties, and surface finish of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662
- SURFACE IONIZATION**
Electrodes having array of small surfaces for field ionization
[NASA-CASE-ERC-10013] c09 N71-26678
- Development of method and apparatus for detecting surface ions on silicon diodes and transistors
[NASA-CASE-ERC-10325] c15 N72-25457
- SURFACE LAYERS**
Bismuth and lead surface coatings for gas bearings in aerospace engineering
[NASA-CASE-IGS-02011] c15 N71-20739
- Method and apparatus for stable silicon dioxide layers on silicon grown in silicon nitride ambient
[NASA-CASE-ERC-10073-1] c06 N74-19769
- SURFACE PROPERTIES**
Anti-wettable materials brazing processes using titanium and zirconium for surface pretreatment
[NASA-CASE-XMS-03537] c15 N69-21471
- Automatic swabbing apparatus for sampling of microbiological surfaces
[NASA-CASE-LAR-11069-1] c04 N73-16061
- Ablation article and surface for analyzing flow transition on ablative surface
[NASA-CASE-LAR-10439-1] c33 N73-27796
- Dual measurement ablation sensor
[NASA-CASE-LAR-10105-1] c33 N74-15652
- Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c14 N74-20009
- SURFACE REACTIONS**
Chemical spot test for identifying magnesium or magnesium alloys used in aerospace applications
[NASA-CASE-LAR-10953-1] c17 N73-27446
- SURFACE ROUGHNESS**
Roughness detector for recording surface pattern of irregularities
[NASA-CASE-XLA-00203] c14 N70-34161
- Optical apparatus for visual detection of roundness and regularity of cone surfaces
[NASA-CASE-XMF-00462] c14 N70-34298
- Describing device for surveying contour of surface using X-Y plotter and traveling transducer
[NASA-CASE-XLA-08646] c14 N71-17586
- SURFACE ROUGHNESS EFFECTS**
Aerodynamically stable meteorological balloon using surface roughness effect
[NASA-CASE-XMF-04163] c02 N71-23007
- SURFACE TEMPERATURE**
Thin film gage for measuring convective heat transfer on surfaces in air stream
[NASA-CASE-NPO-10617] c14 N70-12618
- SURFACE VEHICLES**
Optimal control system for automatic speed regulation of electric driven motor vehicle
[NASA-CASE-NPO-11210] c11 N72-20244
- Development of radio locating system for monitoring geographic movement of surface vehicles in metropolitan area using unsynchronized radio broadcasting stations
[NASA-CASE-NPO-13217-1] c07 N73-26144
- Self-propelled vehicle with wheel, track laying, and walking capability for exploratory exploration
[NASA-CASE-NPO-11366] c11 N73-26238
- Short range laser obstacle detector --- for surface vehicles using laser diode array
[NASA-CASE-NPO-11856-1] c16 N74-15145
- Recording apparatus
[NASA-CASE-LAR-11353-1] c14 N74-20020
- SURFACE WAVES**
Development of method for suppressing excitation of electromagnetic surface waves on dielectric converter antenna
[NASA-CASE-XLA-10772] c07 N71-28980
- SURFACES**
Techniques for recovery of multistage rocket vehicles by providing lifting surfaces on individual sections
[NASA-CASE-XMF-00389] c31 N70-34176
- Kinetic and static friction force measurement between magnetic tape and magnetic head surfaces
[NASA-CASE-XNP-08680] c14 N71-22995
- Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c14 N74-13129
- SURGERY**
Surgical liquification pump for removing macerated tissue from eye
[NASA-CASE-LEW-12051-1] c04 N73-32000
- SURGES**
Silicon controlled rectifier inverter with compensation of transients to avoid false gating
[NASA-CASE-XLA-08507] c09 N69-39984
- Turn on current transient limiter for controlling peak current flow in high capacity load
[NASA-CASE-GSC-10413] c10 N71-26531
- SURGICAL INSTRUMENTS**
Ultrasonic device for ophthalmic eye surgery with safe removal of macerated material
[NASA-CASE-LEW-11669-1] c05 N73-27062
- Surgical liquification pump for removing macerated tissue from eye
[NASA-CASE-LEW-12051-1] c04 N73-32000
- SURVIVAL EQUIPMENT**
Survival couch for aircraft or spacecraft crews
[NASA-CASE-XLA-00118] c05 N70-33285
- Lightweight life preserver without fastening devices
[NASA-CASE-XMS-00864] c05 N70-36493
- Pliable frame for sunglasses in emergency survival kits
[NASA-CASE-XMS-06064] c05 N71-23096
- SUSPENDING (HANGING)**
Parallel motion suspension device for measuring instruments
[NASA-CASE-INP-01567] c15 N70-41310
- Cable suspension and inclined walkway system for simulating reduced or zero gravity environments
[NASA-CASE-XLA-01787] c11 N71-16028

- Suspended mass oscillation damper based on impact energy absorption for damping wind induced oscillations of tall stacks, antennas, and umbilical towers
[NASA-CASE-LAR-10193-1] c15 N71-27146
- SWEAT COOLING**
- Transpiration cooled turbine blade made from metallic or ceramic wires
[NASA-CASE-XLE-00020] c15 N70-33226
- Transpirationally cooled heat ablation system for interplanetary spacecraft reentry shielding
[NASA-CASE-XMS-02677] c31 N70-42075
- Transpiration-cooled rocket chamber formed of porous metal wall
[NASA-CASE-LEW-11118-1] c15 N72-32501
- SWEPT CIRCUITS**
- Transistorized circuit for producing multiple slope voltage sweep
[NASA-CASE-XMS-03542] c09 N71-28926
- SWEPT EFFECT**
- Supersonic or hypersonic vehicle control system comprising elevons with hinge line sweep and free of adverse aerodynamic cross coupling
[NASA-CASE-XLA-08967] c02 N71-27088
- SWELLING**
- Para-benzoquinone dioxime and concentrated mineral acid processed to yield intumescent or fire resistant, heat insulating materials
[NASA-CASE-ARC-10304-1] c18 N73-26572
- SWEPT WINGS**
- Design of supersonic aircraft with novel fixed, swept wing planform
[NASA-CASE-XLA-04451] c02 N71-12243
- SWIRLING**
- Slosh and swirl alleviator for liquid propellant tanks during transport and flight
[NASA-CASE-XLA-05749] c15 N71-19569
- Swirl can, full-annulus combustion chambers for high performance gas turbine engines
[NASA-CASE-LEW-11326-1] c23 N73-30665
- SWITCHES**
- Switching mechanism with energy stored in coil spring
[NASA-CASE-XGS-00473] c03 N70-38713
- Digital memory system with multiple switch cores for driving each word location
[NASA-CASE-XNP-01466] c10 N71-26434
- Radio frequency controlled solid state switch
[NASA-CASE-ARC-10136-1] c09 N72-22202
- SWITCHING CIRCUITS**
- Solid state switching circuit design to increase current capacity of low rated relay contacts
[NASA-CASE-XNP-09228] c09 N69-27500
- Power control switching circuit using low voltage semiconductor controlled rectifiers for high voltage isolation
[NASA-CASE-XNP-02713] c10 N69-39888
- Selective gold diffusion on monolithic silicon chips for switching and nonswitching amplifier devices and circuits and linear and digital logic circuits
[NASA-CASE-ERC-10072] c09 N70-11148
- Electrical power system for space flight vehicles operating over extended periods
[NASA-CASE-XNP-00517] c03 N70-34157
- High speed low level voltage commutating switch
[NASA-CASE-XAC-00060] c09 N70-39915
- Switching circuit with regeneratively connected transistors eliminating power consumption when not in use
[NASA-CASE-XNP-02654] c10 N70-42032
- Using electron beam switching for brushless motor commutation
[NASA-CASE-XGS-01451] c09 N71-10677
- Increasing power conversion efficiency of electronic amplifiers by power supply switching
[NASA-CASE-XMS-00945] c09 N71-10798
- Silicon controlled rectifier pulse gate amplifier for blocking false gating caused by negative transient voltages
[NASA-CASE-XLA-07497] c09 N71-12514
- Describing magnetic core current switching device for steering bipolar current pulses to memory units
[NASA-CASE-NPO-10201] c08 N71-18694
- Transistorized dc-coupled multivibrator with noninverted output signal
[NASA-CASE-XNP-09450] c10 N71-18723
- Reversible current directing circuitry for reversible motor control
[NASA-CASE-XLA-09371] c10 N71-18724
- Constructing Exclusive-Or digital logic circuit in single module
[NASA-CASE-XLA-07732] c08 N71-18751
- Polarization diversity monopulse tracking receiver design without radio frequency switches
[NASA-CASE-XGS-03501] c09 N71-20864
- Sight switch using infrared source and sensor mounted beside eye
[NASA-CASE-XNP-03934] c09 N71-22985
- Complementary regenerative transistorized switch circuit employing positive and negative feedback
[NASA-CASE-XGS-02751] c09 N71-23015
- Reliable magnetic core circuit apparatus with application in selection matrices for digital memories
[NASA-CASE-XNP-01318] c10 N71-23033
- Electric circuit for producing high current pulse having fast rise and fall time
[NASA-CASE-XMS-04919] c09 N71-23270
- Electric circuit for reversing direction of current flow
[NASA-CASE-XNP-00952] c10 N71-23271
- Switching series regulator with gating control network
[NASA-CASE-XMS-09352] c09 N71-23316
- Microwave waveguide switch with rotor position control
[NASA-CASE-XNP-06507] c09 N71-23548
- Signaling summary alarm circuit with semiconductor switch for faulty contact indications
[NASA-CASE-XLE-03061-1] c10 N71-24798
- Solid state circuit for switching alternating current input signal as function of direct current gating transistor
[NASA-CASE-XNP-06505] c10 N71-24799
- Inverters for changing direct current to alternating current
[NASA-CASE-XGS-06226] c10 N71-25950
- Design and development of multistage current steering switch with inductively coupled magnetic cores
[NASA-CASE-XNP-08567] c09 N71-26000
- Pulse duration control device for driving slow response time loads in selected sequence including switching and delay circuits and magnetic storage
[NASA-CASE-XGS-04224] c10 N71-26418
- Turn on current transient limiter for controlling peak current flow in high capacity load
[NASA-CASE-GSC-10413] c10 N71-26531
- Input radio frequency circuit for switching type absolute temperature measuring radiometer for noise sources
[NASA-CASE-ERC-11020] c14 N71-26774
- Inverter drive circuit for semiconductor switch
[NASA-CASE-LEW-10233] c10 N71-27126
- Phase locked demodulator with bandwidth switching amplifier circuit
[NASA-CASE-XNP-01107] c10 N71-28859
- Monostable multivibrator for producing output pulse widths with positive feedback NOR gates
[NASA-CASE-HSC-13492-1] c10 N71-28860
- Digital magnetic core memory with sensing amplifier circuits
[NASA-CASE-XNP-01012] c08 N71-28925
- Current regulating voltage divider design with load current shunting
[NASA-CASE-HFS-20935] c09 N71-34212
- Relay controlled voltage switching unit for scanning circuitry of star tracker
[NASA-CASE-NPO-11253] c09 N72-17157
- Spacecraft solar cell system with switching circuit to provide compensation for environmental changes
[NASA-CASE-GSC-10669-1] c03 N72-20031
- Flow rate switch for detecting variations in fluid flow velocity through conduits of pressurized systems
[NASA-CASE-NPO-10722] c09 N72-20199
- Switching type voltage regulator with relatively simple circuit arrangement
[NASA-CASE-LEW-11005-1] c09 N72-21243
- Development and characteristics of data multiplexer circuit using field effect

- transistors arranged in tree switching configuration
[NASA-CASE-NPO-11333] c08 N72-22162
- Pulse coupling circuit with switch between generator and winding
[NASA-CASE-LEW-10433-1] c09 N72-22197
- Solid state remote circuit selector switching circuit
[NASA-CASE-LEW-10387] c09 N72-22201
- Pressure operated electrical switch responsive to pressure decrease after pressure increase
[NASA-CASE-LAR-10137-1] c09 N72-22204
- Transistorized switching logic circuits with tunnel diodes
[NASA-CASE-GSC-10878-1] c10 N72-22236
- Switching circuit for control of cathode ray tube beam with fast rise time for output signal
[NASA-CASE-KSC-10647-1] c10 N72-31273
- Electronic video editor for switching video input signals to common output channel
[NASA-CASE-KSC-10003] c10 N73-13235
- High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c07 N73-23106
- Solid state switch for variable circuit switching
[NASA-CASE-NPO-10817-1] c08 N73-30135
- Manually and automatically operable video switching system
[NASA-CASE-KSC-10782-1] c07 N73-32063
- Transparent switchboard which permits optical display devices to be adapted for use in man machine communications
[NASA-CASE-MSC-13746-1] c10 N73-32143
- SWITCHING THEORY**
Multiple circuit switch apparatus requiring minimum hand and eye movement by operator
[NASA-CASE-IAC-03777] c10 N71-15909
- SHIELDS**
Swivel support for gas bearing for position adjustment between ball and supporting cup
[NASA-CASE-XMP-07808] c15 N71-23812
- SYNCHRONISH**
Synchronizing apparatus for multi-access satellite time division multiplex system
[NASA-CASE-XGS-05918] c07 N69-39974
- Circuitry for generating sync signals in FM communication systems including video information
[NASA-CASE-XNP-10830] c07 N71-11281
- Development of method for synchronizing clocks at several ground stations based on signals received from spacecraft or satellites
[NASA-CASE-XNP-08875] c10 N71-23099
- Pulse generator for synchronizing or resetting electronic signals without requiring separate external source
[NASA-CASE-XGS-03632] c09 N71-23311
- Time synchronization system for synchronizing clocks at remote locations with master clock using moon reflected coded signals
[NASA-CASE-NPO-10143] c10 N71-26326
- System designed to reduce time required for obtaining synchronization in data communication with spacecraft utilizing pseudonoise codes
[NASA-CASE-NPO-10214] c10 N71-26577
- SYNCHRONIZED OSCILLATORS**
Development of phase demodulation system with two phase locked loops
[NASA-CASE-XNP-00777] c10 N71-19469
- Phase locked phase modulation system with voltage controlled oscillator for final phase linearity
[NASA-CASE-XNP-05382] c10 N71-23544
- Automatic frequency control device for providing frequency reference for voltage controlled oscillator
[NASA-CASE-KSC-10393] c09 N72-21247
- SYNCHRONIZERS**
Development and characteristics of burst synchronization detection system
[NASA-CASE-XMS-05605-1] c10 N71-19468
- Time division relay synchronizer with master sync pulse for activating binary counter to produce signal identifying time slot for station
[NASA-CASE-GSC-10373-1] c07 N71-19773
- Design and development of synchronous servo loop control system
[NASA-CASE-XNP-03744] c10 N71-20448
- Digital synchronizer for extracting binary data in receiver of PSK/PCM communication system
[NASA-CASE-NPO-10851] c07 N71-24613
- Video sync processor with phase locked system
[NASA-CASE-KSC-10002] c10 N71-25865
- System for generating timing and control signals during repetitive fixed length serial data transmission
[NASA-CASE-NPO-13125-1] c09 N73-18225
- Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12462-1] c07 N74-20809
- Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12494-1] c07 N74-20810
- SYNCHRONOUS MOTORS**
Synchronous dc direct-drive system comprising multiple-loop hybrid control system controlling load directly connected to actuator
[NASA-CASE-GSC-10065-1] c10 N71-27136
- Motor run-up system --- for preventing power line disturbances when synchronous motor is connected to line
[NASA-CASE-NPO-13374-1] c10 N74-17949
- SYNCHRONOUS SATELLITES**
Position locating system for remote aircraft using voice communication and digital signals
[NASA-CASE-GSC-10087-2] c21 N71-13958
- Serrodyne traveling wave tube reentrant amplifier for synchronous communication satellites operating at microwave frequencies
[NASA-CASE-XGS-01022] c07 N71-16088
- Traffic control system for supersonic transports using synchronous satellite for data relay between vehicles and ground station
[NASA-CASE-GSC-10087-1] c02 N71-19287
- Tracking antenna system with array for synchronous satellite or ground based radar
[NASA-CASE-GSC-10553-1] c07 N71-19854
- Satellite network synchronization system with multiple access to multiplex repeater
[NASA-CASE-GSC-10390-1] c07 N72-11149
- Development of device for simulating charge and discharge cycle of battery in synchronous orbit
[NASA-CASE-GSC-11211-1] c03 N72-25020
- SYNTHESIS**
Synthesis of polymeric Schiff bases by Schiff-base exchange reactions
[NASA-CASE-XMP-08651] c06 N71-11236
- Preparation of ordered poly/arylenesiloxane/polymers
[NASA-CASE-XMP-10753] c06 N71-11237
- Synthesis and chemical properties of imidazopyrrolone/imide copolymers
[NASA-CASE-XLA-08802] c06 N71-11238
- Chemical synthesis of formaldehyde based disinfectants without penetrating odor and eye and ear irritation properties
[NASA-CASE-NPO-12115-1] c06 N73-17153
- Stable polyimide synthesis from mixtures of monomeric diamines and polycarboxylic acid esters
[NASA-CASE-LEW-11325-1] c06 N73-27980
- SYNTHESIZERS**
Digitally controlled frequency synthesizer for pulse frequency modulation telemetry systems
[NASA-CASE-XGS-02317] c09 N71-23525
- SYNTHETIC FIBERS**
Manufacture of fluid containers from fused coated polyester sheets having resealable septum
[NASA-CASE-NPO-10123] c15 N71-24835
- Structure of fabric layers for micrometeoroid protection garment with capability for eliminating heat shorts for use in manufacturing space suits
[NASA-CASE-MSC-12109] c18 N71-26285
- Flexible barrier membrane comprising porous substrate and incorporating liquid gallium or indium metal used as sealant barriers for spacecraft walls and pumping liquid propellants
[NASA-CASE-XNP-08881] c17 N71-28747
- SYNTHETIC RESINS**
Process permitting application of synthetic resin coating to irregular-shaped objects at ambient temperature
[NASA-CASE-XNP-06508] c18 N69-39895
- SYSTEM FAILURES**
Tape recorder designed for low power consumption and resistance to operational failure under high stress conditions
[NASA-CASE-XGS-08259] c14 N71-23698

- Fault-tolerant clock apparatus for use in digital logic systems which maintains output pulses during component failure
[NASA-CASE-HSC-12531-1] c14 N73-22386
- SYSTEMS ANALYSIS**
- Analog to digital converter analyzing system
[NASA-CASE-NPO-10560] c08 N72-22166
- Pseudo-noise test set for communication system evaluation
[NASA-CASE-MFS-22671-1] c14 N74-13146
- SYSTEMS ENGINEERING**
- Design of magnetohydrodynamic induction machine with end poles which produce compensating magnetic fields
[NASA-CASE-XNP-07481] c25 N69-21929
- Hovering type flying vehicle design and principle mechanisms for manned or unmanned use
[NASA-CASE-MSC-12111-1] c02 N71-11039
- Solar battery with interconnecting means for plural cells
[NASA-CASE-XNP-06506] c03 N71-11050
- Transparent polycarbonate resin, shell helmet and latch design for high altitude and space flight
[NASA-CASE-XMS-04935] c05 N71-11190
- Design and operation of multi-feed cone Cassegrain antenna
[NASA-CASE-NPO-10539] c07 N71-11285
- Method and apparatus for measuring potentials in plasmas
[NASA-CASE-XLE-00821] c25 N71-15650
- Design and operation of viscous pendulum damper
[NASA-CASE-XLA-02079] c12 N71-16894
- Alarm system design for monitoring one or more relay circuits
[NASA-CASE-XMS-10984-1] c10 N71-19417
- Wide range analog data compression system
[NASA-CASE-IGS-02612] c08 N71-19435
- Space suit body heat exchanger design composed of thermal conductance yarn and liquid coolant loops
[NASA-CASE-XMS-09571] c05 N71-19439
- Silicon radiation detecting probe design for in vivo biomedical use
[NASA-CASE-XMS-01177] c05 N71-19440
- Design and operation of high speed binary to decimal conversion system
[NASA-CASE-XGS-01230] c08 N71-19544
- Sputter proof evaporant source design for use in vacuum deposition of solid thin films on substrates
[NASA-CASE-XMP-06065] c15 N71-20395
- Method and apparatus for fabrication of heat insulating and ablative reentry structure
[NASA-CASE-XMS-02009] c33 N71-20834
- Polarization diversity monopulse tracking receiver design without radio frequency switches
[NASA-CASE-XGS-03501] c09 N71-20864
- Pneumatic cantilever beams and platform for space erectable structure
[NASA-CASE-XLA-01731] c32 N71-21045
- Magnetically opened diaphragm design with camera shutter and expansion tube applications
[NASA-CASE-XLA-03660] c15 N71-21060
- Portable apparatus producing high velocity annular air column surrounding low velocity, filtered, superclean air central core for industrial clean room environmental control
[NASA-CASE-XNP-03212] c15 N71-22721
- Rotary spindle lathe attachments for machining geometrical cones
[NASA-CASE-XMS-04292] c15 N71-22722
- Apparatus and method for spin forming tubular elbows with high strength, uniform thickness, and close tolerances
[NASA-CASE-XMP-01083] c15 N71-22723
- Spacecraft air lock system to provide ingress and egress of astronaut without subjecting vehicular environment to vacuum of space
[NASA-CASE-XLA-02050] c31 N71-22968
- Method of stationkeeping for lenticular gravity gradient satellites
[NASA-CASE-XLA-03132] c31 N71-22969
- Filler valve design for supplying liquid propellants at high pressure to space vehicles
[NASA-CASE-XNP-01747] c15 N71-23024
- Method and apparatus for producing very low temperature refrigeration based on gas pressure balance
[NASA-CASE-XNP-08877] c15 N71-23025
- Monitoring circuit design for sampling circuit control and reduction of time-bandwidth in video communication systems
[NASA-CASE-XNP-02791] c07 N71-23026
- Multisample test chamber for exposing materials to X rays, temperature change, and gaseous conditions and determination of material effects
[NASA-CASE-XMS-02930] c11 N71-23042
- Variable duration pulse integrator design for integrating pulse duration modulated pulses with elimination of ripple content
[NASA-CASE-XLA-01219] c10 N71-23084
- Sealed electrochemical cell with flexible casing for varying electrolyte level in cell
[NASA-CASE-XGS-01513] c03 N71-23336
- Mosaic semiconductor radiation detector and position indicator systems engineering for low energy particles
[NASA-CASE-XGS-03230] c14 N71-23401
- Device for measuring two orthogonal components of force with gallium flotation of measuring target for use in vacuum environments
[NASA-CASE-XAC-04885] c14 N71-23790
- Transducer circuit design with single coaxial cable for input and output connections including incorporation into miniaturized catheter transducer
[NASA-CASE-ARC-10132-1] c09 N71-24597
- Method of attaching cover glass to silicon solar cell without using adhesive
[NASA-CASE-XLE-08569-2] c03 N71-24681
- Development of attitude control system for sounding rocket stabilization during ballistic phase of flight
[NASA-CASE-XGS-01654] c31 N71-24750
- Temperature telemetric transmitter with frequency determining tank circuit for short range transmission
[NASA-CASE-NPO-10649] c07 N71-24840
- Tuning arrangement for frequency control of magnetron-type electron discharge device
[NASA-CASE-XNP-09771] c09 N71-24841
- Broadband modified turnstile antenna for use in space tracking and communications
[NASA-CASE-MSC-12209] c09 N71-24842
- Apparatus to determine electric field strength by measuring deflection of electron beam impinging on target
[NASA-CASE-XMP-06617] c09 N71-24843
- Binary to decimal decoder logic circuit design with feedback control and display device
[NASA-CASE-XKS-06167] c08 N71-24890
- Noninterruptable digital counter circuit design with display device for pulse frequency modulation
[NASA-CASE-XNP-09759] c08 N71-24891
- Quick disconnect duct coupling device for single-handed operation
[NASA-CASE-MFS-20395] c15 N71-24903
- Brushless dc tachometer design with Hall effect crystals and output voltage magnitude proportional to rotor speed
[NASA-CASE-MFS-20385] c09 N71-24904
- Pneumatic mechanism for releasing hook and loop fasteners between large rigid structures
[NASA-CASE-XMS-10660-1] c15 N71-25975
- Sealed fluorescent tube light unit capable of connection with other units to form string of work lights
[NASA-CASE-XKS-05932] c09 N71-26787
- Apparatus for semiautomatic inspection of microfilmed documents for density, resolution, size, and position
[NASA-CASE-MFS-20240] c14 N71-26788
- Method and apparatus for remote measurement of displacement of marks on specimen undergoing tensile test
[NASA-CASE-NPO-10778] c14 N72-11364
- Spacecraft solar cell system with switching circuit to provide compensation for environmental changes
[NASA-CASE-GSC-10669-1] c03 N72-20031
- Electric storage battery with high impact resistance
[NASA-CASE-NPO-11021] c03 N72-20032
- Three mirror glancing incidence system for X ray telescope
[NASA-CASE-MFS-21372] c14 N72-20397

- Method and apparatus for providing active attitude control for spacecraft by converting any attitude motion of vehicle into simple rotational motion
[NASA-CASE-RQN-10439] c21 N72-21624
- Development of light sensing system for controlled orientation of object relative to sun or other light source
[NASA-CASE-NPO-11311] c14 N72-25414
- Development of thrust control system for application to control of aircraft and spacecraft
[NASA-CASE-HSC-13397-1] c21 N72-25595
- Combined shoulder harness and lap belt restraint system for use in aircraft or automobiles
[NASA-CASE-ARC-10519-1] c05 N72-31117
- Development of computer program for estimating reliability of self-repair and fault-tolerant systems with respect to selected system and mission parameters
[NASA-CASE-NPO-13086-1] c15 N73-12495
- Design and development of active control system for air cushion vehicle to reduce or eliminate effects of excessive vertical vibratory acceleration
[NASA-CASE-LAR-10531-1] c02 N73-13023
- Measurement system for physical quantity represented by or converted to variable frequency signal
[NASA-CASE-HFS-20658-1] c14 N73-30386
- Holographic system for nondestructive testing
[NASA-CASE-HFS-21704-1] c16 N73-30478
- Design of precision vertical alignment system using laser with gravitationally sensitive cavity
[NASA-CASE-ARC-10444-1] c16 N73-33397
- System for calibrating pressure transducer
[NASA-CASE-LAR-10910-1] c14 N74-13132
- SYSTEMS STABILITY**
Development and characteristics of annular momentum control device for two axis stabilization of spacecraft
[NASA-CASE-LAR-11051-1] c21 N73-28646
- SYSTOLIC PRESSURE**
Automatic system for measuring and monitoring systolic and diastolic blood pressure in humans
[NASA-CASE-HSC-13999-1] c05 N72-25142
- TACHOMETERS**
Digital cardiometer incorporating circuit for measuring heartbeat rate of subject over predetermined portion of one minute also converting rate to beats per minute
[NASA-CASE-XMS-02399] c05 N71-22896
- Brushless dc tachometer design with Hall effect crystals and output voltage magnitude proportional to rotor speed
[NASA-CASE-HFS-20385] c09 N71-24904
- Development of instantaneous reading tachometer for measuring electrocardiogram signal rate
[NASA-CASE-HFS-20418] c14 N73-24473
- TAKEOFF**
Aircraft instrument for indicating malfunctions during takeoff
[NASA-CASE-XLA-00100] c14 N70-36807
- Aircraft indicator for pilot control of takeoff roll, climbout path and verticle flight path in poor visibility conditions
[NASA-CASE-XLA-00467] c14 N70-40157
- TANGENTS**
Integrated circuit tangent function generator
[NASA-CASE-HSC-13907-1] c10 N73-26230
- TANK GEOMETRY**
Liquid propellant tank design with semitoroidal bulkhead
[NASA-CASE-XHP-01899] c31 N70-41948
- TANKS (CONTAINERS)**
Radiation source and detection system for measuring amount of liquid inside tanks independently of liquid configuration
[NASA-CASE-HSC-12280] c27 N71-16348
- Development of apparatus and method for testing leakage of large tanks
[NASA-CASE-XHP-02392] c32 N71-24285
- Design and development of device to prevent clogging in hoppers containing particulate materials
[NASA-CASE-LAR-10961-1] c15 N73-12496
- Floating baffle for tank drain
[NASA-CASE-KSC-10639] c15 N73-26472
- TANTALUM**
Oxygen-doped tantalum emitter for thermionic devices such as cesium vapor diodes
[NASA-CASE-NPO-11138] c03 N70-34646
- Arc electrode of graphite with tantalum ball tip
[NASA-CASE-XLE-04788] c09 N71-22987
- Organometallic compounds of niobium and tantalum useful for film deposition
[NASA-CASE-INP-04023] c06 N71-28808
- TANTALUM ALLOYS**
Evaporating crucible of tantalum-tungsten foil, nickel alumina bonding agent, and ceramic coating
[NASA-CASE-XLA-03105] c15 N69-27483
- TANTALUM OXIDES**
Development of thin film temperature sensor from TaO
[NASA-CASE-NPO-11775] c26 N72-28761
- TAPE RECORDERS**
Plural recorder system which limits signal recording to signals of sufficient interest
[NASA-CASE-XMS-06949] c09 N69-21467
- Endless loop tape transport mechanism for driving and tensioning recording medium in magnetic tape recorder
[NASA-CASE-XGS-01223] c07 N71-10609
- Development of low friction magnetic recording tape
[NASA-CASE-XGS-00373] c23 N71-15978
- Tape guidance system for multichannel digital recording system
[NASA-CASE-INP-09453] c08 N71-19420
- Design and development of synchronous servo loop control system
[NASA-CASE-INP-03744] c10 N71-20448
- Development of data storage system for storing digital data in high density format on magnetic tape
[NASA-CASE-INP-02778] c08 N71-22710
- Digital telemetry system apparatus to reduce tape recorder wow and flutter noise during playback
[NASA-CASE-XGS-01812] c07 N71-23001
- Tape recorder designed for low power consumption and resistance to operational failure under high stress conditions
[NASA-CASE-XGS-08259] c14 N71-23698
- Transient video signal tape recorder with expanded playback
[NASA-CASE-ARC-10003-1] c09 N71-25866
- Closed loop servosystem for variable speed tape recorders onboard spacecraft
[NASA-CASE-NPO-10700] c07 N71-33613
- Design and characteristics of recording system for selective reprocessing and filtering of data to obtain optimum signal to noise ratios
[NASA-CASE-ERC-10112] c07 N72-21119
- Video tape recorder with scan conversion playback for color television signals
[NASA-CASE-NPO-10166-1] c07 N73-22076
- Recording apparatus
[NASA-CASE-LAR-11353-1] c14 N74-20020
- TAPERED COLUMNS**
Method for shaping regeneratively cooled rocket motor casing having minimum thickness at each channel cross section
[NASA-CASE-XLE-00409] c28 N71-15658
- Regeneratively cooled rocket motor casing with tapered channels to insure minimum thicknesses at each channel cross section for necessary strength requirements
[NASA-CASE-XLE-05689] c28 N71-15659
- TARGET ACQUISITION**
Acquisition and tracking system for optical radar
[NASA-CASE-HFS-20125] c16 N72-13437
- Target acquisition antenna feed with reflector system
[NASA-CASE-GSC-10064-1] c10 N72-22235
- Development of electronic detection system for remotely determining number and movement of enemy personnel
[NASA-CASE-ARC-10097-2] c07 N73-25160
- TARGET RECOGNITION**
Electronic background suppression field scanning sensor for detecting point source targets
[NASA-CASE-XGS-05211] c07 N69-39980

TEFLON (TRADEMARK)

Reinforced FEP Teflon composite material
diffusion bonded to metal substrate
[NASA-CASE-MFS-20482] c15 N72-22492

TELECOMMUNICATION

Adaptive compression signal processor for PCM
communication systems
[NASA-CASE-XLA-03076] c07 N71-11266
Circuitry for generating sync signals in FM
communication systems including video
information
[NASA-CASE-XNP-10830] c07 N71-11281
Automatic estimation of signal to noise ratio
and other parameters in signal communication
systems
[NASA-CASE-XNP-05254] c07 N71-20791
Digital synchronizer for extracting binary data
in receiver of PSK/PCM communication system
[NASA-CASE-NPO-10851] c07 N71-24613
Encoders designed to generate comma free
biorthogonal Reed-Muller type code comprising
conversion of 64 6-bit words into 64 32-bit
data for communication purposes
[NASA-CASE-NPO-10595] c10 N71-25917
Design of nonlinear coherence receiver with
feedback signal selection for carrier tracking
in telecommunications
[NASA-CASE-NPO-11921-1] c07 N73-23118
Multicarrier communications system for
transmitting modulated signals from single
transmitter
[NASA-CASE-NPO-11548] c07 N73-26118
Phase modulation of tone and binary signals on
carrier waves in communication systems
[NASA-CASE-GSC-11743-1] c07 N73-27107
Synchronized digital communication system
[NASA-CASE-XNP-03623] c09 N73-28084
Pseudo-noise test set for communication system
evaluation
[NASA-CASE-MFS-22671-1] c14 N74-13146

TELEMETRY

Fabrication of pressure-telemetry transducers
[NASA-CASE-XNP-09752] c14 N69-21541
Telemetry data unit to form multibit words for
use between demodulator and computer
[NASA-CASE-XNP-09225] c09 N69-24333
Development of telemetry system for position
location and data acquisition
[NASA-CASE-GSC-10083-1] c30 N71-16090
Telespectrograph for analyzing upper atmosphere
by tracking bodies reentering atmosphere at
high velocities
[NASA-CASE-XLA-03273] c14 N71-18699
Digitally controlled frequency synthesizer for
pulse frequency modulation telemetry systems
[NASA-CASE-XGS-02317] c09 N71-23525
Time division multiplexed telemetry transmitting
system controlled by programmed memory
[NASA-CASE-GSC-10131-1] c07 N71-24624
Temperature telemetric transmitter with
frequency determining tank circuit for short
range transmission
[NASA-CASE-NPO-10649] c07 N71-24840
System designed to reduce time required for
obtaining synchronization in data
communication with spacecraft utilizing
pseudonoise codes
[NASA-CASE-NPO-10214] c10 N71-26577
Zero power telemetry actuated switch for
biomedical equipment
[NASA-CASE-ARC-10105] c09 N72-17153
Development and characteristics of telemetry
system using computer-accessed circuits and
remotely controlled from ground station
[NASA-CASE-NPO-11358] c07 N72-25172
Control and information system for digital
telemetry data using analog converter to
digitize sensed parameter values
[NASA-CASE-NPO-11016] c08 N72-31226
Characteristics of two channel telemetry system
with two data rate channels for high and low
data rate communication
[NASA-CASE-NPO-11572] c07 N73-16121
Telemetry and transmission system with
programmed sampling and multiplexing
[NASA-CASE-GSC-11388-1] c07 N73-24187
Improved phase lock loop for receiver in
multichannel telemetry system with suppressed
carrier

[NASA-CASE-NPO-11593-1] c07 N73-28012
TELESCOPES
Pneumatic control of telescopic mirror support
system
[NASA-CASE-XLA-03271] c11 N69-24321
Tracking mount for laser telescope employed in
tracking large rockets and space vehicles to
give information regarding azimuth and elevation
[NASA-CASE-MFS-14017] c14 N71-26627
Development of reflector system for application
to line-of-sight pointing and tracking
telescopes
[NASA-CASE-NPO-10468] c23 N71-33229
Design and development of light sensing device
for controlling orientation of object relative
to sun or other light source
[NASA-CASE-NPO-11201] c14 N72-27409
Borecope with adjustable hinged telescoping
optical system
[NASA-CASE-MFS-15162] c14 N72-32452
Ritchey-Chretien telescope responsive to images
located off telescope optical axis
[NASA-CASE-GSC-11487-1] c14 N73-30393
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c14 N74-19093
TELETYPEWRITER SYSTEMS
Teletypewriter video communication system and
apparatus
[NASA-CASE-XNP-06611] c07 N71-26102
TELEVISION CAMERAS
Electrically operated rotary shutter for
television camera aboard spacecraft
[NASA-CASE-XNP-00637] c14 N70-40273
TV camera output signal control system for
digital spacecraft communication
[NASA-CASE-XNP-01472] c14 N70-41807
Solid state television camera system consisting
of monolithic semiconductor mosaic sensor and
molecular digital readout systems
[NASA-CASE-XNP-06092] c07 N71-24612
Color television system for allowing monochrome
television camera to produce color pictures
[NASA-CASE-MSC-12146-1] c07 N72-17109
TELEVISION EQUIPMENT
Conversion system for transforming slow scan
rate of Apollo TV camera on moon to fast scan
of commercial TV
[NASA-CASE-XMS-07168] c07 N71-11300
Automatic closed circuit television arc guidance
control for welding joints
[NASA-CASE-MFS-13046] c07 N71-19433
Color television system utilizing single gun
current sensitive color cathode ray tube
[NASA-CASE-ERC-10098] c09 N71-28618
Development of spacecraft docking system for
optical alignment of spacecraft using
television camera system
[NASA-CASE-MSC-12559-1] c31 N73-26879
Television multiplexing system, using single
crystal controlled clock for signal
synchronization
[NASA-CASE-KSC-10654-1] c07 N73-30115
Rotating raster generator
[NASA-CASE-FRC-10071-1] c07 N74-20813
Auditory display for the blind
[NASA-CASE-HQN-10832-1] c14 N74-21014
TELEVISION RECEIVERS
Improvements in receiver of narrow bandwidth
television system
[NASA-CASE-XMS-06740-1] c07 N71-26579
TELEVISION SYSTEMS
Electron beam scanning system for improved image
definition and reduced power requirements for
video signal transmission
[NASA-CASE-ERC-10552] c09 N71-12539
Development and characteristics of burst
synchronization detection system
[NASA-CASE-XMS-05605-1] c10 N71-19468
Improvements in receiver of narrow bandwidth
television system
[NASA-CASE-XMS-06740-1] c07 N71-26579
Stereoscopic television system, including
projecting pair of binocular images
[NASA-CASE-ARC-10160-1] c23 N72-27728
TELEVISION TRANSMISSION
Television simulation for aircraft and space
flight
[NASA-CASE-IPR-03107] c09 N71-19449

- Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c07 N74-19790
- TEMPERATURE**
Fluorinated esters of polycarboxylic acid and lubricating compositions for use at extreme temperature
[NASA-CASE-MFS-21040-1] c06 N73-30098
- TEMPERATURE COMPENSATION**
Temperature compensated solid state differential amplifier with application in bioinstrumentation circuits
[NASA-CASE-XAC-00435] c09 N70-35440
Variable frequency magnetic coupled multivibrator with temperature compensated frequency control circuit
[NASA-CASE-XGS-00458] c09 N70-38604
Matched thermistors for microwave power meters with compensation for temperature changes
[NASA-CASE-NPO-10348] c10 N71-12554
Development of temperature compensated thrust measuring gage for measuring forces as function of time in environment with varying temperature
[NASA-CASE-XGS-02319] c14 N71-22965
Variable frequency subcarrier oscillator with temperature compensation
[NASA-CASE-XNP-03916] c09 N71-28810
Omnidirectional liquid filled accelerometer design with liquid and housing temperature compensation
[NASA-CASE-HQN-10780] c14 N71-30265
Development of thermal compensating structure which maintains uniform length with changes in temperature
[NASA-CASE-MFS-20433] c15 N72-28496
Development of temperature compensated light source with components and circuitry for maintaining luminous intensity independent of temperature variations
[NASA-CASE-ARC-10467-1] c09 N73-14214
- TEMPERATURE CONTROL**
Method and apparatus using temperature control for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343
Ultraviolet radiation resistant alkali-metal silicate coatings for temperature control of spacecraft
[NASA-CASE-XGS-04119] c18 N69-39979
Passive thermal control coating on aluminum foil laminate for inflatable spacecraft surfaces
[NASA-CASE-XLA-01291] c33 N70-36617
Thermal switch for transferring excess heat from one region to another heat dissipating one
[NASA-CASE-XNP-00463] c33 N70-36847
Sandwich panel structure for removing heat from shield between hot and cold areas
[NASA-CASE-XLA-00349] c33 N70-37979
Device for adding water to high velocity exhaust jets to reduce velocity, noise, and temperature
[NASA-CASE-XNF-01813] c28 N70-41582
Modifying existing solar cells for temperature control
[NASA-CASE-NPO-10109] c03 N71-11049
Temperature sensor warning system for pneumatic tires of aircraft and ground vehicles
[NASA-CASE-XLA-01926] c14 N71-15620
Intermittent type silica gel adsorption refrigerator for providing temperature control for spacecraft components
[NASA-CASE-XNP-00920] c15 N71-15906
Using heat control unit to preheat circulating fluid
[NASA-CASE-XNF-04237] c33 N71-16278
Mounting apparatus for temperature control system
[NASA-CASE-NPO-10138] c33 N71-16357
Design and development of device for cooling inner conductor of coaxial cable
[NASA-CASE-XNP-09775] c09 N71-20445
Thermal control wall panel with application to spacecraft cabins
[NASA-CASE-XLA-01243] c33 N71-22792
Development and characteristics of thermal sensitive panel for controlling ratio of solar absorptivity to surface emissivity for space vehicle temperature control
[NASA-CASE-XLA-07728] c33 N71-22890
Method and apparatus for adjusting thermal conductance in electronic components for space use
[NASA-CASE-XNP-05524] c33 N71-24876
Device for rapid adjustment and maintenance of temperature in electronic components
[NASA-CASE-XNP-02792] c14 N71-28958
Automatic control device for regulating inlet water temperature of liquid cooled spacesuit
[NASA-CASE-MSC-13917-1] c05 N72-15098
Development of method for controlling vapor content of gas
[NASA-CASE-NPO-10633] c03 N72-28025
Development of Mylar enclosure for maintaining temperature of balloon-borne batteries and electronic modules
[NASA-CASE-GSC-11620-1] c14 N72-33379
Atomic hydrogen maser with bulb temperature control by output frequency difference signal for wall shift elimination
[NASA-CASE-HQN-10654-1] c16 N73-13489
Design and development of thermomechanical pump for transmitting warming fluid through fluid circuit to control temperature of spacecraft instrumentation
[NASA-CASE-NPO-11417] c15 N73-24513
Automatic temperature control for liquid cooled space suit
[NASA-CASE-ARC-10599-1] c05 N73-26071
Temperature control system comprised of wheatstone bridge with RC circuit
[NASA-CASE-NPO-11304] c14 N73-26430
Development and characteristics of thermal control system for maintaining constant temperature within spacecraft module with wide variations of component heat transfer
[NASA-CASE-GSC-11018-1] c31 N73-30829
Self-regulating proportionally controlled heating apparatus and technique
[NASA-CASE-GSC-11752-1] c33 N74-19583
- TEMPERATURE DISTRIBUTION**
Oven for heat treating heat shields
[NASA-CASE-XMS-04318] c15 N69-27871
- TEMPERATURE EFFECTS**
Shock and vibration damping device using temperature sensitive solid amorphous polymers
[NASA-CASE-XAC-11225] c14 N69-27486
Differential pressure cell insensitive to changes in ambient temperature and extreme overload
[NASA-CASE-XAC-00042] c14 N70-34816
Fluid flow control valve for regulating fluids in molecular quantities
[NASA-CASE-XLE-00703] c15 N71-15967
Describing device for changing flow rate of fluid in duct in response to change in temperature
[NASA-CASE-MFS-14259] c15 N71-19213
Temperature sensitive magnetometer with pulsating thermally cycled magnetic core
[NASA-CASE-XAC-03740] c14 N71-26135
Development of system with electrical properties which vary with changes in temperature for use with feedback loop in operational amplifier circuit
[NASA-CASE-MSC-13276-1] c14 N71-27058
Procedure for repairing and recovering voice data from heat damaged magnetic tapes
[NASA-CASE-MSC-14219-1] c07 N73-16132
- TEMPERATURE GRADIENTS**
Differential thermopile for measuring cooling water temperature rise
[NASA-CASE-XAC-00812] c14 N71-15598
Development of temperature compensated light source with components and circuitry for maintaining luminous intensity independent of temperature variations
[NASA-CASE-ARC-10467-1] c09 N73-14214
Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article
[NASA-CASE-LAR-10489-1] c15 N74-18124
Method and apparatus for checking fire detectors
[NASA-CASE-GSC-11600-1] c14 N74-21019
- TEMPERATURE MEASUREMENT**
Thin film gage for measuring convective heat transfer on surfaces in air stream
[NASA-CASE-NPO-10617] c14 N70-12618
Filter arrangement for controlling light intensity in motion picture camera used in optical pyrometry
[NASA-CASE-XLA-00062] c14 N70-33254

- Development of apparatus for measuring thermal conductivity
[NASA-CASE-XGS-01052] c14 N71-15992
- Design and characteristics of thermocouples consisting of flexible tape for improved attachment to temperature source
[NASA-CASE-XNP-01659] c14 N71-23039
- Black body cavity radiometer with thermal resistance wire bridge circuit
[NASA-CASE-XNP-08961] c14 N71-24809
- Design, development, and characteristics of pressure and temperature sensor operating immersed in fluid flow
[NASA-CASE-LEW-10281-1] c14 N72-17327
- Development of thermocouple instrument for measuring temperature of wall heated by flowing fluid without disturbing boundary layer
[NASA-CASE-XLE-05230] c14 N72-27410
- Thermocouple apparatus for measuring wall temperatures in regeneratively cooled rocket engines having thin walled cooling passages
[NASA-CASE-XLE-05230-2] c14 N73-13417
- Thermochromic compositions for detecting heat levels in electronic circuits and devices
[NASA-CASE-NPO-10764-1] c14 N73-14428
- Method of fabricating an article with cavities --- with thin bottom walls
[NASA-CASE-LAR-10318-1] c14 N74-18089
- Method for determining thermo-physical properties of specimens --- photographic recording of changes in thin film phase-change temperature indicating material in wind tunnel
[NASA-CASE-LAR-11053-1] c33 N74-18551
- TEMPERATURE MEASURING INSTRUMENTS**
- Temperature sensor warning system for pneumatic tires of aircraft and ground vehicles
[NASA-CASE-XLA-01926] c14 N71-15620
- Electric network for monitoring temperatures, detecting critical temperatures, and indicating critical time duration
[NASA-CASE-XMF-01097] c10 N71-16058
- Electromagnetic energy detection by thermal sensor with vibrating electrode
[NASA-CASE-XAC-10768] c09 N71-18830
- Input radio frequency circuit for switching type absolute temperature measuring radiometer for noise sources
[NASA-CASE-ERC-11020] c14 N71-26774
- High intensity radiant energy pulse source for calibrating heat transfer gages with thermoluminescent shutter activation
[NASA-CASE-ARC-10178-1] c09 N72-17152
- Ingestible miniaturized telemetry device for deep body temperature measurements on humans and animals
[NASA-CASE-ARC-10583-1] c05 N73-14093
- Development of flexible thermocouple in form of tape for adaptation to special temperature measuring conditions
[NASA-CASE-LEW-11072-1] c14 N73-24472
- TEMPERATURE PROBES**
- Thermally sensitive tuning probe for nullifying detuning effects in microwave cavity resonator of amplifier
[NASA-CASE-XNP-00449] c14 N70-35220
- Design, development, and characteristics of pressure and temperature sensor operating immersed in fluid flow
[NASA-CASE-LEW-10281-1] c14 N72-17327
- Organic amine and nitroaromatic mixed compound for heat change detection in microelectronic components
[NASA-CASE-NPO-10764-2] c10 N73-20259
- TEMPERATURE SENSORS**
- Miniaturized radiometer for detecting low level thermal radiation
[NASA-CASE-XLA-04556] c14 N69-27484
- Mounting fixture for supporting thermobulb in pipeline
[NASA-CASE-NPO-10158] c33 N71-16356
- Mounting apparatus for temperature control system
[NASA-CASE-NPO-10138] c33 N71-16357
- Heat flux sensor adapted for mounting on aircraft or spacecraft to measure aerodynamic heat flux inflow to aircraft skin
[NASA-CASE-XFR-03802] c33 N71-23085
- Temperature telemetric transmitter with frequency determining tank circuit for short range transmission
[NASA-CASE-NPO-10649] c07 N71-24840
- Black body radiometer design with temperature sensing and cavity heat source cone winding
[NASA-CASE-XNP-09701] c14 N71-26475
- Thin film capacitive bolometer and capacitance temperature interchange sensor
[NASA-CASE-NPO-10607] c09 N71-27232
- Development of thin film temperature sensor from TaO
[NASA-CASE-NPO-11775] c26 N72-28761
- TEMPLATES**
- Precision surface cutter for screen circuit negatives and other microcircuits
[NASA-CASE-XLA-09843] c15 N72-27485
- TENSILE STRENGTH**
- Method for producing fiber reinforced metallic composites with high strength and elasticity over wide temperature range
[NASA-CASE-XLE-00231] c17 N70-38198
- Composites reinforced with short metal fibers or whiskers and having high tensile strength
[NASA-CASE-XLE-00228] c17 N70-38490
- Apparatus for tensile strength testing of specimen by pressurized fluid
[NASA-CASE-XKS-06250] c14 N71-15600
- Process for fiberizing ceramic materials with high fusion temperatures and tensile strength
[NASA-CASE-XNP-00597] c18 N71-23088
- Tensile strength testing device having pulley guides for exerting multiple forces on test specimen
[NASA-CASE-XNP-05634] c15 N71-24834
- TENSILE STRESS**
- Method for testing rocket nozzles at high tensile stress levels
[NASA-CASE-NPO-10311] c31 N71-15643
- Device for measuring tensile forces applied to tension members
[NASA-CASE-MFS-21728-1] c14 N73-25467
- TENSILE TEST**
- Tensile strength testing device having pulley guides for exerting multiple forces on test specimen
[NASA-CASE-XNP-05634] c15 N71-24834
- TENSILE TESTS**
- Apparatus for tensile strength testing of specimen by pressurized fluid
[NASA-CASE-XKS-06250] c14 N71-15600
- Apparatus for measuring load on cable under static or dynamic conditions comprising pulleys pivoting structure against restraint of tension strap
[NASA-CASE-XMS-04545] c15 N71-22878
- Method and apparatus for remote measurement of displacement of marks on specimen undergoing tensile test
[NASA-CASE-NPO-10778] c14 N72-11364
- Development of test apparatus for subjecting metal specimen to tensile and compressive loads at constant temperature
[NASA-CASE-LAR-10426-1] c32 N72-27947
- Anti-buckling fatigue test assembly --- for subjecting metal specimen to tensile and compressive loads at constant temperature
[NASA-CASE-LAR-10426-1] c32 N74-19528
- TENSION**
- A meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c14 N74-10421
- TERMINAL GUIDANCE**
- Data processing and display system for terminal guidance of X-15 aircraft
[NASA-CASE-XFR-00756] c02 N71-13421
- Terminal guidance system --- for guiding aircraft into preselected altitude and/or heading at terminal point
[NASA-CASE-FRC-10049-1] c21 N74-13420
- TERRAIN**
- Vertically descending flight vehicle landing gear for rough terrain
[NASA-CASE-XNP-01174] c02 N70-41589
- TEST CHAMBERS**
- System for continuous monitoring of exhalations, weighing, and cage cleaning for animal exposed to controlled atmosphere for toxic study
[NASA-CASE-XAC-05333] c11 N71-22875
- Multisample test chamber for exposing materials to X rays, temperature change, and gaseous conditions and determination of material effects

- [NASA-CASE-IMS-02930] c11 N71-23042
 Flammability test chamber for testing materials
 in certain predetermined environments
 [NASA-CASE-KSC-10126] c11 N71-24985
 Pressure seals suitable for use in environmental
 test chambers
 [NASA-CASE-NPO-10796] c15 N71-27068
 Test chamber for determining decomposition and
 autoignition of materials used in spacecraft
 under controlled environmental conditions
 [NASA-CASE-KSC-10198] c11 N71-28629
 Test chambers with orifice and helium mass
 spectrometer for detecting leak rate of
 encapsulated semiconductor devices
 [NASA-CASE-ERC-10150] c14 N71-28992
- TEST EQUIPMENT**
 Equipment for testing of ground station ranging
 equipment and spacecraft transponders
 [NASA-CASE-XMS-05454-1] c07 N71-12391
 Apparatus for tensile strength testing of
 specimen by pressurized fluid
 [NASA-CASE-XKS-06250] c14 N71-15600
 Development of black-body source calibration
 furnace
 [NASA-CASE-XLE-01399] c33 N71-15625
 Design and characteristics of thermocouples
 consisting of flexible tape for improved
 attachment to temperature source
 [NASA-CASE-XNP-01659] c14 N71-23039
 Automatic controlled thermal fatigue testing
 apparatus
 [NASA-CASE-XLA-02059] c33 N71-24276
 Development and characteristics of electric
 circuitry for detecting electrical pulses rise
 time and amplitude
 [NASA-CASE-XMF-08804] c09 N71-24717
 Automated ball rebound resilience test equipment
 for determining viscoelastic properties of
 polymers
 [NASA-CASE-XLA-08254] c14 N71-26161
 Portable equipment for validating C band launch
 pad antennas and transmission lines used for
 spacecraft checkout
 [NASA-CASE-XKS-10543] c07 N71-26292
 Acoustic vibration test apparatus for wiring
 harnesses
 [NASA-CASE-MSC-15158-1] c14 N72-17325
 Design and development of two types of
 atmosphere sampling chambers
 [NASA-CASE-NPO-11373] c13 N72-25323
 Development of apparatus for testing burning
 rate and flammability of materials
 [NASA-CASE-XMS-09690] c33 N72-25913
 Development of test apparatus for subjecting
 metal specimen to tensile and compressive
 loads at constant temperature
 [NASA-CASE-LAR-10426-1] c32 N72-27947
 Development of apparatus for detonating
 explosive devices in order to determine forces
 generated and detonation propagation rate
 [NASA-CASE-LAR-10800-1] c33 N72-27959
 Equipment for vibration testing of assemblies,
 components, and other articles
 [NASA-CASE-GSC-11302-1] c14 N73-13416
 Development of test probe device for
 simultaneous determination of condition of
 cells in multi-cell storage battery
 [NASA-CASE-MFS-20761-1] c03 N73-17037
 Design and development of test stand system for
 supporting test items in vacuum chamber
 [NASA-CASE-MFS-21362] c11 N73-20267
 Test set for signal conditioner modules
 [NASA-CASE-KSC-10750-1] c14 N73-23527
 Development and characteristics of apparatus for
 measuring intensity of electric field in
 atmosphere
 [NASA-CASE-KSC-10730-1] c14 N73-32318
 Test equipment to prevent buckling of small
 diameter specimens during compression tests
 [NASA-CASE-LAR-10440-1] c14 N73-32323
 Pseudo-noise test set for communication system
 evaluation
 [NASA-CASE-MFS-22671-1] c14 N74-13146
 Hind tunnel model and method
 [NASA-CASE-LAR-10812-1] c11 N74-17955
 Testing device using X-ray lasers
 [NASA-CASE-MFS-22409-1] c16 N74-18153
 Anti-buckling fatigue test assembly --- for
 subjecting metal specimen to tensile and
 compressive loads at constant temperature
 [NASA-CASE-LAR-10426-1] c32 N74-19528
 Visual examination apparatus
 [NASA-CASE-ARC-10329-2] c05 N74-19761
 Gas chromatograph injection system
 [NASA-CASE-ARC-10344-2] c14 N74-20021
 Method and apparatus for checking fire detectors
 [NASA-CASE-GSC-11600-1] c14 N74-21019
- TEST FACILITIES**
 Electric propulsion engine test chamber
 [NASA-CASE-XLE-00252] c11 N70-34844
 Test apparatus for determining mechanical
 properties of refractory materials at high
 temperatures in vacuum or inert atmospheres
 [NASA-CASE-XLE-00335] c14 N70-35368
 Gas analyzer for bi-gaseous mixtures suitable
 for use in test facilities
 [NASA-CASE-XLA-01131] c14 N71-10774
 Design and characteristics of device for
 launching models in wind tunnels without
 disturbance of air flow
 [NASA-CASE-YNP-03578] c11 N71-23030
 Design, development, and operation of shock tube
 with bypass piston tunnel
 [NASA-CASE-NPO-12109] c11 N72-22245
- TEST STANDS**
 Automatic balancing device for use on
 frictionless supported attitude-controlled
 test platforms
 [NASA-CASE-LAR-10774] c10 N71-13545
 Micro-pound extended range thrust stand for
 small rocket engines
 [NASA-CASE-GSC-10710-1] c28 N71-27094
- TETHERING**
 Force separation rigid tethering device using
 cables
 [NASA-CASE-XLA-02332] c32 N71-17609
 Space expandable tether device for use as
 passageway between two docked spacecraft
 [NASA-CASE-XMS-10993] c15 N71-28936
- TETHERLINES**
 Flexible cable that can be made rigid
 [NASA-CASE-MSC-13512-1] c15 N72-22485
- TETRAPHENYLS**
 Chemical synthesis of thermally stable
 organometallic polymers with divalent metal
 ion and tetraphenylphosphonitrilic units
 [NASA-CASE-HQN-10364] c06 N71-27363
- TEXTILES**
 Process for developing flame retardant
 elastomeric composition textiles for use in
 space suits
 [NASA-CASE-MSC-14331-1] c18 N73-27501
- THERMAL ABSORPTION**
 Development and characteristics of calorimeter
 with integral heat sink for maintenance of
 constant temperature
 [NASA-CASE-XMF-04208] c33 N71-29051
 Direct thermal energy conversion using thermal
 absorption principle
 [NASA-CASE-ARC-10461-1] c33 N73-20931
- THERMAL CONDUCTIVITY**
 Measuring conductive heat flow and thermal
 conductivity of laminar gas stream in
 cylindrical plug to simulate atmospheric reentry
 [NASA-CASE-XLE-00266] c14 N70-34156
 Development of apparatus for measuring thermal
 conductivity
 [NASA-CASE-IGS-01052] c14 N71-15992
 Heated element sensor for fluid flow detection
 in thermal conductive conduit with adaptive
 means to determine flow rate and direction
 [NASA-CASE-MSC-12084-1] c12 N71-17569
 Method and apparatus for adjusting thermal
 conductance in electronic components for space
 use
 [NASA-CASE-XNP-05524] c33 N71-24876
 Thermally conductive polymer for potting
 electrical components
 [NASA-CASE-GSC-11304-1] c06 N72-21105
 Electrostatically controlled heat transfer
 system for conducting thermal energy
 [NASA-CASE-NPO-11942-1] c33 N73-32818
- THERMAL CONDUCTORS**
 Thermal conductive, electrically insulated
 cleavable adhesive connection between
 electronic module and heat sink
 [NASA-CASE-XMS-02087] c09 N70-41717

THERMAL CONTROL COATINGS

Low concentration alkaline solution treatment of aluminum with metal phosphate surface coatings to improve chemical bonding and reduce coating weight

[NASA-CASE-XLA-01995] c18 N71-23047

Binder stabilized zinc oxide pigmented coating for spacecraft thermal control

[NASA-CASE-XMF-07770-2] c18 N71-26772

Inorganic thermal control and solar reflector coatings

[NASA-CASE-MFS-20011] c18 N72-22566

Mercaptan terminated polymer containing sulfonic acid salts of nitrosubstituted aromatic amines for heat and moisture resistant coatings

[NASA-CASE-ARC-10325] c06 N72-25147

Refractory porcelain enamel passive thermal control coating for high temperature alloys

[NASA-CASE-MFS-22324-1] c18 N73-21471

THERMAL DEGRADATION

Use of silicon controlled rectifier shorting circuit to protect thermoelectric generator source from thermal destruction

[NASA-CASE-XGS-04808] c03 N69-25146

Electrical failure detector in solid rocket propellant motor insulation against thermal degradation by fuel grain

[NASA-CASE-XMF-03968] c14 N71-27186

THERMAL EMISSION

Calorimeter for measuring thermal output of nickel cadmium batteries

[NASA-CASE-GSC-11434-1] c14 N72-27430

THERMAL ENERGY

Direct conversion of thermal energy into electrical energy using crossed electric and magnetic fields

[NASA-CASE-XLE-00212] c03 N70-34134

Concentrator device for controlling direction of solar energy onto energy converters

[NASA-CASE-XLE-01716] c09 N70-40234

Storage stable, thermally activated foaming compositions for erecting and rigidizing mechanisms of thin sheet solar collectors

[NASA-CASE-LAR-10373-1] c18 N71-26155

Gaseous core diffusion nuclear reactor for thermal energy generation

[NASA-CASE-LEW-10250-1] c22 N71-28759

Direct thermal energy conversion using thermal absorption principle

[NASA-CASE-ARC-10461-1] c33 N73-20931

Electrostatically controlled heat transfer system for conducting thermal energy

[NASA-CASE-NPO-11942-1] c33 N73-32818

THERMAL EXPANSION

Gas valve operated by thermally expanding and contracting device

[NASA-CASE-XLE-00815] c15 N70-35407

Adjustable rigid mount for tribedral mirror formed of alloy with small coefficient of thermal expansion supporting screws and spring-biased plates

[NASA-CASE-INP-08907] c23 N71-29123

Application of spiral, bimetallic strip to create circular motion on mechanical shaft by changing strip temperature

[NASA-CASE-NPO-11283] c09 N72-25260

Glass-to-metal seals comprising relatively high expansion metals

[NASA-CASE-LEW-10698-1] c15 N74-21063

THERMAL FATIGUE

Automatic controlled thermal fatigue testing apparatus

[NASA-CASE-XLA-02059] c33 N71-24276

THERMAL INSULATION

Low thermal loss piping arrangement for moving cryogenic media through double chamber structure

[NASA-CASE-XNP-08882] c15 N69-39935

Insulating system for receptacles of liquefied gases using wire cloth for forming frost layer

[NASA-CASE-XMF-00341] c15 N70-33323

Unfired-ceramic, highly reflective composite insulation for large launch vehicles

[NASA-CASE-XMF-01030] c18 N70-41583

Carbon dioxide purge systems to prevent condensation in spaces between cryogenic fuel tanks and hypersonic vehicle skin

[NASA-CASE-XLA-01967] c31 N70-42015

Preparation and characteristics of lightweight refractory insulation

[NASA-CASE-XMF-05279] c18 N71-16124
Development of thermal insulation system for wing and control surfaces of hypersonic aircraft and reentry vehicles

[NASA-CASE-XLA-00892] c33 N71-17897

Prefabricated multilayered self-evacuating insulation panels using gas with low vapor pressure at cryogenic temperatures for application to storage of cryogenics

[NASA-CASE-XLE-04222] c23 N71-22881

Light weight plastic foam thermal insulation for cryogenic storage

[NASA-CASE-XLE-02647] c18 N71-23658

Development of foam insulation for filament wound cryogenic storage tank

[NASA-CASE-XLE-03803] c15 N71-23816

Multilayer insulation panels for cryogenic liquid containers

[NASA-CASE-MFS-14023] c33 N71-25351

Double-wall isothermal cylinder containing heat transfer fluid thermal reservoir as spacecraft insulation cover

[NASA-CASE-MFS-20355] c33 N71-25353

Structure of fabric layers for micrometeoroid protection garment with capability for eliminating heat shorts for use in manufacturing space suits

[NASA-CASE-BSC-12109] c18 N71-26285

Foam insulation thickness measuring and injection device for spacecraft applications

[NASA-CASE-MFS-20261] c14 N71-27005

Development of thermal insulation material for insulating liquid hydrogen tanks in spacecraft

[NASA-CASE-XMF-05046] c33 N71-28892

Para-benzoquinone dioxime and concentrated mineral acid processed to yield intumescent or fire resistant, heat insulating materials

[NASA-CASE-ARC-10304-1] c18 N73-26572

Development and characteristics of thermal control system for maintaining constant temperature within spacecraft module with wide variations of component heat transfer

[NASA-CASE-GSC-11018-1] c31 N73-30829

Structural heat pipe for spacecraft wall thermal insulation system

[NASA-CASE-GSC-11619-1] c33 N73-32828

Heater-mixer for stored fluids

[NASA-CASE-ARC-10442-1] c14 N74-15093

Strain arrestor plate --- bonding rigid thermal insulation tiles to metallic plates or structural parts

[NASA-CASE-BSC-14182-1] c18 N74-15213

THERMAL PLASMAS

Apparatus for producing monochromatic light from continuous plasma source

[NASA-CASE-INP-04167-2] c25 N72-24753

THERMAL PROTECTION

Thermoprotective device for balances

[NASA-CASE-XAC-00648] c14 N70-40400

Design, development, and characteristics of ablation structures

[NASA-CASE-IHS-01816] c33 N71-15623

Development of spacecraft radiator cover

[NASA-CASE-MSC-12049] c31 N71-16080

Characteristics of foamed-in-place ceramic refractory insulating material and method of fabrication

[NASA-CASE-XGS-02435] c18 N71-22996

Unfired ceramic insulation for protection from radiant heating environments

[NASA-CASE-MFS-14253] c33 N71-24858

Development of solid state polymer coating for obtaining thermal balance in spacecraft components

[NASA-CASE-XLA-01745] c33 N71-28903

Anodizing method for providing metal surfaces with temperature reducing coatings against flames

[NASA-CASE-XLE-00035] c33 N71-29151

Ablative heat shield for protection from aerodynamic heating of reentry spacecraft

[NASA-CASE-MSC-12143-1] c33 N72-17947

Lightweight fire resistant plastic foam for thermal protection of reentry vehicles and aircraft structures

[NASA-CASE-ARC-10180-1] c28 N72-20767

Flexible fire retardant polyisocyanate modified neoprene foam --- for thermal protective devices

[NASA-CASE-ARC-10180-1] c06 N74-12814

THERMAL RADIATION

Miniaturized radiometer for detecting low level thermal radiation
[NASA-CASE-XLA-04556] c14 N69-27484
Temperature sensitive capacitor device for detecting very low intensity infrared radiation
[NASA-CASE-XNP-09750] c14 N69-39937
High temperature source of thermal radiation
[NASA-CASE-XLB-00490] c33 N70-34545
Development and characteristics of thermal radiation shielding of refractory metal foil used for induction furnace
[NASA-CASE-XLE-03432] c33 N71-24145
Black body cavity radiometer with thermal resistance wire bridge circuit
[NASA-CASE-XNP-08961] c14 N71-24809
Development of method for protecting large and oddly shaped areas from radiant and convective heat
[NASA-CASE-XNP-01310] c33 N71-28852

THERMAL REACTORS

Power control system for thermal nuclear reactor
[NASA-CASE-XLE-05799] c22 N72-21644
Fuel system for thermal nuclear reactor which uses inorganic ion exchanger
[NASA-CASE-LEW-11645-2] c22 N73-28660

THERMAL RESISTANCE

Single electrical circuit component combining diode, fuse, and blown indicator with elongated tube of heat resistant transparent material
[NASA-CASE-IKS-03381] c09 N71-22796
Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c06 N74-12812
Dual measurement ablation sensor
[NASA-CASE-LAR-10105-1] c33 N74-15652
Self-regulating proportionally controlled heating apparatus and technique
[NASA-CASE-GSC-11752-1] c33 N74-19583

THERMAL SHOCK

Development of equipment for measuring thermal shock resistance of thin discs of material
[NASA-CASE-XLE-02024] c14 N71-22964
Thermal shock resistant hafnia ceramic materials
[NASA-CASE-LAR-10894-1] c18 N73-14584

THERMAL SIMULATION

Simulating operation of thermopile vacuum gage tube at high and low pressures
[NASA-CASE-XLA-02758] c14 N71-18481

THERMAL STABILITY

Bonded solid lubricant coatings of calcium fluoride and binder for high temperature stability
[NASA-CASE-XHS-00259] c18 N70-36400
Portable environmental control and life support system for astronaut in and out of spacecraft
[NASA-CASE-XHS-09632-1] c05 N71-11203
Chemical synthesis of thermally stable organometallic polymers with divalent metal ion and tetraphenylphosphonitrilic units
[NASA-CASE-HQN-10364] c06 N71-27363
Cermet for nuclear fuel constructed by pressing metal coated ceramic particles in die at temperature to cause bonding of metal coatings, and tested for thermal stability
[NASA-CASE-LEW-10219-1] c18 N71-28729
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c18 N74-21156

THERMAL STRESSES

Multilegged support system for wind tunnel test models subjected to thermal dynamic loading
[NASA-CASE-XLA-01326] c11 N71-21481
Development of device for simulating cyclic thermal loading of flexible materials by application of mechanical stresses and deformations
[NASA-CASE-LAR-10270-1] c32 N72-25877

THERMIONIC CATHODES

Thermionic cesium diode converter with cavity emitters
[NASA-CASE-NPO-10412] c09 N71-28421

THERMIONIC CONVERTERS

Vacuum thermionic converter with short-circuited triodes and increased electron transmission and conversion efficiency
[NASA-CASE-XLE-01015] c03 N69-39898

Thermionic converter for converting heat energy directly into electrical energy
[NASA-CASE-XLE-01903] c22 N71-23599

Thermionic cesium diode converter with cavity emitters
[NASA-CASE-NPO-10412] c09 N71-28421

Development and characteristics of solar cells with phosphors in cover glass to improve response to solar ultraviolet radiation
[NASA-CASE-ARC-10050] c03 N71-33409

Reactor heated in-core diodes for energy conversion
[NASA-CASE-NPO-10542] c09 N72-27228

Coaxial electrical conductor for high gamma flux locations of thermionic converter
[NASA-CASE-LEW-10950-1] c09 N72-31239

Low cost efficient thermionic converter for use in nuclear reactors
[NASA-CASE-NPO-13121-1] c22 N73-12702

Control circuit for nuclear thermionic converter power source for spacecraft
[NASA-CASE-NPO-13114-1] c22 N73-13656

Electric power generation system directly from laser power
[NASA-CASE-NPO-13308-1] c03 N74-19702

THERMIONIC DIODES

Electric power system utilizing thermionic plasma diodes in parallel and heat pipes as cathodes
[NASA-CASE-XNP-05843] c03 N71-11055

Thermionic diode switch for use in high temperature region to chop current from dc source
[NASA-CASE-NPO-10404] c03 N71-12255

Microamperes current measuring circuit, with two subminiature thermionic diodes with filament cathodes
[NASA-CASE-XNP-00384] c09 N71-13530

Electric power system with thermionic diodes and circulatory liquid metal coolant lines
[NASA-CASE-HPS-14114] c33 N71-27862

Reactor heated in-core diodes for energy conversion
[NASA-CASE-NPO-10542] c09 N72-27228

THERMIONIC EMITTERS

Oxygen-doped tantalum emitter for thermionic devices such as cesium vapor diodes
[NASA-CASE-NPO-11138] c03 N70-34646

THERMISTORS

Hatched thermistors for microwave power meters with compensation for temperature changes
[NASA-CASE-NPO-10348] c10 N71-12554

THERMOCHROMATIC MATERIALS

Thermochromic compositions for detecting heat levels in electronic circuits and devices
[NASA-CASE-NPO-10764-1] c14 N73-14428

THERMOCOUPLE PYROMETERS

Dual measurement ablation sensor
[NASA-CASE-LAR-10105-1] c33 N74-15652

THERMOCOUPLES

Heat flux sensor assembly with proviso for heat shield to reduce radiative transfer between sensor elements
[NASA-CASE-XHS-05909-1] c14 N69-27459

Gas cooled high temperature thermocouple
[NASA-CASE-XLE-09475-1] c33 N71-15568

Control of fusion welding through use of thermocouple wire
[NASA-CASE-HPS-06074] c15 N71-20393

Heat sensing instrument, using thermocouple junction connected under heavy conducting material
[NASA-CASE-XLA-01551] c14 N71-22989

Design and characteristics of thermocouples consisting of flexible tape for improved attachment to temperature source
[NASA-CASE-XNP-01659] c14 N71-23039

Mixed liquid and vapor phase analyzer design with thermocouples for relative heat transfer measurement
[NASA-CASE-NPO-10691] c14 N71-26199

Development of thermocouple instrument for measuring temperature of wall heated by flowing fluid without disturbing boundary layer
[NASA-CASE-XLE-05230] c14 N72-27410

Development of performed attachable thermocouple from thermoelectrically different metals
[NASA-CASE-LEW-11072-2] c14 N72-28443

- Thermocouple apparatus for measuring wall temperatures in regeneratively cooled rocket engines having thin walled cooling passages [NASA-CASE-XLE-05230-2] c14 N73-13417
- Development of flexible thermocouple in form of tape for adaptation to special temperature measuring conditions [NASA-CASE-LEW-11072-1] c14 N73-24472
- THERMODYNAMIC PROPERTIES**
- Development of equipment for measuring thermal shock resistance of thin discs of material [NASA-CASE-XLE-02024] c14 N71-22964
- Characteristics of foamed-in-place ceramic refractory insulating material and method of fabrication [NASA-CASE-XGS-02435] c18 N71-22998
- Operating properties of superconducting magnet in vacuum environment [NASA-CASE-XNP-06503] c23 N71-29049
- Design and development of device for moving liquid through pipes without use of mechanical pumps [NASA-CASE-LAR-10799-1] c12 N73-12295
- Cobalt-tungsten alloys with superior strength at elevated temperatures [NASA-CASE-LEW-10436-1] c17 N73-32415
- THERMOELECTRIC GENERATORS**
- Use of silicon controlled rectifier shorting circuit to protect thermoelectric generator source from thermal destruction [NASA-CASE-XGS-04808] c03 N69-25146
- Procedure for segmenting lead telluride and silicon germanium thermoelectric elements to obtain composite elements effective over wide temperature range [NASA-CASE-XGS-05718] c26 N71-16037
- Low weight, integrated thermoelectric generator/antenna combination for spacecraft [NASA-CASE-XER-09521] c09 N72-12136
- Thermally cascaded thermoelectric generator with radioisotopic heat source [NASA-CASE-NPO-10753] c03 N72-26031
- THERMOELECTRIC MATERIALS**
- Bonding method for improving contact between lead telluride thermoelectric elements and tungsten electrodes [NASA-CASE-XGS-04554] c15 N69-39786
- Procedure for segmenting lead telluride and silicon germanium thermoelectric elements to obtain composite elements effective over wide temperature range [NASA-CASE-XGS-05718] c26 N71-16037
- THERMOELECTRIC POWER GENERATION**
- Thermoelectric power conversion by liquid metal flowing through magnetic field [NASA-CASE-XNP-00644] c03 N70-36803
- Operation method for combined electrolysis device and fuel cell using molten salt to produce power by thermoelectric regeneration mechanism [NASA-CASE-XLE-01645] c03 N71-20904
- Thermoelectric power system --- for outer planet space flight [NASA-CASE-MPS-22002-1] c03 N74-18726
- THERMOELECTRICITY**
- Development of flexible thermocouple in form of tape for adaptation to special temperature measuring conditions [NASA-CASE-LEW-11072-1] c14 N73-24472
- Device for measuring thermoelectric properties of materials under high pressure [NASA-CASE-NPO-11749] c14 N73-28486
- THERMOLUMINESCENCE**
- Method for detecting oxygen in gas by thermoluminescence [NASA-CASE-LAR-10668-1] c06 N73-16106
- THERMOMAGNETIC EFFECTS**
- Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control [NASA-CASE-NPO-11317-2] c16 N74-13205
- THERMOPHYSICAL PROPERTIES**
- Method for determining thermo-physical properties of specimens --- photographic recording of changes in thin film phase-change temperature indicating material in wind tunnel [NASA-CASE-LAR-11053-1] c33 N74-18551
- THERMOPILES**
- Differential thermopile for measuring cooling water temperature rise [NASA-CASE-YAC-00812] c14 N71-15598
- Horizon sensor design with digital sampling of spaced radiation-compensated thermopile infrared detectors [NASA-CASE-XNP-06957] c14 N71-21088
- Development of thermopile with sensor surface to receive radiant energy and to provide measurement of energy quantity [NASA-CASE-NPO-11493] c14 N73-12447
- THERMOREGULATION**
- Thermoregulating with cooling flow pipe network for humans [NASA-CASE-XMS-10269] c05 N71-24147
- THERMOSETTING RESINS**
- Vacuum method for molding thermosetting compounds used as ablative materials [NASA-CASE-XLA-01091] c15 N71-10672
- Procedure for bonding polytetrafluoroethylene thermal protective sleeves to magnesium alloy conical shell components with different thermal coefficients [NASA-CASE-XLA-01262] c15 N71-21404
- Method for honeycomb panel bonding by thermosetting film adhesive with electrical heat means [NASA-CASE-XNP-01402] c18 N71-21651
- Heat treatment and tooling for forming shapes from thermosetting honeycomb core sheets [NASA-CASE-NPO-11036] c15 N72-24522
- Fluorinated polyurethanes produced by reacting hydroxy terminated perfluoro polyether with diisocyanate [NASA-CASE-NPO-10767-2] c06 N72-27151
- Vacuum displacement compression molding of tubular bodies from thermosetting plastics [NASA-CASE-LAR-10782-2] c15 N73-31444
- Evacuated displacement compression molding [NASA-CASE-LAR-10782-1] c15 N74-14133
- Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article [NASA-CASE-LAR-10489-1] c15 N74-18124
- THERMOSTATS**
- Thermal switch for transferring excess heat from one region to another heat dissipating one [NASA-CASE-XNP-00463] c33 N70-36847
- Design and development of linear actuator based on bimetallic spring expansion [NASA-CASE-NPO-10637] c15 N72-12409
- THICK FILMS**
- Material compositions and processes for developing dielectric thick films used in microcircuit capacitors [NASA-CASE-LAR-10294-1] c26 N72-28762
- THIN FILMS**
- Temperature sensitive capacitor device for detecting very low intensity infrared radiation [NASA-CASE-XNP-09750] c14 N69-39937
- Thin film gage for measuring convective heat transfer on surfaces in air stream [NASA-CASE-NPO-10617] c14 N70-12618
- Means and methods of depositing thin films on substrates [NASA-CASE-XNP-00595] c15 N70-34967
- Method of forming thin window drifted silicon charged particle detector [NASA-CASE-XLE-00808] c24 N71-10560
- Describing apparatus used in vacuum deposition of thin film inductive windings for spacecraft microcircuitry [NASA-CASE-XNP-01667] c15 N71-17647
- Describing method for vapor deposition of gallium arsenide films to manganese substrates to provide semiconductor devices with low resistance substrates [NASA-CASE-XNP-01328] c26 N71-18064
- Development of stable electronic amplifier adaptable for monolithic and thin film construction [NASA-CASE-XGS-02812] c09 N71-19466
- Sputter proof evaporant source design for use in vacuum deposition of solid thin films on substrates [NASA-CASE-XNP-06065] c15 N71-20395
- Binding layer of semiconductor particles by electrodeposition [NASA-CASE-XNP-01959] c26 N71-23043

- Device for high vacuum film deposition with
electromagnetic ion steering
[NASA-CASE-NPO-10331] c09 N71-26701
- Magnetic recording head composed of ferrite core
coated with thin film of aluminum-iron-silicon
alloy
[NASA-CASE-GSC-10097-1] c08 N71-27210
- Thin film capacitive bolometer and capacitance
temperature interchange sensor
[NASA-CASE-NPO-10607] c09 N71-27232
- Electrical connections for thin film hybrid
microcircuits
[NASA-CASE-XMS-02182] c10 N71-28783
- Single crystal film semiconductor devices
[NASA-CASE-ERC-10222] c09 N72-22199
- Waveguide, thin film window and microwave irises
[NASA-CASE-LAR-10513-1] c07 N72-25170
- Thin absorbing metallic film for increased
visible light transmission
[NASA-CASE-LAR-10836-1] c26 N72-27784
- Development of thin film microwave iris
installed in microwave waveguide transverse to
flow of energy in waveguide
[NASA-CASE-LAR-10511-1] c09 N72-29172
- Development of procedure for producing thin
transparent films of zinc oxide on transparent
refractory substrate
[NASA-CASE-FRC-10019] c15 N73-12487
- Process for analysis of strain field of
structures subjected to large deformations
involving low modulus substrate with thin
coating
[NASA-CASE-LAR-10765-1] c32 N73-20740
- Method for vapor deposition of thin films
[NASA-CASE-MFS-20775-1] c26 N73-23770
- Dual wavelength system for monitoring film
deposition
[NASA-CASE-MFS-20675] c26 N73-26751
- Monomer polymerization by plasma discharge as
thin film for water purification membrane
[NASA-CASE-ARC-10643-1] c06 N73-29074
- Thin film analyzer utilizing holographic
techniques
[NASA-CASE-MFS-20823-1] c16 N73-30476
- Transparent switchboard which permits optical
display devices to be adapted for use in man
machine communications
[NASA-CASE-HSC-13746-1] c10 N73-32143
- Method for determining thermo-physical
properties of specimens --- photographic
recording of changes in thin film phase-change
temperature indicating material in wind tunnel
[NASA-CASE-LAR-11053-1] c33 N74-18551
- THIN WALLED SHELLS**
Thin walled pressure test vessel using
low-melting alloy-filled joint to attach shell
to heads
[NASA-CASE-XLE-04677] c15 N71-10577
- THIN WALLS**
Channel-type shell construction for rocket
engines and related configurations
[NASA-CASE-XLE-00144] c28 N70-34860
- Sealed separable connection for thin wall metal
tube
[NASA-CASE-NPO-10064] c15 N71-17693
- Low mass truss structure with elongated
thin-walled tubular segments
[NASA-CASE-LAR-10546-1] c11 N72-25287
- Development of differential pressure control
system using motion of mechanical diaphragms
to operate electric switch
[NASA-CASE-MFS-14216] c14 N73-13418
- Method of fabricating an article with cavities
--- with thin bottom walls
[NASA-CASE-LAR-10318-1] c14 N74-18089
- Method of fabricating an object with a thin wall
having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c15 N74-21059
- THORIUM FLUORIDES**
Ultraviolet filter of thorium fluoride and
cryolite on quartz base
[NASA-CASE-XNP-02340] c23 N69-24332
- THREADS**
Gage for quality control of sealing surfaces of
threaded boss
[NASA-CASE-XNP-04966] c14 N71-17658
- Threadless fastener apparatus comprising
receiving apertures for plurality of articles,
self-locked condition, and capable of using
nonmalleable materials in both ends
[NASA-CASE-XPR-05302] c15 N71-23254
- THREE DIMENSIONAL MOTION**
Solid state controller three axes controller
[NASA-CASE-HSC-12394-1] c03 N74-10942
- THRESHOLD GATES**
Apparatus with summing network for compression
of analog data by decreasing slope threshold
sampling
[NASA-CASE-NPO-10769] c08 N72-11171
- Boron radiation hardening for stabilizing gate
threshold potential of MOS devices
[NASA-CASE-GSC-11425-2] c09 N73-32114
- THRESHOLD LOGIC**
Silicon controlled rectifier pulse gate
amplifier for blocking false gating caused by
negative transient voltages
[NASA-CASE-XLA-07497] c09 N71-12514
- THRUST**
Turbofans under wings to provide lift and thrust
for STOL aircraft
[NASA-CASE-LEW-11224-1] c02 N72-10033
- THRUST AUGMENTATION**
Exhaust nozzle with afterburning for generating
thrust
[NASA-CASE-XLA-00154] c28 N70-33374
- Construction and method of arranging plurality
of ion engines to form cluster thereby
increasing efficiency and control by
decreasing heat radiated to space
[NASA-CASE-XNP-02923] c28 N71-23081
- Adjustable airfoil for reversible cowl flap
inlet thrust augmentation
[NASA-CASE-ARC-10754-1] c28 N73-32624
- THRUST CHAMBERS**
Rocket chamber leak test fixture using tubular
plug
[NASA-CASE-XPR-09479] c14 N69-27503
- Supporting and protecting frame structure and
plug for empty thrust chamber assembly,
handling, and shipping
[NASA-CASE-XMF-00580] c11 N70-35383
- Large area-ratio nozzles for rocket motor thrust
chambers
[NASA-CASE-XLE-00145] c28 N70-36806
- Method for shaping regeneratively cooled rocket
motor casing having minimum thickness at each
channel cross section
[NASA-CASE-XLE-00409] c28 N71-15658
- Regeneratively cooled rocket motor casing with
tapered channels to insure minimum thicknesses
at each channel cross section for necessary
strength requirements
[NASA-CASE-XLE-05689] c28 N71-15659
- Rocket engine injector orifice to accommodate
changes in density, velocity, and pressure,
thereby maintaining constant mass flow rate of
propellant into rocket combustion chamber
[NASA-CASE-XLE-03157] c28 N71-24736
- Fuel and oxidizer injection head for thrust
chamber of reaction engine
[NASA-CASE-NPO-10046] c28 N72-17843
- Continuous gas flow control by fluidic
proportional thruster system
[NASA-CASE-ARC-10106-1] c28 N72-22769
- Radial magnetic field for ion thruster
[NASA-CASE-LEW-10770-1] c28 N72-22770
- Thermal flux transfer system for maintaining
thrust chamber of operative reaction motor at
given temperatures
[NASA-CASE-NPO-12070-1] c28 N73-32606
- THRUST CONTROL**
Electromechanical actuator and its use in rocket
thrust control valve
[NASA-CASE-XNP-05975] c15 N69-23185
- Solid propellant rocket vehicle thrust control
method and apparatus
[NASA-CASE-XNP-00217] c28 N70-38181
- Thrust and attitude control apparatus using jet
nozzle in movable canard surface or fin
configuration
[NASA-CASE-XLE-03583] c31 N71-17629
- Detonation reaction engine comprising outer
housing enclosing pair of inner walls for
continuous flow
[NASA-CASE-XNP-06926] c28 N71-22983
- Low mass ionizing device for use in electric
thrust spacecraft engines
[NASA-CASE-XNP-01954] c28 N71-28850

- Heated porous plug microthruster for spacecraft reaction jet controlled systems such as fuel flow regulation, propellant disassociation, and heat transfer augmentation
[NASA-CASE-GSC-10640-1] c28 N72-18766
- THRUST MEASUREMENT**
Dynamometer measuring microforce thrust produced by ion engine
[NASA-CASE-XLR-00702] c14 N70-40203
Development of thrust dynamometer for measuring performance of jet and rocket engines
[NASA-CASE-XLE-05260] c14 N71-20429
Development of temperature compensated thrust measuring gage for measuring forces as function of time in environment with varying temperature
[NASA-CASE-XGS-02319] c14 N71-22965
Micro-pound extended range thrust stand for small rocket engines
[NASA-CASE-GSC-10710-1] c28 N71-27094
- THRUST VECTOR CONTROL**
Thrust vector control by secondary injection of fluid into rocket nozzle flow field to separate exhaust flow
[NASA-CASE-XLE-00208] c28 N70-34294
High velocity guidance and spin stabilization gyro controlled jet reaction system for launch vehicle payloads
[NASA-CASE-XLA-01339] c31 N71-15692
Ion beam deflector system for electronic thrust vector control for ion propulsion yaw, pitch, and roll forces
[NASA-CASE-LEW-10689-1] c28 N71-26173
Tertiary flow injection system for thrust vectoring of propulsive nozzle flow
[NASA-CASE-MFS-20831] c28 N71-29153
Development of thrust control system for application to control of aircraft and spacecraft
[NASA-CASE-MSC-13397-1] c21 N72-25595
Development of vortex fluid amplifier for throttling rocket exhaust
[NASA-CASE-LEW-10374-1] c28 N73-13773
- THRUST-WEIGHT RATIO**
Launch pad missile release system with bending moment change rate reduction in thrust distribution structure at liftoff
[NASA-CASE-XNP-03198] c30 N70-40353
- THYROID GLAND**
Apparatus for producing high purity I-123 --- for thyroid measurement
[NASA-CASE-LEW-10518-3] c15 N74-10476
- TILES**
Strain arrestor plate --- bonding rigid thermal insulation tiles to metallic plates or structural parts
[NASA-CASE-HSC-14182-1] c18 N74-15213
- TIME CONSTANT**
Variable time constant, wide frequency range smoothing network for noise removal from pulse chains
[NASA-CASE-XGS-01983] c10 N70-41964
- TIME DISCRIMINATION**
Extra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit
[NASA-CASE-XGS-00381] c09 N70-34819
- TIME DIVISION MULTIPLEXING**
Synchronizing apparatus for multi-access satellite time division multiplex system
[NASA-CASE-XGS-05918] c07 N69-39974
Time division multiplexer with magnetic latching relays
[NASA-CASE-XNP-00431] c09 N70-38998
Data processor having multiple sections activated at different times by selective power coupling to sections
[NASA-CASE-XGS-04767] c08 N71-12494
Minimum time delay unit for conventional time multiplexed data compression channels
[NASA-CASE-XNP-08832] c08 N71-12506
Time division relay synchronizer with master sync pulse for activating binary counter to produce signal identifying time slot for station
[NASA-CASE-GSC-10373-1] c07 N71-19773
Sampling circuit for signal processing in multiplex transmission by Fourier analysis
[NASA-CASE-NPO-10388] c07 N71-24622
- Time division multiplexed telemetry transmitting system controlled by programmed memory
[NASA-CASE-GSC-10131-1] c07 N71-24624
- TIME FUNCTIONS**
Cathode ray oscilloscope for analyzing electrical waveforms representing amplitude distribution of time function
[NASA-CASE-XNP-01383] c09 N71-10659
- TIME LAG**
Closed loop radio communication ranging system to determine distance between moving airborne vehicle and fixed ground station
[NASA-CASE-XNP-01501] c21 N70-41930
Minimum time delay unit for conventional time multiplexed data compression channels
[NASA-CASE-XNP-08832] c08 N71-12506
Apparatus for estimating amplitude and sign of phase difference or time lag between two signals
[NASA-CASE-NPO-11203] c10 N72-20224
- TIME MEASURING INSTRUMENTS**
Mechanism for measuring nanosecond time differences between luminous events using streak camera
[NASA-CASE-XLA-01987] c23 N71-23976
- TIME OF FLIGHT SPECTROMETERS**
Design and characteristics of time of flight mass spectrometer to measure or analyze gases at low pressures and time of flight of single gas molecule
[NASA-CASE-XNP-01056] c14 N71-23041
Cosmic dust analyzer using ion time of flight techniques to determine constituency of hypervelocity particles such as micrometeoroids
[NASA-CASE-MSC-13802-1] c30 N72-20805
- TIME SERIES ANALYSIS**
Device for performing statistical time-series analysis of complex electrical signal waveforms
[NASA-CASE-MSC-12428-1] c10 N73-25240
- TIME SHARING**
Integrated time shared instrumentation display for aerospace vehicle simulators
[NASA-CASE-XLA-01952] c08 N71-12507
- TIME SIGNALS**
Monitoring system for signal amplitude ranges over predetermined time interval
[NASA-CASE-XMS-04061-1] c09 N69-39885
Development of method for synchronizing clocks at several ground stations based on signals received from spacecraft or satellites
[NASA-CASE-XNP-08875] c10 N71-23099
Time synchronization system for synchronizing clocks at remote locations with master clock using moon reflected coded signals
[NASA-CASE-NPO-10143] c10 N71-26326
Circuit for measuring wide range of pulse rates by utilizing high capacity counter
[NASA-CASE-XNP-06234] c10 N71-27137
System for generating timing and control signals during repetitive fixed length serial data transmission
[NASA-CASE-NPO-13125-1] c09 N73-18225
- TIMING DEVICES**
Design and development of synchronous servo loop control system
[NASA-CASE-XNP-03744] c10 N71-20448
Development of method for synchronizing clocks at several ground stations based on signals received from spacecraft or satellites
[NASA-CASE-XNP-08875] c10 N71-23099
Development and characteristics of resettable monostable pulse generator with charge rundown-timing circuit
[NASA-CASE-GSC-11139] c09 N71-27016
Data acquisition and processing system with buffer storage and timing device for magnetic tape recording of PCM data and timing information
[NASA-CASE-NPO-12107] c08 N71-27255
High speed photo-optical time recorder for indicating time at exposure of each frame of high speed movie camera film
[NASA-CASE-KSC-10294] c14 N72-18411
- TIRES**
Temperature sensor warning system for pneumatic tires of aircraft and ground vehicles
[NASA-CASE-XLA-01926] c14 N71-15620
Resilient wheel design with woven wire tire and abrasive treads for lunar surface vehicles
[NASA-CASE-MPS-13929] c15 N71-2709

- TISSUES (BIOLOGY)**
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c14 N74-19093
- TITANATES**
Vacuum preparation of zinc titanate pigment resistant to loss of reflective properties
[NASA-CASE-MPS-13532] c18 N72-17532
- TITANIUM**
Joining aluminum to stainless steel by bonding aluminum coatings onto titanium coated stainless steel and brazing aluminum to aluminum/titanium coated steel
[NASA-CASE-MPS-07369] c15 N71-20443
- TITANIUM ALLOYS**
Method to prevent stress corrosion cracking in titanium alloys
[NASA-CASE-NPO-10271] c17 N71-16393
Chemical spot tests for identification of titanium and titanium alloys used in aerospace vehicles
[NASA-CASE-LAR-10539-1] c17 N73-12547
- TOLERANCES (MECHANICS)**
Mechanism for restraining universal joints to prevent separation while allowing bending, angulation, and lateral offset in any position about axis
[NASA-CASE-XNP-02278] c15 N71-28951
- TOOLS**
Tool attachment for spreading or moving away loose elements from terminal posts during winding of filamentary elements
[NASA-CASE-XMF-02107] c15 N71-10809
Development of adjustable attitude guide block for setting pins perpendicular to irregular convex work surface
[NASA-CASE-XLA-07911] c15 N71-15571
Hand tool for forming dimples and nipples on end portion of tubes
[NASA-CASE-XMS-06876] c15 N71-21536
Tool for mounting and removing studs with adhesive coated head portion
[NASA-CASE-MPS-20299] c15 N72-11392
Development of manually operated tool for facing exposed end to insert installed in honeycomb panel
[NASA-CASE-MPS-21485-1] c15 N72-31490
- TOOTH DISEASES**
Process for preparing calcium phosphate salts for tooth repair
[NASA-CASE-ERC-10338] c04 N72-33072
- TORCHES**
Computer controlled apparatus for maintaining welding torch angle and velocity during seam tracking
[NASA-CASE-XMF-03287] c15 N71-15607
Development of electric seaming torch with casing on one end to form inert gas shield
[NASA-CASE-XMF-02330] c15 N71-23798
- TOROIDS**
Flux gate magnetometer with toroidal gating coil and solenoidal output coil for signal modulation or amplification
[NASA-CASE-XGS-01881] c09 N70-40123
- TORQUE**
Gearing system for eliminating backlash and filtering input torque fluctuations from high inertia load
[NASA-CASE-XGS-04227] c15 N71-21744
Coupling arrangement for isolating torque loads from axial, radial, and bending loads
[NASA-CASE-XLA-04897] c15 N72-22482
- TORQUE MOTORS**
Low speed phaselock speed control system --- for brushless dc motor
[NASA-CASE-GSC-11127-1] c09 N74-10202
- TORQUEMETERS**
Remote-reading torquemeter for use where high horsepower are transmitted at high rotational speeds
[NASA-CASE-XLE-00503] c14 N70-34818
Torquemeter for determining magnitude of torque generated by interaction of magnetic dipole between test specimen and ambient magnetic field
[NASA-CASE-XGS-01013] c14 N71-23725
- TORSO**
Restraint torso for increased mobility and reduced physiological effects while wearing pressurized suits
[NASA-CASE-MSC-12397-1] c05 N72-25119
- TOUCH**
Mechanically operated hand which can depress trigger using touch control device
[NASA-CASE-MPS-20413] c15 N72-21463
Measuring method for cutaneous perception using instrument with elongated tubular housing
[NASA-CASE-MSC-13609-1] c05 N72-25122
Prosthetic limb with tactile sensing device
[NASA-CASE-MPS-16570-1] c05 N73-32013
- TOWERS**
Aerial capsule emergency separation device using jettisonable towers
[NASA-CASE-XLA-00115] c03 N70-33343
- TOXICITY AND SAFETY HAZARD**
Apparatus for remote handling of materials --- mixing or analyzing dangerous chemicals
[NASA-CASE-LAR-10634-1] c15 N74-18123
- TOXICOLOGY**
System for continuous monitoring of exhalations, weighing, and cage cleaning for animal exposed to controlled atmosphere for toxic study
[NASA-CASE-XAC-05333] c11 N71-22875
- TRACE CONTAMINANTS**
Describing crystal oscillator instrument for detecting condensable gas contaminants in vacuum apparatus
[NASA-CASE-NPO-10144] c14 N71-17701
Heated tungsten filter for removing oxygen impurities from cesium
[NASA-CASE-XNP-04262-2] c17 N71-26773
- TRACE ELEMENTS**
Ion microprobe mass spectrometer with cooled electrode target for analyzing traces of fluids
[NASA-CASE-ERC-10014] c14 N71-28863
- TRACKING (POSITION)**
Sensor consisting of photocells mounted on pyramidal base for improved pointing accuracy of planetary trackers
[NASA-CASE-XNP-04180] c07 N69-39736
Telespectrograph for analyzing upper atmosphere by tracking bodies reentering atmosphere at high velocities
[NASA-CASE-XLA-03273] c14 N71-18699
Laser beam projector for continuous, precise alignment between target, laser generator, and astronomical telescope during tracking
[NASA-CASE-NPO-11087] c23 N71-29125
- TRACKING FILTERS**
System for phase locking onto carrier frequency signal located within receiver bandpass
[NASA-CASE-XGS-04994] c09 N69-21543
- TRACKING RADAR**
Electronic and mechanical scanning control system for monopulse tracking antenna
[NASA-CASE-XGS-05582] c07 N69-27460
Phase locked loop with sideband rejecting properties in continuous wave tracking radar
[NASA-CASE-XNP-02723] c07 N70-41680
Interferometric tuning acquisition and tracking radar antenna system
[NASA-CASE-XMS-09610] c07 N71-24625
Acquisition and tracking system for optical radar
[NASA-CASE-MPS-20125] c16 N72-13437
- TRACKING STATIONS**
Optical monitor panel consisting of translucent screen with test or meter information projected onto it from rear for application in control rooms of missile launching and tracking stations
[NASA-CASE-XKS-03509] c14 N71-23175
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c07 N74-15838
- TRAILING-EDGE FLAPS**
Double hinged flap for boundary layer control over trailing edges of wings
[NASA-CASE-XLA-01290] c02 N70-42016
- TRAINING SIMULATORS**
Low and zero gravity simulator for astronaut training
[NASA-CASE-MPS-10555] c11 N71-19494
Apparatus for training astronaut crews to perform on simulated lunar surface under conditions of lunar gravity
[NASA-CASE-XMS-04798] c11 N71-21474
- TRAJECTORY ANALYSIS**
Table structure and rotating magnet system simulating gravitational forces on spacecraft and displaying trajectories between Earth,

- Venus, and Mercury
[NASA-CASE-XNP-00708] c14 N70-35394
- Planetary atmospheric investigation using split
trajectory dual flyby mode
[NASA-CASE-XAC-08494] c30 N71-15990
- TRAJECTORY CONTROL**
- Spacecraft trajectory correction propulsion system
[NASA-CASE-XNP-01104] c28 N70-39931
- Development of technique for control of free
flight rocket vehicles
[NASA-CASE-XLA-00937] c31 N71-17691
- Attitude stabilizer for nonguided missile or
vehicle with respect to trajectory
[NASA-CASE-ARC-10134] c30 N72-17873
- TRANSDUCERS**
- Fabrication of pressure-telemetry transducers
[NASA-CASE-XNP-09752] c14 N69-21541
- Bootstrap unloading circuits for sampling
transducer voltage sources without drawing
current
[NASA-CASE-XNP-09768] c09 N71-12516
- Transducer for measuring deflections from
vibrating structures
[NASA-CASE-XLA-03135] c32 N71-16428
- Describing device for surveying contour of
surface using X-Y plotter and traveling
transducer
[NASA-CASE-XLA-08646] c14 N71-17586
- Rotary bead dropper and selector for testing
micrometeorite transducers
[NASA-CASE-XGS-03304] c09 N71-22988
- Development and characteristics of self-
calibrating displacement transducer for
measuring magnitude and frequency of
displacement of bodies
[NASA-CASE-XLA-00781] c09 N71-22999
- Transducer frame for use with extensometer to
continuously monitor specimen sample
[NASA-CASE-XLA-10322] c15 N72-17452
- Split range transducer
[NASA-CASE-XLA-11189] c10 N72-20222
- Pulsed excitation voltage circuit for strain
gage bridge transducers
[NASA-CASE-FRC-10036] c09 N72-22200
- Passive type, magnifying scratch gage, force
transducer
[NASA-CASE-LAR-10496-1] c14 N72-22437
- Transducer for converting arterial pulse wave
into electric signals
[NASA-CASE-GSC-11531-1] c05 N73-11097
- Development of electronic detection system for
remotely determining number and movement of
enemy personnel
[NASA-CASE-ARC-10097-2] c07 N73-25160
- Development of electronic circuit for
measurement transducer power supply to be used
for liquid level measurement in liquid
propellant rocket engines
[NASA-CASE-NFS-21698-1] c09 N73-26196
- Acoustical transducer calibrating system
including differential pressure activating
device
[NASA-CASE-FRC-10060-1] c14 N73-27379
- Demodulator for carrier transducers
[NASA-CASE-MUC-10107-1] c09 N74-17930
- TRANSFER FUNCTIONS**
- Electronic optical transfer function analyzer
using scanning image dissection system to
produce representative output signal
[NASA-CASE-NFS-21672-1] c23 N73-22630
- TRANSFORMERS**
- Impedance transformation device for signal mixing
[NASA-CASE-XGS-01110] c07 N69-24334
- High impedance alternating current sensing
transformer device between two bolometers for
measuring insertion loss of test component
[NASA-CASE-XNP-01193] c10 N71-16057
- Magnetic current regulator for saturable core
transformer
[NASA-CASE-ERC-10075] c09 N71-24800
- Unsaturating magnetic core transformer design
with warning signal for electrical power
processing equipment
[NASA-CASE-ERC-10125] c09 N71-24893
- Development and characteristics of
electronically resettable fuse with saturable
core current sensing transformer having two
outside legs and center leg
[NASA-CASE-XGS-11177] c09 N71-27001
- Development and characteristics of voltage
regulator for connection in series with
alternating current source and load using
three leg, two-window transformer
[NASA-CASE-ERC-10113] c09 N71-27053
- Radial heat flux transformer for use in heating
and cooling processes
[NASA-CASE-NPO-10828] c33 N72-17948
- Current protection equipment for saturable core
transformers
[NASA-CASE-ERC-10075-2] c09 N72-22196
- Fail-safe multiple transformer circuit
configuration
[NASA-CASE-NPO-11078] c09 N72-25262
- Banded transformer cores
[NASA-CASE-NPO-11966-1] c09 N74-17928
- TRANSIENT LOADS**
- Deployable cantilever support for deploying
solar cell arrays aboard spacecraft and
reducing transient loading
[NASA-CASE-NPO-10883] c31 N72-22874
- TRANSISTOR AMPLIFIERS**
- Overcurrent protecting circuit for push-pull
transistor amplifiers
[NASA-CASE-MSC-12033-1] c09 N71-13531
- TRANSISTOR CIRCUITS**
- Low power drain transistor feedback circuit
[NASA-CASE-XGS-04999] c09 N69-24317
- Design of transistorized ring counter circuit
with special steering and triggering circuits
[NASA-CASE-XGS-03095] c09 N69-27463
- RC transistor circuit to indicate each pulse of
pulse train and occurrence of nth pulse
[NASA-CASE-XMF-00906] c09 N70-41655
- Linear sawtooth voltage wave generator with
transistor timing circuit having capacitor and
zener diode feedback loops
[NASA-CASE-XMS-01315] c09 N70-41675
- Switching circuit with regeneratively connected
transistors eliminating power consumption when
not in use
[NASA-CASE-XNP-02654] c10 N70-42032
- High voltage transistor circuit
[NASA-CASE-XNP-06937] c09 N71-19516
- Complementary regenerative transistorized switch
circuit employing positive and negative feedback
[NASA-CASE-XGS-02751] c09 N71-23015
- Inverter drive circuit for semiconductor switch
[NASA-CASE-LEW-10233] c10 N71-27126
- Transistorized circuit for producing multiple
slope voltage sweep
[NASA-CASE-XMS-03542] c09 N71-28926
- Circuitry for high input impedance video
processor with high noise immunity
[NASA-CASE-NPO-10199] c09 N72-17156
- Ultra-stable oscillator with complementary
transistors
[NASA-CASE-GSC-11513-1] c09 N74-20862
- TRANSISTORS**
- Power supply with overload protection for series
stage transistor
[NASA-CASE-XMS-00913] c10 N71-23543
- Solid state circuit for switching alternating
current input signal as function of direct
current gating transistor
[NASA-CASE-XNP-06505] c10 N71-24799
- Broadband distribution amplifier with
complementary pair transistor output stages
[NASA-CASE-NPO-10003] c10 N71-26415
- Transistorized switching logic circuits with
tunnel diodes
[NASA-CASE-GSC-10878-1] c10 N72-22236
- Integrated microcircuits and complementary
four-phase logic system
[NASA-CASE-MSC-14240-1] c10 N73-21240
- Inverted geometry transistor for use with
monolithic integrated circuit
[NASA-CASE-ARC-10330-1] c09 N73-32112
- TRANSITION FLOW**
- Ablation article and surface for analyzing flow
transition on ablative surface
[NASA-CASE-LAR-10439-1] c33 N73-27796
- TRANSITIONAL MOTION**
- Centrifuge mounted motion simulator with
elevator mechanism
[NASA-CASE-YAC-00399] c11 N70-34815
- Development and characteristics of translating
horizontal tail assembly for supersonic aircraft
[NASA-CASE-XLA-08801-1] c02 N71-11043

Semilinear bearing comprising two rows of roller bearings separated by spherical bearings and permitting rotational and translational movement
[NASA-CASE-XLA-02809] c15 N71-22982
Positioning mechanism for converting translatory motion into rotary motion
[NASA-CASE-NPO-10679] c15 N72-21462

TRANSMISSION EFFICIENCY

Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver
[NASA-CASE-MFS-21470-1] c10 N74-19870

TRANSMISSION LINES

Portable equipment for validating C band launch pad antennas and transmission lines used for spacecraft checkout
[NASA-CASE-XKS-10543] c07 N71-26292
Collapsible antenna boom and coaxial transmission line having inflatable inner tube
[NASA-CASE-MFS-20068] c07 N71-27191
Phase modulator with tuned variable length electrical lines including coupling and varactor diode circuits
[NASA-CASE-MSC-13201-1] c07 N71-28429
Shielded flat conductor cable of ribbonlike wires laminates in thin flexible insulation
[NASA-CASE-MFS-13687-2] c09 N72-22198
Development of phase control coupling for use with phased array antenna
[NASA-CASE-ERC-10285] c10 N73-16206
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c10 N74-14956
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c09 N74-17927

TRANSMITTANCE

Electro-optical system for scanning variable transmittance objects
[NASA-CASE-NPO-11106-2] c23 N72-28696
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-3] c23 N73-32538

TRANSMITTER RECEIVERS

Low weight, integrated thermoelectric generator/antenna combination for spacecraft
[NASA-CASE-XER-09521] c09 N72-12136
Transmitter receiver system for measuring millivolt electrical signals with high common mode potential
[NASA-CASE-XLE-03155-2] c09 N72-20205
Location identification system with ground based transmitter and aircraft borne receiver/decoder
[NASA-CASE-ERC-10324] c07 N72-25173
Development of timing device for conserving batteries on remote data collection platform by generating synchronous time windows
[NASA-CASE-GSC-11182-1] c31 N73-32769
Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c09 N74-12912

TRANSMITTERS

Temperature telemetric transmitter with frequency determining tank circuit for short range transmission
[NASA-CASE-NPO-10649] c07 N71-24840
Multicarrier communications system for transmitting modulated signals from single transmitter
[NASA-CASE-NPO-11548] c07 N73-26118
Digital transmitter for data bus communications system
[NASA-CASE-MSC-14558-1] c07 N74-17888

TRANSONIC SPEED

Construction of leading edges of surfaces for aerial vehicles performing from subsonic to above transonic speeds
[NASA-CASE-XLA-01486] c01 N71-23497

TRANSONIC WIND TUNNELS

Wind tunnel test section for simulating high Reynolds number over transonic speed range
[NASA-CASE-MFS-20509] c11 N72-17183

TRANSPARENCY

Transparent polycarbonate resin, shell helmet and latch design for high altitude and space flight
[NASA-CASE-XMS-04935] c05 N71-11190

TRANSPONDERS

Equipment for testing of ground station ranging equipment and spacecraft transponders
[NASA-CASE-XMS-05454-1] c07 N71-12391

Spacecraft transponder and ground station radar system for mapping planetary surfaces
[NASA-CASE-NPO-11001] c07 N72-21118
Loop transponder for regenerating code of nu-type ranging system
[NASA-CASE-NPO-11707] c07 N73-25161
Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c09 N74-12912
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c07 N74-15838

TRANSPORTATION

Supporting and protecting frame structure and plug for empty thrust chamber assembly, handling, and shipping
[NASA-CASE-XMF-00580] c11 N70-35383

TRAVELING WAVE AMPLIFIERS

Serrodyne traveling wave tube reentrant amplifier for synchronous communication satellites operating at microwave frequencies
[NASA-CASE-XGS-01022] c07 N71-16088

TRAVELING WAVE MASERS

Design of folded traveling wave maser structure
[NASA-CASE-INP-05219] c16 N71-15550
Comb type traveling wave maser amplifier for improved high gain broadband output
[NASA-CASE-NPO-10548] c16 N71-24831

TRAVELING WAVE TUBES

Segmented superconducting magnet producing staggered magnetic field and suitable for broadband traveling wave masers
[NASA-CASE-XGS-10518] c16 N71-28554

TRAVELING WAVES

Traveling wave maser for operation in 7 to 20 GHz frequency range
[NASA-CASE-NPO-11437] c16 N72-28521

TRIGGER CIRCUITS

Design of transistorized ring counter circuit with special steering and triggering circuits
[NASA-CASE-XGS-03095] c09 N69-27463
Triggering system for electric arc driven impulse wind tunnel
[NASA-CASE-XMF-00411] c11 N70-36913
Voltage range selection apparatus for sensing and applying voltages to electronic instruments without loading signal source
[NASA-CASE-XMS-06497] c14 N71-26244
One shot multivibrator circuit for producing long duration output pulses
[NASA-CASE-ARC-10137-1] c09 N71-28468
Voltage amplitude-responsive trigger circuit with silicon controlled rectifier
[NASA-CASE-GSC-10221-1] c09 N72-23171
Rapidly pulsed, high intensity, incoherent light source
[NASA-CASE-XLE-2529-3] c09 N74-20859

TRIGONOMETRY

Electrical and electromechanical trigonometric computation assembly and space vehicle guidance system for aligning perpendicular axes of two sets of three-axes coordinate references
[NASA-CASE-XMF-00684] c21 N71-21688

TRIMERS

New trifunctional alcohol derived from trimer acid and novel method of preparation
[NASA-CASE-NPO-10714] c06 N69-31244

TRIODES

Vacuum thermionic converter with short-circuited triodes and increased electron transmission and conversion efficiency
[NASA-CASE-XLE-01015] c03 N69-39898

TRITIUM

Method for determining state of charge of alkali batteries by using tritium as tracer
[NASA-CASE-XNP-01464] c03 N71-10728

TRUSSES

Low mass truss structure with elongated thin-walled tubular segments
[NASA-CASE-LAR-10546-1] c11 N72-25287

TUBE HEAT EXCHANGERS

High resistance cross flow heat exchangers for electrothermal rocket engines
[NASA-CASE-XLE-01783] c28 N70-34175
Gas chromatographic method for determining water in nitrogen tetroxide rocket propellant
[NASA-CASE-NPO-10234] c06 N72-17094

TUBES

Forming tubes from long thin flat metal strips

- [NASA-CASE-XGS-04175] c15 N71-18579
 Hermetic sealing device for ends of tubular
 bodies during materials testing operations
 [NASA-CASE-NPO-10431] c15 N71-29132
- TUMBLING MOTION**
 Tumbling motion system for object demagnetization
 [NASA-CASE-XGS-02437] c15 N69-21472
- TUNGSTEN**
 Bonding method for improving contact between
 lead telluride thermoelectric elements and
 tungsten electrodes
 [NASA-CASE-XGS-04554] c15 N69-39786
 Method for producing porous tungsten plates for
 ionizing cesium compounds for propulsion of
 ion engines
 [NASA-CASE-XLE-00455] c28 N70-38197
 Two step process for cladding nuclear fuels with
 tungsten
 [NASA-CASE-XNP-03704] c15 N71-17695
 Small plasma probe using tungsten wire collector
 in tubular shield
 [NASA-CASE-XLE-02578] c25 N71-20747
 Production method for manufacturing porous
 tungsten bodies from tungsten powder particles
 [NASA-CASE-XNP-04339] c17 N71-29137
 Vapor deposition method for forming metallized
 tungsten contacts on silicon substrates
 [NASA-CASE-GSC-10695-1] c09 N72-25259
- TUNGSTEN ALLOYS**
 Evaporating crucible of tantalum-tungsten foil,
 nickel alumina bonding agent, and ceramic
 coating
 [NASA-CASE-XLA-03105] c15 N69-27483
 Cobalt-tungsten alloys with superior strength at
 elevated temperatures
 [NASA-CASE-LEW-10436-1] c17 N73-32415
- TUNING**
 Active tuned circuits for microelectronic
 construction
 [NASA-CASE-GSC-11340-1] c10 N72-33230
 Microwave generator using Gunn effect for
 magnetic tuning
 [NASA-CASE-NPO-12106] c09 N73-15235
- TUNNEL DIODES**
 Low power drain transistor feedback circuit
 [NASA-CASE-XGS-04999] c09 N69-24317
- TURBINE BLADES**
 Transpiration cooled turbine blade made from
 metallic or ceramic wires
 [NASA-CASE-XLE-00020] c15 N70-33226
 Modification and improvement of turbine blades
 for maximum cooling efficiency
 [NASA-CASE-XLE-00092] c15 N70-33264
 Preparation of nickel alloys for jet turbine
 blades operating at high temperatures
 [NASA-CASE-XLE-00151] c17 N70-33283
 External device for liquid spray cooling of gas
 turbine blades
 [NASA-CASE-XLE-00037] c28 N70-33372
 Apparatus for liquid spray cooling of turbine
 blades
 [NASA-CASE-XLE-00027] c33 N71-29152
 Process for welding compressor and turbine
 blades to rotors and discs of jet engines
 [NASA-CASE-LEW-10533-1] c15 N73-28515
- TURBINE ENGINES**
 Design and development of movable turbine inlet
 guide vanes to provide aerodynamic choking for
 jet engine
 [NASA-CASE-LAR-10642-1] c28 N72-27820
 Method and apparatus for improving operating
 efficiency and reducing low speed noise for
 turbine aircraft engines
 [NASA-CASE-LAR-11310-1] c28 N73-31699
- TURBINE PUMPS**
 Pulsed energy power system for application of
 combustible gases to turbine controlling ac
 voltage generator
 [NASA-CASE-MSC-13112] c03 N71-11057
 Portable cryogenic cooling system design
 including turbine pump, cooling chamber, and
 atomizer
 [NASA-CASE-NPO-10467] c23 N71-26654
 Supersonic-combustion rocket
 [NASA-CASE-LEW-11058-1] c28 N74-13502
- TURBINE WHEELS**
 Locking device for retaining turbine rotor
 blades on turbine wheel
 [NASA-CASE-XNP-00816] c28 N71-28928
- Apparatus for welding blades to rotors
 [NASA-CASE-LEW-10533-2] c15 N74-11300
- TURBINES**
 Liquid-vapor interface seal design for turbine
 rotating shafts including helical and
 molecular pumps and liquid cooling of mercury
 vapor
 [NASA-CASE-XNP-02862-1] c15 N71-26294
- TURBOCOMPRESSORS**
 Multistage multiple reentry axial flow reaction
 turbine with reverse flow reentry ducting
 [NASA-CASE-XLE-00170] c15 N70-36412
- TURBOFAN ENGINES**
 Transonic propulsion fan for turbofan engine
 with rotor blade spacing designed to minimize
 noise emission
 [NASA-CASE-LEW-11402-1] c28 N72-20770
 Development of annular acoustically porous
 elements for installation in exhaust and inlet
 ducts of turbofan engine to reduce aircraft
 engine noise intensity
 [NASA-CASE-LAR-11141-1] c02 N73-22975
- TURBOFANS**
 Turbofans under wings to provide lift and thrust
 for STOL aircraft
 [NASA-CASE-LEW-11224-1] c02 N72-10033
- TURBOJET ENGINES**
 Telescoping-spike supersonic nozzle for turbojet
 or ramjet engines
 [NASA-CASE-XLE-00005] c28 N70-39899
 Design and development of gas turbine combustion
 unit with nozzle guide vanes for introducing
 diluent air into combustion gases
 [NASA-CASE-XLE-103477-1] c28 N71-20330
- TURBOMACHINERY**
 Blade vibration damping pins for turbomachinery
 [NASA-CASE-XLE-00155] c28 N71-29154
- TURBOSHAPTS**
 Remote-reading torque meter for use where high
 horsepower are transmitted at high rotative
 speeds
 [NASA-CASE-XLE-00503] c14 N70-34818
- TURBULENT FLOW**
 System for measuring drag forces in a
 turbulently flowing fluid
 [NASA-CASE-ARC-10755-1] c14 N74-14115
- TURNSTILE ANTENNAS**
 Flexible turnstile antenna system for reducing
 nutation in spin-oriented satellites
 [NASA-CASE-XNP-00442] c31 N71-10747
 Broadband modified turnstile antenna for use in
 space tracking and communications
 [NASA-CASE-MSC-12209] c09 N71-24842
 Turnstile slot antenna
 [NASA-CASE-GSC-11428-1] c09 N74-20864
- TURRET**
 Indexing mechanism for cathode array
 substitution in electron beam tube
 [NASA-CASE-NPO-10625] c09 N71-26182
- TWO BODY PROBLEM**
 Instrument for measuring potentials on two
 dimensional electric field plot
 [NASA-CASE-XLA-08493] c10 N71-19421
- TWO PHASE FLOW**
 Solenoid two-step valve for bipropellant flow
 rate control to rocket engine
 [NASA-CASE-XNS-04890-1] c15 N70-22192
 Two phase fluid pressurization system for
 propellant tank
 [NASA-CASE-MSC-12390] c27 N71-29155
 Two-phase flow system with discrete, impinging
 two-phase jets
 [NASA-CASE-NPO-11556] c12 N72-25292
- TYPEWRITERS**
 Guide accessories for correctly aligning paper
 in typewriter to correct typographical errors
 [NASA-CASE-NPS-15218-1] c15 N73-31438

U

U BENDS

- Elbow forming in jacketed pipes while
 maintaining separation between core shape and
 jacket pipes
 [NASA-CASE-XNP-10475] c15 N71-24679
 U shaped heated tube for distillation and
 purification of liquid metals
 [NASA-CASE-XNP-08124-2] c06 N73-13129

- ULLAGE**
Radiation source and detection system for measuring amount of liquid inside tanks independently of liquid configuration
[NASA-CASE-MSC-12280] c27 N71-16348
- ULTRAHIGH VACUUM**
Solid lubricant applied to porous roller bearings prior to use in ultrahigh vacuum
[NASA-CASE-XLE-09527] c15 N71-17688
Calibration of vacuum gauges for measuring total and partial pressures in ultrahigh vacuum region
[NASA-CASE-XGS-07752] c14 N73-30390
Ultrahigh vacuum gauge with two collector electrodes
[NASA-CASE-LAR-02743] c14 N73-32324
Insitu transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c14 N74-15092
- ULTRASONIC AGITATION**
Development of ultrasonic radiation equipment for removing material from host surface and vacuum apparatus for recovery of material
[NASA-CASE-NPO-11213] c15 N73-20514
- ULTRASONIC RADIATION**
Ultrasonic biomedical measuring and recording apparatus --- for recording motion of internal organs such as heart valves
[NASA-CASE-ARC-10597-1] c05 N74-20726
- ULTRASONIC TESTS**
Ultrasonic scanner for radial and flat panels
[NASA-CASE-MFS-20335-1] c14 N74-10415
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c15 N74-15130
Method and apparatus for nondestructive testing --- using high frequency arc discharges
[NASA-CASE-MFS-21233-1] c23 N74-15395
- ULTRASONIC WAVE TRANSDUCERS**
Development of ultrasonic radiation equipment for removing material from host surface and vacuum apparatus for recovery of material
[NASA-CASE-NPO-11213] c15 N73-20514
Ultrasonic bone densitometer for measuring calcium content of bone structures
[NASA-CASE-MFS-20994-1] c05 N73-30090
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c05 N74-13818
- ULTRASONICS**
Ultrasonic wrench for applying vibratory energy to mechanical fasteners
[NASA-CASE-MFS-20586] c15 N71-17686
- ULTRAVIOLET FILTERS**
Ultraviolet filter of thorium fluoride and cryolite on quartz base
[NASA-CASE-XNP-02340] c23 N69-24332
Development of ultraviolet resonance lamp with improved transmission of radiation
[NASA-CASE-ARC-10030] c09 N71-12521
- ULTRAVIOLET RADIATION**
Ultraviolet radiation resistant alkali-metal silicate coatings for temperature control of spacecraft
[NASA-CASE-XGS-04119] c18 N69-39979
Development of ultraviolet resonance lamp with improved transmission of radiation
[NASA-CASE-ARC-10030] c09 N71-12521
Gas leak detection in evacuated systems using ultraviolet radiation probe
[NASA-CASE-ERC-10034] c15 N71-24896
Phototropic composition of matter with sensitivity to ultraviolet light and usable for producing positive photographic images
[NASA-CASE-XGS-03736] c14 N72-22443
Light shield and cooling apparatus for high intensity ultraviolet lamps
[NASA-CASE-LAR-10089-1] c15 N73-13474
Ultraviolet radiation detector in presence of proton radiation using sensor tubes within shielding mechanism
[NASA-CASE-MFS-21577-1] c03 N73-20042
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-3] c23 N73-32538
Transmitting and reflecting diffuser --- for ultraviolet light
[NASA-CASE-LAR-10385-2] c23 N74-13436
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c18 N74-21156
- ULTRAVIOLET REFLECTION**
Composition and production method of alkali metal silicate paint with ultraviolet reflection properties
[NASA-CASE-XGS-04799] c18 N71-24183
Ultraviolet light reflective coating
[NASA-CASE-GSC-11786-1] c18 N74-10542
- ULTRAVIOLET SPECTRA**
Ultraviolet chromatographic detector for quantitative and qualitative analysis of compounds
[NASA-CASE-HQN-10756-1] c14 N72-25428
- ULTRAVIOLET SPECTROMETERS**
Concave grating spectrometer for use in near and vacuum ultraviolet regions
[NASA-CASE-XGS-01036] c14 N70-40003
Telespectrograph for analyzing upper atmosphere by tracking bodies reentering atmosphere at high velocities
[NASA-CASE-XLA-03273] c14 N71-18699
- UMBILICAL CONNECTORS**
Umbilical separator for rockets
[NASA-CASE-XNP-00425] c11 N70-38202
Remotely actuated quick disconnect mechanism for umbilical cables
[NASA-CASE-XLA-00711] c03 N71-12258
Remotely actuated quick disconnect for tubular umbilical conduits used to transfer fluids from ground to rocket vehicle
[NASA-CASE-XLA-01396] c03 N71-12259
Internal and external serpentine devices for performing physical operations around orbital space stations
[NASA-CASE-XHF-05344] c31 N71-16345
Breakaway multiwire electrical cable connector with particular application for umbilical type cables
[NASA-CASE-NPO-11140] c15 N72-17455
Gas operated quick disconnect coupling for umbilical connectors
[NASA-CASE-NPO-11202] c15 N72-25450
- UMBILICAL TOWERS**
Emergency escape cabin system for launch towers
[NASA-CASE-XKS-02342] c05 N71-11199
- UNDERWATER ENGINEERING**
Ejectable underwater sound source recovery assembly
[NASA-CASE-LAR-10595-1] c15 N74-16135
- UNDERWATER TESTS**
Pressure regulator for space suit worn underwater to simulate space environment for testing and experimentation
[NASA-CASE-MFS-20332] c05 N72-20097
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c05 N73-25125
- UNIFORM FLOW**
Procedure for generating uniform flow at varying velocities in wind tunnel test section
[NASA-CASE-ARC-10710-1] c11 N73-27175
- UNLOADING**
Bootstrap unloading circuits for sampling transducer voltage sources without drawing current
[NASA-CASE-XNP-09768] c09 N71-12516
- UNMANNED SPACECRAFT**
Device which separates and screens particles of soil samples for vidicon viewing in vacuum and reduced gravity environments
[NASA-CASE-XNP-09770-3] c11 N71-27036
- UPPER ATMOSPHERE**
Telespectrograph for analyzing upper atmosphere by tracking bodies reentering atmosphere at high velocities
[NASA-CASE-XLA-03273] c14 N71-18699
Development and operation of apparatus for sampling particulates in gases in upper atmosphere
[NASA-CASE-HQN-10037-1] c14 N73-27376
- URIBALYSIS**
Automated fluid chemical analyzer for microchemical analysis of small quantities of liquids by use of selected reagents and analyzer units
[NASA-CASE-XNP-09451] c06 N71-26754
Enzymatic luminescent bioassay method for determining bacterial levels in urine
[NASA-CASE-GSC-11092-2] c04 N73-27052
Automatic device for assaying urine on bacterial adenosine triphosphate content

[NASA-CASE-GSC-11169-2] c05 N73-32011
 URINATION
 Open type urine receptacle with tubular housing
 [NASA-CASE-MSC-12324-1] c05 N72-22093

V

V GROOVES

Vee-notching device --- with adjustable carriage
 [NASA-CASE-MFS-20730-1] c14 N74-13131

VACUUM

Role mobility of deposited semiconductor films
 in vacuum utilizing thermal gradient
 [NASA-CASE-XKS-04614] c15 N69-21460
 Operating properties of superconducting magnet
 in vacuum environment
 [NASA-CASE-XNP-06503] c23 N71-29049

VACUUM APPARATUS

Null-type vacuum microbalance for measuring
 minute mechanical displacements
 [NASA-CASE-XAC-00472] c15 N70-40180
 Sealing evacuation port and evacuating vacuum
 container such as space jackets
 [NASA-CASE-XMF-03290] c15 N71-23256
 Apparatus for determining volatile condensable
 material present in polymeric products
 [NASA-CASE-XNP-09699] c06 N71-24607
 Oil trap for preventing diffusion pump
 backstreaming into evacuated system
 [NASA-CASE-GSC-10518-1] c15 N72-22489
 Inductance device with vacuum insulation and
 materials of low gas entrapping capability
 [NASA-CASE-LEW-10330-1] c09 N72-27226
 Development of apparatus for producing metal
 powder particles of controlled size
 [NASA-CASE-XLE-06461-2] c17 N72-28535
 Portable vacuum probe surface sampler for
 sampling large surface areas with relatively
 light loading densities of microorganisms
 [NASA-CASE-LAR-10623-1] c14 N73-30395
 Electrostatic entrained material measurement
 system --- comprising vacuum source and tube
 [NASA-CASE-MFS-22128-2] c14 N74-18098
 Fiber separating and cleaning method and apparatus
 [NASA-CASE-LAR-11224-1] c15 N74-20072

VACUUM CHAMBERS

High-vacuum condenser tank for testing ion
 rocket engines
 [NASA-CASE-XLE-00168] c11 N70-33278
 Portable electron beam welding chamber
 [NASA-CASE-LEW-11531] c15 N71-14932
 Space environmental work simulator with portions
 of space suit mounted to vacuum chamber wall
 [NASA-CASE-XMF-07488] c11 N71-18773
 Ionization control system design for monitoring
 separately located ion gage pressures on
 vacuum chambers
 [NASA-CASE-XLE-00787] c14 N71-21090
 Coherent light beam device and method for
 measuring gas density in vacuum chambers
 [NASA-CASE-XER-11203] c14 N71-28994
 Transferring liquid nitrogen through vacuum
 chamber to cryopanel
 [NASA-CASE-LAR-10031] c15 N72-22484
 Vacuum chamber with scale model of rocket engine
 base area of space vehicle
 [NASA-CASE-MFS-20620] c11 N72-27262
 Packless valve for use with evacuation chamber
 with adapter for attachment to vacuum line and
 vacuum pump
 [NASA-CASE-LAR-10061-1] c15 N72-31483
 Apparatus for analyzing gas samples in
 containers including vacuum chamber, mass
 spectrometer, and gas chromatography
 [NASA-CASE-GSC-10903-1] c14 N73-12444
 Design and development of radiometer to observe
 steady state radiation in vacuum environment
 [NASA-CASE-MFS-21108-1] c14 N73-12455
 Design and development of test stand system for
 supporting test items in vacuum chamber
 [NASA-CASE-MFS-21362] c11 N73-20267

VACUUM DEPOSITION

Deposition method for epitaxial beta SiC films
 having high degree of crystallographic
 perfection
 [NASA-CASE-ERC-10120] c26 N69-33482
 Describing apparatus used in vacuum deposition
 of thin film inductive windings for spacecraft
 microcircuitry

[NASA-CASE-XMF-01667] c15 N71-17647
 Spatter proof evaporant source design for use in
 vacuum deposition of solid thin films on
 substrates
 [NASA-CASE-XMF-06065] c15 N71-20395
 Device for high vacuum film deposition with
 electromagnetic ion steering
 [NASA-CASE-NPO-10331] c09 N71-26701

VACUUM FURNACES
 Air lock mechanism for inserting and removing
 specimens from vacuum furnace
 [NASA-CASE-LAR-10841-1] c15 N73-12494

VACUUM GAGES
 Simulating operation of thermopile vacuum gage
 tube at high and low pressures
 [NASA-CASE-XLA-02758] c14 N71-18481
 Calibration of vacuum gauges for measuring total
 and partial pressures in ultrahigh vacuum region
 [NASA-CASE-XGS-07752] c14 N73-30390
 Ionization gage for measuring ultrahigh vacuum
 levels
 [NASA-CASE-XLA-05087] c14 N73-30391
 Insitu transfer standard for ultrahigh vacuum
 gage calibration
 [NASA-CASE-LAR-10862-1] c14 N74-15092

VACUUM MELTING
 Electric furnace for vacuum and zero gravity
 melting of high melting point materials during
 earth orbit
 [NASA-CASE-MFS-20710] c11 N72-23215

VACUUM SYSTEMS
 Shrink-fit vacuum system gas valve
 [NASA-CASE-XGS-00587] c15 N70-35087
 Leakproof soft metal seal for use in very high
 vacuum systems operating at cryogenic
 temperatures
 [NASA-CASE-XGS-02441] c15 N70-41629
 Describing hot filament type Bayard-Alpert
 ionization gage with ion collector buried or
 removed from grid structure
 [NASA-CASE-XLA-07424] c14 N71-18482
 Describing sorption vacuum trap having housing
 with group of reentrant wall portions
 projecting into internal gas-pervious
 container filled with gas and vapor sorbent
 material
 [NASA-CASE-XER-09519] c14 N71-18483

VALVE
 High impact pressure regulator having minimum
 number of lightweight movable elements
 [NASA-CASE-NPO-10175] c14 N71-18625

VALVES
 Actuator using compressed gas as driving force
 to control valve handling large liquid flows
 [NASA-CASE-XHQ-01208] c15 N70-35409
 Two component valve assembly for cryogenic
 liquid transfer regulation
 [NASA-CASE-XLE-00397] c15 N70-36492
 High pressure four-way valve with O ring adapted
 to pass across inlet port
 [NASA-CASE-XNP-00214] c15 N70-36908
 Reinforcing beam system for highly flexible
 diaphragms in valves or pressure switches
 [NASA-CASE-XNP-01962] c32 N70-41370
 Multiple vortex amplifier system as fluid valve
 [NASA-CASE-XMF-04709] c15 N71-15609
 Throttle valve for regulating fluid flow volume
 [NASA-CASE-XNP-09698] c15 N71-18580
 Development and characteristics of high pressure
 control valve
 [NASA-CASE-MSC-11010] c15 N71-19485
 Valve seat with resilient support ring for
 venting valves subjected to high pressure
 sealing loads
 [NASA-CASE-XKS-02582] c15 N71-21234
 Positive locking check valve for stopping
 reversed flow
 [NASA-CASE-XMS-09310] c15 N71-22706
 Valve assembly for controlling simultaneously
 more than one fluid flow, and having stable
 qualities under loads
 [NASA-CASE-XMS-05890] c09 N71-23191
 Segmented sealing surface in valve seat
 [NASA-CASE-NPO-10606] c15 N72-25451
 Packless valve for use with evacuation chamber
 with adapter for attachment to vacuum line and
 vacuum pump
 [NASA-CASE-LAR-10061-1] c15 N72-31483

- Development and characteristics of combined pressure regulator and shutoff valve with variable pressure response characteristics
[NASA-CASE-NPO-13201-1] c15 N73-26474
- Ultrasonically bonded valve assembly
[NASA-CASE-NPO-13360-1] c15 N74-20073
- Flow control valve --- for high temperature fluids
[NASA-CASE-NPO-11951-1] c15 N74-21065
- VANES**
- Design and characteristics of device for sensing solar radiation and providing spacecraft attitude control to maintain direction with respect to incident radiation
[NASA-CASE-XNP-05535] c14 N71-23040
- Rotary vane attenuator with two stators and intermediary rotor, using resistive and orthogonally disposed cards
[NASA-CASE-NPO-11418-1] c14 N73-13420
- VAPOR DEPOSITION**
- Deposition method for epitaxial beta SiC films having high degree of crystallographic perfection
[NASA-CASE-ERC-10120] c26 N69-33482
- Device for producing high purity silicon carbide on carbon base by hydrogen reduction of silicon tetrachloride
[NASA-CASE-XLA-02057] c26 N70-40015
- Water content in vapor deposition atmosphere for forming n-type and p-type junctions of zinc doped gallium arsenide
[NASA-CASE-XNP-01961] c26 N71-29156
- Vapor deposition method for forming metallized tungsten contacts on silicon substrates
[NASA-CASE-GSC-10695-1] c09 N72-25259
- Means of vapor deposition using electric current and evaporator filament
[NASA-CASE-LAR-10541-1] c15 N72-32487
- Method for vapor deposition of thin films
[NASA-CASE-HFS-20775-1] c26 N73-23770
- Deposition of alloy films --- on irregularly shaped metal object
[NASA-CASE-LEW-11262-1] c18 N74-13270
- VAPOR PHASES**
- Method and feed system for separating and orienting liquid and vapor phases of liquid propellants in zero gravity environment
[NASA-CASE-XLE-01182] c27 N71-15635
- Gallium arsenide solar cell preparation by surface deposition of cuprous iodide on thin n-type polycrystalline layers and heating in iodine vapor
[NASA-CASE-XNP-01960] c09 N71-23027
- Mixed liquid and vapor phase analyzer design with thermocouples for relative heat transfer measurement
[NASA-CASE-NPO-10691] c14 N71-26199
- Electronic recording system for spatial mass distribution of liquid rocket propellant droplets or vapors ejected from high velocity nozzles
[NASA-CASE-NPO-10185] c10 N71-26339
- VAPOR PRESSURE**
- Fuel tank pressure-relief device for venting cryogenic liquid vapors through tubes with porous plug
[NASA-CASE-XLE-00288] c15 N70-34247
- Vapor-liquid separator design with vapor driven pump for separated liquid pumping for application in propellant transfer
[NASA-CASE-XHF-04042] c15 N71-23023
- VAPOR TRAPS**
- Describing sorption vacuum trap having housing with group of reentrant wall portions projecting into internal gas-pervious container filled with gas and vapor sorbent material
[NASA-CASE-XER-09519] c14 N71-18483
- VAPORIZERS**
- Vapor generating boiler system for turbine motor
[NASA-CASE-XLE-00785] c33 N71-16104
- VAPORIZING**
- Apparatus and process for volumetrically dispensing reagent quantities of volatile chemicals for small batch reactions
[NASA-CASE-NPO-10070] c15 N71-27372
- Development of method for controlling vapor content of gas
[NASA-CASE-NPO-10633] c03 N72-28025
- VARACTOR DIODE CIRCUITS**
- Phase modulator with tuned variable length electrical lines including coupling and varactor diode circuits
[NASA-CASE-HSC-13201-1] c07 N71-28429
- VARACTOR DIODES**
- Varactor microwave frequency mixing circuit
[NASA-CASE-XGS-02171] c09 N69-24324
- Multiple varactor for generating high frequencies with high power and high conversion efficiency
[NASA-CASE-XHF-04958-1] c10 N71-26414
- Millimeter wave pumped parametric amplifier --- varactor diode mounting structure
[NASA-CASE-GSC-11617-1] c09 N74-10200
- VARIABLE GEOMETRY STRUCTURES**
- Aerospace configuration with low and high aspect ratio variability for high and low speed flight
[NASA-CASE-XLA-00142] c02 N70-33286
- Variable geometry wind tunnel for testing aircraft models at subsonic speeds
[NASA-CASE-XLA-07430] c11 N72-22246
- VARIABLE SWEEP WINGS**
- Variable sweep wing configuration for supersonic aircraft
[NASA-CASE-XLA-00230] c02 N70-33255
- Variable aspect ratio and variable sweep delta wing planforms for supersonic aircraft
[NASA-CASE-XLA-00221] c02 N70-33266
- Supersonic aircraft configuration providing for variable aspect ratio and variable sweep wings
[NASA-CASE-XLA-00166] c02 N70-34178
- Supersonic aircraft variable sweep wing planform for varying aspect ratio
[NASA-CASE-XLA-00350] c02 N70-38011
- Development and characteristics of variable sweep wing control system for supersonic aircraft
[NASA-CASE-XLA-03659] c02 N71-11041
- Design of dual fuselage aircraft with pivoting wing and horizontal stabilizer to permit yawing of wing in flight for high speed operation
[NASA-CASE-ARC-10470-1] c02 N73-26005
- VARIABLE THRUST**
- Variable thrust ion engine using thermal decomposition of solid cesium compound to produce propulsive vapor
[NASA-CASE-XMF-00923] c28 N70-36802
- Continuous variation of propellant flow and thrust by application of liquid foam flow theory to injection orifice
[NASA-CASE-XLE-00177] c28 N70-40367
- VARIATIONS**
- Gearing system for eliminating backlash and filtering input torque fluctuations from high inertia load
[NASA-CASE-XGS-04227] c15 N71-21744
- VECTOR ANALYSIS**
- Development of two force component measuring device
[NASA-CASE-XAC-04886-1] c14 N71-20439
- VECTOCARDIOGRAPHY**
- Electromedical garment, applying vectocardiologic type electrodes to human torsos for data recording during physical activity
[NASA-CASE-XFR-10856] c05 N71-11189
- VEGETATION GROWTH**
- Rotary plant growth accelerating apparatus --- for weightlessness simulation
[NASA-CASE-ARC-10722-1] c04 N74-13807
- VEHICLE WHEELS**
- Resilient vehicle wheel for lunar surface travel
[NASA-CASE-HFS-20400] c31 N71-18611
- Resilient wheel design with woven wire tire and abrasive treads for lunar surface vehicles
[NASA-CASE-HFS-13929] c15 N71-27091
- Omnidirectional wheel
[NASA-CASE-HFS-21309-1] c15 N74-18125
- VELOCITY**
- Velocity limiting safety system for motor driven research vehicle
[NASA-CASE-XLA-07473] c15 N71-24895
- VELOCITY MEASUREMENT**
- Particle detector for measuring micrometeoroid velocity in space
[NASA-CASE-XLA-00495] c14 N70-41332

- Superconductive accelerometer employing variable force principle to determine acceleration of bodies
[NASA-CASE-XMF-01099] c14 N71-15969
- Device for determining acceleration of gravity by interferometric measurement of travel of falling body
[NASA-CASE-XMF-05844] c14 N71-17587
- Describing laser Doppler velocimeter for measuring mean velocity and turbulence of fluid flow
[NASA-CASE-NFS-20386] c21 N71-19212
- Momentum-velocity analyzer for measuring minute space particles
[NASA-CASE-XMS-04201] c14 N71-22990
- Development of combined velocimeter and accelerometer based on color changes in liquid crystalline material subjected to shear stresses
[NASA-CASE-ERC-10292] c14 N72-25410
- System for measuring velocities of radiating particles based on Doppler shift
[NASA-CASE-HQN-10740-1] c24 N72-28719
- Instrument for measuring magnitude and direction of flow velocity in flow field
[NASA-CASE-LAR-10855-1] c14 N73-13415
- Laser Doppler velocimeter for simultaneously measuring orthogonal fluid velocity components without flow field perturbation
[NASA-CASE-ARC-10637-1] c14 N73-21390
- Doppler shift system --- system for measuring velocities of radiating particles
[NASA-CASE-HQN-10740-1] c24 N74-19310
- VELOCITY MODULATION**
- Selector mechanism for mechanical separation and discrimination of high velocity molecular particles
[NASA-CASE-XLE-01533] c11 N71-10777
- Describing device for velocity control of electromechanical drive mechanism of scanning mirror of interferometer
[NASA-CASE-XGS-03532] c14 N71-17627
- VENTILATORS**
- An improved heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c05 N74-17858
- VENTING**
- Fuel tank pressure-relief device for venting cryogenic liquid vapors through tubes with porous plug
[NASA-CASE-XLE-00288] c15 N70-34247
- Venting device for liquid propellant storage tank using magnetic field to separate liquid and gaseous phases
[NASA-CASE-XLE-01449] c15 N70-41646
- Valve seat with resilient support ring for venting valves subjected to high pressure sealing loads
[NASA-CASE-XKS-02582] c15 N71-21234
- Venting device for pressurized space suit helmet to eliminate vomit expelled by crewmen
[NASA-CASE-XMS-09652-1] c05 N71-26333
- Solid propellant rocket engine with venting system to control effective nozzle throat area
[NASA-CASE-XNP-03282] c28 N72-20758
- VENTRAL SECTIONS**
- Deployable flexible ventral fins providing triangular planform of flexible material for spin recovery of aircraft
[NASA-CASE-LAR-10753-1] c02 N73-10031
- VENUS (PLANET)**
- Space simulator with uniform test region radiation distribution, adapted to simulate Venus solar radiations
[NASA-CASE-XNP-00459] c11 N70-38675
- VERTICAL FLIGHT**
- Aircraft indicator for pilot control of takeoff roll, climbout path and verticle flight path in poor visibility conditions
[NASA-CASE-XLA-00487] c14 N70-40157
- VERTICAL LANDING**
- Vertically descending flight vehicle landing gear for rough terrain
[NASA-CASE-XMF-01174] c02 N70-41589
- VERTICAL TAKEOFF AIRCRAFT**
- Mechanical stabilization system for VIOL aircraft
[NASA-CASE-XLA-06339] c02 N71-13422
- Development of attitude control system for vertical takeoff aircraft using reaction nozzles displaced from various axes of aircraft
[NASA-CASE-XAC-08972] c02 N71-20570
- VERY HIGH FREQUENCIES**
- VHF/UHF parasitic probe antenna for spacecraft communication
[NASA-CASE-XKS-09340] c07 N71-24614
- VESTS**
- Lightweight life preserver without fastening devices
[NASA-CASE-XMS-00864] c05 N70-36493
- VIBRATION**
- Three stage motion restraining mechanism for restraining and damping three dimensional vibrational movement of gimbaled package during launch of spacecraft
[NASA-CASE-GSC-10306-1] c15 N71-24694
- Vibration control of flexible bodies in steady accelerating environment
[NASA-CASE-LAR-10106-1] c15 N71-27169
- VIBRATION DAMPING**
- Mercury filled pendulum damper for controlling bending vibration induced by wind effects
[NASA-CASE-LAR-10274-1] c14 N71-17626
- Digital filter for reducing jitter in digital control systems
[NASA-CASE-NPO-11088] c08 N71-29034
- Blade vibration damping pins for turbomachinery
[NASA-CASE-XLE-00155] c28 N71-29154
- VIBRATION EFFECTS**
- Electromagnetic energy detection by thermal sensor with vibrating electrode
[NASA-CASE-XAC-10768] c09 N71-18830
- Development of ultrasonic radiation equipment for removing material from host surface and vacuum apparatus for recovery of material
[NASA-CASE-NPO-11213] c15 N73-20514
- Development of optical system for detecting defective components in rotating machinery with emphasis on bearing assemblies
[NASA-CASE-RSC-10752-1] c15 N73-27407
- VIBRATION ISOLATORS**
- Shock and vibration damping device using temperature sensitive solid amorphous polymers
[NASA-CASE-XAC-11225] c14 N69-27486
- Miniature vibration isolator utilizing elastic tubing material
[NASA-CASE-XLA-01019] c15 N70-40156
- Vibration damping system operating in low vacuum environment for spacecraft mechanisms
[NASA-CASE-XMS-01620] c23 N71-15673
- Hermetically sealed vibration damper design for use in gimbal assembly of spacecraft inertial guidance system
[NASA-CASE-HSC-10959] c15 N71-26243
- Tuned damped vibration absorber for mass vibrating in more than one degree of freedom for use with wind tunnel models
[NASA-CASE-LAR-10083-1] c15 N71-27006
- Vibration isolation system, using coaxial helical compression springs
[NASA-CASE-NPO-11012] c15 N72-11391
- VIBRATION MEASUREMENT**
- Development of system for measuring damping characteristics of structure or system subjected to random forces or influences
[NASA-CASE-ARC-10154-1] c14 N72-22440
- Recording apparatus
[NASA-CASE-LAR-11353-1] c14 N74-20020
- VIBRATION METERS**
- Fiber optic transducers for monitoring and analysis of vibration in aerospace vehicles and onboard equipment
[NASA-CASE-XMF-02433] c14 N71-10616
- VIBRATION MODE**
- Function generators for producing complex vibration mode patterns used to identify vibration mode data
[NASA-CASE-LAR-10310-1] c10 N73-20253
- VIBRATION SIMULATORS**
- Equipment for vibration testing of assemblies, components, and other articles
[NASA-CASE-GSC-11302-1] c14 N73-13416
- VIBRATION TESTS**
- Electronic detection system for peak acceleration limits in vibrational testing of spacecraft components
[NASA-CASE-NPO-10556] c14 N71-27185

- Fixture for supporting articles during vibration tests comprising integral annular unit
[NASA-CASE-MPS-20523] c14 N72-27412
- Equipment for vibration testing of assemblies, components, and other articles
[NASA-CASE-GSC-11302-1] c14 N73-13416
- Multiaxes vibration device for making vibration tests along orthogonal axes of test specimen
[NASA-CASE-MPS-20242] c14 N73-19421
- VIBRATIONAL SPECTRA**
Tuned damped vibration absorber for mass vibrating in more than one degree of freedom for use with wind tunnel models
[NASA-CASE-LAR-10083-1] c15 N71-27006
- VIDEO COMMUNICATION**
Circuitry for generating sync signals in FM communication systems including video information
[NASA-CASE-IXP-10830] c07 N71-11281
- Monitoring circuit design for sampling circuit control and reduction of time-bandwidth in video communication systems
[NASA-CASE-IXP-02791] c07 N71-23026
- Teletypewriter video communication system and apparatus
[NASA-CASE-IXP-06611] c07 N71-26102
- VIDEO DATA**
TV camera output signal control system for digital spacecraft communication
[NASA-CASE-IXP-01472] c14 N70-41807
- Transient video signal tape recorder with expanded playback
[NASA-CASE-ARC-10003-1] c09 N71-25866
- Restoration and improvement of demodulated facsimile video signals
[NASA-CASE-GSC-10185-1] c07 N72-12081
- Photoconducting semiconductor system for converting stored optical images into video signals
[NASA-CASE-NPO-13131-1] c16 N73-31467
- Manually and automatically operable video switching system
[NASA-CASE-KSC-10782-1] c07 N73-32063
- VIDEO EQUIPMENT**
Video signal processing system for sampling video brightness levels
[NASA-CASE-NPO-10140] c07 N71-24742
- Video sync processor with phase locked system
[NASA-CASE-KSC-10002] c10 N71-25865
- Teletypewriter video communication system and apparatus
[NASA-CASE-IXP-06611] c07 N71-26102
- Video signal enhancement of signal component representing brightness of scene element in low contrast
[NASA-CASE-NPO-10343] c07 N71-27341
- Circuitry for high input impedance video processor with high noise immunity
[NASA-CASE-NPO-10199] c09 N72-17156
- Electronic video editor for switching video input signals to common output channel
[NASA-CASE-KSC-10003] c10 N73-13235
- Video tape recorder with scan conversion playback for color television signals
[NASA-CASE-NPO-10166-1] c07 N73-22076
- VIDICONS**
Operation of vidicon tube for scanning spatial charge density pattern
[NASA-CASE-IXP-06028] c09 N71-23189
- Device which separates and screens particles of soil samples for vidicon viewing in vacuum and reduced gravity environments
[NASA-CASE-IXP-09770-3] c11 N71-27036
- VINYL POLYMERS**
Method of producing output voltage from photovoltaic cell using poly-N-vinyl carbazole complexed with iodine
[NASA-CASE-NPO-10373] c03 N71-18698
- VINYLENES**
Preparation of dicyanoacetylene and vinylidene copolymers using organic compounds
[NASA-CASE-IXP-03250] c06 N71-23500
- VISCOELASTICITY**
Automated ball rebound resilience test equipment for determining viscoelastic properties of polymers
[NASA-CASE-XLA-08254] c14 N71-26161
- Development and characteristics of parallel plate viscometer for determination of absolute viscosity of liquids and viscoelastic materials
[NASA-CASE-NPO-11387] c14 N73-14429
- Viscoelastic shock absorbing mount for electrical circuit board
[NASA-CASE-NPO-13253-1] c15 N73-31445
- VISCOMETERS**
Describing instrument capable of measuring true shear viscosity of liquids and viscoelastic materials
[NASA-CASE-IXP-09462] c14 N71-17584
- Development and characteristics of parallel plate viscometer for determination of absolute viscosity of liquids and viscoelastic materials
[NASA-CASE-NPO-11387] c14 N73-14429
- VISCOSITY**
Low density and low viscosity magnetic propellant for use under zero gravity conditions
[NASA-CASE-XLE-01512] c12 N70-40124
- VISCOUS DAMPING**
Shock and vibration damping device using temperature sensitive solid amorphous polymers
[NASA-CASE-IAC-11225] c14 N69-27486
- Design and operation of viscous pendulum damper
[NASA-CASE-XLA-02079] c12 N71-16894
- Mercury filled pendulum damper for controlling bending vibration induced by wind effects
[NASA-CASE-LAA-10274-1] c14 N71-17626
- VISIBILITY**
Controlled visibility device for simulating poor visibility conditions in training pilots in instrument landing and flight procedures
[NASA-CASE-XPR-04147] c11 N71-10748
- Detergent with glyceryl esters and oil as protective coating to prevent fogging of space suit visor
[NASA-CASE-MSC-13530-2] c06 N73-11107
- VISORS**
Detergent with glyceryl esters and oil as protective coating to prevent fogging of space suit visor
[NASA-CASE-MSC-13530-2] c06 N73-11107
- VISUAL CONTROL**
Visual target luminaires for retrofire attitude control
[NASA-CASE-XMS-12158-1] c31 N69-27499
- VISUAL FIELDS**
Automated visual sensitivity tester for determining visual field sensitivity and blind spot size
[NASA-CASE-ARC-10329-1] c05 N73-26072
- VISUAL OBSERVATION**
Optical vision testing unit for testing eyes and visual system of human subject
[NASA-CASE-MSC-13601-1] c05 N72-11088
- VISUAL PERCEPTION**
High pressure liquid flow sight assembly for wide temperature range applications including cryogenic fluids
[NASA-CASE-XLE-02998] c14 N70-42074
- VISUAL STIMULI**
Reaction tester for testing reaction to light stimuli
[NASA-CASE-MSC-13604-1] c05 N73-13114
- VOICE COMMUNICATION**
Position locating system for remote aircraft using voice communication and digital signals
[NASA-CASE-GSC-10087-2] c21 N71-13958
- Earth satellite relay station for frequency multiplexed voice transmission
[NASA-CASE-GSC-10118-1] c07 N71-24621
- Voice operated receiving and transmitting system for use in protective suits
[NASA-CASE-KSC-10164] c07 N71-33108
- VOICE DATA PROCESSING**
Procedure for repairing and recovering voice data from heat damaged magnetic tapes
[NASA-CASE-MSC-14219-1] c07 N73-16132
- VOLATILITY**
Apparatus for determining volatile condensable material present in polymeric products
[NASA-CASE-IXP-09699] c06 N71-24607
- VOLT-AMPERE CHARACTERISTICS**
Simulating voltage-current characteristic curves of solar cell panel with different operational parameters
[NASA-CASE-XMS-01554] c10 N71-10578
- VOLTAGE AMPLIFIERS**
Increasing power conversion efficiency of electronic amplifiers by power supply switching

- [NASA-CASE-XMS-00945] c09 N71-10798
Bootstrap unloading circuits for sampling
transducer voltage sources without drawing
current
- [NASA-CASE-XNP-09768] c09 N71-12516
RC networks with voltage amplifier, RC input
circuit, and positive feedback
- [NASA-CASE-ARC-10020] c10 N72-17172
Wide range analog to digital converter with
variable gain amplifier
- [NASA-CASE-NPO-11018] c08 N72-21200
- VOLTAGE CONVERTERS (DC TO DC)**
Regulated dc-to-dc converter for voltage step-up
or step-down with input-output isolation
- [NASA-CASE-HQN-10792-1] c09 N74-11049
- VOLTAGE GENERATORS**
Pulsed energy power system for application of
combustible gases to turbine controlling ac
voltage generator
- [NASA-CASE-MS-C-13112] c03 N71-11057
Biotelemetry apparatus with dual voltage
generators for implanting in animals
- [NASA-CASE-XAC-05706] c05 N71-12342
Transistorized circuit for producing multiple
slope voltage sweep
- [NASA-CASE-XMS-03542] c09 N71-28926
Inductive-capacitive loops as load insensitive
power converters
- [NASA-CASE-ERC-10268] c09 N72-25252
- VOLTAGE REGULATORS**
Regulated dc to dc converter
- [NASA-CASE-XGS-03429] c03 N69-21330
Power control switching circuit using low
voltage semiconductor controlled rectifiers
for high voltage isolation
- [NASA-CASE-XNP-02713] c10 N69-39888
Automatic measuring and recording of gain and
zero drift characteristics of electronic
amplifier
- [NASA-CASE-XMS-05562-1] c09 N69-39986
Automatic control of voltage supply to direct
current motor
- [NASA-CASE-XMS-04215-1] c09 N69-39987
Design, development, and operating principles of
power supply with starting circuit which is
independent of voltage regulator
- [NASA-CASE-XMS-01991] c09 N71-21449
High voltage divider system for attenuating high
voltages to convenient levels suitable for
introduction to measuring circuits
- [NASA-CASE-XLE-02008] c09 N71-21583
Power supply with overload protection for series
stage transistor
- [NASA-CASE-XMS-00913] c10 N71-23543
Voltage controlled, variable frequency
relaxation oscillator with MOSFET variable
current feed
- [NASA-CASE-GSC-10022-1] c10 N71-25882
Design and development of buck-boost voltage
regulator circuit with additive or subtractive
alternating current impressed on variable
direct current source voltage
- [NASA-CASE-GSC-10735-1] c10 N71-26085
Voltage range selection apparatus for sensing
and applying voltages to electronic
instruments without loading signal source
- [NASA-CASE-XMS-06497] c14 N71-26244
Dissipative voltage regulator system for
minimizing heat dissipation
- [NASA-CASE-GSC-10891-1] c10 N71-26626
Power point tracker for maintaining optimal
output voltage of power source
- [NASA-CASE-GSC-10376-1] c14 N71-27407
Microwave power divider for providing variable
output power to output waveguide in fixed
waveguide system
- [NASA-CASE-NPO-11031] c07 N71-33606
Relay controlled voltage switching unit for
scanning circuitry of star tracker
- [NASA-CASE-NPO-11253] c09 N72-17157
Switching type voltage regulator with relatively
simple circuit arrangement
- [NASA-CASE-LEW-11005-1] c09 N72-21243
Inductive-capacitive loops as load insensitive
power converters
- [NASA-CASE-ERC-10268] c09 N72-25252
Voltage controlled phase shifter with low
distortion
- [NASA-CASE-MFS-21671-1] c10 N73-17211
- Voltage monitoring system for remote application
- [NASA-CASE-KSC-10736-1] c09 N73-23290
Control circuit for reducing bias voltage and
radiation sensitivity of photomultiplier
- [NASA-CASE-ARC-10593-1] c09 N73-30187
Regulated dc-to-dc converter for voltage step-up
or step-down with input-output isolation
- [NASA-CASE-HQN-10792-1] c09 N74-11049
Overvoltage protection network
- [NASA-CASE-ARC-10197-1] c09 N74-17929
- VOLTMETERS**
Voltage monitoring system for remote application
- [NASA-CASE-KSC-10736-1] c09 N73-23290
- VOMITING**
Venting device for pressurized space suit helmet
to eliminate vomit expelled by crewmen
- [NASA-CASE-XMS-09652-1] c05 N71-26333
- VORTEX GENERATORS**
Multiple vortex amplifier system as fluid valve
- [NASA-CASE-XMF-04709] c15 N71-15609
- VULCANIZING**
Method for compression molding of thermosetting
plastics utilizing a temperature gradient
across the plastic to cure the article
- [NASA-CASE-LAR-10489-1] c15 N74-18124
- W**
- WAFERS**
Separation of semiconductor wafer into chips
bounded by scribe lines
- [NASA-CASE-ERC-10138] c26 N71-14354
- WALL TEMPERATURE**
Thermocouple apparatus for measuring wall
temperatures in regeneratively cooled rocket
engines having thin walled cooling passages
- [NASA-CASE-XLE-05230-2] c14 N73-13417
Structural heat pipe for spacecraft wall thermal
insulation system
- [NASA-CASE-GSC-11619-1] c33 N73-32828
- WALLS**
Metal ribbon wrapped outer wall for
regeneratively cooled combustion chamber
- [NASA-CASE-XLE-00164] c15 N70-36411
- WARNING SYSTEMS**
Alarm system design for monitoring one or more
relay circuits
- [NASA-CASE-XMS-10984-1] c10 N71-19417
Unsaturation magnetic core transformer design
with warning signal for electrical power
processing equipment
- [NASA-CASE-ERC-10125] c09 N71-24893
Electrical failure detector in solid rocket
propellant motor insulation against thermal
degradation by fuel grain
- [NASA-CASE-XMF-03968] c14 N71-27186
Device for generating and controlling combustion
products for testing of fire detection system
- [NASA-CASE-GSC-11095-1] c14 N72-10375
Vertically stacked collinear array of
independently fed omnidirectional antennas for
use in collision warning systems on commercial
aircraft
- [NASA-CASE-LAR-10545-1] c09 N72-21244
Development and operating principles of
collision warning system for aircraft accident
prevention
- [NASA-CASE-HQN-10703] c21 N73-13643
Pilot warning indicator system of intruder
aircraft
- [NASA-CASE-ERC-10226-1] c14 N73-16483
Silent alarm system for multiple room facility or
school
- [NASA-CASE-NPO-11307-1] c10 N73-30205
Development and characteristics of electronic
signalling system and data processing
equipment for warning systems to avoid midair
collisions between aircraft
- [NASA-CASE-LAR-10717-1] c21 N73-30641
Inverter ratio failure detector
- [NASA-CASE-NPO-13160-1] c14 N74-18090
- WASTE DISPOSAL**
Fecal waste disposal container
- [NASA-CASE-XMS-06761] c05 N69-23192
Airlock for waste transferal from pressurized
enclosure aboard space vehicle to waste
receiver at negative pressure
- [NASA-CASE-MFS-20922] c31 N72-20840

- Pressurized tank for feeding liquid waste into processing equipment
[NASA-CASE-LAR-10365-1] c05 N72-27102
- Automatic liquid collection and disposal system
[NASA-CASE-LAR-11071-1] c15 N73-18474
- Reduced gravity fecal collector seat and urinal
[NASA-CASE-MFS-22102-1] c05 N74-20725
- WATER**
- Variable water load for dissipating large amounts of electrical power during high voltage power supply tests
[NASA-CASE-XNP-05381] c09 N71-20842
- Gas chromatographic method for determining water in nitrogen tetroxide rocket propellant
[NASA-CASE-NPO-10234] c06 N72-17094
- WATER FLOW**
- Potable water dispenser
[NASA-CASE-MFS-21115-1] c05 N74-12779
- WATER INJECTION**
- Reentry communication by injection of water droplets into plasma layer surrounding space vehicle
[NASA-CASE-XLA-01552] c07 N71-11284
- WATER LANDING**
- Parachute system for lowering manned spacecraft from post-reentry to ocean landing
[NASA-CASE-XLA-00195] c02 N70-38009
- Spacecraft design with single point aerodynamic and hydrodynamic stability for emergency transport of men from space station to splashdown
[NASA-CASE-MSC-13281] c31 N72-18859
- WATER MANAGEMENT**
- Description of electrical equipment and system for purification of waste water by producing silver ions for bacterial control
[NASA-CASE-MSC-10960-1] c03 N71-24718
- WATER POLLUTION**
- Utilization of solar radiation by solar still for converting salt and brackish water into potable water
[NASA-CASE-XMS-04533] c15 N71-23086
- Portable tester for monitoring bacterial contamination by adenosine triphosphate light reaction
[NASA-CASE-GSC-10879-1] c14 N72-25413
- WATER RECLAMATION**
- Potable water reclamation from human wastes in zero-g environment
[NASA-CASE-XLA-03213] c05 N71-11207
- WATER TEMPERATURE**
- Differential thermopile for measuring cooling water temperature rise
[NASA-CASE-XAC-00812] c14 N71-15598
- WATER TREATMENT**
- Description of electrical equipment and system for purification of waste water by producing silver ions for bacterial control
[NASA-CASE-MSC-10960-1] c03 N71-24718
- Raw water sewage treatment
[NASA-CASE-NPO-13224-1] c05 N73-31011
- WATER VAPOR**
- Equipment for measuring partial water vapor pressure in gas tank
[NASA-CASE-XMS-01618] c14 N71-20741
- WATERPROOFING**
- Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LBN-10698-1] c15 N74-21063
- WAVE AMPLIFICATION**
- Millimeter wave pumped parametric amplifier --- varactor diode mounting structure
[NASA-CASE-GSC-11617-1] c09 N74-10200
- WAVE FRONT RECONSTRUCTION**
- Recording and reconstructing focused image holograms
[NASA-CASE-ERC-10017] c16 N71-15567
- WAVE GENERATION**
- Hind tunnel air flow modulating device and apparatus for selectively generating wave motion in wind tunnel airstream
[NASA-CASE-XLA-00112] c11 N70-33287
- Linear sawtooth voltage wave generator with transistor timing circuit having capacitor and zener diode feedback loops
[NASA-CASE-XMS-01315] c09 N70-41675
- Sign wave generation simulator for variable amplitude, frequency, damping, and phase pulses for oscilloscope display
[NASA-CASE-NPO-10251] c10 N71-27365
- Sideband generator for producing sine wave quadrature and second harmonic of input signal
[NASA-CASE-NPO-11133] c10 N72-20223
- Application of acoustic transducers for suspending object at center of chamber under near weightless conditions
[NASA-CASE-NPO-13263-1] c15 N73-31443
- WAVE REFLECTION**
- Surface defect detection by reflected microwave radiation pattern
[NASA-CASE-ARC-10009-1] c15 N71-17822
- Millimeter wave antenna system for spacecraft use
[NASA-CASE-GSC-10949-1] c07 N71-28965
- WAVE SCATTERING**
- Device and method for determining X ray reflection efficiency, scattering properties, and surface finish of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662
- WAVEFORMS**
- Variable frequency magnetic coupled multivibrator with output signal of constant amplitude and waveform
[NASA-CASE-XGS-00131] c09 N70-38995
- Cathode ray oscilloscope for analyzing electrical waveforms representing amplitude distribution of time function
[NASA-CASE-XNP-01383] c09 N71-10659
- Peak polarity selector for monitoring waveforms
[NASA-CASE-FRC-10010] c10 N71-24862
- Development of family of frequency to amplitude converters for frequency analysis of complex input signal waveforms
[NASA-CASE-MSC-12395] c09 N72-25257
- Device for performing statistical time-series analysis of complex electrical signal waveforms
[NASA-CASE-MSC-12428-1] c10 N73-25240
- Anti-multipath digital signal detector
[NASA-CASE-LAR-11379-1] c07 N74-11005
- Controllable high voltage source having fast settling time
[NASA-CASE-GSC-11844-1] c09 N74-19853
- WAVEGUIDE ANTENNAS**
- Planar array circularly polarized antenna with wall slot excitation
[NASA-CASE-NPO-10301] c07 N72-11148
- Dielectric loaded aperture antenna with directive radiation pattern from waveguide
[NASA-CASE-LAR-11084-1] c09 N73-12216
- WAVEGUIDE FILTERS**
- Microwave power divider for providing variable output power to output waveguide in fixed waveguide system
[NASA-CASE-NPO-11031] c07 N71-33606
- WAVEGUIDE WINDOWS**
- Broadband microwave waveguide window to compensate dielectric material filling
[NASA-CASE-XNP-08880] c09 N71-24808
- WAVEGUIDES**
- Dual waveguide mode source for controlling amplitudes of two modes
[NASA-CASE-XNP-03134] c07 N71-10676
- Design of folded traveling wave maser structure
[NASA-CASE-XNP-05219] c16 N71-15550
- Quasi-optical microwave circuit with dielectric body for use with oversize waveguides
[NASA-CASE-ERC-10011] c07 N71-29065
- Microvave waveguide mixer
[NASA-CASE-ERC-10179] c07 N72-20141
- Waveguide, thin film window and microwave irises
[NASA-CASE-LAR-10513-1] c07 N72-25170
- Development of thin film microwave iris installed in microwave waveguide transverse to flow of energy in waveguide
[NASA-CASE-LAR-10511-1] c09 N72-29172
- Resonant waveguide Stark cell --- using microwave spectrometers
[NASA-CASE-LAR-11352-1] c09 N74-19854
- WAVELENGTHS**
- Method and apparatus using temperature control for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343
- Multiple wavelength radiation measuring instrument for determining hot body or gas temperature
[NASA-CASE-XLE-00011] c14 N70-41946
- Laser utilizing infrared rotation transitions of diatomic gas for production of different wavelengths

- [NASA-CASE-ARC-10370-1] c16 N72-10432
Optical system for selecting particular wavelength light beams from multiple wavelength light source
[NASA-CASE-ERC-10248] c14 N72-17323
Development of radiant energy sensor to detect the radiant energy wavelength bands from portions of radiating body
[NASA-CASE-ERC-10174] c14 N72-25409
Dual wavelength system for monitoring film deposition
[NASA-CASE-MFS-20675] c26 N73-26751
- WEATHERPROOFING**
Weatherproof helix antenna
[NASA-CASE-XKS-08485] c07 N71-19493
- WEIGHT (MASS)**
Suspended mass oscillation damper based on impact energy absorption for damping wind induced oscillations of tall stacks, antennas, and umbilical towers
[NASA-CASE-LAR-10193-1] c15 N71-27146
Remotely controlled device for detection of mass changes in selected specimens
[NASA-CASE-MFS-21556-1] c14 N73-20487
- WEIGHT MEASUREMENT**
Weighing and recording device for obtaining precise automatic record of small changes in force
[NASA-CASE-XLA-02605] c14 N71-10773
- WEIGHTLESSNESS**
Apparatus for cryogenic liquid storage with heat transfer reduction and for liquid transfer at zero gravity conditions
[NASA-CASE-XLE-00345] c15 N70-38020
Liquid-gas separator adapted for use in zero gravity environment - drawings
[NASA-CASE-XMS-01624] c15 N70-40062
Expulsion and measuring device for determining quantity of liquid in tank under conditions of weightlessness
[NASA-CASE-XMS-01546] c14 N70-40233
Collapsible auxiliary tank for restarting liquid propellant rocket motors under zero gravity
[NASA-CASE-XNP-01390] c28 N70-41275
Absorbent apparatus for separating gas from liquid-gas stream used in environmental control under zero gravity conditions
[NASA-CASE-XMS-01492] c05 N70-41297
Potable water reclamation from human wastes in zero-G environment
[NASA-CASE-XLA-03213] c05 N71-11207
Describing apparatus for separating gas from cryogenic liquid under zero gravity and for venting gas from fuel tank
[NASA-CASE-XLE-00586] c15 N71-15968
Cable suspension and inclined walkway system for simulating reduced or zero gravity environments
[NASA-CASE-XLA-01787] c11 N71-16028
Development of apparatus for simulating zero gravity conditions
[NASA-CASE-MFS-12750] c27 N71-16223
Quick disconnect latch and handle combination for mounting articles on walls or supporting bases in spacecraft under zero gravity conditions
[NASA-CASE-MFS-11132] c15 N71-17649
Gauge for measuring quantity of liquid in spherical tank in reduced gravity
[NASA-CASE-XMS-06236] c14 N71-21007
Zero gravity apparatus utilizing pneumatic decelerating means to create payload subjected to zero gravity conditions by dropping its height
[NASA-CASE-XMF-06515] c14 N71-23227
Method and apparatus for applying compressional forces to skeletal structure of subject to simulate force during ambulatory conditions
[NASA-CASE-ARC-10100-1] c05 N71-24738
Device which separates and screens particles of soil samples for vidicon viewing in vacuum and reduced gravity environments
[NASA-CASE-XNP-09770-3] c11 N71-27036
Description of method for making homogeneous foamed materials in weightless environment using materials having different physical properties
[NASA-CASE-XMF-09902] c15 N72-11387
Zero gravity, constant flow electrophoretic separating apparatus
- [NASA-CASE-MFS-21394-1] c12 N72-27310
Manipulator for remote handling in zero gravity environment
[NASA-CASE-MFS-14405] c15 N72-28495
Apparatus for mixing two or more liquids under zero gravity conditions
[NASA-CASE-LAR-10195-1] c15 N73-19458
Zero gravity liquid transfer device, using spiral shaped screen
[NASA-CASE-KSC-10626] c14 N73-27378
Reduced gravity fecal collector seat and urinal
[NASA-CASE-MFS-22102-1] c05 N74-20725
- WEIGHTLESSNESS SIMULATION**
Reduced gravity liquid configuration simulator to study propellant behavior in rocket fuel tanks
[NASA-CASE-XLE-02624] c12 N69-39988
Apparatus for measuring human body mass in zero or reduced gravity environment
[NASA-CASE-XMS-03371] c05 N70-42000
Harness assembly adapted to support man on ground based apparatus which simulates weightlessness
[NASA-CASE-MFS-14671] c05 N71-12341
Whole body measurement systems --- for weightlessness simulation
[NASA-CASE-MSC-13972-1] c05 N74-10975
Rotary plant growth accelerating apparatus --- for weightlessness simulation
[NASA-CASE-ARC-10722-1] c04 N74-13807
- WELD TESTS**
Nondestructive radiographic tests of resistance welds
[NASA-CASE-XNP-02588] c15 N71-18613
Method and apparatus for testing integrated circuit microtab welds
[NASA-CASE-ARC-10176-1] c15 N72-21464
- WELDED JOINTS**
Apparatus for welding blades to rotors
[NASA-CASE-LEW-10533-2] c15 N74-11300
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c15 N74-15130
- WELDING**
Segmented back-up bar for butt welding large tubular structures such as rocket booster bodies or tanks
[NASA-CASE-XMF-00640] c15 N70-39924
Flexible backup bar for welding awkwardly shaped structures
[NASA-CASE-XMF-00722] c15 N70-40204
- WELDING MACHINES**
Computer controlled apparatus for maintaining welding torch angle and velocity during seam tracking
[NASA-CASE-XMF-03287] c15 N71-15607
Welding torch with automatic speed controller using speed sensing wheel and closed servo system
[NASA-CASE-XMF-01730] c15 N71-23050
Development of electric weeding torch with casing on one end to form inert gas shield
[NASA-CASE-XMF-02330] c15 N71-23798
Development of apparatus for automatically changing carriage speed of welding machine to obtain constant speed of torch along work surface
[NASA-CASE-XMF-07069] c15 N71-23815
- WET CELLS**
Indicator device for monitoring charge of wet cell battery, using semiconductor light emitter and photodetector
[NASA-CASE-NPO-10194] c03 N71-20407
- WETTING**
Anti-wettable materials brazing processes using titanium and zirconium for surface pretreatment
[NASA-CASE-XMS-03537] c15 N69-21471
- WHEATSTONE BRIDGES**
Self-balancing strain gage transducer with bridge circuit
[NASA-CASE-MFS-12827] c14 N71-17656
Development of method for improving signal to noise ratio and accuracy of Wheatstone bridge type radiation measuring instrument
[NASA-CASE-XLA-02810] c14 N71-25901
Temperature control system comprised of wheatstone bridge with RC circuit
[NASA-CASE-NPO-11304] c14 N73-26430

- WHEELS**
Two speed drive system for driving vehicle wheel
[NASA-CASE-HFS-20645] c15 N72-20463
- WHISKER COMPOSITES**
Composites reinforced with short metal fibers or whiskers and having high tensile strength
[NASA-CASE-XLB-00228] c17 N70-38490
- WHISKERS (SINGLE CRYSTALS)**
Catalyst for increased growth of boron carbide crystal whiskers
[NASA-CASE-XBQ-03903] c15 N69-21922
- WHITE NOISE**
Circuitry for generating random square wave pulses using white noise source
[NASA-CASE-HSC-14131-1] c09 N73-26199
- WICKS**
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c33 N74-19584
- WIDE ANGLE LENSES**
Wide angle eyepiece with long eye-relief distance
[NASA-CASE-XHS-06056-1] c23 N71-24857
- WINCHES**
Design and characteristics of device for showing amount of cable payed out from winch and load imposed
[NASA-CASE-HSC-12052-1] c15 N71-24599
- WIND EFFECTS**
Mercury filled pendulum damper for controlling bending vibration induced by wind effects
[NASA-CASE-LAR-10274-1] c14 N71-17626
- WIND MEASUREMENT**
Passive optical wind and turbulence remote detection system
[NASA-CASE-XHP-14032] c20 N71-16340
Barometers for measuring peak wind speeds during severe environmental conditions
[NASA-CASE-HFS-20916] c14 N73-25460
- WIND PROFILES**
Free-fall body for obtaining wind velocity profiles by radar tracking
[NASA-CASE-XLA-02081] c20 N71-16281
- WIND TUNNEL APPARATUS**
Wind tunnel air flow modulating device and apparatus for selectively generating wave motion in wind tunnel airstream
[NASA-CASE-XLA-00112] c11 N70-33287
Electric arc device for minimizing electrode ablation and heating gases to supersonic or hypersonic wind tunnel temperatures
[NASA-CASE-XAC-00319] c25 N70-41628
Free flight suspension system for use with aircraft models in wind tunnel tests
[NASA-CASE-XLA-00939] c11 N71-15926
Burst diaphragm flow initiator for installation in short duration wind tunnels
[NASA-CASE-HFS-12915] c11 N71-17600
Electric arc heater with supersonic nozzle and fixed arc length for use in high temperature wind tunnels
[NASA-CASE-XAC-01677] c09 N71-20816
Design and characteristics of device for launching models in wind tunnels without disturbance of air flow
[NASA-CASE-XNP-03578] c11 N71-23030
Development of wind tunnel microphone structure to minimize effects of vibrations and eliminate unwanted signals in microphone output
[NASA-CASE-XNP-00250] c11 N71-28779
- WIND TUNNEL DRIVES**
Triggering system for electric arc driven impulse wind tunnel
[NASA-CASE-XHP-00411] c11 N70-36913
- WIND TUNNEL MODELS**
Wind tunnel method for simulating flow fields around blunt vehicles entering planetary atmospheres without involving high temperatures
[NASA-CASE-LAR-11138] c12 N71-20436
Multilegged support system for wind tunnel test models subjected to thermal dynamic loading
[NASA-CASE-XLA-01326] c11 N71-21481
Design and characteristics of device for launching models in wind tunnels without disturbance of air flow
[NASA-CASE-XNP-03578] c11 N71-23030
Damper system for alleviating air flow shock loads on wind tunnel models
[NASA-CASE-XLA-09480] c11 N71-33612
Wind tunnel model and method
[NASA-CASE-LAR-10812-1] c11 N74-17955
- Method for determining thermo-physical properties of specimens --- photographic recording of changes in thin film phase-change temperature indicating material in wind tunnel
[NASA-CASE-LAR-11053-1] c33 N74-18551
- WIND TUNNELS**
Procedure for generating uniform flow at varying velocities in wind tunnel test section
[NASA-CASE-ARC-10710-1] c11 N73-27175
- WIND VELOCITY MEASUREMENT**
Free-fall body for obtaining wind velocity profiles by radar tracking
[NASA-CASE-XLA-02081] c20 N71-16281
- WINDING**
Black body radiometer design with temperature sensing and cavity heat source cone winding
[NASA-CASE-XNP-09701] c14 N71-26475
Pulse coupling circuit with switch between generator and winding
[NASA-CASE-LEW-10433-1] c09 N72-22197
- WINDOBS (APERTURES)**
Waveguide, thin film window and microwave irises
[NASA-CASE-LAR-10513-1] c07 N72-25170
Observation window for internal gas confining chamber
[NASA-CASE-NPO-10890] c11 N73-12265
Polymer coatings for moisture protection of optical windows in infrared spectroscopy
[NASA-CASE-ARC-10749-1] c23 N73-32542
- WINDSHIELDS**
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c18 N74-16249
- WING FLAPS**
Upper surface, external flow, jet-augmented flap configuration for high wing jet aircraft for noise reduction
[NASA-CASE-XLA-00087] c02 N70-33332
- WING PLATFORMS**
Design of aircraft with rotatable wing for producing high speed aerodynamic configuration
[NASA-CASE-ARC-10470-2] c02 N73-30018
- WING PROFILES**
Supersonic aircraft configuration providing for variable aspect ratio and variable sweep wings
[NASA-CASE-XLA-00166] c02 N70-34178
- WINGS**
Development of auxiliary lifting system to provide ferry capability for entry vehicles
[NASA-CASE-LAR-10574-1] c11 N73-13257
- WIRE**
Transpiration cooled turbine blade made from metallic or ceramic wires
[NASA-CASE-XLE-00020] c15 N70-33226
Soldering device particularly suited to making high quality wiring joints for aerospace engineering utilizing capillary attraction to regulate flow of solder
[NASA-CASE-XLA-08911] c15 N71-27214
Device for bending metal ribbon or wire
[NASA-CASE-XLA-05966] c15 N72-12408
Method of fabricating equal length insulated wire
[NASA-CASE-FRC-10038] c15 N72-20444
Shielded flat conductor cable of ribbonlike wires laminates in thin flexible insulation
[NASA-CASE-HFS-13687-2] c09 N72-22198
Twisted wire or tube superconductor for filament windings
[NASA-CASE-LEW-11015] c26 N73-32571
- WIRE BRIDGE CIRCUITS**
Black body cavity radiometer with thermal resistance wire bridge circuit
[NASA-CASE-XNP-08961] c14 N71-24809
- WIRE CLOTH**
Insulating system for receptacles of liquefied gases using wire cloth for forming frost layer
[NASA-CASE-XHP-00341] c15 N70-33323
Method for making screen with unlimited fineness of mesh and screen thickness
[NASA-CASE-XLE-00953] c15 N71-15966
- WIRE WINDING**
Adjustable spiral wire winding device
[NASA-CASE-XHS-02383] c15 N71-15918
Superconducting alternator design with cryogenic fluid for cooling windings below critical temperature
[NASA-CASE-XLE-02823] c09 N71-23443
Direct current motor including stationary field windings and stationary armature winding
[NASA-CASE-XGS-07805] c15 N72-33476

WIRELESS COMMUNICATIONS

Silent alarm system for multiple room facility or school
[NASA-CASE-NPO-11307-1] c10 N73-30205

WIRING

Acoustic vibration test apparatus for wiring harnesses
[NASA-CASE-MSC-15158-1] c14 N72-17325

WORDS (LANGUAGE)

Encoders designed to generate comma free biorthogonal Reed-Muller type code comprising conversion of 64 6-bit words into 64 32-bit data for communication purposes
[NASA-CASE-NPO-10595] c10 N71-25917

Logic circuit for generating multibit binary code word in parallel
[NASA-CASE-XNP-04623] c10 N71-26103

Digital memory system with multiple switch cores for driving each word location
[NASA-CASE-XNP-01466] c10 N71-26434

WRENCHES

Ultrasonic wrench for applying vibratory energy to mechanical fasteners
[NASA-CASE-MFS-20586] c15 N71-17686
Tool exchange capabilities of portable wrench characterized by telescopic sleeve
[NASA-CASE-MFS-22283-1] c15 N73-30462

X

X RAY APPARATUS

Device and method for determining X ray reflection efficiency, scattering properties, and surface finish of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662

X RAY IRRADIATION

Multisample test chamber for exposing materials to X rays, temperature change, and gaseous conditions and determination of material effects
[NASA-CASE-XMS-02930] c11 N71-23042

X RAY TELESCOPES

X ray collimating structure for focusing radiation directly onto detector
[NASA-CASE-XHQ-04106] c14 N70-40240
Three mirror glancing incidence system for X ray telescope
[NASA-CASE-MFS-21372] c14 N72-20397

X RAYS

Supporting structure for simultaneous exposure of pellets to X rays
[NASA-CASE-XNP-06031] c15 N71-15606
Testing device using X-ray lasers
[NASA-CASE-MFS-22409-1] c16 N74-18153

X-Y PLOTTERS

Describing device for surveying contour of surface using X-Y plotter and traveling transducer
[NASA-CASE-XLA-08646] c14 N71-17586

X-15 AIRCRAFT

Data processing and display system for terminal guidance of X-15 aircraft
[NASA-CASE-XFR-00756] c02 N71-13421

XENON ISOTOPES

Apparatus for producing high purity I-123 from Xe-123 by bombarding tellurium target with cyclotron beam
[NASA-CASE-LEW-10518-2] c24 N72-28714

XENON LAMPS

Xenon flashlamp driver system for optical laser pumping
[NASA-CASE-ERC-10283] c16 N72-25485

Y

YAG LASERS

Procedure and device for effecting dual mode locking in pulsed Nd-YAG lasers
[NASA-CASE-GSC-11746-1] c16 N73-32398

YAW

Three-axis controller operated by hand-wrist motion for yaw, pitch, and roll control
[NASA-CASE-XAC-01404] c05 N70-41581
Strapped down gyroscope aligned with sun and star tracker optical axis calibrating roll, yaw and pitch values
[NASA-CASE-ARC-10716-1] c31 N73-32784

YAWING MOMENTS

Characteristics of system for providing yaw control of vehicles at high supersonic and

hypersonic speeds by deflecting flaps mounted on upper wing surface
[NASA-CASE-LAR-11140-1] c02 N73-20008

YO-YO DEVICES

Stretch Yo-Yo mechanism for reducing initial spin rate of space vehicle
[NASA-CASE-XGS-00619] c30 N70-40016

Z

ZEOLITES

Development of filter system for control of outgas contamination in vacuum conditions using absorbent beds of molecular sieve zeolite, silica gel, and charcoal
[NASA-CASE-MFS-14711] c15 N71-26185

ZINC

Zinc dust formulation for abrasion resistant steel coatings
[NASA-CASE-GSC-10361-1] c18 N72-23581

A panel for selectively absorbing solar thermal energy and the method for manufacturing the panel
[NASA-CASE-MFS-22562-1] c03 N74-19700

ZINC COMPOUNDS

Water content in vapor deposition atmosphere for forming n-type and p-type junctions of zinc doped gallium arsenide
[NASA-CASE-XNP-01961] c26 N71-29156
Vacuum preparation of zinc titanate pigment resistant to loss of reflective properties
[NASA-CASE-MFS-13532] c18 N72-17532

ZINC OXIDES

Binder stabilized zinc oxide pigmented coating for spacecraft thermal control
[NASA-CASE-IMF-07770-2] c18 N71-26772
Development of procedure for producing thin transparent films of zinc oxide on transparent refractory substrate
[NASA-CASE-PRC-10019] c15 N73-12487


Inventor Index

NASA PATENT ABSTRACTS BIBLIOGRAPHY

JULY 1974

Section 2

Typical Inventor Index Listing



Listings in this index are arranged alphabetically by inventor. The title of the document provides the user with a brief description of the subject matter. The NASA Case Number is the prime access point to patent documents. The subject category number indicates the category in Section 1(Abstracts) in which the citation is located. The NASA accession number denotes the number by which the citation is identified within the subject category. The titles are arranged under each inventor in ascending accession number order.

A

- ABEL, I. E.
Optical instruments
[NASA-CASE-HSC-14096-1] c14 N74-15095
- ABERNATHY, H. J.
Insert facing tool
[NASA-CASE-MFS-21485-1] c15 N72-31490
- ABHYANKAR, K. D.
Interferometer-polarimeter
[NASA-CASE-NPO-11239] c14 N73-12446
- ACORD, J. D.
Photosensitive device to detect bearing deviation Patent
[NASA-CASE-XNP-00438] c21 N70-35089
Space vehicle attitude control Patent
[NASA-CASE-XNP-00465] c21 N70-35395
Attitude control for spacecraft Patent
[NASA-CASE-XNP-02982] c31 N70-41855
Anti-backlash circuit for hydraulic drive system Patent
[NASA-CASE-XNP-01020] c03 N71-12260
Solar vane actuator Patent
[NASA-CASE-XNP-05535] c14 N71-23040
- ACUNA, H. B.
Two axis fluxgate magnetometer Patent
[NASA-CASE-GSC-10441-1] c14 N71-27325
Controllable high voltage source having fast settling time
[NASA-CASE-GSC-11844-1] c09 N74-19853
- ADACHI, B. R.
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c05 N73-14092
- ADAHS, C. H., JR.
Pretreatment method for anti-wettable materials
[NASA-CASE-XMS-03537] c15 N69-21471
- ADAHS, G. D.
Vacuum deposition apparatus Patent
[NASA-CASE-XMF-01667] c15 N71-17647
Evaporant source for vapor deposition Patent
[NASA-CASE-XMF-06065] c15 N71-20395
- ADAMSON, H. J.
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c06 N74-11926
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c18 N74-21156
- AIRTH, B. E., JR.
Regulated power supply Patent
[NASA-CASE-XMS-01991] c09 N71-21449
- AISENBERG, S.
Doppler shift system
[NASA-CASE-HQN-10740-1] c24 N72-28719
Doppler shift system
[NASA-CASE-HQN-10740-1] c24 N74-19310
- AJIOKA, J. S.
High efficiency multifrequency feed
[NASA-CASE-GSC-113173] c09 N74-20863
- AKASHIE, R. I.
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c15 N74-21058
- ALBRIGHT, C. F.
Water management system and an electrolytic cell therefor Patent
[NASA-CASE-MSC-10960-1] c03 N71-24718
Process for separation of dissolved hydrogen from water by use of palladium and process for coating palladium with palladium black
[NASA-CASE-MSC-13335-1] c06 N72-31140
- ALBUS, J. S.
Light sensitive digital aspect sensor Patent
[NASA-CASE-IGS-00359] c14 N70-34158
- ALDRICH, B. R.
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332] c05 N72-20097
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c05 N73-25125
- ALEXANDER, P., JR.
Disconnect unit
[NASA-CASE-NPO-13172-1] c33 N73-17917
Disconnect unit
[NASA-CASE-NPO-11330] c33 N73-26958
- ALFORD, H. J., JR.
Variable sweep wing configuration Patent
[NASA-CASE-XLA-00230] c02 N70-33255
- ALLEN, G. V.
Electric welding torch Patent
[NASA-CASE-XMF-02330] c15 N71-23798
- ALLEN, H., JR.
Apparatus for igniting solid propellants Patent
[NASA-CASE-XLE-00207] c28 N70-33375
Method of igniting solid propellants Patent
[NASA-CASE-XLE-01988] c27 N71-15634
- ALLEN, J. G., JR.
Lunar landing flight research vehicle Patent
[NASA-CASE-XFR-00929] c31 N70-34966
- ALLEN, J. H., SR.
Apparatus for machining geometric cones Patent
[NASA-CASE-XMS-04292] c15 N71-22722
- ALLEN, L. D.
Method of improving heat transfer characteristics in a nucleate boiling process Patent
[NASA-CASE-XMS-04268] c33 N71-16277
- ALLEN, L. H.
Method and apparatus for aligning a laser beam projector Patent
[NASA-CASE-NPO-11087] c23 N71-29125
- ALLEN, R. H.
Ceramic insulation for radiant heating environments and method of preparing the same Patent
[NASA-CASE-MFS-14253] c33 N71-24858
- ALLEN, W. K.
Time division multiplex system
[NASA-CASE-XGS-05918] c07 N69-39974
Serrrodyne frequency converter re-entrant amplifier system Patent
[NASA-CASE-XGS-01022] c07 N71-16088
Traffic control system and method Patent
[NASA-CASE-GSC-10087-1] c02 N71-19287
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c07 N72-11149
Doppler compensation by shifting transmitted object frequency within limits
[NASA-CASE-GSC-10087-4] c07 N73-20174

- ALLEN, W. W.
Analog-to-digital converter analyzing system
[NASA-CASE-NPO-10560] c08 N72-22166
- ALLGRIER, R. K., JR.
Metal valve pintle with encapsulated elastomeric body Patent
[NASA-CASE-MSC-12116-1] c15 N71-17648
- ALTSHULER, T. L.
Orifice gross leak tester Patent
[NASA-CASE-ERC-10150] c14 N71-28992
- AMBRUSO, A.
Gas operated actuator
[NASA-CASE-NPO-11340] c15 N72-33477
- AHEER, G. A.
Telespectrograph Patent
[NASA-CASE-XLA-03273] c14 N71-18699
- ANON, E.
Ritchey-Chretien Telescope
[NASA-CASE-GSC-11487-1] c14 N73-30393
- ANACKER, K.
Forming tool for ribbon or wire
[NASA-CASE-XLA-05966] c15 N72-12408
- ANDERSON, D. L.
Static inverters which sum a plurality of waves
Patent
[NASA-CASE-XMF-00663] c08 N71-18752
- ANDERSON, F. A.
Solid propellant rocket motor
[NASA-CASE-XNP-03282] c28 N72-20758
- ANDERSON, G. D.
Phase detector assembly Patent
[NASA-CASE-XMF-00701] c09 N70-40272
- ANDERSON, J. R.
Method for removing oxygen impurities from cesium Patent
[NASA-CASE-XNP-04262-2] c17 N71-26773
- ANDERSON, K. F.
Pulsed excitation voltage circuit for transducers
[NASA-CASE-FRC-10036] c09 N72-22200
- ANDERSON, R. A.
Sandwich panel construction Patent
[NASA-CASE-ILA-00349] c33 N70-37979
- ANDERSON, R. F.
Piezoelectric pump Patent
[NASA-CASE-XNP-05429] c26 N71-21824
- ANDERSON, T. O.
Binary number sorter Patent
[NASA-CASE-NPO-10112] c08 N71-12502
- Ranging system Patent
[NASA-CASE-NPO-10066] c09 N71-18598
- Data compression processor Patent
[NASA-CASE-NPO-10068] c08 N71-19288
- Data compressor Patent
[NASA-CASE-XNP-04067] c08 N71-22707
- Error correcting method and apparatus Patent
[NASA-CASE-XNP-02748] c08 N71-22749
- Comparator for the comparison of two binary numbers Patent
[NASA-CASE-XNP-04819] c08 N71-23295
- Digital synchronizer Patent
[NASA-CASE-NPO-10851] c07 N71-24613
- Decoder system Patent
[NASA-CASE-NPO-10118] c07 N71-24741
- Parallel generation of the check bits of a PN sequence Patent
[NASA-CASE-XNP-04623] c10 N71-26103
- Rapid sync acquisition system Patent
[NASA-CASE-NPO-10214] c10 N71-26577
- Digital filter for reducing sampling jitter in digital control systems Patent
[NASA-CASE-NPO-11088] c08 N71-29034
- Encoder/decoder system for a rapidly synchronizable binary code Patent
[NASA-CASE-NPO-10342] c10 N71-33407
- Modular encoder
[NASA-CASE-NPO-10629] c08 N72-18184
- Transition tracking bit synchronization system
[NASA-CASE-NPO-10844] c07 N72-20140
- Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c08 N72-20176
- MOD 2 sequential function generator for multibit binary sequence
[NASA-CASE-NPO-10636] c08 N72-25210
- Digital slope threshold data compressor
[NASA-CASE-NPO-11630] c08 N72-33172
- Asynchronous, multiplexing, single line transmission and recovery data system
[NASA-CASE-NPO-13321-1] c07 N74-19806
- ANDERSON, W. J.
Method of improving the reliability of a rolling element system Patent
[NASA-CASE-XLE-02999] c15 N71-16052
- High speed rolling element bearing
[NASA-CASE-LEW-10856-1] c15 N72-22490
- High speed hybrid bearing comprising a fluid bearing and a rolling bearing connected in series
[NASA-CASE-LEW-11152-1] c15 N73-32359
- ANDERSON, W. W.
Annular momentum control device used for stabilization of space vehicles and the like
[NASA-CASE-LAR-11051-1] c21 N73-28646
- ANDERSON, W. W., JR.
Compensating radiometer
[NASA-CASE-XLA-04556] c14 N69-27484
- Semi-linear ball bearing Patent
[NASA-CASE-XLA-02809] c15 N71-22982
- ANDREWS, E. H., JR.
Method of obtaining permanent record of surface flow phenomena Patent
[NASA-CASE-XLA-01353] c14 N70-41366
- ANDREWS, E. E.
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c14 N74-18090
- ANDREWS, T. W.
Adjustable support
[NASA-CASE-NPO-10721] c15 N72-27484
- ANGELE, W.
Electrical connector for flat cables Patent
[NASA-CASE-XMF-00324] c09 N70-34596
- Instrument support with precise lateral adjustment Patent
[NASA-CASE-XMF-00480] c14 N70-39898
- Support apparatus for dynamic testing Patent
[NASA-CASE-XMF-01772] c11 N70-41677
- Method of making a molded connector Patent
[NASA-CASE-XMF-03498] c15 N71-15986
- Method of making shielded flat cable Patent
[NASA-CASE-MFS-13687] c09 N71-28691
- Shielded flat cable
[NASA-CASE-MFS-13687-2] c09 N72-22198
- Electrical connector
[NASA-CASE-MFS-20757] c09 N72-28225
- Cryogenic gyroscope housing
[NASA-CASE-MFS-21136-1] c23 N74-18323
- APPEL, H. A.
Propellant tank pressurization system Patent
[NASA-CASE-XNP-00650] c27 N71-28929
- APPLEBERRY, W. T.
A device for use in loading tension members
[NASA-CASE-MFS-21488-1] c14 N73-23526
- A device for measuring tensile forces
[NASA-CASE-MFS-21728-1] c14 N73-25467
- APPLER, E. L.
Method for generating ultra-precise angles Patent
[NASA-CASE-XGS-04173] c19 N71-26674
- APPLETON, M. W.
Omnidirectional slot antenna for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c09 N72-25247
- ARCAND, G. M.
Method for determining the state of charge of batteries by the use of tracers Patent
[NASA-CASE-XNP-01464] c03 N71-10728
- ARCELLA, F. G.
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c33 N74-19584
- ARIAS, A.
Apparatus for positioning and loading a test specimen Patent
[NASA-CASE-XLE-01300] c15 N70-41993
- Thermal shock apparatus Patent
[NASA-CASE-XLE-02024] c14 N71-22964
- Production of metal powders
[NASA-CASE-XLE-06461] c17 N72-22530
- Method for producing dispersion strengthened alloys by converting metal to a halide, comminuting, reducing the metal halide to the metal and sintering
[NASA-CASE-LEW-10450-1] c15 N72-25448
- Apparatus for producing metal powders
[NASA-CASE-XLE-06461-2] c17 N72-28535
- ARMSTRONG, H. T.
Coupling for linear shaped charge Patent
[NASA-CASE-XLA-00189] c33 N70-36846
- ARNDT, G. D.
System for improving signal-to-noise ratio of a

INVENTOR INDEX

BAKSTON, B.

communication signal Patent Application
[NASA-CASE-HSC-12259-1] c07 N70-12616
System for improving signal-to-noise ratio of a
communication signal
[NASA-CASE-HSC-12259-2] c07 N72-33146
ARNOLD, W. E., JR.
Electrical resistance spot welding and brazing
techniques for metal bonding
[NASA-CASE-LAR-11072-1] c15 N73-20535
ARRANCE, P. C.
Method of making membranes
[NASA-CASE-XNP-04264] c03 N69-21337
ASHEROOK, R. L.
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-00726] c17 N71-15644
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-02991] c17 N71-16025
High temperature ferronagnetic cobalt-base alloy
Patent
[NASA-CASE-XLE-03629] c17 N71-23248
Method of forming superalloys
[NASA-CASE-LEW-10805-1] c15 N73-13465
Method of heat treating a formed powder product
material
[NASA-CASE-LEW-10805-3] c17 N74-10521
Method of forming articles of manufacture from
superalloy powders
[NASA-CASE-LEW-10805-2] c15 N74-13179
ASHBORTH, B. E.
Apparatus for applying simulated G-forces to an
arm of an aircraft simulator pilot
[NASA-CASE-LAR-10550-1] c11 N72-27271
ASTHEIMER, R. E.
Multi-lobar scan horizon sensor Patent
[NASA-CASE-XGS-00809] c21 N70-35427
ATRISSE, E. A.
Apparatus having coaxial capacitor structure for
measuring fluid density Patent
[NASA-CASE-XLE-00143] c14 N70-36618
AUBLE, C. E.
Instrument for the quantitative measurement of
radiation at multiple wave lengths Patent
[NASA-CASE-XLE-00011] c14 N70-41946
AUER, S. O.
Cosmic dust or other similar outer space
particles impact location detector
[NASA-CASE-GSC-11291-1] c25 N72-33696
Micrometeoroid analyzer
[NASA-CASE-ARC-10443-1] c14 N73-20477
AUKER, B. E.
Refractory porcelain enamel passive thermal
control coating for high temperature alloys
[NASA-CASE-HFS-22324-1] c18 N73-21471
AUSTIN, B. E.
Compton scatter attenuation gamma ray spectrometer
[NASA-CASE-MFS-21441-1] c14 N73-30392
AVIZIENIS, R. A.
Self-testing and repairing computer Patent
[NASA-CASE-NPO-10567] c08 N71-24633
AYVAZIAN, B. A.
Laminar flow enhancement Patent
[NASA-CASE-NPO-10122] c12 N71-17631
Propellant mass distribution metering apparatus
Patent
[NASA-CASE-NPO-10185] c10 N71-26339

B

BABA, P. D.
A method for making conductors for ferrite
memory arrays
[NASA-CASE-LAR-10994-1] c18 N73-30536
BABY, B. D.
Method and apparatus for cryogenic wire
stripping Patent
[NASA-CASE-HFS-10340] c15 N71-17628
Self-balancing strain gage transducer Patent
[NASA-CASE-MFS-12827] c14 N71-17656
BABECKI, A. J.
Peen plating
[NASA-CASE-GSC-11163-1] c15 N73-32360
BACCHI, R.
Valve actuator Patent
[NASA-CASE-XHQ-01208] c15 N70-35409
BACHLE, G. B.
Mechanically extendible telescoping boom
[NASA-CASE-NPO-11118] c03 N72-25021
BADIN, F. E.
Space simulation and radiative property testing
system and method Patent
[NASA-CASE-MFS-20096] c14 N71-30026
BAHR, E. F.
Channel-type shell construction for rocket
engines and the like Patent
[NASA-CASE-XLE-00144] c28 N70-34860
Rocket thrust chamber Patent
[NASA-CASE-XLE-00145] c28 N70-36806
Method of making a regeneratively cooled
combustion chamber Patent
[NASA-CASE-XLE-00150] c28 N70-41818
Method of making a rocket motor casing Patent
[NASA-CASE-XLE-00409] c28 N71-15658
Rocket motor casing Patent
[NASA-CASE-XLE-05689] c28 N71-15659
Ophthalmic liquefaction pump
[NASA-CASE-LEW-12051-1] c04 N73-32000
BAER, D. A.
Synchronous orbit battery cyclor
[NASA-CASE-GSC-11211-1] c03 N72-25020
BAGANOFF, D.
Means for controlling rupture of shock tube
diaphragms Patent
[NASA-CASE-XAC-00731] c11 N71-15960
BAGBY, J. E.
Thermally operated valve Patent
[NASA-CASE-XLE-00815] c15 N70-35407
BAHMAN, H.
Self-erecting reflector Patent
[NASA-CASE-XGS-09190] c31 N71-16102
BAHR, E. J.
A dc servosystem including an ac motor Patent
[NASA-CASE-NPO-10700] c07 N71-33613
BAILEY, C. L., JR.
Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] c03 N74-10942
BAILEY, F. J., JR.
Airplane take-off performance indicator Patent
[NASA-CASE-XLA-00100] c14 N70-36807
BAILEY, G. A.
Magnetic matrix memory system Patent
[NASA-CASE-XNF-05835] c08 N71-12504
BAILEY, J. E.
Bi-polar phase detector and corrector for split
phase PCM data signals Patent
[NASA-CASE-XGS-01590] c07 N71-12392
Radio frequency coaxial high pass filter Patent
[NASA-CASE-XGS-01418] c09 N71-23573
BAILEY, H. C.
Stacked array of omnidirectional antennas
[NASA-CASE-LAR-10545-1] c09 N72-21244
BAILEY, R. L.
Apparatus and method for protecting a
photographic device Patent
[NASA-CASE-NPO-10174] c14 N71-18465
Solid propellant rocket motor nozzle
[NASA-CASE-NPO-11458] c28 N72-23810
Electromagnetic wave energy converter
[NASA-CASE-GSC-11394-1] c09 N73-32109
BAKER, B. E.
Radiation detector readout system Patent
[NASA-CASE-XMS-03478] c14 N71-21040
BAKER, C. D.
Coating process
[NASA-CASE-XNP-06508] c18 N69-39895
Electrical spot terminal assembly Patent
[NASA-CASE-NPO-10034] c15 N71-17685
Electrical connector
[NASA-CASE-NPO-10694] c09 N72-20200
Pressure transducer
[NASA-CASE-NPO-10832] c14 N72-21405
BAKER, E. E.
Centrifuge mounted motion simulator Patent
[NASA-CASE-YAC-00399] c11 N70-34815
BAKER, H. E.
Omnidirectional joint Patent
[NASA-CASE-XHS-09635] c05 N71-24623
BAKER, R. L.
Bidirectional step torque filter with zero
backlash characteristic Patent
[NASA-CASE-XGS-04227] c15 N71-21744
BAKER, V. D.
Vapor pressure measuring system and method Patent
[NASA-CASE-XMS-01618] c14 N71-20741
BAKSTON, B.
Apparatus for the determination of the existence
or non-existence of a bonding between two
members Patent
[NASA-CASE-MFS-13686] c15 N71-18132

ALDRIN, L. V.
Particle beam measurement apparatus using beam kinetic energy to change the heat sensitive resistance of the detection probe Patent [NASA-CASE-XLE-00243] c14 N70-38602
Apparatus for increasing ion engine beam density Patent [NASA-CASE-XLE-00519] c28 N70-41576

ALLES, T. T.
Controlled glass bead peening Patent [NASA-CASE-XLA-07390] c15 N71-18616
Electrical resistance spot welding and brazing techniques for metal bonding [NASA-CASE-LAR-11072-1] c15 N73-20535

ALLARD, R. R.
Two-axis controller Patent [NASA-CASE-XFR-04104] c03 N70-42073

ALLEN, F. M., JR.
Foam generator Patent [NASA-CASE-XLA-00838] c03 N70-36778

AMFORD, R. R.
Elastic universal joint Patent [NASA-CASE-XNP-00416] c15 N70-36947
Sealed separable connection Patent [NASA-CASE-NPO-10064] c15 N71-17693

ANDINI, U.
Out of tolerance warning alarm system for plurality of monitored circuits Patent [NASA-CASE-XMS-10984-1] c10 N71-19417

ANKS, B. A.
Ion beam deflector Patent [NASA-CASE-LEW-10689-1] c28 N71-26173
Ion thruster accelerator system Patent [NASA-CASE-LEW-10106-1] c28 N71-26642
Process for glass coating an ion accelerator grid Patent [NASA-CASE-LEW-10278-1] c15 N71-28582
Ion thruster magnetic field control [NASA-CASE-LEW-10835-1] c28 N72-22771
Sputtering holes with ion beamlets [NASA-CASE-LEW-11646-1] c28 N72-32760
Dished ion thruster grids [NASA-CASE-LEW-11694-1] c28 N73-22721
Electromagnetic flow rate meter [NASA-CASE-LEW-10981-1] c14 N74-21018

ANTA, R. D.
Positive contact resistance soldering unit [NASA-CASE-KSC-10242] c15 N72-23497

ARBER, J. B.
Laser grating interferometer Patent [NASA-CASE-XLA-04295] c16 N71-24170

ARBER, A. J.
Use of unilluminated solar cells as shunt diodes for a solar array [NASA-CASE-GSC-10344-1] c03 N72-27053

ARGER, R. L.
Continuously operating induction plasma accelerator Patent [NASA-CASE-XLA-01354] c25 N70-36946

ARISE, B.
Pulsed energy power system Patent [NASA-CASE-MSC-13112] c03 N71-11057

ARBER, P.
Vibrophonocardiograph Patent [NASA-CASE-XFR-07172] c05 N71-27234

BARNETT, J. H., JR.
Life raft stabilizer [NASA-CASE-MSC-12393-1] c02 N73-26006

BARNISKIS, W. A.
Bus voltage compensation circuit for controlling direct current motor [NASA-CASE-XMS-04215-1] c09 N69-39987

BARNETT, T. W.
Personal propulsion unit Patent [NASA-CASE-MFS-20130] c28 N71-27585

BARRINGTON, A. B.
Sorption vacuum trap Patent [NASA-CASE-XER-09519] c14 N71-18483

BARRINGTON, A. B.
Leak detector wherein a probe is monitored with ultraviolet radiation Patent [NASA-CASE-ERC-10034] c15 N71-24896
Field ionization electrodes Patent [NASA-CASE-ERC-10013] c09 N71-26678
Ion microprobe mass spectrometer for analyzing fluid materials Patent [NASA-CASE-ERC-10014] c14 N71-28863
Device for measuring light scattering wherein the measuring beam is successively reflected between a pair of parallel reflectors Patent [NASA-CASE-XER-11203] c14 N71-28994

BARTHOLOME, D. E.
Space suit pressure stabilizer Patent [NASA-CASE-XLA-05332] c05 N71-11194
Equipotential space suit Patent [NASA-CASE-LAR-10007-1] c05 N71-11195

BASULIS, A.
Method and apparatus for distillation of liquids Patent [NASA-CASE-XNP-08124] c15 N71-27184
Radial heat flux transformer [NASA-CASE-NPO-10828] c33 N72-17948
Method for distillation of liquids [NASA-CASE-XNP-08124-2] c06 N73-13129

BASS, A. M.
Ultraviolet resonance lamp Patent [NASA-CASE-ARC-10030] c09 N71-12521
Ultraviolet atomic emission detector [NASA-CASE-HQN-10756-1] c14 N72-25428

BASTIEN, G. J.
Fluid flow restrictor Patent [NASA-CASE-NPO-10117] c15 N71-15608

BATE, E. R., JR.
An apparatus for establishing flow of fluid mass having a known velocity [NASA-CASE-MFS-21424-1] c12 N73-16248

BATES, H. E.
Segmenting lead telluride-silicon germanium thermoelements Patent [NASA-CASE-XGS-05718] c26 N71-16037

BATHKER, D. A.
Dual frequency microwave reflex feed [NASA-CASE-NPO-13091-1] c09 N73-12214

BATSCH, F. F.
Attitude control for spacecraft Patent [NASA-CASE-INP-00294] c21 N70-36938
Slit regulated gas journal bearing Patent [NASA-CASE-INP-00476] c15 N70-38620

BATTE, W. G.
Exclusive-Or digital logic module Patent [NASA-CASE-XLA-07732] c08 N71-18751

BATTERSON, S. A.
Runway light Patent [NASA-CASE-XLA-00119] c11 N70-33329

BATTS, C. N.
Contour surveying system Patent [NASA-CASE-XLA-08646] c14 N71-17586

BAUCOM, R. M.
Extensometer frame [NASA-CASE-XLA-10322] c15 N72-17452

BAUER, H. B.
Air conditioning system and component therefore distributing air flow from opposite directions [NASA-CASE-GSC-11445-1] c15 N72-28503

BAUERNSCHUB, J. P., JR.
Folding boom assembly Patent [NASA-CASE-XGS-00938] c32 N70-41367
Nonmagnetic, explosive actuated indexing device Patent [NASA-CASE-XGS-02422] c15 N71-21529

BAUGHMAN, J. R.
Observation window for a gas confining chamber [NASA-CASE-NPO-10890] c11 N73-12265
Droplet monitoring probe [NASA-CASE-NPO-10985] c14 N73-20478

BAUMAN, A. J.
Solder flux which leaves corrosion-resistant coating Patent [NASA-CASE-XNP-03459-2] c18 N71-15688
Soldering with solder flux which leaves corrosion resistant coating Patent [NASA-CASE-XNP-03459] c15 N71-21078
Fluid impervious barrier including liquid metal alloy and method of making same Patent [NASA-CASE-XNP-08881] c17 N71-28747

BAUMER, W. E.
Counter Patent [NASA-CASE-XNP-06234] c10 N71-27137

BAXTER, R. D.
Heat flux measuring system Patent [NASA-CASE-XFR-03802] c33 N71-23085

BEALE, H. A.
Hall effect magnetometer [NASA-CASE-LEW-11632-1] c14 N72-25440
Hall effect magnetometer [NASA-CASE-LEW-11632-2] c14 N73-29437

BEAN, B. H.
Thermodielectric radiometer utilizing polymer film

[NASA-CASE-ARC-10138-1]	c14 N72-24477	Explosively welded scarf joint	
BEAN, R. A.		[NASA-CASE-LAR-11211-1]	c15 N73-14480
Optical projector system Patent		Totally confined explosive welding	
[NASA-CASE-XNP-03853]	c23 N71-21882	[NASA-CASE-LAR-10941-2]	c15 N73-32371
BEAN, R. H.		Totally confined explosive welding	
Solid medium thermal engine		[NASA-CASE-LAR-10941-1]	c15 N74-21057
[NASA-CASE-ARC-10461-1]	c33 N73-20931	BENEDICT, E. D.	
BEASLEY, H. D.		Transient augmentation circuit for pulse	
Continuously operating induction plasma		amplifiers Patent	
accelerator Patent		[NASA-CASE-XNP-01068]	c10 N71-28739
[NASA-CASE-XLA-01354]	c25 N70-36946	BESGTON, R. D.	
BEATTY, R. H.		Fast opening diaphragm Patent	
Rotary vane attenuator wherein rotor has		[NASA-CASE-XLA-03660]	c15 N71-21060
orthogonally disposed resistive and dielectric		BENIGHT, J. D.	
cards		Method and apparatus for precision sizing and	
[NASA-CASE-NPO-11418-1]	c14 N73-13420	joining of large diameter tubes Patent	
BEAUBERGARD, E. H.		[NASA-CASE-XNP-05114]	c15 N71-17650
Water separating system Patent		Method and apparatus for precision sizing and	
[NASA-CASE-XMS-13052]	c14 N71-20427	joining of large diameter tubes Patent	
BECK, A. F.		[NASA-CASE-XNP-05114-3]	c15 N71-24865
Small plasma probe Patent		Method and apparatus for precision sizing and	
[NASA-CASE-XLE-02578]	c25 N71-20747	joining of large diameter tubes Patent	
BECK, T. R.		[NASA-CASE-XNP-05114-2]	c15 N71-26148
Method of inhibiting stress corrosion cracks in		BERENHARD, G. B.	
titanium alloys Patent		Method of making fiber composites	
[NASA-CASE-NPO-10271]	c17 N71-16393	[NASA-CASE-LEW-10424-2-2]	c18 N72-25539
BECKER, E. H.		BERG, O. E.	
Apparatus and method for applying protective		Dust particle injector for hypervelocity	
coatings		accelerators Patent	
[NASA-CASE-LAR-10362-1]	c15 N72-27486	[NASA-CASE-XGS-06628]	c24 N71-16213
BECKER, R. A.		Cosmic dust sensor	
Photoelectric energy spectrometer Patent		[NASA-CASE-GSC-10503-1]	c14 N72-20381
[NASA-CASE-XNP-04161]	c14 N71-15599	BERGLUND, R. A.	
BECKELEY, L. D.		Erectable modular space station Patent	
Heat shield oven		[NASA-CASE-XLA-00678]	c31 N70-34296
[NASA-CASE-XMS-04318]	c15 N69-27871	BERNARDIN, R. H.	
BECKMAN, P.		Measuring device Patent	
Probes having ring and primary sensor at same		[NASA-CASE-XMS-01546]	c14 N70-40233
potential to prevent collection of stray wall		BERNATOWICZ, D. T.	
currents in ionized gases		Method of making silicon solar cell array	
[NASA-CASE-XLE-00690]	c25 N69-39884	[NASA-CASE-LEW-11069-1]	c03 N74-14784
BECKWITH, E. H.		BERNSEN, B.	
Mechanical coordinate converter Patent		Electrical apparatus for detection of thermal	
[NASA-CASE-XNP-00614]	c14 N70-36907	decomposition of insulation Patent	
BEEHN, J. H.		[NASA-CASE-XNP-03968]	c14 N71-27186
Optical tracking mount Patent		BERRY, E. H.	
[NASA-CASE-MPS-14017]	c14 N71-26627	Positive dc to positive dc converter Patent	
BEEH, J. F.		[NASA-CASE-XNP-14301]	c09 N71-23188
Method and apparatus for measuring		Positive dc to negative dc converter Patent	
electromagnetic radiation		[NASA-CASE-XNP-08217]	c03 N71-23239
[NASA-CASE-LEW-11159-1]	c14 N73-28488	BESSETTE, R. J.	
BEHN, J. H.		Space suit	
Solid propellant rocket motor		[NASA-CASE-MSC-12609-1]	c05 N73-32012
[NASA-CASE-NPO-11559]	c28 N73-24784	BESWICK, A. G.	
BELANGER, R. J.		Lunar penetrometer Patent	
Fluid lubricant system Patent		[NASA-CASE-XLA-00934]	c14 N71-22765
[NASA-CASE-XNP-03972]	c15 N71-23048	BEUYUKIAN, C. S.	
BELASCO, M.		Tube dimpling tool Patent	
Medical subject monitoring systems		[NASA-CASE-XMS-06876]	c15 N71-21536
[NASA-CASE-MSC-14180-1]	c05 N73-22045	BEYLIK, C. H.	
BELSH, H. H., JR.		Pressure seal Patent	
Altitude simulation chamber for rocket engine		[NASA-CASE-NPO-10796]	c15 N71-27068
testing		BHIVANKER, M. E.	
[NASA-CASE-MFS-20620]	c11 N72-27262	A method for making conductors for ferrite	
BELSH, R. R.		memory arrays	
Thermal compensating structural member		[NASA-CASE-LAR-10994-1]	c18 N73-30536
[NASA-CASE-MFS-20433]	c15 N72-28496	BIBBO, C.	
Docking structure for spacecraft		Flexible seal for valves Patent	
[NASA-CASE-MFS-20865]	c31 N73-26876	[NASA-CASE-XLE-00101]	c15 N70-33376
BELL, D., III		BIRNIEK, T.	
Heated element fluid flow sensor Patent		Metal containing polymers from cyclic tetrameric	
[NASA-CASE-MSC-12084-1]	c12 N71-17569	phenylphosphonitrimides Patent	
BELL, V. L.		[NASA-CASE-HQN-10364]	c06 N71-27363
Aromatic polyimide preparation		BILDERBACK, R. E.	
[NASA-CASE-LAR-11372-1]	c06 N74-19772	Amplitude modulated laser transmitter Patent	
BELL, V. L., JR.		[NASA-CASE-XMS-04269]	c16 N71-22895
Process for interfacial polymerization of		BILES, J. R., JR.	
pyromellitic dianhydride and 1,2,4,		High impact pressure regulator Patent	
5-tetraamino-benzene Patent		[NASA-CASE-NPO-10175]	c14 N71-18625
[NASA-CASE-XLA-03104]	c06 N71-11235	BILLINGHAM, J.	
Imidazopyrrolone/imide copolymers Patent		Temperature controller for a fluid cooled garment	
[NASA-CASE-XLA-08802]	c06 N71-11238	[NASA-CASE-ARC-10599-1]	c05 N73-26071
Dosimeter for high levels of absorbed radiation		BILLINGS, C. R.	
Patent		Emergency escape system Patent	
[NASA-CASE-XLA-03645]	c14 N71-20430	[NASA-CASE-XKS-07814]	c15 N71-27067
BEHNH, L. J.		BILLINGSLEY, F. C.	
Linear explosive comparison		Electro-optical scanning apparatus Patent	
[NASA-CASE-LAR-10800-1]	c33 N72-27959	Application	
		[NASA-CASE-NPO-11106]	c14 N70-34697

Electro-optical scanning apparatus
[NASA-CASE-NPO-11106-2] c23 N72-28696

Image data rate converter having a drum with a
fixed head and a rotatable head
[NASA-CASE-NPO-11659-1] c14 N74-11283

BILLMAN, K. W.
Method and apparatus for wavelength tuning of
liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343

Method and apparatus for determining properties
of a plasma
[NASA-CASE-ARC-10596-1] c25 N73-29750

Infrared tunable laser
[NASA-CASE-ARC-10463-1] c09 N73-32111

Alignment apparatus using a laser having a
gravitationally sensitive cavity reflector
[NASA-CASE-ARC-10444-1] c16 N73-33397

BILON, N.
Thiophenyl ether disiloxanes and trisiloxanes
useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c15 N74-21058

BINCKLEY, W. G.
Voltage regulator with plural parallel power
source sections Patent
[NASA-CASE-GSC-10891-1] c10 N71-26626

BIRCHENROUGH, A. G.
Switching regulator
[NASA-CASE-LEW-11005-1] c09 N72-21243

BIRD, J. D.
Jet shoes
[NASA-CASE-XLA-08491] c05 N69-21380

BISHOP, O. L.
Broadband choke for antenna structure
[NASA-CASE-XMS-05303] c07 N69-27462

BISHOP, R. E.
Optical alignment system Patent
[NASA-CASE-XNP-02029] c14 N70-41955

BLACK, I. A.
Apparatus for measuring thermal conductivity
Patent
[NASA-CASE-XGS-01052] c14 N71-15992

BLACK, J. E.
Full wave modulator-demodulator amplifier
apparatus
[NASA-CASE-FRC-10072-1] c09 N74-14939

BLACK, S. E.
Automatic gain control system
[NASA-CASE-XMS-05307] c09 N69-24330

BLACK, W. W.
Triaxial antenna Patent
[NASA-CASE-XGS-02290] c07 N71-28809

BLACKABY, J. E.
Temperature controller for a fluid cooled garment
[NASA-CASE-ARC-10599-1] c05 N73-26071

BLACKSTOCK, T. A.
Ferry system
[NASA-CASE-LAR-10574-1] c11 N73-13257

BLAIR, G. E.
Inorganic thermal control pigment Patent
[NASA-CASE-XNP-02139] c18 N71-24184

BLAISE, H. T.
Air cushion lift pad Patent
[NASA-CASE-MFS-14685] c31 N71-15689

Methods and apparatus employing vibratory energy
for wrenching Patent
[NASA-CASE-MFS-20586] c15 N71-17686

Remote manipulator system
[NASA-CASE-MFS-22022-1] c05 N74-10099

BLANCHARD, W. S., JR.
Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938

Space capsule Patent
[NASA-CASE-XLA-01332] c31 N71-15664

Lateral displacement system for separated rocket
stages Patent
[NASA-CASE-XLA-04804] c31 N71-23008

High lift aircraft
[NASA-CASE-LAR-11252-1] c02 N73-26007

Quiet jet transport aircraft
[NASA-CASE-LAR-11087-1] c02 N73-26008

BLANCHE, J. F.
Electrical feed-through connection for printed
circuit boards and printed cable
[NASA-CASE-XMF-01483] c14 N69-27431

BLAND, C.
Bacteriostatic conformal coating and methods of
application Patent
[NASA-CASE-GSC-10007] c18 N71-16046

BLAND, W. M., JR.
Survival couch Patent
[NASA-CASE-XLA-00118] c05 N70-33285

BLANKENSHIP, C. E.
Protective device for machine and metalworking
tools Patent
[NASA-CASE-XLE-01092] c15 N71-22797

BLAZE, C. J.
Formed metal ribbon wrap Patent
[NASA-CASE-XLE-00164] c15 N70-36411

BLOSSER, E. E.
Method for determining presence of OH in
magnesium oxide
[NASA-CASE-NPO-10774] c06 N72-17095

BLUE, J. W.
Apparatus for producing high purity I-123
[NASA-CASE-LEW-10518-2] c24 N72-28714

Production of high purity I-123
[NASA-CASE-LEW-10518-1] c24 N72-33681

Method of producing I-123
[NASA-CASE-LEW-11390-2] c24 N73-20763

Production of I-123
[NASA-CASE-LEW-11390-3] c11 N73-28128

Apparatus for producing high purity I-123
[NASA-CASE-LEW-10518-3] c15 N74-10476

BLUME, B. C.
Parametric amplifiers with idler circuit feedback
[NASA-CASE-LAR-10253-1] c09 N72-25258

Apparatus and method for applying protective
coatings
[NASA-CASE-LAR-10362-1] c15 N72-27486

BLUMRICH, J. F.
Pivotal shock absorbing pad assembly Patent
[NASA-CASE-XMF-03856] c31 N70-34159

Landing pad assembly for aerospace vehicles Patent
[NASA-CASE-XMF-02853] c31 N70-36654

Double-acting shock absorber Patent
[NASA-CASE-XMF-01045] c15 N70-40354

Tank construction for space vehicles Patent
[NASA-CASE-XMF-01899] c31 N70-41948

Docking structure for spacecraft Patent
[NASA-CASE-XMF-05941] c31 N71-23912

Omnidirectional wheel
[NASA-CASE-MFS-21309-1] c15 N74-18125

BLUTINGER, B.
Signal generator
[NASA-CASE-XNP-05612] c09 N69-21468

BLYNILLER, E. E.
Microcircuit negative cutter
[NASA-CASE-XLA-09843] c15 N72-27485

BOATRIGHT, W. B.
Apparatus and method for generating large mass
flow of high temperature air at hypersonic
speeds
[NASA-CASE-LAR-10578-1] c12 N73-25262

BOCKWOLDT, W. E.
Narrow bandwidth video Patent
[NASA-CASE-XMS-06740-1] c07 N71-26579

BOEDY, D. D.
Power supply circuit Patent
[NASA-CASE-XMS-00913] c10 N71-23543

BOEHM, J.
Gravity device Patent
[NASA-CASE-XMF-00424] c11 N70-38196

BOER, K. W.
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c14 N74-18088

BOEX, H. W.
Filter regeneration systems
[NASA-CASE-MSC-14273-1] c12 N73-28179

BOGNER, E. S.
Storage battery comprising negative plates of a
wedge shaped configuration
[NASA-CASE-NPO-11806-1] c03 N74-19693

BOGUSZ, F. J.
Pressure transducer calibrator Patent
[NASA-CASE-XNP-01660] c14 N71-23036

BOIES, R. D.
Instrument for measuring potentials on two
dimensional electric field plots Patent
[NASA-CASE-XLA-08493] c10 N71-19421

BOISSEVAIN, A. G.
Optical machine tool alignment indicator Patent
[NASA-CASE-XAC-09889-1] c15 N71-26673

BOLT, C. A., JR.
Broadband choke for antenna structure
[NASA-CASE-XMS-05303] c07 N69-27462

BOND, W. W.
Connector internal force gauge Patent

[NASA-CASE-XNP-03918] c14 N71-23087
 BOHN, J. L.
 Wire grid forming apparatus Patent
 [NASA-CASE-XLE-00023] c15 N70-33330
 BOMBER, T. F., JR.
 Quiet jet transport aircraft
 [NASA-CASE-LAR-11087-1] c02 N73-26008
 BONO, P.
 Recoverable single stage spacecraft booster Patent
 [NASA-CASE-XHF-01973] c31 N70-41588
 BOODLEY, L. E.
 Connector strips-positive, negative and T tabs
 [NASA-CASE-XGS-01395] c03 N69-21539
 BOOTH, F. G.
 Condenser - Separator
 [NASA-CASE-XLA-08645] c15 N69-21465
 Separator Patent
 [NASA-CASE-XLA-00415] c15 N71-16079
 Thermal pump-compressor for space use Patent
 [NASA-CASE-XLA-00377] c33 N71-17610
 Soldering device Patent
 [NASA-CASE-XLA-08911] c15 N71-27214
 Centrifugal hydrophobic separator
 [NASA-CASE-LAR-10194-1] c12 N72-11293
 Air removal device
 [NASA-CASE-XLA-8914] c15 N73-12492
 Zero gravity liquid mixer
 [NASA-CASE-LAR-10195-1] c15 N73-19458
 BOOTH, R. A.
 Solid state switch
 [NASA-CASE-XNP-09228] c09 N69-27500
 BORELLI, E. T.
 Adaptive tracking notch filter system Patent
 [NASA-CASE-XHF-01892] c10 N71-22986
 BOROSON, H. R.
 Wide range linear fluxgate magnetometer Patent
 [NASA-CASE-XGS-01587] c14 N71-15962
 BOSCO, G. B., JR.
 Rotating shaft seal Patent
 [NASA-CASE-XNP-02862-1] c15 N71-26294
 BOSHERS, G. A.
 Battery testing device
 [NASA-CASE-HFS-20761-1] c03 N73-17037
 BOSTON, R. E.
 Alphanumeric character generator for oscilloscopes
 [NASA-CASE-GSC-11582-1] c09 N73-32120
 BOURKE, D. G.
 Data compression system with a minimum time
 delay unit Patent
 [NASA-CASE-XNP-08832] c08 N71-12506
 BOYER, K. P.
 Buffered analog converter
 [NASA-CASE-KSC-10397] c08 N72-25206
 BOYLE, J. C.
 Balance torquemeter Patent
 [NASA-CASE-XGS-01013] c14 N71-23725
 BOYLE, J. V., JR.
 Adjustable attitude guide device Patent
 [NASA-CASE-XLA-07911] c15 N71-15571
 Canister closing device Patent
 [NASA-CASE-XLA-01446] c15 N71-21528
 BOZAJIAN, J. H.
 Thermal switch Patent
 [NASA-CASE-XNP-00463] c33 N70-36847
 BRACKEN, P. A.
 Telemetry processor
 [NASA-CASE-GSC-11388-1] c07 N73-24187
 BRADLEY, R. H.
 Emergency earth orbital escape device
 [NASA-CASE-HSC-13281] c31 N72-18859
 A method of delivering a vehicle to earth orbit
 and returning the reusable portion thereof to
 earth
 [NASA-CASE-HSC-12391] c30 N73-12884
 BRADY, J. C.
 Surface roughness detector Patent
 [NASA-CASE-XLA-00203] c14 N70-34161
 BRANDHORST, H. H., JR.
 Rapidly pulsed, high intensity, incoherent light
 source
 [NASA-CASE-XLE-2529-3] c09 N74-20859
 BRANSTETTER, J. R.
 Black-body furnace Patent
 [NASA-CASE-XLE-01399] c33 N71-15625
 BRASCHWITZ, J. H.
 External liquid-spray cooling of turbine blades
 Patent
 [NASA-CASE-XLE-00037] c28 N70-33372

BRAUN, G.
 Ultraviolet atomic emission detector
 [NASA-CASE-HQN-10756-1] c14 N72-25428
 BRÄNNER, C. C., JR.
 Specific wavelength colorimeter
 [NASA-CASE-HSC-14081-1] c14 N73-18443
 BRÄNNER, E. L.
 Color perception tester
 [NASA-CASE-KSC-10278] c05 N72-16015
 BREED, L. L.
 Fluorinated esters of polycarboxylic acids
 [NASA-CASE-HFS-21040-1] c06 N73-30098
 BREED, L. L.
 Preparation of ordered poly /arylenesiloxane/
 polymers
 [NASA-CASE-XMF-10753] c06 N71-11237
 BREEZE, R. K.
 Method and system for respiration analysis Patent
 [NASA-CASE-XFR-08403] c05 N71-11202
 BREGMAN, B. J.
 Derivation of a tangent function using an
 integrated circuit four-quadrant multiplier
 [NASA-CASE-HSC-13907-1] c10 N73-26230
 BREITHIESER, R.
 High current electrical leads
 [NASA-CASE-LEH-10950-1] c09 N72-31239
 BREJCHA, A. G., JR.
 Coaxial cable connector Patent
 [NASA-CASE-XNP-04732] c09 N71-20851
 BRETT, P. R.
 Oxygen production method and apparatus
 [NASA-CASE-HSC-12332-1] c15 N72-15476
 BREV, H.
 Frequency division multiplex technique
 [NASA-CASE-KSC-10521] c07 N73-20176
 BRICKER, R. G.
 Hass measuring system Patent
 [NASA-CASE-XMS-03371] c05 N70-42000
 BRINICH, B. F.
 Electrothermal rockets having improved heat
 exchangers Patent
 [NASA-CASE-XLE-01783] c28 N70-34175
 BRINKS, B. J.
 Plating nickel on aluminum castings Patent
 [NASA-CASE-XNP-04148] c17 N71-24830
 BRISSENDER, R. F.
 Cable arrangement for rigid tethering Patent
 [NASA-CASE-XLA-02332] c32 N71-17609
 BROCK, F. J.
 Gauge calibration by diffusion
 [NASA-CASE-XGS-07752] c14 N73-30390
 Ultrahigh vacuum measuring ionization gauge
 [NASA-CASE-XLA-05087] c14 N73-30391
 BRODER, J. D.
 Method of making electrical contact on silicon
 solar cell and resultant product Patent
 [NASA-CASE-XLE-04787] c03 N71-20492
 Attaching cover glasses to solar cells
 [NASA-CASE-LEH-11065-1] c03 N72-11064
 Covered silicon solar cells
 [NASA-CASE-LEH-11065-2] c03 N73-26048
 Method of making silicon solar cell array
 [NASA-CASE-LEH-11069-1] c03 N74-14784
 BRODERICK, J. C.
 Solid state television camera system Patent
 [NASA-CASE-XHP-06092] c07 N71-24612
 BRODERICK, R. F.
 Signal ratio system utilizing voltage controlled
 oscillators Patent
 [NASA-CASE-XMF-04367] c09 N71-23545
 Radar antenna system for acquisition and
 tracking Patent
 [NASA-CASE-XMS-09610] c07 N71-24625
 BRODIE, S. B.
 Variable ratio mixed-mode bilateral master-slave
 control system for shuttle remote manipulator
 system
 [NASA-CASE-HSC-14245-1] c31 N73-30832
 BROKL, S. S.
 Numerical computer peripheral interactive device
 with manual controls
 [NASA-CASE-NPO-11497] c08 N73-25206
 BROOKS, G. B.
 Impact simulator Patent
 [NASA-CASE-XLA-00493] c11 N70-34786
 Flexible ring slosh damping baffle Patent
 [NASA-CASE-LAR-10317-1] c32 N71-16103
 Lunar penetrometer Patent
 [NASA-CASE-XLA-00934] c14 N71-22765

BROOKS, J. D.
Continuously operating induction plasma
accelerator Patent
[NASA-CASE-XLA-01354] c25 N70-36946

BROOKS, R. A.
Capacitive tank gaging apparatus being
independent of liquid distribution
[NASA-CASE-MFS-21629] c14 N72-22442

BROUSSARD, R.
Optical tracking mount Patent
[NASA-CASE-MFS-14017] c14 N71-26627

BROWN, C. E.
G conditioning suit Patent
[NASA-CASE-XLA-02898] c05 N71-20268

BROWN, D.
Radial module space station Patent
[NASA-CASE-XMS-01906] c31 N70-41373

BROWN, D. W.
Phase-locked loop with sideband rejecting
properties Patent
[NASA-CASE-XNP-02723] c07 N70-41680

BROWN, G. A.
Integrated circuit including field effect
transistor and cermet resistor
[NASA-CASE-GSC-10835-1] c09 N72-33205

BROWN, G. V.
Magnetocaloric pump
[NASA-CASE-LEW-11672-1] c15 N73-14479
Method of fabricating a twisted composite
superconductor
[NASA-CASE-LEW-11015] c26 N73-32571

BROWN, H. H.
Reaction tester
[NASA-CASE-MSC-13604-1] c05 N73-13114

BROWN, J. W.
Reduced gravity fecal collector seat and urinal
[NASA-CASE-MFS-22102-1] c05 N74-20725

BROWN, K. H.
Phase modulator Patent
[NASA-CASE-MSC-13201-1] c07 N71-28429

BROWN, R. L.
Gimbaled, partially submerged rocket nozzle Patent
[NASA-CASE-XMP-01544] c28 N70-34162

BROWN, R. M.
Multiple pass reimaging optical system
[NASA-CASE-ARC-10194-1] c23 N73-20741

BROWN, W. E.
Method and apparatus for measuring solar
activity and atmospheric radiation effects
[NASA-CASE-ERC-10276] c14 N73-26432

BROWN, W. E., III
Method and means for providing an absolute power
measurement capability Patent
[NASA-CASE-ERC-11020] c14 N71-26774
Clear air turbulence detector
[NASA-CASE-ERC-10081] c14 N72-28437

BROWNING, R. E.
Flexible seal for valves Patent
[NASA-CASE-XLE-00101] c15 N70-33376

BOYLES, H. F.
Parallel plate viscometer Patent
[NASA-CASE-XNP-09462] c14 N71-17584

BOYLES, H. H.
Parallel plate viscometer Patent
[NASA-CASE-XNP-09462] c14 N71-17584

BRUCE, R. A.
Specialized halogen generator for purification
of water Patent
[NASA-CASE-XLA-08913] c14 N71-28933
Centrifugal hydrophobic separator
[NASA-CASE-LAR-10194-1] c12 N72-11293
Air removal device
[NASA-CASE-XLA-8914] c15 N73-12492
Zero gravity liquid mixer
[NASA-CASE-LAR-10195-1] c15 N73-19458

BRONSTEIN, S. A.
Dual frequency microwave reflex feed
[NASA-CASE-NPO-13091-1] c09 N73-12214

BRYAN, C. J.
Autoignition test cell Patent
[NASA-CASE-KSC-10198] c11 N71-28629

BRYAN, M. E.
Wind tunnel model damper Patent
[NASA-CASE-XLA-09480] c11 N71-33612

BRYANT, R. L.
Fatigue testing device Patent
[NASA-CASE-XLA-02131] c32 N70-42003

BRYANT, W. H.
Digital controller for a Baum folding machine
[NASA-CASE-LAR-10688-1] c15 N74-21056

BRYSON, R. F.
Soil penetrometer
[NASA-CASE-XNP-05530] c14 N73-32321

BUCHANAN, R. I.
Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c11 N71-15925
Hypersonic test facility Patent
[NASA-CASE-XLA-05378] c11 N71-21475

BUCHHELE, D. R.
Optical torqueometer Patent
[NASA-CASE-XLE-00503] c14 N70-34818

BUCHHOLD, T. A.
Superconductive accelerometer Patent
[NASA-CASE-XNP-01099] c14 N71-15969

BUCHMILLER, L. D.
Folded traveling wave maser structure Patent
[NASA-CASE-XNP-05219] c16 N71-15550

BUCKLEY, D. B.
Gas lubricant compositions Patent
[NASA-CASE-XLE-00353] c18 N70-39897
Metallic film diffusion for boundary lubrication
Patent
[NASA-CASE-XLE-01765] c18 N71-10772
Alloys for bearings Patent
[NASA-CASE-XLE-05033] c15 N71-23810
Metallic film diffusion for boundary lubrication
Patent
[NASA-CASE-XLE-10337] c15 N71-24046

BUHLER, G. V.
A meter for use in detecting tension in straps
having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c14 N74-10421

BULLINGER, H. B.
Photoetching of metal-oxide layers
[NASA-CASE-ERC-10108] c06 N72-21094

BUNCE, R. C.
Closed loop ranging system Patent
[NASA-CASE-XNP-01501] c21 N70-41930
Automatic carrier acquisition system
[NASA-CASE-NPO-11628-1] c07 N73-30113

BUNKER, R. R., JR.
Automated equipotential plotter
[NASA-CASE-NPO-11134] c09 N72-21246

BURCH, C. F.
Grinding arrangement for ball nose milling cutters
[NASA-CASE-LAR-10450-1] c15 N73-10504

BURCH, J. L.
Two speed drive system
[NASA-CASE-MFS-20645] c15 N72-20463
Automatically operable self-leveling load table
[NASA-CASE-MFS-22039-1] c14 N73-30428

BURCHAM, T. W.
Controlled release device Patent
[NASA-CASE-XKS-03338] c15 N71-24043

BURCHER, E. E.
Laser communication system for controlling
several functions at a location remote to the
laser
[NASA-CASE-LAR-10311-1] c16 N73-16536
A spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c14 N73-28496
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-3] c23 N73-32538
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c14 N74-10420
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-2] c23 N74-13436

BURDIN, C.
Phase-locked servo system
[NASA-CASE-MFS-22073-1] c09 N74-11058

BURGESS, F. A.
Measuring device Patent
[NASA-CASE-XMS-01546] c14 N70-40233
Process for conditioning tanned sharkskin and
articles made therefrom Patent
[NASA-CASE-XMS-09691-1] c18 N71-15545

BURK, S. H., JR.
Deployable flexible ventral fins for use as an
emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] c02 N73-10031

BURKE, J. R.
Optical spin compensator
[NASA-CASE-XGS-02401] c14 N69-27485

BURKHART, J. A.
Magnetoplasma-dynamic arc thruster
[NASA-CASE-LEW-11180-1] c25 N73-25760

BURKLEY, R. A.
Panelized high performance multilayer insulation

Patent
[NASA-CASE-MFS-14023] c33 N71-25351

BURNHAM, D. C.
Method and apparatus for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343

BURNS, R. A.
Ablative resin Patent
[NASA-CASE-XLE-05913] c33 N71-14032

BURNS, R. P.
Biomedical radiation detecting probe Patent
[NASA-CASE-XMS-01177] c05 N71-19440

BURNS, R. H.
High pulse rate high resolution optical radar system
[NASA-CASE-NPO-11426] c07 N73-26119

BURNS, R. R.
A protected isotope heat source
[NASA-CASE-LEH-11227-1] c33 N71-35153

BURROUS, C. W.
Temperature compensated light source using a light emitting diode
[NASA-CASE-ARC-10467-1] c09 N73-14214

BURROUS, D. L.
Insulating structure Patent
[NASA-CASE-XMF-00341] c15 N70-33323

BURTON, D. R.
Garments for controlling the temperature of the body Patent
[NASA-CASE-XMS-10269] c05 N71-24147

BURTON, W. A.
Endless tape cartridge Patent
[NASA-CASE-XGS-00769] c14 N70-41647

Annular slit colloid thruster Patent
[NASA-CASE-GSC-10709-1] c28 N71-25213

BUSEHANN, A.
Plasma accelerator Patent
[NASA-CASE-XLA-00675] c25 N70-33267

BUTLER, D. H.
Miniature vibration isolator Patent
[NASA-CASE-XLA-01019] c15 N70-40156

Radio frequency filter device
[NASA-CASE-XLA-02609] c09 N72-25256

BUTLER, P., JR.
Oxygen production method and apparatus
[NASA-CASE-MSC-12332-1] c15 N72-15476

BUTMAN, S.
Signal phase estimator
[NASA-CASE-NPO-11203] c10 N72-20224

Multichannel telemetry system
[NASA-CASE-NPO-11572] c07 N73-16121

Receiver with an improved phase lock loop in a multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c07 N73-28012

BUZZARD, R. J.
Radial heat flux transformer
[NASA-CASE-NPO-10828] c33 N72-17948

BYERS, D. C.
Electrostatic thruster with improved insulators Patent
[NASA-CASE-XLE-01902] c28 N71-10574

Sputtering holes with ion beamlets
[NASA-CASE-LEW-11646-1] c28 N72-32760

BYNUM, B. G.
Response analyzers for sensors Patent
[NASA-CASE-MFS-11204] c14 N71-29134

Ergometer
[NASA-CASE-MFS-21109-1] c05 N73-27941

BYRD, A. H.
Heat pipe thermionic diode power system Patent
[NASA-CASE-XMF-05843] c03 N71-11055

Power system with heat pipe liquid coolant lines Patent
[NASA-CASE-MFS-14114-2] c09 N71-24807

Isothermal cover with thermal reservoirs Patent
[NASA-CASE-MFS-20355] c33 N71-25353

Power system with heat pipe liquid coolant lines Patent
[NASA-CASE-MFS-14114] c33 N71-27862

Thermoelectric power system
[NASA-CASE-MFS-22002-1] c03 N74-18726

BYRD, J. D.
Elastomeric silazane polymers and process for preparing the same Patent
[NASA-CASE-XMF-04133] c06 N71-20717

BYRD, M. H.
Thermally conductive polymers
[NASA-CASE-GSC-11304-1] c06 N72-21105

BYRNE, F.
BCD to decimal decoder Patent
[NASA-CASE-XKS-06167] c08 N71-24890

Video sync processor Patent
[NASA-CASE-KSC-10002] c10 N71-25865

Automatic frequency control loop including synchronous switching circuits
[NASA-CASE-KSC-10393] c09 N72-21247

Digital servo controller
[NASA-CASE-KSC-10769-1] c09 N73-27153

CABLE, C. W.
Solar cell assembly test method
[NASA-CASE-NPO-10401] c03 N72-20033

CABLE, W. L.
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly
[NASA-CASE-GSC-11560-1] c09 N74-20861

CACOSSA, R. A.
Method of detecting impending saturation of magnetic cores
[NASA-CASE-ERC-10089] c23 N72-17747

CAHILL, M. E.
Positive locking check valve Patent
[NASA-CASE-XMS-09310] c15 N71-22706

CALANDRO, J. E.
Resilient wheel Patent
[NASA-CASE-MFS-13929] c15 N71-27091

CALLAHAN, D. E.
Solid state television camera system Patent
[NASA-CASE-XMF-06092] c07 N71-24612

CALVERT, H. P.
Modification and improvements to cooled blades Patent
[NASA-CASE-XLE-00092] c15 N70-33264

CAMACHO, S. L.
Protective circuit of the spark gap type
[NASA-CASE-XAC-08981] c09 N69-39897

CAHRA, J. E.
Overvoltage protection network
[NASA-CASE-ARC-10197-1] c09 N74-17929

CAMP, D. H.
Anemometer with braking mechanism Patent
[NASA-CASE-XMF-05224] c14 N71-23726

Haxometers (peak wind speed anemometers)
[NASA-CASE-MFS-20916] c14 N73-25460

CAMP, E. L.
Automatic signal range selector for metering devices Patent
[NASA-CASE-XMS-06497] c14 N71-26244

CAMPBELL, B. A.
Epoxy-aziridine polymer product Patent
[NASA-CASE-NPO-10701] c06 N71-28620

CAMPBELL, C. C., JR.
Discrete local altitude sensing device Patent
[NASA-CASE-XMS-03792] c14 N70-41812

CAMPBELL, D. R.
Time division radio relay synchronizing system using different sync code words for in sync and out of sync conditions Patent
[NASA-CASE-GSC-10373-1] c07 N71-19773

CAMPBELL, F. D.
Radiant source tracker independent of nonconstant irradiance
[NASA-CASE-NPO-11686] c14 N73-25462

CAMPBELL, G. E.
Self-recording portable soil penetrometer
[NASA-CASE-MFS-20774] c14 N73-19420

CAMPBELL, G. G.
Method and system for respiration analysis Patent
[NASA-CASE-XPR-08403] c05 N71-11202

CAMPBELL, J. G.
Multislot film cooled pyrolytic graphite rocket nozzle Patent
[NASA-CASE-XNP-04389] c28 N71-20942

Tube sealing device Patent
[NASA-CASE-NPO-10431] c15 N71-29132

CAMPBELL, R. A.
Redundant hydraulic control system for actuators
[NASA-CASE-HFS-20944] c15 N73-13466

CAMPBELL, T. G.
Omnidirectional slot antenna for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c09 N72-25247

CAUCRO, C. A.
Low power drain semi-conductor circuit
[NASA-CASE-XGS-04999] c09 N69-24317

Wide range data compression system Patent
[NASA-CASE-XGS-02612] c08 N71-19435

Passive synchronized spike generator with high input impedance and low output impedance and capacitor power supply Patent
[NASA-CASE-XGS-03632] c09 N71-23311

Fast response low power drain logic circuits
[NASA-CASE-GSC-10878-1] c10 N72-22236

CANICATTI, C. L.
Voltage monitoring system
[NASA-CASE-KSC-10736-1] c09 N73-23290

CANNING, T. N.
Shock-layer radiation measurement
[NASA-CASE-XAC-02970] c14 N69-39896

Hypervelocity gun Patent
[NASA-CASE-XAC-05902] c11 N71-18578

Heater-mixer for stored fluids
[NASA-CASE-ABC-10442-1] c14 N74-15093

Bimetallic fluid displacement apparatus
[NASA-CASE-ABC-10441-1] c15 N74-15126

CANTOR, C.
Attitude control system Patent
[NASA-CASE-XGS-04393] c21 N71-14159

Amplifier clamping circuit for horizon scanner Patent
[NASA-CASE-XGS-01784] c10 N71-20782

Roll alignment detector
[NASA-CASE-GSC-10514-1] c14 N72-20379

CANVEL, B.
Video communication system and apparatus Patent
[NASA-CASE-XNP-06611] c07 N71-26102

CAPLETTE, R. K.
Current steering commutator
[NASA-CASE-NPO-10743] c08 N72-21199

CAPPS, J. E.
Two-step rocket engine bipropellant valve Patent
[NASA-CASE-XMS-04890-1] c15 N70-22192

CAREN, R. P.
Dual solid cryogenics for spacecraft refrigeration Patent
[NASA-CASE-GSC-10188-1] c23 N71-24725

CARL, C.
Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system
[NASA-CASE-NPO-11302-1] c07 N73-13149

Method and apparatus for a single channel digital communications system
[NASA-CASE-NPO-11302-2] c07 N74-10132

Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c08 N74-12887

CARL, G. E.
Air conditioned suit
[NASA-CASE-LAR-10076-1] c05 N73-20137

CARLISLE, T. E.
Method and apparatus for controllably heating fluid Patent
[NASA-CASE-XMF-04237] c33 N71-16278

CARLSON, A. W.
Pulse-width modulation multiplier Patent
[NASA-CASE-XER-09213] c07 N71-12390

CARLSON, R. W.
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c02 N71-12243

CARLSON, W. C. A.
Electric arc device for heating gases Patent
[NASA-CASE-XAC-00319] c25 N70-41628

CARMIN, D. L., JR.
Anti-fog composition
[NASA-CASE-HSC-13530-2] c06 N73-11107

CARMODY, B. J.
Hand cutter and sealer for fusible fabrics
[NASA-CASE-XMF-09386] c15 N69-21854

Honeycomb panel and method of making same Patent
[NASA-CASE-XMF-01402] c18 N71-21651

CARON, P. E.
Logarithmic function generator utilizing an exponentially varying signal in an inverse manner
[NASA-CASE-ERC-10267] c09 N72-23173

Phase control circuits using frequency multiplications for phased array antennas
[NASA-CASE-ERC-10285] c10 N73-16206

CARPENTER, L. E.
System for communicating biomedical information by means of unmodified conventional voice communication systems Patent Application
[NASA-CASE-FRC-10031] c05 N70-20717

CARPINI, T. D.
Flow velocity and directional instrument
[NASA-CASE-LAR-10855-1] c14 N73-13415

CARR, W. F.
Split nut separation system Patent
[NASA-CASE-KNP-06914] c15 N71-21489

CARROLL, W. F.
Stabilized zinc oxide coating compositions Patent
[NASA-CASE-XMF-07770-2] c18 N71-26772

CARSON, J. W.
Quasi-optical microwave component Patent
[NASA-CASE-ERC-10011] c07 N71-29065

CARSON, P. E.
Array phasing device Patent
[NASA-CASE-ERC-10046] c10 N71-18722

CARSON, W. M., JR.
Didymium hydrate additive to nickel hydroxide electrodes Patent
[NASA-CASE-XGS-03505] c03 N71-10608

CARTER, A. F.
Plasma accelerator Patent
[NASA-CASE-XLA-00675] c25 N70-33267

Method and apparatus for producing a plasma Patent
[NASA-CASE-XLA-00147] c25 N70-34661

CARTER, W. K.
Emergency earth orbital escape device
[NASA-CASE-MSC-13281] c31 N72-18859

CARUSO, A. J.
Sorption vacuum trap Patent
[NASA-CASE-XER-09519] c14 N71-18483

CASE, M. C.
Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012

CASEY, L. O.
Electrical load protection device Patent
[NASA-CASE-MSC-12135-1] c09 N71-12526

CASHION, K. D.
Solar optical telescope dome control system Patent
[NASA-CASE-MSC-10966] c14 N71-19568

Radiation detector readout system Patent
[NASA-CASE-XMS-03478] c14 N71-21040

CAUDILL, L. O.
Long range laser traversing system
[NASA-CASE-GSC-11262-1] c16 N74-21091

CECCON, H. L.
Optical pump and driver system for lasers
[NASA-CASE-ERC-10283] c16 N72-25485

CEPOLINA, P. J.
Strain gauge measuring techniques Patent
[NASA-CASE-XGS-04478] c14 N71-24233

CHAFFEE, W. E.
Oxygen production method and apparatus
[NASA-CASE-MSC-12332-1] c15 N72-15476

CHAMBERLAIN, P. E.
Optical binocular scanning apparatus
[NASA-CASE-NPO-11002] c14 N72-22441

CHAMBERS, A. B.
Temperature controller for a fluid cooled garment
[NASA-CASE-ARC-10599-1] c05 N73-26071

CHANDLER, J. A.
Discrete local altitude sensing device Patent
[NASA-CASE-XMS-03792] c14 N70-41812

Line cutter Patent
[NASA-CASE-XMS-04072] c15 N70-42017

Spacecraft radiator cover Patent
[NASA-CASE-MSC-12049] c31 N71-16080

Winch having cable position and load indicators Patent
[NASA-CASE-HSC-12052-1] c15 N71-24599

CHANDLER, W. A.
Cryogenic storage system Patent
[NASA-CASE-XMS-04390] c31 N70-41871

CHAPMAN, C. F.
Switching circuit Patent
[NASA-CASE-XNP-06505] c10 N71-24799

Peak acceleration limiter for vibrational tester Patent
[NASA-CASE-NPO-10556] c14 N71-27185

Apparatus for recovering matter adhered to a host surface
[NASA-CASE-NPO-11213] c15 N73-20514

Automated attendance accounting system
[NASA-CASE-NPO-11456] c08 N73-26176

Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c14 N74-19093

CHAPMAN, R. H.
Inflation system for balloon type satellites
Patent
[NASA-CASE-XGS-03351] c31 N71-16081

CHAPPELLE, E. E.
Use of the enzyme hexokinase for the reduction
of inherent light levels
[NASA-CASE-XGS-05533] c04 N69-27487

Light detection instrument Patent
[NASA-CASE-XGS-05534] c23 N71-16355

Lyophilized reaction mixtures Patent
[NASA-CASE-XGS-05532] c06 N71-17705

Flavin coenzyme assay
[NASA-CASE-GSC-10565-1] c06 N72-25149

Method of detecting and counting bacteria in
body fluids
[NASA-CASE-GSC-11092-2] c04 N73-27052

Protein sterilization method of firefly
luciferase using reduced pressure and
molecular sieves
[NASA-CASE-GSC-10225-1] c06 N73-27086

Automatic instrument for chemical processing to
detect microorganism in biological samples by
measuring light reactions
[NASA-CASE-GSC-11169-2] c05 N73-32011

CHARLTON, K. E.
Pneumatic system for controlling and actuating
pneumatic cyclic devices
[NASA-CASE-XMS-04843] c03 N69-21469

CHARNOSKY, A. J.
Tool attachment for spreading loose elements
away from work Patent
[NASA-CASE-XMF-02107] c15 N71-10809

CHATTERJEE, J. S.
Dielectric loaded aperture antenna
[NASA-CASE-LAR-11084-1] c09 N73-12216

CHEATHAM, D. C.
Spacecraft docking and alignment system
[NASA-CASE-MSC-12559-1] c31 N73-26879

CHEN, E.
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c05 N73-11097

CHEN, G. S.
Wind tunnel microphone structure Patent
[NASA-CASE-INP-00250] c11 N71-28779

CHENG, D. Y.
Converging barrel plasma accelerator Patent
[NASA-CASE-ARC-10109] c25 N71-29181

Reversed cowl flap inlet thrust augmentor
[NASA-CASE-ARC-10754-1] c28 N73-32624

System for measuring drag forces in a
turbulently flowing fluid
[NASA-CASE-ARC-10755-1] c14 N74-14115

CHERDAR, A. S.
Maximum power point tracker Patent
[NASA-CASE-GSC-10376-1] c14 N71-27407

CHESTNUT, D.
Variably positioned guide vanes for aerodynamic
choking
[NASA-CASE-LAR-10642-1] c28 N72-27820

CHI, E.
High pulse rate high resolution optical radar
system
[NASA-CASE-NPO-11426] c07 N73-26119

CHIAO, R. Y.
Optical frequency waveguide Patent
[NASA-CASE-HQN-10541-1] c07 N71-26291

Optical frequency waveguide and transmission
system
[NASA-CASE-HQN-10541-3] c23 N72-23695

CHILDRESS, J. D.
Process for the preparation of brushite crystals
[NASA-CASE-ERC-10338] c04 N72-33072

CHILDS, J. E.
High-vacuum condenser tank for ion rocket tests
Patent
[NASA-CASE-XLE-00168] c11 N70-33278

Electric propulsion engine test chamber Patent
[NASA-CASE-XLE-00252] c11 N70-34844

CHILBESKI, J. J.
Ignition system for monopropellant combustion
devices Patent
[NASA-CASE-XNP-00249] c28 N70-38249

CHILTON, R. G.
Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938

Space capsule Patent
[NASA-CASE-XLA-01332] c31 N71-15664

CHIMENTI, E. T.
Oxygen production method and apparatus
[NASA-CASE-MSC-12332-1] c15 N72-15476

CHIOA, R. Y.
Laser machining apparatus Patent
[NASA-CASE-HQN-10541-2] c15 N71-27135

Optical frequency waveguide and transmission
system Patent
[NASA-CASE-HQN-10541-4] c16 N71-27183

CHISEL, D. H.
Fluidic proportional thruster system
[NASA-CASE-ARC-10106-1] c28 N72-22769

CHONG, C. F.
Flipflop interrogator and bi-polar current
driver Patent
[NASA-CASE-XGS-03058] c10 N71-19547

CHOW, E. Y.
Elastic universal joint Patent
[NASA-CASE-XNP-00416] c15 N70-36947

CHOHNG, D.
Emergency earth orbital escape device
[NASA-CASE-MSC-13281] c31 N72-18859

CHREITZBERG, A. E.
Electric battery and method for operating same
Patent
[NASA-CASE-XGS-01674] c03 N71-29129

CHRISTIAN, L. H.
Resuscitation apparatus Patent
[NASA-CASE-XMS-01115] c05 N70-39922

CHRISTOPHER, P. A.
Method of fabricating an object with a thin wall
having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c15 N74-21059

CHUDLEY, J. P.
Zero gravity apparatus Patent
[NASA-CASE-XMF-06515] c14 N71-23227

CIEPLUCH, C. C.
Apparatus for igniting solid propellants Patent
[NASA-CASE-XLE-00207] c28 N70-33375

Method of igniting solid propellants Patent
[NASA-CASE-XLE-01988] c27 N71-15634

CISSELL, R. E.
Threadless fastener apparatus Patent
[NASA-CASE-XFP-05302] c15 N71-23254

CLAPP, S. H.
Increasing efficiency of switching type
regulator circuits Patent
[NASA-CASE-XMS-09352] c09 N71-23316

CLARK, P. L.
Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c11 N71-15925

Hypersonic test facility Patent
[NASA-CASE-XLA-05378] c11 N71-21475

CLARK, H. E.
Thermal pump-compressor for space use Patent
[NASA-CASE-XLA-00377] c33 N71-17610

CLARK, J. E.
Automated fluid chemical analyzer Patent
[NASA-CASE-XNP-09451] c06 N71-26754

CLARK, R. L.
Deposition apparatus
[NASA-CASE-LAR-10541-1] c15 N72-32487

CLARK, R. T.
Horn feed having overlapping apertures Patent
[NASA-CASE-GSC-10452] c07 N71-12396

CLARKE, D. R.
Thermal compression bonding of interconnectors
[NASA-CASE-GSC-10303] c15 N72-22487

CLATTERBUCK, C. E.
Spacecraft battery seals
[NASA-CASE-XGS-03864] c15 N69-24320

Process for making RP shielded cable
connector assemblies and the products formed thereby
[NASA-CASE-GSC-11215-1] c09 N73-28083

Microscope multi-angle, reflection, viewing
adaptor and photographic recording system
[NASA-CASE-GSC-11690-1] c14 N73-28499

CLAUSS, R. C.
Transmission line thermal short Patent
[NASA-CASE-XNP-09775] c09 N71-20445

Circulator having quarter wavelength resonant
post and parametric amplifier circuits
utilizing the same Patent
[NASA-CASE-XNP-02140] c09 N71-23097

High-gain, broadband traveling wave maser Patent
[NASA-CASE-NPO-10548] c16 N71-24831

Maser for frequencies in the 7-20 GHz range
[NASA-CASE-NPO-11437] c16 N72-28521

- CLAWSON, G. T.
Method and apparatus for checking fire detectors
[NASA-CASE-GSC-11600-1] c14 N74-21019
- CLAY, F. P., JR.
Ionization vacuum gauge with all but the end of
the ion collector shielded Patent
[NASA-CASE-XLA-07424] c14 N71-18482
- CLEMENS, G. W., JR.
Deep space monitor communication satellite
system Patent
[NASA-CASE-XAC-06029-1] c31 N71-24813
- CLEMENT, W. G.
Friction measuring apparatus Patent
[NASA-CASE-XNP-08680] c14 N71-22995
- CLEMENTS, P. A.
System for stabilizing cable phase delay
utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c09 N74-17927
- CLEMONS, D. L., JR.
Thermal control of space vehicles Patent
[NASA-CASE-XLA-01291] c33 N70-36617
- CLEMONS, P. W.
A device for configuring multiple leads
[NASA-CASE-MFS-22133-1] c15 N73-18473
- CLEVELAND, G. J.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c05 N73-22045
- CLEVENSON, S. A.
Recording apparatus
[NASA-CASE-LAR-11353-1] c14 N74-20020
- CLICKNER, R. E., JR.
Unbilical disconnect Patent
[NASA-CASE-XLA-00711] c03 N71-12258
- CLIFF, R. A.
Data processor having multiple sections
activated at different times by selective
power coupling to the sections Patent
[NASA-CASE-XGS-04767] c08 N71-12494
- Ripple add and ripple subtract binary counters
Patent
[NASA-CASE-XGS-04766] c08 N71-18602
- Apparatus for computing square roots Patent
[NASA-CASE-XGS-04768] c08 N71-19437
- Digitally controlled frequency synthesizer Patent
[NASA-CASE-XGS-02317] c09 N71-23525
- SCR lamp driver
[NASA-CASE-GSC-10221-1] c09 N72-23171
- Digital phase locked loop
[NASA-CASE-GSC-11623-1] c10 N73-31202
- CLINE, R. W.
Method and apparatus for optically monitoring
the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c23 N74-21304
- CLOTFELTER, W. W.
Apparatus for the determination of the existence
or non-existence of a bonding between two
members Patent
[NASA-CASE-MFS-13686] c15 N71-18132
- CLOUGH, L. G.
Driving lamps by induction
[NASA-CASE-MFS-21214-1] c09 N73-30181
- COBIN, J. C.
Latching mechanism Patent
[NASA-CASE-MSC-15474-1] c15 N71-26162
- COCCA, F. J.
Method and apparatus for detecting surface ions
on silicon diodes and transistors
[NASA-CASE-ERC-10325] c15 N72-25457
- COB, B. H.
High speed rolling element bearing
[NASA-CASE-LEW-10856-1] c15 N72-22490
- COHEN, D.
Fluid sample collector Patent
[NASA-CASE-XMS-06767-1] c14 N71-20435
- COHEN, E. A.
Audio frequency marker system
[NASA-CASE-NPO-11147] c14 N72-27408
- COHEN, E. F.
Digital modulator and demodulator Patent
[NASA-CASE-ERC-10041] c08 N71-29138
- COHEN, R. A.
A method for selective gold diffusion of
monolithic silicon devices and/or circuits
Patent application
[NASA-CASE-ERC-10072] c09 N70-11148
- Method and apparatus for stable silicon dioxide
layers on silicon grown in silicon nitride
ambient
[NASA-CASE-ERC-10073-1] c06 N74-19769
- COHN, R. B.
Acoustical transducer calibrating system and
apparatus
[NASA-CASE-FRC-10060-1] c14 N73-27379
- COKER, L. R.
Quick disconnect latch and handle combination
Patent
[NASA-CASE-MFS-11132] c15 N71-17649
- COLBURN, H. E.
Automatic instrument for chemical processing to
detect microorganism in biological samples by
measuring light reactions
[NASA-CASE-GSC-11169-2] c05 N73-32011
- COLE, H. A., JR.
Method and apparatus for measuring the damping
characteristics of a structure
[NASA-CASE-ARC-10154-1] c14 N72-22440
- COLE, P. T.
Low friction magnetic recording tape Patent
[NASA-CASE-XGS-00373] c23 N71-15978
- System for recording and reproducing pulse code
modulated data Patent
[NASA-CASE-XGS-01021] c08 N71-21042
- Friction measuring apparatus Patent
[NASA-CASE-XNP-08680] c14 N71-22995
- Helical recorder arrangement for multiple
channel recording on both sides of the tape
[NASA-CASE-GSC-10614-1] c09 N72-11224
- COLES, W. D.
Twisted multifilament superconductor
[NASA-CASE-LEW-11726-1] c26 N73-26752
- Method of fabricating a twisted composite
superconductor
[NASA-CASE-LEW-11015] c26 N73-32571
- COLLIER, L.
Garments for controlling the temperature of the
body Patent
[NASA-CASE-INS-10269] c05 N71-24147
- COLLIN, E. E.
Apparatus and method for skin packaging articles
[NASA-CASE-MFS-20855] c15 N73-27405
- COLLINS, D. F., JR.
Fluid power transmitting gas bearing Patent
[NASA-CASE-ERC-10097] c15 N71-28465
- COLLINS, E. R., JR.
Impact energy absorbing system utilizing
fracturable material
[NASA-CASE-NPO-10671] c15 N72-20443
- COLLINS, V. G.
Recovery of potable water from human wastes in
below-G conditions Patent
[NASA-CASE-XLA-03213] c05 N71-11207
- COLLINS, W. A.
Flight control system
[NASA-CASE-MSC-13397-1] c21 N72-25595
- COLONY, J. A.
Phototropic composition of matter
[NASA-CASE-XGS-03736] c14 N72-22443
- CONANT, J. E.
Television simulation for aircraft and space
flight Patent
[NASA-CASE-XFR-03107] c09 N71-19449
- CONE, C. D., JR.
Minimum induced drag airfoil body Patent
[NASA-CASE-XLA-00755] c01 N71-13410
- Minimum induced drag airfoil body Patent
[NASA-CASE-XLA-05828] c01 N71-13411
- Absolute focus lock for microscopes
[NASA-CASE-LAR-10184] c14 N72-22445
- CONGER, C. C.
Inductance device with vacuum insulation
[NASA-CASE-LEW-10330-1] c09 N72-27226
- CONIGLIO, G. V.
Petzval type objective including field shaping
lens Patent
[NASA-CASE-GSC-10700] c23 N71-30027
- CONN, J. H.
Moment of inertia test fixture Patent
[NASA-CASE-XGS-01023] c14 N71-22992
- CONNOLLY, J. P.
Automatic real-time pair-feeding system for
animals
[NASA-CASE-ARC-10302-1] c04 N74-15778
- CONNOR, E. W.
Condensate removal device for heat exchange
[NASA-CASE-MSC-14143-1] c33 N73-32823
- CONNORS, J. P.
Annular rocket motor and nozzle configuration
Patent

[NASA-CASE-XLE-00078] c28 N70-33284
Annular supersonic decelerator or drogue Patent

[NASA-CASE-XLE-00222] c02 N70-37939
Penshape exhaust nozzle for supersonic engine Patent

[NASA-CASE-XLE-00057] c28 N70-38711
Telescoping-spike supersonic inlet for aircraft engines Patent

[NASA-CASE-XLE-00005] c26 N70-39899
Thrust and direction control apparatus Patent

[NASA-CASE-XLE-03583] c31 N71-17629
CONRAD, R. H.
Thrust vector control apparatus Patent

[NASA-CASE-XLE-00208] c28 N70-34294
Non-reusable kinetic energy absorber Patent

[NASA-CASE-XLE-00810] c15 N70-34861
CONRAD, R. H.
Frequency modulation demodulator threshold extension device Patent

[NASA-CASE-MSC-12165-1] c07 N71-33696
COOGAN, J. H.
Method of planetary atmospheric investigation using a split-trajectory dual flyby mode Patent

[NASA-CASE-XAC-08494] c30 N71-15990
COOK, T. A.
Metering gun for dispensing precisely measured charges of fluid

[NASA-CASE-MFS-21163-1] c05 N74-17853
COOK, E. H., JR.
Detector panels-micrometeoroid impact Patent

[NASA-CASE-XLA-05906] c31 N71-16221
COOLIDGE, J. E.
Data transfer system Patent

[NASA-CASE-NPO-12107] c08 N71-27255
COON, G. H.
Vibrating element electrometer with output signal magnified over input signal by a function of the mechanical Q of the vibrating element Patent

[NASA-CASE-XAC-02807] c09 N71-23021
Thermally cycled magnetometer Patent

[NASA-CASE-XAC-03740] c14 N71-26135
COOPER, C. E.
Underwater space suit pressure control regulator

[NASA-CASE-MFS-20332] c05 N72-20097
Underwater space suit pressure control regulator

[NASA-CASE-MFS-20332-2] c05 N73-25125
COOPER, D. E.
Generator for a space power system Patent

[NASA-CASE-XLE-04250] c09 N71-20446
COOPER, E. E.
Collapsible Apollo couch

[NASA-CASE-MSC-13140] c05 N72-11085
COPELAND, J. T., JR.
High speed photo-optical time recording

[NASA-CASE-KSC-10294] c14 N72-18411
CORBIN, P. L.
Automatic fatigue test temperature programmer Patent

[NASA-CASE-XLA-02059] c33 N71-24276
CORNILLE, H. J., JR.
Stretch de-spin mechanism Patent

[NASA-CASE-XGS-00619] c30 N70-40016
CORNISH, S.
Flame detector operable in presence of proton radiation

[NASA-CASE-MFS-21577-1] c03 N73-20042
CORSON, B. H., JR.
Nozzle Patent

[NASA-CASE-XLA-00154] c28 N70-33374
Cascade plug nozzle

[NASA-CASE-LAR-10951-1] c28 N73-19819
COSTES, W. C.
Self-recording portable soil penetrometer

[NASA-CASE-MFS-20774] c14 N73-19420
COSTON, R. H.
Dual solid cryogenics for spacecraft refrigeration Patent

[NASA-CASE-GSC-10188-1] c23 N71-24725
COTE, C. E.
Display for binary characters Patent

[NASA-CASE-XGS-04987] c08 N71-20571
COUCH, R. B.
Apparatus for aiding a pilot in avoiding a midair collision between aircraft

[NASA-CASE-LAR-10717-1] c21 N73-30641
COULBERT, C. D.
Multislit film cooled pyrolytic graphite rocket nozzle Patent

[NASA-CASE-XNE-04389] c28 N71-20942
COUVILLON, L. A., JR.
Signal-to-noise ratio estimating by taking ratio of mean and standard deviation of integrated signal samples Patent

[NASA-CASE-XNP-05254] c07 N71-20791
Method and apparatus for frequency-division multiplex communications by digital phase shift of carrier

[NASA-CASE-NPO-11338] c08 N72-25208
Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system

[NASA-CASE-NPO-11302-1] c07 N73-13149
Pseudonoise (PN) synchronization of data system with derivation of clock frequency from received signal for clocking receiver PN generator

[NASA-CASE-XNP-03623] c09 N73-28084
Method and apparatus for a single channel digital communications system

[NASA-CASE-NPO-11302-2] c07 N74-10132
COHAN, J. J.
Holographic device

[NASA-CASE-MFS-22040-1] c16 N73-26500
COWELL, T. E.
Aerodynamic spike nozzle Patent

[NASA-CASE-XGS-01143] c31 N71-15647
COX, J. A.
Analog-to-digital converter

[NASA-CASE-MSC-13110-1] c08 N72-22163
CRABILL, W. L.
Control system for rocket vehicles Patent

[NASA-CASE-XLA-01163] c21 N71-15582
CRAWFORD, R.
Solar energy powered heliotrope

[NASA-CASE-GSC-10945-1] c21 N72-31637
CRAWFORD, W. E.
Drive circuit for minimizing power consumption in inductive load Patent

[NASA-CASE-NPO-10716] c09 N71-24892
CREASY, H. K.
Shock absorber Patent

[NASA-CASE-XMS-03722] c15 N71-21530
CREE, D.
Amplifier drift tester

[NASA-CASE-XMS-05562-1] c09 N69-39986
CREE, R. F.
Catalyst for growth of boron carbide single crystal whiskers

[NASA-CASE-XHQ-03903] c15 N69-21922
CREPEAU, P. C.
Flexible, repairable, portable material for electrical connectors Patent

[NASA-CASE-XGS-05180] c18 N71-25881
CRESS, S. B.
Coaxial inverted geometry transistor having buried emitter

[NASA-CASE-ARC-10330-1] c09 N73-32112
CRESSEY, J. E.
Display for binary characters Patent

[NASA-CASE-XGS-04987] c08 N71-20571
CRESS, J. H., JR.
Strain coupled servo control system Patent

[NASA-CASE-XLA-08530] c32 N71-25360
CRIBB, E. E.
Parasitic probe antenna Patent

[NASA-CASE-XKS-09348] c09 N71-13521
Heatherproof helix antenna Patent

[NASA-CASE-XKS-08485] c07 N71-19493
VHF/UHF parasitic probe antenna Patent

[NASA-CASE-XKS-09340] c07 N71-24614
Validation device for spacecraft checkout equipment Patent

[NASA-CASE-XKS-10543] c07 N71-26292
Protective suit having an audio transceiver Patent

[NASA-CASE-KSC-10164] c07 N71-33108
Collapsible high gain antenna

[NASA-CASE-KSC-10392] c07 N73-26117
CROFT, R. H.
Personal propulsion unit Patent

[NASA-CASE-MFS-20130] c28 N71-27585
CROFTS, D. E.
Heat flux sensor assembly

[NASA-CASE-XNS-05909-1] c14 N69-27459
CROSBELL, H. F.
Omnidirectional microwave spacecraft antenna Patent

[NASA-CASE-XLA-03114] c09 N71-22888

- Stacked array of omnidirectional antennas
[NASA-CASE-LAR-10545-1] c09 N72-21244
- Dielectric loaded aperture antenna
[NASA-CASE-LAR-11084-1] c09 N73-12216
- CROUCH, H. W.**
Shrink-fit gas valve Patent
[NASA-CASE-XGS-00587] c15 N70-35087
- CROW, R. E.**
Wide band doubler and sine wave quadrature generator
[NASA-CASE-NPO-11133] c10 N72-20223
- Filter for third order phase locked loops
[NASA-CASE-NPO-11941-1] c10 N73-27171
- CRUH, G. W.**
Foot pedal operated fluid type exercising device
[NASA-CASE-MSC-11561-1] c05 N73-32014
- CRUMPLER, W. B.**
All-directional fastener Patent
[NASA-CASE-XLA-01807] c15 N71-10799
- Multilegged support system Patent
[NASA-CASE-XLA-01326] c11 N71-21481
- CRUTCHER, J. E.**
Isolation coupling arrangement for a torque measuring system
[NASA-CASE-XLA-04897] c15 N72-22482
- CUBBISON, E. W.**
Thrust and direction control apparatus Patent
[NASA-CASE-XLE-03583] c31 N71-17629
- CUBLEY, H. D.**
Antenna array phase quadrature tracking system Patent
[NASA-CASE-MSC-12205-1] c07 N71-27056
- CUNNINGHAM, H. E.**
Potable water dispenser
[NASA-CASE-MFS-21115-1] c05 N74-12779
- CURRIE, J. E.**
Bi-carrier demodulator with modulation Patent
[NASA-CASE-XMF-01160] c07 N71-11298
- Transistor servo system including a unique differential amplifier circuit Patent
[NASA-CASE-XMF-05195] c10 N71-24861
- Pulse width inverter Patent
[NASA-CASE-MFS-10068] c10 N71-25139
- Ratemeter
[NASA-CASE-MFS-20418] c14 N73-24473
- Induction motor control system with voltage controlled oscillator circuit
[NASA-CASE-MFS-21465-1] c10 N73-32145
- CURRIE, E. E., JR.**
Relay binary circuit Patent
[NASA-CASE-XMF-00421] c09 N70-34502
- CURRY, J. E.**
Method of producing alternating ether siloxane copolymers Patent
[NASA-CASE-XMF-02584] c06 N71-20905
- CURRY, K. C.**
Torsional disconnect unit
[NASA-CASE-NPO-10704] c15 N72-20445
- CURRY, R. E.**
Display research collision warning system
[NASA-CASE-HQN-10703] c21 N73-13643
- CURTIS, D. L.**
Life support system
[NASA-CASE-MSC-12411-1] c05 N72-20096
- CZARCINSKI, E. A.**
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c07 N71-24624
- D**
- DAEGES, J. J.**
Motor run-up system
[NASA-CASE-NPO-13374-1] c10 N74-17949
- DAHN, W. K.**
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c20 N73-21523
- DAILEY, C. C.**
Microwave power receiving antenna Patent
[NASA-CASE-MFS-20333] c09 N71-13486
- Testing device using X-ray lasers
[NASA-CASE-MFS-22409-1] c16 N74-18153
- DALE, W. J.**
Improved bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c15 N74-14141
- Method of fabricating an article with cavities
[NASA-CASE-LAR-10318-1] c14 N74-18089
- DALRUIO, G. F.**
Synthesis of polymeric schiff bases by schiff-base exchange reactions Patent
[NASA-CASE-XMF-08651] c06 N71-11236
- Direct synthesis of polymeric schiff bases from two amines and two aldehydes Patent
[NASA-CASE-XMF-08655] c06 N71-11239
- Azine polymers and process for preparing the same Patent
[NASA-CASE-XMF-08656] c06 N71-11242
- Synthesis of polymeric schiff bases by reaction of acetals and amine compounds Patent
[NASA-CASE-XMF-08652] c06 N71-11243
- Aromatic diamine-aromatic dialdehyde high molecular weight Schiff base polymers prepared in a monofunctional Schiff base Patent
[NASA-CASE-XMF-03074] c06 N71-24740
- DALY, W. E.**
Fault-tolerant clock apparatus
[NASA-CASE-MSC-12531-1] c14 N73-22386
- DAMERON, C. E.**
Instrument for measuring potentials on two dimensional electric field plots Patent
[NASA-CASE-XLA-08493] c10 N71-19421
- DAMMIG, A. H., JR.**
Capacitive tank gaging apparatus being independent of liquid distribution
[NASA-CASE-MFS-21629] c14 N72-22442
- DANCHENKO, V.**
Radiation hardening of MOS devices by boron
[NASA-CASE-GSC-11425-2] c09 N73-32114
- Radiation hardening of MOS devices by boron
[NASA-CASE-GSC-11425-1] c24 N74-20329
- DANE, D. E.**
Harness assembly Patent
[NASA-CASE-MFS-14671] c05 N71-12341
- Air cushion lift pad Patent
[NASA-CASE-MFS-14685] c31 N71-15689
- Ratchet mechanism Patent
[NASA-CASE-MFS-12805] c15 N71-17805
- Mechanical simulator of low gravity conditions Patent
[NASA-CASE-MFS-10555] c11 N71-19494
- Mechanically actuated triggered hand
[NASA-CASE-MFS-20413] c15 N72-21463
- Sprag solenoid brake
[NASA-CASE-MFS-21846-1] c15 N73-23552
- Remote manipulator system
[NASA-CASE-MFS-22022-1] c05 N74-10099
- Orthotic arm joint
[NASA-CASE-MFS-21611-1] c05 N74-10100
- DANGLE, E. E.**
Rocket engine Patent
[NASA-CASE-XLE-00342] c28 N70-37980
- DANIELS, E. J.**
Adaptive tracking notch filter system Patent
[NASA-CASE-XMF-01892] c10 N71-22986
- DANSKIN, J. H.**
Fuel injection pump for internal combustion engines Patent
[NASA-CASE-MSC-12139-1] c28 N71-14058
- DARCEY, R. J.**
Satellite communication system and method Patent
[NASA-CASE-GSC-10118-1] c07 N71-24621
- DARR, J., JR.**
Threadless fastener apparatus Patent
[NASA-CASE-XFR-05302] c15 N71-23254
- DARROW, W. E., JR.**
Collapsible nozzle extension for rocket engines Patent
[NASA-CASE-MFS-11497] c28 N71-16224
- DASGUPTA, K.**
Dual purpose optical instrument capable of simultaneously acting as spectrometer and diffractometer
[NASA-CASE-XNP-05231] c14 N73-28491
- DAVID, E. E.**
Insulated electrocardiographic electrodes
[NASA-CASE-MSC-14339-1] c05 N73-21151
- DAVIDS, L. H.**
Guidance and maneuver analyzer Patent
[NASA-CASE-XNP-09572] c14 N71-15621
- DAVIDSON, A. C.**
Spacecraft attitude sensor
[NASA-CASE-GSC-10890-1] c21 N73-30640
- DAVIDSON, J. K.**
Ripple indicator
[NASA-CASE-KSC-10162] c09 N72-11225
- DAVIDSON, J. S. E.**
Centrifuge mounted motion simulator Patent
[NASA-CASE-XAC-00399] c11 N70-34815

DAVIES, H. D. T.
Correlation type phase detector
[NASA-CASE-GSC-11744-1] c09 N73-23291

DAVIS, A. J.
Fiber optic vibration transducer and analyzer
Patent
[NASA-CASE-XMF-02433] c14 N71-10616

DAVIS, B. K.
Spectral method for monitoring atmospheric
contamination of inert-gas welding shields
Patent
[NASA-CASE-XMF-02039] c15 N71-15871

Stud-bonding gun
[NASA-CASE-HFS-20299] c15 N72-11392

Solar energy power system
[NASA-CASE-HFS-21628-1] c29 N74-14496

DAVIS, D. P.
Quick disconnect coupling
[NASA-CASE-NPO-11202] c15 N72-25450

DAVIS, E. J.
Cable stabilizer for open shaft cable operated
elevators
[NASA-CASE-KSC-10513] c15 N72-25453

DAVIS, E. S.
Anti-glare improvement for optical imaging
systems Patent
[NASA-CASE-NPO-10337] c14 N71-15604

Radiant energy intensity measurement system Patent
[NASA-CASE-XNP-06510] c14 N71-23797

Reference voltage switching unit
[NASA-CASE-NPO-11253] c09 N72-17157

DAVIS, J. G., JR.
Tube fabricating process
[NASA-CASE-LAR-10203-1] c15 N72-16330

DAVIS, J. P.
Multiducted electromagnetic pump Patent
[NASA-CASE-NPO-10755] c15 N71-27084

Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c33 N72-20915

Uninsulated in-core thermionic diode
[NASA-CASE-NPO-10542] c09 N72-27228

DAVIS, J. H.
Burst diaphragm flow initiator Patent
[NASA-CASE-MPS-12915] c11 N71-17600

Wind tunnel test section
[NASA-CASE-MPS-20509] c11 N72-17183

Altitude simulation chamber for rocket engine
testing
[NASA-CASE-MPS-20620] c11 N72-27262

DAVIS, L. P.
Isolation coupling arrangement for a torque
measuring system
[NASA-CASE-XLA-04897] c15 N72-22482

DAVIS, N. S.
Decomposition unit Patent
[NASA-CASE-XMS-00583] c28 N70-38504

DAVIS, W. T.
Strain coupled servo control system Patent
[NASA-CASE-XLA-08530] c32 N71-25360

DAVISON, E. H.
Meteoroid sensing apparatus having a coincidence
network connected to a pair of capacitors
Patent
[NASA-CASE-XLE-01246] c14 N71-10797

DAVISON, H. E.
Gaseous control system for nuclear reactors.
[NASA-CASE-XLE-04599] c22 N72-20597

DAHM, P. S.
Burn rate testing apparatus
[NASA-CASE-XMS-09690] c33 N72-25913

DAY, J. L.
Electrode for biological recording
[NASA-CASE-XMS-02872] c05 N69-21925

Pressed disc type sensing electrodes with ion-
screening means Patent
[NASA-CASE-XMS-04212-1] c05 N71-12346

Method of making a perspiration resistant
biopotential electrode
[NASA-CASE-HSC-90153-2] c05 N72-25120

DAYAN, V. H.
Hydrogen leak detection device Patent
[NASA-CASE-MPS-11537] c14 N71-20442

DE FURIA, R. E.
Fluid power transmitting gas bearing Patent
[NASA-CASE-ERC-10097] c15 N71-28465

DE GEER, H. D.
Traversing probe Patent
[NASA-CASE-IFR-02007] c12 N71-24692

DE GRASSE, R. E.
Folded traveling wave maser structure Patent
[NASA-CASE-XNP-05219] c16 N71-15550

DE LUCA, J. J.
Segmented superconducting magnet for a broadband
traveling wave maser Patent
[NASA-CASE-XGS-10518] c16 N71-28554

DE STEESE, J. G.
Thermionic tantalum emitter doped with oxygen
Patent Application
[NASA-CASE-NPO-11138] c03 N70-34646

DE HITT, R. L.
Fluid coupling Patent
[NASA-CASE-XLE-00397] c15 N70-36492

DEBOO, G. J.
Gyrator type circuit Patent
[NASA-CASE-XAC-10608-1] c09 N71-12517

Feedback integrator with grounded capacitor Patent
[NASA-CASE-XAC-10607] c10 N71-23669

Precision rectifier with FET switching means
Patent
[NASA-CASE-ARC-10101-1] c09 N71-33109

Phase shift circuit apparatus
[NASA-CASE-ARC-10269-1] c10 N72-16172

Temperature compensated light source using a
light emitting diode
[NASA-CASE-ARC-10467-1] c09 N73-14214

Self-tuning bandpass filter
[NASA-CASE-ARC-10264-1] c09 N73-20231

DECKER, A. J.
High powered arc electrodes
[NASA-CASE-LEH-11162-1] c09 N74-12913

DEBOLPH, R. R.
Rotary plant growth accelerating apparatus
[NASA-CASE-ARC-10722-1] c04 N74-13807

DEBROSKI, L. P.
Signal-to-noise ratio determination circuit
[NASA-CASE-GSC-11239-1] c10 N73-25241

DEIS, B. C.
Traveling sealer for contoured table Patent
[NASA-CASE-XLA-01494] c15 N71-24164

DEL CASALE, L. A.
Signal generator
[NASA-CASE-XNP-05612] c09 N69-21468

DEL CURTO, B.
System for monitoring the presence of neutrals
in a stream of ions Patent
[NASA-CASE-XNP-02592] c24 N71-20518

DEL DUCA, A.
Electronic divider and multiplier using
photocells Patent
[NASA-CASE-XPR-05637] c09 N71-19480

DELATEUR, L. A.
Emergency earth orbital escape device
[NASA-CASE-HSC-13281] c31 N72-18859

DELGREGO, D. J., SR.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c20 N73-21523

DELUCA, J. J.
Bonding of sapphire to sapphire by eutectic
mixture aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c15 N73-19467

DELVIGS, P.
Preparation of polyimides from mixtures of
monomeric diamines and esters of
polycarboxylic acids
[NASA-CASE-LEH-11325-1] c06 N73-27980

Fabrication of polyphenylquinoxaline composite
articles by means of in situ polymerization of
monomers
[NASA-CASE-LEH-11879-1] c18 N74-20152

DEBOGNES, C.
Low cycle fatigue testing machine
[NASA-CASE-LAR-10270-1] c32 N72-25877

DEBORST, E. E.
Self-lubricating gears and other mechanical
parts Patent
[NASA-CASE-MPS-14971] c15 N71-24984

DEBACI, D. E.
Clamping assembly for inertial components Patent
[NASA-CASE-XMS-02184] c15 N71-20813

DEO, M.
Dual purpose momentum wheels for spacecraft with
magnetic recording
[NASA-CASE-NPO-11481] c21 N73-13644

DERING, V. G.
Vortex breech high pressure gas generator
[NASA-CASE-LAR-10549-1] c31 N73-13898

- DERR, L. J.
Direct radiation cooling of the collector of linear beam tubes
[NASA-CASE-XNP-09227] c15 N69-24319
Temperature-compensating means for cavity resonator of amplifier Patent
[NASA-CASE-XNP-00449] c14 N70-35220
Electron beam tube containing a multiple cathode array employing indexing means for cathode substitution Patent
[NASA-CASE-NPO-10625] c09 N71-26182
Thermostatic actuator
[NASA-CASE-NPO-10637] c15 N72-12409
Thermal motor
[NASA-CASE-NPO-11283] c09 N72-25260
Electrostatically controlled heat shutter
[NASA-CASE-NPO-11942-1] c33 N73-32818
- DESCAMP, V. A.
Filter regeneration systems
[NASA-CASE-MSC-14273-1] c12 N73-28179
- DETRILLER, H. K.
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c07 N73-23106
- DEVINE, B. J.
Optical tracker having overlapping reticles on parallel axes Patent
[NASA-CASE-XGS-05715] c23 N71-16100
- DEWHIRST, D. L.
Deformable vehicle wheel Patent
[NASA-CASE-MPS-20400] c31 N71-18611
- DI LOSA, V. J.
Diversity receiving system with diversity phase lock Patent
[NASA-CASE-XGS-01222] c10 N71-20841
- DIAMOND, B. R.
Central spar and module joint Patent
[NASA-CASE-XNP-02341] c15 N71-21531
- DIBATTISTA, J. D.
Anti-meteoroid device
[NASA-CASE-LAR-10788-1] c31 N73-20880
Determining particle density using known material Rogniot curves
[NASA-CASE-LAR-11059-1] c30 N73-26838
Meteoroid impact position locator aid for manned space vehicles
[NASA-CASE-LAR-10629-1] c14 N73-32348
- DIBBLE, A. C.
Recording apparatus
[NASA-CASE-LAR-11353-1] c14 N74-20020
- DICKENS, L. E.
Millimeter wave pumped parametric amplifier
[NASA-CASE-GSC-11617-1] c09 N74-10200
- DITRICH, F. J.
Amplitude steered array
[NASA-CASE-GSC-11446-1] c09 N74-20860
- DILLON, R. F., JR.
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c15 N73-31445
- DINEFF, J.
Cryogenic apparatus for measuring the intensity of magnetic fields
[NASA-CASE-XAC-02407] c14 N69-27423
Apparatus for coupling a plurality of ungrounded circuits to a grounded circuit Patent
[NASA-CASE-XAC-00086] c09 N70-33182
Two-plane balance Patent
[NASA-CASE-XAC-00073] c14 N70-34813
Differential pressure cell Patent
[NASA-CASE-XAC-00042] c14 N70-34816
High speed low level electrical stepping switch Patent
[NASA-CASE-XAC-00060] c09 N70-39915
Dynamic sensor Patent
[NASA-CASE-XAC-02877] c14 N70-41681
Electrostatic charged particle analyzer having deflection members shaped according to the periodic voltage applied thereto Patent
[NASA-CASE-XAC-05506-1] c24 N71-16095
Inertial reference apparatus Patent
[NASA-CASE-XAC-03107] c23 N71-16098
Thermal detector of electromagnetic energy by means of a vibrating electrode Patent
[NASA-CASE-XAC-10768] c09 N71-18830
Vibrating element electrometer with output signal magnified over input signal by a function of the mechanical Q of the vibrating element Patent
[NASA-CASE-XAC-02807] c09 N71-23021
- Wide range dynamic pressure sensor
[NASA-CASE-ARC-10263-1] c14 N72-22438
Nondispersive gas analyzing method and apparatus wherein radiation is serially passed through a reference and unknown gas
[NASA-CASE-ARC-10308-1] c06 N72-31141
Chromato-fluorographic drug detector
[NASA-CASE-ARC-10633-1] c05 N73-22048
Diode-gate bridge circuit means
[NASA-CASE-ARC-10364-2(B)] c09 N74-14941
- DIX, H. G.
Demodulation system Patent
[NASA-CASE-XAC-04030] c10 N71-19472
- DIXON, G. V.
Active vibration isolator for flexible bodies Patent
[NASA-CASE-LAR-10106-1] c15 N71-27169
- DOBIES, E. F.
Cyclically operable optical shutter
[NASA-CASE-NPO-10758] c14 N73-14427
- DOD, L. R.
Plural beam antenna
[NASA-CASE-GSC-11013-1] c09 N73-19234
- DOLAND, G. D.
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c07 N72-27178
- DOMBROWSKI, H. G.
Adjustable tension wire guide Patent
[NASA-CASE-XNS-02383] c15 N71-15918
- DONALDSON, B. W., JR.
Gas chromatograph injection system
[NASA-CASE-ARC-10344-1] c14 N72-21433
Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c14 N74-20021
- DONNELLY, P. C.
Prevention of pressure build-up in electrochemical cells Patent
[NASA-CASE-XGS-01419] c03 N70-41864
- DONNINI, J. R.
Hydrogen fire blink detector
[NASA-CASE-MPS-15063] c14 N72-25412
- DONOHUE, J. R.
Passive dual spin misalignment compensators
[NASA-CASE-GSC-11479-1] c21 N73-11680
- DONOVAN, B. P.
Artificial gravity spin deployment system Patent
[NASA-CASE-XNP-02595] c31 N71-21881
- DONOVAN, G.
Drying apparatus for photographic sheet material
[NASA-CASE-GSC-11074-1] c14 N73-28489
- DOONG, H.
Analog to digital converter Patent
[NASA-CASE-XLA-00670] c08 N71-12501
Controllable high voltage source having fast settling time
[NASA-CASE-GSC-11844-1] c09 N74-19853
- DORNE, A.
Nose cone mounted heat resistant antenna Patent
[NASA-CASE-XNS-04312] c07 N71-22984
- DOTSON, W. P., JR.
Digital to analog conversion apparatus
[NASA-CASE-MSC-12458-1] c08 N73-32081
- DOUGHERTY, H. B.
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly
[NASA-CASE-GSC-11560-1] c09 N74-20861
- DOUGHTY, R. A.
Automatic signal range selector for metering devices Patent
[NASA-CASE-XMS-06497] c14 N71-26244
- DOUGLAS, J.
Process of casting heavy slips Patent
[NASA-CASE-XLE-00106] c15 N71-16071
- DOUGLAS, J. L.
Maximum power point tracker Patent
[NASA-CASE-GSC-10376-1] c14 N71-27401
- DOW, N. F.
Two component bearing Patent
[NASA-CASE-XLA-00013] c15 N71-29136
- DOWLER, W. L.
Solid propellant rocket motor nozzle
[NASA-CASE-NPO-11458] c28 N72-23871
Solid propellant rocket motor
[NASA-CASE-NPO-11559] c28 N73-24784
- DOWNS, W. R.
Transpirationally cooled heat ablation system Patent
[NASA-CASE-XNS-02677] c31 N70-42075

Method for obtaining oxygen from lunar or
similar soil
[NASA-CASE-HSC-12408-1] c13 N74-13011

DOYLE, J. C.
Measuring device Patent
[NASA-CASE-XHS-01546] c14 N70-40233

DRESEFIELD, R. L.
Cobalt-base alloy
[NASA-CASE-LEB-10436-1] c17 N73-32415

DREXLER, E. G.
Injection head for delivering liquid fuel and
oxidizers
[NASA-CASE-NPO-10046] c28 N72-17843

DRISCOLL, K. L.
Means for accommodating large overstrain in lead
wires
[NASA-CASE-LAR-10168-1] c09 N73-22151

DRUGOOD, A. S.
Flexible back-up bar Patent
[NASA-CASE-XHF-00722] c15 N70-40204

DU PONT, P. S.
Solar panel fabrication Patent
[NASA-CASE-XNP-03473] c03 N71-26726

DUBBY, G.
Central spar and module joint Patent
[NASA-CASE-INP-02341] c15 N71-21531

DUBOIS, R. D.
A guide for a typewriter
[NASA-CASE-HFS-15218-1] c15 N73-31438

DUFFY, J. O.
Minimal logic block encoder Patent
[NASA-CASE-BPO-10595] c10 N71-25917

DUNAFY, R. A.
Flexible, repairable, portable material for
electrical connectors Patent
[NASA-CASE-XGS-05180] c18 N71-25881

DUNAVANT, J. C.
Hot air balloon deceleration and recovery system
Patent
[NASA-CASE-XLA-06824-2] c02 N71-11037

DUNN, J. G.
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c07 N72-11149

DUNN, J. H.
Foldable conduit Patent
[NASA-CASE-XLE-00620] c32 N70-41579

DUNN, S. T.
Ellipsoidal mirror reflectometer including means
for averaging the radiation reflected from the
sample Patent
[NASA-CASE-XGS-05291] c23 N71-16341

DUNN, W. R.
Coaxial inverted geometry transistor having
buried emitter
[NASA-CASE-ARC-10330-1] c09 N73-32112

DUNNAVANT, E. R.
Process for preparation of dianilinosilanes Patent
[NASA-CASE-XHF-06409] c06 N71-23230

Process for preparation of high-molecular-
weight polyaryloxysilanes Patent
[NASA-CASE-XHF-08674] c06 N71-28807

DUSLING, J. B., JR.
Slug flow magnetohydrodynamic generator
[NASA-CASE-XLB-02083] c03 N69-39983

DUPRAN, W. A.
Analytical test apparatus and method for
determining oxide content of alkali metal Patent
[NASA-CASE-XLB-01997] c06 N71-23527

DORRIS, G. P.
Space suit
[NASA-CASE-HSC-12609-1] c05 N73-32012

DUSTIN, H. O.
Pneumatic oscillator Patent
[NASA-CASE-LEB-10345-1] c10 N71-25899

E

EASLEY, W. C.
Resonant waveguide Stark cell
[NASA-CASE-LAR-11352-1] c09 N74-19854

EASTBURNING, R. P.
Radar ranging receiver Patent
[NASA-CASE-XNP-00748] c07 N70-36911

Phase-locked loop with sideband reflecting
properties Patent
[NASA-CASE-XNP-02723] c07 N70-41680

Time synchronization system utilizing moon
reflected coded signals Patent
[NASA-CASE-NPO-10143] c10 N71-26326

Two carrier communication system with single
transmitter
[NASA-CASE-NPO-11548] c07 N73-26118

EASTON, R. A.
Data multiplexer using tree switching
configuration
[NASA-CASE-NPO-11333] c08 N72-22162

Flexible computer accessed telemetry
[NASA-CASE-NPO-11358] c07 N72-25172

EBERSOLE, T. J.
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c14 N74-18090

EBIHARA, B. T.
Thermal radiation shielding Patent
[NASA-CASE-XLE-03432] c33 N71-24145

EBY, R. J.
Thermal control system for a spacecraft modular
housing
[NASA-CASE-GSC-11018-1] c31 N73-30829

ECKERT, E. R. G.
Transpiration cooled turbine blade manufactured
from wires Patent
[NASA-CASE-XLE-00020] c15 N70-33226

ECKLES, P. D.
High-speed infrared furnace
[NASA-CASE-XLE-10466] c17 N69-25147

EDDINS, T. O.
Space craft soft landing system Patent
[NASA-CASE-XHF-02108] c31 N70-36845

Missile launch release system Patent
[NASA-CASE-XHF-03198] c30 N70-40353

EDLSON, S. E.
Latch/ejector unit Patent
[NASA-CASE-XLA-03538] c15 N71-24897

EDMAN, C. E.
Electrical switching device Patent
[NASA-CASE-NPO-10037] c09 N71-19610

EDWARDS, G. G.
Flight craft Patent
[NASA-CASE-XAC-02058] c02 N71-16087

EGGERS, A. J., JR.
Flight craft Patent
[NASA-CASE-XAC-02058] c02 N71-16087

EGLI, P. B.
Method of forming transparent films of ZnO
[NASA-CASE-FRC-10019] c15 N73-12487

EBERHARDT, D. A.
Excitation and detection circuitry for a flux
responsive magnetic head
[NASA-CASE-XNP-04183] c09 N69-24329

Incremental tape recorder and data rate
converter Patent
[NASA-CASE-XNP-02778] c08 N71-22710

RICHEBRENNE, F. E.
Anti-buckling fatigue test assembly
[NASA-CASE-LAR-10426-1] c32 N74-19528

RICHEBRENNE, F. P.
Hydraulic grip Patent
[NASA-CASE-XLA-05100] c15 N71-17696

Light shield and infrared reflector for fatigue
testing Patent
[NASA-CASE-XLA-01782] c14 N71-26136

Anti-buckling fatigue test assembly
[NASA-CASE-LAR-10426-1] c32 N72-27947

RICHTHAL, J.
Wide angle long eye relief eyepiece Patent
[NASA-CASE-XHS-06056-1] c23 N71-24857

RISEBERGER, I.
Data compressor Patent
[NASA-CASE-XNP-04067] c08 N71-22707

RLACHI, C.
Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c16 N73-27431

ELDER, C. D.
Internal flare angle gauge Patent
[NASA-CASE-XHF-04415] c14 N71-24693

ELIA, A. D.
Monopulse system with an electronic scanner
[NASA-CASE-XGS-05582] c07 N69-27460

ELLERMAN, D. D.
Continuous magnetic flux pump
[NASA-CASE-XNP-01187] c15 N73-28516

Superconductive magnetic-field-trapping device
[NASA-CASE-XNP-01185] c26 N73-28710

Material suspension within an acoustically
excited resonant chamber
[NASA-CASE-NPO-13263-1] c15 N73-31443

Magnetic-flux pump
[NASA-CASE-XNP-01188] c15 N73-32361

Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c03 N74-19701

ELLERN, W. B.
Method of evaluating moisture barrier properties
of encapsulating materials Patent
[NASA-CASE-NPO-10051] c18 N71-24934

ELLIOTT, D. G.
Magnetohydrodynamic induction machine
[NASA-CASE-XNP-07481] c25 N69-21929
Two-fluid magnetohydrodynamic system and method
for thermal-electric power conversion Patent
[NASA-CASE-XNP-00644] c03 N70-36803
Two phase flow system with discrete impinging
two-phase jets
[NASA-CASE-NPO-11556] c12 N72-25292

ELLIOTT, R. L.
Preparation of ordered poly /arylenesiloxane/
polymers
[NASA-CASE-XMF-10753] c06 N71-11237
Fluorinated esters of polycarboxylic
acids
[NASA-CASE-MFS-21040-1] c06 N73-30098

ELLIS, D. R.
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c02 N73-30938

ELLIS, S. G.
Simple method of making photovoltaic junctions
Patent
[NASA-CASE-XNP-01960] c09 N71-23027
Method of electrolytically binding a layer of
semiconductors together Patent
[NASA-CASE-XNP-01959] c26 N71-23043
Method of changing the conductivity of vapor
deposited gallium arsenide by the introduction
of water into the vapor deposition atmosphere
Patent
[NASA-CASE-XNP-01961] c26 N71-29156

EMDE, W. D.
Etching of aluminum for bonding Patent
[NASA-CASE-XMF-02303] c17 N71-23828

EMERY, J. C.
Laser grating interferometer Patent
[NASA-CASE-XLA-04295] c16 N71-24170

ENGEL, A.
Digital video display system using cathode ray
tube
[NASA-CASE-NPO-11342] c09 N72-25248
Symmetrical odd-modulus frequency divider
[NASA-CASE-NPO-13426-1] c09 N74-18869

ENGLAN, K. G.
Artificial gravity spin deployment system Patent
[NASA-CASE-XNP-02595] c31 N71-21881

ENIE, R. B.
Method of repairing discontinuity in fiber glass
structures
[NASA-CASE-LAR-10416-1] c15 N72-27527

ENSTROM, R. E.
Water cooled contactor for anode in carbon arc
mechanism
[NASA-CASE-XMS-03700] c15 N69-24266

EPSTEIN, J.
Segmenting lead telluride-silicon germanium
thermoelements Patent
[NASA-CASE-XGS-05718] c26 N71-16037
Tungsten contacts on silicon substrates
[NASA-CASE-GSC-10695-1] c09 N72-25259

EPSTEIN, P.
Drying apparatus for photographic sheet material
[NASA-CASE-GSC-11074-1] c14 N73-28489

ERB, R. B.
Heat shield Patent
[NASA-CASE-XMS-00485] c33 N70-33344

ERICKSON, W. D.
Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c11 N71-15925
Hypersonic test facility Patent
[NASA-CASE-XLA-05378] c11 N71-21475
Ablation article and method
[NASA-CASE-LAR-10439-1] c33 N73-27796

ERLICHMAN, L.
Telemetry processor
[NASA-CASE-GSC-11388-1] c07 N73-24187

ERPENBACH, H.
Means and methods of depositing thin films on
substrates Patent
[NASA-CASE-XNP-00595] c15 N70-34967
Process for reducing secondary electron emission
Patent
[NASA-CASE-XNP-09469] c24 N71-25555

Method of producing a storage bulb for an atomic
hydrogen maser
[NASA-CASE-NPO-13050-1] c16 N73-18508

ERRITT, D. D.
Canopus detector including automotive gain
control of photomultiplier tube Patent
[NASA-CASE-XNP-03914] c21 N71-10771

ESCHER, W. J. D.
Attitude and propellant flow control system and
method Patent
[NASA-CASE-XMF-00185] c21 N70-34539
Composite powerplant and shroud therefor Patent
[NASA-CASE-XLA-01043] c28 N71-10780
Injector assembly for liquid fueled rocket
engines Patent
[NASA-CASE-XMF-00968] c28 N71-15660

ESGAR, J. B.
Thin-walled pressure vessel Patent
[NASA-CASE-XLE-04677] c15 N71-10577
Ophthalmic liquefaction pump
[NASA-CASE-XEW-12051-1] c04 N73-32000

ESKEW, M. H., JR.
Random function tracer Patent
[NASA-CASE-XLA-01401] c15 N71-21179

ESPY, P. M.
Coaxial high density, hypervelocity plasma
generator and accelerator with ionizable metal
disc
[NASA-CASE-MFS-20589] c25 N72-32688

ESTES, E. G.
Rocket nozzle test method Patent
[NASA-CASE-NPO-10311] c31 N71-15643

ESTES, M. F.
Apparatus for making diamonds
[NASA-CASE-MFS-20698] c15 N72-20446
Process for making diamonds
[NASA-CASE-MFS-20698-2] c15 N73-19457

EUBANKS, A. G.
Device for measuring electron-beam intensities
and for subjecting materials to electron
irradiation in an electron microscope
[NASA-CASE-XGS-01725] c14 N69-39982
Foamed in place ceramic refractory insulating
material Patent
[NASA-CASE-XGS-02435] c18 N71-22998

EULITZ, W. R.
Slosh suppressing device and method Patent
[NASA-CASE-XMF-00658] c12 N70-38997

EVANS, D. D.
Ignition means for monopropellant Patent
[NASA-CASE-XNP-00876] c28 N70-41311

EVANS, D. G.
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00170] c15 N70-36412
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00085] c28 N70-39895

EVANS, E. E.
Strain sensor for high temperatures Patent
[NASA-CASE-XNP-09205] c14 N71-17657

EVANS, F. D.
Autoignition test cell Patent
[NASA-CASE-KSC-10198] c11 N71-28629

EVANS, J.
Millimeter wave antenna system Patent Application
[NASA-CASE-GSC-10949-1] c07 N71-28965
Solenoid valve including guide for armature and
valve member
[NASA-CASE-GSC-10607-1] c15 N72-20442
Nutation damper
[NASA-CASE-GSC-11205-1] c15 N73-25513

EVANS, J. C., JR.
Rapidly pulsed, high intensity, incoherent light
source
[NASA-CASE-XLE-2529-3] c09 N74-20859

EVENSEN, D. A.
Buoyant anti-slosh system Patent
[NASA-CASE-XLA-04605] c32 N71-16106

EVVARD, J. C.
Ophthalmic method and apparatus
[NASA-CASE-XEW-11669-1] c05 N73-27062

EWEN, H. I.
Method and means for providing an absolute power
measurement capability Patent
[NASA-CASE-ERC-11020] c14 N71-26774
Clear air turbulence detector
[NASA-CASE-ERC-10081] c14 N72-28437

EZEKIEL, F. D.
Fluid power transmitting gas bearing Patent
[NASA-CASE-ERC-10097] c15 N71-28465

F

FAETH, P. A.
Automatic recording McLeod gauge Patent
[NASA-CASE-XLE-03280] c14 N71-23093

PAGET, H. A.
Survival couch Patent
[NASA-CASE-XLA-00118] c05 N70-33285
Aerial capsule emergency separation device Patent
[NASA-CASE-XLA-00115] c03 N70-33343
Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938
Space capsule Patent
[NASA-CASE-XLA-01332] c31 N71-15664
Space shuttle vehicle and system
[NASA-CASE-NSC-12433] c31 N73-14854

PAGOT, R. J.
Gas low pressure low flow rate metering system
Patent
[NASA-CASE-FRC-10022] c12 N71-26546
Respiration monitor
[NASA-CASE-FRC-10012] c14 N72-17329

PAKAM, J. C.
Superconducting alternator
[NASA-CASE-XLE-02824] c03 N69-39890
Superconducting alternator Patent
[NASA-CASE-XLE-02823] c09 N71-23443

FALEEL, G.
Multi-lobar scan horizon sensor Patent
[NASA-CASE-XGS-00809] c21 N70-35427

FALK, H. C.
Miniature vibration isolator Patent
[NASA-CASE-XLA-01019] c15 N70-40156
Canister closing device Patent
[NASA-CASE-XLA-01446] c15 N71-21528

FANG, P.
Recovery of radiation damaged solar cells
through thermal annealing
[NASA-CASE-XGS-04047-2] c03 N72-11062

FARNSWORTH, D. L.
Phototransistor imaging system
[NASA-CASE-MFS-20809] c23 N73-13660

FARNSWORTH, F. D.
Space simulation and radiative property testing
system and method Patent
[NASA-CASE-MFS-20096] c14 N71-30026

FARRILL, R.
Lead attachment to high temperature devices
[NASA-CASE-ERC-10224] c09 N72-25261
Wide temperature range electronic device with
lead attachment
[NASA-CASE-ERC-10224-2] c09 N73-27150

FARRIS, C. D.
Storage battery comprising negative plates of a
wedge shaped configuration
[NASA-CASE-NPO-11806-1] c03 N74-19693

FARTHING, W. H.
Device for determining relative angular position
between a spacecraft and a radiation emitting
celestial body
[NASA-CASE-GSC-11444-1] c14 N73-28490

FAULKNER, R. D.
Bonding graphite with fused silver chloride
[NASA-CASE-XGS-00963] c15 N69-39735

FAY, R. J.
Metal shearing energy absorber
[NASA-CASE-HQN-10638-1] c15 N73-30460

FEAKES, F.
Gauge calibration by diffusion
[NASA-CASE-XGS-07752] c14 N73-30390

FEALEY, R. D.
Bacteria detection instrument and method
[NASA-CASE-GSC-11533-1] c14 N73-13435

FEARNEBOUGH, H. T.
Parallel-plate viscometer with double diaphragm
suspension
[NASA-CASE-NPO-11387] c14 N73-14429

FEATHERSTON, A. P.
Method of fluxless brazing and diffusion bonding
of aluminum containing components
[NASA-CASE-NSC-14435-1] c15 N74-20071

FEDOR, J. V.
Stretch de-spin mechanism Patent
[NASA-CASE-XGS-00619] c30 N70-40016

FEDORS, R. F.
Parallel-plate viscometer with double diaphragm
suspension
[NASA-CASE-NPO-11387] c14 N73-14429

FEILEB, C. E.
Control of transverse instability in rocket
combustors Patent
[NASA-CASE-XLE-04603] c33 N71-21507

FEINBERG, P. H.
Digital telemetry system Patent
[NASA-CASE-XGS-01812] c07 N71-23001
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c07 N71-24624

FEINSTEIN, L.
Microwave flaw detector Patent
[NASA-CASE-ARC-10009-1] c15 N71-17822
Method and apparatus for swept-frequency
impedance measurements of welds
[NASA-CASE-ARC-10176-1] c15 N72-21464

FENG, S. Y.
Regulated dc-to-dc converter for voltage step-up
or step-down with input-output isolation
[NASA-CASE-HQN-10792-1] c09 N74-11049

FEHREISS, C. E.
Expanding center probe and drogue Patent
[NASA-CASE-XMS-03613] c31 N71-16346

FERGUSON, R. E.
Two-step rocket engine bipropellant valve Patent
[NASA-CASE-XMS-04890-1] c15 N70-22192

FERRARA, L. J.
Collapsible Apollo couch
[NASA-CASE-NSC-13140] c05 N72-11085

FESSLER, T. E.
Thin window, drifted silicon, charged particle
detector
[NASA-CASE-XLE-10529] c14 N69-23191
Method of forming thin window drifted silicon
charged particle detector Patent
[NASA-CASE-XLE-00808] c24 N71-10560

FIELDS, S. A.
Device and method for determining X ray
reflection efficiency of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662

FIET, O. O.
Electrohydrodynamic control valve Patent
[NASA-CASE-NPO-10416] c12 N71-27332

FIGGINS, D. A.
Adaptive system and method for signal generation
Patent
[NASA-CASE-GSC-11367] c10 N71-26374

FILIP, G. L.
Storage container for electronic devices Patent
[NASA-CASE-MFS-20075] c09 N71-26133
Method of coating through-holes Patent
[NASA-CASE-XMF-05999] c15 N71-29032

FINDL, E.
Electrolytically regenerative hydrogen-oxygen
fuel cell Patent
[NASA-CASE-XLE-04526] c03 N71-11052

FINK, J. E.
Bus voltage compensation circuit for controlling
direct current motor
[NASA-CASE-XMS-04215-1] c09 N69-39987

FINK, R. C.
Electrode and insulator with shielded dielectric
junction
[NASA-CASE-XLE-03778] c09 N69-21542
Pressure monitoring with a plurality of
ionization gauges controlled at a central
location Patent
[NASA-CASE-XLE-00787] c14 N71-21090
Isolated amplifier for measuring millivolt
electrical signals with reference to a high
common mode potential
[NASA-CASE-XLE-03155-2] c09 N72-20205

FINLEY, T. D.
Split range transducer
[NASA-CASE-XLA-11189] c10 N72-20222

FINLEY, H. R.
Analog-to-digital converter
[NASA-CASE-NSC-13110-1] c08 N72-22163

FINNIE, C. J.
Insertion loss measuring apparatus having
transformer means connected across a pair of
bolometers Patent
[NASA-CASE-XNP-01193] c10 N71-16057

FISCHER, J. A.
Adjustable tension wire guide Patent
[NASA-CASE-XMS-02383] c15 N71-15918

FISH, D. C.
Spin forming tubular elbows Patent
[NASA-CASE-IMP-01083] c15 N71-22723

FISH, R. H.
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c18 N74-11366

FISH, R. H.
Auditory display for the blind
[NASA-CASE-HQN-10832-1] c14 N74-21014

FISHER, A.
Process for making RF shielded cable connector assemblies and the products formed thereby
[NASA-CASE-GSC-11215-1] c09 N73-28083
Microscope multi-angle, reflection, viewing adaptor and photographic recording system
[NASA-CASE-GSC-11690-1] c14 N73-28499

FITCH, E. J.
Modulator for tone and binary signals
[NASA-CASE-GSC-11743-1] c07 N73-27107

FITTING, E. C.
Phase modulator Patent
[NASA-CASE-MSC-13201-1] c07 N71-28429

FITTON, J. A., JR.
Multiple orifice throttle valve Patent
[NASA-CASE-XNP-09698] c15 N71-18580

FITZGERALD, D. J.
Ion thruster with a combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c28 N73-24783

FITZGERALD, J. J.
Flow test device
[NASA-CASE-XMS-04917] c14 N69-24257

FITZGERALD, J. W.
Visual examination apparatus
[NASA-CASE-ARC-10329-1] c05 N73-26072
Visual examination apparatus
[NASA-CASE-ARC-10329-2] c05 N74-19761

FITZGERALD, T. M.
A solid state acoustic variable time delay line Patent
[NASA-CASE-ERC-10032] c10 N71-25900

FITZMAURICE, M. W.
Retrodirective modulator Patent
[NASA-CASE-GSC-10062] c14 N71-15605

FLAGGE, B.
Vibrating structure displacement measuring instrument Patent
[NASA-CASE-XLA-03135] c32 N71-16428
Arbitrarily shaped model survey system Patent
[NASA-CASE-LAR-10098] c32 N71-26681
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-10503-1] c09 N72-21248
Measuring probe position recorder
[NASA-CASE-LAR-10806-1] c14 N73-15474
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-11389-1] c09 N73-32121

FLAHERTY, R.
Thermally cascaded thermoelectric generator
[NASA-CASE-NPO-10753] c03 N72-26031

FLANNERY, E. J.
Method and apparatus for controllably heating fluid Patent
[NASA-CASE-XMF-04237] c33 N71-16278

FLATAU, C. E.
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c31 N73-30832

FLETCHER, E. A.
Apparatus for igniting solid propellants Patent
[NASA-CASE-XLE-00207] c28 N70-33375
Method of igniting solid propellants Patent
[NASA-CASE-XLE-01988] c27 N71-15634

FLETCHER, I. L.
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c07 N72-11149

FLORES, A. L.
Field ionization electrodes Patent
[NASA-CASE-ERC-10013] c09 N71-26678

FLOYD, E. L.
High impact pressure regulator Patent
[NASA-CASE-NPO-10175] c14 N71-18625

FOHLEN, G. H.
Intumescent paints Patent
[NASA-CASE-ARC-10099-1] c18 N71-15469
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c18 N74-16249

FONTANA, A.
Solar sensor having coarse and fine sensing with matched preirradiated cells and method of selecting cells Patent
[NASA-CASE-XLA-01584] c14 N71-23269

FOOTE, R. H.
Adaptive system and method for signal generation Patent
[NASA-CASE-GSC-11367] c10 N71-26374

FORBES, S. G.
Apparatus for field strength measurement of a space vehicle Patent
[NASA-CASE-XLE-00820] c14 N71-16014

FORD, A. G.
Rock drill for recovering samples
[NASA-CASE-XNP-07478] c14 N69-21923
Electrically-operated rotary shutter Patent
[NASA-CASE-XNP-00637] c14 N70-40273

FORD, F. E.
Coulometer and third electrode battery charging circuit Patent
[NASA-CASE-GSC-10487-1] c03 N71-24719

FORD, R. E.
Antenna system using parasitic elements and two driven elements at 90 deg angle fed 180 deg out of phase Patent
[NASA-CASE-XLA-00414] c07 N70-38200

FOREHAND, L.
Solar cell mounting Patent
[NASA-CASE-XNP-00826] c03 N71-20895

FORESTIERI, A. F.
Method of making silicon solar cell array
[NASA-CASE-LEW-11069-1] c03 N74-14784

FORLIFER, W. E.
Landing gear Patent
[NASA-CASE-XMF-01174] c02 N70-41589

FORSYTHE, A. K.
Umbilical separator for rockets Patent
[NASA-CASE-XNP-00425] c11 N70-38202

FORTINI, A.
Rocket chamber and method of making
[NASA-CASE-LEW-11118-1] c15 N72-32501

FOSTER, J. V.
Mechanically limited, electrically operated hydraulic valve system for aircraft controls Patent
[NASA-CASE-XAC-00048] c02 N71-29128
Magnetic position detection method and apparatus
[NASA-CASE-ARC-10179-1] c21 N72-22619

FOSTER, L. E.
Magnetomotive metal working device Patent
[NASA-CASE-XMF-03793] c15 N71-24833

FOWLER, J. T.
Parasitic suppressing circuit
[NASA-CASE-ERC-10403-1] c10 N73-26228

FOX, W. E.
Event recorder Patent
[NASA-CASE-XLA-01832] c14 N71-21006

FRANCISCO, A. C.
Process for applying a protective coating for salt bath brazing Patent
[NASA-CASE-XLE-00046] c15 N70-33311

FRANCISCUS, L. C.
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c28 N74-13502

FRANK, H. A.
Electrolytically regenerative hydrogen-oxygen fuel cell Patent
[NASA-CASE-XLE-04526] c03 N71-11052

FRANKLIN, W. J.
Segmented back-up bar Patent
[NASA-CASE-XMF-00640] c15 N70-39924
Portable alignment tool Patent
[NASA-CASE-XMF-01452] c15 N70-41371

FRAZE, E. E.
Cryogenic cooling system Patent
[NASA-CASE-NPO-10467] c23 N71-26654

FRAZER, R. E.
Vacuum evaporator with electromagnetic ion steering Patent
[NASA-CASE-NPO-10331] c09 N71-26701

FRAZIER, M. J.
Junction range finder
[NASA-CASE-KSC-10108] c14 N73-25461

FRECHE, J. C.
High temperature nickel-base alloy Patent
[NASA-CASE-XLE-00151] c17 N70-33283
External liquid-spray cooling of turbine blades Patent
[NASA-CASE-XLE-00037] c28 N70-33372
Nickel-base alloy Patent
[NASA-CASE-XLE-00283] c17 N70-36616

- High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-00726] c17 N71-15644
- High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-02991] c17 N71-16025
- Nickel-base alloy containing Mo-H-Al-Cr-Ta-Zr-C-Nb-B Patent
[NASA-CASE-XLE-02082] c17 N71-16026
- High temperature ferromagnetic cobalt-base alloy Patent
[NASA-CASE-XLE-03629] c17 N71-23248
- Liquid spray cooling method Patent
[NASA-CASE-XLE-00027] c33 N71-29152
- Method of forming superalloys
[NASA-CASE-LEW-10805-1] c15 N73-13465
- Cobalt-base alloy
[NASA-CASE-LEW-10436-1] c17 N73-32415
- Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c17 N74-10521
- Method of forming articles of manufacture from superalloy powders
[NASA-CASE-LEW-10805-2] c15 N74-13179
- FREDRICKSON, C. A.
Energy absorption device Patent
[NASA-CASE-XNP-01848] c15 N71-28959
- FREEMAN, R. S.
Air frame drag balance Patent
[NASA-CASE-XLA-00113] c14 N70-33386
- FREGGERS, R. A.
Thermal flux transfer system
[NASA-CASE-NPO-12070-1] c28 N73-32606
- FRENCH, J. C.
Nickel base alloy
[NASA-CASE-LEW-10874-1] c17 N72-22535
- FRIEDRICH, J. E.
Biomedical radiation detecting probe Patent
[NASA-CASE-XMS-01177] c05 N71-19440
- FRIEDRICH, E. H.
Reentry vehicle leading edge Patent
[NASA-CASE-XLA-00165] c31 N70-33242
- FRISSIE, H. F.
Device for determining relative angular position between a spacecraft and a radiation emitting celestial body
[NASA-CASE-GSC-11444-1] c14 N73-28490
- FRIITZEN, H., JR.
Noncontaminating swabs
[NASA-CASE-MFS-18100] c15 N72-11390
- FROST, J. D., JR.
EEG sleep analyzer and method of operation Patent
[NASA-CASE-NSC-13282-1] c05 N71-24729
- Compressible biomedical electrode
[NASA-CASE-MSC-13648] c05 N72-27103
- FRIER, T. B.
Telemeter adaptable for implanting in an animal Patent
[NASA-CASE-XAC-05706] c05 N71-12342
- KP controlled solid state switch
[NASA-CASE-ARC-10136-1] c09 N72-22202
- Miniature ingestible telemeter devices to measure deep body temperature
[NASA-CASE-ARC-10583-1] c05 N73-14093
- Low power electromagnetic flowmeter providing accurate zero set
[NASA-CASE-ARC-10362-1] c14 N73-32326
- FRIKLUND, D. H.
Piezoelectric relay
[NASA-CASE-GSC-11627-1] c09 N74-19852
- FURRHEISTER, P. F.
Random function tracer Patent
[NASA-CASE-XLA-01401] c15 N71-21179
- FULCHER, C. H. G.
Automatic control of liquid cooling garment by cutaneous and external auditory meatus temperatures
[NASA-CASE-MSC-13917-1] c05 N72-15098
- FULCHER, R. H.
Low speed phaselock speed control system
[NASA-CASE-GSC-11127-1] c09 N74-10202
- FULLER, H. V.
Cable restraint
[NASA-CASE-LAR-10129-1] c15 N73-25512
- Reefing system
[NASA-CASE-LAR-10129-2] c15 N74-20063
- FUNK, B. H., JR.
Optical probing of supersonic flows with statistical correlation
[NASA-CASE-MFS-20642] c14 N72-21407
- FURCINITI, C. A.
Pulse-width modulation multiplier Patent
[NASA-CASE-XER-09213] c07 N71-12390
- FURNER, R. L.
Automated method for studying the oxidative metabolism of aniline and similar compounds
[NASA-CASE-ARC-10469-1] c06 N72-31145
- FURUHOTO, H. S.
Optical pump and driver system for lasers
[NASA-CASE-ERC-10283] c16 N72-25485
- FYHAT, A. L.
Interferometer-polarimeter
[NASA-CASE-NPO-11239] c14 N73-12446

G

- GABROVIC, L. J.
Bismuth-lead coatings for gas bearings used in atmospheric environments and vacuum chambers Patent
[NASA-CASE-XGS-02011] c15 N71-20739
- GADDIS, D. H.
Inorganic solid film lubricants Patent
[NASA-CASE-XMF-03988] c15 N71-21403
- GADDY, E. H.
Optimum performance spacecraft solar cell system
[NASA-CASE-GSC-10669-1] c03 N72-20031
- GADE, D. W.
Temperature regulation circuit Patent
[NASA-CASE-XNP-02792] c14 N71-28958
- GAETANO, G.
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-10766-1] c14 N72-21432
- GAHN, R. P.
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c06 N71-23527
- GAISER, E. E.
Color television systems using a single gun color cathode ray tube Patent
[NASA-CASE-ERC-10098] c09 N71-28618
- GALE, G. R.
Flow rate switch
[NASA-CASE-NPO-10722] c09 N72-20199
- GALLAGHER, H. E.
Construction and method of arranging a plurality of ion engines to form a cluster Patent
[NASA-CASE-XNP-02923] c28 N71-23081
- High efficiency ionizer assembly Patent
[NASA-CASE-XNP-01954] c28 N71-28850
- GALLO, A. J.
Rapid sync acquisition system Patent
[NASA-CASE-NPO-10214] c10 N71-26577
- GARAVAGLIA, A. P.
Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-1] c05 N72-31117
- Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c05 N74-18805
- GARBA, J. A.
Pressure seal Patent
[NASA-CASE-NPO-10796] c15 N71-27068
- GARDNER, D. E.
Wire grid forming apparatus Patent
[NASA-CASE-XLE-00023] c15 N70-33330
- GARDNER, J. N.
Technique of elbow bending small jacketed transfer lines Patent
[NASA-CASE-XNP-10475] c15 N71-24679
- GARDNER, H. S.
Differential pressure cell Patent
[NASA-CASE-XAC-00042] c14 N70-34816
- GARDOS, M. H.
Refractory porcelain enamel passive thermal control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c18 N73-21471
- GARPIN, A.
Pressure sensitive transducers Patent
[NASA-CASE-ERC-10087] c14 N71-27334
- Electricity measurement devices employing liquid crystalline materials
[NASA-CASE-ERC-10275] c26 N72-25680
- Semiconductor transducer device
[NASA-CASE-ERC-10087-2] c14 N72-31446
- GARHIRE, E. A.
Optical frequency waveguide Patent
[NASA-CASE-HQN-10541-1] c07 N71-26291
- Laser machining apparatus Patent
[NASA-CASE-HQN-10541-2] c15 N71-27135

Optical frequency waveguide and transmission system Patent
[NASA-CASE-HQN-10541-4] c16 N71-27183

Optical frequency waveguide and transmission system
[NASA-CASE-HQN-10541-3] c23 N72-23695

GARNER, H. D.
Jet shoes
[NASA-CASE-XLA-08491] c05 N69-21380

Dynamic precession damper for spin stabilized vehicles Patent
[NASA-CASE-XLA-01989] c21 N70-34295

Attitude orientation of spin-stabilized space vehicles Patent
[NASA-CASE-XLA-00281] c21 N70-36943

Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c09 N74-11050

GARRAHAN, W. M.
Solid state pulse generator with constant output width, for variable input width, in nanosecond range Patent
[NASA-CASE-XGS-03427] c10 N71-23029

Resettable monostable pulse generator Patent
[NASA-CASE-GSC-11139] c09 N71-27016

GARREN, J. F., JR.
Mechanical stability augmentation system Patent
[NASA-CASE-XLA-06339] c02 N71-13422

GARWOOD, D. C.
Ionization vacuum gauge Patent
[NASA-CASE-INP-00646] c14 N70-35666

GASTON, D. H.
Masking device Patent
[NASA-CASE-XNP-02092] c15 N70-42033

GASTON, R. P., JR.
Landing gear Patent
[NASA-CASE-XMF-01174] c02 N70-41589

GATES, D. W.
Stabilized zinc oxide coating compositions Patent
[NASA-CASE-XMF-07770-2] c18 N71-26772

Synthesis of zinc titanate pigment and coatings containing the same
[NASA-CASE-MFS-13532] c18 N72-17532

GATES, J. D.
Self-erecting reflector Patent
[NASA-CASE-XGS-09190] c31 N71-16102

GATES, L. R., JR.
Method for fiberizing ceramic materials Patent
[NASA-CASE-XNP-00597] c18 N71-23088

GATEWOOD, J. R.
Thin film temperature sensor and method of making same
[NASA-CASE-WPO-11775] c26 N72-28761

GATLIN, J. A.
Cartwheel satellite synchronization system Patent
[NASA-CASE-XGS-05579] c31 N71-15676

Gravity gradient attitude control system Patent
[NASA-CASE-GSC-10555-1] c21 N71-27324

Sampled data controller Patent
[NASA-CASE-GSC-10554-1] c08 N71-29033

GATTI, A.
Catalyst for growth of boron carbide single crystal whiskers
[NASA-CASE-XBQ-03903] c15 N69-21922

GAUSE, R. L.
Conductive elastomeric extensometer
[NASA-CASE-MFS-21049-1] c14 N73-11405

Restraint system for ergometer
[NASA-CASE-MFS-21046-1] c14 N73-27377

Ergometer
[NASA-CASE-MFS-21109-1] c05 N73-27941

Tilting table for ergometer and for other biomedical devices
[NASA-CASE-MFS-21010-1] c05 N73-30078

Ergometer calibrator
[NASA-CASE-MFS-21045-1] c14 N74-11288

Manual actuator
[NASA-CASE-MFS-21481-1] c15 N74-18127

GAVIRA, W. E.
Failsafe multiple transformer circuit configuration
[NASA-CASE-WPO-11078] c09 N72-25262

GDULA, W. G.
Recovery of radiation damaged solar cells through thermal annealing
[NASA-CASE-XGS-04047-2] c03 N72-11062

GEBBEN, V. D.
Circuit for detecting initial systole and diastolic notch
[NASA-CASE-LEW-11581-1] c05 N73-18139

GEDWILL, M. A.
Duplex aluminized coatings
[NASA-CASE-LEW-11696-1] c15 N73-10502

Duplex aluminized coatings
[NASA-CASE-LEW-11696-2] c18 N74-18197

GEE, S. W.
Terminal guidance system
[NASA-CASE-FRC-10049-1] c21 N74-13420

GEHRING, W. E.
Apparatus for purging systems handling toxic, corrosive, noxious and other fluids Patent
[NASA-CASE-XMS-01905] c12 N71-21089

GEIER, D. J.
Shock absorbing support and restraint means Patent
[NASA-CASE-XMS-01240] c05 N70-35152

GEIPEL, D. H.
Omnidirectional acceleration device Patent
[NASA-CASE-HQN-10780] c14 N71-30265

GELB, L. L.
Method of repairing discontinuity in fiber glass structures
[NASA-CASE-LAR-10416-1] c15 N72-27527

GELLES, R.
Wide angle long eye relief eyepiece Patent
[NASA-CASE-XMS-06056-1] c23 N71-24857

GENTER, R. E.
Electronically resettable fuse Patent
[NASA-CASE-XGS-11177] c09 N71-27001

GERDTS, J. C.
Concentric differential gearing arrangement
[NASA-CASE-ARC-10462-1] c15 N73-29459

GERINGER, H. J.
Induction furnace with perforated tungsten foil shielding Patent
[NASA-CASE-XLE-04026] c14 N71-23267

GERMANN, E. F., JR.
Radiation direction detector including means for compensating for photocell aging Patent
[NASA-CASE-XLA-00183] c14 N70-40239

GEYSMA, L. W.
Foldable conduit Patent
[NASA-CASE-XLE-00620] c32 N70-41579

GETCHELL, D. E.
Pressure garment joint Patent
[NASA-CASE-XMS-09636] c05 N71-12344

GETTELMAN, C. C.
High powered arc electrodes
[NASA-CASE-LEW-11162-1] c09 N74-12913

GIACCONI, R.
X-ray reflection collimator adapted to focus X-radiation directly on a detector Patent
[NASA-CASE-XHQ-04106] c14 N70-40240

GIANDOMENICO, A.
Millimeter wave radiometer for radio astronomy Patent
[NASA-CASE-XNP-09832] c30 N71-23723

GIBSON, E. K., JR.
Oxygen production method and apparatus
[NASA-CASE-MSC-12332-1] c15 N72-15476

GIBSON, F. W.
Contour surveying system Patent
[NASA-CASE-XLA-08646] c14 N71-17586

Pressure operated electrical switch responsive to a pressure decrease after a pressure increase
[NASA-CASE-LAR-10137-1] c09 N72-22204

GILBERT, G. J.
Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c09 N69-24318

GILCHRIST, C. E.
Signal-to-noise ratio estimating by taking ratio of mean and standard deviation of integrated signal samples Patent
[NASA-CASE-XNP-05254] c07 N71-20791

GILES, R. M. P.
Dye penetrant for surfaces subsequently contacted by liquid oxygen Patent
[NASA-CASE-XMF-02221] c18 N71-27170

GILKISON, C. A.
Linear accelerator frequency control system Patent
[NASA-CASE-XGS-05441] c10 N71-22962

GILL, W. L.
Burn rate testing apparatus
[NASA-CASE-XMS-09690] c33 N72-25913

GILLERMAN, J. B.
Water management system and an electrolytic cell therefor Patent
[NASA-CASE-MSC-10960-1] c03 N71-24718

GILLESPIE, H., JR.
Infrared scanner Patent
[NASA-CASE-XLA-00120] c21 N70-33181
Passive communication satellite Patent
[NASA-CASE-XLA-00210] c30 N70-40309
Alleviation of divergence during rocket launch
Patent
[NASA-CASE-XLA-00256] c31 N71-15663
Method of making an inflatable panel Patent
[NASA-CASE-XLA-03497] c15 N71-23052

GILLEY, G. C.
Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c08 N74-17911

GILLEY, P. J.
Material fatigue testing system
[NASA-CASE-MFS-20673] c14 N73-20476

GILLMORE, W. F.
Method and apparatus for high resolution
spectral analysis
[NASA-CASE-NPO-10748] c08 N72-20177

GILBERT, H. C.
Omnidirectional microwave spacecraft antenna
Patent
[NASA-CASE-XLA-03114] c09 N71-22888

GIM, S.
Apparatus and method for control of a solid
fueled rocket vehicle Patent
[NASA-CASE-XNP-00217] c28 N70-38181

GIOVANNETTI, A., JR.
High-temperature, high-pressure spherical
segment valve Patent
[NASA-CASE-XAC-00074] c15 N70-34817

GIRALA, A. S.
Open type urine receptacle
[NASA-CASE-BSC-12324-1] c05 N72-22093

GIRSAFFE, S. J.
Improved coatings for refractory metals
[NASA-CASE-LEW-11179-1] c17 N73-22474

GLASER, P. E.
Apparatus for measuring thermal conductivity
Patent
[NASA-CASE-XGS-01052] c14 N71-15992

GLASSER, E. A.
Line following servosystem Patent
[NASA-CASE-XAC-00001] c15 N71-28952

GLASE, G. E.
Enthalpy and stagnation temperature
determination of a high temperature laminar
flow gas stream Patent
[NASA-CASE-XLE-00266] c14 N70-34156
Sensing probe
[NASA-CASE-LEW-10281-1] c14 N72-17327

GLEKAS, L. P.
Compact solar still Patent
[NASA-CASE-XMS-04533] c15 N71-23086

GLENN, C. G.
Conductive elastomeric extensometer
[NASA-CASE-MFS-21049-1] c14 N73-11405
Manual actuator
[NASA-CASE-MFS-21481-1] c15 N74-18127

GLENN, D. C.
Method of lubricating rolling element bearings
Patent
[NASA-CASE-XLE-09527] c15 N71-17688
Rolling element bearings Patent
[NASA-CASE-XLE-09527-2] c15 N71-26189

GLOBUS, R. H.
Process of forming particles in a cryogenic path
Patent
[NASA-CASE-NPO-10250] c23 N71-16212

GLOBB, H. L.
Time division radio relay synchronizing system
using different sync code words for in sync
and out of sync conditions Patent
[NASA-CASE-GSC-10373-1] c07 N71-19773
Tracking receiver Patent
[NASA-CASE-XGS-08679] c10 N71-21473

GLORIA, H. R.
Ultraviolet and thermally stable polymer
compositions
[NASA-CASE-ARC-10592-2] c06 N74-11926
Ultraviolet and thermally stable polymer
compositions
[NASA-CASE-ARC-10592-1] c18 N74-21156

GORRING, R. S.
Open tube guideway for high speed air cushioned
vehicles
[NASA-CASE-LAR-10256-1] c11 N72-20253

GOLD, H.
Gas turbine engine fuel control
[NASA-CASE-LEW-11187-1] c28 N73-19793

GOLDBERG, G. I.
Reaction wheel scanner Patent
[NASA-CASE-XGS-02629] c14 N71-21082

GOLDBERG, J.
Automatic fault correction system for parallel
signal channels Patent
[NASA-CASE-XNP-03263] c09 N71-18843

GOLDEN, D. P., JR.
Contourograph system for monitoring
electrocardiograms
[NASA-CASE-MSC-13407-1] c10 N72-20225
Korotkov sound processor
[NASA-CASE-MSC-13999-1] c05 N72-25142

GOLDMAN, G. C.
High powered arc electrodes
[NASA-CASE-LEW-11162-1] c09 N74-12913

GOLDSBERRY, R. E.
Ultraviolet and thermally stable polymer
compositions
[NASA-CASE-ARC-10592-2] c06 N74-11926
Ultraviolet and thermally stable polymer
compositions
[NASA-CASE-ARC-10592-1] c18 N74-21156

GOLDSCHNIED, F. R.
Shear modulated fluid amplifier Patent
[NASA-CASE-MFS-10412] c12 N71-17578

GOLDSMITH, J. V.
Solar battery with interconnecting means for
plural cells Patent
[NASA-CASE-XNP-06506] c03 N71-11050
Solid state matrices
[NASA-CASE-NPO-10591] c03 N72-22041
Solar cell panels with light transmitting plate
[NASA-CASE-NPO-10747] c03 N72-22042

GOLDSTEIN, A. G.
Supersonic fan blading
[NASA-CASE-LEW-11402-1] c28 N72-20770

GOLDSTEIN, H. E.
Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c18 N74-14230

GOLDSTEIN, I.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c20 N73-21523

GOLDSTEIN, R. H.
Correlation function apparatus Patent
[NASA-CASE-XNP-00746] c07 N71-21476
Method and apparatus for mapping planets
[NASA-CASE-NPO-11001] c07 N72-21118
Binary coded sequential acquisition ranging system
[NASA-CASE-NPO-11194] c08 N72-25209
Apparatus for deriving synchronizing pulses from
pulses in a single channel PCM communications
system
[NASA-CASE-NPO-11302-1] c07 N73-13149
Method and apparatus for a single channel
digital communications system
[NASA-CASE-NPO-11302-2] c07 N74-10132

GOODRICH, J. A.
Locking device for turbine rotor blades Patent
[NASA-CASE-XNP-00816] c28 N71-28928

GOODWIN, R. A.
Spectroscopy equipment using a slender
cylindrical reflector as a substitute for a
slit Patent
[NASA-CASE-XGS-08269] c23 N71-26206

GOODYER, H. J.
Stagnation pressure probe
[NASA-CASE-LAR-11139-1] c14 N73-20483

GORDON, E. A.
Arc electrode of graphite with ball tip Patent
[NASA-CASE-XLE-04788] c09 N71-22987

GORELICK, D.
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c05 N73-11097

GORSTEIN, H.
Two color horizon sensor
[NASA-CASE-ERC-10174] c14 N72-25409

GOSS, W. C.
High pulse rate high resolution optical radar
system
[NASA-CASE-NPO-11426] c07 N73-26119

GOUDY, J. R.
Capacitor power pak Patent Application
[NASA-CASE-LAR-10367-1] c03 N70-26817

GOULD, C. H.
Printed circuit board with bellows rivet

connection Patent
[NASA-CASE-XNP-05082] c15 N70-41960

GOULD, J. E.
Static inverters which sum a plurality of waves
Patent
[NASA-CASE-XMF-00663] c08 N71-18752
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c16 N72-13437

GOULD, W. I., JR.
Millimeter wave antenna system Patent Application
[NASA-CASE-GSC-10949-1] c07 N71-28965

GRAAB, J. E.
Analytical test apparatus and method for
determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c06 N71-23527

GRABOWSKI, J. E.
Target acquisition antenna
[NASA-CASE-GSC-10064-1] c10 N72-22235

GRAFSTEIN, D.
Fluidic-thermochromic display device Patent
[NASA-CASE-ERC-10031] c12 N71-18603

GRAHAM, O. L.
Color television system
[NASA-CASE-HSC-12146-1] c07 N72-17109

GRAHAM, R. W.
Liquid storage tank venting device for zero
gravity environment Patent
[NASA-CASE-XLE-01449] c15 N70-41646

GRAN, A. A.
Venting device for pressurized space suit helmet
Patent
[NASA-CASE-XMS-09652-1] c05 N71-26333

GRANATA, R. L.
Sidercal frequency generator Patent
[NASA-CASE-XGS-02610] c14 N71-23174

GRANT, D. J.
Passively regulated water electrolysis rocket
engine Patent
[NASA-CASE-XGS-08729] c28 N71-14044
Precision thrust gage Patent
[NASA-CASE-XGS-02319] c14 N71-22965
Fluid flow meter with comparator reference means
Patent
[NASA-CASE-XGS-01331] c14 N71-22996

GRANT, G. E.
Dual wavelength scanning Doppler velocimeter
[NASA-CASE-ARC-10637-1] c14 N73-21390

GRANT, H. E.
Spacecraft attitude sensor
[NASA-CASE-GSC-10890-1] c21 N73-30640

GRANTHAM, W. L.
Means for measuring the electron density
gradients of the plasma sheath formed around a
space vehicle Patent
[NASA-CASE-XLA-06232] c25 N71-20563
Antenna design for surface wave suppression Patent
[NASA-CASE-XLA-10772] c07 N71-28980

GRAY, C. E.
Optical characteristics measuring apparatus Patent
[NASA-CASE-XNP-08840] c23 N71-16365

GRAY, D. T.
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c14 N74-13129

GRAY, J. L.
Automatic lightning detection and photographic
system
[NASA-CASE-KSC-10728-1] c14 N73-32319

GRAY, V. E.
Boiler for generating high quality vapor Patent
[NASA-CASE-XLE-00785] c33 N71-16104
Ablative system
[NASA-CASE-LEW-10359] c33 N72-25911
Ablative system
[NASA-CASE-LEW-10359-2] c33 N73-25952
Space vehicle with artificial gravity and
earth-like environment
[NASA-CASE-LEW-11101-1] c31 N73-32750

GRAYSON, J. E.
Voltage-current characteristic simulator Patent
[NASA-CASE-XMS-01554] c10 N71-10578

GREEN, V. J.
Inductive liquid level detection system Patent
[NASA-CASE-XLE-01609] c14 N71-10500

GREEN, F. J.
Variable ratio mixed-mode bilateral master-slave
control system for shuttle remote manipulator
system
[NASA-CASE-MSC-14245-1] c31 N73-30832

GREEN, E. D.
Linear sawtooth voltage-wave generator employing
transistor timing circuit having
capacitor-zener diode combination feedback
Patent
[NASA-CASE-XMS-01315] c09 N70-41675

GREEN, E. G.
Traversing probe Patent
[NASA-CASE-XFR-02007] c12 N71-24692
Layout tool Patent
[NASA-CASE-FEC-10005] c15 N71-26145
Method and apparatus for attaching physiological
monitoring electrodes Patent
[NASA-CASE-XFR-07658-1] c05 N71-26293

GREEN, E. R.
Serial digital decoder Patent
[NASA-CASE-NPO-10150] c08 N71-24650
Apparatus for deriving synchronizing pulses from
pulses in a single channel PCM communications
system
[NASA-CASE-NPO-11302-1] c07 N73-13149
Method and apparatus for a single channel
digital communications system
[NASA-CASE-NPO-11302-2] c07 N74-10132

GREEN, W. L.
Mass measuring system Patent
[NASA-CASE-XMS-03371] c05 N70-42000

GREENBERG, J.
Combined electrolysis device and fuel cell and
method of operation Patent
[NASA-CASE-XLE-01645] c03 N71-20904
Heat activated cell with alkali anode and alkali
salt electrolyte Patent
[NASA-CASE-LEW-11358] c03 N71-26084
Heat activated cell Patent
[NASA-CASE-LEW-11359] c03 N71-28579
Method of making emf cell
[NASA-CASE-LEW-11359-2] c03 N72-20034

GREENWOOD, T. L.
Seismic displacement transducer Patent
[NASA-CASE-XMF-00479] c14 N70-34794
Condition and condition duration indicator Patent
[NASA-CASE-XMF-01097] c10 N71-16058

GREGORY, J. W.
Rocket motor system Patent
[NASA-CASE-XLE-00323] c28 N70-38505
Combustion chamber Patent
[NASA-CASE-XLE-04857] c28 N71-23968
Rocket thrust throttling system
[NASA-CASE-LEW-10374-1] c28 N73-13773

GRIEVE, S. E.
Apparatus for testing wiring harness by
vibration generating means
[NASA-CASE-HSC-15158-1] c14 N72-17325

GRIFFIN, F. D.
Device for determining the accuracy of the flare
on a flared tube
[NASA-CASE-XKS-03495] c14 N69-39785
Optical monitor panel Patent
[NASA-CASE-XKS-03509] c14 N71-23175

GRIFFIN, R. E.
Conducting flow electrophoresis in the
substantial absence of gravity
[NASA-CASE-MFS-21394-1] c12 N72-27310

GRIFFIN, W. S.
Fluid jet amplifier
[NASA-CASE-XLE-03512] c12 N69-21466
Fluid jet amplifier Patent
[NASA-CASE-XLE-09341] c12 N71-28741

GRIFFITH, G. E.
High intensity heat and light unit Patent
[NASA-CASE-XLA-00141] c09 N70-33312

GRISAPPE, S. J.
Method of making a diffusion bonded refractory
coating Patent
[NASA-CASE-XLE-01604-2] c15 N71-15610
Aluminized nickel coatings for nickel-base
superalloys
[NASA-CASE-LEW-11348-1] c17 N72-25517
Duplex aluminized coatings
[NASA-CASE-LEW-11696-1] c15 N73-10502
Nickel aluminide coated low alloy stainless steel
[NASA-CASE-LEW-11267-1] c17 N73-32414
Duplex aluminized coatings
[NASA-CASE-LEW-11696-2] c18 N74-18197

GROBMAN, J.
Electric propulsion engine test chamber Patent
[NASA-CASE-XLE-00252] c11 N70-34844

- GROCH, E. J.
Electromagnetic mirror drive system
[NASA-CASE-XLA-03724] c14 N69-27461
Variable pulse width multiplier Patent
[NASA-CASE-XLA-02850] c09 N71-20447
Annular momentum control device used for
stabilization of space vehicles and the like
[NASA-CASE-LAR-11051-1] c21 N73-28646
- GROSE, E. L.
Combustion detector
[NASA-CASE-LAR-10739-1] c14 N73-16484
- GROSS, C.
Method of temperature compensating semiconductor
strain gages Patent
[NASA-CASE-XLA-04555-1] c14 N71-25892
Infrared detectors
[NASA-CASE-LAR-10728-1] c14 N73-12445
- GROSS, E. J.
Method of fabricating an object with a thin wall
having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c15 N74-21059
- GROTH, E. G.
Optical inspection apparatus Patent
[NASA-CASE-XHP-00462] c14 N70-34298
- GRUBBS, T. H.
Discrete local altitude sensing device Patent
[NASA-CASE-XHS-03792] c14 N70-41812
Line cutter Patent
[NASA-CASE-XHS-04072] c15 N70-42017
Tension measurement device Patent
[NASA-CASE-XHS-04545] c15 N71-22878
Bin having cable position and load indicators
Patent
[NASA-CASE-HSC-12052-1] c15 N71-24599
- GRUBER, C. L.
Method and apparatus for optical modulating a
light signal Patent
[NASA-CASE-GSC-10216-1] c23 N71-26722
- GUILLLOTTE, R. J.
Infrared scanner Patent
[NASA-CASE-XLA-00120] c21 N70-33181
- GUISINGER, J. E.
Starting circuit for vapor lamps and the like
Patent
[NASA-CASE-XNP-01058] c09 N71-12540
Variable frequency nuclear magnetic resonance
spectrometer Patent
[NASA-CASE-XNP-09830] c14 N71-26266
High voltage transistor amplifier with constant
current load
[NASA-CASE-NPO-11023] c09 N72-17155
Thermomagnetic recording and magneto-optic
playback system having constant intensity
laser beam control
[NASA-CASE-NPO-11317-2] c16 N74-13205
- GUIST, L. R.
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c33 N73-20931
- GUNGLE, E. L.
Self-sealing, unbonded, rocket motor nozzle
closure Patent
[NASA-CASE-XLA-02651] c28 N70-41967
- GUNTHER, E. D., JR.
Multiple pass reimagining optical system
[NASA-CASE-ARC-10194-1] c23 N73-20741
Dual wavelength scanning Doppler velocimeter
[NASA-CASE-ARC-10637-1] c14 N73-21390
- GUNTHER, C. A.
Ablation sensor
[NASA-CASE-XLA-01781] c14 N69-39975
Pressurized cell micrometeoroid detector Patent
[NASA-CASE-XLA-00936] c14 N71-14996
Dual measurement ablation sensor
[NASA-CASE-LAR-10105-1] c33 N74-15652
- GUSCO, S. S.
Pseudo-noise test set for communication system
evaluation
[NASA-CASE-HFS-22671-1] c14 N74-13146
- GUSTAFSON, G. L.
Apparatus for measuring thermal conductivity
Patent
[NASA-CASE-IGS-01052] c14 N71-15992
- GUTSHALL, R. L.
Star scanner
[NASA-CASE-GSC-11569-1] c14 N73-11404
- GUY, J. T., SR.
Disk pack cleaning table Patent Application
[NASA-CASE-LAR-10590-1] c15 N70-26819
- GYORGAK, C. A.
Process for applying a protective coating for
salt bath brazing Patent
[NASA-CASE-XLE-00046] c15 N70-33311
Protective device for machine and metalworking
tools Patent
[NASA-CASE-XLE-01092] c15 N71-22797
Extrusion die for refractory metals Patent
[NASA-CASE-XLE-06773] c15 N71-23817
- H
- HABBSAL, E. L.
Analog signal integration and reconstruction
system Patent
[NASA-CASE-NPO-10344] c10 N71-26544
System for quantizing graphic displays
[NASA-CASE-NPO-10745] c08 N72-22164
- HABRA, J. H.
Multiple varactor frequency doubler Patent
[NASA-CASE-XHP-04958-1] c10 N71-26414
- HADDEK, V.
Apparatus and method for measuring the Seebeck
coefficient and resistivity of materials
[NASA-CASE-NPO-11749] c14 N73-28486
- HADLAND, E. O.
Control device Patent
[NASA-CASE-XAC-10019] c15 N71-23809
Two degree inverted flexure
[NASA-CASE-ARC-10345-1] c15 N73-12488
- HADLEY, E. C., JR.
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c14 N74-18088
- HADY, H. F.
High speed, self-acting shaft seal
[NASA-CASE-LEB-11274-1] c15 N73-29457
- HAEBBER, C. L.
Peen plating
[NASA-CASE-GSC-11163-1] c15 N73-32360
- HAGIHARA, F. S.
Frequency to analog converter Patent
[NASA-CASE-XNP-07040] c08 N71-12500
- HAGOOD, G. J., JR.
Function generator for synthesizing complex
vibration mode patterns
[NASA-CASE-LAR-10370-1] c10 N73-20253
- HAINES, R. F.
Visual examination apparatus
[NASA-CASE-ARC-10329-1] c05 N73-26072
Visual examination apparatus
[NASA-CASE-ARC-10329-2] c05 N74-19761
- HALEY, F. C.
Cavity radiometer Patent
[NASA-CASE-XNP-08961] c14 N71-24809
- HALL, D. F.
Apparatus for measuring electric field strength
on the surface of a model vehicle Patent
[NASA-CASE-XLE-02038] c09 N71-16086
- HALL, E. D.
Spectroscopy equipment using a slender
cylindrical reflector as a substitute for a
slit Patent
[NASA-CASE-XGS-08269] c23 N71-26206
- HALL, E. R.
Method for determining presence of OH in
magnesium oxide
[NASA-CASE-NPO-10774] c06 N72-17095
- HALL, J. R., JR.
Surface roughness detector Patent
[NASA-CASE-XLA-00203] c14 N70-34161
Liquid waste feed system
[NASA-CASE-LAR-10365-1] c05 N72-27102
An automatic liquid inventory collecting and
dispensing unit
[NASA-CASE-LAR-11071-1] c15 N73-18474
- HALL, J. F., JR.
Illumination system including a virtual light
source Patent
[NASA-CASE-HQM-10781] c23 N71-30292
- HALL, J. E.
High powered arc electrodes
[NASA-CASE-LEB-11162-1] c09 N74-12913
- HALLBERG, P. C.
Turn on transient limiter Patent
[NASA-CASE-GSC-10413] c10 N71-26531
- KALLOCK, J. E.
Multiple hologram recording and readout system
Patent
[NASA-CASE-ERC-10151] c16 N71-29131

HALPERT, G.
Frangible electrochemical cell
[NASA-CASE-XGS-10010] c03 N72-15986

HAMLET, J. F.
Stable supply oscillator
[NASA-CASE-MPS-21698-1] c09 N73-26196
Automatic quadrature control and measuring system
[NASA-CASE-MPS-21660-1] c14 N74-21017

HAMMACK, J. B.
Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938
Space capsule Patent
[NASA-CASE-XLA-01332] c31 N71-15664

HAMMOND, A. D.
Variable sweep aircraft Patent
[NASA-CASE-XLA-03659] c02 N71-11041

HANCHEY, K. K.
Device for preventing high voltage arcing in
electron beam welding Patent
[NASA-CASE-IMP-08522] c15 N71-19486

HAND, P. J.
Temperature compensated digital inertial sensor
[NASA-CASE-NPO-13044-1] c14 N74-15094

HANKINSON, T. W. E.
Fatigue-resistant shear pin
[NASA-CASE-XLA-09122] c15 N69-27505

HANNA, M. F.
Dual polarity full wave dc motor drive Patent
[NASA-CASE-XNP-07477] c09 N71-26092
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c07 N73-23106
Event sequence detector
[NASA-CASE-NPO-11703-1] c10 N73-32144

HANSEN, G. E.
Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c09 N74-12912

HANSEN, G. E., JR.
Vehicle locating system utilizing AM
broadcasting station carriers
[NASA-CASE-NPO-13217-1] c07 N73-26144

HANSEN, I. G.
Flow angle sensor and read out system Patent
[NASA-CASE-XLE-04503] c14 N71-24864

HANSEN, S.
Thrust dynamometer Patent
[NASA-CASE-XLE-00702] c14 N70-40203
Method of making screen by casting Patent
[NASA-CASE-XLE-00953] c15 N71-15966
Fluid flow control valve Patent
[NASA-CASE-XLE-00703] c15 N71-15967
Thrust dynamometer Patent
[NASA-CASE-XLE-05260] c14 N71-20429

HANSON, M. F.
Turbo-machine blade vibration damper Patent
[NASA-CASE-XLE-00155] c28 N71-29154

HANSON, P. W.
Lift balancing device
[NASA-CASE-LAR-10348-1] c11 N73-12264

HANSON, R. H.
Tensile strength testing device Patent
[NASA-CASE-XNP-05634] c15 N71-24834
Hydroforming techniques using epoxy molds Patent
[NASA-CASE-XLE-05641-1] c15 N71-26346

HANST, P. L.
Repetitively pulsed, wavelength selective laser
Patent
[NASA-CASE-ERC-10178] c16 N71-24832

HAQ, K. E.
A method for the deposition of beta-silicon
carbide by isoeptitary
[NASA-CASE-ERC-10120] c26 N69-33482

HARALSON, B. S.
Ultrasonic scanning system for in-place
inspection of brazed tube joints
[NASA-CASE-MPS-20767-1] c15 N74-15130

HARAWAY, W. H., JR.
Thermal protection ablation spray system Patent
[NASA-CASE-XLA-04251] c18 N71-26100
Improved bonding method in the manufacture of
continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c15 N74-14141

HARD, T. E.
Optical systems having spatially invariant outputs
[NASA-CASE-ERC-10248] c14 N72-17323

HARDGROVE, W. F.
Omni-directional anisotropic molecular trap Patent
[NASA-CASE-XGS-00783] c30 N71-17788

HARDY, J. C.
Omnidirectional joint Patent

[NASA-CASE-XMS-09635] c05 N71-24623

HARRMAN, J. B., III
Pulse activated polarographic hydrogen detector
Patent
[NASA-CASE-XNP-06531] c14 N71-17575

HARMS, V. W.
Apparatus for automatically stabilizing the
attitude of a nonguided vehicle
[NASA-CASE-ARC-10134] c30 N72-17873

HARBOULES, G. C.
Method and apparatus for measuring solar
activity and atmospheric radiation effects
[NASA-CASE-ERC-10276] c14 N73-26432

HARBOULES, G. G.
Method and means for providing an absolute power
measurement capability Patent
[NASA-CASE-ERC-11020] c14 N71-26774
Clear air turbulence detector
[NASA-CASE-ERC-10081] c14 N72-28437

HARPER, C. A.
Thermal conductive connection and method of
making same Patent
[NASA-CASE-XMS-02087] c09 N70-41717

HARRAP, V.
Integrated circuit including field effect
transistor and cermet resistor
[NASA-CASE-GSC-10835-1] c09 N72-33205

HARRIS, D. M.
Recorder using selective noise filter
[NASA-CASE-ERC-10112] c07 N72-21119

HARRIS, R. V., JR.
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c02 N71-12243

HARRISON, D. R.
Transducer circuit and catheter transducer Patent
[NASA-CASE-ARC-10132-1] c09 N71-24597
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2(B)] c09 N74-14941

HARRISON, P. L.
Life raft stabilizer
[NASA-CASE-MSC-12393-1] c02 N73-26006

HARRISON, R. G., JR.
Pressure variable capacitor
[NASA-CASE-XNP-09752] c14 N69-21541
Temperature telemetric transmitter Patent
[NASA-CASE-NPO-10649] c07 N71-24840

HARTENSTEIN, R. G.
Accelerometer with FM output Patent
[NASA-CASE-XLA-00492] c14 N70-34799
Variable time constant smoothing circuit Patent
[NASA-CASE-XGS-01983] c10 N70-41964

HARVEY, G. A.
Maksutov spectrograph Patent
[NASA-CASE-XLA-10402] c14 N71-29041
Apparatus for photographing meteors
[NASA-CASE-LAR-10226-1] c14 N73-19419

HARVEY, W. D.
Heat sensing instrument Patent
[NASA-CASE-XLA-01551] c14 N71-22989

HARWELL, R. J.
Nonflammable coating compositions
[NASA-CASE-MPS-20486-2] c18 N74-17283

HASBACH, W. A.
Solid state matrices
[NASA-CASE-NPO-10591] c03 N72-22041

HASSON, D. F.
Space and atmospheric reentry vehicle Patent
[NASA-CASE-XGS-00260] c31 N70-37924

HATAKEYAMA, L. F.
Method and system for ejecting fairing sections
from a rocket vehicle
[NASA-CASE-GSC-10590-1] c31 N73-14853

HATCH, J. E.
Energy conversion apparatus Patent
[NASA-CASE-XLE-00212] c03 N70-34134

HATCHER, R. E.
Electromagnetic mirror drive system
[NASA-CASE-XLA-03724] c14 N69-27461
Infrared scanner Patent
[NASA-CASE-XLA-00120] c21 N70-33181
Automatic balancing device Patent
[NASA-CASE-LAR-10774] c10 N71-13545
Attitude sensor for space vehicles Patent
[NASA-CASE-XLA-00793] c21 N71-22880

HATFIELD, J. J.
Integrated time shared instrumentation display
Patent
[NASA-CASE-XLA-01952] c08 N71-12507

BATHABAY, H. E.
Frangible tube energy dissipation Patent
[NASA-CASE-XLA-00754] c15 N70-34850

BLUGG, G.
Low distortion automatic phase control circuit
[NASA-CASE-NFS-21671-1] c10 N73-17211

BOURY, V. E.
Hydrazinium nitroformate propellant stabilized with nitroguanidine
[NASA-CASE-NPO-12000] c27 N72-25699
Hydrazinium nitroformate propellant with saturated polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c27 N73-16764

HAUSER, J. A.
High pressure gas filter system Patent
[NASA-CASE-NFS-12806] c14 N71-17588
High pressure helium purifier Patent
[NASA-CASE-XMP-06888] c15 N71-24044

BAVEENS, D. E.
A meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-NFS-22189-1] c14 N74-10421

BAGLEY, J. J.
Method of erasing target material of a vidicon tube or the like Patent
[NASA-CASE-XNP-06028] c09 N71-23189

BAGLEY, W. B.
Omnidirectional acceleration device Patent
[NASA-CASE-NQN-10780] c14 N71-30265

HAYDEN, R. E.
Magnetic counter Patent
[NASA-CASE-XNP-08836] c09 N71-12515

HAYNES, J. L.
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-NFS-20767-1] c15 N74-15130

HAYDOS, J. G.
Interconnection of solar cells Patent
[NASA-CASE-IGS-01475] c03 N71-11058
Frangible electrochemical cell
[NASA-CASE-IGS-10010] c03 N72-15986

HAYS, L. G.
Fluid phase analyzer Patent
[NASA-CASE-NPO-10691] c14 N71-26199
Two phase flow system with discrete impinging two-phase jets
[NASA-CASE-NPO-11556] c12 N72-25292
Observation window for a gas confining chamber
[NASA-CASE-NPO-10890] c11 N73-12265
Flow control valve
[NASA-CASE-NPO-11951-1] c15 N74-21065

HEAD, R. E.
Method and apparatus for predicting the occurrence of major solar events Patent
Application
[NASA-CASE-ERC-10323-1] c30 N70-22183

HEARN, C. F.
Wideband VCO with high phase stability Patent
[NASA-CASE-XLA-03893] c10 N71-27271
Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c14 N74-20019

HEBERLIG, J. C.
Survival couch Patent
[NASA-CASE-XLA-00118] c05 N70-33285

HECHT, R.
Apparatus for absolute pressure measurement
[NASA-CASE-LAR-10000] c14 N73-30394

HECKELMAN, J. D.
Multialarm summary alarm Patent
[NASA-CASE-XLE-03061-1] c10 N71-24798

HECKLER, C. E.
Mercury capillary interrupter Patent
[NASA-CASE-XNP-02251] c12 N71-20896

HECKLER, C. E., JR.
A method for making conductors for ferrite memory arrays
[NASA-CASE-LAR-10994-1] c18 N73-30536

HEDLUND, B. C.
Precision rectifier with PFT switching means Patent
[NASA-CASE-ARC-10101-1] c09 N71-33109
Self-tuning bandpass filter
[NASA-CASE-ARC-10264-1] c09 N73-20231

HEER, E.
Pressure seal Patent
[NASA-CASE-NPO-10796] c15 N71-27068

HEIDHANN, H. F.
Injector for bipropellant rocket engines Patent
[NASA-CASE-XMP-00148] c28 N70-38710

Instrument for the quantitative measurement of radiation at multiple wave lengths Patent
[NASA-CASE-XLE-00011] c14 N70-41946

Control of transverse instability in rocket combustors Patent
[NASA-CASE-XLE-04603] c33 N71-21507
Burning rate control of solid propellants Patent
[NASA-CASE-XLE-03494] c27 N71-21819

HEIDT, H. F.
Ultrastable calibrated light source
[NASA-CASE-NSC-12293-1] c14 N72-27411

HEIER, H. C.
Method for molding compounds Patent
[NASA-CASE-XLA-01091] c15 N71-10672
Lamination method and apparatus
[NASA-CASE-XLA-11028] c15 N72-21486
Evacuated displacement compression molding
[NASA-CASE-LAR-10782-2] c15 N73-31444
Apparatus and method of molding
[NASA-CASE-LAR-10489-2] c15 N73-31446
Evacuated displacement compression molding
[NASA-CASE-LAR-10782-1] c15 N74-14133
Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article
[NASA-CASE-LAR-10489-1] c15 N74-18124

HEIMBUCH, A. H.
Chromato-fluorographic drug detector
[NASA-CASE-ARC-10633-1] c05 N73-22048

HEIHERL, G. J.
Extensometer frame
[NASA-CASE-XLA-10322] c15 N72-17452

HEINDL, J. C.
Fluid lubricant system Patent
[NASA-CASE-XNP-03972] c15 N71-23048

HEINEHANN, K.
Electron microscope aperture system
[NASA-CASE-ARC-10448-1] c14 N72-21421
Electron microscope aperture system
[NASA-CASE-ARC-10448-2] c14 N74-12190
Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c14 N74-12191

HEINRY, O. K.
Self-obturator, gas operated launcher
[NASA-CASE-NPO-11013] c11 N72-22247

HEISHAN, R. E.
Tube dimpling tool Patent
[NASA-CASE-XMS-06876] c15 N71-21536

HELBERT, H. B., JR.
Method of repairing discontinuity in fiber glass structures
[NASA-CASE-LAR-10416-1] c15 N72-27527

HELLBAUM, R. F.
Logic AND gate for fluid circuits Patent
[NASA-CASE-XLA-07391] c12 N71-17579
Technique of duplicating fragile core
[NASA-CASE-XLA-07829] c15 N72-16329
Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c09 N74-11050

HELLMANN, R. F.
Apparatus for purging systems handling toxic, corrosive, noxious and other fluids Patent
[NASA-CASE-XMS-01905] c12 N71-21089

HENDERSON, H. E.
Gas chromatograph injection system
[NASA-CASE-ARC-10344-1] c14 N72-21433
Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c14 N74-20021

HENDRICKS, H. D.
Method of detecting oxygen in a gas
[NASA-CASE-LAR-10668-1] c06 N73-16106

HENLEY, H. E.
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c15 N74-21059

HENNIGAN, T. J.
Apparatus for measuring swelling characteristics of membranes
[NASA-CASE-XGS-03865] c14 N69-21363
Prevention of pressure build-up in electrochemical cells Patent
[NASA-CASE-XGS-01419] c03 N70-41864
Non-magnetic battery case Patent
[NASA-CASE-XGS-00886] c03 N71-11053
Method and apparatus for battery charge control Patent
[NASA-CASE-XGS-05432] c03 N71-19438
Sealing device for an electrochemical cell Patent
[NASA-CASE-XGS-02630] c03 N71-22974

- Sealed electrochemical cell provided with a flexible casing Patent
[NASA-CASE-XGS-01513] c03 N71-23336
- HENRY, A. W.
Dicyanoacetylene polymers Patent
[NASA-CASE-XNP-03250] c06 N71-23500
- HENRY, B. Z.
Variable geometry manned orbital vehicle Patent
[NASA-CASE-XLA-03691] c31 N71-15674
- HEPPNER, J. P.
Wide range linear fluxgate magnetometer Patent
[NASA-CASE-XGS-01587] c14 N71-15962
- HERBELL, T. P.
Gas purged dry box glove Patent
[NASA-CASE-XLE-02531] c05 N71-23080
Method of producing refractory composites containing tantalum carbide, hafnium carbide, and hafnium boride Patent
[NASA-CASE-XLE-03940] c18 N71-26153
Refractory metal base alloy composites
[NASA-CASE-XLE-03940-2] c17 N72-28536
- HERMANN, A. M.
Method of using photovoltaic cell using poly-N-vinylcarbazole complex Patent
[NASA-CASE-NPO-10373] c03 N71-18698
- HEROLD, C. P.
Quick attach and release fluid coupling assembly Patent
[NASA-CASE-XKS-01985] c15 N71-10782
- HEER, B. W.
A support technique for vertically oriented launch vehicles
[NASA-CASE-XLA-02704] c11 N69-21540
- HERMANN, A. L.
Locking device with rolling detents Patent
[NASA-CASE-XMF-01371] c15 N70-41829
- HERRON, B. G.
Power control circuit
[NASA-CASE-XNP-02713] c10 N69-39888
- HESPEHIDE, W. E.
Variable direction force coupler
[NASA-CASE-MFS-20317] c15 N73-13463
- HESS, R. V.
A technique for breaking ice in the path of a ship
[NASA-CASE-LAR-10815-1] c16 N72-22520
- HESS, R. W.
Contour surveying system Patent
[NASA-CASE-XLA-08646] c14 N71-17586
- HESTER, B. B.
Current regulating voltage divider
[NASA-CASE-MFS-20935] c09 N71-34212
- HETHCOAT, J. P.
Thruster maintenance system Patent
[NASA-CASE-MFS-20325] c28 N71-27095
- HEWES, D. E.
Rotating space station simulator Patent
[NASA-CASE-XLA-03127] c11 N71-10776
Reduced gravity simulator Patent
[NASA-CASE-XLA-01787] c11 N71-16028
- HEYER, B. C.
Temperature control system with a pulse width modulated bridge
[NASA-CASE-NPO-11304] c14 N73-26430
- HEYSON, H. H.
Variable geometry wind tunnels
[NASA-CASE-XLA-07430] c11 N72-22246
- HIGH, W. H.
Refrigeration apparatus
[NASA-CASE-NPO-10309] c15 N69-23190
Refrigeration apparatus Patent
[NASA-CASE-XNP-08877] c15 N71-23025
- HIGBY, R. F.
Electronic background suppression method and apparatus for a field scanning sensor
[NASA-CASE-XGS-05211] c07 N69-39980
- HILBERT, E. E.
Data multiplexer using tree switching configuration
[NASA-CASE-NPO-11333] c08 N72-22162
Flexible computer accessed telemetry
[NASA-CASE-NPO-11358] c07 N72-25172
- HILBORN, B. H.
Method and means for an improved electron beam scanning system Patent
[NASA-CASE-ERC-10552] c09 N71-12539
Fluidic-thermochronic display device Patent
[NASA-CASE-ERC-10031] c12 N71-18603
Plasma fluidic hybrid display Patent
[NASA-CASE-ERC-10100] c09 N71-33519
- HILDEBRANDT, A. F.
Helium refining by superfluidity Patent
[NASA-CASE-XNP-00733] c06 N70-34946
Continuous magnetic flux pump
[NASA-CASE-XNP-01187] c15 N73-28516
Superconductive magnetic-field-trapping device
[NASA-CASE-XNP-01185] c26 N73-28710
Magnetic-flux pump
[NASA-CASE-XNP-01188] c15 N73-32361
- HILL, E. K.
Ultrasonic scanner for radial and flat panels
[NASA-CASE-MFS-20335-1] c14 N74-10415
- HILL, O. E.
Burst diaphragm flow initiator Patent
[NASA-CASE-MFS-12915] c11 N71-17600
Wind tunnel test section
[NASA-CASE-MFS-20509] c11 N72-17183
- HILL, P. R.
Kinesthetic control simulator Patent Application
[NASA-CASE-LAR-10276-1] c11 N70-26813
Heat protection apparatus Patent
[NASA-CASE-XLA-00892] c33 N71-17897
- HILLBERG, E. T.
Load relieving device Patent
[NASA-CASE-XMS-06329-1] c15 N71-20441
- HILLBORN, E. H.
Color television systems using a single gun color cathode ray tube Patent
[NASA-CASE-ERC-10098] c09 N71-28618
- HILLIS, D. A.
Drift compensation circuit for analog to digital converter Patent
[NASA-CASE-XNP-04780] c08 N71-19687
- HILTON, G. E.
Position location and data collection system and method Patent
[NASA-CASE-GSC-10083-1] c30 N71-16090
- HIMMELBRIGHT, R. E.
High-temperature, high-pressure spherical segment valve Patent
[NASA-CASE-XAC-00074] c15 N70-34817
- HIRAYAMA, C.
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c15 N74-21063
- HIRSHFIELD, S. M.
Gas liquefaction and dispensing apparatus Patent
[NASA-CASE-NPO-10070] c15 N71-27372
Novel polymers and method of preparing same
[NASA-CASE-NPO-10998-1] c06 N73-32029
- HITCHMAN, M. J.
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c04 N74-15778
- HOBART, H. F.
Liquid flow sight assembly Patent
[NASA-CASE-XLE-02998] c14 N70-42074
- HOBBS, A. J.
Method and apparatus for determining the contents of contained gas samples
[NASA-CASE-GSC-10903-1] c14 N73-12444
- HOBLIN, L. E.
Unfurlable structure including coiled strips thrust launched upon tension release Patent
[NASA-CASE-HQN-00937] c07 N71-28979
- HOCHHAIR, E. S.
Integrated, single channel type FET gyrator
[NASA-CASE-MFS-22343-1] c09 N73-18224
Gyrator employing field effect transistors
[NASA-CASE-MFS-21433] c09 N73-20232
Integrable power gyrator
[NASA-CASE-MFS-22342-1] c09 N73-24236
- HODDER, D. T.
Apparatus for remote handling of materials
[NASA-CASE-LAR-10634-1] c15 N74-18123
- HOPFLER, G. W.
Korotkov sound processor
[NASA-CASE-MSC-13999-1] c05 N72-25142
- HOFFMAN, D. G.
Light detection instrument Patent
[NASA-CASE-XGS-05534] c23 N71-16355
- HOFFMAN, E. L.
Flexible foam erectable space structures Patent
[NASA-CASE-XLA-00686] c31 N70-34135
- HOFFMAN, H. C.
Gravity gradient attitude control system Patent
[NASA-CASE-GSC-10555-1] c21 N71-27324
- HOFFMAN, I. S.
Impact energy absorber Patent

[NASA-CASE-XLA-01530] c14 N71-23092
 HOPFFMAN, L. A.
 Compensating bandwidth switching transients in
 an amplifier circuit Patent
 [NASA-CASE-XNP-01107] c10 N71-28859
 HOPFFMAN, R. A.
 Telemetry processor
 [NASA-CASE-GSC-11388-1] c07 N73-24187
 HOPFFMAN, T. A.
 Tunable cavity resonator with ramp shaped supports
 [NASA-CASE-HQN-10790-1] c16 N74-11313
 HOKLO, K. A.
 Holding blades to rotors
 [NASA-CASE-LBH-10533-1] c15 N73-28515
 HOLDER, G. R.
 Balanced bellows spirometer
 [NASA-CASE-XAR-01547] c05 N69-21473
 HOLDEBERG, O. C.
 Electric arc driven wind tunnel Patent
 [NASA-CASE-XMF-00411] c11 N70-36913
 HOLDEBERG, R. T., III
 Radar calibration sphere
 [NASA-CASE-XLA-11154] c07 N72-21117
 HOLES, J. K.
 Digital second-order phase-locked loop
 [NASA-CASE-NPO-11905-1] c08 N74-12887
 HOLESKI, D. B.
 Apparatus for absorbing and measuring power Patent
 [NASA-CASE-XLE-00720] c14 N70-40201
 HOLKO, K. A.
 Enhanced diffusion welding
 [NASA-CASE-LEW-11388-1] c15 N73-32358
 Apparatus for welding blades to rotors
 [NASA-CASE-LEW-10533-2] c15 N74-11300
 Diffusion welding in air
 [NASA-CASE-LEW-11387-1] c15 N74-18128
 Diffusion welding
 [NASA-CASE-LEW-11388-2] c15 N74-21055
 HOLLAHAN, J. B.
 Water purification membranes and method of
 preparation
 [NASA-CASE-ARC-10643-1] c06 N73-29074
 Protection of moisture sensitive optical
 components
 [NASA-CASE-ARC-10749-1] c23 N73-32542
 HOLLAND, V. B.
 Signal conditioning circuit apparatus
 [NASA-CASE-ARC-10348-1] c10 N72-10205
 HOLLANDER, J.
 Polyurethanes of fluorine containing
 polycarbonates
 [NASA-CASE-MFS-10512] c06 N73-30099
 Highly fluorinated polymers
 [NASA-CASE-MFS-11492] c06 N73-30102
 HOLLEMAN, E. C.
 Three axis controller Patent
 [NASA-CASE-XFR-00181] c21 N70-33279
 HOLLEBAUGH, R. C.
 Position location system and method Patent
 [NASA-CASE-GSC-10087-2] c21 N71-13958
 Position location and data collection system and
 method Patent
 [NASA-CASE-GSC-10083-1] c30 N71-16090
 Traffic control system and method Patent
 [NASA-CASE-GSC-10087-1] c02 N71-19287
 Position location system and method
 [NASA-CASE-GSC-10087-3] c07 N72-12080
 Doppler compensation by shifting transmitted
 object frequency within limits
 [NASA-CASE-GSC-10087-4] c07 N73-20174
 HOLLEY, L. D.
 Automatic lightning detection and photographic
 system
 [NASA-CASE-KSC-10728-1] c14 N73-32319
 HOLMAN, E. V.
 Latching mechanism Patent
 [NASA-CASE-XMS-03745] c15 N71-21076
 HOLMES, B. A.
 Inflatable transpiration cooled nozzle
 [NASA-CASE-MFS-20619] c28 N72-11708
 HOLMES, B. A.
 Velocity limiting safety system Patent
 [NASA-CASE-XLA-07473] c15 N71-24895
 HOLMES, R. F.
 Catalyst cartridge for carbon dioxide reduction
 unit
 [NASA-CASE-LAR-10551-1] c06 N74-12813
 HOLMES, S. J.
 Ultraviolet filter
 [NASA-CASE-INP-02340] c23 N69-24332
 HOLMES, T. A.
 Vibration damping system Patent
 [NASA-CASE-XMS-01620] c23 N71-15673
 HOLMES, B. T.
 Lifting body Patent Application
 [NASA-CASE-FRC-10063] c01 N71-12217
 HOLMSTROM, P. B.
 Shielded cathode mode bulk effect devices
 [NASA-CASE-ERC-10119] c26 N72-21701
 HOLT, E. A.
 Transient-compensated SCR inverter
 [NASA-CASE-XLA-08507] c09 N69-39984
 SCR blocking pulse gate amplifier Patent
 [NASA-CASE-XLA-07497] c09 N71-12514
 HOLT, N. I.
 Scan converting video tape recorder
 [NASA-CASE-NPO-10166-1] c07 N73-22076
 HOLTZE, R. F.
 Coating process
 [NASA-CASE-XNP-06508] c18 N69-39895
 HOLWAY, H. P.
 Model launcher for wind tunnels Patent
 [NASA-CASE-XNP-03578] c11 N71-23030
 HOLZL, R. A.
 Tungsten seal coat Patent
 [NASA-CASE-XNP-03704] c15 N71-17695
 HOKES, R. J.
 Multiparameter vision tester apparatus
 [NASA-CASE-MSC-13601-1] c05 N72-11088
 HONEY, R. H.
 Optimum predetection diversity receiving system
 Patent
 [NASA-CASE-XGS-00740] c07 N71-23098
 HONNELL, H. A.
 Automatic frequency control for FM transmitter
 [NASA-CASE-MFS-21540-1] c07 N74-19790
 HOOD, R. T.
 Hall current measuring apparatus having a series
 resistor for temperature compensation Patent
 [NASA-CASE-XAC-01662] c14 N71-23037
 HOOP, J. H.
 Ultrasonic bone densitometer
 [NASA-CASE-MFS-20994-1] c05 N73-30090
 Method and apparatus for nondestructive testing
 [NASA-CASE-MFS-21233-1] c23 N74-15395
 HOOPER, C. D.
 Extensometer Patent
 [NASA-CASE-XMF-04680] c15 N71-19489
 HOOVER, R. B.
 Three mirror glancing incidence system for X-ray
 telescope
 [NASA-CASE-MFS-21372] c14 N72-20397
 Multiplate focusing collimator
 [NASA-CASE-MFS-20932-1] c14 N73-27380
 Collimator of multiple plates with axially
 aligned identical random arrays of apertures
 [NASA-CASE-MFS-20546-2] c14 N73-30389
 Automatic lightning detection and photographic
 system
 [NASA-CASE-KSC-10728-1] c14 N73-32319
 HOOVER, R. J.
 Extrusion die for refractory metals Patent
 [NASA-CASE-XLE-06773] c15 N71-23817
 HOPKINS, P. H.
 Differential phase shift keyed communication
 system
 [NASA-CASE-MSC-14065-1] c07 N73-10215
 Differential phase shift keyed signal resolver
 [NASA-CASE-MSC-14066-1] c10 N73-10269
 HOPKINS, V.
 Inorganic solid film lubricants Patent
 [NASA-CASE-XMF-03988] c15 N71-21403
 HOPPING, R. L.
 Landing gear Patent
 [NASA-CASE-XMF-01174] c02 N70-41589
 HORNE, H. B.
 Aircraft wheel spray drag alleviator Patent
 [NASA-CASE-XLA-01583] c02 N70-36825
 HORNER, J. L.
 Photographic film restoration system
 [NASA-CASE-MSC-12448-1] c14 N72-20394
 HORTON, D. B.
 Instrument support with precise lateral
 adjustment Patent
 [NASA-CASE-XMF-00480] c14 N70-39898
 HORTON, J. C.
 Method of making impurity-type semiconductor
 electrical contacts Patent

[NASA-CASE-XMF-01016] c26 N71-17818

HORTTOR, R. L.
Method and apparatus for mapping planets
[NASA-CASE-NPO-11001] c07 N72-21118

HOSHETHIM, H. H.
Adaptive tracking notch filter system Patent
[NASA-CASE-XMF-01892] c10 N71-22986

HOTZ, G. H.
Soil penetrometer
[NASA-CASE-XNP-05530] c14 N73-32321

Burrowing apparatus
[NASA-CASE-XNP-07169] c15 N73-32362

HOUCK, W. H.
Voltage dropout sensor Patent
[NASA-CASE-KSC-10020] c10 N71-27338

Ripple indicator
[NASA-CASE-KSC-10162] c09 N72-11225

Signal conditioner test set
[NASA-CASE-KSC-10750-1] c14 N73-23527

HOWARD, E. A.
Soil penetrometer
[NASA-CASE-XNP-05530] c14 N73-32321

Burrowing apparatus
[NASA-CASE-XNP-07169] c15 N73-32362

HOWARD, F. S.
Geysering inhibitor for vertical cryogenic transfer pipe
[NASA-CASE-KSC-10615] c15 N73-12486

Floating baffle to improve efficiency of liquid transfer from tanks
[NASA-CASE-KSC-10639] c15 N73-26472

Zero gravity liquid transfer screen
[NASA-CASE-KSC-10626] c14 N73-27378

HOWARD, J. C.
Means for suppressing or attenuating bending motion of elastic bodies Patent
[NASA-CASE-XAC-05632] c32 N71-23971

HOWARD, W. D.
Method and device for detecting voids in low density material Patent
[NASA-CASE-MPS-20044] c14 N71-28993

HOWARD, W. H.
Skeletal stressing method and apparatus Patent
[NASA-CASE-ARC-10100-1] c05 N71-24738

Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c05 N73-14092

HOWARTH, J. T.
Flame retardant elastomeric compositions
[NASA-CASE-MS-C-14331-1] c18 N73-27501

HOWE, T. L.
Strain gauge ambiguity sensor for segmented mirror active optical system
[NASA-CASE-MPS-20506-1] c14 N73-17563

HOWELL, J. H.
Device for directionally controlling electromagnetic radiation Patent
[NASA-CASE-XLE-01716] c09 N70-40234

HOWELL, W. E.
Fringe counter for interferometers Patent
[NASA-CASE-LAR-10204] c14 N71-27215

Star image motion compensator
[NASA-CASE-LAR-10523-1] c14 N72-22444

HOWLAND, B. T.
High pressure air valve Patent
[NASA-CASE-MS-C-11010] c15 N71-19485

HOYT, R. F.
Insitu transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c14 N74-15092

HRACH, F. J.
Capacitor and method of making same Patent
[NASA-CASE-LEW-10364-1] c09 N71-13522

BRON, R. L.
Load current sensor for a series pulse width modulated power supply
[NASA-CASE-GSC-10656-1] c09 N72-25249

HRUBY, R. J.
Microwave flaw detector Patent
[NASA-CASE-ARC-10009-1] c15 N71-17822

Transient video signal recording with expanded playback Patent
[NASA-CASE-ARC-10003-1] c09 N71-25866

Method and apparatus for swept-frequency impedance measurements of welds
[NASA-CASE-ARC-10176-1] c15 N72-21464

Coaxial inverted geometry transistor having buried emitter
[NASA-CASE-ARC-10330-1] c09 N73-32112

HRINISWIECKI, E.
Vehicle for use in planetary exploration
[NASA-CASE-NPO-11366] c11 N73-26238

HSU, Y.-I.
Slug flow magnetohydrodynamic generator
[NASA-CASE-XLE-02083] c03 N69-39983

HUBER, C. S.
Modification of the physical properties of freeze-dried rice
[NASA-CASE-MS-C-13540-1] c05 N72-33096

HUBER, W. C.
Hand-held self-maneuvering unit Patent
[NASA-CASE-XMS-05304] c05 N71-12336

Inflatable tether Patent
[NASA-CASE-XMS-10993] c15 N71-28936

Foldable construction block
[NASA-CASE-MS-C-12233-1] c15 N72-25454

Foldable construction block
[NASA-CASE-MS-C-12233-2] c32 N73-13921

HUDOCK, R. J.
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c05 N74-13818

HUDSON, O. K.
Gravimeter Patent
[NASA-CASE-XMF-05844] c14 N71-17587

HUDSPETH, T.
Phase demodulation system with two phase locked loops Patent
[NASA-CASE-XNP-00777] c10 N71-19469

HUELSMAN, L. P.
RC networks and amplifiers employing the same
[NASA-CASE-XAC-05462-2] c10 N72-17171

Inductanceless filter amplifier
[NASA-CASE-XAC-05462] c09 N72-20209

HUFF, E. G.
Apparatus for sensing temperature
[NASA-CASE-XLE-05230] c14 N72-27410

Method of making apparatus for sensing temperature
[NASA-CASE-XLE-05230-2] c14 N73-13417

Jet exhaust noise suppressor
[NASA-CASE-LEW-11286-1] c02 N73-21066

HUFFAKER, R. H.
Laser Doppler system for measuring three dimensional vector velocity Patent
[NASA-CASE-MPS-20386] c21 N71-19212

Clear air turbulence detector
[NASA-CASE-MPS-21244-1] c20 N73-21523

HUGGINS, C. T.
Solid state television camera system Patent
[NASA-CASE-XMP-06092] c07 N71-24612

HUGHES, B. C.
Air bearing Patent
[NASA-CASE-XNP-00339] c15 N70-39896

HUGHES, D. B.
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-10766-1] c14 N72-21432

HUGHES, F. H.
Meteoroid detector
[NASA-CASE-LAR-10483-1] c14 N73-32327

HUMBERT, J. E.
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c04 N74-15778

HUMENIK, F. E.
Gas turbine combustor Patent
[NASA-CASE-LEW-10286-1] c28 N71-28915

HUNES, D. H.
Impact measuring technique
[NASA-CASE-LAR-10913] c14 N72-16282

HUNPHREY, M. F.
Raw liquid waste treatment system and process
[NASA-CASE-NPO-13224-1] c05 N73-31011

HUNGERFORD, W. J.
Conforming polisher for aspheric surface of revolution Patent
[NASA-CASE-XGS-02884] c15 N71-22705

HUNKELER, R. E.
Foamed in place ceramic refractory insulating material Patent
[NASA-CASE-XGS-02435] c18 N71-22998

HUNT, J. G.
Extrusion can
[NASA-CASE-NPO-10812] c15 N73-13464

HUNT, S. B.
Multiparameter vision tester apparatus
[NASA-CASE-MS-C-13601-1] c05 N72-11088

HORN, E. J.
Digital filter for reducing sampling jitter in digital control systems Patent
[NASA-CASE-NPO-11088] c08 N71-29034

Transition tracking bit synchronization system
[NASA-CASE-NPO-10844] c07 N72-20140

Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c08 N72-20176

Code regenerative clean-up loop transponder for a mu-type ranging system
[NASA-CASE-NPO-11707] c07 N73-25161

HUSAIN-ABIDI, A. S.
Optical data processing using paraboloidal mirror segments
[NASA-CASE-GSC-11296-1] c23 N73-30666

HUSCHKE, E. G., JR.
Method of joining aluminum to stainless steel Patent
[NASA-CASE-MFS-07369] c15 N71-20443

HUSHAW, O. K.
Multilayer porous ionizer Patent
[NASA-CASE-XNP-04338] c17 N71-23046

HUSSEY, E. H.
Filter regeneration systems
[NASA-CASE-MSC-14273-1] c12 N73-28179

HUTCHBY, J. A.
Graded bandgap Al(x)Ga(1-x)As-GaAs solar cell
[NASA-CASE-LAR-11174-1] c03 N73-26047

HUTCHINSON, H. D.
Manually actuated heat pump
[NASA-CASE-NPO-10677] c05 N72-11084

HUTCHISON, J. J.
Trifunctional alcohol
[NASA-CASE-NPO-10714] c06 N69-31244

Novel polycarboxylic prepolymeric materials and polymers thereof Patent
[NASA-CASE-NPO-10596] c06 N71-25929

HUTTO, R. J.
Radiation sensitive solid state switch
[NASA-CASE-NPO-10817-1] c08 N73-30135

HYBER, R. L.
Audio signal processor Patent
[NASA-CASE-MSC-12223-1] c07 N71-26181

IANNINI, A.
Semiconductor transducer device
[NASA-CASE-ERC-10087-2] c14 N72-31446

IANNINI, A. A.
Pressure sensitive transducers Patent
[NASA-CASE-ERC-10087] c14 N71-27334

IDEN, R. B.
Method for determining presence of OB in magnesium oxide
[NASA-CASE-NPO-10774] c06 N72-17095

IGENBERGS, E. B.
Self-energized plasma compressor
[NASA-CASE-MFS-22145-1] c25 N73-26721

Two stage light gas plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c11 N74-18891

IGOE, H. B.
Dynamic vibration absorber Patent
[NASA-CASE-LAR-10083-1] c15 N71-27006

ILES, P. A.
Method for producing a solar cell having an integral protective covering
[NASA-CASE-XGS-04531] c03 N69-24267

Method of coating solar cell with borosilicate glass and resultant product
[NASA-CASE-GSC-11514-1] c03 N72-24037

ILLG, H.
Hydraulic grip Patent
[NASA-CASE-XLA-05100] c15 N71-17696

Light shield and infrared reflector for fatigue testing Patent
[NASA-CASE-XLA-01782] c14 N71-26136

IMBOLDI, E.
Tracking receiver Patent
[NASA-CASE-XGS-08679] c10 N71-21473

IHIG, L. A.
Anti-buckling fatigue test assembly
[NASA-CASE-LAR-10426-1] c32 N72-27947

Anti-buckling fatigue test assembly
[NASA-CASE-LAR-10426-1] c32 N74-19528

INLAY, E. H.
Binary to binary-coded-decimal converter Patent
[NASA-CASE-XNP-00432] c08 N70-35423

INGHAM, K. T.
Locking device for turbine rotor blades Patent
[NASA-CASE-XNP-00816] c28 N71-28928

IRICK, S. C.
Ejectable underwater sound source recovery assembly
[NASA-CASE-LAR-10595-1] c15 N74-16135

IRONIS, A. S.
An improved heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c05 N74-17858

IRHIE, A. S.
Drilled ball bearing with a one piece anti-tipping cage assembly
[NASA-CASE-LEB-11925-1] c15 N74-18133

IRWIN, K. S.
Controlled visibility device for an aircraft Patent
[NASA-CASE-XPR-04147] c11 N71-10748

ISLEY, H. C.
Heated porous plug microthruster
[NASA-CASE-GSC-10640-1] c28 N72-18766

IBASAKI, M.
Control device Patent
[NASA-CASE-XAC-10019] c15 N71-23809

JACK, J. R.
Electro-thermal rocket Patent
[NASA-CASE-XLE-00267] c28 N70-33356

Electrothermal rockets having improved heat exchangers Patent
[NASA-CASE-XLE-01783] c28 N70-34175

JACKSON, C. H., JR.
Wind tunnel model and method
[NASA-CASE-LAR-10812-1] c11 N74-17955

JACKSON, K. R.
Optical alignment system Patent
[NASA-CASE-XNP-02029] c14 N70-41955

JACKSON, L. R.
Techniques for insulating cryogenic fuel containers Patent
[NASA-CASE-XLA-01967] c31 N70-42015

Structural panel
[NASA-CASE-LAR-11052-1] c32 N73-13929

JACOBS, I. H.
Data compression system
[NASA-CASE-XNP-09785] c08 N69-21928

JACOBS, R. B.
Densitometer Patent
[NASA-CASE-XLE-00688] c14 N70-41330

JACOBSON, D. S.
Hermetically sealed semiconductor
[NASA-CASE-GSC-10791-1] c15 N73-14469

JAKSTYS, V. J.
Composite antenna feed
[NASA-CASE-GSC-11046-1] c07 N73-28013

JALINK, A., JR.
Method for improving the signal-to-noise ratio of the Wheatstone bridge type bolometer Patent
[NASA-CASE-XLA-02810] c14 N71-25901

Infrared horizon locator
[NASA-CASE-LAR-10726-1] c14 N73-20475

JAHES, E. J.
Resilient wheel Patent
[NASA-CASE-MFS-13929] c15 N71-27091

JAGIESON, J. E., JR.
Optical rotational sensor
[NASA-CASE-KSC-10752-1] c15 N73-27407

JAHISON, H. H.
Ion-exchange membrane with platinum electrode assembly Patent
[NASA-CASE-XMS-02063] c03 N71-29044

JANOFF, H.
Tracking receiver Patent
[NASA-CASE-XGS-08679] c10 N71-21473

JANNICHE, P. J., JR.
Passive synchronized spike generator with high input impedance and low output impedance and capacitor power supply Patent
[NASA-CASE-XGS-03632] c09 N71-23311

JAVAN, A.
Method and apparatus for stabilizing a gaseous optical maser Patent
[NASA-CASE-XGS-03644] c16 N71-18614

JECH, R. H.
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c17 N70-33288

Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c17 N70-38198

Reinforced metallic composites Patent
[NASA-CASE-XLE-00228] c17 N70-38490

Method for producing fiber reinforced metallic composites Patent
[NASA-CASE-XLE-03925] c18 N71-22894

JEDLICKA, J. E.
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c33 N73-20931

JELALIAN, A. V.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c20 N73-21523

JELLISON, J. C.
Resilience testing device Patent
[NASA-CASE-XLA-08254] c14 N71-26161

JENKINS, K. B.
Diode and protection fuse unit Patent
[NASA-CASE-XKS-03381] c09 N71-22796

JENKINS, L. H.
Indexed keyed connection Patent
[NASA-CASE-XMS-02532] c15 N70-41808

JENKINS, R. E.
Thermally conductive polymers
[NASA-CASE-GSC-11304-1] c06 N72-21105

JENSEN, A. E.
Separation nut Patent
[NASA-CASE-XGS-01971] c15 N71-15922

JENSEN, C. A.
Continuous plasma light source
[NASA-CASE-XNP-04167-3] c25 N72-21693

Continuous plasma light source
[NASA-CASE-XNP-04167-2] c25 N72-24753

JENSEN, K. J.
Failure sensing and protection circuit for converter networks Patent
[NASA-CASE-GSC-10114-1] c10 N71-27366

JENSEN, P. A.
Low noise single aperture multimode monopulse antenna feed system Patent
[NASA-CASE-XNP-01735] c07 N71-22750

JESSUP, A. D.
Variable angle tube holder
[NASA-CASE-LAR-10507-1] c11 N72-25284

Lyophilized spore dispenser
[NASA-CASE-LAR-10544-1] c15 N74-13178

JETER, J. D.
Flammability test chamber Patent
[NASA-CASE-KSC-10126] c11 N71-24985

JEWELL, P. A.
Data handling system based on source significance, storage availability and data received from the source Patent Application
[NASA-CASE-XNP-04162-1] c08 N70-34675

JEWELL, R. A.
Production of high purity silicon carbide Patent
[NASA-CASE-XLA-00158] c26 N70-36805

Apparatus for producing high purity silicon carbide crystals Patent
[NASA-CASE-XLA-02057] c26 N70-40015

Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00284] c15 N71-16075

Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00302] c15 N71-16077

JEX, D. W.
Liquid aerosol dispenser
[NASA-CASE-MFS-20829] c12 N72-21310

Two stage light gas plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c11 N74-18891

JOHANSEN, D. L.
Articulated multiple couch assembly Patent
[NASA-CASE-HSC-11253] c05 N71-12343

Collapsible Apollo couch
[NASA-CASE-HSC-13140] c05 N72-11085

JOHNS, C. E.
Continuously variable voltage controlled phase shifter
[NASA-CASE-NPO-11129] c09 N72-33204

JOHNSON, A. L., JR.
Microelectronic module package Patent
[NASA-CASE-XMS-02182] c10 N71-28783

JOHNSON, C. E.
Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c11 N71-15925

Hypersonic test facility Patent
[NASA-CASE-XLA-05378] c11 N71-21475

Image tube
[NASA-CASE-GSC-11602-1] c09 N73-13214

JOHNSON, C. C.
Visual target for retrofire attitude control
[NASA-CASE-XMS-12158-1] c31 N69-27499

Orbital escape device Patent
[NASA-CASE-XMS-06162] c31 N71-28851

Stand-off type ablative heat shield
[NASA-CASE-HSC-12143-1] c33 N72-17947

Amplitude steered array
[NASA-CASE-GSC-11446-1] c09 N74-20860

JOHNSON, C. C., JR.
Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938

Space capsule Patent
[NASA-CASE-XLA-01332] c31 N71-15664

JOHNSON, C. E.
Impact testing machine Patent
[NASA-CASE-XNP-04817] c14 N71-23225

JOHNSON, C. L.
Molding process for imidazopyrrolone polymers
[NASA-CASE-LAR-10547-1] c15 N74-13177

JOHNSON, C. W.
Method of resolving clock synchronization error and means therefor Patent
[NASA-CASE-XNP-08875] c10 N71-23099

JOHNSON, F. W.
Heat conductive resiliently compressible structure for space electronics package modules Patent
[NASA-CASE-HSC-12389] c33 N71-29052

JOHNSON, H. G.
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c31 N71-15566

JOHNSON, H. L.
Training vehicle for controlling attitude Patent
[NASA-CASE-XMS-02977] c11 N71-10746

Gravity stabilized flying vehicle Patent
[NASA-CASE-HSC-12111-1] c02 N71-11039

Hand-held self-maneuvering unit Patent
[NASA-CASE-XMS-05304] c05 N71-12336

Fluid power transmission Patent
[NASA-CASE-XMS-01445] c12 N71-16031

Subgravity simulator Patent
[NASA-CASE-XMS-04798] c11 N71-21474

Pneumatic amplifier Patent
[NASA-CASE-HSC-12121-1] c15 N71-27147

JOHNSON, J. C., JR.
Mechanical actuator Patent
[NASA-CASE-XGS-04548] c15 N71-24045

JOHNSON, J. L., JR.
High lift aircraft
[NASA-CASE-LAR-11252-1] c02 N73-26007

Quiet jet transport aircraft
[NASA-CASE-LAR-11087-1] c02 N73-26008

JOHNSON, K. G.
Positioning mechanism
[NASA-CASE-NPO-10679] c15 N72-21462

JOHNSON, R. C.
Enthalpy and stagnation temperature determination of a high temperature laminar flow gas stream Patent
[NASA-CASE-XLE-00266] c14 N70-34156

JOHNSON, R. E.
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c16 N72-13437

JOHNSON, R. L.
Gas lubricant compositions Patent
[NASA-CASE-XLE-00353] c18 N70-39897

Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-01765] c18 N71-10772

Alloys for bearings Patent
[NASA-CASE-XLE-05033] c15 N71-23810

Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-10337] c15 N71-24046

JOHNSON, V. E., JR.
Hydrofoil Patent
[NASA-CASE-XLA-00229] c12 N70-33305

JOHNSTON, A. E.
Polarimeter for transient measurement Patent
[NASA-CASE-XNP-08883] c23 N71-16101

Light direction sensor
[NASA-CASE-NPO-11201] c14 N72-27409

JOHNSTON, J. E.
Electrostatic measurement system
[NASA-CASE-MFS-22129-1] c09 N73-26197

Electrostatic entrained material measurement system [NASA-CASE-HFS-22128-2]	c14 N74-18098	Light regulator [NASA-CASE-LAR-10836-1]	c26 N72-27784
JOHNSTON, E. L. Multiple environment materials test chamber having a multiple port X-ray tube for irradiating a plurality of samples Patent [NASA-CASE-IHS-02930]	c11 N71-23042	Deposition apparatus [NASA-CASE-LAR-10541-1]	c15 N72-32487
JOHNSTON, E. S. Shock absorbing support and restraint means Patent [NASA-CASE-IHS-01240]	c05 N70-35152	JORGENSEN, K. Regenerative braking system Patent [NASA-CASE-XNP-01096]	c10 N71-16030
Fabric for micrometeoroid protection garment Patent [NASA-CASE-HSC-12109]	c18 N71-26285	JOHNSZ, A. J. Controlled separation combustor [NASA-CASE-LEH-11593-1]	c28 N73-25816
JOHNSTON, E. V. Heat flow calorimeter [NASA-CASE-GSC-11434-1]	c14 N72-27430	JURSCAGA, G. H. Method of fabricating an article with cavities [NASA-CASE-LAR-10318-1]	c14 N74-18089
JONES, E. B. Accumulator Patent Application [NASA-CASE-HFS-10354]	c12 N70-41976	JUVINAL, G. L. Trialkyl-dihalotantalum and niobium compounds Patent [NASA-CASE-XNP-04023]	c06 N71-28808
Accumulator [NASA-CASE-HFS-10354-2]	c12 N72-25306		
JONES, J. C. Shock absorber Patent [NASA-CASE-IHS-03722]	c15 N71-21530	K	
JONES, J. E. Lightning tracking system [NASA-CASE-KSC-10729-1]	c09 N73-32110	KALFAYAN, S. H. Epoxy-aziridine polymer product Patent [NASA-CASE-NPO-10701]	c06 N71-28620
JONES, J. L. Multiple circuit switch apparatus with improved pivot actuator structure Patent [NASA-CASE-XAC-03777]	c10 N71-15909	Strain gage mounting assembly [NASA-CASE-NPO-13170-1]	c14 N73-28495
Stereoscopic television system and apparatus [NASA-CASE-ARC-10160-1]	c23 N72-27728	KALBRENNER, R. U. Heat transfer device [NASA-CASE-NPO-11120-1]	c33 N74-18552
JONES, R. L. Flow field simulation Patent [NASA-CASE-LAR-11138]	c12 N71-20436	KALLINS, C. Rotary actuator [NASA-CASE-NPO-10244]	c15 N72-26371
Method for determining thermo-physical properties of specimens [NASA-CASE-LAR-11053-1]	c33 N74-18551	KARI, S. Gas regulator Patent [NASA-CASE-NPO-10298]	c12 N71-17661
JONES, R. E. Swirl can primary combustor [NASA-CASE-LEH-11326-1]	c23 N73-30665	KARINSKAS, R. A. Penetrating radiation system for detecting the amount of liquid in a tank Patent [NASA-CASE-HSC-12280]	c27 N71-16348
JONES, R. H. An apparatus for establishing flow of fluid mass having a known velocity [NASA-CASE-HFS-21424-1]	c12 N73-16248	KASHERREYER, K. Mixture separation cell Patent [NASA-CASE-IHS-02952]	c18 N71-20742
JONES, R. L. Helmet assembly and latch means therefor Patent [NASA-CASE-IHS-04935]	c05 N71-11190	KASPINSKY, A. Method and apparatus for determining electromagnetic characteristics of large surface area passive reflectors Patent [NASA-CASE-XGS-02608]	c07 N70-41678
JONES, R. T. Dual-fuselage aircraft having yawable wing and horizontal stabilizer [NASA-CASE-ARC-10470-1]	c02 N73-26005	Apparatus providing a directive field pattern and attitude sensing of a spin stabilized satellite Patent [NASA-CASE-XGS-02607]	c31 N71-23009
Single wing supersonic aircraft [NASA-CASE-ARC-10470-2]	c02 N73-30018	KATZ, T. E. Spacecraft attitude control method and apparatus [NASA-CASE-HQN-10439]	c21 N72-21624
JONES, C. P. Folded traveling wave maser structure Patent [NASA-CASE-XNP-05219]	c16 N71-15550	KARIOTIS, A. H. Compression test assembly [NASA-CASE-LAR-10440-1]	c14 N73-32323
Superconducting magnet Patent [NASA-CASE-XNP-06503]	c23 N71-29049	KARSH, I. Tape guidance system and apparatus for the provision thereof Patent [NASA-CASE-XNP-09453]	c08 N71-19420
JORDAN, A. H. Electric storage battery [NASA-CASE-NPO-11021]	c03 N72-20032	Incremental tape recorder and data rate converter Patent [NASA-CASE-XNP-02778]	c08 N71-22710
JORDON, E. J. Inspection gage for boss Patent [NASA-CASE-XNP-04966]	c14 N71-17658	KASPERECK, E. E. Precision stepping drive Patent [NASA-CASE-HFS-14772]	c15 N71-17692
JOSIAS, C. S. Micro current measuring device using plural logarithmic response heated filamentary type diodes Patent [NASA-CASE-XNP-00384]	c09 N71-13530	Fine adjustment mount [NASA-CASE-HFS-20249]	c15 N72-11386
JOSLYN, A. E. Boiler for generating high quality vapor Patent [NASA-CASE-XLE-00785]	c33 N71-16104	Adjustable force probe [NASA-CASE-HFS-20760]	c14 N72-33377
JOYNER, U. E. Nose gear steering system for vehicle with main skids Patent [NASA-CASE-XLA-01804]	c02 N70-34160	KASTAN, E. Absorptive splitter for closely spaced supersonic engine air inlets Patent [NASA-CASE-XLA-02865]	c28 N71-15563
JUDD, E. E. Garments for controlling the temperature of the body Patent [NASA-CASE-IHS-10269]	c05 N71-24147	KATON, H. S. Multi-feed cone Cassegrain antenna Patent [NASA-CASE-NPO-10539]	c07 N71-11285
JUDD, J. E. Air frame drag balance Patent [NASA-CASE-XLA-00113]	c14 N70-33386	KATZ, L. Force measuring instrument Patent [NASA-CASE-XNP-00456]	c14 N70-34705
Spacecraft airlock Patent [NASA-CASE-XLA-02050]	c31 N71-22968	Optimum predetection diversity receiving system Patent [NASA-CASE-XGS-00740]	c07 N71-23098
		Apparatus for obtaining isotropic irradiation of a specimen [NASA-CASE-HFS-20095]	c24 N72-11595
		KATZ, E. H. Temperature reducing coating for metals subject to flame exposure Patent	

[NASA-CASE-XLE-00035] c33 N71-29151
KATZBERG, S. J.
 A spectrometer integrated with a facsimile camera
 [NASA-CASE-LAR-11207-1] c14 N73-28496
 Automatic focus control for facsimile cameras
 [NASA-CASE-LAR-11213-1] c14 N74-10420
KATZEN, E. D.
 A protected isotope heat source
 [NASA-CASE-LEW-11227-1] c33 N71-35153
KATZIN, L.
 Breakaway connector
 [NASA-CASE-NPO-11140] c15 N72-17455
KAUFMAN, H. B.
 Ion thruster cathode
 [NASA-CASE-XLE-07087] c06 N69-39889
 Ion rocket Patent
 [NASA-CASE-XLE-00376] c28 N70-37245
 Electrostatic ion engine having a permanent
 magnetic circuit Patent
 [NASA-CASE-XLE-01124] c28 N71-14043
 Electrostatic ion rocket engine Patent
 [NASA-CASE-XLE-02066] c28 N71-15661
 Ion beam deflector Patent
 [NASA-CASE-LEW-10689-1] c28 N71-26173
KAUFMAN, J. W.
 Maxometers (peak wind speed anemometers)
 [NASA-CASE-MFS-20916] c14 N73-25460
KAUFMAN, W. B.
 High current electrical leads
 [NASA-CASE-LEW-10950-1] c09 N72-31239
KAZNOFF, A. I.
 Method of making a cermet Patent
 [NASA-CASE-LEW-10219-1] c18 N71-28729
KAZOKAS, G. P.
 Vacuum leak detector
 [NASA-CASE-LAR-11237-1] c14 N73-32344
KEAFER, L. S., JR.
 Transmitting and reflecting diffuser
 [NASA-CASE-LAR-10385-3] c23 N73-32538
 Transmitting and reflecting diffuser
 [NASA-CASE-LAR-10385-2] c23 N74-13436
KEARNS, W. J.
 Mount for thermal control system Patent
 [NASA-CASE-NPO-10138] c33 N71-16357
KEATHLEY, W. H.
 Energy absorbing structure Patent Application
 [NASA-CASE-MSC-12279-1] c15 N70-35679
 Low onset rate energy absorber
 [NASA-CASE-MSC-12279] c15 N72-17450
KEATING, J. M.
 Method and apparatus for attaching physiological
 monitoring electrodes Patent
 [NASA-CASE-XPR-07658-1] c05 N71-26293
KEEFER, J. M.
 Phonocardiogram simulator Patent
 [NASA-CASE-XKS-10804] c05 N71-24606
KEENE, W. H.
 Clear air turbulence detector
 [NASA-CASE-MFS-21244-1] c20 N73-21523
KEHLET, A. B.
 Parachute glider Patent
 [NASA-CASE-XLA-00898] c02 N70-36804
 Space and atmospheric reentry vehicle Patent
 [NASA-CASE-XGS-00260] c31 N70-37924
 Space capsule Patent
 [NASA-CASE-XLA-00149] c31 N70-37938
 Space capsule Patent
 [NASA-CASE-XLA-01332] c31 N71-15664
KELBAUGH, B. W.
 Automatic instrument for chemical processing to
 detect microorganism in biological samples by
 measuring light reactions
 [NASA-CASE-GSC-11169-2] c05 N73-32011
KELLER, G. C.
 Plural beam antenna
 [NASA-CASE-GSC-11013-1] c09 N73-19234
KELLER, G. F.
 Pressure regulating system Patent
 [NASA-CASE-INP-00450] c15 N70-38603
KELLEY, J. E.
 Mechanical stability augmentation system Patent
 [NASA-CASE-XLA-06339] c02 N71-13422
KELLS, M. C.
 Device for measuring pressure Patent
 [NASA-CASE-XAC-04458] c14 N71-24232
KELLY, D. L.
 Multistage aerospace craft
 [NASA-CASE-INP-02263] c02 N74-10907

KELLY, W. L., IV
 A spectrometer integrated with a facsimile camera
 [NASA-CASE-LAR-11207-1] c14 N73-28496
KELSEY, E. L.
 Transient-compensated SCR inverter
 [NASA-CASE-XLA-08507] c09 N69-39984
 SCR blocking pulse gate amplifier Patent
 [NASA-CASE-XLA-07497] c09 N71-12514
KEMP, K. L.
 Pneumatic mirror support system
 [NASA-CASE-XLA-03271] c11 N69-24321
KEMP, R. P.
 Method and apparatus for measuring potentials in
 plasmas Patent
 [NASA-CASE-XLE-00821] c25 N71-15650
 Apparatus for field strength measurement of a
 space vehicle Patent
 [NASA-CASE-XLE-00820] c14 N71-16014
KEMP, R. H.
 Thin-walled pressure vessel Patent
 [NASA-CASE-XLE-04677] c15 N71-10577
KENDALL, J. E., SR.
 Conically shaped cavity radiometer with a dual
 purpose cone winding Patent
 [NASA-CASE-INP-09701] c14 N71-26475
 Black body cavity radiometer Patent
 [NASA-CASE-NPO-10810] c14 N71-27323
KENDRICK, W. P.
 Ablative resin Patent
 [NASA-CASE-XLE-05913] c33 N71-14032
KENNEDY, B. W.
 Electrical connector Patent Application
 [NASA-CASE-MFS-14741] c09 N70-20737
 Filter system for control of outgas
 contamination in vacuum Patent
 [NASA-CASE-MFS-14711] c15 N71-26185
 Method of making shielded flat cable
 Patent
 [NASA-CASE-MFS-13687] c09 N71-28691
 Shielded flat cable
 [NASA-CASE-MFS-13687-2] c09 N72-22198
 Polyimide resin-fiberglass cloth laminates for
 printed circuit boards
 [NASA-CASE-MFS-20408] c18 N73-12604
 Integrated circuit package with lead structure
 and method of preparing the same
 [NASA-CASE-MFS-21374-1] c10 N74-12951
KENNEWAY, A. J., III
 Space suit
 [NASA-CASE-MSC-12609-1] c05 N73-32012
KENT, W. D.
 An improved heat sterilizable patient ventilator
 [NASA-CASE-NPO-13313-1] c05 N74-17858
KENTON, G. C.
 Flight craft Patent
 [NASA-CASE-XAC-02058] c02 N71-16087
KEPLER, C. E.
 Tertiary flow injection thrust vectoring system
 Patent
 [NASA-CASE-MFS-20831] c28 N71-29153
KERLEY, J. J., JR.
 Apparatus for vibrational testing of articles
 [NASA-CASE-GSC-11302-1] c14 N73-13416
KERN, C. V.
 Deformable vehicle wheel Patent
 [NASA-CASE-MFS-20400] c31 N71-18611
KERN, J. D.
 Magnetic recording head and method of making
 same Patent
 [NASA-CASE-GSC-10097-1] c08 N71-27210
KERNODLE, B. H.
 Inherent redundancy electric heater
 [NASA-CASE-MFS-21462-1] c09 N74-14935
KERSEY, E. D., JR.
 Angular displacement indicating gas bearing
 support system Patent
 [NASA-CASE-XLA-09346] c15 N71-28740
KESSLAKE, W. R.
 Ion thruster cathode
 [NASA-CASE-XLE-07087] c06 N69-39889
 Electronic cathode having a brush-like structure
 and a relatively thick oxide emissive coating
 Patent
 [NASA-CASE-XLE-04501] c09 N71-23190
KERWIN, W. J.
 Nonmagnetic thermal motor for a magnetometer
 [NASA-CASE-XAR-03786] c09 N69-21313
 Demodulation system Patent
 [NASA-CASE-XAC-04030] c10 N71-19472

Transducer circuit and catheter transducer Patent
[NASA-CASE-ARC-10132-1] c09 N71-24597

Active RC networks
[NASA-CASE-ARC-10042-2] c10 N72-11256

RC networks and amplifiers employing the same
[NASA-CASE-XAC-05462-2] c10 N72-17171

Active RC networks
[NASA-CASE-ARC-10020] c10 N72-17172

Inductanceless filter amplifier
[NASA-CASE-XAC-05462] c09 N72-20209

Multiloop RC active filter apparatus having low parameter sensitivity with low amplifier gain
[NASA-CASE-ARC-10192] c09 N72-21245

KESSEL, J. E.
Plural recorder system
[NASA-CASE-XMS-06949] c09 N69-21467

KEY, C. F.
Nonflammable coating compositions
[NASA-CASE-MFS-20486-2] c18 N74-17283

KEINTON, R. J.
Technique for control of free-flight rocket vehicles Patent
[NASA-CASE-XLA-00937] c31 N71-17691

KIBBE, R. K.
Load cell protection device Patent
[NASA-CASE-XMS-06782] c32 N71-15974

KIEFER, P. J., JR.
Thermal conductive connection and method of making same Patent
[NASA-CASE-XMS-02087] c09 N70-41717

KIRIN, G. H.
Multiducted electromagnetic pump Patent
[NASA-CASE-NPO-10755] c15 N71-27084

Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c33 N72-20915

KILLALEA, W. P.
Clamping assembly for inertial components Patent
[NASA-CASE-XMS-02184] c15 N71-20813

KIH, C.
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c05 N73-11097

KIH, H. H.
A multichannel photoionization chamber for absorption analysis Patent
[NASA-CASE-ERC-10044-1] c14 N71-27090

KIBBALL, R. E.
Apparatus for remote handling of materials
[NASA-CASE-LAR-10634-1] c15 N74-18123

KINARD, H. H.
Particle detection apparatus Patent
[NASA-CASE-XLA-00135] c14 N70-33322

Gas actuated bolt disconnect Patent
[NASA-CASE-XLA-00326] c03 N70-34667

Micrometeoroid velocity measuring device Patent
[NASA-CASE-XLA-00495] c14 N70-41332

Micrometeoroid penetration measuring device Patent
[NASA-CASE-XLA-00941] c14 N71-23240

Deployable pressurized cell structure for a micrometeoroid detector
[NASA-CASE-LAR-10295-1] c15 N74-21062

KINELL, D. K.
Improved four phase logic systems
[NASA-CASE-MSC-14240-1] c10 N73-21240

KING, C. B.
Method of obtaining permanent record of surface flow phenomena Patent
[NASA-CASE-XLA-01353] c14 N70-41366

Method and apparatus for bonding a plastics sleeve onto a metallic body Patent
[NASA-CASE-XLA-01262] c15 N71-21404

Dielectric molding apparatus Patent
[NASA-CASE-LAR-10121-1] c15 N71-26721

KING, H. J.
Gas regulator Patent
[NASA-CASE-NPO-10298] c12 N71-17661

KING, H. H.
Method of making impurity-type semiconductor electrical contacts Patent
[NASA-CASE-XMF-01016] c26 N71-17818

KING, R. B.
Preparation of high purity copper fluoride
[NASA-CASE-LEH-10794-1] c06 N72-17093

KING, R. P.
Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c15 N74-16139

KING, E. C.
Method and apparatus for making a heat insulating and ablative structure Patent
[NASA-CASE-XMS-02009] c33 N71-20834

KINKEL, J. P.
Data transfer system Patent
[NASA-CASE-NPO-12107] c08 N71-27255

KINNARD, K. F.
Laser Doppler system for measuring three dimensional vector velocity Patent
[NASA-CASE-MFS-20386] c21 N71-19212

KINSEL, R. C.
Signal multiplexer
[NASA-CASE-XGS-01110] c07 N69-24334

KINZLER, J. A.
Emergency escape system Patent
[NASA-CASE-MSC-12086-1] c05 N71-12345

KIRCHMAN, E. J.
Accelerometer with FM output Patent
[NASA-CASE-XLA-00492] c14 N70-34799

KIS, G.
Optical alignment system Patent
[NASA-CASE-XNP-02029] c14 N70-41955

KISSELL, R. B.
Rate meter
[NASA-CASE-MFS-20418] c14 N73-24473

KISZKO, H.
Portable superclean air column device Patent
[NASA-CASE-XMF-03212] c15 N71-22721

KITTS, H. T.
Cryogenic connector for vacuum use Patent
[NASA-CASE-XGS-02441] c15 N70-41629

KLECHKE, E. B.
Nickel aluminate coated low alloy stainless steel
[NASA-CASE-LEH-11267-1] c17 N73-32414

KLEIN, E. L.
Apparatus for inspecting microfilm Patent
[NASA-CASE-MFS-20240] c14 N71-26788

KLEIN, H. G.
Electrolytically regenerative hydrogen-oxygen fuel cell Patent
[NASA-CASE-XLE-04526] c03 N71-11052

KLEINBERG, L. L.
Stable amplifier having a stable quiescent point Patent
[NASA-CASE-XGS-02812] c09 N71-19466

Complementary regenerative switch Patent
[NASA-CASE-XGS-02751] c09 N71-23015

Monostable multivibrator
[NASA-CASE-GSC-10082-1] c10 N72-20221

Active tuned circuit
[NASA-CASE-GSC-11340-1] c10 N72-33230

Ultra-stable oscillator with complementary transistors
[NASA-CASE-GSC-11513-1] c09 N74-20862

KLEINROCK, L.
Data compression system
[NASA-CASE-XNP-09785] c08 N69-21928

Method and apparatus for data compression by a decreasing slope threshold test
[NASA-CASE-NPO-10769] c08 N72-11171

KLIHA, S. J.
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-00726] c17 N71-15644

KLINE, A. J., JR.
Automatic frequency discriminators and control for a phase-lock loop providing frequency preset capabilities Patent
[NASA-CASE-XMF-08665] c10 N71-19467

Capacitance multiplier and filter synthesizing network
[NASA-CASE-NPO-11948-1] c10 N73-15255

KLINGMAN, E. E., III
Electronic optical transfer function analyzer
[NASA-CASE-MFS-21672-1] c23 N73-22630

Apparatus for calibrating an image dissector tube
[NASA-CASE-MFS-22208-1] c14 N74-18100

KLISCH, J. A.
Combustion products generating and metering device
[NASA-CASE-GSC-11095-1] c14 N72-10375

KHAUER, H.
Ion thruster
[NASA-CASE-LEH-10770-1] c28 N72-22770

KNECHTEL, E. D.
Two force component measuring device Patent
[NASA-CASE-XAC-04886-1] c14 N71-20439

Floating two force component measuring device Patent
[NASA-CASE-XAC-04885] c14 N71-23790

KHOOS, S. P.
Shock tube bypass piston tunnel
[NASA-CASE-NPO-12109] c11 N72-22245

KOBAYASHI, H. S.
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12462-1] c07 N74-20809
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12494-1] c07 N74-20810

KOCH, E. F.
Expulsion bladder-equipped storage tank
structure Patent
[NASA-CASE-XNP-00612] c11 N70-38182
Combined pressure regulator and shutoff valve
[NASA-CASE-NPO-13201-1] c15 N73-26474

KOCH, K. F.
CRT blanking and brightness control circuit
[NASA-CASE-KSC-10647-1] c10 N72-31273

KOCZELA, L. J.
Adaptive voting computer system
[NASA-CASE-MSC-13932-1] c08 N74-14920

KODIS, B. D.
Clear air turbulence detector
[NASA-CASE-ERC-10081] c14 N72-28437

KOLBLY, R. B.
High power microwave power divider Patent
[NASA-CASE-NPO-11031] c07 N71-33606
System for controlling the operation of a
variable signal device
[NASA-CASE-NPO-11064] c07 N72-11150

KOLOBOFF, G. J.
Amplitude steered array
[NASA-CASE-GSC-11446-1] c09 N74-20860

KOLSTER, H. M.
Radiator deployment actuator Patent
[NASA-CASE-MSC-11817-1] c15 N71-26611

KOPELSON, S.
Rate augmented digital to analog converter Patent
[NASA-CASE-XLA-07828] c08 N71-27057

KOPELSKI, P. J.
Ring counter
[NASA-CASE-XGS-03095] c09 N69-27463

KOPIA, L. P.
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-3] c23 N73-32538
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-2] c23 N74-13436

KORABOWSKI, J. J.
Pressure garment joint Patent
[NASA-CASE-XMS-09636] c05 N71-12344
Method of forming a root cord restrained
convolute section
[NASA-CASE-MSC-12398] c05 N72-20098

KORDES, E. E.
High intensity heat and light unit Patent
[NASA-CASE-XLA-00141] c09 N70-33312

KORVIN, W.
Self-erecting reflector Patent
[NASA-CASE-XGS-09190] c31 N71-16102
Tracking antenna system Patent
[NASA-CASE-GSC-10553-1] c07 N71-19854
Antenna array at focal plane of reflector with
coupling network for beam switching Patent
[NASA-CASE-GSC-10220-1] c07 N71-27233

KOSCHNEIDER, L. A.
Bi-polar phase detector and corrector for split
phase PCM data signals Patent
[NASA-CASE-XGS-01590] c07 N71-12392

KOSMAHL, H. G.
Linear magnetic brake with two windings Patent
[NASA-CASE-XLE-05079] c15 N71-17652
Electrostatic collector for charged particles
[NASA-CASE-LEW-11192-1] c09 N73-13208
Electron beam controller
[NASA-CASE-LEW-11617-1] c09 N74-10195

KOSMO, J. J.
Extravehicular tunnel suit system Patent
[NASA-CASE-MSC-12243-1] c05 N71-24728

KOVELL, S. P.
Method for etching copper Patent
[NASA-CASE-XGS-06306] c17 N71-16044

KOZIOL, J. S., JR.
Aircraft control system
[NASA-CASE-ERC-10439] c02 N73-19004

KRAMER, F.
Device for suppressing sound and heat produced
by high-velocity exhaust jets Patent
[NASA-CASE-XMP-01813] c28 N70-41582

KRAMER, M.
Electronic amplifier with power supply switching
Patent
[NASA-CASE-XMS-00945] c09 N71-10798

Power supply Patent
[NASA-CASE-XMS-02159] c10 N71-22961

KRAUSE, F. B.
Passive optical wind and turbulence detection
system Patent
[NASA-CASE-XMP-14032] c20 N71-16340

KRAUSE, L. A.
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c07 N72-11149

KRAUSE, L. M.
Enthalpy and stagnation temperature
determination of a high temperature laminar
flow gas stream Patent
[NASA-CASE-XLE-00266] c14 N70-34156
Sensing probe
[NASA-CASE-LEW-10281-1] c14 N72-17327

KRAUSE, S. J.
Method and device for determining battery state
of charge Patent
[NASA-CASE-NPO-10194] c03 N71-20407

KRAUSHAAR, W. L.
Coaxial anode wire for gas radiation counters
[NASA-CASE-GSC-11492-1] c14 N73-28497

KRAWCZONER, W. M.
Isolated amplifier for measuring millivolt
electrical signals with reference to a high
common mode potential
[NASA-CASE-XLE-03155-2] c09 N72-20205

KREISMAN, W. S.
Inflation system for balloon type satellites
Patent
[NASA-CASE-XGS-03351] c31 N71-16081

KRIEVE, W. F.
High-voltage cable Patent
[NASA-CASE-XNP-00738] c09 N70-38201

KROPP, C. J.
Determination of spot weld quality Patent
[NASA-CASE-XNP-02588] c15 N71-18613

KRSEK, A., JR.
Optical torquemeter Patent
[NASA-CASE-XLE-00503] c14 N70-34818

KRUPNICK, A. C.
Method for detecting hydrogen gas
[NASA-CASE-XMP-03873] c06 N69-39733
Inorganic thermal control coatings
[NASA-CASE-MFS-20011] c18 N72-22566
Nonflammable coating compositions
[NASA-CASE-MFS-20486-2] c18 N74-17283

KUBICA, A. J.
Decomposition unit Patent
[NASA-CASE-XMS-00583] c28 N70-38504

KUBICZ, A. P.
Signal path series step biased multidevice high
efficiency amplifier Patent
[NASA-CASE-GSC-10668-1] c07 N71-28430
Power responsive overload sensing circuit Patent
[NASA-CASE-GSC-10667-1] c10 N71-33129
Infinite range electronics gain control circuit
[NASA-CASE-GSC-10786-1] c10 N72-28241

KUBIK, C. F.
Method and construction for protecting heat
sensitive bodies from thermal radiation and
convective heat Patent
[NASA-CASE-XNP-01310] c33 N71-28852

KUBIK, J. S.
Device for preventing high voltage arcing in
electron beam welding Patent
[NASA-CASE-XMP-08522] c15 N71-19486

KUBOKAWA, C. C.
Fastener apparatus Patent
[NASA-CASE-ARC-10140-1] c15 N71-17653

KUEBLER, M. E.
Method and means for damping nutation in a
satellite Patent
[NASA-CASE-XMP-00442] c31 N71-10747

KUGATH, D. A.
Remote manipulator system
[NASA-CASE-MFS-22022-1] c05 N74-10099

KUHN, R. E.
Quiet jet transport aircraft
[NASA-CASE-LAR-11087-1] c02 N73-26008

KUHN, R. F., JR.
Universal restrainer and joint Patent
[NASA-CASE-XNP-02278] c15 N71-28951

KUHNS, P. W.
Generator for a space power system Patent
[NASA-CASE-XLE-04250] c09 N71-20446

KUPPERIAN, J. E., JR.
Low friction magnetic recording tape Patent

[NASA-CASE-XGS-00373] c23 N71-15978
KURAL, H. H.
 Strain arrestor plate
 [NASA-CASE-MSC-14182-1] c18 N74-15213
KURIGER, B. L.
 Short range laser obstacle detector
 [NASA-CASE-NPO-11856-1] c16 N74-15145
KURTZ, R. L.
 Hybrid holographic system using reflected and transmitted object beams simultaneously Patent
 [NASA-CASE-MFS-20074] c16 N71-15565
 Multiple image storing system for high speed projectile holography
 [NASA-CASE-MFS-20596] c14 N72-17324
 Holographic system for nondestructive testing
 [NASA-CASE-MFS-21704-1] c16 N73-30478
 Real time moving scene holographic camera system
 [NASA-CASE-MFS-21087-1] c14 N74-17153
KURVIN, C. H.
 Remote platform power conserving system
 [NASA-CASE-GSC-11182-1] c31 N73-32769
KURYLO, H. J., III
 Ultraviolet atomic emission detector
 [NASA-CASE-HQB-10756-1] c14 N72-25428
KURZBALS, P. R.
 Spacecraft experiment pointing and attitude control system Patent
 [NASA-CASE-XLA-05464] c21 N71-14132
 Attitude control and damping system for spacecraft Patent
 [NASA-CASE-XLA-02551] c21 N71-21708

LA RUSSA, F. J.
 Array phasing device Patent
 [NASA-CASE-ERC-10046] c10 N71-18722
LA VIGNA, T. A.
 Buck boost voltage regulation circuit Patent
 [NASA-CASE-GSC-10735-1] c10 N71-26085
LACKNER, R. G.
 Method and apparatus of simulating zero gravity conditions Patent
 [NASA-CASE-MFS-12750] c27 N71-16223
 Method and apparatus for checking the stability of a setup for making reflection type holograms
 [NASA-CASE-MFS-21455-1] c16 N74-15146
LAIACONA, P. P.
 Graphite-reinforced aluminum composite and method of preparing the same
 [NASA-CASE-MFS-21077] c18 N71-34502
 Bonding of reinforced Teflon to metals
 [NASA-CASE-MFS-20482] c15 N72-22492
LAINÉ, D. D.
 Electromechanical actuator
 [NASA-CASE-INP-05975] c15 N69-23185
LAMB, R. H.
 Hypersonic reentry vehicle Patent
 [NASA-CASE-XMS-04142] c31 N70-41631
LAMPERT, H. H.
 Bismuth-lead coatings for gas bearings used in atmospheric environments and vacuum chambers Patent
 [NASA-CASE-XGS-02011] c15 N71-20739
LANDAUER, P. P.
 Means for generating a sync signal in an FM communication system Patent
 [NASA-CASE-XNP-10830] c07 N71-11281
LANDEL, B. F.
 Method for controlling vapor content of a gas
 [NASA-CASE-NPO-10633] c03 N72-28025
 Parallel-plate viscometer with double diaphragm suspension
 [NASA-CASE-NPO-11387] c14 N73-14429
 Preparation of alkali metal dispersions
 [NASA-CASE-XNP-08876] c17 N73-28573
LANDERS, H. S.
 Active microwave irises and windows
 [NASA-CASE-LAR-10513-1] c07 N72-25170
 Thin film microwave iris
 [NASA-CASE-LAR-10511-1] c09 N72-29172
LANE, J. B.
 Wide range dynamic pressure sensor
 [NASA-CASE-ARC-10263-1] c14 N72-22438
LANEY, C. C., JR.
 Micrometeoroid velocity measuring device Patent
 [NASA-CASE-XLA-00495] c14 N70-41332
 Micrometeoroid penetration measuring device Patent
 [NASA-CASE-XLA-00941] c14 N71-23240

LAWFORD, H. E.
 Folding apparatus Patent
 [NASA-CASE-XLA-00137] c15 N70-33180
 Reflector space satellite Patent
 [NASA-CASE-XLA-00138] c31 N70-37981
LANG, R.
 Venting device for pressurized space suit helmet Patent
 [NASA-CASE-XMS-09652-1] c05 N71-26333
LANGE, O. H.
 Continuous detonation reaction engine Patent
 [NASA-CASE-XMF-06926] c28 N71-22983
LANGHUIR, R. V.
 Quadrupole mass filter with means to generate a noise spectrum exclusive of the resonant frequency of the desired ions to deflect stable ions
 [NASA-CASE-XNP-04231] c14 N73-32325
LANSHING, J. C., JR.
 Method and apparatus for optically monitoring the angular position of a rotating mirror
 [NASA-CASE-GSC-11353-1] c23 N74-21304
LANTZ, E.
 Gaseous control system for nuclear reactors
 [NASA-CASE-XLE-04599] c22 N72-20597
LANZO, C. D.
 Simulated fuel assembly Patent
 [NASA-CASE-XLE-00724] c14 N70-34669
LARBER, J. H.
 Conforming polisher for aspheric surface of revolution Patent
 [NASA-CASE-XGS-02884] c15 N71-22705
LARSON, L. L.
 Coaxial injector for reaction motors
 [NASA-CASE-NPO-11095] c15 N72-25455
LARSON, T. P.
 Filter regeneration systems
 [NASA-CASE-MSC-14273-1] c12 N73-28179
LATTO, H. T., JR.
 Small rocket engine Patent
 [NASA-CASE-XLE-00685] c28 N70-41992
LAUB, J. H.
 Attitude control for spacecraft Patent
 [NASA-CASE-XNP-00294] c21 N70-36938
 Slit regulated gas journal bearing Patent
 [NASA-CASE-XNP-00476] c15 N70-38620
LAUDERDALE, H. R.
 Method and apparatus for securing to a spacecraft Patent
 [NASA-CASE-MFS-11133] c31 N71-16222
LAUE, E. G.
 Irradiance measuring device
 [NASA-CASE-NPO-11493] c14 N73-12447
LAUE, H. H.
 Driving lamps by induction
 [NASA-CASE-MFS-21214-1] c09 N73-30181
LAUE, J. H.
 Multi-mission module Patent
 [NASA-CASE-XMF-01543] c31 N71-17730
LAUGHLIN, C. R., JR.
 Position location system and method Patent
 [NASA-CASE-GSC-10087-2] c21 N71-13958
 Position location and data collection system and method Patent
 [NASA-CASE-GSC-10083-1] c30 N71-16090
 Traffic control system and method Patent
 [NASA-CASE-GSC-10087-1] c02 N71-19287
 Diversity receiving system with diversity phase lock Patent
 [NASA-CASE-XGS-01222] c10 N71-20841
 Position location system and method
 [NASA-CASE-GSC-10087-3] c07 N72-12080
 Doppler compensation by shifting transmitted object frequency within limits
 [NASA-CASE-GSC-10087-4] c07 N73-20174
LAURENCE, J. C.
 Method of fabricating a twisted composite superconductor
 [NASA-CASE-LEW-11015] c26 N73-32571
LAURIE, E. O.
 Adjustable mount for a trihedral mirror Patent
 [NASA-CASE-XNP-08907] c23 N71-29123
LAVENSTEIN, H. L.
 Telemetry processor
 [NASA-CASE-GSC-11388-1] c07 N73-24187
LAVIGNE, R. C.
 Position location and data collection system and method Patent
 [NASA-CASE-GSC-10083-1] c30 N71-16090

LAWHITE, R.
Drying apparatus for photographic sheet material
[NASA-CASE-GSC-11074-1] c14 N73-28489

LAWRENCE, E. D.
Variable frequency oscillator with temperature compensation Patent
[NASA-CASE-XNP-03916] c09 N71-28810

LAWSON, A. G.
Electrical resistance spot welding and brazing techniques for metal bonding
[NASA-CASE-LAR-11072-1] c15 N73-20535

LAWSON, E. D.
Assembly for recovering a capsule Patent
[NASA-CASE-XMF-00641] c31 N70-36410
Space capsule ejection assembly Patent
[NASA-CASE-XMF-03169] c31 N71-15675

LAYLAND, J. W.
Communications link for computers
[NASA-CASE-NPO-11161] c08 N72-25207

LE BEL, P. J.
Ablation sensor Patent
[NASA-CASE-XLA-01794] c33 N71-21586

LE DOUX, P. N.
Bacteriostatic conformal coating and methods of application Patent
[NASA-CASE-GSC-10007] c18 N71-16046

LE VAY, K. R.
Holder for crystal resonators Patent
[NASA-CASE-XNP-03637] c15 N71-21311

LEATHERWOOD, J. D.
Active vibration isolator for flexible bodies Patent
[NASA-CASE-LAR-10106-1] c15 N71-27169
Active air cushion control system minimizing vertical cushion response
[NASA-CASE-LAR-10531-1] c02 N73-13023

LEAVY, W. A.
Switching mechanism with energy storage means Patent
[NASA-CASE-XGS-00473] c03 N70-38713

LEE, C. E.
Trigonometric vehicle guidance assembly which aligns the three perpendicular axes of two three-axes systems Patent
[NASA-CASE-XNP-00684] c21 N71-21688

LEE, D. A.
Hermetically sealed explosive release mechanism Patent
[NASA-CASE-XGS-00824] c15 N71-16078

LEE, D. H.
Ignition means for monopropellant Patent
[NASA-CASE-XNP-00876] c28 N70-41311

LEE, J. S.
High voltage transistor circuit Patent
[NASA-CASE-XNP-06937] c09 N71-19516

LEE, M. C.
Dual resonant cavity absorption cell Patent
[NASA-CASE-LAR-10305] c14 N71-26137

LEE, M. D.
Telemetry actuated switch
[NASA-CASE-ARC-10105] c09 N72-17153
Bio-isolated dc operational amplifier
[NASA-CASE-ARC-10596-1] c09 N72-27233
Metallic intrusion detector system
[NASA-CASE-ARC-10265-1] c10 N72-28240
Intruder detection system
[NASA-CASE-ARC-10097-2] c07 N73-25160
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c05 N74-13818
Ultrasonic biomedical measuring and recording apparatus
[NASA-CASE-ARC-10597-1] c05 N74-20726

LEE, S. Y.
Physical correction filter for improving the optical quality of an image
[NASA-CASE-HQN-10542-1] c23 N72-21663

LEPPER, W. A.
High efficiency multifrequency feed
[NASA-CASE-GSC-113173] c09 N74-20863

LEES, W. L.
Field ionization electrodes Patent
[NASA-CASE-ERC-10013] c09 N71-26678
Method and apparatus for limiting field emission current
[NASA-CASE-ERC-10015-2] c10 N72-27246

LEFFKE, W. O.
Flexibly connected support and skin Patent
[NASA-CASE-XLA-01027] c31 N71-24035

LEFTWICH, R. F.
Multi-lobar scan horizon sensor Patent
[NASA-CASE-XGS-00809] c21 N70-35427

LEGER, L. J.
Method and device for detection of surface discontinuities or defects
[NASA-CASE-MSC-14187-1] c14 N73-17564

LEIBERCKI, R. P.
Electrically conductive fluorocarbon polymer
[NASA-CASE-XLE-06774-2] c06 N72-25150

LEISER, D.
Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c18 N74-14230

LEISS, A.
Air frame drag balance Patent
[NASA-CASE-XLA-00113] c14 N70-33386

LEHSON, P. H.
Broadband modified turnstile antenna Patent
[NASA-CASE-MSC-12209] c09 N71-24842

LEHT, W. E.
Method for fiberizing ceramic materials Patent
[NASA-CASE-XNP-00597] c18 N71-23088

LEON, H. A.
Stirring apparatus for plural test tubes Patent
[NASA-CASE-XAC-06956] c15 N71-21177
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c04 N74-15778

LEONARD, E. T.
Alignment apparatus using a laser having a gravitationally sensitive cavity reflector
[NASA-CASE-ARC-10444-1] c16 N73-33397

LEPP, D. R.
Phototropic composition of matter
[NASA-CASE-XGS-03736] c14 N72-22443

LEHNER, T.
Modulator for tone and binary signals
[NASA-CASE-GSC-11743-1] c07 N73-27107

LESKO, J. G., JR.
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c07 N71-24624

LESNIEWSKI, R. J.
Variable digital processor including a register for shifting and rotating bits in either direction Patent
[NASA-CASE-GSC-10186] c08 N71-33110
Data processor with conditionally supplied clock signals
[NASA-CASE-GSC-10975-1] c08 N73-13187

LESSLEY, H. L.
Rotating shaft seal Patent
[NASA-CASE-XNP-02862-1] c15 N71-26294

LEVIN, H.
Refractory porcelain enamel passive thermal control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c18 N73-21471

LEVIN, K. L.
Lunar landing flight research vehicle Patent
[NASA-CASE-XFR-00929] c31 N70-34966

LEVINE, H. W.
Atomic hydrogen maser with bulb temperature control to remove wall shift in maser output frequency
[NASA-CASE-HQN-10654-1] c16 N73-13489
Tunable cavity resonator with ramp shaped supports
[NASA-CASE-HQN-10790-1] c16 N74-11313

LEVINE, S. R.
Improved coatings for refractory metals
[NASA-CASE-LEW-11179-1] c17 N73-22474

LEVINSON, M.
Conforming polisher for aspheric surface of revolution Patent
[NASA-CASE-XGS-02884] c15 N71-22705

LEVY, G. S.
Multi-feed cone Cassegrain antenna Patent
[NASA-CASE-NPO-10539] c07 N71-11285

LEWICKI, G. W.
High voltage transistor amplifier with constant current load
[NASA-CASE-NPO-11023] c09 N72-17155
Stored charged device
[NASA-CASE-NPO-11156-2] c03 N73-30974
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c16 N74-13205
Use of thin film light detector
[NASA-CASE-NPO-11432-2] c14 N74-15090

LEHIS, B. H.
Process for applying black coating to metals
Patent
[NASA-CASE-XLA-06199] c15 N71-24875
Barium release system
[NASA-CASE-LAR-10670-2] c13 N72-29425
Barium release system
[NASA-CASE-LAR-10670-1] c06 N73-30097

LEHIS, C. E., JR.
System for communicating biomedical information
by means of unmodified conventional voice
communication systems Patent Application
[NASA-CASE-FRC-10031] c05 N70-20717

LEHIS, D. J.
Mandrel for shaping solid propellant rocket fuel
into a motor casing Patent
[NASA-CASE-XLA-00304] c27 N70-34783

LEHIS, R.
High temperature ferromagnetic cobalt-base alloy
Patent
[NASA-CASE-XLE-03629] c17 N71-23248

LEBIS, T. L.
Acoustical transducer calibrating system and
apparatus
[NASA-CASE-FRC-10060-1] c14 N73-27379

LEHIN, L. L.
Analog-to-digital converter
[NASA-CASE-XNP-00477] c08 N73-28045

LIBBEY, C. E.
Flexible wing deployment device Patent
[NASA-CASE-XLA-01220] c02 N70-41863

LIBBY, J. W.
Ultra-long monostable multivibrator employing
bistable semiconductor switch to allow
charging of timing circuit Patent
[NASA-CASE-XGS-00381] c09 N70-34819
Reversible ring counter employing cascaded
single SCR stages Patent
[NASA-CASE-XGS-01473] c09 N71-10673

LIBBY, H. F.
Continuous plasma light source
[NASA-CASE-XNP-04167-3] c25 N72-21693
Continuous plasma light source
[NASA-CASE-XNP-04167-2] c25 N72-24753

LIBBROTTI, J.
Valving device for automatic refilling in
cryogenic liquid systems
[NASA-CASE-NPO-11177] c15 N72-17453

LIEBERMAN, S.
Resonant infrasonic gauging apparatus
[NASA-CASE-MSC-11847-1] c14 N72-11363

LIGHT, D. J.
Fixture for supporting articles during vibration
tests
[NASA-CASE-NFS-20523] c14 N72-27412

LIGHTSEY, G. E.
Preparation of polyimides from mixtures of
monomeric diamines and esters of
polycarboxylic acids
[NASA-CASE-LEW-11325-1] c06 N73-27980

LILLEY, A. E.
Clear air turbulence detector
[NASA-CASE-ERC-10081] c14 N72-28437

LIE, L. Y.
Signal processing apparatus for multiplex
transmission Patent
[NASA-CASE-NPO-10388] c07 N71-24622

LINDBERG, J. G.
Method and apparatus for varying thermal
conductivity Patent
[NASA-CASE-XNP-05524] c33 N71-24876

LINDERFELT, R. E.
An airlock
[NASA-CASE-NFS-20922] c31 N72-20840

LINDGREEN, J. E.
Tungsten seal coat Patent
[NASA-CASE-XNP-03704] c15 N71-17695

LINDSEY, J. F., III
Flexible blade antenna Patent
[NASA-CASE-MSC-12101] c09 N71-18720

LINDSEY, R. S., JR.
Random pulse generator
[NASA-CASE-MSC-14131-1] c09 N73-26199
Pulse stretcher for narrow pulses
[NASA-CASE-MSC-14130-1] c10 N73-26232

LINDSEY, H. C.
Transition tracking bit synchronization system
[NASA-CASE-NPO-10844] c07 N72-20140

Data-aided carrier tracking loops
[NASA-CASE-NPO-11282] c10 N73-16205
Coherent receiver employing nonlinear coherence
detection for carrier tracking
[NASA-CASE-NPO-11921-1] c07 N73-23118

LINDSEY, H. F.
Stereo photomicrography system
[NASA-CASE-LAR-10176-1] c14 N72-20380

LINSEACK, L. D.
Thermal shock resistant hafnia ceramic material
[NASA-CASE-LAR-10894-1] c18 N73-14584

LINFORD, R.
Flame detector operable in presence of proton
radiation
[NASA-CASE-NFS-21577-1] c03 N73-20042

LING, S. C.
Flux sensing device using a tubular core with
toroidal gating coil and solenoidal output
coil wound thereon Patent
[NASA-CASE-XGS-01881] c09 N70-40123

LINGLE, J. T.
Frequency control network for a current feedback
oscillator Patent
[NASA-CASE-GSC-70047-1] c10 N71-19418
Static inverter Patent
[NASA-CASE-XGS-05289] c09 N71-19470

LIPANOVICH, H. I.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c05 N73-22045

LIPKE, D. H.
Doppler frequency spread correction device for
multiplex transmissions
[NASA-CASE-XGS-02749] c07 N69-39978

LIPONA, P. C.
Television signal scan rate conversion system
Patent
[NASA-CASE-XMS-07168] c07 N71-11300
Burst synchronization detection system Patent
[NASA-CASE-XMS-05605-1] c10 N71-19468
Data storage, image tube type
[NASA-CASE-MSC-14053-1] c08 N74-12888

LIPPITT, H. B., JR.
Electrode for biological recording
[NASA-CASE-XMS-02872] c05 N69-21925
Instrument for use in performing a controlled
Valsalva maneuver Patent
[NASA-CASE-XMS-01615] c05 N70-41329

LISAGOR, H. B.
Controlled glass bead peening Patent
[NASA-CASE-XLA-07390] c15 N71-18616

LIST, H. P.
Solid state television camera system Patent
[NASA-CASE-XNP-06092] c07 N71-24612
Phototransistor imaging system
[NASA-CASE-NFS-20809] c23 N73-13660

LISTER, J. L.
Thermally conductive polymers
[NASA-CASE-GSC-11304-1] c06 N72-21105

LITANT, I.
Apparatus and method for separating a
semiconductor wafer Patent
[NASA-CASE-ERC-10138] c26 N71-14354
Method for detecting leaks in hermetically
sealed containers Patent
[NASA-CASE-ERC-10045] c15 N71-24910

LITCHFORD, G. B.
Altitude measuring system
[NASA-CASE-ERC-10412-1] c09 N73-12211

LITTLE, R. E.
Method of making pressure tight seal for super
alloy
[NASA-CASE-LAR-10170-1] c15 N74-11301

LITTLEJOHN, D. P.
High power-high voltage waterload Patent
[NASA-CASE-XNP-05381] c09 N71-20842

LIU, F. F.
Respiratory analysis system and method
[NASA-CASE-MSC-13436-1] c05 N73-32015

LLOYD, H. B.
Bearing and gimbal lock mechanism and spiral
flex lead module Patent
[NASA-CASE-GSC-10556-1] c31 N71-26537

LOCH, P. J.
Frequency modulation demodulator threshold
extension device Patent
[NASA-CASE-MSC-12165-1] c07 N71-33696

LOCKARD, H. L.
Leak detector Patent
[NASA-CASE-LAR-10323-1] c12 N71-17573

LOCKWOOD, V. E.
Landing arrangement for aerial vehicles Patent
[NASA-CASE-XLA-00142] c02 N70-33286
Landing arrangement for aerial vehicle Patent
[NASA-CASE-XLA-00806] c02 N70-34858
Landing arrangement for aerospace vehicle Patent
[NASA-CASE-XLA-00805] c31 N70-38010

LOFTIN, L. R., JR.
Wind tunnel airstream oscillating apparatus Patent
[NASA-CASE-XLA-00112] c11 N70-33287

LOH, G. H.
Medical subject monitoring systems
[NASA-CASE-HSC-14180-1] c05 N73-22045

LOHE, J. J.
Variable stiffness polymeric damper
[NASA-CASE-XAC-11225] c14 N69-27486

LOKESON, D. C.
Voltage to frequency converter Patent
[NASA-CASE-GSC-10022-1] c10 N71-25882
Alphanumeric character generator for oscilloscopes
[NASA-CASE-GSC-11582-1] c09 N73-32120

LOMBORG, J. O.
Attitude control for spacecraft Patent
[NASA-CASE-XNP-02982] c31 N70-41855

LONG, H. E.
Precipitation detector Patent
[NASA-CASE-XLA-02619] c10 N71-26334

LONG, J. A.
Accumulator Patent Application
[NASA-CASE-MPS-10354] c12 N70-41976
Accumulator
[NASA-CASE-MPS-10354-2] c12 N72-25306

LONG, R. A.
High temperature compositions Patent
[NASA-CASE-XMS-00370] c17 N71-20941

LONG, W. C.
Technique for extending the frequency range of
digital dividers
[NASA-CASE-LAR-10730-1] c10 N74-10223

LONGYEAR, W. D.
Omnidirectional acceleration device Patent
[NASA-CASE-HQN-10780] c14 N71-30265

LOOK, G. F.
Foam generator Patent
[NASA-CASE-XLA-00838] c03 N70-36778

LOONIS, J. A.
Device to prevent clogging in a hopper
[NASA-CASE-LAR-10961-1] c15 N73-12496

LOOP, E. W.
Absolute focus lock for microscopes
[NASA-CASE-LAR-10184] c14 N72-22445

LOOSE, J. D.
Steady state thermal radiometer
[NASA-CASE-MPS-21108-1] c14 N73-12455

LOPEZ, A. E.
Three-axis finger tip controller for switches
Patent
[NASA-CASE-XAC-02405] c09 N71-16089

LORD, H. C., III
Analysis of hydrogen-deuterium mixtures
[NASA-CASE-NPO-11322] c06 N72-25146

LORELL, K. H.
High temperature lens construction Patent
[NASA-CASE-XNP-04111] c14 N71-15622
All sky pointing attitude control system
[NASA-CASE-ARC-10716-1] c31 N73-32784

LOTHSCHUETZ, F. I.
Stretcher Patent
[NASA-CASE-XNP-06589] c05 N71-23159

LOUGHEAD, A. G.
Linear differential pressure sensor Patent
[NASA-CASE-XNP-01974] c14 N71-22752

LOUNSBERRY, E. D.
Jet shoes
[NASA-CASE-XLA-08491] c05 N69-21380

LOVALL, D. D.
Electric field measuring and display system
[NASA-CASE-KSC-10731-1] c14 N73-10461

LOVELOCK, J. E.
Atmospheric sampling devices
[NASA-CASE-NPO-11373] c13 N72-25323

LOVINGBR, D. H.
Voice operated controller Patent
[NASA-CASE-XLA-04063] c31 N71-33160

LOW, C. A., JR.
Electrostatic propulsion system with a direct
nuclear electrogenerator Patent
[NASA-CASE-XLE-00818] c22 N70-34248

LOWE, E. G.
Continuous turning slip ring assembly Patent
[NASA-CASE-XNP-01049] c15 N71-23049

LOWEN, L. B.
Spacecraft attitude detection system by stellar
reference Patent
[NASA-CASE-XGS-03431] c21 N71-15642
Roll alignment detector
[NASA-CASE-GSC-10514-1] c14 N72-20379

LOWERY, J. E.
A panel for selectively absorbing solar thermal
energy and the method for manufacturing the
panel
[NASA-CASE-MPS-22562-1] c03 N74-19700

LOWRY, J. G.
Jet aircraft configuration Patent
[NASA-CASE-XLA-00087] c02 N70-33332
Variable-span aircraft Patent
[NASA-CASE-XLA-00166] c02 N70-34178

LOY, C. A.
Tank construction for space vehicles Patent
[NASA-CASE-XNP-01899] c31 N70-41948

LOYD, C.
System for maintaining a motor at a
predetermined speed utilizing digital feedback
means Patent
[NASA-CASE-XNP-06892] c09 N71-24805
RC rate generator for slow speed measurement
Patent
[NASA-CASE-XNP-02966] c10 N71-24863

LUBOWITZ, H. B.
Ablative resin Patent
[NASA-CASE-XLE-05913] c33 N71-14032

LUCE, R. S.
Medical subject monitoring systems
[NASA-CASE-HSC-14180-1] c05 N73-22045

LUCERO, D. P.
Method for detecting hydrogen gas
[NASA-CASE-XNP-03873] c06 N69-39733

LUCHT, R. A.
A technique for breaking ice in the path of a ship
[NASA-CASE-LAR-10815-1] c16 N72-22520

LUDWIG, A. C.
Dual waveguide mode source having control means
for adjusting the relative amplitude of two
modes Patent
[NASA-CASE-XNP-03134] c07 N71-10676
Singly-curved reflector for use in high-gain
antennas
[NASA-CASE-NPO-11361] c07 N72-32169
Dual frequency microwave reflex feed
[NASA-CASE-NPO-13091-1] c09 N73-12214
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c07 N74-11000

LUDWIG, L. P.
Foil seal
[NASA-CASE-XLE-05130] c15 N69-21362
Foil seal Patent
[NASA-CASE-XLE-05130-2] c15 N71-19570
Spiral groove seal
[NASA-CASE-XLE-10326-2] c15 N72-29488
High speed, self-acting shaft seal
[NASA-CASE-LEW-11274-1] c15 N73-29457
Spiral groove seal
[NASA-CASE-LEW-10326-3] c15 N74-10474
Spiral groove seal
[NASA-CASE-XLE-10326-4] c15 N74-15125

LUEBBERS, S. S.
Thermionic tantalum emitter doped with oxygen
Patent Application
[NASA-CASE-NPO-11138] c03 N70-34646
Thermionic diode switch Patent
[NASA-CASE-NPO-10404] c03 N71-12255

LUIDENS, R. W.
Multiple fan integrated propulsion wing system
[NASA-CASE-LEW-11224-1] c02 N72-10033

LUND, W. C.
Heated porous plug microthruster
[NASA-CASE-GSC-10640-1] c28 N72-18766

LUNDQUIST, J. E.
Preparation of high purity copper fluoride
[NASA-CASE-LEW-10794-1] c06 N72-17093

LUSBY, T. K., JR.
Recording apparatus
[NASA-CASE-LAR-11353-1] c14 N74-20020

LUSHBAUGH, W. A.
Data compression system
[NASA-CASE-XNP-09785] c08 N69-21928

Data compressor Patent
[NASA-CASE-XNP-04067] c08 N71-22707

Error correcting method and apparatus Patent
[NASA-CASE-XNP-02748] c08 N71-22749

Comparator for the comparison of two binary numbers Patent
[NASA-CASE-XNP-04819] c08 N71-23295

Parallel generation of the check bits of a PN sequence Patent
[NASA-CASE-XNP-04623] c10 N71-26103

Versatile arithmetic unit for high speed sequential decoder
[NASA-CASE-NPO-11371] c08 N73-12177

LOWES, G. P., JR.
Broadband stable power multiplier Patent
[NASA-CASE-XNP-10854] c10 N71-26331

Cascaded complementary pair broadband transistor amplifiers Patent
[NASA-CASE-NPO-10003] c10 N71-26415

Low phase noise digital frequency divider
[NASA-CASE-NPO-11569] c10 N73-26229

LUTZ, E. B.
Operational integrator Patent
[NASA-CASE-NPO-10230] c09 N71-12520

LYLAND, J. B.
Versatile arithmetic unit for high speed sequential decoder
[NASA-CASE-NPO-11371] c08 N73-12177

LYNCH, E. J.
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c14 N74-13129

LYNCH, T. L.
Pulsed excitation voltage circuit for transducers
[NASA-CASE-FRC-10036] c09 N72-22200

LYON, B. E.
Optical range finder having nonoverlapping complete images
[NASA-CASE-HSC-12105-1] c14 N72-21409

M

MACCORBOCHIE, L. O.
Excessive temperature warning system Patent
[NASA-CASE-XLA-01926] c14 N71-15620

MACPADDEN, J. A.
Rotating mandrel for assembly of inflatable devices Patent
[NASA-CASE-XLA-04143] c15 N71-17687

MACGLASHAN, B. P., JR.
Belleville spring assembly with elastic guides
[NASA-CASE-XNP-09452] c15 N69-27504

High pressure four-way valve Patent
[NASA-CASE-XNP-00214] c15 N70-36908

Multiple Belleville spring assembly Patent
[NASA-CASE-XNP-00840] c15 N70-38225

Pressure regulating system Patent
[NASA-CASE-XNP-00450] c15 N70-38603

Ejection unit Patent
[NASA-CASE-XNP-00676] c15 N70-38996

Reinforcing means for diaphragms Patent
[NASA-CASE-XNP-01962] c32 N70-41370

High pressure filter Patent
[NASA-CASE-XNP-00732] c28 N70-41447

Antiflutter ball check valve Patent
[NASA-CASE-XNP-01152] c15 N70-41811

High pressure regulator valve Patent
[NASA-CASE-XNP-00710] c15 N71-10778

Filler valve Patent
[NASA-CASE-XNP-01747] c15 N71-23024

MACKEY, C. A.
Quick disconnect latch and handle combination Patent
[NASA-CASE-HPS-11132] c15 N71-17649

MACLEOD, B. B.
Bacterial contamination monitor
[NASA-CASE-GSC-10879-1] c14 N72-25413

MACONBER, J. B.
Nuclear reactor control rod assembly with improved driving mechanism Patent
[NASA-CASE-XLE-00298] c22 N70-34501

MACVIGH, G. B.
Analog spatial maneuver computer
[NASA-CASE-GSC-10880-1] c08 N72-11172

MADDOX, J. B.
Air bearing
[NASA-CASE-HLP-10002] c15 N72-17451

MADRY, J. B.
Satellite appendage tie down cord Patent
[NASA-CASE-IGS-02554] c31 N71-21064

Redundant actuating mechanism Patent
[NASA-CASE-IGS-08718] c15 N71-24600

MADISON, L. B.
Aerodynamic spike nozzle Patent
[NASA-CASE-IGS-01143] c31 N71-15647

MADSEN, B.
Apparatus and method for skin packaging articles
[NASA-CASE-HPS-20855] c15 N73-27405

MADHU, J. C.
Device for preventing high voltage arcing in electron beam welding Patent
[NASA-CASE-XNP-08522] c15 N71-19486

HAIDEN, D. L.
Flow velocity and directional instrument
[NASA-CASE-LAR-10855-1] c14 N73-13415

MAILLOUX, B. J.
Array phasing device Patent
[NASA-CASE-ERC-10046] c10 N71-18722

Circularly polarized antenna
[NASA-CASE-ERC-10214] c09 N72-31235

Phase control circuits using frequency multiplications for phased array antennas
[NASA-CASE-ERC-10285] c10 N73-16206

MAJOB, C. J.
Mixture separation cell Patent
[NASA-CASE-XHS-02952] c18 N71-20742

MALLING, L. E.
Digital television camera control system Patent
[NASA-CASE-XNP-01472] c14 N70-41807

Reduced bandwidth video communication system utilizing sampling techniques Patent
[NASA-CASE-XNP-02791] c07 N71-23026

MALMBERG, J. B.
Waveform simulator Patent
[NASA-CASE-NPO-10251] c10 N71-27365

MALONE, L. B.
Emergency lunar communications system
[NASA-CASE-HPS-21042] c07 N72-25171

MADATT, S. L.
Audio frequency marker system
[NASA-CASE-NPO-11147] c14 N72-27408

MANCINELLI, B. B.
Telemetry processor
[NASA-CASE-GSC-11388-1] c07 N73-24187

MANDEL, C. H.
Azimuth laying system Patent
[NASA-CASE-XNP-01669] c21 N71-23289

MANDELKORN, J.
Method of making a silicon semiconductor device Patent
[NASA-CASE-XLE-02792] c26 N71-10607

Method of making electrical contact on silicon solar cell and resultant product Patent
[NASA-CASE-XLE-04787] c03 N71-20492

Gd or Sn doped silicon semiconductor composition Patent
[NASA-CASE-XLE-10715] c26 N71-23292

Silicon solar cell with cover glass bonded to cell by metal pattern Patent
[NASA-CASE-XLE-08569] c03 N71-23449

Semiconductor material and method of making same Patent
[NASA-CASE-XLE-02798] c26 N71-23654

Method of attaching a cover glass to a silicon solar cell Patent
[NASA-CASE-XLE-08569-2] c03 N71-24681

MANGION, C.
System for preconditioning a combustible vapor
[NASA-CASE-NPO-12072] c28 N72-22772

MANGOLD, D. B.
Medical subject monitoring systems
[NASA-CASE-HSC-14180-1] c05 N73-22045

MANNING, C. B.
Thermal shock resistant hafnia ceramic material
[NASA-CASE-LAR-10894-1] c18 N73-14584

MANNING, C. B., JR.
Controlled glass bead peening Patent
[NASA-CASE-XLA-07390] c15 N71-18616

MADOLI, B.
Aircraft-mounted crash-activated radio device
[NASA-CASE-HPS-16609-2] c07 N73-31084

MANSOUR, H. B.
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c14 N74-19093

MATLIER, B. L.
Rocket propellant injector Patent
[NASA-CASE-XLE-00103] c28 N70-33241

MADUS, R. A.
Active microwave irises and windows

[NASA-CASE-LAR-10513-1]	c07 N72-25170	[NASA-CASE-GSC-11744-1]	c09 N73-23291
Thin film microwave iris		MARTIN, W. L.	
[NASA-CASE-LAR-10511-1]	c09 N72-29172	Phase-locked loop with sideband rejecting properties Patent	
MAPLE, W. E.		[NASA-CASE-XNP-02723]	c07 N70-41680
Analytical test apparatus and method for determining oxide content of alkali metal Patent		Method of resolving clock synchronization error and means therefor Patent	
[NASA-CASE-XLE-01997]	c06 N71-23527	[NASA-CASE-XNP-08875]	c10 N71-23099
MAPLES, R. E.		Communications link for computers	
Light intensity modulator controller Patent		[NASA-CASE-NPO-11161]	c08 N72-25207
[NASA-CASE-XMS-04300]	c09 N71-19479	Binary coded sequential acquisition ranging system	
MARAK, R. J.		[NASA-CASE-NPO-11194]	c08 N72-25209
Life raft stabilizer		Digital video display system using cathode ray tube	
[NASA-CASE-MSC-12393-1]	c02 N73-26006	[NASA-CASE-NPO-11342]	c09 N72-25248
MARGOSIAN, P. M.		MARTINAGE, L. H.	
Electrostatic thruster with improved insulators Patent		Power supply Patent	
[NASA-CASE-XLE-01902]	c28 N71-10574	[NASA-CASE-XMS-02159]	c10 N71-22961
Single grid accelerator for an ion thruster		MARTINECK, H. G.	
[NASA-CASE-XLE-10453-2]	c28 N73-27699	Electrical connector for flat cables Patent	
MARGRAF, R. J.		[NASA-CASE-XMF-00324]	c09 N70-34596
High pressure four-way valve Patent		Printed cable connector Patent	
[NASA-CASE-XNP-00214]	c15 N70-36908	[NASA-CASE-XMF-00369]	c09 N70-36494
MARKEY, R. A.		Method of making a molded connector Patent	
Self-adjusting multisegment, deployable, natural circulation radiator Patent		[NASA-CASE-XMP-03498]	c15 N71-15986
[NASA-CASE-XHQ-03673]	c33 N71-29046	Electrical connector	
MARLOW, M. O.		[NASA-CASE-MFS-20757]	c09 N72-28225
Method of making a cermet Patent		MARTUCCI, V. J.	
[NASA-CASE-LEW-10219-1]	c18 N71-28729	Tuning arrangement for an electron discharge device or the like Patent	
MARLOW, R. E.		[NASA-CASE-XNP-09771]	c09 N71-24841
An improved system for enhancing tool exchange capabilities of a portable wrench		MARTZ, E. L.	
[NASA-CASE-MFS-22283-1]	c15 N73-30462	Externally pressurized fluid bearing Patent	
MAROPIS, M.		[NASA-CASE-XMF-00515]	c15 N70-34664
Methods and apparatus employing vibratory energy for wrenching Patent		MARZEK, R. A.	
[NASA-CASE-MFS-20586]	c15 N71-17686	Tool for use in lifting pin supported objects	
MARSKLE, R. A.		[NASA-CASE-NPO-13157-1]	c15 N73-26475
Process for preparation of dianilinosilanes Patent		MASCY, A. C.	
[NASA-CASE-XMF-06409]	c06 N71-23230	Deep space monitor communication satellite system Patent	
MAREONI, M. A., JR.		[NASA-CASE-XAC-06029-1]	c31 N71-24813
Pressure garment joint Patent		MASEK, T. D.	
[NASA-CASE-XMS-09636]	c05 N71-12344	Electron bombardment ion engine Patent	
Omnidirectional joint Patent		[NASA-CASE-XNP-04124]	c28 N71-21822
[NASA-CASE-XMS-09635]	c05 N71-24623	Feed system for an ion thruster	
Foreshortened convolute section for a pressurized suit Patent		[NASA-CASE-NPO-10737]	c28 N72-11709
[NASA-CASE-XMS-09637-1]	c05 N71-24730	MASERJIAN, J.	
Method of forming a root cord restrained convolute section		Temperature sensitive capacitor device	
[NASA-CASE-MSC-12398]	c05 N72-20098	[NASA-CASE-XNP-09750]	c14 N69-39937
Restraint torso for a pressurized suit		Thin film capacitive bolometer and temperature sensor Patent	
[NASA-CASE-MSC-12397-1]	c05 N72-25119	[NASA-CASE-NPO-10607]	c09 N71-27232
MARSH, R. E., JR.		Thin film temperature sensor and method of making same	
Trifunctional alcohol		[NASA-CASE-NPO-11775]	c26 N72-28761
[NASA-CASE-NPO-10714]	c06 N69-31244	Stored charged device	
Novel polycarboxylic prepolymeric materials and polymers thereof Patent		[NASA-CASE-NPO-11156-2]	c03 N73-30974
[NASA-CASE-NPO-10596]	c06 N71-25929	Deep trap, laser activated image converting system	
Oil and fat absorbing polymers		[NASA-CASE-NPO-13131-1]	c16 N73-31467
[NASA-CASE-NPO-11609-1]	c06 N72-22114	Use of thin film light detector	
MARSHALL, J. H.		[NASA-CASE-NPO-11432-2]	c14 N74-15090
Baseline stabilization system for ionization detector Patent		MASLOWSKI, E. A.	
[NASA-CASE-XNP-03128]	c10 N70-41991	Insulation foil and method of making	
MARSHALL, T. N., JR.		[NASA-CASE-LEW-11484-1]	c15 N73-22415
Nuclear mass flowmeter		MASON, R. J.	
[NASA-CASE-MFS-20485]	c14 N72-11365	Collapsible reflector Patent	
MARSIK, S. J.		[NASA-CASE-XMS-03454]	c09 N71-20658
Production of pure metals		MASON, R. M.	
[NASA-CASE-LEW-10906-1]	c06 N72-25164	Radial module space station Patent	
Selective nickel deposition		[NASA-CASE-XMS-01906]	c31 N70-41373
[NASA-CASE-LEW-10965-1]	c15 N72-25452	MASSUCCO, A. A.	
MARTEL, R. J.		Flame retardant elastomeric compositions	
Amplitude steered array		[NASA-CASE-MSC-14331-1]	c18 N73-27501
[NASA-CASE-GSC-11446-1]	c09 N74-20860	MATHUR, P. P.	
MARTIN, J. W.		Program for computer aided reliability estimation	
Dynamic Doppler simulator Patent		[NASA-CASE-NPO-13086-1]	c15 N73-12495
[NASA-CASE-XMS-05454-1]	c07 N71-12391	MATSUBIRO, D. S.	
MARTIN, M. C.		Shoulder harness and lap belt restraint system	
Segmented back-up bar Patent		[NASA-CASE-ARC-10519-1]	c05 N72-31117
[NASA-CASE-XMF-00640]	c15 N70-39924	Shoulder harness and lap belt restraint system	
Portable alignment tool Patent		[NASA-CASE-ARC-10519-2]	c05 N74-18805
[NASA-CASE-XMF-01452]	c15 N70-41371	MATTAUCH, R. J.	
MARTIN, R. B.		Infrared detectors	
Color perception tester		[NASA-CASE-LAR-10728-1]	c14 N73-12445
[NASA-CASE-KSC-10278]	c05 N72-16015	MATTHEWS, P. E., JR.	
MARTIN, S. C.		Lightweight, variable solidity knitted parachute fabric	
Correlation type phase detector		[NASA-CASE-LAR-10776-1]	c02 N74-10034

HAULDIN, D. G.
Contourograph system for monitoring electrocardiograms
[NASA-CASE-MSC-13407-1] c10 N72-20225

HAY, C. E.
Production of pure metals
[NASA-CASE-LEW-10906-1] c06 N72-25164

HAYHILL, H. S.
Spacecraft attitude detection system by stellar reference Patent
[NASA-CASE-XGS-03431] c21 N71-15642

Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c07 N71-24624

Plural beam antenna
[NASA-CASE-GSC-11013-1] c09 N73-19234

HAYHILL, H. S.
Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c07 N69-24323

HAYHILL, R. F., JR.
Electronic background suppression method and apparatus for a field scanning sensor
[NASA-CASE-XGS-05211] c07 N69-39980

HAYHILL, H. A.
Process of casting heavy slips Patent
[NASA-CASE-XLE-00106] c15 N71-16076

HAY, C. E.
Selective nickel deposition
[NASA-CASE-LEW-10965-1] c15 N72-25452

HAY, C. J.
Capacitor power pak Patent Application
[NASA-CASE-LAR-10367-1] c03 N70-26817

HAYALL, S. D.
Frictionless universal joint Patent
[NASA-CASE-NPO-10646] c15 N71-28467

HAYHARD, O. E.
Radial module space station Patent
[NASA-CASE-XMS-01906] c31 N70-41373

HAYNE, R. C.
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c15 N73-31445

HAYO, E. E.
Hypersonic reentry vehicle Patent
[NASA-CASE-XMS-04142] c31 N70-41631

HAYO, J. H.
Connector - Electrical
[NASA-CASE-XLA-01288] c09 N69-21470

Tubular coupling having frangible connecting means
[NASA-CASE-XLA-02854] c15 N69-27490

Missile stage separation indicator and stage initiator Patent
[NASA-CASE-XLA-00791] c03 N70-39930

Detector panels-micrometeoroid impact Patent
[NASA-CASE-XLA-05906] c31 N71-16221

HAYO, R. F.
Electric-arc heater Patent
[NASA-CASE-XLA-00330] c33 N70-34540

HAZER, L.
Analog-to-digital conversion system Patent
[NASA-CASE-XAC-00404] c08 N70-40125

HCAFEE, D. F.
Bi-polar phase detector and corrector for split phase PCM data signals Patent
[NASA-CASE-XGS-01590] c07 N71-12392

Radio frequency coaxial high pass filter Patent
[NASA-CASE-XGS-01418] c09 N71-23573

HCALEXANDER, B. T.
A laser head for simultaneous optical pumping of several dye lasers
[NASA-CASE-LAR-11341-1] c16 N73-25564

HCBRYER, R. G.
Soft frame adjustable eyeglasses Patent
[NASA-CASE-XMS-06064] c05 N71-23096

HCBRYER
Ion-exchange membrane with platinum electrode assembly Patent
[NASA-CASE-XMS-02063] c03 N71-29044

HCBRYER, H.
Oxygen production method and apparatus
[NASA-CASE-MSC-12332-1] c15 N72-15476

Reconstituted asbestos matrix
[NASA-CASE-MSC-12568-1] c18 N73-16577

HCCAIG, J. C.
Electric arc welding Patent
[NASA-CASE-XNF-00392] c15 N70-34814

HCCALLUM, J.
Porous electrode comprising a bonded stack of pieces of corrugated metal foil
[NASA-CASE-GSC-11368-1] c09 N73-32108

HCCAMPBELL, H. H.
Electric arc welding Patent
[NASA-CASE-XNF-00392] c15 N70-34814

Weld control system using thermocouple wire Patent
[NASA-CASE-MFS-06074] c15 N71-20393

RC rate generator for slow speed measurement Patent
[NASA-CASE-XMF-02966] c10 N71-24863

A dc motor speed control system Patent
[NASA-CASE-MFS-14610] c09 N71-28886

HCCANN, D. H.
Phototransistor
[NASA-CASE-MFS-20407] c09 N73-19235

HCCANN, R. J.
Device for handling heavy loads
[NASA-CASE-XNF-04969] c11 N69-27466

HCCARTY, J. L.
Lunar penetrometer Patent
[NASA-CASE-XLA-00934] c14 N71-22765

HCCAUL, P. F.
Sideral frequency generator Patent
[NASA-CASE-XGS-02610] c14 N71-23174

HCCHESENEY, J. R.
Modulator for tone and binary signals
[NASA-CASE-GSC-11743-1] c07 N73-27107

HCCLENNAN, J. O.
Photomultiplier circuit including means for rapidly reducing the sensitivity thereof
[NASA-CASE-ARC-10593-1] c09 N73-30187

High speed shutter
[NASA-CASE-ARC-10516-1] c23 N74-21300

HCCONAUGHZY, R. T.
Star scanner
[NASA-CASE-GSC-11569-1] c14 N73-11404

HCCONNELL, J. C.
Method of plating copper on aluminum Patent
[NASA-CASE-XLA-08966-1] c17 N71-25903

HCCORHACK, H.
Single action separation mechanism Patent
[NASA-CASE-XLA-00188] c15 N71-22874

HCCORHICK, C. T., JR.
Automatic signal range selector for metering devices Patent
[NASA-CASE-XMS-06497] c14 N71-26244

HCCRAF, D. L.
Emergency escape system Patent
[NASA-CASE-MSC-12086-1] c05 N71-12345

HCCREA, F. E.
Indexing microwave switch Patent
[NASA-CASE-XNF-06507] c09 N71-23548

HCCREARY, R. A.
Parallel motion suspension device Patent
[NASA-CASE-INP-01567] c15 N70-41310

HCCREIGHT, L. R.
Conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c12 N72-27310

Electrophoretic sample insertion
[NASA-CASE-MFS-21395-1] c14 N72-27425

HCCUSKER, T. J.
Foldable solar concentrator Patent
[NASA-CASE-XLA-04622] c03 N70-41580

HCDANIELS, D. L.
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c17 N70-33288

Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c17 N70-38198

Reinforced metallic composites Patent
[NASA-CASE-XLE-00228] c17 N70-38490

HCDARIS, R. A.
Emergency escape system Patent
[NASA-CASE-XKS-07814] c15 N71-27067

HCDAAVID, L. S.
Specific wavelength colorimeter
[NASA-CASE-MSC-14081-1] c14 N73-18443

HCDERRHOND, D. K.
Synchronous counter Patent
[NASA-CASE-IGS-02440] c08 N71-19431

HCDREVITT, F. R.
Laser coolant and ultraviolet filter
[NASA-CASE-MFS-20180] c16 N72-12440

HCDONALD, G. B.
Nuclear fuel elements
[NASA-CASE-XLE-00209] c22 N73-32528

HCDONALD, R. T.
System for communicating biomedical information by means of unmodified conventional voice communication systems Patent Application

[NASA-CASE-FRC-10031]	c05 N70-20717	MCRONALD, A. G.	Thin-film gauge Patent Application	
Gas low pressure low flow rate metering system Patent		[NASA-CASE-NPO-10617]		c14 N70-12618
[NASA-CASE-FRC-10022]	c12 N71-26546	MCWILLIAMS, I. G.	Two color horizon sensor	
Respiration monitor		[NASA-CASE-ERC-10174]		c14 N72-25409
[NASA-CASE-FRC-10012]	c14 N72-17329	MEAD, D. C.	Variable frequency oscillator with temperature compensation Patent	
MCDUGAL, A. E.		[NASA-CASE-XNP-03916]		c09 N71-28810
Force-balanced, throttle valve Patent		MEADOR, T. G., JR.	Light shield and cooling apparatus	
[NASA-CASE-NPO-10808]	c15 N71-27432	[NASA-CASE-LAR-10089-1]		c15 N73-13474
Quick disconnect coupling		MEALY, G. E.	Electrostatic thruster with improved insulators Patent	
[NASA-CASE-NPO-11202]	c15 N72-25450	[NASA-CASE-XLE-01902]		c28 N71-10574
Rotary actuator		High voltage divider system Patent		c09 N71-21583
[NASA-CASE-NPO-10680]	c31 N73-14855	[NASA-CASE-XLE-02008]		
Disconnect unit		MEDCALF, W. A.	Gas filter mounting structure	
[NASA-CASE-NPO-11330]	c33 N73-26958	[NASA-CASE-MSC-12297]		c14 N72-23457
MCERLEAN, E. A.		MEINTEL, A. J., JR.	Combined optical attitude and altitude indicating instrument Patent	
Improved bonding method in the manufacture of continuous regression rate sensor devices		[NASA-CASE-XLA-01907]		c14 N71-23268
[NASA-CASE-LAR-10337-1]	c15 N74-14141	MEISENHOLDER, G. W.	Photosensitive device to detect bearing deviation Patent	
MCGANNON, W. J.		[NASA-CASE-XNP-00438]		c21 N70-35089
Ophthalmic method and apparatus		Roll attitude star sensor system Patent		c21 N70-41856
[NASA-CASE-LEW-11669-1]	c05 N73-27062	[NASA-CASE-XNP-01307]		
Ophthalmic liquefaction pump		MEISSINGER, H. F.	Method of and device for determining the characteristics and flux distribution of micrometeorites	
[NASA-CASE-LEW-12051-1]	c04 N73-32000	[NASA-CASE-NPO-12127-1]		c14 N74-13130
MCGHEE, J. E.		MELANED, L.	Angular velocity and acceleration measuring apparatus	
Frangible tube energy dissipation Patent		[NASA-CASE-ERC-10292]		c14 N72-25410
[NASA-CASE-XLA-00754]	c15 N70-34850	MELFI, L. T., JR.	Gas analyzer for bi-gaseous mixtures Patent	
Omnidirectional multiple impact landing system Patent		[NASA-CASE-XLA-01131]		c14 N71-10774
[NASA-CASE-XLA-09881]	c31 N71-16085	Ionization vacuum gauge with all but the end of the ion collector shielded Patent		c14 N71-18482
MCGOUGH, J. T.		[NASA-CASE-XLA-07424]		
Emergency escape system Patent		MELUGIN, J. F.	Technique for recovery of voice data from heat damaged magnetic tape	
[NASA-CASE-IKS-07814]	c15 N71-27067	[NASA-CASE-MSC-14219-1]		c07 N73-16132
MCHAFFIE, D. J.		MENEFEE, E. O.	Three-axis controller Patent	
Extensible cable support Patent		[NASA-CASE-XAC-01404]		c05 N70-41581
[NASA-CASE-XMF-07587]	c15 N71-18701	Proportional controller Patent		c03 N70-41954
MCHATTON, A. D.		[NASA-CASE-XAC-03392]		
Canister closing device Patent		MENGES, M. J.	Precipitation detector Patent	
[NASA-CASE-XLA-01446]	c15 N71-21528	[NASA-CASE-XLA-02619]		c10 N71-26334
Traveling sealer for contoured table Patent		Dielectric molding apparatus Patent		c15 N71-26721
[NASA-CASE-XLA-01494]	c15 N71-24164	[NASA-CASE-LAR-10121-1]		
MCHENRY, T. F.		MENICHELLI, V. J.	Optically detonated explosive device	
Miniature carbon dioxide sensor and methods		[NASA-CASE-NPO-11743-1]		c33 N73-29959
[NASA-CASE-MSC-13332-1]	c14 N72-21408	MENZIES, R. T.	Monitoring atmospheric pollutants with a heterodyne radiometer transmitter-receiver	
MCKAY, D. S.		[NASA-CASE-NPO-11919-1]		c14 N74-11284
Oxygen production method and apparatus		MERLEN, M. M.	Horizon sensor with a plurality of fixedly positioned radiation compensated radiation sensitive detectors Patent	
[NASA-CASE-MSC-12332-1]	c15 N72-15476	[NASA-CASE-XNP-06957]		c14 N71-21088
MCKENNA, J. F., JR.		MERRICK, V. K.	Stabilization of gravity oriented satellites Patent	
Fault-tolerant clock apparatus		[NASA-CASE-XAC-01591]		c31 N71-17729
[NASA-CASE-MSC-12531-1]	c14 N73-22386	MERRILL, J. R., IV	Apparatus for applying simulated G-forces to an arm of an aircraft simulator pilot	
MCKENZIE, R. L.		[NASA-CASE-LAR-10550-1]		c11 N72-27271
Diatomic infrared gasdynamic laser		MESSNER, A.	A system for generating timing and control signals	
[NASA-CASE-ARC-10370-1]	c16 N72-10432	[NASA-CASE-NPO-13125-1]		c09 N73-18225
MCKEVITT, P. X.		MESZAROS, G.	Recovery of radiation damaged solar cells through thermal annealing	
Swirling flow nozzle Patent		[NASA-CASE-XGS-04047-2]		c03 N72-11062
[NASA-CASE-XNP-03692]	c28 N71-24321			
MCKINNEY, R. L.				
Self-calibrating displacement transducer Patent				
[NASA-CASE-XLA-00781]	c09 N71-22999			
MCKINNON, R. A.				
External liquid-spray cooling of turbine blades Patent				
[NASA-CASE-XLE-00037]	c28 N70-33372			
MCLAIN, J. E.				
Air bearing Patent				
[NASA-CASE-XNP-01887]	c15 N71-10617			
MCLAUCHLAN, J. E.				
Horizon sensor with a plurality of fixedly positioned radiation compensated radiation sensitive detectors Patent				
[NASA-CASE-XNP-06957]	c14 N71-21088			
Light position locating system Patent				
[NASA-CASE-XNP-01059]	c23 N71-21821			
MCLEAN, F. E.				
Supersonic aircraft Patent				
[NASA-CASE-XLA-04451]	c02 N71-12243			
MCLYMAN, C. W. T.				
Inverter oscillator with voltage feedback				
[NASA-CASE-NPO-10760]	c09 N72-25254			
MCLYMAN, W. T.				
Banded transformer cores				
[NASA-CASE-NPO-11966-1]	c09 N74-17928			
MCHASTER, L. E.				
Meteoroid detector				
[NASA-CASE-LAR-10483-1]	c14 N73-32327			
MCHUTT, W. C.				
Dual latching solenoid valve Patent				
[NASA-CASE-XMS-05890]	c09 N71-23191			

HETCALFE, A. G.
Silicide coatings for refractory metals Patent
[NASA-CASE-XLE-10910] c18 N71-29040

HETZGER, A. E.
Dual purpose optical instrument capable of
simultaneously acting as spectrometer and
diffractometer
[NASA-CASE-INP-05231] c14 N73-28491

HETZLER, A. J.
Black-body furnace Patent
[NASA-CASE-XLE-01399] c33 N71-15625

HEYER, A. J.
Oxygen production method and apparatus
[NASA-CASE-MSC-12332-1] c15 N72-15476

HEYER, A. J., JR.
Modification and improvements to cooled blades
Patent
[NASA-CASE-XLE-00092] c15 N70-33264
Aerial capsule emergency separation device Patent
[NASA-CASE-XLA-00115] c03 N70-33343
Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938
Vehicle parachute and equipment jettison system
Patent
[NASA-CASE-XLA-00195] c02 N70-38009
Ablation structures Patent
[NASA-CASE-XMS-01816] c33 N71-15623
Space capsule Patent
[NASA-CASE-XLA-01332] c31 N71-15664

HEYER, J. A.
Altitude sensing device
[NASA-CASE-XMS-01998-1] c14 N72-17326

HEYER, J. P.
Time-division multiplexer Patent
[NASA-CASE-INP-00431] c09 N70-38998

HEYER, K. A.
High-temperature, high-pressure spherical
segment valve Patent
[NASA-CASE-XAC-00074] c15 N70-34817

HICHAHL, J. E.
Connector - Electrical
[NASA-CASE-XLA-01288] c09 N69-21470
Missile stage separation indicator and stage
initiator Patent
[NASA-CASE-XLA-00791] c03 N70-39930

HICHAHL, J. L.
Telemetry processor
[NASA-CASE-GSC-11388-1] c07 N73-24187

HICHEL, R. E.
Convoluting device for forming convolutions and
the like Patent
[NASA-CASE-INP-05297] c15 N71-23811

HICKELSEN, W. E.
High-vacuum condenser tank for ion rocket tests
Patent
[NASA-CASE-XLE-00168] c11 N70-33278
Electrostatic propulsion system with a direct
nuclear electrogenerator Patent
[NASA-CASE-XLE-00818] c22 N70-34248

HIDDLETON, J. H.
Technique for extending the frequency range of
digital dividers
[NASA-CASE-LAR-10730-1] c10 N74-10223

HIDDLETON, R. L.
Cryogenic thermal insulation Patent
[NASA-CASE-INP-05046] c33 N71-28892

HIDDLETON, W. D.
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c02 N71-12243

HIERTSCHIN, J. L.
Radio frequency filter device
[NASA-CASE-XLA-02609] c09 N72-25256

HIKSAN, D. P.
Frequency shift keying apparatus Patent
[NASA-CASE-XGS-01537] c07 N71-23405

HILDICE, J. B.
Light radiation direction indicator with a
baffle of two parallel grids
[NASA-CASE-INP-03930] c14 N69-24331

HILES, P. A.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c20 N73-21523

HILLER, C. E.
Densitometer Patent
[NASA-CASE-XLE-00688] c14 N70-41330

HILLER, C. G.
Improved dispensing targets for ion beam
particle generators
[NASA-CASE-MPO-13112-1] c11 N73-29138

HILLER, D. P.
Controllers Patent
[NASA-CASE-XMS-07487] c15 N71-23255

HILLER, H. B.
Compensating radiometer
[NASA-CASE-XLA-04556] c14 N69-27484
Heat sensing instrument Patent
[NASA-CASE-XLA-01551] c14 N71-22989
Spherical measurement device
[NASA-CASE-XLA-06683] c14 N72-28436

HILLER, J. A., JR.
Method of forming difunctional polyisobutylene
[NASA-CASE-MPO-10893] c27 N73-22710

HILLER, J. C.
Apparatus for detecting the amount of material
in a resonant cavity container Patent
[NASA-CASE-INP-02500] c18 N71-27397

HILLER, J. E.
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c07 N72-11149

HILLER, J. L.
Boring bar drive mechanism Patent
[NASA-CASE-XLA-03661] c15 N71-33518

HILLER, P. C.
Low temperature aluminum alloy Patent
[NASA-CASE-INP-02786] c17 N71-20743

HILLIGAN, G. C.
Digital memory sense amplifying means Patent
[NASA-CASE-INP-01012] c08 N71-28925

HILLIKEN, D. B.
Film feed camera having a detent means Patent
[NASA-CASE-LAR-10686] c14 N71-28935

HILLIKEN, J. P.
Linear differential pressure sensor Patent
[NASA-CASE-INP-01974] c14 N71-22752

HILLS, C. E.
Telemetry processor
[NASA-CASE-GSC-11388-1] c07 N73-24187

HILLS, E. K.
Tracking antenna system Patent
[NASA-CASE-GSC-10553-1] c07 N71-19854
Antenna array at focal plane of reflector with
coupling network for beam switching Patent
[NASA-CASE-GSC-10220-1] c07 N71-27233

HILLS, S. H.
Transient-compensated SCR inverter
[NASA-CASE-XLA-08507] c09 N69-39984
Apparatus for microbiological sampling
[NASA-CASE-LAR-11069-1] c04 N73-16061
Automatic inoculating apparatus
[NASA-CASE-LAR-11074-1] c05 N73-16096
Automatic microbial transfer device
[NASA-CASE-LAR-11354-1] c14 N74-10422

HILLY, J. J.
Satellite despin device Patent
[NASA-CASE-INP-08523] c31 N71-20396

HINKIN, H. L.
Liquid flow sight assembly Patent
[NASA-CASE-XLE-02998] c14 N70-42074

HINOTT, P. O.
Retrodirective optical system
[NASA-CASE-XGS-04480] c16 N69-27491
Retrodirective modulator Patent
[NASA-CASE-GSC-10062] c14 N71-15605

HITCHELL, D. K.
Borescope with variable angle scope
[NASA-CASE-MFS-15162] c14 N72-32452

HITCHELL, P. R.
Attitude control for spacecraft Patent
[NASA-CASE-INP-00294] c21 N70-36938

HITCHELL, G. A.
Airflow control system for supersonic inlets
[NASA-CASE-LEH-11188-1] c02 N74-20646

HITCHELL, R. H.
Method and apparatus for detection and location
of microleaks Patent
[NASA-CASE-INP-02307] c14 N71-10779

HITCHELL, W. H.
Digital cardiometer system Patent
[NASA-CASE-XMS-02399] c05 N71-22896

HITCHCOX, L. L., JR.
Collapsible loop antenna for space vehicle Patent
[NASA-CASE-INP-00437] c07 N70-40202

HIKSON, J. S.
Ring wing tension vehicle Patent
[NASA-CASE-XLA-04901] c31 N71-24315

HOACANIN, J.
Ionene membrane separator
[NASA-CASE-MPO-11091] c18 N72-22567

MOECKEL, W. E.
Electro-thermal rocket Patent
[NASA-CASE-XLE-00267] c28 N70-33356

MOEDE, L. W.
Wide range analog-to-digital converter with a
variable gain amplifier
[NASA-CASE-NPO-11018] c08 N72-21200
Digital control and information system
[NASA-CASE-NPO-11016] c08 N72-31226

MOEN, W. K.
Self-cycling fluid heater
[NASA-CASE-MSC-15567-1] c33 N73-16918

MOFFITT, F. L.
Image magnification adapter for cameras Patent
[NASA-CASE-XMF-03844-1] c14 N71-26474

MONDT, J. P.
Nuclear thermionic converter
[NASA-CASE-NPO-13121-1] c22 N73-12702

MONFORD, L. G., JR.
Radiometric temperature reference Patent
[NASA-CASE-MSC-13276-1] c14 N71-27058
Digital communication system
[NASA-CASE-MSC-13912-1] c07 N73-12151
Binary concatenated coding system
[NASA-CASE-MSC-14082-1] c08 N73-16163
Multifunction audio digitizer
[NASA-CASE-MSC-13855-1] c07 N74-17885

MONTETH, J. H.
Flow velocity and directional instrument
[NASA-CASE-LAR-10855-1] c14 N73-13415

MONTGOMERY, L. C.
Process for preparing sterile solid propellants
Patent
[NASA-CASE-XNP-01749] c27 N70-41897
Processing for producing a sterilized instrument
Patent
[NASA-CASE-XNP-09763] c14 N71-20461

MOORE, C. D.
Waveform simulator Patent
[NASA-CASE-NPO-10251] c10 N71-27365

MOORE, H. D.
Reversible ring counter employing cascaded
single SCR stages Patent
[NASA-CASE-XGS-01473] c09 N71-10673

MOORE, R. L.
Trigonometric vehicle guidance assembly which
aligns the three perpendicular axes of two
three-axes systems Patent
[NASA-CASE-XMF-00684] c21 N71-21688
Rotary actuator
[NASA-CASE-NPO-10680] c31 N73-14855

MOORE, T. J.
Welding blades to rotors
[NASA-CASE-LEW-10533-1] c15 N73-28515
Enhanced diffusion welding
[NASA-CASE-LEW-11388-1] c15 N73-32358
Production of hollow components for rolling
element bearings by diffusion welding
[NASA-CASE-LEW-11026-1] c15 N73-33383
Apparatus for welding blades to rotors
[NASA-CASE-LEW-10533-2] c15 N74-11300
Diffusion welding in air
[NASA-CASE-LEW-11387-1] c15 N74-18128

MOORE, W. A.
Journal bearings
[NASA-CASE-LEW-11076-2] c15 N73-20533
Journal bearings
[NASA-CASE-LEW-11076-3] c15 N74-10475
Journal bearings
[NASA-CASE-LEW-11076-4] c15 N74-18134
Journal bearings
[NASA-CASE-LEW-11076-1] c15 N74-21061

MORAND, J. A.
Hydraulic transformer Patent
[NASA-CASE-MFS-20830] c15 N71-30028

MORDECAI, T. T.
Method of recording a gas flow pattern Patent
[NASA-CASE-XMF-01779] c12 N71-20815

MORECROFT, J. H.
Incremental motion drive system Patent
[NASA-CASE-XNP-08897] c15 N71-17694

MORELLI, F. A.
Process for preparing sterile solid propellants
Patent
[NASA-CASE-XNP-01749] c27 N70-41897
Processing for producing a sterilized instrument
Patent
[NASA-CASE-XNP-09763] c14 N71-20461

MORGAN, W. C.
Thin-walled pressure vessel Patent
[NASA-CASE-XLE-04677] c15 N71-10577

MORISSETTE, S.
Junction range finder
[NASA-CASE-KSC-10108] c14 N73-25461

MORRELL, G.
Method for continuous variation of propellant
flow and thrust in propulsive devices Patent
[NASA-CASE-XLE-00177] c28 N70-40367

MORRIS, D. E.
Silphenylenesiloxane polymers having in-chain
perfluoroalkyl groups
[NASA-CASE-MPS-20979] c06 N72-25151
Polymerizable disilanol groups having in-chain
perfluoroalkyl groups
[NASA-CASE-MPS-20979-2] c06 N73-32030

MORRIS, J. P.
Probes having ring and primary sensor at same
potential to prevent collection of stray wall
currents in ionized gases
[NASA-CASE-XLE-00690] c25 N69-39884

MORRIS, J. R.
Difference circuit Patent
[NASA-CASE-INP-08274] c10 N71-13537

MORRISON, H. D.
Anti-fog composition
[NASA-CASE-MSC-13530-2] c06 N73-11107

MORSE, C. P.
Method and device for cooling Patent
[NASA-CASE-HQN-00938] c33 N71-29053

MORTENSEN, L. O.
Impact monitoring apparatus
[NASA-CASE-MSC-15626-1] c14 N72-25411

MORSE, B. G.
Zeta potential flowmeter Patent
[NASA-CASE-XNP-06509] c14 N71-23226
Method for controlling vapor content of a gas
[NASA-CASE-NPO-10633] c03 N72-28025

MORSE, J. C.
Electronic checkout system for space vehicles
Patent
[NASA-CASE-XKS-08012-2] c31 N71-15566

MOSIER, B.
Pressed disc type sensing electrodes with ion-
screening means Patent
[NASA-CASE-XMS-04212-1] c05 N71-12346
Plated electrodes Patent
[NASA-CASE-XMS-04213-1] c09 N71-26002
Method of making a perspiration resistant
biopotential electrode
[NASA-CASE-MSC-90153-2] c05 N72-25120

MOSIER, J. H.
Decontamination of petroleum products Patent
[NASA-CASE-XNP-03835] c06 N71-23499

MOUNTVALA, A. J.
Lightweight refractory insulation and method of
preparing the same Patent
[NASA-CASE-XMF-05279] c18 N71-16124

MOYER, I. W.
Redundant actuating mechanism Patent
[NASA-CASE-XGS-08718] c15 N71-24600
Delayed simultaneous release mechanism
[NASA-CASE-GSC-10814-1] c03 N73-20039

MUEHTER, P. P.
An improved heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c05 N74-17858

MUGLER, S. W.
Precipitation detector Patent
[NASA-CASE-XLA-02619] c10 N71-26334

MULHERN, J. E., JR.
Recorder using selective noise filter
[NASA-CASE-ERC-10112] c07 N72-21119

MULLEN, D. L.
Matched thermistors for microwave power meters
Patent
[NASA-CASE-NPO-10348] c10 N71-12554
Broadband microwave waveguide window Patent
[NASA-CASE-XNP-08880] c09 N71-24808

MULLEN, L. O.
Electrical insulating layer process
[NASA-CASE-LEW-10489-1] c15 N72-25447

MULIKEN, R. P.
Method of repairing discontinuity in fiber glass
structures
[NASA-CASE-LAR-10416-1] c15 N72-27527

MUMOLA, P. B.
A laser head for simultaneous optical pumping of
several dye lasers

[NASA-CASE-LAR-11341-1] c16 N73-25564
 HUNOZ, R. H.
 High efficiency multivibrator Patent
 [NASA-CASE-IAC-00942] c10 N71-16042
 Nonlinear analog-to-digital converter Patent
 [NASA-CASE-IAC-04031] c08 N71-18594
 Demodulation system Patent
 [NASA-CASE-IAC-04030] c10 N71-19472
 Phase quadrature-plural channel data
 transmission system Patent
 [NASA-CASE-IAC-06302] c08 N71-19763
 Continuous Fourier transform method and apparatus
 [NASA-CASE-ARC-10466-1] c08 N73-21199
 HUNSON, R. E.
 Turnstile slot antenna
 [NASA-CASE-GSC-11428-1] c09 N74-20864
 HURACA, R. F.
 Apparatus for testing polymeric materials Patent
 [NASA-CASE-XNP-09699] c06 N71-24607
 Procedure and apparatus for determination of
 water in nitrogen tetroxide
 [NASA-CASE-NPO-10234] c06 N72-17094
 HURCH, R. H.
 Metal containing polymers from cyclic tetrameric
 phenylphosphonitrimides Patent
 [NASA-CASE-HQN-10364] c06 N71-27363
 HURPHY, A. J.
 Optically actuated two position mechanical mover
 [NASA-CASE-NPO-13105-1] c15 N74-21060
 HURPHY, A. J., JR.
 Disconnect unit
 [NASA-CASE-NPO-13172-1] c33 N73-17917
 HURPHY, D. H.
 Frangible link
 [NASA-CASE-HSC-11849-1] c15 N72-22488
 HURPHY, P. L.
 Bimetallic power controlled actuator
 [NASA-CASE-XNP-09776] c09 N69-39929
 HURPHY, J. P.
 All sky pointing attitude control system
 [NASA-CASE-ARC-10716-1] c31 N73-32784
 HURPHY, W. J.
 Barium release system
 [NASA-CASE-LAR-10670-2] c13 N72-29425
 Barium release system
 [NASA-CASE-LAR-10670-1] c06 N73-30097
 HURTY, H. V. R. K.
 Concave grating spectrometer Patent
 [NASA-CASE-XGS-01036] c14 N70-40003
 HUSICK, R. O.
 Two-axis controller Patent
 [NASA-CASE-XPR-04104] c03 N70-42073
 HUSSETT, E. W.
 Device for separating occupant from an ejection
 seat Patent
 [NASA-CASE-XNS-04625] c05 N71-20718
 HYERS, D. A.
 Portable environmental control system Patent
 [NASA-CASE-XNS-09632-1] c05 N71-11203
 HYERS, W. H.
 Duct coupling for single-handed operation Patent
 [NASA-CASE-HFS-20395] c15 N71-24903

N

HARSETH, R. L.
 Aeroflexible structures
 [NASA-CASE-XLA-06095] c01 N69-39981
 HAIDITCH, S.
 Method of producing crystalline materials
 [NASA-CASE-NPO-10440] c15 N72-21466
 HAKADA, H. P.
 Time of flight mass spectrometer with feedback
 means from the detector to the ion source and
 a specific counter Patent
 [NASA-CASE-XNP-01056] c14 N71-23041
 HAKAHURA, H. H.
 Lightweight refractory insulation and method of
 preparing the same Patent
 [NASA-CASE-XHP-05279] c18 N71-16124
 HAKANISHI, S.
 Ion thruster cathode Patent Application
 [NASA-CASE-LHW-10814-1] c28 N70-35422
 Plasma device feed system Patent
 [NASA-CASE-XLE-02902] c25 N71-21694
 Ion thruster accelerator system Patent
 [NASA-CASE-LHW-10106-1] c28 N71-26642
 Propellant feed isolator Patent
 [NASA-CASE-LHW-10210-1] c28 N71-26781

Single grid accelerator for an ion thruster
 [NASA-CASE-XLE-10453-2] c28 N73-27699
 HAKICH, R. B.
 Digital servo control of random sound test
 excitation
 [NASA-CASE-NPO-11623-1] c23 N72-25628
 Apparatus for scanning the surface of a
 cylindrical body
 [NASA-CASE-NPO-11861-1] c14 N74-20009
 HANCE, H. H.
 A dc motor speed control system Patent
 [NASA-CASE-HFS-14610] c09 N71-28886
 HAPLES, J. F.
 Method for forming plastic materials Patent
 [NASA-CASE-XMS-05516] c15 N71-17803
 HASON, G. H.
 Flexible blade antenna Patent
 [NASA-CASE-HSC-12101] c09 N71-18720
 HASUTI, A. J.
 Test fixture for pellet-like electrical elements
 [NASA-CASE-XNP-06032] c09 N69-21926
 Support structure for irradiated elements Patent
 [NASA-CASE-XNP-06031] c15 N71-15606
 HAUBANN, E. C.
 Fatigue testing device Patent
 [NASA-CASE-XLA-02131] c32 N70-42003
 Automatic fatigue test temperature programmer
 Patent
 [NASA-CASE-XLA-02059] c33 N71-24276
 Arbitrarily shaped model survey system Patent
 [NASA-CASE-LAR-10098] c32 N71-26681
 Function generator for synthesizing complex
 vibration mode patterns
 [NASA-CASE-LAR-10310-1] c10 N73-20253
 HAUBANN, R. J.
 Liquid aerosol dispenser
 [NASA-CASE-HFS-20829] c12 N72-21310
 HEAL, P. F.
 Emergency escape system Patent
 [NASA-CASE-IKS-07814] c15 N71-27067
 HEALY, J. E.
 Combustion detector
 [NASA-CASE-LAR-10739-1] c14 N73-16484
 NELSON, B.
 Deflective rod switch with elastic support and
 sealing means Patent
 [NASA-CASE-XNP-09808] c09 N71-12518
 NELSON, B. W.
 Optical machine tool alignment indicator Patent
 [NASA-CASE-XAC-09489-1] c15 N71-26673
 NELSON, C. A.
 Flipflop interrogator and bi-polar current
 driver Patent
 [NASA-CASE-XGS-03058] c10 N71-19547
 NELSON, C. H.
 Ablation sensor
 [NASA-CASE-XLA-01781] c14 N69-39975
 Reentry communication by material addition Patent
 [NASA-CASE-XLA-01552] c07 N71-11284
 NELSON, D. E.
 Convoluting device for forming convolutions and
 the like Patent
 [NASA-CASE-XNP-05297] c15 N71-23811
 NELSON, E. P.
 Safety-type locking pin
 [NASA-CASE-HFS-18495] c15 N72-11385
 NELSON, H. H.
 Telemetry word forming unit
 [NASA-CASE-XNP-09225] c09 N69-24333
 NELSON, W. J.
 Slesh alleviator Patent
 [NASA-CASE-XLA-05749] c15 N71-19569
 NERREIN, W. H.
 Inert gas metallic vapor laser
 [NASA-CASE-NPO-13449-1] c16 N74-16187
 NEWBY, D. T.
 Hole cutter
 [NASA-CASE-HFS-22649-1] c15 N73-32376
 NEUCOR, A. L., JR.
 Electromagnetic mirror drive system
 [NASA-CASE-XLA-03724] c14 N69-27461
 Ac power amplifier Patent Application
 [NASA-CASE-LAR-10218-1] c09 N70-34559
 Variable duration pulse integrator Patent
 [NASA-CASE-XLA-01219] c10 N71-23084
 Variable width pulse integrator Patent
 [NASA-CASE-XLA-03356] c10 N71-23315
 Attitude sensor
 [NASA-CASE-LAR-10586-1] c14 N74-15089

NEWCOMB, J. P.
 Null device for hand controller Patent
 [NASA-CASE-XLA-01808] c15 N71-20740

NEWCOMB, W. L.
 Quick release separation mechanism Patent
 [NASA-CASE-XLA-01441] c15 N70-41679

NEWCOMBE, C. A.
 Method for making a heat insulating and ablative structure
 [NASA-CASE-XBS-01108] c15 N69-24322

NEWMAN, D. F.
 Test stand system for vacuum chambers
 [NASA-CASE-MFS-21362] c11 N73-20267

NEWMAN, J. B.
 Catalytic bed removing tool Patent
 [NASA-CASE-XFR-00811] c15 N70-36901

NEWMAN, J. B.
 New polymers of perfluorobutadiene and method of manufacture Patent application
 [NASA-CASE-NPO-10863] c06 N70-11251

Polymers of perfluorobutadiene and method of manufacture
 [NASA-CASE-NPO-10863-2] c06 N72-25152

NICHOLS, G. B.
 Apparatus for phase stability determination Patent
 [NASA-CASE-XGS-01118] c10 N71-23662

NICHOLS, G. B.
 Apparatus for controlling the velocity of an electromechanical drive for interferometers and the like Patent
 [NASA-CASE-XGS-03532] c14 N71-17627

NICHOLS, J. J.
 Force measuring instrument Patent
 [NASA-CASE-XMF-00456] c14 N70-34705

NICHOLS, M. B.
 Nacelle afterbody for jet engines Patent
 [NASA-CASE-XLA-10450] c28 N71-21493

Dual cycle aircraft turbine engine
 [NASA-CASE-LAR-11310-1] c28 N73-31699

NICKLAS, J. C.
 Attitude control for spacecraft Patent
 [NASA-CASE-XNP-02982] c31 N70-41855

Solar vane actuator Patent
 [NASA-CASE-XNP-05535] c14 N71-23040

NICKS, O. W.
 Quiet jet transport aircraft
 [NASA-CASE-LAR-11087-1] c02 N73-26008

NINDRA, J. W.
 Pulse coupling circuit
 [NASA-CASE-LEW-10433-1] c09 N72-22197

NINDZWICKI, R. W.
 Controlled separation combustor
 [NASA-CASE-LEW-11593-1] c28 N73-25816

Swirl can primary combustor
 [NASA-CASE-LEW-11326-1] c23 N73-30665

NIELSON, T. L.
 Technique of elbow bending small jacketed transfer lines Patent
 [NASA-CASE-XNP-10475] c15 N71-24679

NISSIN, E.
 Suppression of flutter
 [NASA-CASE-LAR-10682-1] c02 N73-26004

NITTA, H.
 High-temperature, high-pressure spherical segment valve Patent
 [NASA-CASE-XAC-00074] c15 N70-34817

NIXON, D. L.
 Parabolic reflector horn feed with spillover correction Patent
 [NASA-CASE-XNP-00540] c09 N70-35382

Indexing microwave switch Patent
 [NASA-CASE-XNP-06507] c09 N71-23548

Rotary vane attenuator wherein rotor has orthogonally disposed resistive and dielectric cards
 [NASA-CASE-NPO-11418-1] c14 N73-13420

NOBLE, R. M.
 Solenoid construction Patent
 [NASA-CASE-XNP-01951] c09 N70-41929

NOLA, F. J.
 Positive dc to positive dc converter Patent
 [NASA-CASE-XMF-14301] c09 N71-23188

Positive dc to negative dc converter Patent
 [NASA-CASE-XMF-08217] c03 N71-23239

Transistor servo system including a unique differential amplifier circuit Patent
 [NASA-CASE-XNP-05195] c10 N71-24861

Brushless direct current tachometer Patent
 [NASA-CASE-MFS-20385] c09 N71-24904

Redundant speed control for brushless Hall effect motor
 [NASA-CASE-MFS-20207-1] c09 N73-32107

Induction motor control system with voltage controlled oscillator circuit
 [NASA-CASE-MFS-21465-1] c10 N73-32145

A variable frequency inverter for ac induction motors with torque, speed and braking control
 [NASA-CASE-MFS-22088-1] c09 N74-13894

NORD, D. B.
 Method of joining aluminum to stainless steel Patent
 [NASA-CASE-MFS-07369] c15 N71-20443

NORDEN, B. N.
 Hybrid holographic system using reflected and transmitted object beams simultaneously Patent
 [NASA-CASE-MFS-20074] c16 N71-15565

Holographic thin film analyzer
 [NASA-CASE-MFS-20823-1] c16 N73-30476

NORRIS, S. J.
 Spherical shield Patent
 [NASA-CASE-XNP-01855] c15 N71-28937

NORRIS, C. T.
 Colloid propulsion method and apparatus Patent
 [NASA-CASE-XLE-00817] c28 N70-33265

Gas turbine combustor Patent
 [NASA-CASE-LEW-10286-1] c28 N71-28915

NORK, C. L.
 Sight switch using an infrared source and sensor Patent
 [NASA-CASE-XMF-03934] c09 N71-22985

NORRAN, R. M.
 Vibration isolation system using compression springs
 [NASA-CASE-NPO-11012] c15 N72-11391

Expansible support means
 [NASA-CASE-NPO-11059] c15 N72-17454

NORTON, R. H.
 Thruster maintenance system Patent
 [NASA-CASE-MFS-20325] c28 N71-27095

Self-recording portable soil penetrometer
 [NASA-CASE-MFS-20774] c14 N73-19420

NORWOOD, J. J.
 Magnetically controlled plasma accelerator Patent
 [NASA-CASE-XLA-00327] c25 N71-29184

NOVOTNY, J. E.
 Ultraprecise calibrated light source
 [NASA-CASE-MSC-12293-1] c14 N72-27411

NUSBAUM, W. J.
 Apparatus for absorbing and measuring power Patent
 [NASA-CASE-XLE-00720] c14 N70-40201

○

OAKLEY, E. C.
 RF-source resistance meters
 [NASA-CASE-NPO-11291-1] c14 N73-30388

OBERSCHMIDT, M.
 Flow test device
 [NASA-CASE-XNS-04917] c14 N69-24257

OHLER, R. D.
 Air conditioning system and component therefore distributing air flow from opposite directions
 [NASA-CASE-GSC-11445-1] c15 N72-28503

OBRIEN, D. E., III
 Technique for recovery of voice data from heat damaged magnetic tape
 [NASA-CASE-MSC-14219-1] c07 N73-16132

OCONNOR, J. W.
 Fastener stretcher
 [NASA-CASE-GSC-11149-1] c15 N73-30457

ODELL, B. G.
 Dual latching solenoid valve Patent
 [NASA-CASE-XNS-05890] c09 N71-23191

O'DONNELL, P. M.
 Corrosion resistant beryllium Patent
 [NASA-CASE-LEW-10327] c17 N71-33408

O'DONNELL, T. J.
 Spherically-shaped rocket motor Patent
 [NASA-CASE-IHQ-01897] c28 N70-35381

ORTEL, G. K.
 Fast opening diaphragm Patent
 [NASA-CASE-XLA-03660] c15 N71-21060

Measurement of time differences between luminous events Patent
 [NASA-CASE-XLA-01987] c23 N71-23976

OFFIK, W. G.
 Emergency escape system Patent
 [NASA-CASE-XKS-02342] c05 N71-11199

OGDEN, R. F.
Aerodynamic measuring device Patent
[NASA-CASE-XLA-00481] c14 N70-36824
Check valve assembly for a probe Patent
[NASA-CASE-XLA-00128] c15 N70-37925

OGDEN, R. R.
Low temperature aluminum alloy Patent
[NASA-CASE-XHF-02786] c17 N71-20743

OGLE, J. S.
Shole body measurement systems
[NASA-CASE-HSC-13972-1] c05 N74-10975

OHLSON, J. R.
System for interference signal nulling by
polarization adjustment
[NASA-CASE-NPO-13140-1] c07 N73-27106

OHANE, J. R.
Pressure suit tie-down mechanism Patent
[NASA-CASE-XHS-00784] c05 N71-12335

OKMAN, R. C.
High-Q bandpass resonators utilizing bandstop
resonator pairs
[NASA-CASE-GSC-10990-1] c09 N73-26195

OKREPER, B. J.
Head-up attitude display
[NASA-CASE-ERC-10392] c21 N73-14692

OKELLY, K. P.
Method of fluxless brazing and diffusion bonding
of aluminum containing components
[NASA-CASE-HSC-14435-1] c15 N74-20071

OLCOTT, J. B.
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c02 N73-30938

OLDRIEVE, R. R.
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c17 N70-33288
Method of making fiber reinforced metallic
composites Patent
[NASA-CASE-XLE-00231] c17 N70-38198

OLIVER, G. D.
Scanning nozzle plating system
[NASA-CASE-NPO-11758-1] c15 N72-28507

OLIVER, R. B.
Multiple reflection conical microwave antenna
[NASA-CASE-NPO-11661] c07 N73-14130

OLIVER, R. L.
Apparatus for applying cover slides
[NASA-CASE-NPO-10575] c03 N72-25019

OLSEN, S.
Structural heat pipe
[NASA-CASE-GSC-11619-1] c33 N73-32828

OLLING, R. B.
Radial module space station Patent
[NASA-CASE-XHS-01906] c31 N70-41373

OLSAKY, R. J.
Laser camera and diffusion filter therefore Patent
[NASA-CASE-NPO-10417] c16 N71-33410

OLSON, R. A.
Hot wire liquid level detector for cryogenic
fluids Patent
[NASA-CASE-XLE-00454] c23 N71-17802

OLSEN, R. A., JR.
Reduced gravity liquid configuration simulator
[NASA-CASE-XLE-02624] c12 N69-39988

OLSON, R. T.
Inlet deflector for jet engines Patent
[NASA-CASE-XLE-00388] c28 N70-34788

OLTHANS, D. A.
Matched thermistors for microwave power meters
Patent
[NASA-CASE-NPO-10348] c10 N71-12554

OMILL, R. E.
Monostable multivibrator with complementary NOR
gates Patent
[NASA-CASE-HSC-13492-1] c10 N71-28860
Peak holding circuit for extremely narrow pulses
[NASA-CASE-HSC-14129-1] c10 N73-26231

OMELLY, B. J.
Portable environmental control system Patent
[NASA-CASE-XHS-09632-1] c05 N71-11203

OMEN, V. C.
Fastener stretcher
[NASA-CASE-GSC-11149-1] c15 N73-30457

ORILLION, D. G.
Personal propulsion unit Patent
[NASA-CASE-HFS-20130] c28 N71-27585

ORLIN, P. B.
Pressure seal Patent
[NASA-CASE-NPO-10796] c15 N71-27068

ORLOFF, K. L.
Dual wavelength scanning Doppler velocimeter
[NASA-CASE-ARC-10637-1] c14 N73-21390
Combined dual scatter, local oscillator laser
Doppler velocimeter
[NASA-CASE-ARC-10642-1] c14 N74-18099

ORDER, J. E.
Method and apparatus for detecting gross leaks
Patent
[NASA-CASE-ERC-10033] c14 N71-26672

OROURKE, T. E., JR.
Sealing member and combination thereof and
method of producing said sealing member Patent
[NASA-CASE-XHS-01625] c15 N71-23022

ORTH, R. B.
Process for producing dispersion strengthened
nickel with aluminum Patent
[NASA-CASE-XLE-06969] c17 N71-24142

OSHUNDSOHN, J.
A dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c16 N73-32398

OSTROFF, A. J.
Star image motion compensator
[NASA-CASE-LAR-10523-1] c14 N72-22444

OSTROFF, J.
Rotary actuator
[NASA-CASE-NPO-10244] c15 N72-26371

OSULLIVAN, R. J., JR.
Method and apparatus for shock protection Patent
[NASA-CASE-XLA-00482] c15 N70-36409
Self supporting space vehicle Patent
[NASA-CASE-XLA-00117] c31 N71-17680
Thermal control wall panel Patent
[NASA-CASE-XLA-01243] c33 N71-22792
Thermal control panel Patent
[NASA-CASE-XLA-07728] c33 N71-22890

OTHMAN, T. E.
Safety-type locking pin
[NASA-CASE-HFS-18495] c15 N72-11385

OTOSHI, T. Y.
Rotary vane attenuator wherein rotor has
orthogonally disposed resistive and dielectric
cards
[NASA-CASE-NPO-11418-1] c14 N73-13420

OTTO, G. B.
Synthesis of superconducting compounds by
explosive compaction of powders
[NASA-CASE-HFS-20861-1] c18 N73-32437

OUTLAW, R. A.
Insitu transfer standard for ultrahigh vacuum
gage calibration
[NASA-CASE-LAR-10862-1] c14 N74-15092

P

PACHARD, R. D.
Semiconductor surface protection material
[NASA-CASE-ERC-10339-1] c18 N73-30532

PADILLA, D.
Fiber separating and cleaning method and apparatus
[NASA-CASE-LAR-11224-1] c15 N74-20072

PAIK, S. P.
Parametric microwave noise generator Patent
[NASA-CASE-XER-11019] c09 N71-23598

PAIK, B. B.
Apparatus for recovering matter adhered to a
host surface
[NASA-CASE-NPO-11213] c15 N73-20514

PAINTER, J. R.
Anti-multipath digital signal detector
[NASA-CASE-LAR-11379-1] c07 N74-11005

PALANDETI, C. P., JR.
Prevention of pressure build-up in
electrochemical cells Patent
[NASA-CASE-XGS-01419] c03 N70-41864

PALMER, B. I.
Apparatus for testing a pressure responsive
instrument Patent
[NASA-CASE-XHP-04134] c14 N71-23755

PAN, F. H.
A dc-coupled noninverting one-shot Patent
[NASA-CASE-XNP-09450] c10 N71-18723

PAPELL, S. S.
Low viscosity magnetic fluid obtained by the
colloidal suspension of magnetic particles

Patent
[NASA-CASE-XLE-01512] c12 N70-40124
Liquid storage tank venting device for zero gravity environment Patent
[NASA-CASE-XLE-01449] c15 N70-41646
Capacitor and method of making same Patent
[NASA-CASE-LEW-10364-1] c09 N71-13522
Fluid dispensing apparatus and method Patent
[NASA-CASE-XLE-01182] c27 N71-15635

PARK, J. J.
Method of making tubes Patent
[NASA-CASE-XGS-04175] c15 N71-18579

PARKER, G. L.
Elimination of frequency shift in a multiplex communication system Patent
[NASA-CASE-XNP-01306] c07 N71-20814
High speed phase detector Patent
[NASA-CASE-XNP-01306-2] c09 N71-24596
Optical binocular scanning apparatus
[NASA-CASE-NPO-11002] c14 N72-22441

PARKER, J. A.
Modified polyisocyanurate polymer foam Patent
Application
[NASA-CASE-ARC-10280-1] c18 N70-34695
Intumescent paints Patent
[NASA-CASE-ARC-10099-1] c18 N71-15469
Modified polyurethane foams for fuel-fire Patent
[NASA-CASE-ARC-10098-1] c06 N71-24739
Flexible fire retardant foam
[NASA-CASE-ARC-10180-1] c28 N72-20767
Chromato-fluorographic drug detector
[NASA-CASE-ARC-10633-1] c05 N73-22048
Intumescent composition, foamed product prepared therewith, and process for making same
[NASA-CASE-ARC-10304-1] c18 N73-26572
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c18 N74-11366
Flexible fire retardant polyisocyanate modified neoprene foam
[NASA-CASE-ARC-10180-1] c06 N74-12814
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c18 N74-16249

PARKER, L. C.
Safe-arm initiator Patent
[NASA-CASE-LAR-10372] c09 N71-18599

PARKER, O. J.
Despin weight release Patent
[NASA-CASE-XLA-00679] c15 N70-38601
Spacecraft separation system for spinning vehicles and/or payloads Patent
[NASA-CASE-XLA-02132] c31 N71-10582
Flared tube strainer
[NASA-CASE-XLA-05056] c15 N72-11389

PARKER, R. J.
Method of improving the reliability of a rolling element system Patent
[NASA-CASE-XLE-02999] c15 N71-16052
Low mass rolling element for bearings
[NASA-CASE-LEW-11087-1] c15 N73-30458
Method of making rolling element bearings
[NASA-CASE-LEW-11087-2] c15 N74-15128
Hollow rolling element bearings
[NASA-CASE-LEW-11087-3] c15 N74-21064

PARNLEY, R. T.
Aerodynamic protection for space flight vehicles Patent
[NASA-CASE-XNP-02507] c31 N71-17679

PARSONS, W. E.
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c31 N71-15566

PARTSCH, V. M.
Purge device for thrust engines Patent
[NASA-CASE-XMS-04826] c28 N71-28849

PASCIUTTI, E. R.
Protection for energy conversion systems
[NASA-CASE-XGS-04808] c03 N69-25146
Inverter with means for base current shaping for sweeping charge carriers from base region Patent
[NASA-CASE-XGS-06226] c10 N71-25950
A dc to ac to dc converter having transistor synchronous rectifiers
[NASA-CASE-GSC-11126-1] c09 N72-25253

PASIERB, E. F.
GaAs solar detector using manganese as a doping agent Patent
[NASA-CASE-XNP-01328] c26 N71-18064

PASSMAN, H. M.
Heat conductive resiliently compressible structure for space electronics package modules Patent
[NASA-CASE-MSC-12389] c33 N71-29052

PATE, W. E.
Color perception tester
[NASA-CASE-KSC-10278] c05 N72-16015

PATON, W. J.
Flammability test chamber Patent
[NASA-CASE-KSC-10126] c11 N71-24985

PATTEW, C. W.
Method and apparatus for attaching physiological monitoring electrodes Patent
[NASA-CASE-XFR-07658-1] c05 N71-26293

PATTERSON, W. J.
Synthesis of siloxane-containing epoxy polymers Patent
[NASA-CASE-MFS-13994-1] c06 N71-11240
Siloxane containing epoxide compounds
[NASA-CASE-MFS-13994-2] c06 N72-25148
Silphenylenesiloxane polymers having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979] c06 N72-25151
Polymerizable disilanol having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979-2] c06 N73-32030

PAULI, F. A.
Attitude controls for VTOL aircraft Patent
[NASA-CASE-XAC-08972] c02 N71-20570

PAULKOVICH, J.
Apparatus for measuring current flow Patent
[NASA-CASE-XGS-02439] c14 N71-19431
Coulometer and third electrode battery charging circuit Patent
[NASA-CASE-GSC-10487-1] c03 N71-24719

PAULL, S.
Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00458] c09 N70-38604
Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00131] c09 N70-38995

PAVLICS, F.
Resilient wheel Patent
[NASA-CASE-MFS-13929] c15 N71-27091

PAWLIK, E. V.
Plasma device feed system Patent
[NASA-CASE-XLE-02902] c25 N71-21694
Ion thruster with a combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c28 N73-24783

PECKHAM, V. A., JR.
Sample collecting impact bit Patent
[NASA-CASE-XNP-01412] c15 N70-42034

PEDERSON, C. W.
Low distortion automatic phase control circuit
[NASA-CASE-MFS-21671-1] c10 N73-17211

PEELGREEN, E. L.
Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c33 N72-20915

PEER, C. E.
Connector strips-positive, negative and T tabs
[NASA-CASE-XGS-01395] c03 N69-21539

PEGDEN, C. D.
Multiple in-line docking capability for rotating space stations
[NASA-CASE-MFS-20855-1] c31 N72-25853

PELLERIN, C. J., JR.
Two axis fluxgate magnetometer Patent
[NASA-CASE-GSC-10441-1] c14 N71-27325

PENQUE, E. J.
Varactor high level mixer
[NASA-CASE-XGS-02171] c09 N69-24324

PEOPLES, J. A.
Multiway vortex valve system Patent
[NASA-CASE-XNF-04709] c15 N71-15609

PERKINS, G. S.
Detenting servomotor Patent
[NASA-CASE-XNP-06936] c15 N71-24695
Ball screw linear actuator
[NASA-CASE-NPO-11222] c15 N72-25456

PERKINS, P. J., JR.
Cryogenic insulation system Patent
[NASA-CASE-XLE-04222] c23 N71-22881
Insulation system Patent
[NASA-CASE-XLE-02647] c18 N71-23658

PERLMAN, M.
Linear three-tap feedback shift register Patent
[NASA-CASE-NPO-10351] c08 N71-12503

Binary sequence detector Patent
[NASA-CASE-XNP-05415] c08 N71-12505

Digital function generator
[NASA-CASE-NPO-11104] c08 N72-22165

Feedback shift register with states decomposed
into cycles of equal length
[NASA-CASE-NPO-11082] c08 N72-22167

Pseudonoise sequence generators with three tap
linear feedback shift registers
[NASA-CASE-NPO-11406] c08 N73-12175

A system for generating timing and control signals
[NASA-CASE-NPO-13125-1] c09 N73-18225

A m-ary linear feedback shift register with
binary logic
[NASA-CASE-NPO-11868] c10 N73-20254

PERLHUTTER, H.
Device for directionally controlling
electromagnetic radiation Patent
[NASA-CASE-XLE-01716] c09 N70-40234

PERRY, C. L.
Metabolic analyzer
[NASA-CASE-NFS-21415-1] c05 N74-20728

PERRY, G. D.
Zero gravity apparatus Patent
[NASA-CASE-XNP-06515] c14 N71-23227

PESEK, C. T.
Clamping assembly for inertial components Patent
[NASA-CASE-XMS-02184] c15 N71-20813

Circuit board package with wedge shaped covers
[NASA-CASE-NFS-21919-1] c10 N73-25243

PESHAN, G. J.
Shock absorbing support and restraint means Patent
[NASA-CASE-XMS-01240] c05 N70-35152

PETERS, R. L.
CRT blanking and brightness control circuit
[NASA-CASE-KSC-10647-1] c10 N72-31273

PETERS, R. H.
Two component bearing Patent
[NASA-CASE-XLA-00013] c15 N71-29136

PETERSEN, H. L.
Improved four phase logic systems
[NASA-CASE-MSC-14240-1] c10 N73-21240

Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c05 N73-22045

PETERSEN, H. W.
Adjustable mount for a trihedral mirror Patent
[NASA-CASE-XNP-08907] c23 N71-29123

PETERSON, E. E.
Canopus detector including automotive gain
control of photomultiplier tube Patent
[NASA-CASE-XNP-03914] c21 N71-10771

PETERSON, M. C.
Ultraviolet atomic emission detector
[NASA-CASE-HQN-10756-1] c14 N72-25428

PETERSON, M. E., JR.
Shrink-fit gas valve Patent
[NASA-CASE-XGS-00587] c15 N70-35087

PETERSON, P. D.
Portable environmental control system Patent
[NASA-CASE-XMS-09632-1] c05 N71-11203

PETERSON, S. T.
Meteoroid detector
[NASA-CASE-LAR-10483-1] c14 N73-32327

PETERSON, V. S.
Flow angle sensor and read out system Patent
[NASA-CASE-XLE-04503] c14 N71-24864

Solid state remote circuit selector switch
[NASA-CASE-LEW-10387] c09 N72-22201

Fine particulate capture device
[NASA-CASE-LEW-11583-1] c15 N74-13199

PETERSON, B. A.
Folded traveling wave maser structure Patent
[NASA-CASE-XNP-05219] c16 N71-15550

Superconducting magnet Patent
[NASA-CASE-XNP-06503] c23 N71-29049

PETERSON, B. D.
Automatic frequency discriminators and control
for a phase-lock loop providing frequency
preset capabilities Patent
[NASA-CASE-XMF-08665] c10 N71-19467

PETRASEK, D. E.
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c17 N70-33288

Method of making fiber reinforced metallic
composites Patent
[NASA-CASE-XLE-00231] c17 N70-38198

Reinforced metallic composites Patent
[NASA-CASE-XLE-00228] c17 N70-38490

Method of making fiber composites
[NASA-CASE-LEW-10424-2-2] c18 N72-25539

PETRICK, E. H.
Variable thrust ion engine utilizing thermally
decomposable solid fuel Patent
[NASA-CASE-XMF-00923] c28 N70-36802

PETYNIA, W. W.
Space and atmospheric reentry vehicle Patent
[NASA-CASE-XGS-00260] c31 N70-37924

PEZDIRTZ, G. F.
Method and apparatus for shock protection Patent
[NASA-CASE-XLA-00482] c15 N70-36409

Imidazopyrrolone/imide copolymers Patent
[NASA-CASE-XLA-08802] c06 N71-11238

Dosimeter for high levels of absorbed radiation
Patent
[NASA-CASE-XLA-03645] c14 N71-20430

Solid state thermal control polymer coating
Patent
[NASA-CASE-XLA-01745] c33 N71-28903

PPAFF, H.
Swivel support for gas bearings Patent
[NASA-CASE-XMF-07808] c15 N71-23812

PIPPNER, H. J.
Bootstrap unloader Patent
[NASA-CASE-XNP-09768] c09 N71-12516

PFLIEGER, R. O.
Spherical shield Patent
[NASA-CASE-XNE-01855] c15 N71-28937

PHILLIPS, W. H.
Production of pure metals
[NASA-CASE-LEW-10906-1] c06 N72-25164

Selective nickel deposition
[NASA-CASE-LEW-10965-1] c15 N72-25452

PHILLIPS, A. R.
Technique of duplicating fragile core
[NASA-CASE-XLA-07829] c15 N72-16329

PHILLIPS, B. L. S.
File card marker Patent
[NASA-CASE-XLA-02705] c08 N71-15908

PHILLIPS, E. C.
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c33 N74-19584

PHILLIPS, E. H.
Variable-geometry winged reentry vehicle Patent
[NASA-CASE-XLA-00241] c31 N70-37986

Station keeping of a gravity gradient stabilized
satellite Patent
[NASA-CASE-XLA-03132] c31 N71-22969

PHILLIPS, E. H.
Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c33 N72-20915

Nuclear thermionic converter
[NASA-CASE-NPO-13121-1] c22 N73-12702

Cermet composition and method of fabrication
[NASA-CASE-NPO-13120-1] c18 N73-23629

PHILIPPER, G. A., JR.
Separation simulator Patent
[NASA-CASE-XKS-04631] c10 N71-23663

Internal work light Patent
[NASA-CASE-XKS-05932] c09 N71-26787

Universal environment package with sectional
component housing
[NASA-CASE-KSC-10031] c15 N72-22486

Pressurized lighting system
[NASA-CASE-KSC-10644] c09 N72-27227

Character indicating display device
[NASA-CASE-XKS-00348] c09 N73-14215

PIASECKI, L. R.
Apparatus and method for control of a solid
fueled rocket vehicle Patent
[NASA-CASE-XNP-00217] c28 N70-38181

PICCILOLO, G. L.
Flavin coenzyme assay
[NASA-CASE-GSC-10565-1] c06 N72-25149

Method of detecting and counting bacteria in
body fluids
[NASA-CASE-GSC-11092-2] c04 N73-27052

Automatic instrument for chemical processing to
detect microorganism in biological samples by
measuring light reactions
[NASA-CASE-GSC-11169-2] c05 N73-32011

PIERCE, R. H.
Propellant grain for rocket motors Patent
[NASA-CASE-XGS-03556] c27 N70-35534

PINCKNEY, K. E.
System for monitoring the presence of neutrals
in a stream of ions Patent
[NASA-CASE-XNP-02592] c24 N71-20518

PINCUS, B. R.
Scanning aspect sensor employing an apertured disc and a commutator
[NASA-CASE-XGS-08266] c14 N69-27432

PINKEL, L. L.
Reduced gravity liquid configuration simulator
[NASA-CASE-XLE-02624] c12 N69-39988

PINSON, G.
A guide for a typewriter
[NASA-CASE-MFS-15218-1] c15 N73-31438

PIPPEN, D. L.
High voltage pulse generator Patent
[NASA-CASE-MSC-12178-1] c09 N71-13518

PITELLI, E. E.
Transverse piezoresistance and pinch effect electromechanical transducers Patent
[NASA-CASE-ERC-10088] c26 N71-25490

PITTS, F. L.
Electronic strain-level counter
[NASA-CASE-LAR-10756-1] c32 N73-26910

PITTS, W. C.
Two force component measuring device Patent
[NASA-CASE-IAC-04886-1] c14 N71-20439

PIVROTTO, T. J.
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c16 N74-16187

PLAKAS, C. J.
Firefly pump-metering system
[NASA-CASE-GSC-10218-1] c15 N72-21465

PLAMONDON, J. A., JR.
Conically shaped cavity radiometer with a dual purpose cone winding Patent
[NASA-CASE-XNP-09701] c14 N71-26475

PLAMOWSKI, S. C.
Traversing probe Patent
[NASA-CASE-XPR-02007] c12 N71-24692

PLATT, P. K.
Cryogenic connector for vacuum use Patent
[NASA-CASE-XGS-02441] c15 N70-41629

PLAZEK, D. J.
Instrument for measuring torsional creep and recovery Patent
[NASA-CASE-XLE-01481] c14 N71-10781

PLESANTS, J. E.
Inflatable support structure Patent
[NASA-CASE-XLA-01731] c32 N71-21045

Vortex breech high pressure gas generator
[NASA-CASE-LAR-10549-1] c31 N73-13898

PLITT, K. P.
Spacecraft battery seals
[NASA-CASE-XGS-03864] c15 N69-24320

POESCHL, R. L.
Ion thruster
[NASA-CASE-LEW-10770-1] c28 N72-22770

POHL, B. O.
Two-step rocket engine bipropellant valve Patent
[NASA-CASE-XMS-04890-1] c15 N70-22192

POLHARUS, B. C.
Variable sweep wing configuration Patent
[NASA-CASE-XLA-00230] c02 N70-33255

Variable sweep aircraft wing Patent
[NASA-CASE-XLA-00350] c02 N70-38011

Variable sweep aircraft Patent
[NASA-CASE-XLA-03659] c02 N71-11001

POLLACK, I.
Etching of aluminum for bonding Patent
[NASA-CASE-XMF-02303] c17 N71-23828

Dye penetrant for surfaces subsequently contacted by liquid oxygen Patent
[NASA-CASE-XMF-02221] c18 N71-27170

POLLACK, J. L.
High powered arc electrodes
[NASA-CASE-LEW-11162-1] c09 N74-12913

POLLARD, R. A.
Rescue litter flotation assembly Patent
[NASA-CASE-XMS-04170] c05 N71-22748

POLLOCK, G. E.
Gas chromatograph injection system
[NASA-CASE-ARC-10344-1] c14 N72-21433

Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c14 N74-20021

POOL, S. L.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c05 N73-22045

POPE, R. E.
Zero gravity separator Patent
[NASA-CASE-XLE-00586] c15 N71-15968

POPE, J. E.
Miniature ingestible telemeter devices to measure deep body temperature
[NASA-CASE-ARC-10583-1] c05 N73-14093

POPICK, H.
Laser apparatus for removing material from rotating objects Patent
[NASA-CASE-MFS-11279] c16 N71-20400

POPMA, D. C.
Recovery of potable water from human wastes in below-G conditions Patent
[NASA-CASE-XLA-03213] c05 N71-11207

PORADEK, J. C.
Process for conditioning tanned sharkskin and articles made therefrom Patent
[NASA-CASE-XMS-09691-1] c18 N71-15545

PORTER, R. E.
Liquid rocket system Patent
[NASA-CASE-XNP-00610] c28 N70-36910

Zero gravity starting means for liquid propellant motors Patent
[NASA-CASE-XNP-01390] c28 N70-41275

Force-balanced, throttle valve Patent
[NASA-CASE-NPO-10808] c15 N71-27432

PORTNOY, W. E.
Insulated electrocardiographic electrodes
[NASA-CASE-MSC-14339-1] c05 N73-21151

POSCHENRIEDER, W. P.
Analytical photoionization mass spectrometer with an argon gas filter between the light source and monochromator Patent
[NASA-CASE-LAR-10180-1] c06 N71-13461

POSENER, E. C.
Method and apparatus for a single channel digital communications system
[NASA-CASE-NPO-11302-2] c07 N74-10132

POSNER, E. C.
Phase-locked loop with sideband rejecting properties Patent
[NASA-CASE-XNP-02723] c07 N70-41680

Data compressor Patent
[NASA-CASE-XNP-04067] c08 N71-22707

Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system
[NASA-CASE-NPO-11302-1] c07 N73-13149

POTEATE, W. B.
Multiparameter vision tester apparatus
[NASA-CASE-MSC-13601-1] c05 N72-11088

POTTER, A. E., JR.
Multispectral imaging system
[NASA-CASE-MSC-12404-1] c23 N73-13661

POTTER, M. E.
Method and apparatus for battery charge control Patent
[NASA-CASE-XGS-05432] c03 N71-19438

POTTER, P. D.
Cassegrainian antenna subreflector flange for suppressing ground noise Patent
[NASA-CASE-XNP-00683] c09 N70-35425

Dual mode horn antenna Patent
[NASA-CASE-XNP-01057] c07 N71-15907

POUCHOT, W. D.
Self-adjusting multisegment, deployable, natural circulation radiator Patent
[NASA-CASE-XHQ-03673] c33 N71-29046

POVINELLI, L. A.
Burning rate control of solid propellants Patent
[NASA-CASE-XLE-03494] c27 N71-21819

POWELL, C. A., JR.
Instrument for measuring the dynamic behavior of liquids Patent
[NASA-CASE-XLA-05541] c12 N71-26387

POWELL, W. E., JR.
Target acquisition antenna
[NASA-CASE-GSC-10064-1] c10 N72-22235

POWER, J. L.
Method and apparatus for controlling thermal nuclear reactors
[NASA-CASE-XLE-05799] c22 N72-21644

An ion exchange nuclear reactor
[NASA-CASE-LEW-11645-2] c22 N73-28660

POWERS, E. I.
Thermal control system for a spacecraft modular housing
[NASA-CASE-GSC-11018-1] c31 N73-30829

POWERS, L. B.
Accumulator Patent Application
[NASA-CASE-MFS-10354] c12 N70-41976

Accumulator
[NASA-CASE-MFS-10354-2] c12 N72-25306

POZSONY, E. B.
Apparatus and method for skin packaging articles
[NASA-CASE-MFS-20855] c15 N73-27405

PRESCOTT, G. A.
Liquid-gas separation system Patent
[NASA-CASE-XMS-01624] c15 N70-40062

PRESLEY, L. L.
Method and apparatus for determining properties
of a plasma
[NASA-CASE-ARC-10598-1] c25 N73-29750

PRESTON, G. H.
Electronic checkout system for space vehicles
Patent
[NASA-CASE-XKS-08012-2] c31 N71-15566

PRESTON, G. H.
Satellite communication system Patent
[NASA-CASE-XNP-02389] c07 N71-28900

PRICE, A. G.
Attitude sensor
[NASA-CASE-LAR-10586-1] c14 N74-15089

PRICE, B. H.
Gravity gradient attitude control system Patent
[NASA-CASE-GSC-10555-1] c21 N71-27324

PRICE, P.
An apparatus for establishing flow of fluid mass
having a known velocity
[NASA-CASE-MFS-21424-1] c12 N73-16248

PRICE, S. B.
Surface roughness detector Patent
[NASA-CASE-XLA-00203] c14 N70-34161

PRIDE, J. D., JR.
Remote controlled tubular disconnect Patent
[NASA-CASE-XLA-01396] c03 N71-12259

PRIBBE, G. H.
Relief container
[NASA-CASE-XMS-06761] c05 N69-23192

PRIOLETTI, J. A.
Inductive liquid level detection system Patent
[NASA-CASE-XLE-01609] c14 N71-10500

BRITCHARD, E. B.
Orbital and entry tracking accessory for globes
[NASA-CASE-LAR-10626-1] c14 N74-21015

PROCK, G. E.
Digital transmitter for data bus communications
system
[NASA-CASE-MSC-14558-1] c07 N74-17888

PROKHSEY, J. H.
Method for making a heat insulating and ablative
structure
[NASA-CASE-XMS-01108] c15 N69-24322

PROFFIT, R. L.
Hydrogen fire detection system with logic
circuit to analyze the spectrum of temporal
variations of the optical spectrum
[NASA-CASE-MFS-13130] c10 N72-17173

PROGAN, D. J.
Process for applying black coating to metals
Patent
[NASA-CASE-XLA-06199] c15 N71-24875

PROK, G. H.
Apparatus for making a metal slurry product Patent
[NASA-CASE-XLE-00010] c15 N70-33382

PROKOPIUS, P. B.
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c14 N74-18101

PRUETT, B. J.
Apparatus for testing a pressure responsive
instrument Patent
[NASA-CASE-XNP-04134] c14 N71-23755

PRYOR, D. E.
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c28 N72-11708

PRZYBYSZYNSKI, J. S.
Method and apparatus for sputtering utilizing an
apertured electrode and a pulsed substrate bias
[NASA-CASE-LEW-10920-1] c17 N73-24569

PUCCHIELLI, A. A.
Three-axis controller Patent
[NASA-CASE-XAC-01404] c05 N70-41581

PULLING, R. C.
Transfer valve Patent
[NASA-CASE-XAC-01158] c15 N71-23051

PUCILLO, G. L.
Integrated thermoelectric generator/space
antenna combination
[NASA-CASE-XER-09521] c09 N72-12136

PULLING, R. C.
Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012

PURCELL, T. H., JR.
Electric storage battery
[NASA-CASE-NPO-11021] c03 N72-20032

Q

QUATINETZ, H.
Method for producing fiber reinforced metallic
composites Patent
[NASA-CASE-XLE-03925] c18 N71-22894

Gas purged dry box glove Patent
[NASA-CASE-XLE-02531] c05 N71-23080

Process for producing dispersion strengthened
nickel with aluminum Patent
[NASA-CASE-XLE-06969] c17 N71-24142

Method of producing refractory composites
containing tantalum carbide, hafnium carbide,
and hafnium boride Patent
[NASA-CASE-XLE-03940] c18 N71-26153

Refractory metal base alloy composites
[NASA-CASE-XLE-03940-2] c17 N72-28536

QUATTROWE, P. D.
Exposure system for animals Patent
[NASA-CASE-XAC-05333] c11 N71-22875

QUINN, R. B.
Maser for frequencies in the 7-20 GHz range
[NASA-CASE-NPO-11437] c16 N72-28521

R

RADNOSKY, H. L.
Life raft Patent
[NASA-CASE-XMS-00863] c05 N70-34857

Shock absorbing support and restraint means Patent
[NASA-CASE-XMS-01240] c05 N70-35152

Life preserver Patent
[NASA-CASE-XMS-00864] c05 N70-36493

Inflatable radar reflector unit Patent
[NASA-CASE-XMS-00893] c07 N70-40063

Life raft stabilizer
[NASA-CASE-MSC-12393-1] c02 N73-26006

RAGGIO, C. E., JR.
Steerable solid propellant rocket motor Patent
[NASA-CASE-XNP-00234] c28 N70-38645

RAINEY, R. B.
High speed flight vehicle control Patent
[NASA-CASE-XLA-08967] c02 N71-27088

RAINHATER, L. L.
Collapsible antenna boom and transmission line
Patent
[NASA-CASE-MFS-20068] c07 N71-27191

RAHEY, R. L.
Depositing semiconductor films utilizing a
thermal gradient
[NASA-CASE-XKS-04614] c15 N69-21460

Active microwave irises and windows
[NASA-CASE-LAR-10513-1] c07 N72-25170

Thin film microwave iris
[NASA-CASE-LAR-10511-1] c09 N72-29172

RAHBE, F. B.
Flexible conductive disc electrode Patent
[NASA-CASE-FRC-10029] c09 N71-24618

Method of removing insulated material from
insulated wires
[NASA-CASE-FRC-10038] c15 N72-20444

Method of making dry electrodes
[NASA-CASE-FRC-10029-2] c05 N72-25121

RANDALL, J. C.
Attitude control for spacecraft Patent
[NASA-CASE-XNP-02982] c31 N70-41855

RAHEY, J. P.
Buoyant anti-slosh system Patent
[NASA-CASE-XLA-04605] c32 N71-16106

RAPOSA, P. L.
Parasitic suppressing circuit
[NASA-CASE-ERC-10403-1] c10 N73-26228

RAPOZA, E. J.
Reversible current control apparatus Patent
[NASA-CASE-XLA-09371] c10 N71-18724

RASHUSSEN, H. P.
Transparent switchboard
[NASA-CASE-MSC-13746-1] c10 N73-32143

RASQUIN, J. R.
Angular measurement system Patent
[NASA-CASE-XNP-00447] c14 N70-33179

Electro-optical alignment control system Patent
[NASA-CASE-XNP-00908] c14 N70-40238

Laser coolant and ultraviolet filter
[NASA-CASE-MFS-20180] c16 N72-12440

Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332] c05 N72-20097

Apparatus for making diamonds
[NASA-CASE-MFS-20698] c15 N72-20446

High temperature furnace for melting materials
in space
[NASA-CASE-MFS-20710] c11 N72-23215

Process for making diamonds
[NASA-CASE-MFS-20698-2] c15 N73-19457

Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c05 N73-25125

Digital computing cardiometer
[NASA-CASE-MFS-20284-1] c05 N74-12778

RATCLIFF, L. P.
Latch mechanism
[NASA-CASE-MSC-12549-1] c15 N73-11443

RAVAS, R. J.
Transistor drive regulator Patent
[NASA-CASE-LEW-10233] c10 N71-27126

RAWSON, J.
Display research collision warning system
[NASA-CASE-HQN-10703] c21 N73-13643

RAY, W. L.
Remote fire stack igniter
[NASA-CASE-MFS-21675-1] c33 N73-31826

RAYLE, W. D.
Electric propulsion engine test chamber Patent
[NASA-CASE-XLE-00252] c11 N70-34844

READ, F. G.
Backpack carrier Patent
[NASA-CASE-LAR-10056] c05 N71-12351

READ, W. S.
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c15 N73-26475

Silent emergency alarm system for schools and
the like
[NASA-CASE-NPO-11307-1] c10 N73-30205

READER, A. F.
Method and apparatus for making curved
reflectors Patent
[NASA-CASE-XLE-08917] c15 N71-15597

Apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917-2] c15 N71-24836

READER, P. D.
Ion thruster cathode
[NASA-CASE-XLE-07087] c06 N69-39889

Electrostatic ion engine having a permanent
magnetic circuit Patent
[NASA-CASE-XLE-01124] c28 N71-14043

Electrostatic ion rocket engine Patent
[NASA-CASE-XLE-02066] c28 N71-15661

RECHTER, H. L.
Lightweight refractory insulation and method of
preparing the same Patent
[NASA-CASE-XHF-05279] c18 N71-16124

REDDING, A. H.
Self-adjusting multisegment, deployable, natural
circulation radiator Patent
[NASA-CASE-XHQ-03673] c33 N71-29046

REDMON, J. W.
Air bearing assembly for curved surfaces
[NASA-CASE-MFS-20423] c15 N72-11388

REECE, O. Y.
Low temperature flexure fatigue cryostat Patent
[NASA-CASE-XMF-02964] c14 N71-17659

Horizontal cryostat for fatigue testing Patent
[NASA-CASE-XMF-10968] c14 N71-24234

Synthesis of superconducting compounds by
explosive compaction of powders
[NASA-CASE-MFS-20861-1] c18 N73-32437

REED, L. E.
High power-high voltage waterload Patent
[NASA-CASE-XNP-05381] c09 N71-20842

REED, J. H., JR.
Instrument for use in performing a controlled
Valsalva maneuver Patent
[NASA-CASE-MMS-01615] c05 N70-41329

REED, L.
Method of forming ceramic to metal seal Patent
[NASA-CASE-XNP-01263-2] c15 N71-26312

REED, W. H., III
Test unit free-flight suspension system Patent
[NASA-CASE-XLA-00939] c11 N71-15926

Viscous-pendulum-damper Patent
[NASA-CASE-XLA-02079] c12 N71-16894

Viscous pendulum damper Patent
[NASA-CASE-LAR-10274-1] c14 N71-17626

Suspended mass impact damper Patent
[NASA-CASE-LAR-10193-1] c15 N71-27146

REHAGE, J. R.
Pulse counting circuit which simultaneously
indicates the occurrence of the nth pulse Patent
[NASA-CASE-XMF-00906] c09 N70-41655

REID, H. J. E., JR.
Dynamic precession damper for spin stabilized
vehicles Patent
[NASA-CASE-XLA-01989] c21 N70-34295

Attitude orientation of spin-stabilized space
vehicles Patent
[NASA-CASE-XLA-00281] c21 N70-36943

REID, H., JR.
Pulse width inverter Patent
[NASA-CASE-MFS-10068] c10 N71-25139

Induction motor control system with voltage
controlled oscillator circuit
[NASA-CASE-MFS-21465-1] c10 N73-32145

REID, R.
Spacecraft docking and alignment system
[NASA-CASE-MSC-12559-1] c31 N73-26879

REID, W. J.
Digital frequency discriminator Patent
[NASA-CASE-MFS-14322] c08 N71-18692

REINHARDT, G.
Gas purged dry box glove Patent
[NASA-CASE-XLE-02531] c05 N71-23080

REINHOLD, H. W.
Circuit breaker utilizing magnetic latching
relays Patent
[NASA-CASE-MSC-11277] c09 N71-29008

REINISCH, R. F.
Ultraviolet and thermally stable polymer
compositions
[NASA-CASE-ARC-10592-2] c06 N74-11926

Ultraviolet and thermally stable polymer
compositions
[NASA-CASE-ARC-10592-1] c18 N74-21156

REINITZ, K.
Extended area semiconductor radiation detectors
and a novel readout arrangement Patent
[NASA-CASE-XGS-03230] c14 N71-23401

REINBAUM, A.
Method of using photovoltaic cell using
poly-N-vinylcarbazole complex Patent
[NASA-CASE-NPO-10373] c03 N71-18698

Dicyanoacetylene polymers Patent
[NASA-CASE-XNP-03250] c06 N71-23500

Heat detection and compositions and devices
therefor
[NASA-CASE-NPO-10764-1] c14 N73-14428

Heat detection and compositions and devices
therefor
[NASA-CASE-NPO-10764-2] c10 N73-20259

Preparation of alkali metal dispersions
[NASA-CASE-XNP-08876] c17 N73-28573

REMPER, E. C.
Optically pumped resonance magnetometer for
determining vectoral components in a spatial
coordinate system Patent
[NASA-CASE-XGS-04879] c14 N71-20428

REMPFER, P. S.
Aircraft control system
[NASA-CASE-ERC-10439] c02 N73-19004

RENNER, W.
Bacteria detection instrument and method
[NASA-CASE-GSC-11533-1] c14 N73-13435

REPAS, J.
Rubber composition for use with hydrazine Patent
Application
[NASA-CASE-NPO-11433] c18 N71-31140

REPAS, G. A.
Rocket propellant injection
[NASA-CASE-LEW-11071-1] c27 N73-27695

REYNOLDS, J. M.
Device and method for determining X ray
reflection efficiency of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662

REYNOLDS, W. E.
Circuit breaker utilizing magnetic latching
relays Patent
[NASA-CASE-MSC-11277] c09 N71-29008

RHO, J. H.
Automated fluid chemical analyzer Patent
[NASA-CASE-XNP-09451] c06 N71-26754

RHODES, L. L.
Latching mechanism Patent
[NASA-CASE-MSC-15474-1] c15 N71-26162

RIAZ, H.
Constant frequency output two stage induction

machine systems Patent
[NASA-CASE-ERC-10065] c09 N71-27364

RIBARICH, J. J.
Guidance and maneuver analyzer Patent
[NASA-CASE-XNP-09572] c14 N71-15621

RICCITIELLO, S. L.
Intumescent composition, foamed product prepared
therewith, and process for making same
[NASA-CASE-ARC-10304-1] c18 N73-26572

RICCITIELLO, S. R.
Modified polyisocyanurate polymer foam Patent
Application
[NASA-CASE-ARC-10280-1] c18 N70-34695
Modified polyurethane foams for fuel-fire Patent
[NASA-CASE-ARC-10098-1] c06 N71-24739
Flexible fire retardant foam
[NASA-CASE-ARC-10180-1] c28 N72-20767
Flexible fire retardant polyisocyanate modified
neoprene foam
[NASA-CASE-ARC-10180-1] c06 N74-12814

RICE, R. F.
Data compression system
[NASA-CASE-NPO-11243] c07 N72-20154

RICE, R. R.
Cryogenic storage system Patent
[NASA-CASE-XHS-04390] c31 N70-41871

RICE, R. H.
Extrusion can
[NASA-CASE-NPO-10812] c15 N73-13464

RICH, R.
Bacterial contamination monitor
[NASA-CASE-GSC-10879-1] c14 N72-25413

RICH, R., JR.
Protein sterilization method of firefly
luciferase using reduced pressure and
molecular sieves
[NASA-CASE-GSC-10225-1] c06 N73-27086

RICHARD, C. E.
Low cycle fatigue testing machine
[NASA-CASE-LAR-10270-1] c32 N72-25877

RICHARD, R. R.
Angular accelerometer Patent
[NASA-CASE-XHS-05936] c14 N70-41682

RICHARDS, B. E.
Method and apparatus for optical modulating a
light signal Patent
[NASA-CASE-GSC-10216-1] c23 N71-26722

RICHARDSON, R. H.
Method for measuring cutaneous sensory perception
[NASA-CASE-MSC-13609-1] c05 N72-25122

RICHLBY, R. A.
Rocket engine Patent
[NASA-CASE-XLE-00342] c28 N70-37980

RICHMOND, J. C.
Ellipsoidal mirror reflectometer including means
for averaging the radiation reflected from the
sample Patent
[NASA-CASE-XGS-05291] c23 N71-16341

RICHTER, C. G.
Formed metal ribbon wrap Patent
[NASA-CASE-XLE-00164] c15 N70-36411

RICHTER, R. L.
Reversible motion drive system Patent
[NASA-CASE-NPO-10173] c15 N71-24696

RICHTER, I. A.
Dual digital video switcher
[NASA-CASE-KSC-10782-1] c07 N73-32063

RIEBE, J. B.
Landing arrangement for aerial vehicles Patent
[NASA-CASE-XLA-00142] c02 N70-33286
Jet aircraft configuration Patent
[NASA-CASE-XLA-00087] c02 N70-33332
Landing arrangement for aerial vehicle Patent
[NASA-CASE-XLA-00806] c02 N70-34858
Landing arrangement for aerospace vehicle Patent
[NASA-CASE-XLA-00805] c31 N70-38010
Control system for rocket vehicles Patent
[NASA-CASE-XLA-01163] c21 N71-15582

RIBBLING, R. B.
Force-balanced, throttle valve Patent
[NASA-CASE-NPO-10808] c15 N71-27432
Bipropellant injector
[NASA-CASE-XNP-09461] c28 N72-23809

RILEY, J. F.
Compact solar still Patent
[NASA-CASE-XHS-04533] c15 N71-23086

RILEY, F. J.
Nickel-base alloy Patent
[NASA-CASE-XLE-00283] c17 N70-36616

RINARD, G. A.
Tumbler system to provide random motion
[NASA-CASE-XGS-02437] c15 N69-21472

RINDNER, H.
Voltage tunable Gunn-type microwave generator
Patent
[NASA-CASE-XER-07894] c09 N71-18721
Transverse piezoresistance and pinch effect
electromechanical transducers Patent
[NASA-CASE-ERC-10088] c26 N71-25490
Pressure sensitive transducers Patent
[NASA-CASE-ERC-10087] c14 N71-27334
Gunn-type solid state devices
[NASA-CASE-XER-07895] c26 N72-25679
Electricity measurement devices employing liquid
crystalline materials
[NASA-CASE-ERC-10275] c26 N72-25680
Semiconductor transducer device
[NASA-CASE-ERC-10087-2] c14 N72-31446

RINEHART, D.
Space suit
[NASA-CASE-HSC-12609-1] c05 N73-32012

RINGELMAN, J. F.
Regulated power supply Patent
[NASA-CASE-XHS-01991] c09 N71-21449

RITCHIE, D. G.
Soil particles separator, collector and viewer
Patent
[NASA-CASE-XNP-09770] c15 N71-20440
Material handling device Patent
[NASA-CASE-XNP-09770-3] c11 N71-27036
Screen particle separator
[NASA-CASE-XNP-09770-2] c15 N72-22483

RITCHIE, D. H.
Solar battery with interconnecting means for
plural cells Patent
[NASA-CASE-XNP-06506] c03 N71-11050

RITCHIE, V. S.
Aerodynamic measuring device Patent
[NASA-CASE-XLA-00481] c14 N70-36824
Check valve assembly for a probe Patent
[NASA-CASE-XLA-00128] c15 N70-37925

RITTER, D. L.
Foldable construction block
[NASA-CASE-MSC-12233-2] c32 N73-13921

ROBBINS, R. J.
Attitude control system for sounding rockets
Patent
[NASA-CASE-XGS-01654] c31 N71-24750

ROBERTS, D. E.
Apparatus for testing wiring harness by
vibration generating means
[NASA-CASE-MSC-15158-1] c14 N72-17325

ROBERTS, D. L.
Laser apparatus for removing material from
rotating objects Patent
[NASA-CASE-MFS-11279] c16 N71-20400

ROBERTS, E. J.
Cryogenic feedthrough
[NASA-CASE-LAR-10031] c15 N72-22484

ROBERTS, V. H.
Silent emergency alarm system for schools and
the like
[NASA-CASE-NPO-11307-1] c10 N73-30205

ROBERTSON, A. J.
Aircraft control system
[NASA-CASE-ERC-10439] c02 N73-19004

ROBERTSON, J. R.
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c14 N74-18088

ROBERTSON, B. L.
Two-axis controller Patent
[NASA-CASE-XPR-04104] c03 N70-42073

ROBILLARD, G.
Apparatus and method for control of a solid
fueled rocket vehicle Patent
[NASA-CASE-XNP-00217] c28 N70-38181

ROBINS, A. B.
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c02 N71-12243

ROBINSON, G. P.
Heat flux sensor assembly
[NASA-CASE-XHS-05909-1] c14 N69-27459

ROBINSON, B.
Solid state chemical source for ammonia beam
maser Patent
[NASA-CASE-XGS-01504] c16 N70-41578

ROBINSON, B. J., JR.
Microwave power transmission system wherein

level of transmitted power is controlled by reflections from receiver
[NASA-CASE-MFS-21470-1] c10 N74-19870

ROCHOW, S. E.
Hydroxy terminated perfluoro ethers Patent
[NASA-CASE-NPO-10768] c06 N71-27254
Perfluoro polyether acyl fluorides
[NASA-CASE-NPO-10765] c06 N72-20121
Polyurethane resins from hydroxy terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c06 N72-27144
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-2] c06 N72-27151
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c06 N73-33076

RODNER, W. H.
Solar cell mounting Patent
[NASA-CASE-XNP-00826] c03 N71-20895

ROESKE, P. W.
Inductive liquid level detection system Patent
[NASA-CASE-XLE-01609] c14 N71-10500

ROGALLO, P. A.
Aeroflexible structures
[NASA-CASE-XLA-06095] c01 N69-39981
Jet aircraft configuration Patent
[NASA-CASE-XLA-00087] c02 N70-33332
Control for flexible parawing Patent
[NASA-CASE-XLA-06958] c02 N71-11038

ROGALLO, V. L.
Propeller blade loading control Patent
[NASA-CASE-XAC-00139] c02 N70-34856
Null-type vacuum microbalance Patent
[NASA-CASE-XAC-00472] c15 N70-40180
Thermo-protective device for balances Patent
[NASA-CASE-XAC-00648] c14 N70-40400
Force transducer Patent
[NASA-CASE-XAC-01101] c14 N70-41957

ROGERS, P. O.
Synthesis of zinc titanate pigment and coatings containing the same
[NASA-CASE-MFS-13532] c18 N72-17532

ROLF, R.
Laser Doppler system for measuring three dimensional vector velocity Patent
[NASA-CASE-MFS-20386] c21 N71-19212

ROLIK, G. P.
Solar cell panels with light transmitting plate
[NASA-CASE-NPO-10747] c03 N72-22042

ROLLER, R. P.
Demodulator for carrier transducers
[NASA-CASE-NUC-10107-1] c09 N74-17930

ROLLINS, G. N.
System for calibrating pressure transducer
[NASA-CASE-LAR-10910-1] c14 N74-13132

ROM, P. E.
Gaseous nuclear rocket Patent
[NASA-CASE-XLE-00321] c22 N70-34572
Gas core nuclear reactor Patent
[NASA-CASE-LEW-10250-1] c22 N71-28759

ROMAN, J. A.
Biomedical electrode arrangement Patent
[NASA-CASE-XFR-10856] c05 N71-11189
Method and apparatus for attaching physiological monitoring electrodes Patent
[NASA-CASE-XFR-07658-1] c05 N71-26293
Gas low pressure low flow rate metering system Patent
[NASA-CASE-FRC-10022] c12 N71-26546
Respiration monitor
[NASA-CASE-FRC-10012] c14 N72-17329

ROMANCZYK, K. C.
Fringe counter for interferometers Patent
[NASA-CASE-LAR-10204] c14 N71-27215

ROHMEL, M. A.
Hydrogen leak detection device Patent
[NASA-CASE-MFS-11537] c14 N71-20442

ROMVARY, E., JR.
Intermittent type silica gel adsorption refrigerator Patent
[NASA-CASE-XNP-00920] c15 N71-15906

RONNY, B. W.
Evacuation valve
[NASA-CASE-LAR-10061-1] c15 N72-31483

ROOT, G. L.
Valve seat
[NASA-CASE-NPO-10606] c15 N72-25451

ROSALES, L. A.
Control valve and co-axial variable injector Patent
[NASA-CASE-XNP-09702] c15 N71-17654
Multiple orifice throttle valve Patent
[NASA-CASE-XNP-09698] c15 N71-18580

ROSEN, H. A.
Varactor high level mixer
[NASA-CASE-IGS-02171] c09 N69-24324
Apparatus for changing the orientation and velocity of a spinning body traversing a path Patent
[NASA-CASE-HQN-00936] c31 N71-29050

ROSEN, L.
Focused image holography with extended sources Patent
[NASA-CASE-ERC-10019] c16 N71-15551
Recording and reconstructing focused image holograms Patent
[NASA-CASE-ERC-10017] c16 N71-15567
Method and means for recording and reconstructing holograms without use of a reference beam Patent
[NASA-CASE-ERC-10020] c16 N71-26154

ROSENBAUM, B. J.
Flow test device
[NASA-CASE-XMS-04917] c14 N69-24257

ROSENBLUM, L.
Split welding chamber Patent
[NASA-CASE-LEW-11531] c15 N71-14932
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c06 N71-23527

ROSIN, A. D.
Zero gravity separator Patent
[NASA-CASE-XLE-00586] c15 N71-15968

ROSIN, S.
Wide angle long eye relief eyepiece Patent
[NASA-CASE-XMS-06056-1] c23 N71-24857
Ritchey-Chretien Telescope
[NASA-CASE-GSC-11487-1] c14 N73-30393

ROSINSKI, W. K.
Adjustable force probe
[NASA-CASE-MFS-20760] c14 N72-33377

ROSITANO, S. A.
Ultra-flexible biomedical electrodes and wires Patent Application
[NASA-CASE-ARC-10268-1] c09 N70-12620
Visual examination apparatus
[NASA-CASE-ARC-10329-1] c05 N73-26072
Ultra-flexible biomedical electrodes and wires
[NASA-CASE-ARC-10268-2] c05 N74-11900
Ultra-flexible biomedical electrode and wires
[NASA-CASE-ARC-10268-3] c05 N74-11901
Visual examination apparatus
[NASA-CASE-ARC-10329-2] c05 N74-19761

ROSSER, R. W.
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c18 N74-11366
Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c06 N74-12812

ROSSI, B. E.
X-ray reflection collimator adapted to focus X-radiation directly on a detector Patent
[NASA-CASE-XHQ-04106] c14 N70-40240

ROSSON, V. J.
Apparatus for measuring conductivity and velocity of plasma utilizing a plurality of sensing coils positioned in the plasma Patent
[NASA-CASE-XAC-05695] c25 N71-16073

ROTH, E.
Voltage tunable Gunn-type microwave generator Patent
[NASA-CASE-XER-07894] c09 N71-18721
Gunn-type solid state devices
[NASA-CASE-XER-07895] c26 N72-25679

ROTHMAN, A.
Supporting and protecting device Patent
[NASA-CASE-XMP-00580] c11 N70-35383

ROUDEBUSH, W. E.
Gas turbine combustor Patent
[NASA-CASE-LEW-10286-1] c28 N71-28915

ROUSEY, W. J.
A system for generating timing and control signals
[NASA-CASE-NPO-13125-1] c09 N73-18225

ROUZER, L. E.
Segmented superconducting magnet for a broadband traveling wave maser Patent
[NASA-CASE-XGS-10518] c16 N71-28554

ROBE, H. E.
A dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c16 N73-32398

ROBLAND, C. E.
Apparatus for ejection of an instrument cover
[NASA-CASE-XHP-04132] c15 N69-27502
Laser communication system for controlling
several functions at a location remote to the
laser
[NASA-CASE-LAR-10311-1] c16 N73-16536

ROBLEY, P. D.
Method and apparatus for determining properties
of a plasma
[NASA-CASE-ARC-10598-1] c25 N73-29750

ROY, D.
Cosmic dust analyzer
[NASA-CASE-HSC-13802-1] c30 N72-20805

ROY, U.
Synthesis of superconducting compounds by
explosive compaction of powders
[NASA-CASE-HFS-20861-1] c18 N73-32437

ROBERT, K. F.
Method of obtaining permanent record of surface
flow phenomena Patent
[NASA-CASE-XLA-01353] c14 N70-41366
Quick release connector Patent
[NASA-CASE-XLA-01141] c15 N71-13789

RUBIN, B.
Process for the preparation of brushite crystals
[NASA-CASE-ERC-10338] c04 N72-33072

RUBIN, D. C.
Electricity measurement devices employing liquid
crystalline materials
[NASA-CASE-ERC-10275] c26 N72-25680

RUDDOCK, K. A.
Optically pumped resonance magnetometer for
determining vectorial components in a spatial
coordinate system Patent
[NASA-CASE-IGS-04879] c14 N71-20428

RUHNER, L.
Rocket borne instrument to measure electric
fields inside electrified clouds
[NASA-CASE-KSC-10730-1] c14 N73-32318

RUHNE, L. H.
Determining distance to lightning strokes from a
single station
[NASA-CASE-KSC-10698] c07 N73-20175

RUBBLE, C. V.
Means for accommodating large overstrain in lead
wires
[NASA-CASE-LAR-10168-1] c09 N73-22151
Adjustable frequency response microphone
[NASA-CASE-LAR-11170-1] c07 N74-12843

RUHREL, J. A.
Metabolic analyzer
[NASA-CASE-HFS-21415-1] c05 N74-20728

RUHLER, D. E.
Automatic force measuring system Patent
[NASA-CASE-XLA-02605] c14 N71-10773
Low mass truss structure
[NASA-CASE-LAR-10546-1] c11 N72-25287

RUPIK, D. R.
Switching circuit Patent
[NASA-CASE-XNP-06505] c10 N71-24799

RUSSELL, C. E.
Analog to digital converter tester Patent
[NASA-CASE-XLA-06713] c14 N71-28991

RUSSELL, G. E.
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c16 N74-16187

RUSSELL, J. E., III
Event recorder Patent
[NASA-CASE-XLA-01832] c14 N71-21006
Ablation sensor Patent
[NASA-CASE-XLA-01791] c14 N71-22991

RUSSELL, L. D.
High intensity radiant energy pulse source
having means for opening shutter when light
flux has reached a desired level
[NASA-CASE-ARC-10178-1] c09 N72-17152
Thermoelectric radionometer utilizing polymer film
[NASA-CASE-ARC-10138-1] c14 N72-24477

RUSSELL, M. E.
Method and apparatus for making curved
reflectors Patent
[NASA-CASE-XLE-08917] c15 N71-15597
Apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917-2] c15 N71-24836

RUST, E.
Solenoid construction Patent
[NASA-CASE-XNP-01951] c09 N70-41929

SABAROFF, S.
Broadband frequency discriminator Patent
[NASA-CASE-NPO-10096] c07 N71-24583

SABELMAN, E. E.
Pump for delivering heated fluids
[NASA-CASE-NPO-11417] c15 N73-24513
Ferofluidic solenoid
[NASA-CASE-NPO-11238-1] c09 N73-30185

SABOL, A. F.
Crossed-field HED plasma generator/ accelerator
Patent
[NASA-CASE-XLA-03374] c25 N71-15562
Self-repeating plasma generator having
communicating annular and linear arc discharge
passages Patent
[NASA-CASE-XLA-03103] c25 N71-21693
Heat exchanger system and method
[NASA-CASE-LAR-10799-1] c12 N73-12295
Apparatus and method for generating large mass
flow of high temperature air at hypersonic
speeds
[NASA-CASE-LAR-10612-1] c12 N73-28144

SACKS, B. E.
Magnetically actuated tuning method for Gunn
oscillators
[NASA-CASE-NPO-12106] c09 N73-15235

SAFFRE, H. E.
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c03 N74-19701

SAFFRE, H. E.
Material suspension within an acoustically
excited resonant chamber
[NASA-CASE-NPO-13263-1] c15 N73-31443
A doped Josephson tunneling junction for use in
a sensitive IR detector
[NASA-CASE-NPO-13348-1] c14 N74-20022

SABHAKHA, Y.
Optical control system for an electric motor
driven vehicle
[NASA-CASE-NPO-11210] c11 N72-20244

SAIDSBURY-CARTER, J. B.
Bonded joint and method
[NASA-CASE-LAR-10900-1] c15 N73-10499

SALERS, S.
Radiation direction detector including means for
compensating for photocell aging Patent
[NASA-CASE-XLA-00183] c14 N70-40239
Spacecraft separation system for spinning
vehicles and/or payloads Patent
[NASA-CASE-XLA-02132] c31 N71-10582

SALTER, E. E.
Pseudo-noise test set for communication system
evaluation
[NASA-CASE-HFS-22671-1] c14 N74-13146

SALTZMAN, E. J.
Traversing probe Patent
[NASA-CASE-IFR-02007] c12 N71-24692

SALVINSKI, R. J.
Electrohydrodynamic control valve Patent
[NASA-CASE-NPO-10416] c12 N71-27332
Ultrasonically bonded valve assembly
[NASA-CASE-NPO-13360-1] c15 N74-20073

SAMFIELD, E.
Inflatable tether Patent
[NASA-CASE-XHS-10993] c15 N71-28936

SAMONSKI, F. H., JR.
Liquid-gas separator for zero gravity
environment Patent
[NASA-CASE-XHS-01892] c05 N70-41297

SAMSON, J. A. E.
Analytical photoionization mass spectrometer
with an argon gas filter between the light
source and monochromator Patent
[NASA-CASE-LAR-10180-1] c06 N71-13461

SAMSON, E.
Sealed cabinetry Patent
[NASA-CASE-HSC-12168-1] c09 N71-18600

SAN MIGUEL, A.
Means and method of measuring viscoelastic
strain Patent
[NASA-CASE-XNP-01153] c32 N71-17645
Miniature stress transducer Patent
[NASA-CASE-XNP-02983] c14 N71-21091

SANDBORN, V. A.

Particle beam measurement apparatus using beam kinetic energy to change the heat sensitive resistance of the detection probe Patent
[NASA-CASE-XLE-00243] c14 N70-38602

Apparatus for increasing ion engine beam density Patent
[NASA-CASE-XLE-00519] c28 N70-41576

SANDER, R. C.
Transient video signal recording with expanded playback Patent
[NASA-CASE-ARC-10003-1] c09 N71-25866

SANDERS, A. P.
Oxygen production method and apparatus
[NASA-CASE-MSC-12332-1] c15 N72-15476

SANDERS, B. W.
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c02 N74-20646

SANDROCK, G. D.
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-02991] c17 N71-16025

High temperature ferromagnetic cobalt-base alloy Patent
[NASA-CASE-XLE-03629] c17 N71-23248

Cobalt-base alloy
[NASA-CASE-LEW-10436-1] c17 N73-32415

SANDSTROM, D. B.
Fabrication of single crystal film semiconductor devices
[NASA-CASE-ERC-10222] c09 N72-22199

SANTARPIA, D.
A dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c16 N73-32398

SAUER, L. S.
Hybrid lubrication system and bearing Patent
[NASA-CASE-KNP-01641] c15 N71-22997

SAUER, T. H.
Parallel-plate viscometer with double diaphragm suspension
[NASA-CASE-NPO-11387] c14 N73-14429

SAUERS, D. G.
Measuring device Patent
[NASA-CASE-XMS-01546] c14 N70-40233

SAUNDERS, A. R.
A technique for breaking ice in the path of a ship
[NASA-CASE-LAR-10815-1] c16 N72-22520

SAUNDERS, M. T.
Method of producing porous tungsten ionizers for ion rocket engines Patent
[NASA-CASE-XLE-00455] c28 N70-38197

SAUTER, R. J.
Foot pedal operated fluid type exercising device
[NASA-CASE-MSC-11561-1] c05 N73-32014

SAVINO, J. M.
Simulated fuel assembly Patent
[NASA-CASE-XLE-00724] c14 N70-34669

SAWKO, P. M.
Polymeric vehicles as carriers for sulfonic acid salt of nitrosubstituted aromatic amines
[NASA-CASE-ARC-10325] c06 N72-25147

Intumescent paint containing nitrile rubber
[NASA-CASE-ARC-10196-1] c18 N73-13562

Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c18 N74-16249

SAWYER, C. D.
Control for nuclear thermionic power source
[NASA-CASE-NPO-13114-1] c22 N73-13656

SAWYER, D. E.
Semiconductor-ferroelectric memory device
[NASA-CASE-ERC-10307] c08 N72-21198

Fabrication of single crystal film semiconductor devices
[NASA-CASE-ERC-10222] c09 N72-22199

SAWYER, J. T.
A leak detector
[NASA-CASE-MFS-21761-1] c14 N73-18444

SCAPICCHIO, A. J.
Apparatus and method for separating a semiconductor wafer Patent
[NASA-CASE-ERC-10138] c26 N71-14354

SCHACH, M.
Apparatus for controlling the temperature of balloon borne equipment
[NASA-CASE-GSC-11620-1] c14 N72-33379

SCHACHT, W. F.
Water cooled contactor for anode in carbon arc mechanism
[NASA-CASE-XMS-03700] c15 N69-24266

SCHACHTER, M. E.

Apparatus for producing three-dimensional recordings of fluorescence spectra Patent
[NASA-CASE-XGS-01231] c14 N70-41676

SCHAEFER, D. E.
Binary magnetic memory device Patent
[NASA-CASE-XGS-00174] c08 N70-34743

Logarithmic converter Patent
[NASA-CASE-XLA-00471] c08 N70-34778

Full binary adder Patent
[NASA-CASE-XGS-00689] c08 N70-34787

Ripple add and ripple subtract binary counters Patent
[NASA-CASE-XGS-04766] c08 N71-18602

Computing apparatus Patent
[NASA-CASE-XGS-04765] c08 N71-18693

Signal detection and tracking apparatus Patent
[NASA-CASE-XGS-03502] c10 N71-20852

SCHAEER, G. E.
Method of making porous conductive supports for electrodes
[NASA-CASE-GSC-11367-1] c03 N74-19692

SCHAEFER, G. L.
Multivibrator circuit with means to prevent false triggering from supply voltage fluctuations Patent
[NASA-CASE-ARC-10137-1] c09 N71-28468

SCHAEFFERT, J. C.
Ultra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit Patent
[NASA-CASE-XGS-00381] c09 N70-34819

SCHALLER, N. C.
Apparatus for vibrational testing of articles
[NASA-CASE-GSC-11302-1] c14 N73-13416

SCHAPPERT, G. T.
Method and apparatus for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343

SCHAUS, R. B.
Thermobulb mount Patent
[NASA-CASE-NPO-10158] c33 N71-16356

SCHREIBE, H.
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c05 N74-17853

SCHELL, J. T.
Cryogenic thermal insulation Patent
[NASA-CASE-XMF-05046] c33 N71-28892

SCHER, M. P.
Spacecraft attitude control method and apparatus
[NASA-CASE-HQN-10439] c21 N72-21624

SCHER, S. H.
Hot air balloon deceleration and recovery system Patent
[NASA-CASE-XLA-06824-2] c02 N71-11037

SCHIFFNER, G.
Power supply for carbon dioxide lasers
[NASA-CASE-GSC-11222-1] c16 N73-32391

SCHINDLER, R. A.
Interferometer direction sensor Patent
[NASA-CASE-NPO-10320] c14 N71-17655

Interferometer servo system Patent
[NASA-CASE-NPO-10300] c14 N71-17662

Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c14 N73-29438

SCHLESINGER, F. W.
Optical alignment system Patent
[NASA-CASE-XNP-02029] c14 N70-41955

SCHLOSS, A. L.
Solid state switch
[NASA-CASE-XNP-09228] c09 N69-27500

SCHMIDT, E. E.
Caterpillar micro positioner
[NASA-CASE-GSC-10780-1] c14 N72-16283

SCHMIDT, H. W.
Conical valve plug Patent
[NASA-CASE-XLE-00715] c15 N70-34859

Fluid coupling Patent
[NASA-CASE-XLE-00397] c15 N70-36492

SCHMIDT, K. C.
Radiation and particle detector and amplifier
[NASA-CASE-NPO-12128-1] c14 N73-32317

SCHMIDT, L. F.
Photosensitive device to detect bearing deviation Patent
[NASA-CASE-XNP-00438] c21 N70-35089

Light sensor
[NASA-CASE-NPO-11311] c14 N72-25414

SCHMIDT, R.
Reactance control system Patent
[NASA-CASE-IMP-01598] c21 N71-15583

SCHMIDT, R. F.
Monopulse system with an electronic scanner
[NASA-CASE-XGS-05582] c07 N69-27460
Electronic scanning of 2-channel monopulse patterns Patent
[NASA-CASE-GSC-10299-1] c09 N71-24804
Dish antenna having switchable beamwidth
[NASA-CASE-GSC-11760-1] c09 N73-32116

SCHMIDT, M. G.
Ammonium perchlorate composite propellant containing an organic transitional metal chelate catalytic additive Patent
[NASA-CASE-LAR-10173-1] c27 N71-14090

SCHMITZ, B. H.
Trajectory-correction propulsion system Patent
[NASA-CASE-IMP-01104] c28 N70-39931

SCHMITZER, E.
Inflatable honeycomb Patent
[NASA-CASE-XLA-00204] c32 N70-36536
Manned space station Patent
[NASA-CASE-XLA-00258] c31 N70-38676
Method of making inflatable honeycomb Patent
[NASA-CASE-XLA-03492] c15 N71-22713

SCHOPPER, B. H.
Dual purpose optical instrument capable of simultaneously acting as spectrometer and diffractometer
[NASA-CASE-YNP-05231] c14 N73-28491

SCHOEN, A. H.
Honeycomb panels formed of minimal surface periodic tubule layers
[NASA-CASE-ERC-10364] c18 N72-25540
Honeycomb core structures of minimal surface tubule sections
[NASA-CASE-ERC-10363] c18 N72-25541
Expandable space frames
[NASA-CASE-ERC-10365-1] c31 N73-32749

SCHOLL, H. F.
Recording apparatus
[NASA-CASE-LAR-11353-1] c14 N74-20020

SCHOLL, J. A.
Method of forming shapes from planar sheets of thermosetting materials
[NASA-CASE-NPO-11036] c15 N72-24522

SCHORUB, S. H.
High speed binary to decimal conversion system Patent
[NASA-CASE-XGS-01230] c08 N71-19544

SCHRAEDER, J. H.
Multiple input radio receiver Patent
[NASA-CASE-XLA-00901] c07 N71-10775
Cooperative Doppler radar system Patent
[NASA-CASE-LAR-10403] c21 N71-11766
Apparatus for aiding a pilot in avoiding a midair collision between aircraft
[NASA-CASE-LAR-10717-1] c21 N73-30641

SCHREDER, K. D.
Broadband stable power multiplier Patent
[NASA-CASE-YNP-10854] c10 N71-26331

SCHULLER, F. T.
Journal bearings
[NASA-CASE-LEW-11076-2] c15 N73-20533
Journal bearings
[NASA-CASE-LEW-11076-3] c15 N74-10475
Journal bearings
[NASA-CASE-LEH-11076-4] c15 N74-18134
Journal bearings
[NASA-CASE-LEH-11076-1] c15 N74-21061

SCHUNACHER, L. L.
Wide angle sun sensor
[NASA-CASE-NPO-13327-1] c14 N74-18093

SCHUSTER, D. H.
Antenna beam-shaping apparatus Patent
[NASA-CASE-IMP-00611] c09 N70-35219
parabolic reflector horn feed with spillover correction Patent
[NASA-CASE-YNP-00540] c09 N70-35382
insertion loss measuring apparatus having transformer means connected across a pair of bolometers Patent
[NASA-CASE-YNP-01193] c10 N71-16057

SCHUSTER, H. A.
Solid state television camera system Patent
[NASA-CASE-XMF-06092] c07 N71-24612

SCHUTT, J. B.
Alkali-metal silicate protective coating
[NASA-CASE-XGS-04119] c18 N69-39979
Fire resistant coating composition Patent
[NASA-CASE-GSC-10072] c18 N71-14014
Method for etching copper Patent
[NASA-CASE-XGS-06306] c17 N71-16044
Alkali metal silicate protective coating Patent
[NASA-CASE-XGS-04799] c18 N71-24183
Phototropic composition of matter
[NASA-CASE-XGS-03736] c14 N72-22443
Potassium silicate zinc coatings
[NASA-CASE-GSC-10361-1] c18 N72-23581
Ultraviolet light reflective coating
[NASA-CASE-GSC-11786-1] c18 N74-10542

SCHWAB, H. B.
Solid state power mapping instrument Patent
[NASA-CASE-XLE-00301] c14 N70-36808

SCHWARTZ, I. R.
Exhaust noises in jet engines
[NASA-CASE-ARC-10712-1] c28 N73-20826

SCHWARZ, P. C.
Saturation current protection apparatus for saturable core transformers Patent
[NASA-CASE-ERC-10075] c09 N71-24800
Unsaturating saturable core transformer Patent
[NASA-CASE-ERC-10125] c09 N71-24893
Load insensitive electrical device
[NASA-CASE-XER-11046-2] c09 N72-21251
Saturation current protection apparatus for saturable core transformers
[NASA-CASE-ERC-10075-2] c09 N72-22196
Load-insensitive electrical device
[NASA-CASE-XER-11046] c09 N72-22203
Analog Signal to Discrete Time Interval Converter (ASDTIC)
[NASA-CASE-ERC-10048] c09 N72-25251
Controllable load insensitive power converters
[NASA-CASE-ERC-10268] c09 N72-25252

SCHWINGHAUER, R. J.
Angular measurement system Patent
[NASA-CASE-YNP-00447] c14 N70-33179
Space vehicle electrical system Patent
[NASA-CASE-XMF-00517] c03 N70-34157
Electrical discharge apparatus for forming Patent
[NASA-CASE-YNP-00375] c15 N70-34249
Electro-optical alignment control system Patent
[NASA-CASE-XMF-00908] c14 N70-40238
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114] c15 N71-17650
Magnetomotive metal working device Patent
[NASA-CASE-XMF-03793] c15 N71-24833
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-3] c15 N71-24865
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-2] c15 N71-26148

SCIACCA, T. P.
Device for measuring electron-beam intensities and for subjecting materials to electron irradiation in an electron microscope
[NASA-CASE-XGS-01725] c14 N69-39982

SCOGGINS, J. R.
Meteorological balloon Patent
[NASA-CASE-XMF-04163] c02 N71-23007

SCOTT, C. E.
Magnifying scratch gage force transducer
[NASA-CASE-LAR-10496-1] c14 N72-22437

SCOTT, C. H.
Inflatable transpiration cooled nozzle
[NASA-CASE-HFS-20619] c28 N72-11708

SCOTT, R. F.
Burrowing apparatus
[NASA-CASE-YNP-07169] c15 N73-32362

SCOTT, R. E.
Solar cell including second surface mirrors Patent
[NASA-CASE-NPO-10109] c03 N71-11049

SCOTT, S. G.
Nonmagnetic thermal motor for a magnetometer
[NASA-CASE-XAR-03786] c09 N69-21313

SCOTT, H. L.
Tactile sensing means for prosthetic limbs
[NASA-CASE-HFS-16570-1] c05 N73-32013

SCOB, J.
Multiple circuit switch apparatus with improved pivot actuator structure Patent
[NASA-CASE-XAC-03777] c10 N71-15909

SCROOP, F. R.
Relief container
[NASA-CASE-XMS-06761] c05 N69-23192

SCULLY, P. T.
Collapsible reflector Patent
[NASA-CASE-XMS-03454] c09 N71-20658

SEA, R. G.
Junction range finder
[NASA-CASE-XSC-10108] c14 N73-25461

SEATON, A. F.
Phase multiplying electronic scanning system
Patent
[NASA-CASE-NPO-10302] c10 N71-26142
Virtual wall slot circularly polarized planar
array antenna
[NASA-CASE-NPO-10301] c07 N72-11148
Conical reflector antenna
[NASA-CASE-NPO-10303] c07 N72-22127

SEATON, S. L.
Electrostatic plasma modulator for space vehicle
re-entry communication Patent
[NASA-CASE-XLA-01400] c07 N70-41331
Means for communicating through a layer of
ionized gases Patent
[NASA-CASE-XLA-01127] c07 N70-41372
Method for measuring the characteristics of a
gas Patent
[NASA-CASE-XLA-03375] c16 N71-24074
Laser calibrator Patent
[NASA-CASE-XLA-03410] c16 N71-25914

SEAY, B. P., JR.
Burst synchronization detection system Patent
[NASA-CASE-XMS-05605-1] c10 N71-19468

SECKEL, E.
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c02 N73-30938

SECHSTAN, L.
Rotary bead dropper and selector for testing
micrometeorite detectors Patent
[NASA-CASE-XGS-03304] c09 N71-22988

SEEGMILLER, H. L. B.
Inertia diaphragm pressure transducer Patent
[NASA-CASE-XAC-02981] c14 N71-21072

SEIDENBERG, B.
Method and apparatus for determining the
contents of contained gas samples
[NASA-CASE-GSC-10903-1] c14 N73-12444
Low outgassing polydimethylsiloxane material and
preparation thereof
[NASA-CASE-GSC-11358-1] c06 N73-26100

SEILER, E. B.
Method for leakage testing of tanks Patent
[NASA-CASE-XMF-02392] c32 N71-24285

SEITZ, T. E.
Heat activated cell with alkali anode and alkali
salt electrolyte Patent
[NASA-CASE-LEW-11358] c03 N71-26084

SEITZINGER, V. F.
Unfired-ceramic flame-resistant insulation and
method of making the same Patent
[NASA-CASE-XMF-01030] c18 N70-41583
Ceramic insulation for radiant heating
environments and method of preparing the same
Patent
[NASA-CASE-MFS-14253] c33 N71-24858

SELLEN, J. B., JR.
Method and apparatus for measuring potentials in
plasmas Patent
[NASA-CASE-XLE-00821] c25 N71-15650
Apparatus for field strength measurement of a
space vehicle Patent
[NASA-CASE-XLE-00820] c14 N71-16014
Apparatus for measuring electric field strength
on the surface of a model vehicle Patent
[NASA-CASE-XLE-02038] c09 N71-16086

SERAFINI, T. T.
Preparation of polyimides from mixtures of
monomeric diamines and esters of
polycarboxylic acids
[NASA-CASE-LEW-11325-1] c06 N73-27980
Fabrication of polyphenylquinoxaline composite
articles by means of in situ polymerization of
monomers
[NASA-CASE-LEW-11879-1] c18 N74-20152

SEWARD, H. H.
Two color horizon sensor
[NASA-CASE-ERC-10174] c14 N72-25409

SEYFFERT, M. B.
Controlled glass bead peening Patent

[NASA-CASE-XLA-07390] c15 N71-18616

SEYL, J. W.
Dynamic Doppler simulator Patent
[NASA-CASE-XMS-05854-1] c07 N71-12391

SHAFFER, J. I.
Solid propellant rocket motor nozzle
[NASA-CASE-NPO-11458] c28 N72-23810
Solid propellant and method of preparation
[NASA-CASE-NPO-11975-1] c27 N73-17802
Solid propellant rocket motor
[NASA-CASE-NPO-11559] c28 N73-24784

SHAFFER, C. V.
Active RC networks
[NASA-CASE-ARC-10042-2] c10 N72-11256
Multiloop RC active filter apparatus having low
parameter sensitivity with low amplifier gain
[NASA-CASE-ARC-10192] c09 N72-21245

SHAI, C. M.
Alkali-metal silicate protective coating
[NASA-CASE-XGS-04119] c18 N69-39979
Alkali metal silicate protective coating Patent
[NASA-CASE-XGS-04799] c18 N71-24183

SHALTENS, B. K.
Method and apparatus for sputtering utilizing an
apertured electrode and a pulsed substrate bias
[NASA-CASE-LEW-10920-1] c17 N73-24569

SHANKAR, N. K.
Ultraprecise calibrated light source
[NASA-CASE-MSC-12293-1] c14 N72-27411

SHAPIRO, H.
Omni-directional anisotropic molecular trap Patent
[NASA-CASE-XGS-00783] c30 N71-17788
Trap for preventing diffusion pump backstreaming
[NASA-CASE-GSC-10518-1] c15 N72-22489

SHATZSKY, R.
Tape guidance system and apparatus for the
provision thereof Patent
[NASA-CASE-XNP-09453] c08 N71-19420

SHATTUCK, R. D.
Protection of serially connected solar cells
against open circuits by the use of shunting
diode Patent
[NASA-CASE-XLE-04535] c03 N71-23354

SHEPSTIEK, P. K.
Method and apparatus for distillation of liquids
Patent
[NASA-CASE-XNP-08124] c15 N71-27184
Method for distillation of liquids
[NASA-CASE-XNP-08124-2] c06 N73-13129

SHERLTON, J. P., JR.
Monopulse tracking system Patent
[NASA-CASE-XGS-01155] c10 N71-21483

SHERLTON, R. D.
Electron beam instrument for measuring electric
fields Patent
[NASA-CASE-XMF-10289] c14 N71-23699

SHEPARD, C. E.
Electric arc apparatus Patent
[NASA-CASE-XAC-01677] c09 N71-20816

SHEPARD, L. F.
Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012

SHEPARD, S. K.
Peak polarity selector Patent
[NASA-CASE-PRC-10010] c10 N71-24862

SHERBURN, A. E.
Capacitive tank gaging apparatus being
independent of liquid distribution
[NASA-CASE-MFS-21629] c14 N72-22442

SHERFET, J. M.
Bonded elastomeric seal for electrochemical
cells Patent
[NASA-CASE-XGS-02631] c03 N71-23006
Processes for making sheets with parallel pores
of uniform size
[NASA-CASE-GSC-10984-1] c15 N71-34427
Frangible electrochemical cell
[NASA-CASE-XGS-10010] c03 N72-15986

SHERMAN, A.
Annular slit colloid thruster Patent
[NASA-CASE-GSC-10709-1] c28 N71-25213

SHERWIN, E. J.
Bonding thermoelectric elements to nonmagnetic
refractory metal electrodes
[NASA-CASE-XGS-04554] c15 N69-39786

SHETH, S. G.
Flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-1] c18 N73-27501

SHEEHAN, G. A.
 Life raft Patent
 [NASA-CASE-XMS-00863] c05 N70-34857
 Life preserver Patent
 [NASA-CASE-XMS-00864] c05 N70-36493
 Inflatable radar reflector unit Patent
 [NASA-CASE-XMS-00893] c07 N70-40063
 Rescue litter flotation assembly Patent
 [NASA-CASE-XMS-04170] c05 N71-22748
 SHIBBER, H.
 Prestressed refractory structure Patent
 [NASA-CASE-XNP-02888] c18 N71-21068
 SHIGEMOTO, F. H.
 Laser fluid velocity detector Patent
 [NASA-CASE-XAC-10770-1] c16 N71-24828
 SHIH, I. H.
 Recorder/processor apparatus
 [NASA-CASE-GSC-11553-1] c07 N74-15831
 SHIHADA, K.
 Thermionic diode switch Patent
 [NASA-CASE-NPO-10404] c03 N71-12255
 Cavity emitter for thermionic converter Patent
 [NASA-CASE-NPO-10412] c09 N71-28421
 Thermal to electrical power conversion system
 with solid-state switches with Seebeck effect
 compensation
 [NASA-CASE-NPO-11388] c03 N72-23048
 Electric power generation system directly from
 laser power
 [NASA-CASE-NPO-13308-1] c03 N74-19702
 SHIHODA, K.
 Method and apparatus for stabilizing a gaseous
 optical maser Patent
 [NASA-CASE-IGS-03644] c16 N71-18614
 SHORES, P. B.
 Position determination systems
 [NASA-CASE-MSC-12593-1] c09 N74-14942
 SHORTRIDGE, S. R.
 Switching circuit employing regeneratively
 connected complementary transistors Patent
 [NASA-CASE-INP-02654] c10 N70-42032
 SHRIVER, C. B.
 Method of making a filament-wound container Patent
 [NASA-CASE-XLE-03803-2] c15 N71-17651
 Filament wound container Patent
 [NASA-CASE-XLE-03803] c15 N71-23816
 Panelized high performance multilayer insulation
 Patent
 [NASA-CASE-MFS-14023] c33 N71-25351
 SHRIVER, C. L.
 Multichannel logarithmic RF level detector
 [NASA-CASE-LAR-11021-1] c14 N74-20019
 SHRIVER, E. L.
 Apparatus for determining the deflection of an
 electron beam impinging on a target Patent
 [NASA-CASE-XMF-06617] c09 N71-24843
 Shock wave convergence apparatus
 [NASA-CASE-MFS-20890] c14 N72-22439
 Self-energized plasma compressor
 [NASA-CASE-MFS-22145-1] c25 N73-26721
 Two stage light gas plasma projectile accelerator
 [NASA-CASE-MFS-22287-1] c11 N74-18891
 SHURE, E. E.
 Nose cone mounted heat resistant antenna Patent
 [NASA-CASE-XMS-04312] c07 N71-22984
 SHULMAN, A. R.
 Method and apparatus for eliminating coherent
 noise in a coherent energy imaging system
 without destroying spatial coherence
 [NASA-CASE-GSC-11133-1] c23 N72-11568
 SHUHATE, H. S.
 Method and apparatus for aligning a laser beam
 projector Patent
 [NASA-CASE-NPO-11087] c23 N71-29125
 SHURE, L. I.
 A protected isotope heat source
 [NASA-CASE-LEH-11227-1] c33 N71-35153
 SHUTE, D. I.
 Reference apparatus for medical ultrasonic
 transducer
 [NASA-CASE-ARC-10753-1] c05 N74-13818
 SIDMAN, K. R.
 Flame retardant elastomeric compositions
 [NASA-CASE-HSC-14331-1] c18 N73-27501
 SIBBERT, C. J.
 Flexible/rigidifiable cable assembly
 [NASA-CASE-HSC-13512-1] c15 N72-22485
 SIEGEL, B.
 Resonant infrasonic gauging apparatus
 [NASA-CASE-HSC-11847-1] c14 N72-11363
 SIEGHAN, A. E.
 Laser system with an antiresonant optical ring
 [NASA-CASE-HQN-10844-1] c16 N74-20118
 SIEBERT, R. D.
 Fine particulate capture device
 [NASA-CASE-LEH-11583-1] c15 N74-13199
 SIGNORELLI, R. A.
 Reinforced metallic composites Patent
 [NASA-CASE-XLE-02428] c17 N70-33288
 Method of making fiber reinforced metallic
 composites Patent
 [NASA-CASE-XLE-00231] c17 N70-38198
 Method of making fiber composites
 [NASA-CASE-LEH-10424-2-2] c18 N72-25539
 SIKORA, P. F.
 High temperature testing apparatus Patent
 [NASA-CASE-XLE-00335] c14 N70-35368
 SIKORRA, D. J.
 Apparatus for overcurrent protection of a
 push-pull amplifier Patent
 [NASA-CASE-MSC-12033-1] c09 N71-13531
 SILVER, R. H.
 Means and method of measuring viscoelastic
 strain Patent
 [NASA-CASE-XNP-01153] c32 N71-17645
 Miniature stress transducer Patent
 [NASA-CASE-XNP-02983] c14 N71-21091
 Apparatus for remote measurement of displacement
 of marks on a specimen undergoing a tensile test
 [NASA-CASE-NPO-10778] c14 N72-11364
 Strain gage mounting assembly
 [NASA-CASE-NPO-13170-1] c14 N73-28495
 SILVERMAN, J. R.
 Programmable telemetry system Patent
 [NASA-CASE-GSC-10131-1] c07 N71-24624
 SILVERTSON, H. E., JR.
 Logical function generator
 [NASA-CASE-XLA-05099] c09 N73-13209
 SIHAS, V. R.
 Optimum predetection diversity receiving system
 Patent
 [NASA-CASE-IGS-00740] c07 N71-23098
 SIBBONDS, P. G.
 Atmospheric sampling devices
 [NASA-CASE-NPO-11373] c13 N72-25323
 Electrolytic gas operated actuator
 [NASA-CASE-NPO-11369] c15 N73-13467
 Compact hydrogenator
 [NASA-CASE-NPO-11682-1] c15 N74-15127
 SIBBONS, G. H.
 Solid propellant and method of preparation
 [NASA-CASE-NPO-11975-1] c27 N73-17802
 SIBBONS, H. H.
 Indexed keyed connection Patent
 [NASA-CASE-XMS-02532] c15 N70-41808
 SIBON, H. K.
 Data-aided carrier tracking loops
 [NASA-CASE-NPO-11282] c10 N73-16205
 Coherent receiver employing nonlinear coherence
 detection for carrier tracking
 [NASA-CASE-NPO-11921-1] c07 N73-23118
 Decision feedback loop for tracking a polyphase
 modulated carrier
 [NASA-CASE-NPO-13103-1] c07 N74-20811
 SIBON, S. L.
 Temperature reducing coating for metals subject
 to flame exposure Patent
 [NASA-CASE-XLE-00035] c33 N71-29151
 SIBPKINS, L. G.
 Television multiplexing system
 [NASA-CASE-KSC-10654-1] c07 N73-30115
 SIHPSON, H. E.
 Radiator deployment actuator Patent
 [NASA-CASE-HSC-11817-1] c15 N71-26611
 SIHPSON, H. G.
 Space environmental work simulator Patent
 [NASA-CASE-XMF-07488] c11 N71-18773
 Stud-bonding gun
 [NASA-CASE-MFS-20299] c15 N72-11392
 SIHS, C. R.
 Multi axes vibration fixtures
 [NASA-CASE-MFS-20242] c14 N73-19421
 SINCLAIR, A. R.
 Ablation sensor Patent
 [NASA-CASE-XLA-01791] c14 N71-22991
 Laser communication system for controlling
 several functions at a location remote to the
 laser

[NASA-CASE-LAR-10311-1]	c16 N73-16536	SMITH, H. A.	Spherical tank gauge Patent	
Automatic focus control for facsimile cameras		[NASA-CASE-XMS-06236]		c14 N71-21007
[NASA-CASE-LAR-11213-1]	c14 N74-10420	SMITH, H. E.	Digital computing cardiometer	
SINGH, J. J.		[NASA-CASE-MFS-20284-1]		c05 N74-12778
Mossbauer spectrometer radiation detector		SMITH, H. J.	Variable resistance constant tension and lubrication device	
[NASA-CASE-LAR-11155-1]	c14 N74-15091	[NASA-CASE-KSC-10723-1]		c15 N73-23553
SIROCKY, P. J.		SMITH, J. P.	Energy management system for glider type vehicle	
Apparatus for transferring cryogenic liquids		Patent		
Patent		[NASA-CASE-XPR-00756]		c02 N71-13421
[NASA-CASE-XLE-00345]	c15 N70-38020	SMITH, J. R., JR.	Balanced bellows spirometer	
SIVERTSON, W. E., JR.		[NASA-CASE-XAR-01547]		c05 N69-21473
Adaptive compression of communication signals		Temperature compensated solid state differential amplifier Patent		c09 N70-35440
Patent		[NASA-CASE-XAC-00435]		c15 N71-23051
[NASA-CASE-XLA-03076]	c07 N71-11266	Transfer valve Patent		
Rate data encoder		[NASA-CASE-XAC-01158]		c15 N71-23051
[NASA-CASE-LAR-10128-1]	c08 N73-20217	Method and apparatus for continuously monitoring blood oxygenation, blood pressure, pulse rate and the pressure pulse curve utilizing an ear oximeter as transducer Patent		c04 N71-23185
SIVITER, J. E., JR.		[NASA-CASE-XAC-05422]		
Micrometeoroid penetration measuring device Patent		SMITH, L. G.	Ionospheric battery Patent	
[NASA-CASE-XLA-00941]	c14 N71-23240	[NASA-CASE-XGS-01593]		c03 N70-35408
SIVLEY, J. B.		SMITH, L. S.	Polarity sensitive circuit Patent	
Phase locked phase modulator including a voltage controlled oscillator Patent		[NASA-CASE-XNP-00952]		c10 N71-23271
[NASA-CASE-XNP-05382]	c10 N71-23544	SMITH, M.	Silica reusable surface insulation	
SIZEHORE, K. O.		[NASA-CASE-ARC-10721-1]		c18 N74-14230
Method and apparatus for battery charge control		SMITH, R. W.	Compact solar still Patent	
Patent		[NASA-CASE-XMS-04533]		c15 N71-23086
[NASA-CASE-XGS-05432]	c03 N71-19438	SMITH, T. B., III	Display research collision warning system	
SLATER, B. J.		[NASA-CASE-MQN-10703]		c21 N73-13643
Traveling sealer for contoured table Patent		SMITH, W. O.	Star tracking reticles and process for the production thereof	
[NASA-CASE-XLA-01494]	c15 N71-24164	[NASA-CASE-GSC-11188-2]		c21 N73-19630
SLATTERY, J. C.		Star tracking reticles		c14 N73-32320
Method and apparatus for measuring potentials in plasmas Patent		[NASA-CASE-GSC-11188-1]		c14 N74-20008
[NASA-CASE-XLE-00821]	c25 N71-15650	Formation of star tracking reticles		
SLAYDEN, M. D.		[NASA-CASE-GSC-11188-3]		
Pulse amplitude and width detector Patent		SMITH, W. R.	Production of high purity I-123	
[NASA-CASE-XMP-06519]	c09 N71-12519	[NASA-CASE-LEW-10518-1]		c24 N72-33681
Pulse rise time and amplitude detector Patent		SMITH, W. W.	Trajectory-correction propulsion system Patent	
[NASA-CASE-XMP-08804]	c09 N71-24717	[NASA-CASE-XNP-01104]		c28 N70-39931
SLEEMAN, W. C., JR.		SMYLLIE, R. E.	Liquid-gas separator for zero gravity environment Patent	
Control for flexible parawing Patent		[NASA-CASE-XMS-01492]		c05 N70-41297
[NASA-CASE-XLA-06958]	c02 N71-11038	SMYLLY, H. H.	Differential pressure control	
SLEEP, W. S.		[NASA-CASE-MFS-14216]		c14 N73-13418
Particulate and solar radiation stable coating for spacecraft		SNEEDEN, R. J.	Gas turbine combustion apparatus Patent	
[NASA-CASE-LAR-10805-1]	c18 N74-16246	[NASA-CASE-XLE-103477-1]		c28 N71-20330
SLIFER, L. W., JR.		SMODDY, L. G.	Insert facing tool	
Solar cell and circuit array and process for nullifying magnetic fields Patent		[NASA-CASE-MFS-21485-1]		c15 N72-31490
[NASA-CASE-IGS-03390]	c03 N71-23187	SNYDER, J. A.	Injector for use in high voltage isolators for liquid feed lines	
SLINEY, H. E.		[NASA-CASE-NPO-11377]		c15 N73-27406
Bonded solid lubricant coating Patent		SNYDER, L. H.	Particle detection apparatus including a ballistic pendulum Patent	
[NASA-CASE-XMS-00259]	c18 N70-36400	[NASA-CASE-XMS-04201]		c14 N71-22990
Method of making self lubricating fluoride-metal composite materials Patent		SODD, V. J.	Production of high purity I-123	
[NASA-CASE-XLE-08511-2]	c18 N71-16105	[NASA-CASE-LEW-10518-1]		c24 N72-33681
Self-lubricating fluoride metal composite materials Patent		SOFFEN, G. A.	Automated fluid chemical analyzer Patent	
[NASA-CASE-XLE-08511]	c18 N71-23710	[NASA-CASE-XNP-09451]		c06 N71-26754
SLOWIKOWSKI, D. F.		SOHL, G.	Focussing system for an ion source having apertured electrodes Patent	
Digital pulse width selection circuit Patent		[NASA-CASE-XNP-03332]		c09 N71-10618
[NASA-CASE-XLA-07788]	c09 N71-29139	Ion engine casing construction and method of making same Patent		
SMALL, J. G.				
Means for visually indicating flight paths of vehicles between the Earth, Venus, and Mercury				
Patent				
[NASA-CASE-XNP-00708]	c14 N70-35394			
SMIALEK, J. L.				
Aluminized nickel coatings for nickel-base superalloys				
[NASA-CASE-LEW-11348-1]	c17 N72-25517			
SMITH, A. B.				
Method of forming thin window drifted silicon charged particle detector Patent				
[NASA-CASE-XLE-00808]	c24 N71-10560			
SMITH, C.				
Counter and shift register Patent				
[NASA-CASE-XNP-01753]	c08 N71-22897			
SMITH, D.				
Brazing alloy Patent				
[NASA-CASE-XNP-03063]	c17 N71-23365			
SMITH, D. L.				
Hall effect transducer				
[NASA-CASE-LAR-10620-1]	c09 N72-25255			
SMITH, E. W.				
Barium release system				
[NASA-CASE-LAR-10670-2]	c13 N72-29425			
Barium release system				
[NASA-CASE-LAR-10670-1]	c06 N73-30097			

[NASA-CASE-XNP-06942]	c28 N71-23293	SPITZER, C. R.	Evaporant holder	
SOIBI, H. E.		[NASA-CASE-XLA-03105]		c15 N69-27483
Apparatus for measuring thermal conductivity		Exposure interlock for oscilloscope cameras		
Patent		[NASA-CASE-LAR-10319-1]		c14 N73-32322
[NASA-CASE-XGS-01052]	c14 N71-15992	SPITZIG, H. A.	Method of making a diffusion bonded refractory coating Patent	
SOLOBOV, G.		[NASA-CASE-XLE-01604-2]		c15 N71-15610
Error correcting method and apparatus Patent		SPRECHER, E. P.	Method of forming a wick for a heat pipe	
[NASA-CASE-XNP-02748]	c08 N71-22749	[NASA-CASE-NPO-13391-1]		c33 N74-19584
SOLIS, D. G.		SPRINGETT, J. C.	Phase-shift data transmission system having a pseudo-noise SYNC code modulated with the data in a single channel Patent	
Method of making membranes		[NASA-CASE-XNP-00911]		c08 N70-41961
[NASA-CASE-XNP-04264]	c03 N69-21337	Audio system with means for reducing noise effects		c10 N73-12244
SONNENSCHEIN, C. H.		[NASA-CASE-NPO-11631]		
Clear air turbulence detector		SPRINGFIELD, C. L.	Flammability test chamber Patent	
[NASA-CASE-MFS-21244-1]	c20 N73-21523	[NASA-CASE-KSC-10126]		c11 N71-24985
SORENSEN, C. E.		Autoignition test cell Patent		c11 N71-28629
Electric arc device for heating gases Patent		[NASA-CASE-KSC-10198]		
[NASA-CASE-XAC-00319]	c25 N70-41628	SPROSS, F. E.	Biological isolation garment Patent	
SORENSEN, N. E.		[NASA-CASE-HSC-12206-1]		c05 N71-17599
Wind tunnel flow generation section		SQUILLARI, H.	System for stabilizing torque between a balloon and gondola	
[NASA-CASE-ARC-10710-1]	c11 N73-27175	[NASA-CASE-GSC-11077-1]		c02 N73-13008
SOTER, E. J.		STABLEY, S. D.	Quick attach and release fluid coupling assembly Patent	
Modification of one man life raft		[NASA-CASE-XKS-01985]		c15 N71-10782
[NASA-CASE-LAR-10241-1]	c05 N74-14845	STAINBACK, J. D.	Exposure interlock for oscilloscope cameras	
SOTHERLUND, A. H., JR.		[NASA-CASE-LAR-10319-1]		c14 N73-32322
Single action separation mechanism Patent		STALEY, H. E.	Pulse amplitude and width detector Patent	
[NASA-CASE-XLA-00188]	c15 N71-22874	[NASA-CASE-XNP-06519]		c09 N71-12519
SOURS, H. P.		Pulse rise time and amplitude detector Patent		c09 N71-24717
Binomech self-deploying boom mechanism		[NASA-CASE-XNP-08804]		
[NASA-CASE-GSC-10566-1]	c15 N72-18477	STALEY, R. H.	Exposure system for animals Patent	
SOHA, H. H.		[NASA-CASE-XAC-05333]		c11 N71-22875
Inflatable transpiration cooled nozzle		STALLCOP, J. E.	Method and apparatus for determining properties of a plasma	
[NASA-CASE-MFS-20619]	c28 N72-11708	[NASA-CASE-ARC-10598-1]		c25 N73-29750
SPADY, A. A., JR.		STALOFF, C.	Frequency shift keyed demodulator Patent	
Backpack carrier Patent		[NASA-CASE-XGS-02889]		c07 N71-11282
[NASA-CASE-LAR-10056]	c05 N71-12351	STARK, K. E.	Endless tape cartridge Patent	
Reduced gravity simulator Patent		[NASA-CASE-XGS-00769]		c14 N70-41647
[NASA-CASE-XLA-01787]	c11 N71-16028	Endless tape transport mechanism Patent		c07 N71-10609
SPAIN, L. L.		[NASA-CASE-XGS-01223]		
Hall effect magnetometer		Annular slit colloid thruster Patent		c28 N71-25213
[NASA-CASE-LEH-11632-1]	c14 N72-25440	[NASA-CASE-GSC-10709-1]		c28 N71-27094
Hall effect magnetometer		Micro-pound extended range thrust stand Patent		
[NASA-CASE-LEH-11632-2]	c14 N73-29437	[NASA-CASE-GSC-10710-1]		
SPALVINS, T.		STARK, H. E.	Solid propellant liner Patent	
Deposition of alloy films		[NASA-CASE-XNP-09744]		c27 N71-16392
[NASA-CASE-LEH-11262-1]	c18 N74-13270	STARKEY, D. J.	Torsional disconnect unit	
SPERHAN, B. L.		[NASA-CASE-NPO-10704]		c15 N72-20445
Translating horizontal tail Patent		STEEL, E. R.	Satellite aided vehicle avoidance system Patent	
[NASA-CASE-XLA-08801-1]	c02 N71-11043	[NASA-CASE-ERC-10090]		c21 N71-24948
SPHISER, R. C.		Improved satellite aided vehicle avoidance system		c21 N72-21631
Focussing system for an ion source having apertured electrodes Patent		[NASA-CASE-ERC-10419]		
[NASA-CASE-XNP-03332]	c09 N71-10618	STEENHAGEN, G.	Expansible support means	
SPENCER, B., JR.		[NASA-CASE-NPO-11059]		c15 N72-17454
Variable geometry manned orbital vehicle Patent		STEENKEN, J.	Relief valve	
[NASA-CASE-XLA-03691]	c31 N71-15674	[NASA-CASE-XMS-05894-1]		c15 N69-21924
SPENCER, D. J.		STEFURAK, H. L.	Telemetry processor	
Data compression system with a minimum time delay unit Patent		[NASA-CASE-GSC-11388-1]		c07 N73-24187
[NASA-CASE-XNP-08832]	c08 N71-12506	STEIN, R. J.	Continuous detonation reaction engine Patent	
SPENCER, J. L.		[NASA-CASE-XNP-06926]		c28 N71-22983
Electronic strain-level counter		STEIN, S.	Injector-valve device Patent	
[NASA-CASE-LAR-10756-1]	c32 N73-26910	[NASA-CASE-XLE-00303]		c15 N70-36535
SPENCER, P. E.				
Radiation direction detector including means for compensating for photocell aging Patent				
[NASA-CASE-XLA-00183]	c14 N70-40239			
SPENCER, R. L.				
Thickness measuring and injection device Patent				
[NASA-CASE-MFS-20261]	c14 N71-27005			
Ultrasonic scanner for radial and flat panels				
[NASA-CASE-MFS-20335-1]	c14 N74-10415			
SPIER, R. A.				
Portable milling tool Patent				
[NASA-CASE-XNP-03511]	c15 N71-22799			
Restraint system for ergometer				
[NASA-CASE-MFS-21046-1]	c14 N73-27377			
Tilting table for ergometer and for other biomedical devices				
[NASA-CASE-MFS-21010-1]	c05 N73-30078			
Vee-notching device				
[NASA-CASE-MFS-20730-1]	c14 N74-13131			
SPIES, R.				
Observation window for a gas confining chamber				
[NASA-CASE-NPO-10890]	c11 N73-12265			

Rocket engine injector Patent
[NASA-CASE-XLE-00111] c28 N70-38199

Rocket engine injector Patent
[NASA-CASE-XLE-03157] c28 N71-24736

STEINBERG, R.
Solid state power mapping instrument Patent
[NASA-CASE-XLE-00301] c14 N70-36808

Molecular beam velocity selector Patent
[NASA-CASE-XLE-01533] c11 N71-10777

STEINMETZ, C. P.
Energy limiter for hydraulic actuators Patent
[NASA-CASE-ARC-10131-1] c15 N71-27754

STELBEN, J. J.
Recorder/processor apparatus
[NASA-CASE-GSC-11553-1] c07 N74-15831

STELL, R. E.
Insitu transfer standard for ultrahigh vacuum
gage calibration
[NASA-CASE-LAR-10862-1] c14 N74-15092

STELLA, A. J.
Electrical connector pin with wiping action
[NASA-CASE-INP-04238] c09 N69-39734

STELZBIRD, C. T.
Reflectometer for receiver input impedance match
measurement Patent
[NASA-CASE-INP-10843] c07 N71-11267

Multi-feed cone Cassegrain antenna Patent
[NASA-CASE-NPO-10539] c07 N71-11285

Matched thermistors for microwave power meters
Patent
[NASA-CASE-NPO-10348] c10 N71-12554

Broadband microwave waveguide window Patent
[NASA-CASE-INP-08880] c09 N71-24808

Rotary vane attenuator wherein rotor has
orthogonally disposed resistive and dielectric
cards
[NASA-CASE-NPO-11418-1] c14 N73-13420

STENGEL, R. F.
Wind velocity probing device and method Patent
[NASA-CASE-XLA-02081] c20 N71-16281

STENLUND, S. J.
Rotating mandrel for assembly of inflatable
devices Patent
[NASA-CASE-XLA-04143] c15 N71-17687

Traveling sealer for contoured table Patent
[NASA-CASE-XLA-01494] c15 N71-24164

STEPHENS, D. G.
Flexible ring slosh damping baffle Patent
[NASA-CASE-LAR-10317-1] c32 N71-16103

Instrument for measuring the dynamic behavior of
liquids Patent
[NASA-CASE-XLA-05541] c12 N71-26387

Active vibration isolator for flexible bodies
Patent
[NASA-CASE-LAR-10106-1] c15 N71-27169

Active air cushion control system minimizing
vertical cushion response
[NASA-CASE-LAR-10531-1] c02 N73-13023

Recording apparatus
[NASA-CASE-LAR-11353-1] c14 N74-20020

STEPHENS, D. L.
Automatic closed circuit television arc guidance
control Patent
[NASA-CASE-MPS-13046] c07 N71-19433

STEPHENS, J. E.
Microbalance including crystal oscillators for
measuring contaminants in a gas system Patent
[NASA-CASE-NPO-10144] c14 N71-17701

Space simulator Patent
[NASA-CASE-NPO-10141] c11 N71-24964

STERN, N.
Reversible current control apparatus Patent
[NASA-CASE-XLA-09371] c10 N71-18724

STERRETT, J. E.
Laser grating interferometer Patent
[NASA-CASE-XLA-04295] c16 N71-24170

STETSON, A. E.
Silicide coatings for refractory metals Patent
[NASA-CASE-XLE-10910] c18 N71-29040

STUDEL, E. E.
Controlled caging and uncaging mechanism Patent
Application
[NASA-CASE-GSC-11063-1] c03 N70-35584

STEVENSON, L. E.
Aircraft control system
[NASA-CASE-ERC-10439] c02 N73-19004

STEWART, C. E.
Family of frequency to amplitude converters
[NASA-CASE-HSC-12395] c09 N72-25257

Apparatus for statistical time-series analysis
of electrical signals
[NASA-CASE-HSC-12428-1] c10 N73-25240

STEWART, R. E.
Apparatus and method for generating large mass
flow of high temperature air at hypersonic
speeds
[NASA-CASE-LAR-10612-1] c12 N73-28144

STEWART, W. L.
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00170] c15 N70-36412

Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00085] c28 N70-39895

STICKLER, J. W.
Direct lift control system Patent
[NASA-CASE-LAR-10249-1] c02 N71-26110

STIFFLER, J. J.
Error correcting method and apparatus Patent
[NASA-CASE-INP-02748] c08 N71-22749

Encoder/decoder system for a rapidly
synchronizable binary code Patent
[NASA-CASE-NPO-10342] c10 N71-33407

STIGBERG, J. D.
Signal conditioner test set
[NASA-CASE-KSC-10750-1] c14 N73-23527

Optical rotational sensor
[NASA-CASE-KSC-10752-1] c15 N73-27407

STINE, R. A.
Electric arc apparatus Patent
[NASA-CASE-XAC-01677] c09 N71-20816

STOCKARD, R. E.
Semiconductor p-n junction stress and strain
sensor
[NASA-CASE-XLA-04980] c09 N69-27422

Method of making semiconductor p-n junction
stress and strain sensor
[NASA-CASE-XLA-04980-2] c14 N72-28438

STOKES, C. S.
Barium release system
[NASA-CASE-LAR-10670-2] c13 N72-29425

Barium release system
[NASA-CASE-LAR-10670-1] c06 N73-30097

STOLLER, P. W.
Reversible motion drive system Patent
[NASA-CASE-NPO-10173] c15 N71-24696

STONE, F. A.
Synchronous servo loop control system Patent
[NASA-CASE-INP-03744] c10 N71-20448

STONE, H. W., JR.
Wing upper surface flap
[NASA-CASE-LAR-11140-1] c02 N73-20008

STONE, L. P.
Articulated multiple couch assembly Patent
[NASA-CASE-HSC-11253] c05 N71-12343

STONE, R. W., JR.
G conditioning suit Patent
[NASA-CASE-XLA-02898] c05 N71-20268

STONE, S. E.
Fluid sample collector Patent
[NASA-CASE-XMS-06767-1] c14 N71-20435

STORY, A. W.
System for indicating direction of intruder
aircraft
[NASA-CASE-ERC-10226-1] c14 N73-16483

Display system
[NASA-CASE-ERC-10350] c14 N73-20474

STRAIGHT, D. M.
Rocket motor system Patent
[NASA-CASE-XLE-00323] c28 N70-38505

Gas turbine exhaust nozzle
[NASA-CASE-LEW-11569-1] c28 N74-15453

STRAND, L. D.
Solid propellant rocket motor
[NASA-CASE-NPO-11559] c28 N73-24784

STRANGE, M. G.
Position sensing device employing misaligned
magnetic field generating and detecting
apparatus Patent
[NASA-CASE-XGS-07514] c23 N71-16099

Self-regulating proportionally controlled
heating apparatus and technique
[NASA-CASE-GSC-11752-1] c33 N74-19583

STRASS, E. K.
Motion picture camera for optical pyrometry Patent
[NASA-CASE-XLA-00062] c14 N70-33254

Light intensity modulator controller Patent
[NASA-CASE-XMS-04300] c09 N71-19479

STREED, E. E.
Solar cell Patent

[NASA-CASE-ARC-10050] c03 N71-33409
STROH, T. E.
 Spiral groove seal
 [NASA-CASE-XLE-10326-2] c15 N72-29488
 Spiral groove seal
 [NASA-CASE-XLE-10326-4] c15 N74-15125
STROUG, I. J.
 Stirring apparatus for plural test tubes Patent
 [NASA-CASE-XAC-06956] c15 N71-21177
STROUP, R. E.
 Electrochemical coulometer and method of forming
 same Patent
 [NASA-CASE-XGS-05434] c03 N71-20491
STRULL, G.
 Solid state television camera system Patent
 [NASA-CASE-XHP-06092] c07 N71-24612
STUART, J. L.
 Automated fluid chemical analyzer Patent
 [NASA-CASE-XNP-09451] c06 N71-26754
STUART, J. E.
 Fire resistant coating composition Patent
 [NASA-CASE-GSC-10072] c18 N71-14014
 Diffuse reflective coating
 [NASA-CASE-GSC-11214-1] c06 N73-13128
STUCKEY, J. E.
 Panelized high performance multilayer insulation
 Patent
 [NASA-CASE-HFS-14023] c33 N71-25351
 Cryogenic thermal insulation Patent
 [NASA-CASE-XHP-05046] c33 N71-28892
STUDENICK, D. E.
 System for stabilizing torque between a balloon
 and gondola
 [NASA-CASE-GSC-11077-1] c02 N73-13008
STUDER, P. A.
 Electronic beam switching commutator Patent
 [NASA-CASE-IGS-01451] c09 N71-10677
 Direct current motor with stationary armature
 and field Patent
 [NASA-CASE-IGS-05290] c09 N71-25999
 Magnetic bearing Patent Application
 [NASA-CASE-GSC-11079-1] c21 N71-28461
 Helical recorder arrangement for multiple
 channel recording on both sides of the tape
 [NASA-CASE-GSC-10614-1] c09 N72-11224
 Electric motive machine including magnetic bearing
 [NASA-CASE-IGS-07805] c15 N72-33476
STURP, E. C.
 Highly fluorinated polyurethanes
 [NASA-CASE-NPO-10767-1] c06 N73-33076
STURP, E. C., JR.
 Hydroxy terminated perfluoro ethers Patent
 [NASA-CASE-NPO-10768] c06 N71-27254
 Perfluoro polyether acyl fluorides
 [NASA-CASE-NPO-10765] c06 N72-20121
 Polyurethane resins from hydroxy terminated
 perfluoro ethers
 [NASA-CASE-NPO-10768-2] c06 N72-27144
 Highly fluorinated polyurethanes
 [NASA-CASE-NPO-10767-2] c06 N72-27151
STURGES, A. C.
 Multiparameter vision tester apparatus
 [NASA-CASE-MSC-13601-1] c05 N72-11088
STURN, R. G.
 Self-recording portable soil penetrometer
 [NASA-CASE-HFS-20774] c14 N73-19420
STURMAN, J. C.
 Pulsed differential comparator circuit Patent
 [NASA-CASE-XLE-03804] c10 N71-19471
STYLES, C. E.
 Spherical solid-propellant rocket motor Patent
 [NASA-CASE-XLA-00105] c28 N70-33331
SUDEK, J.
 Low speed phaselock speed control system
 [NASA-CASE-GSC-11127-1] c09 N74-10202
SULLIVAN, D. E.
 Electrical insulating layer process
 [NASA-CASE-LEH-10489-1] c15 N72-25447
SULLIVAN, E. E.
 Ablation article and method
 [NASA-CASE-LAR-10439-1] c33 N73-27796
SULLIVAN, T. E.
 Bayguide mixer
 [NASA-CASE-ERC-10179] c07 N72-20141
SUMMERFIELD, D. G.
 Wind tunnel model and method
 [NASA-CASE-LAR-10812-1] c11 N74-17955
SUTLIFF, J. D.
 Ring deployment method and apparatus Patent

[NASA-CASE-XBS-00907] c02 N70-41630
SHAIN, R. L.
 Spherical solid-propellant rocket motor Patent
 [NASA-CASE-XLA-00105] c28 N70-33331
SHANN, R. T.
 Sandwich panel construction Patent
 [NASA-CASE-XLA-00349] c33 N70-37979
 Dielectric molding apparatus Patent
 [NASA-CASE-LAR-10121-1] c15 N71-26721
SHEAT, J. C.
 Emergency escape system Patent
 [NASA-CASE-XKS-07814] c15 N71-27067
SHEET, G. E.
 Compensating radionometer
 [NASA-CASE-XLA-04556] c14 N69-27484
 Spherical measurement device
 [NASA-CASE-XLA-06683] c14 N72-28436
SHINGLE, R. L.
 Compact solar still Patent
 [NASA-CASE-XBS-04533] c15 N71-23086
SHIRSKY, E. D.
 Method of fabricating an object with a thin wall
 having a precisely shaped slit
 [NASA-CASE-LAR-10409-1] c15 N74-21059
SHORDS, R. B.
 Adjustable force probe
 [NASA-CASE-HFS-20760] c14 N72-33377
SHVERTSON, C. A.
 Flight craft Patent
 [NASA-CASE-XAC-02058] c02 N71-16087

T

TADDEO, F. V.
 Pulse generating circuit employing switch means
 on ends of delay line for alternately charging
 and discharging same Patent
 [NASA-CASE-XNP-00745] c10 N71-28960
TALBOT, E. E.
 Protection for energy conversion systems
 [NASA-CASE-IGS-04808] c03 N69-25146
 Inverter with means for base current shaping for
 sweeping charge carriers from base region Patent
 [NASA-CASE-IGS-06226] c10 N71-25950
TALLEY, D. E.
 Response analyzers for sensors Patent
 [NASA-CASE-HFS-11204] c14 N71-29134
TASHEAR, P. E.
 System for depositing thin films
 [NASA-CASE-HFS-20775-1] c26 N73-23770
TAUB, E. E.
 Radial module space station Patent
 [NASA-CASE-XBS-01906] c31 N70-41373
TAUSHORTHE, R. C.
 Filter for third order phase locked loops
 [NASA-CASE-NPO-11941-1] c10 N73-27171
TAYLOR, C. J.
 High resolution developing of photosensitive
 resists Patent
 [NASA-CASE-IGS-04993] c14 N71-17574
TAYLOR, L. L.
 Flexible composite membrane Patent
 [NASA-CASE-XNP-08837] c18 N71-16210
TAYLOR, L. V.
 Plural position switch status and operativeness
 checker Patent
 [NASA-CASE-XLA-08799] c10 N71-27272
TAYLOR, R. A.
 Digital computing cardiometer
 [NASA-CASE-HFS-20284-1] c05 N74-12778
TAYLOR, R. C.
 Multi axes vibration fixtures
 [NASA-CASE-HFS-20242] c14 N73-19421
TAYLOR, R. E.
 Automatic acquisition system for phase-lock loop
 [NASA-CASE-IGS-04994] c09 N69-21543
 Polarization diversity monopulse tracking
 receiver Patent
 [NASA-CASE-IGS-03501] c09 N71-20864
 Electromagnetic polarization systems and methods
 Patent
 [NASA-CASE-GSC-10021-1] c09 N71-24595
TCHERNEV, D. I.
 Variable frequency nuclear magnetic resonance
 spectrometer Patent
 [NASA-CASE-XNP-09830] c14 N71-26266
TE PORL, R. E.
 Television signal scan rate conversion system
 Patent

[NASA-CASE-XMS-07168] c07 N71-11300

TEGHELLIA, C. E.
Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c08 N74-12887

TEITELBAUM, S.
Frequency shift keyed demodulator Patent
[NASA-CASE-XGS-02889] c07 N71-11282

TENG, R. W.
Collapsible pistons
[NASA-CASE-MSC-13789-1] c11 N73-32152

TERPAY, A.
Method of making an apertured casting
[NASA-CASE-LEW-11169-1] c15 N74-18131

TERSELLIC, B. A.
Split welding chamber Patent
[NASA-CASE-LEW-11531] c15 N71-14932

TETSUKA, G. E.
Single or joint amplitude distribution analyzer
Patent
[NASA-CASE-XNP-01383] c09 N71-10659

THALER, S.
Voltage regulator Patent
[NASA-CASE-ERC-10113] c09 N71-27053
Current dependent filter inductance
[NASA-CASE-ERC-10139] c09 N72-17154

THALLER, L. H.
Combined electrolysis device and fuel cell and
method of operation Patent
[NASA-CASE-XLE-01645] c03 N71-20904

THIBODAUX, J. G., JR.
Spherical solid-propellant rocket motor Patent
[NASA-CASE-XLA-00105] c28 N70-33331
Mandrel for shaping solid propellant rocket fuel
into a motor casing Patent
[NASA-CASE-XLA-00304] c27 N70-34783
Method of making a solid propellant rocket motor
Patent
[NASA-CASE-XLA-04126] c28 N71-26779

THIEL, A. M.
Aligning and positioning device Patent
[NASA-CASE-XHS-04178] c15 N71-22798

THIELE, C.
Space simulator Patent
[NASA-CASE-XNP-00459] c11 N70-38675

THOLE, J. M.
Inflation system for balloon type satellites
Patent
[NASA-CASE-XGS-03351] c31 N71-16081

THOM, K.
Magnetically controlled plasma accelerator Patent
[NASA-CASE-XLA-00327] c25 N71-29184

THOMAS, D. F.
One hand backpack harness
[NASA-CASE-LAR-10102-1] c05 N72-23085

THOMAS, D. F., JR.
Jet shoes
[NASA-CASE-XLA-08491] c05 N69-21380
Kinesthetic control simulator Patent Application
[NASA-CASE-LAR-10276-1] c11 N70-26813

THOMAS, H. W.
Electronic motor control system Patent
[NASA-CASE-XMF-01129] c09 N70-38712

THOMAS, W. E.
Optical communications system Patent
[NASA-CASE-XLA-01090] c07 N71-12389
Optical communications system Patent
[NASA-CASE-XLA-01090] c16 N71-28963

THOMAS, R. D.
Thermocouple tape
[NASA-CASE-LEW-11072-2] c14 N72-28443
Thermocouple tape
[NASA-CASE-LEW-11072-1] c14 N73-24472

THOMASON, H. E.
Trigonometric vehicle guidance assembly which
aligns the three perpendicular axes of two
three-axes systems Patent
[NASA-CASE-XMF-00684] c21 N71-21688
Azimuth laying system Patent
[NASA-CASE-XMF-01669] c21 N71-23289
Reusable space transportation system
[NASA-CASE-MFS-21527] c31 N72-15781

THOMPSON, G. D., JR.
Cascaded complementary pair broadband transistor
amplifiers Patent
[NASA-CASE-NPO-10003] c10 N71-26415

THOMPSON, J. R., JR.
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c28 N72-11708

THOMPSON, R. E.
On-film optical recording of camera lens settings
[NASA-CASE-MSC-12363-1] c14 N73-26431

THOMSON, A. R.
Pulsed energy power system Patent
[NASA-CASE-MSC-13112] c03 N71-11057

THORNTON, G. E.
Hole cutter
[NASA-CASE-MFS-22649-1] c15 N73-32376

THORNWALL, J. C.
Regulated dc to dc converter
[NASA-CASE-XGS-03429] c03 N69-21330
Pulse-type magnetic core memory element circuit
with blocking oscillator feedback Patent
[NASA-CASE-XGS-03303] c08 N71-18595
Stepping motor control circuit Patent
[NASA-CASE-GSC-10366-1] c10 N71-18772

THYS, P. C.
Droplet monitoring probe
[NASA-CASE-NPO-10985] c14 N73-20478

TIBBITTS, W. C.
Apparatus and method for protecting a
photographic device Patent
[NASA-CASE-NPO-10174] c14 N71-18465

TIEFERMANN, M. W.
Optical torquemeter Patent
[NASA-CASE-XLE-00503] c14 N70-34818

TILLER, W. G.
Device for measuring bearing preload
[NASA-CASE-MFS-20434] c11 N72-25288

TIMM, J. D.
Counter Patent
[NASA-CASE-XNP-06234] c10 N71-27137

TIMOR, U.
Multichannel telemetry system
[NASA-CASE-NPO-11572] c07 N73-16121
Receiver with an improved phase lock loop in a
multichannel telemetry system with suppressed
carrier
[NASA-CASE-NPO-11593-1] c07 N73-28012

TINLING, B. E.
Stabilization of gravity oriented satellites
Patent
[NASA-CASE-XAC-01591] c31 N71-17729

TISCHLER, B. F.
Probes having ring and primary sensor at same
potential to prevent collection of stray wall
currents in ionized gases
[NASA-CASE-XLE-00690] c25 N69-39884

TOBIAS, R. A.
Thermostatic actuator
[NASA-CASE-NPO-10637] c15 N72-12409
Thermal motor
[NASA-CASE-NPO-11283] c09 N72-25260

TOBSON, D. J.
A spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c14 N73-28496

TOCK, R. W.
Mixture separation cell Patent
[NASA-CASE-XMS-02952] c18 N71-20742

TODD, R. R.
Method of producing refractory bodies having
controlled porosity Patent
[NASA-CASE-LEW-10393-1] c17 N71-15468
Shock tube powder dispersing apparatus Patent
[NASA-CASE-XLE-04946] c17 N71-24911

TOFT, A. R.
Star tracking reticles and process for the
production thereof
[NASA-CASE-GSC-11188-2] c21 N73-19630
Star tracking reticles
[NASA-CASE-GSC-11188-1] c14 N73-32320
Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c14 N74-20008

TOLL, T. A.
Variable sweep wing aircraft Patent
[NASA-CASE-XLA-00221] c02 N70-33266

TOLSON, B. A.
Cable stabilizer for open shaft cable operated
elevators
[NASA-CASE-KSC-10513] c15 N72-25453

TOM, B. Y.
Ionene membrane separator
[NASA-CASE-NPO-11091] c18 N72-22567

TONLINSON, L. E.
Temperature sensitive flow regulator Patent
[NASA-CASE-MFS-14259] c15 N71-19213

TONGIER, M., JR.
Absolute focus lock for microscopes

[NASA-CASE-LAR-10184] c14 N72-22445
TOOLS, P. C.
 High speed direct binary-to-binary coded decimal converter
 [NASA-CASE-KSC-10326] c08 N72-21197
 High speed direct binary to binary coded decimal converter and scaler
 [NASA-CASE-KSC-10595] c08 N73-12176
TOPIPS, A., JR.
 High impact pressure regulator Patent
 [NASA-CASE-NPO-10175] c14 N71-18625
 Apparatus for forming drive belts
 [NASA-CASE-NPO-13205-1] c15 N73-31442
TOREBY, P. L., JR.
 Ultrahigh vacuum gauge having two collector electrodes
 [NASA-CASE-LAR-02743] c14 N73-32324
TOTH, L. B.
 Belleville spring assembly with elastic guides
 [NASA-CASE-INP-09452] c15 N69-27504
TOUBES, C. H.
 Optical frequency waveguide Patent
 [NASA-CASE-HQN-10541-1] c07 N71-26291
 Laser machining apparatus Patent
 [NASA-CASE-HQN-10541-2] c15 N71-27135
 Optical frequency waveguide and transmission system Patent
 [NASA-CASE-HQN-10541-4] c16 N71-27183
 Optical frequency waveguide and transmission system
 [NASA-CASE-HQN-10541-3] c23 N72-23695
TOUBESND, B. B.
 Digital telemetry system Patent
 [NASA-CASE-XGS-01812] c07 N71-23001
TOY, B. S.
 New polymers of perfluorobutadiene and method of manufacture Patent application
 [NASA-CASE-NPO-10863] c06 N70-11251
 Method of polymerizing perfluorobutadiene Patent application
 [NASA-CASE-NPO-10447] c06 N70-11252
 Utilization of oxygen difluoride for syntheses of fluoropolymers
 [NASA-CASE-NPO-12061-1] c06 N72-21100
 Reaction of fluorine with polyperfluoropolyenes
 [NASA-CASE-NPO-10862] c06 N72-22107
 Polymers of perfluorobutadiene and method of manufacture
 [NASA-CASE-NPO-10863-2] c06 N72-25152
TRADEB, A. G.
 Subgravity simulator Patent
 [NASA-CASE-XMS-04798] c11 N71-21474
 Pneumatic amplifier Patent
 [NASA-CASE-MSC-12121-1] c15 N71-27147
TRAVIS, E. B.
 Satellite appendage tie down cord Patent
 [NASA-CASE-XGS-02554] c31 N71-21064
TRBLEASE, B. B.
 Hydraulic casting of liquid polymers Patent
 [NASA-CASE-XNP-07659] c06 N71-22975
TRENT, R. C.
 Method of manufacturing semiconductor devices using refractory dielectrics
 [NASA-CASE-XER-08476-1] c26 N72-17820
TRENT, R. L.
 Location identification system
 [NASA-CASE-ERC-10324] c07 N72-25173
TRIPI, R. L.
 Combustion detector
 [NASA-CASE-LAR-10739-1] c14 N73-16484
TRIOLO, J. J.
 Apparatus for controlling the temperature of balloon borne equipment
 [NASA-CASE-GSC-11620-1] c14 N72-33379
TRIPP, C. M.
 Booster tank system Patent
 [NASA-CASE-MSC-12390] c27 N71-29155
TRISCHLER, P. D.
 Polyurethanes of fluorine containing polycarbonates
 [NASA-CASE-MFS-10512] c06 N73-30099
 Polyurethanes from fluoroalkyl propyleneglycol polyethers
 [NASA-CASE-MFS-10506] c06 N73-30100
 Fluorohydroxy ethers
 [NASA-CASE-MFS-10507] c06 N73-30101
 Highly fluorinated polymers
 [NASA-CASE-MFS-11492] c06 N73-30102
 Fluorine containing polyurethane
 [NASA-CASE-MFS-10509] c06 N73-30103
TROST, R. F.
 Data compression system with a minimum time delay unit Patent
 [NASA-CASE-XNP-08832] c08 N71-12506
TROUT, O. F., JR.
 Heat protection apparatus Patent
 [NASA-CASE-XLA-00892] c33 N71-17897
TROBERT, R. B.
 Collapsible structure for an antenna reflector
 [NASA-CASE-NPO-11751] c07 N73-24176
TRUJILLO, R. E.
 Formaldehyde base disinfectants
 [NASA-CASE-NPO-12115-1] c06 N73-17153
TRUSCH, R. B.
 Condensate removal device for heat exchange
 [NASA-CASE-MSC-14143-1] c33 N73-32823
TRUSSELL, D. H.
 High intensity heat and light unit Patent
 [NASA-CASE-XLA-00141] c09 N70-33312
TSCHUNKO, B. F. A.
 Optical mirror apparatus Patent
 [NASA-CASE-ERC-10001] c23 N71-24868
 Electromechanical control actuator system Patent
 [NASA-CASE-ERC-10022] c15 N71-26635
 Optical system support apparatus
 [NASA-CASE-XER-07896-2] c23 N72-22673
TSUDA, G. I.
 High efficiency multifrequency feed
 [NASA-CASE-GSC-113173] c09 N74-20863
TSUTSUMI, K.
 Hydraulic drive mechanism Patent
 [NASA-CASE-XMS-03252] c15 N71-10658
TUBBS, R. E.
 Continuous detonation reaction engine Patent
 [NASA-CASE-XNF-06926] c28 N71-22983
TUCKER, B. H.
 Coupling device
 [NASA-CASE-XMS-07846-1] c09 N69-21927
 Space suit heat exchanger Patent
 [NASA-CASE-XMS-09571] c05 N71-19439
 Extravehicular tunnel suit system Patent
 [NASA-CASE-MSC-12243-1] c05 N71-24728
TUOLTY, R. T., JR.
 Minimech self-deploying boom mechanism
 [NASA-CASE-GSC-10566-1] c15 N72-18477
TUNG, Y.
 Liquid waste feed system
 [NASA-CASE-LAR-10365-1] c05 N72-27102
TURK, R. E.
 Fabrication of controlled-porosity metals Patent
 [NASA-CASE-XNP-04339] c17 N71-29137
TURNAGE, J. E.
 Flame detector operable in presence of proton radiation
 [NASA-CASE-MFS-21577-1] c03 N73-20042
TURNER, J. E.
 Measurement system
 [NASA-CASE-MFS-20658-1] c14 N73-30386
TURNER, R. C.
 Thermocouple assembly Patent
 [NASA-CASE-XNP-01659] c14 N71-23039
TURNER, R. E.
 Anemometer with braking mechanism Patent
 [NASA-CASE-XNF-05224] c14 N71-23726
 Maxometers (peak wind speed anemometers)
 [NASA-CASE-MFS-20916] c14 N73-25460
TURNER, T. R.
 Double hinged flap Patent
 [NASA-CASE-XLA-01290] c02 N70-42016
TWEITAN, E.
 Data compression system
 [NASA-CASE-XNP-09785] c08 N69-21928
TYAGI, R. C.
 High field Cds detector for infrared radiation
 [NASA-CASE-LAR-11027-1] c14 N74-18088
TYLER, A. L.
 Helical recorder arrangement for multiple channel recording on both sides of the tape
 [NASA-CASE-GSC-10614-1] c09 N72-11224
 System for stabilizing torque between a balloon and gondola
 [NASA-CASE-GSC-11077-1] c02 N73-13008
 U
UBER, P. G.
 Tape recorder Patent

[NASA-CASE-XGS-08259] c14 N71-23698
 ULRICH, B. R.
 Aircraft-mounted crash-activated radio device
 [NASA-CASE-MFS-16609-2] c07 N73-31084
 ULRICH, D. R.
 Screened circuit capacitors
 [NASA-CASE-LAR-10294-1] c26 N72-28762
 ULRICH, G.
 Latching device
 [NASA-CASE-MFS-21606-1] c15 N73-22417
 UNDERWOOD, J. H.
 Multiplate focusing collimator
 [NASA-CASE-MFS-20932-1] c14 N73-27380
 Collimator of multiple plates with axially
 aligned identical random arrays of apertures
 [NASA-CASE-MFS-20546-2] c14 N73-30389
 ORSERY, B. C.
 Collapsible nozzle extension for rocket engines
 Patent
 [NASA-CASE-MFS-11497] c28 N71-16224

V

VALENTIJN, H. P.
 Roll-up solar array Patent
 [NASA-CASE-NPO-10188] c03 N71-20273
 Deployable solar cell array
 [NASA-CASE-NPO-10883] c31 N72-22874
 VALINSKY, J. P.
 A device for monitoring a change in mass
 [NASA-CASE-MFS-21556-1] c14 N73-20487
 VALLOTTON, W. C.
 Anthropomorphic master/slave manipulator system
 [NASA-CASE-ARC-10756-1] c15 N74-16139
 VANALSTINE, E. M.
 Spacecraft Patent
 [NASA-CASE-MSC-13047-1] c31 N71-25434
 VANARNAM, D. E.
 Pneumatic system for controlling and actuating
 pneumatic cyclic devices
 [NASA-CASE-XMS-04843] c03 N69-21469
 VANATTA, L. C.
 Circularly polarized antenna
 [NASA-CASE-ERC-10214] c09 N72-31235
 VANAKREN, E.
 Reinforced polyquinoxaline gasket and method of
 preparing the same
 [NASA-CASE-MFS-21364-1] c15 N74-18126
 VANDERIJET, E. K.
 Magnetic power switch Patent
 [NASA-CASE-NPO-10242] c09 N71-24803
 VANGO, S. P.
 Liquid junction and method of fabricating the
 same Patent Application
 [NASA-CASE-NPO-10682] c15 N70-34699
 Flexible composite membrane Patent
 [NASA-CASE-XNP-08837] c18 N71-16210
 VANNUCCI, R. D.
 Fabrication of polyphenylquinoxaline composite
 articles by means of in situ polymerization of
 monomers
 [NASA-CASE-LEW-11879-1] c18 N74-20152
 VANO, A. E.
 Quick attach mechanism Patent
 [NASA-CASE-XFE-05421] c15 N71-22994
 VANSCHOIACK, M. H. E.
 High impedance measuring apparatus Patent
 [NASA-CASE-XMS-08589-1] c09 N71-20569
 VANTUYLRUSCH, W.
 Millimeter wave radioneter for radio astronomy
 Patent
 [NASA-CASE-XNP-09832] c30 N71-23723
 VARGO, D. J.
 Ophthalmic method and apparatus
 [NASA-CASE-LEW-11669-1] c05 N73-27062
 VARY, A.
 Triode thermionic energy converter
 [NASA-CASE-XLE-01015] c03 N69-39898
 High temperature heat source Patent
 [NASA-CASE-XLE-00490] c33 N70-34545
 Radiant heater having formed filaments Patent
 [NASA-CASE-XLE-00387] c33 N70-34812
 Inductive liquid level detection system Patent
 [NASA-CASE-XLE-01609] c14 N71-10500
 Capillary radiator Patent
 [NASA-CASE-XLE-03307] c33 N71-14035
 Thermionic converter with current augmented by
 self induced magnetic field Patent
 [NASA-CASE-XLE-01903] c22 N71-23599

Cyclic switch Patent
 [NASA-CASE-LEW-10155-1] c09 N71-29035
 VAUGHAN, G. R.
 Phase locked phase modulator including a voltage
 controlled oscillator Patent
 [NASA-CASE-XNP-05382] c10 N71-23544
 VAUGHAN, O. H.
 Emergency lunar communications system
 [NASA-CASE-MFS-21042] c07 N72-25171
 VEIKINS, O.
 An apparatus for establishing flow of fluid mass
 having a known velocity
 [NASA-CASE-MFS-21424-1] c12 N73-16248
 VEILLETTE, L. J.
 Angular position and velocity sensing apparatus
 Patent
 [NASA-CASE-XGS-05680] c14 N71-17585
 Bidirectional step torque filter with zero
 backlash characteristic Patent
 [NASA-CASE-XGS-04227] c15 N71-21744
 Control apparatus for applying pulses of
 selectively predetermined duration to a
 sequence of loads Patent
 [NASA-CASE-XGS-04224] c10 N71-26418
 Synchronous dc direct drive system Patent
 [NASA-CASE-GSC-10065-1] c10 N71-27136
 Axially and radially controllable magnetic bearing
 [NASA-CASE-GSC-11551-1] c15 N74-18132
 VERMILLION, C. H.
 Facsimile video remodulation network
 [NASA-CASE-GSC-10185-1] c07 N72-12081
 VERMILLION, C. H.
 Resistance soldering apparatus
 [NASA-CASE-GSC-10913] c15 N72-22491
 VESSOT, R. P. C.
 Atomic hydrogen maser with bulb temperature
 control to remove wall shift in maser output
 frequency
 [NASA-CASE-HQN-10654-1] c16 N73-13489
 Tunable cavity resonator with ramp shaped supports
 [NASA-CASE-HQN-10790-1] c16 N74-11313
 VICK, A. E.
 Method of obtaining permanent record of surface
 flow phenomena Patent
 [NASA-CASE-XLA-01353] c14 N70-41366
 VICK, H. A.
 Blood pressure measuring system for separating
 and separately recording dc signal and an ac
 signal Patent
 [NASA-CASE-XMS-06061] c05 N71-23317
 VICKERS, J. H. F.
 Intermittent type silica gel adsorption
 refrigerator Patent
 [NASA-CASE-XNP-00920] c15 N71-15906
 VIBAL, A. W.
 Redundant memory organization Patent
 [NASA-CASE-GSC-10564] c10 N71-29135
 VINCENT, J. S.
 Method of forming thin window drifted silicon
 charged particle detector Patent
 [NASA-CASE-XLE-00808] c24 N71-10560
 VIVIAN, H. C.
 Photosensitive device to detect bearing
 deviation Patent
 [NASA-CASE-XNP-00438] c21 N70-35089
 Space vehicle attitude control Patent
 [NASA-CASE-XNP-00465] c21 N70-35395
 Remodulator filter Patent
 [NASA-CASE-NPO-10198] c09 N71-24806
 VODICKA, V. W.
 Magnetic recording head and method of making
 same Patent
 [NASA-CASE-GSC-10097-1] c08 N71-27210
 VOGELLEY, A. W.
 Cable arrangement for rigid tethering Patent
 [NASA-CASE-XLA-02332] c32 N71-17609
 Combined optical attitude and altitude
 indicating instrument Patent
 [NASA-CASE-XLA-01907] c14 N71-23268
 VOLKOFF, J. J.
 Electro-optical scanning apparatus Patent
 Application
 [NASA-CASE-NPO-11106] c14 N70-34697
 Electro-optical scanning apparatus
 [NASA-CASE-NPO-11106-2] c23 N72-28696
 VOLPE, P. A.
 Sun tracker with rotatable plane-parallel plate
 and two photocells Patent
 [NASA-CASE-XGS-01159] c21 N71-10678

Attitude control system Patent
[NASA-CASE-XGS-04393] c21 N71-14159

Star scanner
[NASA-CASE-GSC-11569-1] c14 N73-11404

VON PRAGENAU, G. L.
Support apparatus for dynamic testing Patent
[NASA-CASE-XMF-01772] c11 N70-41677

Hydraulic support for dynamic testing Patent
[NASA-CASE-XMF-03248] c11 N71-10604

VON TIESENHAUSEN, G. F.
Energy absorbing device Patent
[NASA-CASE-XMF-10040] c15 N71-22877

VON PRAGENAU, G. L.
A space vehicle
[NASA-CASE-MFS-22734-1] c31 N74-20541

VORKINK, H. G.
Variable frequency nuclear magnetic resonance spectrometer Patent
[NASA-CASE-XNP-09830] c14 N71-26266

VRANAS, T.
Impact energy absorber Patent
[NASA-CASE-XLA-01530] c14 N71-23092

VUKELICH, E. K.
Method and device for detecting voids in low density material Patent
[NASA-CASE-MFS-20044] c14 N71-28993

VYUKAL, H. C.
Universal pilot restraint suit and body support therefor Patent
[NASA-CASE-XAC-00405] c05 N70-41819

Hard space suit Patent
[NASA-CASE-XAC-07043] c05 N71-23161

Locomotion and restraint aid Patent
[NASA-CASE-ARC-10153] c05 N71-28619

Space suit having improved waist and torso movement
[NASA-CASE-ARC-10275-1] c05 N72-22092

Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c15 N74-16139

W

WAGES, C. G.
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c15 N74-15130

WAGNER, A. F.
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c14 N74-18090

WAGNER, C. A.
Rotating raster generator
[NASA-CASE-FRC-10071-1] c07 N74-20813

WAGNER, H. E.
Collapsible loop antenna for space vehicle Patent
[NASA-CASE-XMF-00437] c07 N70-40202

WAKELYN, N. L.
Production of high purity silicon carbide Patent
[NASA-CASE-XLA-00158] c26 N70-36805

Apparatus for producing high purity silicon carbide crystals Patent
[NASA-CASE-XLA-02057] c26 N70-40015

Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00284] c15 N71-16075

Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00302] c15 N71-16077

Thermal control coating Patent
[NASA-CASE-XLA-01995] c18 N71-23047

WALD, D.
Differential temperature transducer Patent
[NASA-CASE-XAC-00812] c14 N71-15598

WALKER, H. H.
Space environmental work simulator Patent
[NASA-CASE-XMF-07488] c11 N71-18773

WALL, E. A., JR.
Apparatus for welding torch angle and seam tracking control Patent
[NASA-CASE-XMF-03287] c15 N71-15607

Automatic closed circuit television arc guidance control Patent
[NASA-CASE-MFS-13046] c07 N71-19433

Automatic welding speed controller Patent
[NASA-CASE-XMF-01730] c15 N71-23050

Holding skate with computerized control Patent
[NASA-CASE-XMF-07069] c15 N71-23815

Internal flare angle gauge Patent
[NASA-CASE-XMF-04415] c14 N71-24693

HALLACE, E. D.
Apparatus for tensile testing Patent
[NASA-CASE-XKS-06250] c14 N71-15600

Valve seat with resilient support member Patent
[NASA-CASE-XKS-02582] c15 N71-21234

Held preparation machine Patent
[NASA-CASE-XKS-07953] c15 N71-26134

HALLACE, G. B.
Pseudo-noise test set for communication system evaluation
[NASA-CASE-MFS-22671-1] c14 N74-13146

HALLINGFORD, H. H.
Differential phase shift keyed communication system
[NASA-CASE-HSC-14065-1] c07 N73-10215

Differential phase shift keyed signal resolver
[NASA-CASE-HSC-14066-1] c10 N73-10269

GALLIO, H. A.
Electric-arc heater Patent
[NASA-CASE-XLA-00330] c33 N70-34540

GALSH, J. H.
Specific wavelength colorimeter
[NASA-CASE-HSC-14081-1] c14 N73-18443

GALSH, T. C.
Vibration damping system Patent
[NASA-CASE-XMS-01620] c23 N71-15673

GALSH, T. J.
Apparatus for making a metal slurry product Patent
[NASA-CASE-XLE-00010] c15 N70-33382

GALSH, T. H.
Interferometric rotation sensor
[NASA-CASE-ARC-10278-1] c14 N73-25463

GALTERS, R. H.
Telespectrograph Patent
[NASA-CASE-XLA-03273] c14 N71-18699

GALTON, T. S.
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c31 N71-15566

GANG, G. Y.
A synchronous binary array divider
[NASA-CASE-ERC-10180-1] c08 N74-20836

GANG, T. G.
Material suspension within an acoustically excited resonant chamber
[NASA-CASE-NPO-13263-1] c15 N73-31443

Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c03 N74-19701

GARD, D. E.
Automatically deploying nozzle exit cone extension Patent
[NASA-CASE-XLE-01640] c31 N71-15637

GARD, J. C., JR.
Capacitor power pak Patent Application
[NASA-CASE-LAR-10367-1] c03 N70-26817

GARD, J. F.
Variable geometry rotor system
[NASA-CASE-LAR-10557] c02 N72-11018

GARD, H. D.
Vapor liquid separator Patent
[NASA-CASE-XMF-04042] c15 N71-23023

GARKENTINE, D. K.
Automatic battery charger Patent
[NASA-CASE-XNP-04758] c03 N71-24605

GARNICK, P.
Analytical photoionization mass spectrometer with an argon gas filter between the light source and monochromator Patent
[NASA-CASE-LAR-10180-1] c06 N71-13461

GARREN, A. P.
Assembly for recovering a capsule Patent
[NASA-CASE-XMF-00641] c31 N70-36410

Space capsule ejection assembly Patent
[NASA-CASE-XMF-03169] c31 N71-15675

Method and apparatus for securing to a spacecraft Patent
[NASA-CASE-MFS-11133] c31 N71-16222

GATERS, E. J.
Nickel-base alloy Patent
[NASA-CASE-XLE-00283] c17 N70-36616

Nickel-base alloy containing Ho-B-Al-Cr-Ta-Zr-C-Nb-B Patent
[NASA-CASE-XLE-02082] c17 N71-16026

Nickel base alloy
[NASA-CASE-LEB-10874-1] c17 N72-22535

Method of forming superalloys
[NASA-CASE-LEB-10805-1] c15 N73-13465

Method of heat treating a formed powder product material

[NASA-CASE-LEW-10805-3] c17 N74-10521
 Method of forming articles of manufacture from
 superalloy powders
 [NASA-CASE-LEW-10805-2] c15 N74-13179
WATSON, J. D.
 Tumbler system to provide random motion
 [NASA-CASE-XGS-02437] c15 N69-21472
WATSON, J. E.
 High temperature spark plug Patent
 [NASA-CASE-XLE-00660] c28 N70-39925
WATSON, N. D.
 Payload/burned-out motor case separation system
 Patent
 [NASA-CASE-XLA-05369] c31 N71-15687
WATSON, V. R.
 Electric arc apparatus Patent
 [NASA-CASE-XAC-01677] c09 N71-20816
WAYLAND, H. J.
 Servo-controlled intravital microscope system
 [NASA-CASE-NPO-13214-1] c14 N74-19093
WEAR, J. D.
 Rocket engine Patent
 [NASA-CASE-XLE-00342] c28 N70-37980
WEATHERS, G. D.
 Pseudo-noise test set for communication system
 evaluation
 [NASA-CASE-MPS-22671-1] c14 N74-13146
WEAVER, L. B.
 Multiple in-line docking capability for rotating
 space stations
 [NASA-CASE-MPS-20855-1] c31 N72-25853
WEBB, D. L.
 Video sync processor Patent
 [NASA-CASE-KSC-10002] c10 N71-25865
 Electronic video editor
 [NASA-CASE-KSC-10003] c10 N73-13235
WEBB, J. A., JR.
 Circuit for detecting initial systole and
 diastolic notch
 [NASA-CASE-LEW-11581-1] c05 N73-18139
WEBB, J. B.
 Delayed simultaneous release mechanism
 [NASA-CASE-GSC-10814-1] c03 N73-20039
WEBB, W. C.
 Telemetry processor
 [NASA-CASE-GSC-11388-1] c07 N73-24187
WEBER, L.
 Prevention of hydrogen embrittlement of high
 strength steel
 [NASA-CASE-NPO-12122-1] c27 N74-20397
WEBER, H. J.
 Venting vapor apparatus Patent
 [NASA-CASE-XLE-00288] c15 N70-34247
 Supersonic-combustion rocket
 [NASA-CASE-LEW-11058-1] c28 N74-13502
WEERTON, J. W.
 Reinforced metallic composites Patent
 [NASA-CASE-XLE-02428] c17 N70-33288
 Method of making fiber reinforced metallic
 composites Patent
 [NASA-CASE-XLE-00231] c17 N70-38198
 Reinforced metallic composites Patent
 [NASA-CASE-XLE-00228] c17 N70-38490
 Method for producing fiber reinforced metallic
 composites Patent
 [NASA-CASE-XLE-03925] c18 N71-22894
 Process for producing dispersion strengthened
 nickel with aluminum Patent
 [NASA-CASE-XLE-06969] c17 N71-24142
 Method of producing refractory composites
 containing tantalum carbide, hafnium carbide,
 and hafnium boride Patent
 [NASA-CASE-XLE-03940] c18 N71-26153
 Method of making fiber composites
 [NASA-CASE-LEW-10424-2-2] c18 N72-25539
 Refractory metal base alloy composites
 [NASA-CASE-XLE-03940-2] c17 N72-28536
WEIDENHAMER, J. H.
 Isolation coupling arrangement for a torque
 measuring system
 [NASA-CASE-XLA-04897] c15 N72-22482
WEIDMAN, D. J.
 High intensity heat and light unit Patent
 [NASA-CASE-XLA-00141] c09 N70-33312
WEINBERG, A. J.
 Tungsten seal coat Patent
 [NASA-CASE-XNP-03704] c15 N71-17695
WEINGART, J. M.
 Stacked solar cell arrays
 [NASA-CASE-NPO-11771] c03 N73-20040
WEINSTEIN, M.
 Bonding thermoelectric elements to nonmagnetic
 refractory metal electrodes
 [NASA-CASE-XGS-04554] c15 N69-39786
 Segmenting lead telluride-silicon germanium
 thermoelements Patent
 [NASA-CASE-XGS-05718] c26 N71-16037
WEISS, P. F.
 Acquisition and tracking system for optical radar
 [NASA-CASE-MPS-20125] c16 N72-13437
WEISS, S.
 Pretreatment method for anti-wettable materials
 [NASA-CASE-XMS-03537] c15 N69-21471
WEITZEL, D. F.
 Propellant tank pressurization system Patent
 [NASA-CASE-XNP-00650] c27 N71-28929
WEITZEL, D. H.
 Resilience testing device Patent
 [NASA-CASE-XLA-08254] c14 N71-26161
WELCH, W. A.
 Gas filter mounting structure
 [NASA-CASE-MSC-12297] c14 N72-23457
WELLING, C. E.
 Thermally activated foaming compositions Patent
 [NASA-CASE-LAR-10373-1] c18 N71-26155
WELLMAN, J. B.
 Gas flow control device
 [NASA-CASE-NPO-11479] c15 N73-13462
WELLMAN, T. R.
 Oxygen production method and apparatus
 [NASA-CASE-MSC-12332-1] c15 N72-15476
WELLS, B. R.
 Apparatus for ejection of an instrument cover
 [NASA-CASE-XMF-04132] c15 N69-27502
WELLS, P. E.
 Positive displacement flowmeter Patent
 [NASA-CASE-XMF-02822] c14 N70-41994
 Remote control manipulator for zero gravity
 environment
 [NASA-CASE-MPS-14405] c15 N72-28495
WELLS, W. H.
 Rotable accurate reflector system for telescopes
 Patent
 [NASA-CASE-NPO-10468] c23 N71-33229
WELLS, W. L.
 Electric-arc heater Patent
 [NASA-CASE-XLA-00330] c33 N70-34540
WENDT, A. J.
 Rotating mandrel for assembly of inflatable
 devices Patent
 [NASA-CASE-XLA-04143] c15 N71-17687
WENZEL, G. E.
 Amplifier drift tester
 [NASA-CASE-XMS-05562-1] c09 N69-39986
WERNER, E. A.
 Method and apparatus for making curved
 reflectors Patent
 [NASA-CASE-XLE-08917] c15 N71-15597
 Apparatus for making curved reflectors Patent
 [NASA-CASE-XLE-08917-2] c15 N71-24836
WESSLESKI, C. J.
 Energy absorbing structure Patent Application
 [NASA-CASE-MSC-12279-1] c15 N70-35679
 Low onset rate energy absorber
 [NASA-CASE-MSC-12279] c15 N72-17450
WEST, R. L.
 Device for handling printed circuit cards Patent
 [NASA-CASE-MPS-20453] c15 N71-29133
WEST, R. W., JR.
 Method and apparatus for making a heat
 insulating and ablative structure Patent
 [NASA-CASE-XMS-02009] c33 N71-20834
WESTBROOK, R. M.
 Electrode construction Patent
 [NASA-CASE-ARC-10043-1] c05 N71-11193
WESTON, K. C.
 Heat shield Patent
 [NASA-CASE-XMS-00486] c33 N70-33344
WESTPHAL, J. A.
 Method and apparatus for aligning a laser beam
 projector Patent
 [NASA-CASE-NPO-11087] c23 N71-29125
WETMORE, J. W.
 Aircraft instrument Patent
 [NASA-CASE-XLA-00487] c14 N70-40157
WETZLER, D. G.
 Thrust isolating mounting
 [NASA-CASE-MPS-21680-1] c15 N73-20525

BEZNER, F. S.
 Collapsible reflector Patent
 [NASA-CASE-XMS-03454] c09 N71-20658

BHEATLEY, D. G.
 Hermetic sealed vibration damper Patent
 [NASA-CASE-MSC-10959] c15 N71-26243

BHEELER, R. K.
 Method and apparatus for stable silicon dioxide
 layers on silicon grown in silicon nitride
 ambient
 [NASA-CASE-ERC-10073-1] c06 N74-19769

BHEELER, S.
 Wind tunnel microphone structure Patent
 [NASA-CASE-XNP-00250] c11 N71-28779

BHEELER, S. B.
 Fluid containers and resealable septum therefor
 Patent
 [NASA-CASE-NPO-10123] c15 N71-24835

BHIPPLE, D. H.
 Microcircuit negative cutter
 [NASA-CASE-XLA-09843] c15 N72-27485

BHIPPLE, E. C., JR.
 Method and apparatus for determining satellite
 orientation utilizing spatial energy sources
 Patent
 [NASA-CASE-XGS-00466] c21 N70-34297

BHISENANT, J. T.
 Inspection gage for boss Patent
 [NASA-CASE-XMF-04966] c14 N71-17658

BHITACHE, H. E.
 Quick release hook tape Patent
 [NASA-CASE-XMS-10660-1] c15 N71-25975

BHITACHE, H. E.
 Scientific experiment flexible mount
 [NASA-CASE-MSC-12372-1] c31 N72-25842

BHITCOBB, R. T.
 Airfoil shape for flight at supersonic speeds
 [NASA-CASE-LAR-10585-1] c01 N73-14981

WHITE, A. E.
 Scientific experiment flexible mount
 [NASA-CASE-MSC-12372-1] c31 N72-25842

WHITE, E. C.
 Method of making pressurized panel Patent
 [NASA-CASE-XLA-08916] c15 N71-29018

WHITE, E. C.
 Pressurized panel
 [NASA-CASE-XLA-08916-2] c14 N73-28487

WHITE, E. C.
 Lightweight, variable solidity knitted parachute
 fabric
 [NASA-CASE-LAR-10776-1] c02 N74-10034

WHITE, F. A.
 Coincidence apparatus for detecting particles
 [NASA-CASE-XLA-07813] c14 N72-17328

WHITE, J. A.
 Magnetically centered liquid column float Patent
 [NASA-CASE-XAC-00030] c14 N70-34820

WHITE, H. P.
 Dual resonant cavity absorption cell Patent
 [NASA-CASE-LAR-10305] c14 N71-26137

WHITE, H. P.
 Resonant waveguide Stark cell
 [NASA-CASE-LAR-11352-1] c09 N74-19854

WHITEHEAD, C. E.
 Apparatus for inserting and removing specimens
 from high temperature vacuum furnaces
 [NASA-CASE-LAR-10841-1] c15 N73-12494

WHITFIELD, C. E.
 Selective plating of etched circuits without
 removing previous plating Patent
 [NASA-CASE-XGS-03120] c15 N71-24047

WHITGORE, F. C.
 Continuous magnetic flux pump
 [NASA-CASE-XNP-01187] c15 N73-28516

WHITGORE, F. C.
 Superconductive magnetic-field-trapping device
 [NASA-CASE-XNP-01185] c26 N73-28710

WHITGORE, F. C.
 Magnetic-flux pump
 [NASA-CASE-XNP-01188] c15 N73-32361

WHITTEN, D. E.
 Dual stage check valve
 [NASA-CASE-MSC-13587-1] c15 N73-30459

WIERB, H. E.
 Combustion products generating and metering device
 [NASA-CASE-GSC-11095-1] c14 N72-10375

WIERB, H. E.
 Automatic thermal switch Patent
 [NASA-CASE-XNP-03796] c23 N71-15467

WIERB, H. E.
 Helium refrigerator and method for
 decontaminating the refrigerator
 [NASA-CASE-NPO-10634] c23 N72-25619

WIECH, R. E.
 Zeta potential flowmeter Patent
 [NASA-CASE-XNP-06509] c14 N71-23226

WILEY, F. L.
 Temperature regulation circuit Patent
 [NASA-CASE-XNP-02792] c14 N71-28958

WILGUS, D. S.
 Adaptive voting computer system
 [NASA-CASE-MSC-13932-1] c08 N74-14920

WILHITE, H. F.
 Micropacked column for a chromatographic system
 [NASA-CASE-XNP-04816] c06 N69-39936

WILKEY, J. E., JR.
 Velocity package Patent
 [NASA-CASE-XLA-01339] c31 N71-15692

WILKINS, J. R.
 Apparatus for microbiological sampling
 [NASA-CASE-LAR-11069-1] c04 N73-16061

WILKINS, J. R.
 Automatic inoculating apparatus
 [NASA-CASE-LAR-11074-1] c05 N73-16096

WILKINS, J. R.
 Automatic microbial transfer device
 [NASA-CASE-LAR-11354-1] c14 N74-10422

WILL, R. H.
 Attitude control and damping system for
 spacecraft Patent
 [NASA-CASE-XLA-02551] c21 N71-21708

WILLIAMS, D. D.
 Apparatus for changing the orientation and
 velocity of a spinning body traversing a path
 Patent
 [NASA-CASE-HQN-00936] c31 N71-29050

WILLIAMS, D. D.
 Low temperature aluminum alloy Patent
 [NASA-CASE-XMF-02786] c17 N71-20743

WILLIAMS, E. F.
 An automatic liquid inventory collecting and
 dispensing unit
 [NASA-CASE-LAR-11071-1] c15 N73-18474

WILLIAMS, J. G.
 Light regulator
 [NASA-CASE-LAR-10836-1] c26 N72-27784

WILLIAMS, J. G.
 Light intensity strain analysis
 [NASA-CASE-LAR-10765-1] c32 N73-20740

WILLIAMS, J. R.
 Holographic thin film analyzer
 [NASA-CASE-HFS-20823-1] c16 N73-30476

WILLIAMS, H. D.
 Measurement of time differences between luminous
 events Patent
 [NASA-CASE-XLA-01987] c23 N71-23976

WILLIAMS, S. R.
 Bidirectional step torque filter with zero
 backlash characteristic Patent
 [NASA-CASE-XGS-04227] c15 N71-21744

WILLIAMS, H. F.
 System for interference signal nulling by
 polarization adjustment
 [NASA-CASE-NPO-13140-1] c07 N73-27106

WILLIS, A. E.
 Static inverters which sum a plurality of waves
 Patent
 [NASA-CASE-XMF-00663] c08 N71-18752

WILLNER, K.
 Inverter oscillator with voltage feedback
 [NASA-CASE-NPO-10760] c09 N72-25254

WILNER, B. H.
 Electrolytically regenerative hydrogen-oxygen
 fuel cell Patent
 [NASA-CASE-XLE-04526] c03 N71-11052

WILSON, H. O.
 Nondestructive spot test method for titanium and
 titanium alloys
 [NASA-CASE-LAR-10539-1] c17 N73-12547

WILSON, H. O.
 Nondestructive spot test method for magnesium
 and magnesium alloys
 [NASA-CASE-LAR-10953-1] c17 N73-27446

WILSON, H. E., JR.
 Space simulator Patent
 [NASA-CASE-XNP-00459] c11 N70-38675

WILSON, R. E.
 Automatic pump Patent
 [NASA-CASE-XNP-04731] c15 N71-24042

WILSON, T. G.
 Regulated dc-to-dc converter for voltage step-up
 or step-down with input-output isolation
 [NASA-CASE-HQN-10792-1] c09 N74-11049

WILSON, H. A.
 Methods and apparatus employing vibratory energy
 for wrenching Patent
 [NASA-CASE-HFS-20586] c15 N71-17686

WILSON, H. O.
 Rocket chamber leak test fixture

[NASA-CASE-XPR-09479] c14 N69-27503

WINBER, R. T.
Silicide coatings for refractory metals Patent
[NASA-CASE-XLE-10910] c18 N71-29040

WIEBLADE, R. L.
Energy management system for glider type vehicle
Patent
[NASA-CASE-XPR-00756] c02 N71-13421

WINGFIELD, G. A.
Resonant waveguide Stark cell
[NASA-CASE-LAR-11352-1] c09 N74-19854

WINKELSTEIN, R. A.
Noninterruptable digital counting system Patent
[NASA-CASE-INP-09759] c08 N71-24891
Controlled oscillator system with a time
dependent output frequency
[NASA-CASE-NPO-11962-1] c09 N74-10194

WINKLER, C. E.
Static inverters which sum a plurality of waves
Patent
[NASA-CASE-XMF-00663] c08 N71-18752

WINKLER, T.
AC logic flip-flop circuits Patent
[NASA-CASE-XGS-00823] c10 N71-15910

WISS, L. E.
Ellipsograph for pantograph Patent
[NASA-CASE-XLA-03102] c14 N71-21079
Lathe tool bit and holder for machining
fiberglass materials
[NASA-CASE-XLA-10470] c15 N72-21489
Liquid waste feed system
[NASA-CASE-LAR-10365-1] c05 N72-27102

WISE, R. C.
Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012

WITTMANN, A. E.
Method of coating circuit paths on printed
circuit boards with solder Patent
[NASA-CASE-XMF-01599] c09 N71-20705

WITTROCK, E. P.
Metal shearing energy absorber
[NASA-CASE-BQN-10638-1] c15 N73-30460

WITZKE, W. E.
Apparatus for making a metal slurry product Patent
[NASA-CASE-XLE-00010] c15 N70-33382

WOHIG, O. A.
Fluid power transmission Patent
[NASA-CASE-XMS-01445] c12 N71-16031
Apparatus for machining geometric cones Patent
[NASA-CASE-XMS-04292] c15 N71-22722

WOJTAGINSKI, R. J.
Electric field measuring and display system
[NASA-CASE-KSC-10731-1] c14 N73-10461
Lightning tracking system
[NASA-CASE-KSC-10729-1] c09 N73-32110
Automatic lightning detection and photographic
system
[NASA-CASE-KSC-10728-1] c14 N73-32319

WOLF, F. T.
Air bearing
[NASA-CASE-WLP-10002] c15 N72-17451

WOLFF, J. E.
High speed binary to decimal conversion system
Patent
[NASA-CASE-XGS-01230] c08 N71-19544

WOLLER, J. A.
Evacuation port seal Patent
[NASA-CASE-INP-03290] c15 N71-23256

WOLTHUIS, R. A.
Contourograph system for monitoring
electrocardiograms
[NASA-CASE-MSC-13407-1] c10 N72-20225
Korotkov sound processor
[NASA-CASE-MSC-13999-1] c05 N72-25142

WONG, R. Y.
Plurality of photosensitive cells on a
pyramidal base for planetary trackers
[NASA-CASE-INP-04180] c07 N69-39736
Apparatus for absorbing and measuring power Patent
[NASA-CASE-XLE-00720] c14 N70-40201
Television signal processing system Patent
[NASA-CASE-NPO-10140] c07 N71-24742
Video signal enhancement system with dynamic
range compression and modulation index
expansion Patent
[NASA-CASE-NPO-10343] c07 N71-27341

WONG, W. J.
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c10 N74-14956

WOO, K. E.
High impact antenna Patent
[NASA-CASE-NPO-10231] c07 N71-26101
Multi-purpose antenna employing dish
reflector
with plural coaxial horn feeds
[NASA-CASE-NPO-11264] c07 N72-25174

WOO, B. T.
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c07 N74-11000

WOOD, A. D.
Transient heat transfer gauge Patent
[NASA-CASE-INP-09802] c33 N71-15641

WOOD, G. E.
Simultaneous acquisition of tracking data from
two stations
[NASA-CASE-NPO-13292-1] c07 N74-15838

WOOD, G. E., JR.
Gas analyzer for bi-gaseous mixtures Patent
[NASA-CASE-XLA-01131] c14 N71-10774

WOOD, G. P.
Plasma accelerator Patent
[NASA-CASE-XLA-00675] c25 N70-33267

WOOD, J. W.
Broadband video process with very high input
impedance
[NASA-CASE-NPO-10199] c09 N72-17156

WOOD, L. L.
Continuous plasma light source
[NASA-CASE-INP-04167-3] c25 N72-21693
Continuous plasma light source
[NASA-CASE-INP-04167-2] c25 N72-24753

WOOD, R. A.
Low temperature aluminum alloy Patent
[NASA-CASE-XMF-02786] c17 N71-20743

WOOD, R. C.
Apparatus for sampling particulates in gases
[NASA-CASE-BQN-10037-1] c14 N73-27376

WOODBURY, R. C.
Noise limiter Patent
[NASA-CASE-NPO-10169] c10 N71-24844
Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c07 N74-19788
Apparatus for scanning the surface of a
cylindrical body
[NASA-CASE-NPO-11861-1] c14 N74-20009

WOODIE, P. E.
Thermal conductive connection and method of
making same Patent
[NASA-CASE-XMS-02087] c09 N70-41717

WOODS, G. J.
Electronic checkout system for space vehicles
Patent
[NASA-CASE-YKS-08012-2] c31 N71-15566

WOODS, G. E., JR.
Instrument for measuring potentials on two
dimensional electric field plots Patent
[NASA-CASE-XLA-08493] c10 N71-19421

WOODS, J. E.
Powerplexer
[NASA-CASE-MSC-12396-1] c03 N73-31988

WOOLFSON, M. G.
Linear sawtooth voltage-wave generator employing
transistor timing circuit having
capacitor-zener diode combination feedback
Patent
[NASA-CASE-XMS-01315] c09 N70-41675
Pulse modulator providing fast rise and fall
times Patent
[NASA-CASE-XMS-04919] c09 N71-23270
Multiple slope sweep generator Patent
[NASA-CASE-XMS-03542] c09 N71-28926

WOOLLAM, J. A.
Hall effect magnetometer
[NASA-CASE-LEW-11632-1] c14 N72-25440
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c14 N73-29437

WORMON, D. E.
Leading edge curvature based on convective
heating Patent
[NASA-CASE-XLA-01486] c01 N71-23497

WORTHMAN, J. J.
Semiconductor p-n junction stress and strain
sensor
[NASA-CASE-XLA-04980] c09 N69-27422
Method of making semiconductor p-n junction
stress and strain sensor
[NASA-CASE-XLA-04980-2] c14 N72-28438

WRIGHT, D. B.
Method for measuring cutaneous sensory perception

[NASA-CASE-RSC-13609-1] c05 N72-25122
BRIGHT, D. E.
 Penetrating radiation system for detecting the amount of liquid in a tank Patent
 [NASA-CASE-RSC-12280] c27 N71-16348
BRIGHT, L. E.
 Vibrophonocardiograph Patent
 [NASA-CASE-XFP-07172] c05 N71-27234
BRIGHT, H. H.
 Voltage regulator with plural parallel power source sections Patent
 [NASA-CASE-GSC-10891-1] c10 N71-26626
BRINGLE, W. B.
 Apparatus for remote handling of materials
 [NASA-CASE-LAR-10634-1] c15 N74-18123
BUEHSCHE, H. F.
 Recoverable rocket vehicle Patent
 [NASA-CASE-XHF-00389] c31 N70-34176
 Serpentine Patent
 [NASA-CASE-XNP-05344] c31 N71-16345
 Space manufacturing machine Patent
 [NASA-CASE-HFS-20410] c15 N71-19214
 Method of making foamed materials in zero gravity
 [NASA-CASE-XHF-09902] c15 N72-11387
 Hermetically sealed elbow actuator
 [NASA-CASE-HFS-14710] c09 N72-22195
BYBLE, C. B.
 Thermal conductive connection and method of making same Patent
 [NASA-CASE-XHS-02087] c09 N70-41717
BYDEVEN, T.
 Water purification membranes and method of preparation
 [NASA-CASE-ARC-10643-1] c06 N73-29074
 Protection of moisture sensitive optical components
 [NASA-CASE-ARC-10749-1] c23 N73-32542
BYLIE, G. H.
 Sealed battery gas manifold construction Patent
 [NASA-CASE-XNP-03378] c03 N71-11051
BYHAM, C. L.
 Acquisition and tracking system for optical radar
 [NASA-CASE-HFS-20125] c16 N72-13437
 Strain gauge ambiguity sensor for segmented mirror active optical system
 [NASA-CASE-HFS-20506-1] c14 N73-17563
BYSOCKI, J. J.
 Radiation resistant silicon semiconductor devices Patent
 [NASA-CASE-IGS-07801] c09 N71-12513

Y

YAGER, S. P.
 Piping arrangement through a double chamber structure
 [NASA-CASE-XNP-08882] c15 N69-39935
YAGG, L. C.
 Optically detonated explosive device
 [NASA-CASE-NPO-11743-1] c33 N73-29959
 Optically actuated two position mechanical mover
 [NASA-CASE-NPO-13105-1] c15 N74-21060
YAGG, P. H.
 Fluid power transmitting gas bearing Patent
 [NASA-CASE-ERC-10097] c15 N71-28465
YASUI, R. K.
 Solar cell submodule Patent
 [NASA-CASE-XNP-05821] c03 N71-11056
 Solar cell matrix Patent
 [NASA-CASE-NPO-10821] c03 N71-19545
 Solar cell matrix
 [NASA-CASE-NPO-11190] c03 N71-34044
 Stacked solar cell arrays
 [NASA-CASE-NPO-11771] c03 N73-20040
YEDGER, P. R.
 Gas analyzer for bi-gaseous mixtures Patent
 [NASA-CASE-XLA-01131] c14 N71-10774
 Thermopile vacuum gage tube simulator Patent
 [NASA-CASE-XLA-02758] c14 N71-18481
 Fast scan control for deflection type mass spectrometers
 [NASA-CASE-LAR-10766-1] c14 N72-21432
YOSHIDA, S. Y.
 Bonding or repairing process
 [NASA-CASE-BSC-12357] c15 N73-12489
YOST, V. E.
 Apparatus for welding torch angle and seam tracking control Patent
 [NASA-CASE-XHF-03287] c15 N71-15607

YOUNG, A. L.
 Control valve and co-axial variable injector Patent
 [NASA-CASE-XNP-09702] c15 N71-17654
 Semitoroidal diaphragm cavitating valve Patent
 [NASA-CASE-XNP-09704] c12 N71-18615
YOUNG, D. E.
 Skeletal stressing method and apparatus Patent
 [NASA-CASE-ARC-10100-1] c05 N71-24738
 Programmable physiological infusion
 [NASA-CASE-ARC-10447-1] c05 N73-14092
YOUNG, H.
 Radio frequency shielded enclosure Patent
 [NASA-CASE-XHF-09422] c07 N71-19436
YOUNG, L. E.
 Display research collision warning system
 [NASA-CASE-HQM-10703] c21 N73-13643
YOUNG, R. E.
 Ac power amplifier Patent Application
 [NASA-CASE-LAR-10218-1] c09 N70-34559
 Automatic balancing device Patent
 [NASA-CASE-LAR-10774] c10 N71-13545
YOUNG, W. J.
 Phonocardiograph transducer Patent
 [NASA-CASE-XHS-05365] c14 N71-22993
YOUNGBLUTH, O., JR.
 Method and apparatus for mapping the sensitivity of the face of a photodetector specifically a PHT
 [NASA-CASE-LAR-10320-1] c09 N72-23172

Z

ZABONER, H. E.
 Hand-held photomicroscope
 [NASA-CASE-ARC-10468-1] c14 N73-33361
ZAKHLAVA, B. A.
 Vacuum probe surface sampler
 [NASA-CASE-LAR-10623-1] c14 N73-30395
ZAREHBA, J. G.
 Passive caging mechanism Patent
 [NASA-CASE-GSC-10306-1] c15 N71-24694
ZARETSKY, E. V.
 Method of improving the reliability of a rolling element system Patent
 [NASA-CASE-XLE-02999] c15 N71-16052
ZAVADA, E. J.
 Frangible tube energy dissipation Patent
 [NASA-CASE-XLA-00754] c15 N70-34850
ZAVIANTSEFF, V.
 Apparatus for ionization analysis
 [NASA-CASE-ARC-10017-1] c14 N72-29464
ZEBROUSKI, Z. E.
 Attitude control system for sounding rockets Patent
 [NASA-CASE-IGS-01654] c31 N71-24750
ZBIEG, R. J.
 Concentric differential gearing arrangement
 [NASA-CASE-ARC-10462-1] c15 N73-29459
ZELLNER, G. J.
 Gas cooled high temperature thermocouple Patent
 [NASA-CASE-XLE-09475-1] c33 N71-15568
ZEHAN, J. R.
 Lamp modulator
 [NASA-CASE-KSC-10565] c09 N72-25250
ZERGER, R. S.
 Constant temperature heat sink for calorimeters Patent
 [NASA-CASE-XHF-04208] c33 N71-29051
ZERLAUT, G. A.
 Stabilized zinc oxide coating compositions Patent
 [NASA-CASE-XHF-07770-2] c18 N71-26772
 Synthesis of zinc titanate pigment and coatings containing the same
 [NASA-CASE-HFS-13532] c18 N72-17532
ZIEHKE, H. C.
 Constant temperature heat sink for calorimeters Patent
 [NASA-CASE-XHF-04208] c33 N71-29051
ZIEHENHAN, B. G.
 Sun tracker with rotatable plane-parallel plate and two photocells Patent
 [NASA-CASE-XGS-01159] c21 N71-10678
 Gravity gradient attitude control system Patent
 [NASA-CASE-GSC-10555-1] c21 N71-27324
 Passive dual spin misalignment compensators
 [NASA-CASE-GSC-11479-1] c21 N73-11680
ZIGHERMAN, R. F.
 Apparatus for applying cover slides


[NASA-CASE-NPO-10575] c03 N72-25019
ZIMMERMAN, R. L.
 Thermally operated valve Patent
 [NASA-CASE-XLE-00815] c15 N70-35407
 Double optic system for ion engine Patent
 [NASA-CASE-XNP-02839] c28 N70-41922
ZIOLKOWSKI, A. J.
 Multi-lobar scan horizon sensor Patent
 [NASA-CASE-XGS-00809] c21 N70-35427
ZLATKIS, A.
 Analysis of volatile organic compounds
 [NASA-CASE-MS-14428-1] c06 N74-19776
ZMUDA, L. J.
 Safety-type locking pin
 [NASA-CASE-HFS-18495] c15 N72-11385
ZOBAR, S.
 Counting digital filters
 [NASA-CASE-NPO-11821-1] c08 N73-26175
ZORUMSKI, W. E.
 Remote controlled tubular disconnect Patent
 [NASA-CASE-XLA-01396] c03 N71-12259
 Noise suppressor
 [NASA-CASE-LAR-11141-1] c02 N73-22975
ZOTTARELLI, L. J.
 Magnetic core current steering commutator Patent
 [NASA-CASE-NPO-10201] c08 N71-18694
 Drive circuit utilizing two cores Patent
 [NASA-CASE-XNP-01318] c10 N71-23033
 Current steering switch Patent
 [NASA-CASE-XNP-08567] c09 N71-26000
 Digital memory in which the driving of each word
 location is controlled by a switch core Patent
 [NASA-CASE-XNP-01466] c10 N71-26434
ZRUBIK, W. E.
 System for monitoring signal amplitude ranges
 [NASA-CASE-XMS-04061-1] c09 N69-39885
ZUCCARO, J. J.
 Electrode construction Patent
 [NASA-CASE-ARC-10043-1] c05 N71-11193
ZUCKERMAN, A. J.
 Instrumentation for measurement of aircraft
 noise and sonic boom
 [NASA-CASE-LAR-11173-1] c14 N73-22387
ZURASKY, J. L.
 Monitoring deposition of films
 [NASA-CASE-HFS-20675] c26 N73-26751
ZYGIELBAUM, A. I.
 Communications link for computers
 [NASA-CASE-NPO-11161] c08 N72-25207
 Digital video display system using cathode ray
 tube
 [NASA-CASE-NPO-11342] c09 N72-25248
 Numerical computer peripheral interactive device
 with manual controls
 [NASA-CASE-NPO-11497] c08 N73-25206

NASA PATENT ABSTRACTS BIBLIOGRAPHY

JULY 1974

Section 2

Typical Source Index Listing



Listings in this index are arranged alphabetically by source. The title of the document provides the user with a brief description of the subject matter. The NASA Case Number is the prime access point to patent documents. The subject category number indicates the category in Section 1 (Abstracts) in which the citation is located. The NASA accession number denotes the number by which the citation is identified within the subject category. The titles are arranged under each source in ascending accession number order.

A

- ACCESSORY PRODUCTS CO., WHITTIER, CALIF.**
Rubber composition for use with hydrazine Patent
Application
[NASA-CASE-NPO-11433] c18 N71-31140
- ACCUNETRICS CORP., CAMBRIDGE, MASS.**
Piezoelectric relay
[NASA-CASE-GSC-11627-1] c09 N74-19852
- AEROFLEX LABS., INC., PLAINVIEW, N.Y.**
Rotary actuator
[NASA-CASE-NPO-10244] c15 N72-26371
- AEROJET-GENERAL CORP., EL MONTE, CALIF.**
High-speed infrared furnace
[NASA-CASE-XLE-10466] c17 N69-25147
- Ammonium perchlorate composite propellant containing an organic transitional metal chelate catalytic additive Patent
[NASA-CASE-LAR-10173-1] c27 N71-14090
- Swirling flow nozzle Patent
[NASA-CASE-XNP-03692] c28 N71-24321
- Automatic battery charger Patent
[NASA-CASE-XNP-04758] c03 N71-24605
- Attitude control system for sounding rockets Patent
[NASA-CASE-XGS-01654] c31 N71-24750
- Tensile strength testing device Patent
[NASA-CASE-XNP-05634] c15 N71-24834
- Hydroforming techniques using epoxy molds Patent
[NASA-CASE-XLE-05641-1] c15 N71-26346
- Electrical apparatus for detection of thermal decomposition or insulation Patent
[NASA-CASE-XMP-03968] c14 N71-27186
- AEROJET-GENERAL CORP., GLENDALE, CALIF.**
Rotating shaft seal Patent
[NASA-CASE-XNP-02862-1] c15 N71-26294
- AEROJET-GENERAL CORP., SACRAMENTO, CALIF.**
Process of forming particles in a cryogenic path Patent
[NASA-CASE-NPO-10250] c23 N71-16212
- AERONAUTICAL RESEARCH ASSOCIATES OF PRINCETON, INC., N.J.**
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c02 N73-30938
- AGRICULTURAL RESEARCH SERVICE, BERKELEY, CALIF.**
Rotary plant growth accelerating apparatus
[NASA-CASE-ARC-10722-1] c04 N74-13807
- AIRBORNE INSTRUMENTS LAB., DEER PARK, N.Y.**
High-Q bandpass resonators utilizing bandstop resonator pairs
[NASA-CASE-GSC-10990-1] c09 N73-26195
- AIRTRONICS, INC., WASHINGTON, D.C.**
Protection for energy conversion systems

- [NASA-CASE-XGS-04808] c03 N69-25146
Inverter with means for base current shaping for sweeping charge carriers from base region Patent
[NASA-CASE-XGS-06226] c10 N71-25950
- AMERICAN AIR FILTER CO., INC., ST. LOUIS, MO.**
Gas filter mounting structure
[NASA-CASE-MSC-12297] c14 N72-23457
- AMERICAN OPTICAL CO., PITTSBURGH, PA.**
Telespectrograph Patent
[NASA-CASE-XLA-03273] c14 N71-18699
- AMERICAN OPTICAL CO., SOUTHBRIDGE, MASS.**
Pneumatic mirror support system
[NASA-CASE-XLA-03271] c11 N69-24321
- AMERICAN SCIENCE AND ENGINEERING, INC., CAMBRIDGE, MASS.**
X-ray reflection collimator adapted to focus X-radiation directly on a detector Patent
[NASA-CASE-XHQ-04106] c14 N70-40240
- AMEX CORP., REDWOOD CITY, CALIF.**
A method for making conductors for ferrite memory arrays
[NASA-CASE-LAR-10994-1] c18 N73-30536
- APPLIED MAGNETICS CORP., GOLETA, CALIF.**
Magnetic recording head and method of making same Patent
[NASA-CASE-GSC-10097-1] c08 N71-27210
- APPLIED SPACE PRODUCTS, INC., PALO ALTO, CALIF.**
Intumescent paints Patent
[NASA-CASE-ARC-10099-1] c18 N71-15469
- ASTRO-SPACE LABS., INC., HUNTSVILLE, ALA.**
Linear differential pressure sensor Patent
[NASA-CASE-XMP-01974] c14 N71-22752
- ATLANTIC RESEARCH CORP., ALEXANDRIA, VA.**
Spherically-shaped rocket motor Patent
[NASA-CASE-XHQ-01897] c28 N70-35381
- AUBURN RESEARCH FOUNDATION, INC., ALA.**
Shear modulated fluid amplifier Patent
[NASA-CASE-MFS-10412] c12 N71-17578
- Laser coolant and ultraviolet filter
[NASA-CASE-MFS-20180] c16 N72-12440
- AUBURN UNIV., ALA.**
Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c07 N74-19790
- AUTONETICS, ANAHEIM, CALIF.**
Adaptive voting computer system
[NASA-CASE-HSC-13932-1] c08 N74-14920
- AVCO CORP., NEW YORK.**
Signal multiplexer
[NASA-CASE-XGS-01110] c07 N69-24334
- AVCO CORP., HILTINGTON, MASS.**
Method and apparatus for making a heat insulating and ablative structure Patent
[NASA-CASE-XMS-02009] c33 N71-20834

B

- BALDWIN-LIMA-HAMILTON CORP., SAN FRANCISCO, CALIF.**
Valve actuator Patent
[NASA-CASE-XHQ-01208] c15 N70-35409
- BALL BROS. RESEARCH CORP., BOULDER, COLO.**
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c09 N74-20864
- BARNES ENGINEERING CO., STAMFORD, CONN.**
Multi-lobar scan horizon sensor Patent
[NASA-CASE-XGS-00809] c21 N70-35427
- Horizon sensor with a plurality of fixedly positioned radiation compensated radiation sensitive detectors Patent
[NASA-CASE-XNP-06957] c14 N71-21088
- Miniature carbon dioxide sensor and methods
[NASA-CASE-MSC-13332-1] c14 N72-21408
- BATTELLE MEMORIAL INST., COLUMBUS, OHIO.**
Process for preparation of dianilinosilanes Patent
[NASA-CASE-XMP-06409] c06 N71-23230

- Process for preparation of high-molecular-weight polyaryloxysilanes Patent
[NASA-CASE-XMF-08674] c06 N71-28807
- Method for determining presence of OH in magnesium oxide
[NASA-CASE-NPO-10774] c06 N72-17095
- Porous electrode comprising a bonded stack of pieces of corrugated metal foil
[NASA-CASE-GSC-11368-1] c09 N73-32108
- Method of making porous conductive supports for electrodes
[NASA-CASE-GSC-11367-1] c03 N74-19692
- BATTELLE MEMORIAL INST., RICHLAND, WASH.**
Low temperature aluminum alloy Patent
[NASA-CASE-XMF-02786] c17 N71-20743
- BATTELLE-NORTHWEST, RICHLAND, WASH.**
Preparation of high purity copper fluoride
[NASA-CASE-LEW-10794-1] c06 N72-17093
- BAUSCH AND LOMB, INC., ROCHESTER, N.Y.**
Petzval type objective including field shaping lens Patent
[NASA-CASE-GSC-10700] c23 N71-30027
- Illumination system including a virtual light source Patent
[NASA-CASE-HQN-10781] c23 N71-30292
- BAYLOR UNIV., HOUSTON, TEX.**
EEG sleep analyzer and method of operation Patent
[NASA-CASE-MSC-13282-1] c05 N71-24729
- Compressible biomedical electrode
[NASA-CASE-MSC-13648] c05 N72-27103
- BECKMAN INSTRUMENTS, INC., FULLERTON, CALIF.**
Pulse activated polarographic hydrogen detector Patent
[NASA-CASE-XMF-06531] c14 N71-17575
- Electronic divider and multiplier using photocells Patent
[NASA-CASE-XPR-05637] c09 N71-19480
- Pulse generating circuit employing switch means on ends of delay line for alternately charging and discharging same Patent
[NASA-CASE-XNP-00745] c10 N71-28960
- Gas operated actuator
[NASA-CASE-NPO-11340] c15 N72-33477
- Specific wavelength colorimeter
[NASA-CASE-MSC-14081-1] c14 N73-18443
- BECKMAN INSTRUMENTS, INC., SOUTH PASADENA, CALIF.**
Pneumatic system for controlling and actuating pneumatic cyclic devices
[NASA-CASE-XMS-04843] c03 N69-21469
- BECKON, DICKINSON AND CO., RUTHERFORD, N.J.**
Vacuum probe surface sampler
[NASA-CASE-LAR-10623-1] c14 N73-30395
- BELL AEROSPACE CO., BUFFALO, N.Y.**
Correlation type phase detector
[NASA-CASE-GSC-11744-1] c09 N73-23291
- Modulator for tone and binary signals
[NASA-CASE-GSC-11743-1] c07 N73-27107
- BELL AEROSYSTEMS CO., BUFFALO, N.Y.**
Lunar landing flight research vehicle Patent
[NASA-CASE-XPR-00929] c31 N70-34966
- Flexibly connected support and skin Patent
[NASA-CASE-XLA-01027] c31 N71-24035
- Injection head for delivering liquid fuel and oxidizers
[NASA-CASE-NPO-10046] c28 N72-17843
- Flight control system
[NASA-CASE-MSC-13397-1] c21 N72-25595
- BELLCOMM, INC., WASHINGTON, D.C.**
Physical correction filter for improving the optical quality of an image
[NASA-CASE-HQN-10542-1] c23 N72-21663
- BENDIX CORP., ANN ARBOR, MICH.**
Circuit breaker utilizing magnetic latching relays Patent
[NASA-CASE-MSC-11277] c09 N71-29008
- BENDIX CORP., DAYTONPORT, IOWA.**
Dual stage check valve
[NASA-CASE-MSC-13587-1] c15 N73-30459
- BENDIX CORP., DETROIT, MICH.**
Deformable vehicle wheel Patent
[NASA-CASE-MFS-20400] c31 N71-18611
- BENDIX CORP., HUNTSVILLE, ALA.**
Multi axes vibration fixtures
[NASA-CASE-MFS-20242] c14 N73-19421
- BENDIX CORP., KENNEDY SPACE CENTER, FLA.**
Color perception tester
[NASA-CASE-KSC-10278] c05 N72-16015
- BENDIX CORP., TETERBORO, N.J.**
Evacuation valve
[NASA-CASE-LAR-10061-1] c15 N72-31483
- BOEING CO., COCOA BEACH, FLA.**
Positive contact resistance soldering unit
[NASA-CASE-KSC-10242] c15 N72-23497
- Variable resistance constant tension and lubrication device
[NASA-CASE-KSC-10723-1] c15 N73-23553
- BOEING CO., HUNTSVILLE, ALA.**
Hydrogen fire blink detector
[NASA-CASE-MFS-15063] c14 N72-25412
- Boreoscope with variable angle scope
[NASA-CASE-MFS-15162] c14 N72-32452
- A guide for a typewriter
[NASA-CASE-MFS-15218-1] c15 N73-31438
- BOEING CO., SEATTLE, WASH.**
Method of inhibiting stress corrosion cracks in titanium alloys Patent
[NASA-CASE-NPO-10271] c17 N71-16393
- Strain sensor for high temperatures Patent
[NASA-CASE-XNP-09205] c14 N71-17657
- Forming tool for ribbon or wire
[NASA-CASE-XLA-05966] c15 N72-12408
- Solar cell assembly test method
[NASA-CASE-NPO-10401] c03 N72-20033
- Thermal compression bonding of interconnectors
[NASA-CASE-GSC-10303] c15 N72-22487
- Extrusion can
[NASA-CASE-NPO-10812] c15 N73-13464
- Radiation sensitive solid state switch
[NASA-CASE-NPO-10817-1] c08 N73-30135
- BORG-WARNER CORP., CHICAGO, ILL.**
Data transfer system Patent
[NASA-CASE-NPO-12107] c08 N71-27255
- BROWN AND ROOT, INC., HOUSTON, TEX.**
Anti-fog composition
[NASA-CASE-MSC-13530-2] c06 N73-11107
- BROWN ENGINEERING CO., INC., HUNTSVILLE, ALA.**
Air bearing Patent
[NASA-CASE-XMF-01887] c15 N71-10617
- Collapsible nozzle extension for rocket engines Patent
[NASA-CASE-MFS-11497] c28 N71-16224
- Inspection gage for boss Patent
[NASA-CASE-XMF-04966] c14 N71-17658
- Method of recording a gas flow pattern Patent
[NASA-CASE-XMF-01779] c12 N71-20815
- Trigonometric vehicle guidance assembly which aligns the three perpendicular axes of two three-axes systems Patent
[NASA-CASE-XMF-00684] c21 N71-21688
- Vapor liquid separator Patent
[NASA-CASE-XMF-04042] c15 N71-23023
- Thruster maintenance system Patent
[NASA-CASE-MFS-20325] c28 N71-27095
- Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c28 N72-11708

C

- CALIFORNIA COMPUTER PRODUCTS, INC., ANAHEIM.**
Temperature regulation circuit Patent
[NASA-CASE-XNP-02792] c14 N71-28958
- CALIFORNIA INST. OF TECH., PASADENA.**
Attitude control for spacecraft Patent
[NASA-CASE-XNP-02982] c31 N70-41855
- CALIFORNIA UNIV., BERKELEY.**
Adjustable mount for a trihedral mirror Patent
[NASA-CASE-XNP-08907] c23 N71-29123
- Infrared detectors
[NASA-CASE-LAR-10728-1] c14 N73-12445
- CALIFORNIA UNIV., LOS ANGELES.**
Continuous plasma light source
[NASA-CASE-XNP-04167-3] c25 N72-21693
- Continuous plasma light source
[NASA-CASE-XNP-04167-2] c25 N72-24753
- CATHOLIC UNIV. OF AMERICA, WASHINGTON, D.C.**
Electromagnetic wave energy converter
[NASA-CASE-GSC-11394-1] c09 N73-32109
- CHANCE VUGHT CORP., DALLAS, TEX.**
Coupling for linear shaped charge Patent
[NASA-CASE-XLA-00189] c33 N70-36846
- Spin forming tubular elbows Patent
[NASA-CASE-XMF-01083] c15 N71-22723
- Single action separation mechanism Patent
[NASA-CASE-XLA-00188] c15 N71-22874
- CHRYSLER CORP., DETROIT, MICH.**
Ceramic insulation for radiant heating environments and method of preparing the same Patent

[NASA-CASE-MFS-14253] c33 N71-24858
Constant temperature heat sink for calorimeters
Patent
[NASA-CASE-XMP-04208] c33 N71-29051
CHRISTLER CORP., HUNTSVILLE, ALA.
Apparatus for ejection of an instrument cover
[NASA-CASE-XMP-04132] c15 N69-27502
COLLINS RADIO CO., CEDAR RAPIDS, IOWA.
Power responsive overload sensing circuit Patent
[NASA-CASE-GSC-10667-1] c10 N71-33129
COLLINS RADIO CO., DALLAS, TEX.
Signal path series step biased multidevice high
efficiency amplifier Patent
[NASA-CASE-GSC-10668-1] c07 N71-28430
Heat conductive resiliently compressible
structure for space electronics package
modules Patent
[NASA-CASE-MSC-12389] c33 N71-29052
Infinite range electronics gain control circuit
[NASA-CASE-GSC-10786-1] c10 N72-28241
COMPREHENSIVE DESIGNERS, INC., SHERMAN OAKS, CALIF.
Vehicle for use in planetary exploration
[NASA-CASE-NPO-11366] c11 N73-26238
COMPUTER CONTROL CO., INC., FRAZINGHAM, MASS.
Test fixture for pellet-like electrical elements
[NASA-CASE-XNP-06032] c09 N69-21926
Support structure for irradiated elements Patent
[NASA-CASE-XNP-06031] c15 N71-15606
Counter Patent
[NASA-CASE-XNP-06234] c10 N71-27137
CONRAC CORP., PASADENA, CALIF.
Penetrating radiation system for detecting the
amount of liquid in a tank Patent
[NASA-CASE-MSC-12280] c27 N71-16348
CORNELL UNIV., ITHACA, N.Y.
Flux sensing device using a tubular core with
toroidal gating coil and solenoidal output
coil wound thereon Patent
[NASA-CASE-XGS-01681] c09 N70-40123
CRANE CO., BURBANK, CALIF.
Hydraulic transformer Patent
[NASA-CASE-MFS-20830] c15 N71-30028
CURTISS-BRIGHT CORP., HOOD-RIDGE, N.J.
Gas turbine combustion apparatus Patent
[NASA-CASE-XLE-103477-1] c28 N71-20330

D

DELAWARE UNIV., NEWARK.
High field Cds detector for infrared radiation
[NASA-CASE-LAR-11027-1] c14 N74-18088
DENVER UNIV., COLO.
Metal shearing energy absorber
[NASA-CASE-HQN-10638-1] c15 N73-30460
DORNE AND HARGOLIN, INC., BOHEMIA, N.Y.
Nose cone mounted heat resistant antenna Patent
[NASA-CASE-XMS-04312] c07 N71-22984
DOUGLAS AIRCRAFT CO., INC., SANTA MONICA, CALIF.
Recoverable single stage spacecraft booster Patent
[NASA-CASE-XMP-01973] c31 N70-41588
Switching circuit employing regeneratively
connected complementary transistors Patent
[NASA-CASE-XNP-02654] c10 N70-42032
Split nut separation system Patent
[NASA-CASE-XNP-06914] c15 N71-21489
Artificial gravity spin deployment system Patent
[NASA-CASE-XNP-02595] c31 N71-21881
Portable superclean air column device Patent
[NASA-CASE-XMP-03212] c15 N71-22721
Energy absorption device Patent
[NASA-CASE-XNP-01848] c15 N71-28959
Collapsible pistons
[NASA-CASE-MSC-13789-1] c11 N73-32152
DUKE UNIV., DURHAM, N.C.
Regulated dc-to-dc converter for voltage step-up
or step-down with input-output isolation
[NASA-CASE-HQN-10792-1] c09 N74-11049

E

EITEL-HCCULLOUGH, INC., SAN CARLOS, CALIF.
Method of forming ceramic to metal seal Patent
[NASA-CASE-XNP-01263-2] c15 N71-26312
ELECTRAC, INC., ANAHEIM, CALIF.
Optimum predetection diversity receiving system
Patent
[NASA-CASE-XGS-00740] c07 N71-23098
ELECTRIC STORAGE BATTERY CO., RALEIGH, N.C.
Electric battery and method for operating same

Patent
[NASA-CASE-XGS-01674] c03 N71-29129
ELECTRO-OPTICAL SYSTEMS, INC., PASADENA, CALIF.
Focussing system for an ion source having
apertured electrodes Patent
[NASA-CASE-XNP-03332] c09 N71-10618
Electrolytically regenerative hydrogen-oxygen
fuel cell Patent
[NASA-CASE-XLE-04526] c03 N71-11052
Method of producing refractory bodies having
controlled porosity Patent
[NASA-CASE-LEW-10393-1] c17 N71-15468
Soil particles separator, collector and viewer
Patent
[NASA-CASE-XNP-09770] c15 N71-20440
Particle detection apparatus including a
ballistic pendulum Patent
[NASA-CASE-XMS-04201] c14 N71-22990
Polarity sensitive circuit Patent
[NASA-CASE-XNP-00952] c10 N71-23271
Ion engine casing construction and method of
making same Patent
[NASA-CASE-XNP-06942] c28 N71-23293
Material handling device Patent
[NASA-CASE-XNP-09770-3] c11 N71-27036
Screen particle separator
[NASA-CASE-XNP-09770-2] c15 N72-22483
ELECTRONIC IMAGE SYSTEMS CORP., CAMBRIDGE, MASS.
Drying apparatus for photographic sheet material
[NASA-CASE-GSC-11074-1] c14 N73-28489
ESB, INC., RALEIGH, N.C.
Storage battery comprising negative plates of a
wedge shaped configuration
[NASA-CASE-NPO-11806-1] c03 N74-19693
ESB, INC., YARDLEY, PA.
Electric storage battery
[NASA-CASE-NPO-11021] c03 N72-20032
EVEN KNIGHT CORP., EAST NATICK, MASS.
Method and means for providing an absolute power
measurement capability Patent
[NASA-CASE-ERC-11020] c14 N71-26774

F

FAIRCHILD HILLER CORP., GERRHANTOWN, MD.
Two axis fluxgate magnetometer Patent
[NASA-CASE-GSC-10441-1] c14 N71-27325
Space simulation and radiative property testing
system and method Patent
[NASA-CASE-MFS-20096] c14 N71-30026
Thermal control system for a spacecraft modular
housing
[NASA-CASE-GSC-11018-1] c31 N73-30829
FEDERAL-HOGUL CORP., LOS ALAMITOS, CALIF.
Hydraulic casting of liquid polymers Patent
[NASA-CASE-XNP-07659] c06 N71-22975
FHC CORP., NEW YORK.
Decomposition unit Patent
[NASA-CASE-XMS-00583] c28 N70-38504
FORD MOTOR CO., DEARBORN, MICH.
Omnidirectional acceleration device Patent
[NASA-CASE-HQN-10780] c14 N71-30265

G

GARRETT CORP., LOS ANGELES, CALIF.
Relief valve
[NASA-CASE-XMS-05894-1] c15 N69-21924
Portable environmental control system Patent
[NASA-CASE-XMS-09632-1] c05 N71-11203
Dual latching solenoid valve Patent
[NASA-CASE-XMS-05890] c09 N71-23191
Water management system and an electrolytic cell
therefor Patent
[NASA-CASE-MSC-10960-1] c03 N71-24718
Low cycle fatigue testing machine
[NASA-CASE-LAR-10270-1] c32 N72-25877
Process for separation of dissolved hydrogen
from water by use of palladium and process for
coating palladium with palladium black
[NASA-CASE-MSC-13335-1] c06 N72-31140
GCA CORP., BEDFORD, MASS.
Analytical photoionization mass spectrometer
with an argon gas filter between the light
source and monochromator Patent
[NASA-CASE-LAR-10180-1] c06 N71-13461
GENERAL DYNAMICS CORP., SAN DIEGO, CALIF.
Light radiation direction indicator with a
baffle of two parallel grids

- [NASA-CASE-XNP-03930] c14 N69-24331
Method and apparatus for attaching physiological
monitoring electrodes Patent
[NASA-CASE-XFR-07658-1] c05 N71-26293
Driving lamps by induction
[NASA-CASE-MFS-21214-1] c09 N73-30181
GENERAL DYNAMICS/ASTRONAUTICS, SAN DIEGO, CALIF.
Determination of spot weld quality Patent
[NASA-CASE-XNP-02588] c15 N71-18613
Pressure transducer calibrator Patent
[NASA-CASE-XNP-01660] c14 N71-23036
Plating nickel on aluminum castings Patent
[NASA-CASE-XNP-04148] c17 N71-24830
GENERAL DYNAMICS/CONVAIR, SAN DIEGO, CALIF.
Signal generator
[NASA-CASE-XNP-05612] c09 N69-21468
Separation nut Patent
[NASA-CASE-XGS-01971] c15 N71-15922
Zero gravity separator Patent
[NASA-CASE-XLE-00586] c15 N71-15968
Catalyst cartridge for carbon dioxide reduction
unit
[NASA-CASE-LAR-10551-1] c06 N74-12813
GENERAL ELECTRIC CO., PHILADELPHIA, PA.
Catalyst for growth of boron carbide single
crystal whiskers
[NASA-CASE-XHQ-03903] c15 N69-21922
Didymium hydrate additive to nickel hydroxide
electrodes Patent
[NASA-CASE-XGS-03505] c03 N71-10608
Bismuth-lead coatings for gas bearings used in
atmospheric environments and vacuum chambers
Patent
[NASA-CASE-XGS-02011] c15 N71-20739
Multiparameter vision tester apparatus
[NASA-CASE-MSC-13601-1] c05 N72-11088
Automatic control of liquid cooling garment by
cutaneous and external auditory meatus
temperatures
[NASA-CASE-MSC-13917-1] c05 N72-15098
Method for measuring cutaneous sensory perception
[NASA-CASE-MSC-13609-1] c05 N72-25122
Conducting flow electrophoresis in the
substantial absence of gravity
[NASA-CASE-MFS-21394-1] c12 N72-27310
Electrophoretic sample insertion
[NASA-CASE-MFS-21395-1] c14 N72-27425
Reaction tester
[NASA-CASE-MSC-13604-1] c05 N73-13114
Air conditioned suit
[NASA-CASE-LAR-10076-1] c05 N73-20137
Compton scatter attenuation gamma ray spectrometer
[NASA-CASE-MFS-21441-1] c14 N73-30392
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c14 N74-18090
GENERAL ELECTRIC CO., PLEASANTON, CALIF.
Method of making a cermet Patent
[NASA-CASE-LEW-10219-1] c18 N71-28729
GENERAL ELECTRIC CO., SCHENECTADY, N.Y.
Superconductive accelerometer Patent
[NASA-CASE-XMF-01099] c14 N71-15969
GENERAL MOTORS CORP., DETROIT, MICH.
Hermetic sealed vibration damper Patent
[NASA-CASE-MSC-10959] c15 N71-26243
GENERAL MOTORS CORP., MILWAUKEE, WIS.
Adjustable tension wire guide Patent
[NASA-CASE-XMS-02383] c15 N71-15918
GENERAL MOTORS CORP., SANTA BARBARA, CALIF.
Resilient wheel Patent
[NASA-CASE-MFS-13929] c15 N71-27091
GENERAL PRECISION SYSTEMS, INC., LITTLE FALLS, N.J.
Fluidic-thermochromic display device Patent
[NASA-CASE-BRC-10031] c12 N71-18603
GENERAL PRECISION, INC., LITTLE FALLS, N.J.
Reversible current control apparatus Patent
[NASA-CASE-XLA-09371] c10 N71-18724
GENERAL PRECISION, INC., SUNNYVALE, CALIF.
Broadband video process with very high input
impedance
[NASA-CASE-NPO-10199] c09 N72-17156
GEOPHYSICS CORP. OF AMERICA, BEDFORD, MASS.
Inflation system for balloon type satellites
Patent
[NASA-CASE-XGS-03351] c31 N71-16081
GEOPHYSICS CORP. OF AMERICA, BOSTON, MASS.
Ionospheric battery Patent
[NASA-CASE-XGS-01593] c03 N70-35408
GEORGE WASHINGTON UNIV., WASHINGTON, D.C.
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c05 N73-11097
Bacteria detection instrument and method
[NASA-CASE-GSC-11533-1] c14 N73-13435
GLOBE-UNION, INC., MILWAUKEE, WIS.
Method of coating solar cell with borosilicate
glass and resultant product
[NASA-CASE-GSC-11514-1] c03 N72-24037
GOODYEAR AEROSPACE CORP., AKRON, OHIO.
Foldable solar concentrator Patent
[NASA-CASE-XLA-04622] c03 N70-41580
Method of making a filament-wound container Patent
[NASA-CASE-XLE-03803-2] c15 N71-17651
Filament wound container Patent
[NASA-CASE-XLE-03803] c15 N71-23816
Panelized high performance multilayer insulation
Patent
[NASA-CASE-MFS-14023] c33 N71-25351
Thermally activated foaming compositions Patent
[NASA-CASE-LAR-10373-1] c18 N71-26155
Compression test assembly
[NASA-CASE-LAR-10440-1] c14 N73-32323
GRACE (W. E.) AND CO., CLARKSVILLE, MD.
Metal containing polymers from cyclic tetrameric
phenylphosphonitrilamides Patent
[NASA-CASE-HQN-10364] c06 N71-27363
GRUMMAN AIRCRAFT ENGINEERING CORP., BETHPAGE, N.Y.
Sealed cabinetry Patent
[NASA-CASE-MSC-12168-1] c09 N71-18600
Out of tolerance warning alarm system for
plurality of monitored circuits Patent
[NASA-CASE-XMS-10984-1] c10 N71-19417
GULF GENERAL ATOMIC, SAN DIEGO, CALIF.
Tungsten seal coat Patent
[NASA-CASE-XNP-03704] c15 N71-17695
Waveform simulator Patent
[NASA-CASE-NPO-10251] c10 N71-27365
GULTON INDUSTRIES, INC., ALBUQUERQUE, N.MEX.
Analog-to-digital converter
[NASA-CASE-MSC-13110-1] c08 N72-22163
- ## H
- HAMILTON STANDARD, WINDSOR LOCKS, CONN.**
Venting device for pressurized space suit helmet
Patent
[NASA-CASE-XMS-09652-1] c05 N71-26333
Condensate removal device for heat exchange
[NASA-CASE-MSC-14143-1] c33 N73-32823
HAYES INTERNATIONAL CORP., BIRMINGHAM, ALA.
Space craft soft landing system Patent
[NASA-CASE-XMF-02108] c31 N70-36845
Device for preventing high voltage arcing in
electron beam welding Patent
[NASA-CASE-XMF-08522] c15 N71-19486
HAYES INTERNATIONAL CORP., HUNTSVILLE, ALA.
Method and apparatus for cryogenic wire
stripping Patent
[NASA-CASE-MFS-10340] c15 N71-17628
Self-balancing strain gage transducer Patent
[NASA-CASE-MFS-12827] c14 N71-17656
Automatic closed circuit television arc guidance
control Patent
[NASA-CASE-MFS-13046] c07 N71-19433
HAZLETON LABS., FALLS CHURCH, VA.
Use of the enzyme hexokinase for the reduction
of inherent light levels
[NASA-CASE-XGS-05533] c04 N69-27487
Light detection instrument Patent
[NASA-CASE-XGS-05534] c23 N71-16355
Lyophilized reaction mixtures Patent
[NASA-CASE-XGS-05532] c06 N71-17705
Firefly pump-metering system
[NASA-CASE-GSC-10218-1] c15 N72-21465
HOFFMAN ELECTRONICS CORP., EL MONTE, CALIF.
Method for producing a solar cell having an
integral protective covering
[NASA-CASE-XGS-04531] c03 N69-24267
HONEYWELL, INC., HOPKINS, MINN.
Frequency control network for a current feedback
oscillator Patent
[NASA-CASE-GSC-10041-1] c10 N71-19418
HONEYWELL, INC., MINNEAPOLIS, MINN.
Bus voltage compensation circuit for controlling
direct current motor
[NASA-CASE-XMS-04215-1] c09 N69-39987
Apparatus for overcurrent protection of a
push-pull amplifier Patent
[NASA-CASE-MSC-12033-1] c09 N71-13531

- Static inverter Patent
[NASA-CASE-XGS-05289] c09 N71-19470
- High impedance measuring apparatus Patent
[NASA-CASE-XMS-08589-1] c09 N71-20569
- Clamping assembly for inertial components Patent
[NASA-CASE-XMS-02184] c15 N71-20813
- Piezoelectric pump Patent
[NASA-CASE-XNP-05429] c26 N71-21824
- Controllers Patent
[NASA-CASE-XMS-07487] c15 N71-23255
- Convoluting device for forming convolutions and the like Patent
[NASA-CASE-XNP-05297] c15 N71-23811
- Failure sensing and protection circuit for converter networks Patent
[NASA-CASE-GSC-10114-1] c10 N71-27366
- Voice operated controller Patent
[NASA-CASE-XLA-04063] c31 N71-33160
- Load current sensor for a series pulse width modulated power supply
[NASA-CASE-GSC-10656-1] c09 N72-25249
- Radiant source tracker independent of nonconstant irradiance
[NASA-CASE-NPO-11686] c14 N73-25462
- Optical instruments
[NASA-CASE-MSC-14096-1] c14 N74-15095
- HOUSTON UNIV., TEX.
Analysis of volatile organic compounds
[NASA-CASE-MSC-14428-1] c06 N74-19776
- HUGHES AIRCRAFT CO., CANOGA PARK, CALIF.
Refractory porcelain enamel passive thermal control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c18 N73-21471
- HUGHES AIRCRAFT CO., CULVER CITY, CALIF.
Varactor high level mixer
[NASA-CASE-XGS-02171] c09 N69-24324
- Thermally operated valve Patent
[NASA-CASE-XLE-00815] c15 N70-35407
- Thrust dynamometer Patent
[NASA-CASE-XLE-00702] c14 N70-40203
- Solid state chemical source for ammonia beam maser Patent
[NASA-CASE-XGS-01504] c16 N70-41578
- Canopus detector including automatic gain control of photomultiplier tube Patent
[NASA-CASE-XNP-03914] c21 N71-10771
- Horn feed having overlapping apertures Patent
[NASA-CASE-GSC-10452] c07 N71-12396
- Deflective rod switch with elastic support and sealing means Patent
[NASA-CASE-XNP-09808] c09 N71-12518
- Guidance and maneuver analyzer Patent
[NASA-CASE-XNP-09572] c14 N71-15621
- Method of making screen by casting Patent
[NASA-CASE-XLE-00953] c15 N71-15966
- Fluid flow control valve Patent
[NASA-CASE-XLE-00703] c15 N71-15967
- Low noise single aperture multimode monopulse antenna feed system Patent
[NASA-CASE-XNP-01735] c07 N71-22750
- Multilayer porous ionizer Patent
[NASA-CASE-XNP-04338] c17 N71-23046
- Construction and method of arranging a plurality of ion engines to form a cluster Patent
[NASA-CASE-XNP-02923] c28 N71-23081
- Method for fiberizing ceramic materials Patent
[NASA-CASE-INP-00597] c18 N71-23088
- Inorganic thermal control pigment Patent
[NASA-CASE-XNP-02139] c18 N71-24184
- Triaxial antenna Patent
[NASA-CASE-IGS-02290] c07 N71-28809
- Variable frequency oscillator with temperature compensation Patent
[NASA-CASE-XNP-03916] c09 N71-28810
- High efficiency ionizer assembly Patent
[NASA-CASE-XNP-01954] c28 N71-28850
- Apparatus for changing the orientation and velocity of a spinning body traversing a path Patent
[NASA-CASE-HQN-00936] c31 N71-29050
- Fabrication of controlled-porosity metals Patent
[NASA-CASE-XNP-04339] c17 N71-29137
- Ion thruster
[NASA-CASE-LEW-10770-1] c28 N72-22770
- HUGHES AIRCRAFT CO., LOS ANGELES, CALIF.
Power control circuit
[NASA-CASE-XNP-02713] c10 N69-39888
- Thermal switch Patent
[NASA-CASE-INP-00463] c33 N70-36847
- Double optic system for ion engine Patent
[NASA-CASE-INP-02839] c28 N70-41922
- Sample collecting impact bit Patent
[NASA-CASE-XNP-01412] c15 N70-42034
- Bootstrap unloader Patent
[NASA-CASE-XNP-09768] c09 N71-12516
- Difference circuit Patent
[NASA-CASE-XNP-08274] c10 N71-13537
- Gas regulator Patent
[NASA-CASE-NPO-10298] c12 N71-17661
- A dc-coupled noninverting one-shot Patent
[NASA-CASE-XNP-09450] c10 N71-18723
- Phase demodulation system with two phase locked loops Patent
[NASA-CASE-XNP-00777] c10 N71-19469
- High voltage transistor circuit Patent
[NASA-CASE-XNP-06937] c09 N71-19516
- Drift compensation circuit for analog to digital converter Patent
[NASA-CASE-XNP-04780] c08 N71-19687
- System for monitoring the presence of neutrals in a stream of ions Patent
[NASA-CASE-XNP-02592] c24 N71-20518
- Broadband frequency discriminator Patent
[NASA-CASE-NPO-10096] c07 N71-24583
- Flexible, repairable, portable material for electrical connectors Patent
[NASA-CASE-XGS-05180] c18 N71-25881
- Phase multiplying electronic scanning system Patent
[NASA-CASE-NPO-10302] c10 N71-26142
- Narrow bandwidth video Patent
[NASA-CASE-XMS-06740-1] c07 N71-26579
- Solar panel fabrication Patent
[NASA-CASE-XNP-03413] c03 N71-26726
- Method for removing oxygen impurities from cesium Patent
[NASA-CASE-XNP-04262-2] c17 N71-26773
- Virtual wall slot circularly polarized planar array antenna
[NASA-CASE-NPO-10301] c07 N72-11148
- Conical reflector antenna
[NASA-CASE-NPO-10303] c07 N72-22127
- Injector for use in high voltage isolators for liquid feed lines
[NASA-CASE-NPO-11377] c15 N73-27406
- High efficiency multifrequency feed
[NASA-CASE-GSC-113173] c09 N74-20863
- Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c15 N74-21058
- Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c23 N74-21304
- HUGHES RESEARCH LABS., HALIBU, CALIF.
Thrust dynamometer Patent
[NASA-CASE-XLE-05260] c14 N71-20429
- IIT RESEARCH INST., CHICAGO, ILL.
Spectral method for monitoring atmospheric contamination of inert-gas welding shields Patent
[NASA-CASE-XHF-02039] c15 N71-15871
- Lightweight refractory insulation and method of preparing the same Patent
[NASA-CASE-XHF-05279] c18 N71-16124
- Stabilized zinc oxide coating compositions Patent
[NASA-CASE-XNP-07770-2] c18 N71-26772
- Synthesis of zinc titanate pigment and coatings containing the same
[NASA-CASE-MFS-13532] c18 N72-17532
- Junction range finder
[NASA-CASE-KSC-10108] c14 N73-25461
- IMAGE INFORMATION, INC., DANBURY, CONN.
Recorder/processor apparatus
[NASA-CASE-GSC-11553-1] c07 N74-15831
- IDCA ENGINEERING CORP., SAN GABRIEL, CALIF.
An apparatus for establishing flow of fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c12 N73-16248
- INSTITUTE FOR RESEARCH, INC., HOUSTON, TEX.
Method of making a perspiration resistant biopotential electrode
[NASA-CASE-HSC-90153-2] c05 N72-25120
- INSTITUTE OF RESEARCH AND INSTRUMENTATION, HOUSTON, TEX.
Pressed disc type sensing electrodes with ion-

screening means Patent
[NASA-CASE-XNS-04212-1] c05 N71-12346

INTERNATIONAL BUSINESS MACHINES CORP., NEW YORK.

Electrical connector pin with wiping action
[NASA-CASE-XNF-04238] c09 N69-39734

Tool attachment for spreading loose elements
away from work Patent
[NASA-CASE-XNF-02107] c15 N71-10809

Redundant memory organization Patent
[NASA-CASE-GSC-10564] c10 N71-29135

INTERNATIONAL HARVESTER CO., SAN DIEGO, CALIF.

Silicide coatings for refractory metals Patent
[NASA-CASE-XLE-10910] c18 N71-29040

INTERNATIONAL LATEX CORP., DOVER, DEL.

Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012

ITT CORP., BUTLEY, N.J.

Time division radio relay synchronizing system
using different sync code words for in sync
and out of sync conditions Patent
[NASA-CASE-GSC-10373-1] c07 N71-19773

Tracking receiver Patent
[NASA-CASE-XGS-08679] c10 N71-21473

Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c07 N72-11149

JET PROPULSION LAB., CALIF. INST. OF TECH., PASADENA.

Pressure variable capacitor
[NASA-CASE-XNP-09752] c14 N69-21541

Rock drill for recovering samples
[NASA-CASE-XNP-07478] c14 N69-21923

Data compression system
[NASA-CASE-XNP-09785] c08 N69-21928

Magnetohydrodynamic induction machine
[NASA-CASE-XNP-07481] c25 N69-21929

Electromechanical actuator
[NASA-CASE-XNP-05975] c15 N69-23185

Refrigeration apparatus
[NASA-CASE-NPO-10309] c15 N69-23190

Direct radiation cooling of the collector of
linear beam tubes
[NASA-CASE-XNP-09227] c15 N69-24319

Excitation and detection circuitry for a flux
responsive magnetic head
[NASA-CASE-XNP-04183] c09 N69-24329

Telemetry word forming unit
[NASA-CASE-XNP-09225] c09 N69-24333

Solid state switch
[NASA-CASE-XNP-09228] c09 N69-27500

Belleville spring assembly with elastic guides
[NASA-CASE-XNP-09452] c15 N69-27504

Trifunctional alcohol
[NASA-CASE-NPO-10714] c06 N69-31244

Plurality of photosensitive cells on a
pyramidal base for planetary trackers
[NASA-CASE-XNP-04180] c07 N69-39736

Coating process
[NASA-CASE-XNP-06508] c18 N69-39895

Bi-metallic power controlled actuator
[NASA-CASE-XNP-09776] c09 N69-39929

Piping arrangement through a double chamber
structure
[NASA-CASE-XNP-08882] c15 N69-39935

Micropacked column for a chromatographic system
[NASA-CASE-XNP-04816] c06 N69-39936

Temperature sensitive capacitor device
[NASA-CASE-XNP-09750] c14 N69-39937

Thin-film gauge Patent Application
[NASA-CASE-NPO-10617] c14 N70-12618

Thermionic tantalum emitter doped with oxygen
Patent Application
[NASA-CASE-NPO-11138] c03 N70-34646

Data handling system based on source
significance, storage availability and data
received from the source Patent Application
[NASA-CASE-XNP-04162-1] c08 N70-34675

Electro-optical scanning apparatus Patent
Application
[NASA-CASE-NPO-11106] c14 N70-34697

Liquid junction and method of fabricating the
same Patent Application
[NASA-CASE-NPO-10682] c15 N70-34699

Helium refining by superfluidity Patent
[NASA-CASE-XNP-00733] c06 N70-34946

Means and methods of depositing thin films on
substrates Patent
[NASA-CASE-XNP-00595] c15 N70-34967

Photosensitive device to detect bearing
deviation Patent
[NASA-CASE-XNP-00438] c21 N70-35089

Antenna beam-shaping apparatus Patent
[NASA-CASE-XNP-00611] c09 N70-35219

Temperature-compensating means for cavity
resonator of amplifier Patent
[NASA-CASE-XNP-00449] c14 N70-35220

Parabolic reflector horn feed with spillover
correction Patent
[NASA-CASE-XNP-00540] c09 N70-35382

Means for visually indicating flight paths of
vehicles between the Earth, Venus, and Mercury
Patent
[NASA-CASE-XNP-00708] c14 N70-35394

Space vehicle attitude control Patent
[NASA-CASE-XNP-00465] c21 N70-35395

Binary to binary-coded-decimal converter Patent
[NASA-CASE-XNP-00432] c08 N70-35423

Cassegrainian antenna subreflector flange for
suppressing ground noise Patent
[NASA-CASE-XNP-00683] c09 N70-35425

Ionization vacuum gauge Patent
[NASA-CASE-XNP-00646] c14 N70-35666

Two-fluid magnetohydrodynamic system and method
for thermal-electric power conversion Patent
[NASA-CASE-XNP-00644] c03 N70-36803

Mechanical coordinate converter Patent
[NASA-CASE-XNP-00614] c14 N70-36907

High pressure four-way valve Patent
[NASA-CASE-XNP-00214] c15 N70-36908

Liquid rocket system Patent
[NASA-CASE-XNP-00610] c28 N70-36910

Radar ranging receiver Patent
[NASA-CASE-XNP-00748] c07 N70-36911

Attitude control for spacecraft Patent
[NASA-CASE-XNP-00294] c21 N70-36938

Elastic universal joint Patent
[NASA-CASE-XNP-00416] c15 N70-36947

Apparatus and method for control of a solid
fuelled rocket vehicle Patent
[NASA-CASE-XNP-00217] c28 N70-38181

Expulsion bladder-equipped storage tank
structure Patent
[NASA-CASE-XNP-00612] c11 N70-38182

High-voltage cable Patent
[NASA-CASE-XNP-00738] c09 N70-38201

Uniball separator for rockets Patent
[NASA-CASE-XNP-00425] c11 N70-38202

Multiple Belleville spring assembly Patent
[NASA-CASE-XNP-00840] c15 N70-38225

Ignition system for monopropellant combustion
devices Patent
[NASA-CASE-XNP-00249] c28 N70-38249

Pressure regulating system Patent
[NASA-CASE-XNP-00450] c15 N70-38603

Slit regulated gas journal bearing Patent
[NASA-CASE-XNP-00476] c15 N70-38620

Steerable solid propellant rocket motor Patent
[NASA-CASE-XNP-00234] c28 N70-38645

Space simulator Patent
[NASA-CASE-XNP-00459] c11 N70-38675

Ejection unit Patent
[NASA-CASE-XNP-00676] c15 N70-38996

Time-division multiplexer Patent
[NASA-CASE-XNP-00431] c09 N70-38998

Trajectory-correction propulsion system Patent
[NASA-CASE-XNP-01104] c28 N70-39931

Electrically-operated rotary shutter Patent
[NASA-CASE-XNP-00637] c14 N70-40273

Zero gravity starting means for liquid
propellant motors Patent
[NASA-CASE-XNP-01390] c28 N70-41275

Parallel motion suspension device Patent
[NASA-CASE-XNP-01567] c15 N70-41310

Ignition means for monopropellant Patent
[NASA-CASE-XNP-00876] c28 N70-41311

Reinforcing means for diaphragms Patent
[NASA-CASE-XNP-01962] c32 N70-41370

High pressure filter Patent
[NASA-CASE-XNP-00732] c28 N70-41447

Phase-locked loop with sideband rejecting
properties Patent
[NASA-CASE-XNP-02723] c07 N70-41680

Digital television camera control system Patent
[NASA-CASE-XNP-01472] c14 N70-41807

Antiflutter ball check valve Patent
[NASA-CASE-XNP-01152] c15 N70-41811

Roll attitude star sensor system Patent		Intermittent type silica gel adsorption refrigerator Patent	
[NASA-CASE-XNP-01307]	c21 N70-41856	[NASA-CASE-XNP-00920]	c15 N71-15906
Process for preparing sterile solid propellants Patent		Dual mode horn antenna Patent	
[NASA-CASE-XNP-01749]	c27 N70-41897	[NASA-CASE-XNP-01057]	c07 N71-15907
Solenoid construction Patent		Means for controlling rupture of shock tube diaphragms Patent	
[NASA-CASE-XNP-01951]	c09 N70-41929	[NASA-CASE-XAC-00731]	c11 N71-15960
Closed loop ranging system Patent		Insertion loss measuring apparatus having transformer means connected across a pair of bolometers Patent	
[NASA-CASE-XNP-01501]	c21 N70-41930	[NASA-CASE-XNP-01193]	c10 N71-16057
Printed circuit board with bellows rivet connection Patent		Polarimeter for transient measurement Patent	
[NASA-CASE-XNP-05082]	c15 N70-41960	[NASA-CASE-XNP-08883]	c23 N71-16101
Phase-shift data transmission system having a pseudo-noise SYNC code modulated with the data in a single channel Patent		Flexible composite membrane Patent	
[NASA-CASE-XNP-00911]	c08 N70-41961	[NASA-CASE-XNP-08837]	c18 N71-16210
Baseline stabilization system for ionization detector Patent		Mount for thermal control system Patent	
[NASA-CASE-XNP-03128]	c10 N70-41991	[NASA-CASE-NPO-10138]	c33 N71-16357
Single or joint amplitude distribution analyzer Patent		Optical characteristics measuring apparatus Patent	
[NASA-CASE-XNP-01383]	c09 N71-10659	[NASA-CASE-XNP-08840]	c23 N71-16365
Dual waveguide mode source having control means for adjusting the relative amplitude of two modes Patent		Parallel plate viscometer Patent	
[NASA-CASE-XNP-03134]	c07 N71-10676	[NASA-CASE-XNP-09462]	c14 N71-17584
Method for determining the state of charge of batteries by the use of tracers Patent		Means and method of measuring viscoelastic strain Patent	
[NASA-CASE-XNP-01464]	c03 N71-10728	[NASA-CASE-XNP-01153]	c32 N71-17645
High pressure regulator valve Patent		Interferometer direction sensor Patent	
[NASA-CASE-XNP-00710]	c15 N71-10778	[NASA-CASE-NPO-10320]	c14 N71-17655
Solar battery with interconnecting means for plural cells Patent		Interferometer servo system Patent	
[NASA-CASE-XNP-06506]	c03 N71-11050	[NASA-CASE-NPO-10300]	c14 N71-17662
Sealed battery gas manifold construction Patent		Electrical spot terminal assembly Patent	
[NASA-CASE-XNP-03378]	c03 N71-11051	[NASA-CASE-NPO-10034]	c15 N71-17685
Solar cell submodule Patent		Sealed separable connection Patent	
[NASA-CASE-XNP-05821]	c03 N71-11056	[NASA-CASE-NPO-10064]	c15 N71-17693
Reflectometer for receiver input impedance match measurement Patent		Incremental motion drive system Patent	
[NASA-CASE-XNP-10843]	c07 N71-11267	[NASA-CASE-XNP-08897]	c15 N71-17694
Means for generating a sync signal in an FM communication system Patent		Microbalance including crystal oscillators for measuring contaminants in a gas system Patent	
[NASA-CASE-XNP-10830]	c07 N71-11281	[NASA-CASE-NPO-10144]	c14 N71-17701
Multi-feed cone Cassegrain antenna Patent		Apparatus and method for protecting a photographic device Patent	
[NASA-CASE-NPO-10539]	c07 N71-11285	[NASA-CASE-NPO-10174]	c14 N71-18465
Thermionic diode switch Patent		Ranging system Patent	
[NASA-CASE-NPO-10404]	c03 N71-12255	[NASA-CASE-NPO-10066]	c09 N71-18598
Anti-backlash circuit for hydraulic drive system Patent		High impact pressure regulator Patent	
[NASA-CASE-XNP-01020]	c03 N71-12260	[NASA-CASE-NPO-10175]	c14 N71-18625
Binary number sorter Patent		Magnetic core current steering commutator Patent	
[NASA-CASE-NPO-10112]	c08 N71-12502	[NASA-CASE-NPO-10201]	c08 N71-18694
Linear three-tap feedback shift register Patent		Method of using photovoltaic cell using poly-N-vinylcarbazole complex Patent	
[NASA-CASE-NPO-10351]	c08 N71-12503	[NASA-CASE-NPO-10373]	c03 N71-18698
Binary sequence detector Patent		A dc-coupled noninverting one-shot Patent	
[NASA-CASE-XNP-05415]	c08 N71-12505	[NASA-CASE-XNP-09450]	c10 N71-18723
Data compression system with a minimum time delay unit Patent		Automatic fault correction system for parallel signal channels Patent	
[NASA-CASE-XNP-08832]	c08 N71-12506	[NASA-CASE-XNP-03263]	c09 N71-18843
Magnetic counter Patent		Data compression processor Patent	
[NASA-CASE-XNP-08836]	c09 N71-12515	[NASA-CASE-NPO-10068]	c08 N71-19288
Operational integrator Patent		Tape guidance system and apparatus for the provision thereof Patent	
[NASA-CASE-NPO-10230]	c09 N71-12520	[NASA-CASE-XNP-09453]	c08 N71-19420
Starting circuit for vapor lamps and the like Patent		High voltage transistor circuit Patent	
[NASA-CASE-XNP-01058]	c09 N71-12540	[NASA-CASE-XNP-06937]	c09 N71-19516
Hatched thermistors for microwave power meters Patent		Solar cell matrix Patent	
[NASA-CASE-NPO-10348]	c10 N71-12554	[NASA-CASE-NPO-10821]	c03 N71-19545
Micro current measuring device using plural logarithmic response heated filamentary type diodes Patent		Electrical switching device Patent	
[NASA-CASE-XNP-00384]	c09 N71-13530	[NASA-CASE-NPO-10037]	c09 N71-19610
Automatic thermal switch Patent		Drift compensation circuit for analog to digital converter Patent	
[NASA-CASE-XNP-03796]	c23 N71-15467	[NASA-CASE-XNP-04780]	c08 N71-19687
Photoelectric energy spectrometer Patent		Roll-up solar array Patent	
[NASA-CASE-XNP-04161]	c14 N71-15599	[NASA-CASE-NPO-10188]	c03 N71-20273
Anti-glare improvement for optical imaging systems Patent		Method and device for determining battery state of charge Patent	
[NASA-CASE-NPO-10337]	c14 N71-15604	[NASA-CASE-NPO-10194]	c03 N71-20407
Fluid flow restrictor Patent		Soil particles separator, collector and viewer Patent	
[NASA-CASE-NPO-10117]	c15 N71-15608	[NASA-CASE-XNP-09770]	c15 N71-20440
High temperature lens construction Patent		Transmission line thermal short Patent	
[NASA-CASE-XNP-04111]	c14 N71-15622	[NASA-CASE-XNP-09775]	c09 N71-20445
Solder flux which leaves corrosion-resistant coating Patent		Synchronous servo loop control system Patent	
[NASA-CASE-XNP-03459-2]	c18 N71-15688	[NASA-CASE-XNP-03744]	c10 N71-20448
		Processing for producing a sterilized instrument Patent	
		[NASA-CASE-XNP-09763]	c14 N71-20461
		Signal-to-noise ratio estimating by taking ratio of mean and standard deviation of integrated signal samples Patent	
		[NASA-CASE-XNP-05254]	c07 N71-20791

Elimination of frequency shift in a multiplex communication system Patent		
[NASA-CASE-XNP-01306]	c07 N71-20814	
High power-high voltage waterload Patent		
[NASA-CASE-XNP-05381]	c09 N71-20842	
Coaxial cable connector Patent		
[NASA-CASE-XNP-04732]	c09 N71-20851	
Soldering with solder flux which leaves corrosion resistant coating Patent		
[NASA-CASE-XNP-03459]	c15 N71-21078	
Miniature stress transducer Patent		
[NASA-CASE-XNP-02983]	c14 N71-21091	
Holder for crystal resonators Patent		
[NASA-CASE-XNP-03637]	c15 N71-21311	
Correlation function apparatus Patent		
[NASA-CASE-XNP-00746]	c07 N71-21476	
Split nut separation system Patent		
[NASA-CASE-XNP-06914]	c15 N71-21489	
Light position locating system Patent		
[NASA-CASE-XNP-01059]	c23 N71-21821	
Electron bombardment ion engine Patent		
[NASA-CASE-XNP-04124]	c28 N71-21822	
Data compressor Patent		
[NASA-CASE-XNP-04067]	c08 N71-22707	
Error correcting method and apparatus Patent		
[NASA-CASE-XNP-02748]	c08 N71-22749	
Counter and shift register Patent		
[NASA-CASE-XNP-01753]	c08 N71-22897	
Friction measuring apparatus Patent		
[NASA-CASE-XNP-08680]	c14 N71-22995	
Hybrid lubrication system and bearing Patent		
[NASA-CASE-XNP-01641]	c15 N71-22997	
Filler valve Patent		
[NASA-CASE-XNP-01747]	c15 N71-23024	
Refrigeration apparatus Patent		
[NASA-CASE-XNP-08877]	c15 N71-23025	
Reduced bandwidth video communication system utilizing sampling techniques Patent		
[NASA-CASE-XNP-02791]	c07 N71-23026	
Model launcher for wind tunnels Patent		
[NASA-CASE-XNP-03578]	c11 N71-23030	
Drive circuit utilizing two cores Patent		
[NASA-CASE-XNP-01318]	c10 N71-23033	
Solar vane actuator Patent		
[NASA-CASE-XNP-05535]	c14 N71-23040	
Time of flight mass spectrometer with feedback means from the detector to the ion source and a specific counter Patent		
[NASA-CASE-XNP-01056]	c14 N71-23041	
Connector internal force gauge Patent		
[NASA-CASE-XNP-03918]	c14 N71-23087	
Circulator having quarter wavelength resonant post and parametric amplifier circuits utilizing the same Patent		
[NASA-CASE-XNP-02140]	c09 N71-23097	
Method of resolving clock synchronization error and means therefor Patent		
[NASA-CASE-XNP-08875]	c10 N71-23099	
Impact testing machine Patent		
[NASA-CASE-XNP-04817]	c14 N71-23225	
Zeta potential flowmeter Patent		
[NASA-CASE-XNP-06509]	c14 N71-23226	
Comparator for the comparison of two binary numbers Patent		
[NASA-CASE-XNP-04819]	c08 N71-23295	
Decontamination of petroleum products Patent		
[NASA-CASE-XNP-03835]	c06 N71-23499	
Dicyanoacetylene polymers Patent		
[NASA-CASE-XNP-03250]	c06 N71-23500	
Indexing microwave switch Patent		
[NASA-CASE-XNP-06507]	c09 N71-23548	
Millimeter wave radiometer for radio astronomy Patent		
[NASA-CASE-XNP-09832]	c30 N71-23723	
Radiant energy intensity measurement system Patent		
[NASA-CASE-XNP-06510]	c14 N71-23797	
High speed phase detector Patent		
[NASA-CASE-XNP-01306-2]	c09 N71-24596	
Apparatus for testing polymeric materials Patent		
[NASA-CASE-XNP-09699]	c06 N71-24607	
Digital synchronizer Patent		
[NASA-CASE-NPO-10851]	c07 N71-24613	
Signal processing apparatus for multiplex transmission Patent		
[NASA-CASE-NPO-10388]	c07 N71-24622	
Self-testing and repairing computer Patent		
[NASA-CASE-NPO-10567]	c08 N71-24633	
Serial digital decoder Patent		
[NASA-CASE-NPO-10150]	c08 N71-24650	
Detenting servomotor Patent		
[NASA-CASE-XNP-06936]	c15 N71-24695	
Reversible motion drive system Patent		
[NASA-CASE-NPO-10173]	c15 N71-24696	
Decoder system Patent		
[NASA-CASE-NPO-10118]	c07 N71-24741	
Television signal processing system Patent		
[NASA-CASE-NPO-10140]	c07 N71-24742	
Switching circuit Patent		
[NASA-CASE-XNP-06505]	c10 N71-24799	
Magnetic power switch Patent		
[NASA-CASE-NPO-10242]	c09 N71-24803	
Remodulator filter Patent		
[NASA-CASE-NPO-10198]	c09 N71-24806	
Broadband microwave waveguide window Patent		
[NASA-CASE-XNP-08880]	c09 N71-24808	
Cavity radiometer Patent		
[NASA-CASE-XNP-08961]	c14 N71-24809	
High-gain, broadband traveling wave maser Patent		
[NASA-CASE-NPO-10548]	c16 N71-24831	
Fluid containers and resealable septum therefor Patent		
[NASA-CASE-NPO-10123]	c15 N71-24835	
Temperature telemetric transmitter Patent		
[NASA-CASE-NPO-10649]	c07 N71-24840	
Tuning arrangement for an electron discharge device or the like Patent		
[NASA-CASE-XNP-09771]	c09 N71-24841	
Noise limiter Patent		
[NASA-CASE-NPO-10169]	c10 N71-24844	
Noninterruptable digital counting system Patent		
[NASA-CASE-XNP-09759]	c08 N71-24891	
Drive circuit for minimizing power consumption in inductive load Patent		
[NASA-CASE-NPO-10716]	c09 N71-24892	
Space simulator Patent		
[NASA-CASE-NPO-10141]	c11 N71-24964	
Process for reducing secondary electron emission Patent		
[NASA-CASE-XNP-09469]	c24 N71-25555	
Minimal logic block encoder Patent		
[NASA-CASE-NPO-10595]	c10 N71-25917	
Novel polycarboxylic prepolymeric materials and polymers thereof Patent		
[NASA-CASE-NPO-10596]	c06 N71-25929	
Current steering switch Patent		
[NASA-CASE-XNP-08567]	c09 N71-26000	
Dual polarity full wave dc motor drive Patent		
[NASA-CASE-XNP-07477]	c09 N71-26092	
High impact antenna Patent		
[NASA-CASE-NPO-10231]	c07 N71-26101	
Video communication system and apparatus Patent		
[NASA-CASE-XNP-06611]	c07 N71-26102	
Parallel generation of the check bits of a PN sequence Patent		
[NASA-CASE-XNP-04623]	c10 N71-26103	
Phase multiplying electronic scanning system Patent		
[NASA-CASE-NPO-10302]	c10 N71-26142	
Electron beam tube containing a multiple cathode array employing indexing means for cathode substitution Patent		
[NASA-CASE-NPO-10625]	c09 N71-26182	
Fluid phase analyzer Patent		
[NASA-CASE-NPO-10691]	c14 N71-26199	
Variable frequency nuclear magnetic resonance spectrometer Patent		
[NASA-CASE-XNP-09830]	c14 N71-26266	
Time synchronization system utilizing moon reflected coded signals Patent		
[NASA-CASE-NPO-10143]	c10 N71-26326	
Broadband stable power multiplier Patent		
[NASA-CASE-XNP-10854]	c10 N71-26331	
Cascaded complementary pair broadband transistor amplifiers Patent		
[NASA-CASE-NPO-10003]	c10 N71-26415	
Digital memory in which the driving of each word location is controlled by a switch core Patent		
[NASA-CASE-XNP-01466]	c10 N71-26434	
Conically shaped cavity radiometer with a dual purpose cone winding Patent		
[NASA-CASE-XNP-09701]	c14 N71-26475	
Analog signal integration and reconstruction system Patent		
[NASA-CASE-NPO-10344]	c10 N71-26544	
Rapid sync acquisition system Patent		
[NASA-CASE-NPO-10214]	c10 N71-26577	
Cryogenic cooling system Patent		
[NASA-CASE-NPO-10467]	c23 N71-26654	

Vacuum evaporator with electromagnetic ion steering Patent
[NASA-CASE-NPO-10331] c09 N71-26701

Automated fluid chemical analyzer Patent
[NASA-CASE-XNP-09451] c06 N71-26754

Material handling device Patent
[NASA-CASE-XNP-09770-3] c11 N71-27036

Pressure seal Patent
[NASA-CASE-NPO-10796] c15 N71-27068

Multiducted electromagnetic pump Patent
[NASA-CASE-NPO-10755] c15 N71-27084

Peak acceleration limiter for vibrational tester Patent
[NASA-CASE-NPO-10556] c14 N71-27185

Thin film capacitive bolometer and temperature sensor Patent
[NASA-CASE-NPO-10607] c09 N71-27232

Black body cavity radiometer Patent
[NASA-CASE-NPO-10810] c14 N71-27323

Video signal enhancement system with dynamic range compression and modulation index expansion Patent
[NASA-CASE-NPO-10343] c07 N71-27341

Force-balanced, throttle valve Patent
[NASA-CASE-NPO-10808] c15 N71-27432

Cavity emitter for thermionic converter Patent
[NASA-CASE-NPO-10412] c09 N71-28421

Frictionless universal joint Patent
[NASA-CASE-NPO-10646] c15 N71-28467

Epoxy-aziridine polymer product Patent
[NASA-CASE-NPO-10701] c06 N71-28620

Fluid impervious barrier including liquid metal alloy and method of making same Patent
[NASA-CASE-XNP-08881] c17 N71-28747

Hind tunnel microphone structure Patent
[NASA-CASE-XNP-00250] c11 N71-28779

Trialkyl-dihalotantalum and niobium compounds Patent
[NASA-CASE-XNP-04023] c06 N71-28808

Digital memory sense amplifying means Patent
[NASA-CASE-XNP-01012] c08 N71-28925

Digital filter for reducing sampling jitter in digital control systems Patent
[NASA-CASE-NPO-11088] c08 N71-29034

Method and apparatus for aligning a laser beam projector Patent
[NASA-CASE-NPO-11087] c23 N71-29125

Rubber composition for use with hydrazine Patent
Application
[NASA-CASE-NPO-11433] c18 N71-31140

Rotable accurate reflector system for telescopes Patent
[NASA-CASE-NPO-10468] c23 N71-33229

Encoder/decoder system for a rapidly synchronizable binary code Patent
[NASA-CASE-NPO-10342] c10 N71-33407

High power microwave power divider Patent
[NASA-CASE-NPO-11031] c07 N71-33606

A dc servosystem including an ac motor Patent
[NASA-CASE-NPO-10700] c07 N71-33613

Solar cell matrix
[NASA-CASE-NPO-11190] c03 N71-34044

Manually actuated heat pump
[NASA-CASE-NPO-10677] c05 N72-11084

Virtual wall slot circularly polarized planar array antenna
[NASA-CASE-NPO-10301] c07 N72-11148

System for controlling the operation of a variable signal device
[NASA-CASE-NPO-11064] c07 N72-11150

Method and apparatus for data compression by a decreasing slope threshold test
[NASA-CASE-NPO-10769] c08 N72-11171

Apparatus for remote measurement of displacement of marks on a specimen undergoing a tensile test
[NASA-CASE-NPO-10778] c14 N72-11364

Vibration isolation system using compression springs
[NASA-CASE-NPO-11012] c15 N72-11391

Feed system for an ion thruster
[NASA-CASE-NPO-10737] c28 N72-11709

Thermostatic actuator
[NASA-CASE-NPO-10637] c15 N72-12409

High voltage transistor amplifier with constant current load
[NASA-CASE-NPO-11023] c09 N72-17155

Reference voltage switching unit
[NASA-CASE-NPO-11253] c09 N72-17157

Valving device for automatic refilling in cryogenic liquid systems
[NASA-CASE-NPO-11177] c15 N72-17453

Expandable support means
[NASA-CASE-NPO-11059] c15 N72-17454

Breakaway connector
[NASA-CASE-NPO-11140] c15 N72-17455

Modular encoder
[NASA-CASE-NPO-10629] c08 N72-18184

Transition tracking bit synchronization system
[NASA-CASE-NPO-10844] c07 N72-20140

Data compression system
[NASA-CASE-NPO-11243] c07 N72-20154

Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c08 N72-20176

Method and apparatus for high resolution spectral analysis
[NASA-CASE-NPO-10748] c08 N72-20177

Flow rate switch
[NASA-CASE-NPO-10722] c09 N72-20199

Electrical connector
[NASA-CASE-NPO-10694] c09 N72-20200

Hide band doubler and sine wave quadrature generator
[NASA-CASE-NPO-11133] c10 N72-20223

Signal phase estimator
[NASA-CASE-NPO-11203] c10 N72-20224

Optimal control system for an electric motor driven vehicle
[NASA-CASE-NPO-11210] c11 N72-20244

Impact energy absorbing system utilizing fractureable material
[NASA-CASE-NPO-10671] c15 N72-20443

Torsional disconnect unit
[NASA-CASE-NPO-10704] c15 N72-20445

Solid propellant rocket motor
[NASA-CASE-XNP-03282] c28 N72-20758

Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c33 N72-20915

Method and apparatus for mapping planets
[NASA-CASE-NPO-11001] c07 N72-21118

Current steering commutator
[NASA-CASE-NPO-10743] c08 N72-21199

Automated equipotential plotter
[NASA-CASE-NPO-11134] c09 N72-21246

Pressure transducer
[NASA-CASE-NPO-10832] c14 N72-21405

Positioning mechanism
[NASA-CASE-NPO-10679] c15 N72-21462

Solid state matrices
[NASA-CASE-NPO-10591] c03 N72-22041

Solar cell panels with light transmitting plate
[NASA-CASE-NPO-10747] c03 N72-22042

Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-1] c06 N72-22114

Data multiplexer using tree switching configuration
[NASA-CASE-NPO-11333] c08 N72-22162

System for quantizing graphic displays
[NASA-CASE-NPO-10745] c08 N72-22164

Digital function generator
[NASA-CASE-NPO-11104] c08 N72-22165

Analog-to-digital converter analyzing system
[NASA-CASE-NPO-10560] c08 N72-22166

Feedback shift register with states decomposed into cycles of equal length
[NASA-CASE-NPO-11082] c08 N72-22167

Self-obturator, gas operated launcher
[NASA-CASE-NPO-11013] c11 N72-22247

Optical binocular scanning apparatus
[NASA-CASE-NPO-11002] c14 N72-22441

Ionene membrane separator
[NASA-CASE-NPO-11091] c18 N72-22567

Deployable solar cell array
[NASA-CASE-NPO-10883] c31 N72-22874

Thermal to electrical power conversion system with solid-state switches with Seebeck effect compensation
[NASA-CASE-NPO-11388] c03 N72-23048

Optical frequency waveguide and transmission system
[NASA-CASE-HQN-10541-3] c23 N72-23695

Bipropellant injector
[NASA-CASE-XNP-09461] c28 N72-23809

Solid propellant rocket motor nozzle
[NASA-CASE-NPO-11458] c28 N72-23810

Analysis of hydrogen-deuterium mixtures [NASA-CASE-NPO-11322]	c06 N72-25146	Nuclear thermionic converter [NASA-CASE-NPO-13121-1]	c22 N73-12702
Flexible computer accessed telemetry [NASA-CASE-NPO-11358]	c07 N72-25172	Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system [NASA-CASE-NPO-11302-1]	c07 N73-13149
Multi-purpose antenna employing dish with plural coaxial horn feeds [NASA-CASE-NPO-11264]	c07 N72-25174	Rotary vane attenuator wherein rotor has orthogonally disposed resistive and dielectric cards [NASA-CASE-NPO-11418-1]	c14 N73-13420
Communications link for computers [NASA-CASE-NPO-11161]	c08 N72-25207	Gas flow control device [NASA-CASE-NPO-11479]	c15 N73-13462
Method and apparatus for frequency-division multiplex communications by digital phase shift of carrier [NASA-CASE-NPO-11338]	c08 N72-25208	Electrolytic gas operated actuator [NASA-CASE-NPO-11369]	c15 N73-13467
Binary coded sequential acquisition ranging system [NASA-CASE-NPO-11194]	c08 N72-25209	Dual purpose momentum wheels for spacecraft with magnetic recording [NASA-CASE-NPO-11481]	c21 N73-13644
MOD 2 sequential function generator for multibit binary sequence [NASA-CASE-NPO-10636]	c08 N72-25210	Control for nuclear thermionic power source [NASA-CASE-NPO-13114-1]	c22 N73-13656
Digital video display system using cathode ray tube [NASA-CASE-NPO-11342]	c09 N72-25248	Multiple reflection conical microwave antenna [NASA-CASE-NPO-11661]	c07 N73-14130
Inverter oscillator with voltage feedback [NASA-CASE-NPO-10760]	c09 N72-25254	Cyclically operable optical shutter [NASA-CASE-NPO-10758]	c14 N73-14427
Thermal motor [NASA-CASE-NPO-11283]	c09 N72-25260	Heat detection and compositions and devices therefor [NASA-CASE-NPO-10764-1]	c14 N73-14428
Two phase flow system with discrete impinging two-phase jets [NASA-CASE-NPO-11556]	c12 N72-25292	Parallel-plate viscometer with double diaphragm suspension [NASA-CASE-NPO-11387]	c14 N73-14429
Atmospheric sampling devices [NASA-CASE-NPO-11373]	c13 N72-25323	Rotary actuator [NASA-CASE-NPO-10680]	c31 N73-14855
Light sensor [NASA-CASE-NPO-11311]	c14 N72-25414	Magnetically actuated tuning method for Gunn oscillators [NASA-CASE-NPO-12106]	c09 N73-15235
Quick disconnect coupling [NASA-CASE-NPO-11202]	c15 N72-25450	Capacitance multiplier and filter synthesizing network [NASA-CASE-NPO-11948-1]	c10 N73-15255
Coaxial injector for reaction motors [NASA-CASE-NPO-11095]	c15 N72-25455	Multichannel telemetry system [NASA-CASE-NPO-11572]	c07 N73-16121
Ball screw linear actuator [NASA-CASE-NPO-11222]	c15 N72-25456	Data-aided carrier tracking loops [NASA-CASE-NPO-11282]	c10 N73-16205
Helium refrigerator and method for decontaminating the refrigerator [NASA-CASE-NPO-10634]	c23 N72-25619	Solid propellant and method of preparation [NASA-CASE-NPO-11975-1]	c27 N73-17802
Digital servo control of random sound test excitation [NASA-CASE-NPO-11623-1]	c23 N72-25628	Disconnect unit [NASA-CASE-NPO-13172-1]	c33 N73-17917
Uninsulated in-core thermionic diode [NASA-CASE-NPO-10542]	c09 N72-27228	A system for generating timing and control signals [NASA-CASE-NPO-13125-1]	c09 N73-18225
Audio frequency marker system [NASA-CASE-NPO-11147]	c14 N72-27408	Method of producing a storage bulb for an atomic hydrogen maser [NASA-CASE-NPO-13050-1]	c16 N73-18508
Light direction sensor [NASA-CASE-NPO-11201]	c14 N72-27409	Stacked solar cell arrays [NASA-CASE-NPO-11771]	c03 N73-20040
Adjustable support [NASA-CASE-NPO-10721]	c15 N72-27484	A m-ary linear feedback shift register with binary logic [NASA-CASE-NPO-11868]	c10 N73-20254
Method for controlling vapor content of a gas [NASA-CASE-NPO-10633]	c03 N72-28025	Heat detection and compositions and devices therefor [NASA-CASE-NPO-10764-2]	c10 N73-20259
Scanning nozzle plating system [NASA-CASE-NPO-11758-1]	c15 N72-28507	Apparatus for recovering matter adhered to a host surface [NASA-CASE-NPO-11213]	c15 N73-20514
Maser for frequencies in the 7-20 GHz range [NASA-CASE-NPO-11437]	c16 N72-28521	Scan converting video tape recorder [NASA-CASE-NPO-10166-1]	c07 N73-22076
Electro-optical scanning apparatus [NASA-CASE-NPO-11106-2]	c23 N72-28696	High isolation RF signal selection switches [NASA-CASE-NPO-13081-1]	c07 N73-23106
Thin film temperature sensor and method of making same [NASA-CASE-NPO-11775]	c26 N72-28761	Coherent receiver employing nonlinear coherence detection for carrier tracking [NASA-CASE-NPO-11921-1]	c07 N73-23118
Circularly polarized antenna [NASA-CASE-ERC-10214]	c09 N72-31235	Cermet composition and method of fabrication [NASA-CASE-NPO-13120-1]	c18 N73-23629
Singly-curved reflector for use in high-gain antennas [NASA-CASE-NPO-11361]	c07 N72-32169	Collapsible structure for an antenna reflector [NASA-CASE-NPO-11751]	c07 N73-24176
Digital slope threshold data compressor [NASA-CASE-NPO-11630]	c08 N72-33172	Pump for delivering heated fluids [NASA-CASE-NPO-11417]	c15 N73-24513
Continuously variable voltage controlled phase shifter [NASA-CASE-NPO-11129]	c09 N72-33204	Ion thruster with a combination keeper electrode and electron baffle [NASA-CASE-NPO-11880]	c28 N73-24783
Pseudonoise sequence generators with three tap linear feedback shift registers [NASA-CASE-NPO-11406]	c08 N73-12175	Solid propellant rocket motor [NASA-CASE-NPO-11559]	c28 N73-24784
Versatile arithmetic unit for high speed sequential decoder [NASA-CASE-NPO-11371]	c08 N73-12177	Code regenerative clean-up loop transponder for a mu-type ranging system [NASA-CASE-NPO-11707]	c07 N73-25161
Dual frequency microwave reflex feed [NASA-CASE-NPO-13091-1]	c09 N73-12214	Numerical computer peripheral interactive device with manual controls [NASA-CASE-NPO-11497]	c08 N73-25206
Audio system with means for reducing noise effects [NASA-CASE-NPO-11631]	c10 N73-12244	Radiant source tracker independent of nonconstant irradiance [NASA-CASE-NPO-11686]	c14 N73-25462
Interferometer-polarimeter [NASA-CASE-NPO-11239]	c14 N73-12446		
Irradiance measuring device [NASA-CASE-NPO-11493]	c14 N73-12447		
Program for computer aided reliability estimation [NASA-CASE-NPO-13086-1]	c15 N73-12495		

Two carrier communication system with single transmitter
[NASA-CASE-NPO-11548] c07 N73-26118

High pulse rate high resolution optical radar system
[NASA-CASE-NPO-11426] c07 N73-26119

Vehicle locating system utilizing AM broadcasting station carriers
[NASA-CASE-NPO-13217-1] c07 N73-26144

Counting digital filters
[NASA-CASE-NPO-11821-1] c08 N73-26175

Automated attendance accounting system
[NASA-CASE-NPO-11456] c08 N73-26176

Low phase noise digital frequency divider
[NASA-CASE-NPO-11569] c10 N73-26229

Vehicle for use in planetary exploration
[NASA-CASE-NPO-11366] c11 N73-26238

Temperature control system with a pulse width modulated bridge
[NASA-CASE-NPO-11304] c14 N73-26430

Combined pressure regulator and shutoff valve
[NASA-CASE-NPO-13201-1] c15 N73-26474

Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c15 N73-26475

Disconnect unit
[NASA-CASE-NPO-11330] c33 N73-26958

System for interference signal nulling by polarization adjustment
[NASA-CASE-NPO-13140-1] c07 N73-27106

Filter for third order phase locked loops
[NASA-CASE-NPO-11941-1] c10 N73-27171

Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c16 N73-27431

Receiver with an improved phase lock loop in a multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c07 N73-28012

Analog-to-digital converter
[NASA-CASE-NXP-00477] c08 N73-28045

Pseudonoise (PN) synchronization of data system with derivation of clock frequency from received signal for clocking receiver PN generator
[NASA-CASE-NXP-03623] c09 N73-28084

Apparatus and method for measuring the Seebeck coefficient and resistivity of materials
[NASA-CASE-NPO-11749] c14 N73-28486

Dual purpose optical instrument capable of simultaneously acting as spectrometer and diffractometer
[NASA-CASE-NXP-05231] c14 N73-28491

Strain gage mounting assembly
[NASA-CASE-NPO-13170-1] c14 N73-28495

Continuous magnetic flux pump
[NASA-CASE-NXP-01187] c15 N73-28516

Preparation of alkali metal dispersions
[NASA-CASE-NXP-08876] c17 N73-28573

Superconductive magnetic-field-trapping device
[NASA-CASE-NXP-01185] c26 N73-28710

Improved dispensing targets for ion beam particle generators
[NASA-CASE-NPO-13112-1] c11 N73-29138

Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c14 N73-29438

Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c33 N73-29959

Automatic carrier acquisition system
[NASA-CASE-NPO-11628-1] c07 N73-30113

Ferrofluidic solenoid
[NASA-CASE-NPO-11738-1] c09 N73-30185

Silent emergency alarm system for schools and the like
[NASA-CASE-NPO-11307-1] c10 N73-30205

RF-source resistance meters
[NASA-CASE-NPO-11291-1] c14 N73-30388

Stored charged device
[NASA-CASE-NPO-11156-2] c03 N73-30974

For liquid waste treatment system and process
[NASA-CASE-NPO-13224-1] c05 N73-31011

Apparatus for forming drive belts
[NASA-CASE-NPO-13205-1] c15 N73-31442

Material suspension within an acoustically excited resonant chamber
[NASA-CASE-NPO-13263-1] c15 N73-31443

Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c15 N73-31445

Deep trap, laser activated image converting system
[NASA-CASE-NPO-13131-1] c16 N73-31467

Event sequence detector
[NASA-CASE-NPO-11703-1] c10 N73-32144

Soil penetrometer
[NASA-CASE-NXP-05530] c14 N73-32321

Quadrupole mass filter with means to generate a noise spectrum exclusive of the resonant frequency of the desired ions to deflect stable ions
[NASA-CASE-NXP-04231] c14 N73-32325

Magnetic-flux pump
[NASA-CASE-NXP-01188] c15 N73-32361

Burrowing apparatus
[NASA-CASE-NXP-07169] c15 N73-32362

Electrostatically controlled heat shutter
[NASA-CASE-NPO-11942-1] c33 N73-32818

Method and apparatus for a single channel digital communications system
[NASA-CASE-NPO-11302-2] c07 N74-10132

Controlled oscillator system with a time dependent output frequency
[NASA-CASE-NPO-11962-1] c09 N74-10194

Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c07 N74-11000

Image data rate converter having a drum with a fixed head and a rotatable head
[NASA-CASE-NPO-11659-1] c14 N74-11283

Monitoring atmospheric pollutants with a heterodyne radiometer transmitter-receiver
[NASA-CASE-NPO-11919-1] c14 N74-11284

Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c08 N74-12887

Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c09 N74-12912

Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c16 N74-13205

Use of thin film light detector
[NASA-CASE-NPO-11432-2] c14 N74-15090

Temperature compensated digital inertial sensor
[NASA-CASE-NPO-13044-1] c14 N74-15094

Compact hydrogenator
[NASA-CASE-NPO-11682-1] c15 N74-15127

Short range laser obstacle detector
[NASA-CASE-NPO-11856-1] c16 N74-15145

Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c07 N74-15838

Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c16 N74-16187

An improved heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c05 N74-17858

Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c08 N74-17911

System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c09 N74-17927

Motor run-up system
[NASA-CASE-NPO-13374-1] c10 N74-17949

Wide angle sun sensor
[NASA-CASE-NPO-13327-1] c14 N74-18093

Symmetrical odd-modulus frequency divider
[NASA-CASE-NPO-13426-1] c09 N74-18869

Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c14 N74-19093

Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c33 N74-19584

Storage battery comprising negative plates of a wedge shaped configuration
[NASA-CASE-NPO-11806-1] c03 N74-19693

Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c03 N74-19701

Electric power generation system directly from laser power
[NASA-CASE-NPO-13308-1] c03 N74-19702

Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c07 N74-19788

Asynchronous, multiplexing, single line transmission and recovery data system
[NASA-CASE-NPO-13321-1] c07 N74-19806

Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c14 N74-20009

A doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c14 N74-20022

Ultrasonically bonded valve assembly
[NASA-CASE-NPO-13360-1] c15 N74-20073

Decision feedback loop for tracking a polyphase modulated carrier
 [NASA-CASE-NPO-13103-1] c07 N74-20811
 Optically actuated two position mechanical mover
 [NASA-CASE-NPO-13105-1] c15 N74-21060

K

KELSEY-HAYES CO., ROMULUS, MICH.
 Variable thrust ion engine utilizing thermally decomposable solid fuel Patent
 [NASA-CASE-IMP-00923] c28 N70-36802
KELTIC INDUSTRIES, INC., ALEXANDRIA, VA.
 Unfurlable structure including coiled strips thrust launched upon tension release Patent
 [NASA-CASE-HQN-00937] c07 N71-28979
KINBLOGIC CORP., PASADENA, CALIF.
 Excitation and detection circuitry for a flux responsive magnetic head
 [NASA-CASE-XNP-04183] c09 N69-24329
 Tape guidance system and apparatus for the provision thereof Patent
 [NASA-CASE-XNP-09453] c08 N71-19420
 Incremental tape recorder and data rate converter Patent
 [NASA-CASE-XNP-02778] c08 N71-22710
KOLLSMAN INSTRUMENT CORP., ELMHURST, N.Y.
 Wide angle long eye relief eyepiece Patent
 [NASA-CASE-XMS-06056-1] c23 N71-24857
KOLLSMAN INSTRUMENT CORP., SYOSSET, N.Y.
 Digital modulator and demodulator Patent
 [NASA-CASE-ERC-10041] c08 N71-29138
 Ritchey-Chretien Telescope
 [NASA-CASE-GSC-11487-1] c14 N73-30393
KORAD CORP., NEW YORK.
 Laser apparatus for removing material from rotating objects Patent
 [NASA-CASE-MFS-11279] c16 N71-20400

L

LING-TRACO-VOUGHT, INC., DALLAS, TEX.
 Latch/ejector unit Patent
 [NASA-CASE-XLA-03538] c15 N71-24897
 Analysis of volatile organic compounds
 [NASA-CASE-MSC-14428-1] c06 N74-19776
LITTLE (ARTHUR D.), INC., CAMBRIDGE, MASS.
 Apparatus for measuring thermal conductivity Patent
 [NASA-CASE-XGS-01052] c14 N71-15992
 Flame retardant elastomeric compositions
 [NASA-CASE-MSC-14331-1] c18 N73-27501
LITTON INDUSTRIES, BEVERLY HILLS, CALIF.
 Life support system
 [NASA-CASE-MSC-12411-1] c05 N72-20096
LITTON INDUSTRIES, COLLEGE PARK, MD.
 Shrink-fit gas valve Patent
 [NASA-CASE-XGS-00587] c15 N70-35087
LITTON SYSTEMS, INC., MINNEAPOLIS, MINN.
 Apparatus for sampling particulates in gases
 [NASA-CASE-HQN-10037-1] c14 N73-27376
LOCKHEED AIRCRAFT CORP., BURBANK, CALIF.
 Aerodynamic protection for space flight vehicles Patent
 [NASA-CASE-XNP-02507] c31 N71-17679
LOCKHEED ELECTRONICS CO., HOUSTON, TEX.
 Television signal scan rate conversion system Patent
 [NASA-CASE-XMS-07168] c07 N71-11300
 Burst synchronization detection system Patent
 [NASA-CASE-IMS-05605-1] c10 N71-19468
 Automatic signal range selector for metering devices Patent
 [NASA-CASE-IMS-06497] c14 N71-26244
 Monostable multivibrator with complementary NOR gates Patent
 [NASA-CASE-MSC-13492-1] c10 N71-28860
 Method and apparatus for decoding compatible convolutional codes
 [NASA-CASE-MSC-14070-1] c07 N72-27178
 Ultrasound calibrated light source
 [NASA-CASE-MSC-12293-1] c14 N72-27411
 Differential phase shift keyed communication system
 [NASA-CASE-MSC-14065-1] c07 N73-10215
 Differential phase shift keyed signal resolver
 [NASA-CASE-MSC-14066-1] c10 N73-10269
 Random pulse generator
 [NASA-CASE-MSC-14131-1] c09 N73-26199

Peak holding circuit for extremely narrow pulses
 [NASA-CASE-MSC-14129-1] c10 N73-26231
 Pulse stretcher for narrow pulses
 [NASA-CASE-MSC-14130-1] c10 N73-26232
 Data storage, image tube type
 [NASA-CASE-MSC-14053-1] c08 N74-12888
 Digital transmitter for data bus communications system
 [NASA-CASE-MSC-14558-1] c07 N74-17888
LOCKHEED MISSILES AND SPACE CO., SUNNYVALE, CALIF.
 Device for handling heavy loads
 [NASA-CASE-XNP-04969] c11 N69-27466
 Transient heat transfer gauge Patent
 [NASA-CASE-XNP-09802] c33 N71-15641
 Dual solid cryogenics for spacecraft refrigeration Patent
 [NASA-CASE-GSC-10188-1] c23 N71-24725
 Apparatus for detecting the amount of material in a resonant cavity container Patent
 [NASA-CASE-XNP-02500] c18 N71-27397
 Emergency earth orbital escape device
 [NASA-CASE-MSC-13281] c31 N72-18859
 Solar energy powered heliotrope
 [NASA-CASE-GSC-10945-1] c21 N72-31637
 Improved four phase logic systems
 [NASA-CASE-MSC-14240-1] c10 N73-21240
 Coaxial inverted geometry transistor having buried emitter
 [NASA-CASE-ARC-10330-1] c09 N73-32112
 Whole body measurement systems
 [NASA-CASE-MSC-13972-1] c05 N74-10975
LOCKHEED PROPULSION CO., REDLANDS, CALIF.
 Propellant grain for rocket motors Patent
 [NASA-CASE-XGS-03556] c27 N70-35534
LOCKHEED-CALIFORNIA CO., BURBANK.
 Absorptive splitter for closely spaced supersonic engine air inlets Patent
 [NASA-CASE-XLA-02865] c28 N71-15563
 Multistage aerospace craft
 [NASA-CASE-XMP-02263] c02 N74-10907
LTV AEROSPACE CORP., DALLAS, TEX.
 Method of fluxless brazing and diffusion bonding of aluminum containing components
 [NASA-CASE-MSC-14435-1] c15 N74-20071

M

MACON-RUST CO., LEXINGTON, KY.
 Stretcher Patent
 [NASA-CASE-XMP-06589] c05 N71-23159
MARLIN-ROCKWELL CORP., JAMESTOWN, N.Y.
 Drilled ball bearing with a one piece anti-tipping cage assembly
 [NASA-CASE-LEW-11925-1] c15 N74-18133
MARQUARDT CORP., VAN NUYS, CALIF.
 Fuel injection pump for internal combustion engines Patent
 [NASA-CASE-MSC-12139-1] c28 N71-14058
 Multislit film cooled pyrolytic graphite rocket nozzle Patent
 [NASA-CASE-XNP-04389] c28 N71-20942
 Tube sealing device Patent
 [NASA-CASE-NPO-10431] c15 N71-29132
MARTIN MARIETTA CORP., BALTIMORE, MD.
 Landing gear Patent
 [NASA-CASE-XMP-01174] c02 N70-41589
 Emergency escape system Patent
 [NASA-CASE-KKS-02342] c05 N71-11199
 Device to prevent clogging in a hopper
 [NASA-CASE-LAR-10961-1] c15 N73-12496
 Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
 [NASA-CASE-MSC-14245-1] c31 N73-30832
 Fiber separating and cleaning method and apparatus
 [NASA-CASE-LAR-11224-1] c15 N74-20072
MARTIN MARIETTA CORP., DENVER, COLO.
 Flexible/rigidifiable cable assembly
 [NASA-CASE-MSC-13512-1] c15 N72-22485
 Low distortion automatic phase control circuit
 [NASA-CASE-MFS-21671-1] c10 N73-17211
 Derivation of a tangent function using an integrated circuit four-quadrant multiplier
 [NASA-CASE-MSC-13907-1] c10 N73-26230
 Filter regeneration systems
 [NASA-CASE-MSC-14273-1] c12 N73-28179
MARYLAND UNIV., COLLEGE PARK.
 Method and apparatus for optical modulating a light signal Patent

[NASA-CASE-GSC-10216-1] c23 N71-26722
 MASSACHUSETTS INST. OF TECH., CAMBRIDGE.
 Pretreatment method for anti-wettable materials
 [NASA-CASE-XMS-03537] c15 N69-21471
 Hydraulic drive mechanism Patent
 [NASA-CASE-XMS-03252] c15 N71-10658
 Electronic amplifier with power supply switching
 Patent
 [NASA-CASE-XMS-00945] c09 N71-10798
 Method and apparatus for stabilizing a gaseous
 optical maser Patent
 [NASA-CASE-XGS-03644] c16 N71-18614
 Power supply Patent
 [NASA-CASE-XMS-02159] c10 N71-22961
 Optical frequency waveguide Patent
 [NASA-CASE-HQN-10541-1] c07 N71-26291
 Laser machining apparatus Patent
 [NASA-CASE-HQN-10541-2] c15 N71-27135
 Optical frequency waveguide and transmission
 system Patent
 [NASA-CASE-HQN-10541-4] c16 N71-27183
 Optical frequency waveguide and transmission
 system
 [NASA-CASE-HQN-10541-3] c23 N72-23695
 Display research collision warning system
 [NASA-CASE-HQN-10703] c21 N73-13643
 Fault-tolerant clock apparatus
 [NASA-CASE-HSC-12531-1] c14 N73-22386
 Transparent switchboard
 [NASA-CASE-HSC-13746-1] c10 N73-32143
 HCDONNELL AIRCRAFT CO., ST. LOUIS, MO.
 Method for making a heat insulating and ablative
 structure
 [NASA-CASE-XHS-01108] c15 N69-24322
 Heat flux sensor assembly
 [NASA-CASE-XHS-05909-1] c14 N69-27459
 Apparatus for purging systems handling toxic,
 corrosive, noxious and other fluids Patent
 [NASA-CASE-XMS-01905] c12 N71-21089
 Power supply circuit Patent
 [NASA-CASE-XHS-00913] c10 N71-23543
 HCDONNELL-DOUGLAS ASTRONAUTICS CO., NEWPORT BEACH,
 CALIF.
 A meter for use in detecting tension in straps
 having predetermined elastic characteristics
 [NASA-CASE-HFS-22189-1] c14 N74-10421
 HCDONNELL-DOUGLAS ASTRONAUTICS CO., SANTA MONICA,
 CALIF.
 New polymers of perfluorobutadiene and method of
 manufacture Patent application
 [NASA-CASE-NPO-10863] c06 N70-11251
 Method of polymerizing perfluorobutadiene Patent
 application
 [NASA-CASE-NPO-10447] c06 N70-11252
 HCDONNELL-DOUGLAS CORP., HUNTINGTON BEACH, CALIF.
 Variable direction force coupler
 [NASA-CASE-HFS-20317] c15 N73-13463
 A device for monitoring a change in mass
 [NASA-CASE-HFS-21556-1] c14 N73-20487
 Potable water dispenser
 [NASA-CASE-HFS-21115-1] c05 N74-12779
 Metering gun for dispensing precisely measured
 charges of fluid
 [NASA-CASE-HFS-21163-1] c05 N74-17853
 HCDONNELL-DOUGLAS CORP., LONG BEACH, CALIF.
 A device for use in loading tension members
 [NASA-CASE-HFS-21488-1] c14 N73-23526
 A device for measuring tensile forces
 [NASA-CASE-HFS-21728-1] c14 N73-25467
 HCDONNELL-DOUGLAS CORP., NEWPORT BEACH, CALIF.
 Method of making membranes
 [NASA-CASE-XNP-04264] c03 N69-21337
 HCDONNELL-DOUGLAS CORP., SANTA MONICA, CALIF.
 Rocket nozzle test method Patent
 [NASA-CASE-NPO-10311] c31 N71-15643
 Reaction of fluorine with polyperfluoropolyenes
 [NASA-CASE-NPO-10862] c06 N72-22107
 Polymers of perfluorobutadiene and method of
 manufacture
 [NASA-CASE-NPO-10863-2] c06 N72-25152
 Prevention of hydrogen embrittlement of high
 strength steel
 [NASA-CASE-NPO-12122-1] c27 N74-20397
 HCDONNELL-DOUGLAS CORP., ST. LOUIS, MO.
 Utilization of oxygen difluoride for syntheses
 of fluoropolymers
 [NASA-CASE-NPO-12061-1] c06 N72-21100
 Thermally conductive polymers
 [NASA-CASE-GSC-11304-1] c06 N72-21105

Flame detector operable in presence of proton
 radiation
 [NASA-CASE-HFS-21577-1] c03 N73-20042
 Thrust isolating mounting
 [NASA-CASE-HFS-21680-1] c15 N73-20525
 Latching device
 [NASA-CASE-HFS-21606-1] c15 N73-22417
 Vacuum leak detector
 [NASA-CASE-LAR-11237-1] c14 N73-32344
 Phase-locked servo system
 [NASA-CASE-HFS-22073-1] c09 N74-11058
 HELLON INST., PITTSBURGH, PA.
 Instrument for measuring torsional creep and
 recovery Patent
 [NASA-CASE-XLE-01481] c14 N71-10781
 HELPAR, INC., FALLS CHURCH, VA.
 Television simulation for aircraft and space
 flight Patent
 [NASA-CASE-XFR-03107] c09 N71-19449
 Compact solar still Patent
 [NASA-CASE-XHS-04533] c15 N71-23086
 HETCOB, INC., SALEM, MASS.
 Tuning arrangement for an electron discharge
 device or the like Patent
 [NASA-CASE-XNP-09771] c09 N71-24841
 MICROHAVE ELECTRONICS CORP., PALO ALTO, CALIF.
 Folded traveling wave maser structure Patent
 [NASA-CASE-XNP-05219] c16 N71-15550
 Superconducting magnet Patent
 [NASA-CASE-XNP-06503] c23 N71-29049
 HIDEHIST RESEARCH INST., KANSAS CITY, MO.
 Preparation of ordered poly /arylenesiloxane/
 polymers
 [NASA-CASE-XHF-10753] c06 N71-11237
 Inorganic solid film lubricants Patent
 [NASA-CASE-XHF-03988] c15 N71-21403
 Fluorinated esters of polycarboxylic acids
 [NASA-CASE-HFS-21040-1] c06 N73-30098
 HILLIKEN (D. B.) CO., ARCADIA, CALIF.
 Film feed camera having a detent means Patent
 [NASA-CASE-LAR-10686] c14 N71-28935
 HINNEAPOLIS-HONEYWELL REGULATOR CO., HINN.
 Microelectronic module package Patent
 [NASA-CASE-XHS-02182] c10 N71-28783
 HOTOROLA, INC., PHOENIX, ARIZ.
 Automatic frequency discriminators and control
 for a phase-lock loop providing frequency
 preset capabilities Patent
 [NASA-CASE-XHF-08665] c10 N71-19467
 HOTOROLA, INC., SCOTTSDALE, ARIZ.
 Sealed cabinetry Patent
 [NASA-CASE-HSC-12168-1] c09 N71-18600
 Digital frequency discriminator Patent
 [NASA-CASE-HFS-14322] c08 N71-18692
 Phase modulator Patent
 [NASA-CASE-HSC-13201-1] c07 N71-28429

N

NATIONAL ACADEMY OF SCIENCES - NATIONAL RESEARCH
 COUNCIL, WASHINGTON, D.C.
 Converging barrel plasma accelerator Patent
 [NASA-CASE-ARC-10109] c25 N71-29181
 Electron microscope aperture system
 [NASA-CASE-ARC-10448-1] c14 N72-21421
 Automated method for studying the oxidative
 metabolism of aniline and similar compounds
 [NASA-CASE-ARC-10469-1] c06 N72-31145
 Integrated, single channel type FET gyrator
 [NASA-CASE-HFS-22343-1] c09 N73-18224
 Gyrator employing field effect transistors
 [NASA-CASE-HFS-21433] c09 N73-20232
 Stagnation pressure probe
 [NASA-CASE-LAR-11139-1] c14 N73-20483
 Integrable power gyrator
 [NASA-CASE-HFS-22342-1] c09 N73-24236
 Suppression of flutter
 [NASA-CASE-LAR-10682-1] c02 N73-26004
 Holographic device
 [NASA-CASE-HFS-22040-1] c16 N73-26500
 Optical data processing using paraboloidal
 mirror segments
 [NASA-CASE-GSC-11296-1] c23 N73-30666
 Power supply for carbon dioxide lasers
 [NASA-CASE-GSC-11222-1] c16 N73-32391
 Electron microscope aperture system
 [NASA-CASE-ARC-10448-2] c14 N74-12190
 Electron microscope aperture system
 [NASA-CASE-ARC-10448-3] c14 N74-12191

High field Cds detector for infrared radiation
[NASA-CASE-LAR-11027-1] c14 N74-18088
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. AMES
RESEARCH CENTER, MOFFETT FIELD, CALIF.

Nonmagnetic thermal motor for a magnetometer
[NASA-CASE-XAC-03786] c09 N69-21313

Balanced bellows spirometer
[NASA-CASE-XAC-01547] c05 N69-21473

Cryogenic apparatus for measuring the intensity
of magnetic fields
[NASA-CASE-XAC-02407] c14 N69-27423

Variable stiffness polymeric damper
[NASA-CASE-XAC-11225] c14 N69-27486

Shock-layer radiation measurement
[NASA-CASE-XAC-02970] c14 N69-39896

Protective circuit of the spark gap type
[NASA-CASE-XAC-08981] c09 N69-39897

Ultra-flexible biomedical electrodes and wires
Patent Application
[NASA-CASE-ARC-10268-1] c09 N70-12620

Apparatus for coupling a plurality of ungrounded
circuits to a grounded circuit Patent
[NASA-CASE-XAC-00086] c09 N70-33182

Modified polyisocyanurate polymer foam Patent
Application
[NASA-CASE-ARC-10280-1] c18 N70-34695

Two-plane balance Patent
[NASA-CASE-XAC-00073] c14 N70-34813

Centrifuge mounted motion simulator
Patent
[NASA-CASE-XAC-00399] c11 N70-34815

Differential pressure cell Patent
[NASA-CASE-XAC-00042] c14 N70-34816

High-temperature, high-pressure spherical
segment valve Patent
[NASA-CASE-XAC-00074] c15 N70-34817

Magnetically centered liquid column float Patent
[NASA-CASE-XAC-00030] c14 N70-34820

Propeller blade loading control Patent
[NASA-CASE-XAC-00139] c02 N70-34856

Temperature compensated solid state differential
amplifier Patent
[NASA-CASE-XAC-00435] c09 N70-35440

High speed low level electrical stepping switch
Patent
[NASA-CASE-XAC-00060] c09 N70-39915

Analog-to-digital conversion system Patent
[NASA-CASE-XAC-00404] c08 N70-40125

Null-type vacuum microbalance Patent
[NASA-CASE-XAC-00472] c15 N70-40180

Thermo-protective device for balances Patent
[NASA-CASE-XAC-00648] c14 N70-40400

Three-axis controller Patent
[NASA-CASE-XAC-01404] c05 N70-41581

Electric arc device for heating gases Patent
[NASA-CASE-XAC-00319] c25 N70-41628

Dynamic sensor Patent
[NASA-CASE-XAC-02877] c14 N70-41681

Universal pilot restraint suit and body support
therefor Patent
[NASA-CASE-XAC-00405] c05 N70-41819

Proportional controller Patent
[NASA-CASE-XAC-03392] c03 N70-41954

Force transducer Patent
[NASA-CASE-XAC-01101] c14 N70-41957

Electrode construction Patent
[NASA-CASE-ARC-10043-1] c05 N71-11193

Telemeter adaptable for implanting in an animal
Patent
[NASA-CASE-XAC-05706] c05 N71-12342

Gyrotor type circuit Patent
[NASA-CASE-XAC-10608-1] c09 N71-12517

Ultraviolet resonance lamp Patent
[NASA-CASE-ARC-10030] c09 N71-12521

Differential temperature transducer
Patent
[NASA-CASE-XAC-00812] c14 N71-15598

Multiple circuit switch apparatus with improved
pivot actuator structure Patent
[NASA-CASE-XAC-03777] c10 N71-15909

Method of planetary atmospheric investigation
using a split-trajectory dual flyby mode Patent
[NASA-CASE-XAC-08494] c30 N71-15990

High efficiency multivibrator Patent
[NASA-CASE-XAC-00942] c10 N71-16042

Apparatus for measuring conductivity and
velocity of plasma utilizing a plurality of
sensing coils positioned in the plasma Patent
[NASA-CASE-XAC-05695] c25 N71-16073

Flight craft Patent
[NASA-CASE-XAC-02058] c02 N71-16087

Three-axis finger tip controller for switches
Patent
[NASA-CASE-XAC-02405] c09 N71-16089

Electrostatic charged particle analyzer having
deflection members shaped according to the
periodic voltage applied thereto Patent
[NASA-CASE-XAC-05506-1] c24 N71-16095

Inertial reference apparatus Patent
[NASA-CASE-XAC-03107] c23 N71-16098

Pastener apparatus Patent
[NASA-CASE-ARC-10140-1] c15 N71-17653

Stabilization of gravity oriented satellites
Patent
[NASA-CASE-XAC-01591] c31 N71-17729

Microwave flaw detector Patent
[NASA-CASE-ARC-10009-1] c15 N71-17822

Hypervelocity gun Patent
[NASA-CASE-XAC-05902] c11 N71-18578

Nonlinear analog-to-digital converter Patent
[NASA-CASE-XAC-04031] c08 N71-18594

Demodulation system Patent
[NASA-CASE-XAC-04030] c10 N71-19472

Phase quadrature-plural channel data
transmission system Patent
[NASA-CASE-XAC-06302] c08 N71-19763

Two force component measuring device Patent
[NASA-CASE-XAC-04886-1] c14 N71-20439

Attitude controls for VTOL aircraft Patent
[NASA-CASE-XAC-08972] c02 N71-20570

Electric arc apparatus Patent
[NASA-CASE-XAC-01677] c09 N71-20816

Inertia diaphragm pressure transducer Patent
[NASA-CASE-XAC-02981] c14 N71-21072

Stirring apparatus for plural test tubes Patent
[NASA-CASE-XAC-06956] c15 N71-21177

Exposure system for animals Patent
[NASA-CASE-XAC-05333] c11 N71-22875

Vibrating element electrometer with output
signal magnified over input signal by a
function of the mechanical Q of the vibrating
element Patent
[NASA-CASE-XAC-02807] c09 N71-23021

Hall current measuring apparatus having a series
resistor for temperature compensation Patent
[NASA-CASE-XAC-01662] c14 N71-23037

Transfer valve Patent
[NASA-CASE-XAC-01158] c15 N71-23051

Hard space suit Patent
[NASA-CASE-XAC-07043] c05 N71-23161

Method and apparatus for continuously monitoring
blood oxygenation, blood pressure, pulse rate
and the pressure pulse curve utilizing an ear
oximeter as transducer Patent
[NASA-CASE-XAC-05422] c04 N71-23185

Feedback integrator with grounded capacitor Patent
[NASA-CASE-XAC-10607] c10 N71-23669

Floating two force component measuring device
Patent
[NASA-CASE-XAC-04885] c14 N71-23790

Control device Patent
[NASA-CASE-XAC-10019] c15 N71-23809

Means for suppressing or attenuating bending
motion of elastic bodies Patent
[NASA-CASE-XAC-05632] c32 N71-23971

Device for measuring pressure Patent
[NASA-CASE-XAC-04458] c14 N71-24232

Transducer circuit and catheter transducer Patent
[NASA-CASE-ARC-10132-1] c09 N71-24597

Skeletal stressing method and apparatus Patent
[NASA-CASE-ARC-10100-1] c05 N71-24738

Modified polyurethane foams for fuel-fire Patent
[NASA-CASE-ARC-10098-1] c06 N71-24739

Deep space monitor communication satellite
system Patent
[NASA-CASE-XAC-06029-1] c31 N71-24813

Laser fluid velocity detector Patent
[NASA-CASE-XAC-10770-1] c16 N71-24828

Transient video signal recording with expanded
playback Patent
[NASA-CASE-ARC-10003-1] c09 N71-25866

Thermally cycled magnetometer Patent
[NASA-CASE-XAC-03740] c14 N71-26135

Optical machine tool alignment indicator Patent
[NASA-CASE-XAC-09489-1] c15 N71-26673

Energy limiter for hydraulic actuators Patent
[NASA-CASE-ARC-10131-1] c15 N71-27754

Multivibrator circuit with means to prevent
false triggering from supply voltage
fluctuations Patent

[NASA-CASE-ARC-10137-1] c09 N71-28468
 Locomotion and restraint aid Patent
 [NASA-CASE-ARC-10153] c05 N71-28619
 Line following servosystem Patent
 [NASA-CASE-XAC-00001] c15 N71-28952
 Mechanically limited, electrically operated
 hydraulic valve system for aircraft controls
 Patent
 [NASA-CASE-XAC-00048] c02 N71-29128
 Precision rectifier with FET switching means
 Patent
 [NASA-CASE-ARC-10101-1] c09 N71-33109
 Solar cell Patent
 [NASA-CASE-ARC-10050] c03 N71-33409
 Signal conditioning circuit apparatus
 [NASA-CASE-ARC-10348-1] c10 N72-10205
 Diatomic infrared gasdynamic laser
 [NASA-CASE-ARC-10370-1] c16 N72-10432
 Phase shift circuit apparatus
 [NASA-CASE-ARC-10269-1] c10 N72-16172
 High intensity radiant energy pulse source
 having means for opening shutter when light
 flux has reached a desired level
 [NASA-CASE-ARC-10178-1] c09 N72-17152
 Telemetry actuated switch
 [NASA-CASE-ARC-10105] c09 N72-17153
 Active RC networks
 [NASA-CASE-ARC-10020] c10 N72-17172
 Apparatus for automatically stabilizing the
 attitude of a nonguided vehicle
 [NASA-CASE-ARC-10134] c30 N72-17873
 Inductanceless filter amplifier
 [NASA-CASE-XAC-05462] c09 N72-20209
 Flexible fire retardant foam
 [NASA-CASE-ARC-10180-1] c28 N72-20767
 Gas chromatograph injection system
 [NASA-CASE-ARC-10344-1] c14 N72-21433
 Method and apparatus for swept-frequency
 impedance measurements of welds
 [NASA-CASE-ARC-10176-1] c15 N72-21464
 Space suit having improved waist and torso
 movement
 [NASA-CASE-ARC-10275-1] c05 N72-22092
 RF controlled solid state switch
 [NASA-CASE-ARC-10136-1] c09 N72-22202
 Wide range dynamic pressure sensor
 [NASA-CASE-ARC-10263-1] c14 N72-22438
 Method and apparatus for measuring the damping
 characteristics of a structure
 [NASA-CASE-ARC-10154-1] c14 N72-22440
 Magnetic position detection method and apparatus
 [NASA-CASE-ARC-10179-1] c21 N72-22619
 Fluidic proportional thruster system
 [NASA-CASE-ARC-10106-1] c28 N72-22769
 Thermoelectric radiometer utilizing polymer film
 [NASA-CASE-ARC-10138-1] c14 N72-24477
 Polymeric vehicles as carriers for sulfonic acid
 salt of nitrosubstituted aromatic amines
 [NASA-CASE-ARC-10325] c06 N72-25147
 Bio-isolated dc operational amplifier
 [NASA-CASE-ARC-10596-1] c09 N72-27233
 Stereoscopic television system and apparatus
 [NASA-CASE-ARC-10160-1] c23 N72-27728
 Metallic intrusion detector system
 [NASA-CASE-ARC-10265-1] c10 N72-28240
 Apparatus for ionization analysis
 [NASA-CASE-ARC-10017-1] c14 N72-29464
 Shoulder harness and lap belt restraint system
 [NASA-CASE-ARC-10519-1] c05 N72-31117
 Nondispersive gas analyzing method and apparatus
 wherein radiation is serially passed through a
 reference and unknown gas
 [NASA-CASE-ARC-10308-1] c06 N72-31141
 Two degree inverted flexure
 [NASA-CASE-ARC-10345-1] c15 N73-12488
 Intumescent paint containing nitrile rubber
 [NASA-CASE-ARC-10196-1] c18 N73-13562
 Programmable physiological infusion
 [NASA-CASE-ARC-10447-1] c05 N73-14092
 Miniature ingestible telemeter devices to
 measure deep body temperature
 [NASA-CASE-ARC-10583-1] c05 N73-14093
 Temperature compensated light source using a
 light emitting diode
 [NASA-CASE-ARC-10467-1] c09 N73-14214
 Self-tuning bandpass filter
 [NASA-CASE-ARC-10264-1] c09 N73-20231
 Micrometeoroid analyzer
 [NASA-CASE-ARC-10443-1] c14 N73-20477

Multiple pass reimaging optical system
 [NASA-CASE-ARC-10194-1] c23 N73-20741
 Exhaust noises in jet engines
 [NASA-CASE-ARC-10712-1] c28 N73-20826
 Solid medium thermal engine
 [NASA-CASE-ARC-10461-1] c33 N73-20931
 Continuous Fourier transform method and apparatus
 [NASA-CASE-ARC-10466-1] c08 N73-21199
 Dual wavelength scanning Doppler velocimeter
 [NASA-CASE-ARC-10637-1] c14 N73-21390
 Chromato-fluorographic drug detector
 [NASA-CASE-ARC-10633-1] c05 N73-22048
 Intruder detection system
 [NASA-CASE-ARC-10097-2] c07 N73-25160
 Interferometric rotation sensor
 [NASA-CASE-ARC-10278-1] c14 N73-25463
 Dual-fuselage aircraft having yawable wing and
 horizontal stabilizer
 [NASA-CASE-ARC-10470-1] c02 N73-26005
 Temperature controller for a fluid cooled garment
 [NASA-CASE-ARC-10599-1] c05 N73-26071
 Visual examination apparatus
 [NASA-CASE-ARC-10329-1] c05 N73-26072
 Intumescent composition, foamed product prepared
 therewith, and process for making same
 [NASA-CASE-ARC-10304-1] c18 N73-26572
 Wind tunnel flow generation section
 [NASA-CASE-ARC-10710-1] c11 N73-27175
 Water purification membranes and method of
 preparation
 [NASA-CASE-ARC-10643-1] c06 N73-29074
 Concentric differential gearing arrangement
 [NASA-CASE-ARC-10462-1] c15 N73-29459
 Method and apparatus for determining properties
 of a plasma
 [NASA-CASE-ARC-10598-1] c25 N73-29750
 Single wing supersonic aircraft
 [NASA-CASE-ARC-10470-2] c02 N73-30018
 Photomultiplier circuit including means for
 rapidly reducing the sensitivity thereof
 [NASA-CASE-ARC-10593-1] c09 N73-30187
 Infrared tunable laser
 [NASA-CASE-ARC-10463-1] c09 N73-32111
 Low power electromagnetic flowmeter providing
 accurate zero set
 [NASA-CASE-ARC-10362-1] c14 N73-32326
 Protection of moisture sensitive optical
 components
 [NASA-CASE-ARC-10749-1] c23 N73-32542
 All sky pointing attitude control system
 [NASA-CASE-ARC-10716-1] c31 N73-32784
 Hand-held photomicroscope
 [NASA-CASE-ARC-10468-1] c14 N73-33361
 Alignment apparatus using a laser having a
 gravitationally sensitive cavity reflector
 [NASA-CASE-ARC-10444-1] c16 N73-33397
 Fiber modified polyurethane foam for ballistic
 protection
 [NASA-CASE-ARC-10714-1] c18 N74-11366
 Ultra-flexible biomedical electrodes and wires
 [NASA-CASE-ARC-10268-2] c05 N74-11900
 Ultra-flexible biomedical electrode and wires
 [NASA-CASE-ARC-10268-3] c05 N74-11901
 Ultraviolet and thermally stable polymer
 compositions
 [NASA-CASE-ARC-10592-2] c06 N74-11926
 Polyimide foam for the thermal insulation and
 fire protection
 [NASA-CASE-ARC-10464-1] c06 N74-12812
 Flexible fire retardant polyisocyanate modified
 neoprene foam
 [NASA-CASE-ARC-10180-1] c06 N74-12814
 Reference apparatus for medical ultrasonic
 transducer
 [NASA-CASE-ARC-10753-1] c05 N74-13818
 Silica reusable surface insulation
 [NASA-CASE-ARC-10721-1] c18 N74-14230
 Diode-gate bridge circuit means
 [NASA-CASE-ARC-10364-2(B)] c09 N74-14941
 Heater-mixer for stored fluids
 [NASA-CASE-ARC-10442-1] c14 N74-15093
 Bimetallic fluid displacement apparatus
 [NASA-CASE-ARC-10441-1] c15 N74-15126
 Automatic real-time pair-feeding system for
 animals
 [NASA-CASE-ARC-10302-1] c04 N74-15778
 Anthropomorphic master/slave manipulator system
 [NASA-CASE-ARC-10756-1] c15 N74-16139

Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c18 N74-16249

Overvoltage protection network
[NASA-CASE-ARC-10197-1] c09 N74-17929

Combined dual scatter, local oscillator laser
Doppler velocimeter
[NASA-CASE-ARC-10642-1] c14 N74-18099

Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c05 N74-18805

Visual examination apparatus
[NASA-CASE-ARC-10329-2] c05 N74-19761

Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c14 N74-20021

Ultrasonic biomedical measuring and recording
apparatus
[NASA-CASE-ARC-10597-1] c05 N74-20726

Ultraviolet and thermally stable polymer
compositions
[NASA-CASE-ARC-10592-1] c18 N74-21156

High speed shutter
[NASA-CASE-ARC-10516-1] c23 N74-21300

**NATIONAL AERONAUTICS AND SPACE ADMINISTRATION..
ELECTRONICS RESEARCH CENTER, CAMBRIDGE, MASS.**

Method and apparatus for wavelength tuning of
liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343

A method for the deposition of beta-silicon
carbide by isoeptaxy
[NASA-CASE-ERC-10120] c26 N69-33482

A method for selective gold diffusion of
monolithic silicon devices and/or circuits
Patent application
[NASA-CASE-ERC-10072] c09 N70-11148

Method and apparatus for predicting the
occurrence of major solar events Patent
Application
[NASA-CASE-ERC-10323-1] c30 N70-22183

Method and means for an improved electron beam
scanning system Patent
[NASA-CASE-ERC-10552] c09 N71-12539

Apparatus and method for separating a
semiconductor wafer Patent
[NASA-CASE-ERC-10138] c26 N71-14354

Focused image holography with extended sources
Patent
[NASA-CASE-ERC-10019] c16 N71-15551

Recording and reconstructing focused image
holograms Patent
[NASA-CASE-ERC-10017] c16 N71-15567

Sorption vacuum trap Patent
[NASA-CASE-XER-09519] c14 N71-18483

Voltage tunable Gunn-type microwave generator
Patent
[NASA-CASE-XER-07894] c09 N71-18721

Array phasing device Patent
[NASA-CASE-ERC-10046] c10 N71-18722

Parametric microwave noise generator Patent
[NASA-CASE-XER-11019] c09 N71-23598

Saturation current protection apparatus for
saturable core transformers Patent
[NASA-CASE-ERC-10075] c09 N71-24800

Repetitively pulsed, wavelength selective laser
Patent
[NASA-CASE-ERC-10178] c16 N71-24832

Optical mirror apparatus Patent
[NASA-CASE-ERC-10001] c23 N71-24868

Unsaturating saturable core transformer Patent
[NASA-CASE-ERC-10125] c09 N71-24893

Leak detector wherein a probe is monitored with
ultraviolet radiation Patent
[NASA-CASE-ERC-10034] c15 N71-24896

Method for detecting leaks in hermetically
sealed containers Patent
[NASA-CASE-ERC-10045] c15 N71-24910

Satellite aided vehicle avoidance system Patent
[NASA-CASE-ERC-10090] c21 N71-24948

Transverse piezoresistance and pinch effect
electromechanical transducers Patent
[NASA-CASE-ERC-10088] c26 N71-25490

A solid state acoustic variable time delay line
Patent
[NASA-CASE-ERC-10032] c10 N71-25900

Method and means for recording and
reconstructing holograms without use of a
reference beam Patent
[NASA-CASE-ERC-10020] c16 N71-26154

Electromechanical control actuator system Patent
[NASA-CASE-ERC-10022] c15 N71-26635

Method and apparatus for detecting gross leaks
Patent
[NASA-CASE-ERC-10033] c14 N71-26672

Field ionization electrodes Patent
[NASA-CASE-ERC-10013] c09 N71-26678

Voltage regulator Patent
[NASA-CASE-ERC-10113] c09 N71-27053

A multichannel photoionization chamber for
absorption analysis Patent
[NASA-CASE-ERC-10044-1] c14 N71-27090

Pressure sensitive transducers Patent
[NASA-CASE-ERC-10087] c14 N71-27334

Constant frequency output two stage induction
machine systems Patent
[NASA-CASE-ERC-10065] c09 N71-27364

Fluid power transmitting gas bearing Patent
[NASA-CASE-ERC-10097] c15 N71-28465

Color television systems using a single gun
color cathode ray tube Patent
[NASA-CASE-ERC-10098] c09 N71-28618

Ion microprobe mass spectrometer for analyzing
fluid materials Patent
[NASA-CASE-ERC-10014] c14 N71-28863

Orifice gross leak tester Patent
[NASA-CASE-ERC-10150] c14 N71-28992

Device for measuring light scattering wherein
the measuring beam is successively reflected
between a pair of parallel reflectors Patent
[NASA-CASE-XER-11203] c14 N71-28994

Quasi-optical microwave component Patent
[NASA-CASE-ERC-10011] c07 N71-29065

Multiple hologram recording and readout system
Patent
[NASA-CASE-ERC-10151] c16 N71-29131

Plasma fluidic hybrid display Patent
[NASA-CASE-ERC-10100] c09 N71-33519

Optical systems having spatially invariant outputs
[NASA-CASE-ERC-10248] c14 N72-17323

Method of detecting impending saturation of
magnetic cores
[NASA-CASE-ERC-10089] c23 N72-17747

Load insensitive electrical device
[NASA-CASE-XER-11046-2] c09 N72-21251

Improved satellite aided vehicle avoidance system
[NASA-CASE-ERC-10419] c21 N72-21631

Logarithmic function generator utilizing an
exponentially varying signal in an inverse
manner
[NASA-CASE-ERC-10267] c09 N72-23173

Method and apparatus for limiting field emission
current
[NASA-CASE-ERC-10015-2] c10 N72-27246

**NATIONAL AERONAUTICS AND SPACE ADMINISTRATION.
FLIGHT RESEARCH CENTER, EDWARDS, CALIF.**

Rocket chamber leak test fixture
[NASA-CASE-XFR-09479] c14 N69-27503

System for communicating biomedical information
by means of unmodified conventional voice
communication systems Patent Application
[NASA-CASE-FRC-10031] c05 N70-20717

Three axis controller Patent
[NASA-CASE-XFR-00181] c21 N70-33279

Catalyst bed removing tool Patent
[NASA-CASE-XFR-00811] c15 N70-36901

Two-axis controller Patent
[NASA-CASE-XFR-04104] c03 N70-42073

Controlled visibility device for an aircraft
Patent
[NASA-CASE-XFR-04147] c11 N71-10748

Biomedical electrode arrangement Patent
[NASA-CASE-XFR-10856] c05 N71-11189

Lifting body Patent Application
[NASA-CASE-FRC-10063] c01 N71-12217

Energy management system for glider type vehicle
Patent
[NASA-CASE-XFR-00756] c02 N71-13421

Quick attach mechanism Patent
[NASA-CASE-XFR-05421] c15 N71-22994

Heat flux measuring system Patent
[NASA-CASE-XFR-03802] c33 N71-23085

Threadless fastener apparatus Patent
[NASA-CASE-XFR-05302] c15 N71-23254

Traversing probe Patent
[NASA-CASE-XFR-02007] c12 N71-24692

Layout tool Patent
[NASA-CASE-FRC-10005] c15 N71-26145

Pulsed excitation voltage circuit for transducers
[NASA-CASE-FRC-10036] c09 N72-22200

Acoustical transducer calibrating system and apparatus
[NASA-CASE-FRC-10060-1] c14 N73-27379

Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c14 N74-13129

Terminal guidance system
[NASA-CASE-FRC-10049-1] c21 N74-13420

Full wave modulator-demodulator amplifier apparatus
[NASA-CASE-FRC-10072-1] c09 N74-14939

Rotating raster generator
[NASA-CASE-FRC-10071-1] c07 N74-20813

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION.
GODDARD SPACE FLIGHT CENTER, GREENBELT, MD.

Regulated dc to dc converter
[NASA-CASE-XGS-03429] c03 N69-21330

Apparatus for measuring swelling characteristics of membranes
[NASA-CASE-XGS-03865] c14 N69-21363

Tumbler system to provide random motion
[NASA-CASE-XGS-02437] c15 N69-21472

Automatic acquisition system for phase-lock loop
[NASA-CASE-XGS-04994] c09 N69-21543

Low power drain semi-conductor circuit
[NASA-CASE-XGS-04999] c09 N69-24317

Spacecraft battery seals
[NASA-CASE-XGS-03864] c15 N69-24320

Scanning aspect sensor employing an apertured disc and a commutator
[NASA-CASE-XGS-08266] c14 N69-27432

Monopulse system with an electronic scanner
[NASA-CASE-XGS-05582] c07 N69-27460

Ring counter
[NASA-CASE-XGS-03095] c09 N69-27463

Retrodirective optical system
[NASA-CASE-XGS-04480] c16 N69-27491

Time division multiplex system
[NASA-CASE-XGS-05918] c07 N69-39974

Doppler frequency spread correction device for multiplex transmissions
[NASA-CASE-XGS-02749] c07 N69-39978

Alkali-metal silicate protective coating
[NASA-CASE-XGS-04119] c18 N69-39979

Device for measuring electron-beam intensities and for subjecting materials to electron irradiation in an electron microscope
[NASA-CASE-XGS-01725] c14 N69-39982

Light sensitive digital aspect sensor Patent
[NASA-CASE-XGS-00359] c14 N70-34158

Method and apparatus for determining satellite orientation utilizing spatial energy sources Patent
[NASA-CASE-XGS-00466] c21 N70-34297

Binary magnetic memory device Patent
[NASA-CASE-XGS-00174] c08 N70-34743

Full binary adder Patent
[NASA-CASE-XGS-00689] c08 N70-34787

Ultra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit Patent
[NASA-CASE-XGS-00381] c09 N70-34819

Controlled caging and uncaging mechanism Patent Application
[NASA-CASE-GSC-11063-1] c03 N70-35584

Space and atmospheric reentry vehicle Patent
[NASA-CASE-XGS-00260] c31 N70-37924

Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00458] c09 N70-38604

Switching mechanism with energy storage means Patent
[NASA-CASE-XGS-00473] c03 N70-38713

Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00131] c09 N70-38995

Stretch de-spin mechanism Patent
[NASA-CASE-XGS-00619] c30 N70-40016

Folding boom assembly Patent
[NASA-CASE-XGS-00938] c32 N70-41367

Cryogenic connector for vacuum use Patent
[NASA-CASE-XGS-02441] c15 N70-41629

Endless tape cartridge Patent
[NASA-CASE-XGS-00769] c14 N70-41647

Apparatus for producing three-dimensional recordings of fluorescence spectra Patent
[NASA-CASE-XGS-01231] c14 N70-41676

Method and apparatus for determining electromagnetic characteristics of large surface area passive reflectors Patent
[NASA-CASE-XGS-02608] c07 N70-41678

Prevention of pressure build-up in electrochemical cells Patent
[NASA-CASE-XGS-01419] c03 N70-41864

Variable time constant smoothing circuit Patent
[NASA-CASE-XGS-01983] c10 N70-41964

Endless tape transport mechanism Patent
[NASA-CASE-XGS-01223] c07 N71-10609

Reversible ring counter employing cascaded single SCR stages Patent
[NASA-CASE-XGS-01473] c09 N71-10673

Electronic beam switching commutator Patent
[NASA-CASE-XGS-01451] c09 N71-10677

Sun tracker with rotatable plane-parallel plate and two photocells Patent
[NASA-CASE-XGS-01159] c21 N71-10678

Non-magnetic battery case Patent
[NASA-CASE-XGS-00886] c03 N71-11053

Interconnection of solar cells Patent
[NASA-CASE-XGS-01475] c03 N71-11058

Frequency shift keyed demodulator Patent
[NASA-CASE-XGS-02889] c07 N71-11282

Bi-polar phase detector and corrector for split phase PCM data signals Patent
[NASA-CASE-XGS-01590] c07 N71-12392

Data processor having multiple sections activated at different times by selective power coupling to the sections Patent
[NASA-CASE-XGS-04767] c08 N71-12494

Position location system and method Patent
[NASA-CASE-GSC-10087-2] c21 N71-13958

Fire resistant coating composition Patent
[NASA-CASE-GSC-10072] c18 N71-14014

Passively regulated water electrolysis rocket engine Patent
[NASA-CASE-XGS-08729] c28 N71-14044

Attitude control system Patent
[NASA-CASE-XGS-04393] c21 N71-14159

Retrodirective modulator Patent
[NASA-CASE-GSC-10062] c14 N71-15605

Spacecraft attitude detection system by stellar reference Patent
[NASA-CASE-XGS-03431] c21 N71-15642

Cartwheel satellite synchronization system Patent
[NASA-CASE-XGS-05579] c31 N71-15676

Wide range linear fluxgate magnetometer Patent
[NASA-CASE-XGS-01587] c14 N71-15962

Low friction magnetic recording tape Patent
[NASA-CASE-XGS-00373] c23 N71-15978

Method for etching copper Patent
[NASA-CASE-XGS-06306] c17 N71-16044

Bacteriostatic conformal coating and methods of application Patent
[NASA-CASE-GSC-10007] c18 N71-16046

Serrodyne frequency converter re-entrant amplifier system Patent
[NASA-CASE-XGS-01022] c07 N71-16088

Position location and data collection system and method Patent
[NASA-CASE-GSC-10083-1] c30 N71-16090

Position sensing device employing misaligned magnetic field generating and detecting apparatus Patent
[NASA-CASE-XGS-07514] c23 N71-16099

Optical tracker having overlapping reticles on parallel axes Patent
[NASA-CASE-XGS-05715] c23 N71-16100

Self-erecting reflector Patent
[NASA-CASE-XGS-09190] c31 N71-16102

Dust particle injector for hypervelocity accelerators Patent
[NASA-CASE-XGS-06628] c24 N71-16213

Ellipsoidal mirror reflectometer including means for averaging the radiation reflected from the sample Patent
[NASA-CASE-XGS-05291] c23 N71-16341

Angular position and velocity sensing apparatus Patent
[NASA-CASE-XGS-05680] c14 N71-17585

Apparatus for controlling the velocity of an electromechanical drive for interferometers and the like Patent
[NASA-CASE-XGS-03532] c14 N71-17627

Omni-directional anisotropic molecular trap Patent
[NASA-CASE-XGS-00783] c30 N71-17788

Method of making tubes Patent
[NASA-CASE-XGS-04175] c15 N71-18579

Pulse-type magnetic core memory element circuit with blocking oscillator feedback Patent

[NASA-CASE-XGS-03303] c08 N71-18595
 Ripple add and ripple subtract binary counters Patent
 [NASA-CASE-XGS-04766] c08 N71-18602
 Computing apparatus Patent
 [NASA-CASE-XGS-04765] c08 N71-18693
 Stepping motor control circuit Patent
 [NASA-CASE-GSC-10366-1] c10 N71-18772
 Traffic control system and method Patent
 [NASA-CASE-GSC-10087-1] c02 N71-19287
 Apparatus for measuring current flow Patent
 [NASA-CASE-XGS-02439] c14 N71-19431
 Synchronous counter Patent
 [NASA-CASE-XGS-02440] c08 N71-19432
 Wide range data compression system Patent
 [NASA-CASE-XGS-02612] c08 N71-19435
 Apparatus for computing square roots Patent
 [NASA-CASE-XGS-04768] c08 N71-19437
 Method and apparatus for battery charge control Patent
 [NASA-CASE-XGS-05432] c03 N71-19438
 Stable amplifier having a stable quiescent point Patent
 [NASA-CASE-XGS-02812] c09 N71-19466
 Tracking antenna system Patent
 [NASA-CASE-GSC-10553-1] c07 N71-19854
 Electrochemical coulometer and method of forming same Patent
 [NASA-CASE-XGS-05434] c03 N71-20491
 Display for binary characters Patent
 [NASA-CASE-XGS-04987] c08 N71-20571
 Amplifier clamping circuit for horizon scanner Patent
 [NASA-CASE-XGS-01784] c10 N71-20782
 Diversity receiving system with diversity phase lock Patent
 [NASA-CASE-XGS-01222] c10 N71-20841
 Signal detection and tracking apparatus Patent
 [NASA-CASE-XGS-03502] c10 N71-20852
 Polarization diversity monopulse tracking receiver Patent
 [NASA-CASE-XGS-03501] c09 N71-20864
 System for recording and reproducing pulse code modulated data Patent
 [NASA-CASE-XGS-01021] c08 N71-21042
 Satellite appendage tie down cord Patent
 [NASA-CASE-XGS-02554] c31 N71-21064
 Reaction wheel scanner Patent
 [NASA-CASE-XGS-02629] c14 N71-21082
 Nonmagnetic, explosive actuated indexing device Patent
 [NASA-CASE-XGS-02422] c15 N71-21529
 Bidirectional step torque filter with zero backlash characteristic Patent
 [NASA-CASE-XGS-04227] c15 N71-21744
 Conforming polisher for aspheric surface of revolution Patent
 [NASA-CASE-XGS-02884] c15 N71-22705
 Precision thrust gage Patent
 [NASA-CASE-XGS-02319] c14 N71-22965
 Sealing device for an electrochemical cell Patent
 [NASA-CASE-XGS-02630] c03 N71-22974
 Rotary bead dropper and selector for testing micrometeorite detectors Patent
 [NASA-CASE-XGS-03304] c09 N71-22988
 Moment of inertia test fixture Patent
 [NASA-CASE-XGS-01023] c14 N71-22992
 Fluid flow meter with comparator reference means Patent
 [NASA-CASE-XGS-01331] c14 N71-22996
 Foamed in place ceramic refractory insulating material Patent
 [NASA-CASE-XGS-02435] c18 N71-22998
 Digital telemetry system Patent
 [NASA-CASE-XGS-01812] c07 N71-23001
 Bonded elastomeric seal for electrochemical cells Patent
 [NASA-CASE-XGS-02631] c03 N71-23006
 Apparatus providing a directive field pattern and attitude sensing of a spin stabilized satellite Patent
 [NASA-CASE-XGS-02607] c31 N71-23009
 Complementary regenerative switch Patent
 [NASA-CASE-XGS-02751] c09 N71-23015
 Solid state pulse generator with constant output width, for variable input width, in nanosecond range Patent
 [NASA-CASE-XGS-03427] c10 N71-23029

Sidereal frequency generator Patent
 [NASA-CASE-XGS-02610] c14 N71-23174
 Solar cell and circuit array and process for nullifying magnetic fields Patent
 [NASA-CASE-XGS-03390] c03 N71-23187
 Passive synchronized spike generator with high input impedance and low output impedance and capacitor power supply Patent
 [NASA-CASE-XGS-03632] c09 N71-23311
 Sealed electrochemical cell provided with a flexible casing Patent
 [NASA-CASE-XGS-01513] c03 N71-23336
 Digitally controlled frequency synthesizer Patent
 [NASA-CASE-XGS-02317] c09 N71-23525
 Radio frequency coaxial high pass filter Patent
 [NASA-CASE-XGS-01418] c09 N71-23573
 Apparatus for phase stability determination Patent
 [NASA-CASE-XGS-01118] c10 N71-23662
 Tape recorder Patent
 [NASA-CASE-XGS-08259] c14 N71-23698
 Balance torque meter Patent
 [NASA-CASE-XGS-01013] c14 N71-23725
 Mechanical actuator Patent
 [NASA-CASE-XGS-04548] c15 N71-24045
 Selective plating of etched circuits without removing previous plating Patent
 [NASA-CASE-XGS-03120] c15 N71-24047
 Alkali metal silicate protective coating Patent
 [NASA-CASE-XGS-04799] c18 N71-24183
 Strain gauge measuring techniques Patent
 [NASA-CASE-XGS-04478] c14 N71-24233
 Electromagnetic polarization systems and methods Patent
 [NASA-CASE-GSC-10021-1] c09 N71-24595
 Redundant actuating mechanism Patent
 [NASA-CASE-XGS-08718] c15 N71-24600
 Satellite communication system and method Patent
 [NASA-CASE-GSC-10118-1] c07 N71-24621
 Programmable telemetry system Patent
 [NASA-CASE-GSC-10131-1] c07 N71-24624
 Coulometer and third electrode battery charging circuit Patent
 [NASA-CASE-GSC-10487-1] c03 N71-24719
 Electronic scanning of 2-channel monopulse patterns Patent
 [NASA-CASE-GSC-10299-1] c09 N71-24804
 Annular slit colloid thruster Patent
 [NASA-CASE-GSC-10709-1] c28 N71-25213
 Voltage to frequency converter Patent
 [NASA-CASE-GSC-10022-1] c10 N71-25882
 Direct current motor with stationary armature and field Patent
 [NASA-CASE-XGS-05290] c09 N71-25999
 Buck boost voltage regulation circuit Patent
 [NASA-CASE-GSC-10735-1] c10 N71-26085
 Adaptive system and method for signal generation Patent
 [NASA-CASE-GSC-11367] c10 N71-26374
 Control apparatus for applying pulses of selectively predetermined duration to a sequence of loads Patent
 [NASA-CASE-XGS-04224] c10 N71-26418
 Turn on transient limiter Patent
 [NASA-CASE-GSC-10413] c10 N71-26531
 Voltage regulator with plural parallel power source sections Patent
 [NASA-CASE-GSC-10891-1] c10 N71-26626
 Method for generating ultra-precise angles Patent
 [NASA-CASE-XGS-04173] c19 N71-26674
 Resettable monostable pulse generator Patent
 [NASA-CASE-GSC-11139] c09 N71-27016
 Micro-pound extended range thrust stand Patent
 [NASA-CASE-GSC-10710-1] c28 N71-27094
 Synchronous dc direct drive system Patent
 [NASA-CASE-GSC-10065-1] c10 N71-27136
 Antenna array at focal plane of reflector with coupling network for beam switching Patent
 [NASA-CASE-GSC-10220-1] c07 N71-27233
 Gravity gradient attitude control system Patent
 [NASA-CASE-GSC-10555-1] c21 N71-27324
 Magnetic bearing Patent Application
 [NASA-CASE-GSC-11079-1] c21 N71-28461
 Segmented superconducting magnet for a broadband traveling wave maser Patent
 [NASA-CASE-XGS-10518] c16 N71-28554
 Millimeter wave antenna system Patent Application
 [NASA-CASE-GSC-10949-1] c07 N71-28965
 Sampled data controller Patent
 [NASA-CASE-GSC-10554-1] c08 N71-29033

Variable digital processor including a register for shifting and rotating bits in either direction Patent
[NASA-CASE-GSC-10186] c08 N71-33110

Processes for making sheets with parallel pores of uniform size
[NASA-CASE-GSC-10984-1] c15 N71-34427

Combustion products generating and metering device
[NASA-CASE-GSC-11095-1] c14 N72-10375

Analog spatial maneuver computer
[NASA-CASE-GSC-10880-1] c08 N72-11172

Helical recorder arrangement for multiple channel recording on both sides of the tape
[NASA-CASE-GSC-10614-1] c09 N72-11224

Method and apparatus for eliminating coherent noise in a coherent energy imaging system without destroying spatial coherence
[NASA-CASE-GSC-11133-1] c23 N72-11568

Position location system and method
[NASA-CASE-GSC-10087-3] c07 N72-12080

Facsimile video remodulation network
[NASA-CASE-GSC-10185-1] c07 N72-12081

Frangible electrochemical cell
[NASA-CASE-XGS-10010] c03 N72-15986

Caterpillar micro positioner
[NASA-CASE-GSC-10780-1] c14 N72-16283

Minimech self-deploying boom mechanism
[NASA-CASE-GSC-10566-1] c15 N72-18477

Heated porous plug microthruster
[NASA-CASE-GSC-10640-1] c28 N72-18766

Optimum performance spacecraft solar cell system
[NASA-CASE-GSC-10669-1] c03 N72-20031

Monostable multivibrator
[NASA-CASE-GSC-10082-1] c10 N72-20221

Roll alignment detector
[NASA-CASE-GSC-10514-1] c14 N72-20379

Cosmic dust sensor
[NASA-CASE-GSC-10503-1] c14 N72-20381

Solenoid valve including guide for armature and valve member
[NASA-CASE-GSC-10607-1] c15 N72-20442

Fast response low power drain logic circuits
[NASA-CASE-GSC-10878-1] c10 N72-22236

Trap for preventing diffusion pump backstreaming
[NASA-CASE-GSC-10518-1] c15 N72-22489

Resistance soldering apparatus
[NASA-CASE-GSC-10913] c15 N72-22491

Optical system support apparatus
[NASA-CASE-XER-07896-2] c23 N72-22673

SCR lamp driver
[NASA-CASE-GSC-10221-1] c09 N72-23171

Potassium silicate zinc coatings
[NASA-CASE-GSC-10361-1] c18 N72-23581

Synchronous orbit battery cyclor
[NASA-CASE-GSC-11211-1] c03 N72-25020

Flavin coenzyme assay
[NASA-CASE-GSC-10565-1] c06 N72-25149

Location identification system
[NASA-CASE-ERC-10324] c07 N72-25173

A dc to ac to dc converter having transistor synchronous rectifiers
[NASA-CASE-GSC-11126-1] c09 N72-25253

Tungsten contacts on silicon substrates
[NASA-CASE-GSC-10695-1] c09 N72-25259

Bacterial contamination monitor
[NASA-CASE-GSC-10879-1] c14 N72-25413

Honeycomb panels formed of minimal surface periodic tubule layers
[NASA-CASE-ERC-10364] c18 N72-25540

Honeycomb core structures of minimal surface tubule sections
[NASA-CASE-ERC-10363] c18 N72-25541

Gunn-type solid state devices
[NASA-CASE-XER-07895] c26 N72-25679

Use of unilluminated solar cells as shunt diodes for a solar array
[NASA-CASE-GSC-10344-1] c03 N72-27053

Air conditioning system and component therefore distributing air flow from opposite directions
[NASA-CASE-GSC-11445-1] c15 N72-28503

Active tuned circuit
[NASA-CASE-GSC-11340-1] c10 N72-33230

Apparatus for controlling the temperature of balloon borne equipment
[NASA-CASE-GSC-11620-1] c14 N72-33379

Electric motive machine including magnetic bearing
[NASA-CASE-XGS-07805] c15 N72-33476

Cosmic dust or other similar outer space particles impact location detector
[NASA-CASE-GSC-11291-1] c25 N72-33696

Star scanner
[NASA-CASE-GSC-11569-1] c14 N73-11404

Passive dual spin misalignment compensators
[NASA-CASE-GSC-11479-1] c21 N73-11680

Method and apparatus for determining the contents of contained gas samples
[NASA-CASE-GSC-10903-1] c14 N73-12444

System for stabilizing torque between a balloon and gondola
[NASA-CASE-GSC-11077-1] c02 N73-13008

Diffuse reflective coating
[NASA-CASE-GSC-11214-1] c06 N73-13128

Data processor with conditionally supplied clock signals
[NASA-CASE-GSC-10975-1] c08 N73-13187

Image tube
[NASA-CASE-GSC-11602-1] c09 N73-13214

Apparatus for vibrational testing of articles
[NASA-CASE-GSC-11302-1] c14 N73-13416

Method and system for ejecting fairing sections from a rocket vehicle
[NASA-CASE-GSC-10590-1] c31 N73-14853

Plural beam antenna
[NASA-CASE-GSC-11013-1] c09 N73-19234

Bonding of sapphire to sapphire by eutectic mixture aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c15 N73-19467

Star tracking reticles and process for the production thereof
[NASA-CASE-GSC-11188-2] c21 N73-19630

Delayed simultaneous release mechanism
[NASA-CASE-GSC-10814-1] c03 N73-20039

Doppler compensation by shifting transmitted object frequency within limits
[NASA-CASE-GSC-10087-4] c07 N73-20174

Telemetry processor
[NASA-CASE-GSC-11388-1] c07 N73-24187

Signal-to-noise ratio determination circuit
[NASA-CASE-GSC-11239-1] c10 N73-25241

Mutation damper
[NASA-CASE-GSC-11205-1] c15 N73-25513

Low outgassing polydimethylsiloxane material and preparation thereof
[NASA-CASE-GSC-11358-1] c06 N73-26100

Method of detecting and counting bacteria in body fluids
[NASA-CASE-GSC-11092-2] c04 N73-27052

Protein sterilization method of firefly luciferase using reduced pressure and molecular sieves
[NASA-CASE-GSC-10225-1] c06 N73-27086

Process for making RF shielded cable connector assemblies and the products formed thereby
[NASA-CASE-GSC-11215-1] c09 N73-28083

Device for determining relative angular position between a spacecraft and a radiation emitting celestial body
[NASA-CASE-GSC-11444-1] c14 N73-28490

Microscope multi-angle, reflection, viewing adaptor and photographic recording system
[NASA-CASE-GSC-11690-1] c14 N73-28499

Fastener stretcher
[NASA-CASE-GSC-11149-1] c15 N73-30457

Spacecraft attitude sensor
[NASA-CASE-GSC-10890-1] c21 N73-30640

Digital phase locked loop
[NASA-CASE-GSC-11623-1] c10 N73-31202

Automatic instrument for chemical processing to detect microorganism in biological samples by measuring light reactions
[NASA-CASE-GSC-11169-2] c05 N73-32011

Radiation hardening of MOS devices by boron
[NASA-CASE-GSC-11425-2] c09 N73-32114

Dish antenna having switchable beamwidth
[NASA-CASE-GSC-11760-1] c09 N73-32116

Alphanumeric character generator for oscilloscopes
[NASA-CASE-GSC-11582-1] c09 N73-32120

Star tracking reticles
[NASA-CASE-GSC-11188-1] c14 N73-32320

Peen plating
[NASA-CASE-GSC-11163-1] c15 N73-32360

A dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c16 N73-32398

Structural heat pipe
[NASA-CASE-GSC-11619-1] c33 N73-32828

Low speed phaselock speed control system
[NASA-CASE-GSC-11127-1] c09 N74-10202

Ultraviolet light reflective coating [NASA-CASE-GSC-11786-1]	c18 N74-10542	Autoignition test cell Patent [NASA-CASE-KSC-10198]	c11 N71-28629
Recorder/processor apparatus [NASA-CASE-GSC-11553-1]	c07 N74-15831	Protective suit having an audio transceiver Patent. [NASA-CASE-KSC-10164]	c07 N71-33108
Axially and radially controllable magnetic bearing [NASA-CASE-GSC-11551-1]	c15 N74-18132	Ripple indicator [NASA-CASE-KSC-10162]	c09 N72-11225
Self-regulating proportionally controlled heating apparatus and technique [NASA-CASE-GSC-11752-1]	c33 N74-19583	High speed photo-optical time recording [NASA-CASE-KSC-10294]	c14 N72-18411
Method of making porous conductive supports for electrodes [NASA-CASE-GSC-11367-1]	c03 N74-19692	High speed direct binary-to-binary coded decimal converter [NASA-CASE-KSC-10326]	c08 N72-21197
Piezoelectric relay [NASA-CASE-GSC-11627-1]	c09 N74-19852	Automatic frequency control loop including synchronous switching circuits [NASA-CASE-KSC-10393]	c09 N72-21247
Controllable high voltage source having fast settling time [NASA-CASE-GSC-11844-1]	c09 N74-19853	Universal environment package with sectional component housing [NASA-CASE-KSC-10031]	c15 N72-22486
Formation of star tracking reticles [NASA-CASE-GSC-11188-3]	c14 N74-20008	Buffered analog converter [NASA-CASE-KSC-10397]	c08 N72-25206
Radiation hardening of MOS devices by boron [NASA-CASE-GSC-11425-1]	c24 N74-20329	Lamp modulator [NASA-CASE-KSC-10565]	c09 N72-25250
Amplitude steered array [NASA-CASE-GSC-11446-1]	c09 N74-20860	Cable stabilizer for open shaft cable operated elevators [NASA-CASE-KSC-10513]	c15 N72-25453
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly [NASA-CASE-GSC-11560-1]	c09 N74-20861	Pressurized lighting system [NASA-CASE-KSC-10644]	c09 N72-27227
Ultra-stable oscillator with complementary transistors [NASA-CASE-GSC-11513-1]	c09 N74-20862	Electric field measuring and display system [NASA-CASE-KSC-10731-1]	c14 N73-10461
High efficiency multifrequency feed [NASA-CASE-GSC-113173]	c09 N74-20863	High speed direct binary to binary coded decimal converter and scaler [NASA-CASE-KSC-10595]	c08 N73-12176
Turnstile slot antenna [NASA-CASE-GSC-11428-1]	c09 N74-20864	Geysering inhibitor for vertical cryogenic transfer pipe [NASA-CASE-KSC-10615]	c15 N73-12486
Method and apparatus for checking fire detectors [NASA-CASE-GSC-11600-1]	c14 N74-21019	Electronic video editor [NASA-CASE-KSC-10003]	c10 N73-13235
Long range laser traversing system [NASA-CASE-GSC-11262-1]	c16 N74-21091	Character indicating display device [NASA-CASE-KSC-00348]	c09 N73-14215
Method and apparatus for optically monitoring the angular position of a rotating mirror [NASA-CASE-GSC-11353-1]	c23 N74-21304	Voltage monitoring system [NASA-CASE-KSC-10736-1]	c09 N73-23290
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. JOHN F. KENNEDY SPACE CENTER, COCOA BEACH, FLA.		Signal conditioner test set [NASA-CASE-KSC-10750-1]	c14 N73-23527
Device for determining the accuracy of the flare on a flared tube [NASA-CASE-KKS-03495]	c14 N69-39785	Collapsible high gain antenna [NASA-CASE-KSC-10392]	c07 N73-26117
Quick attach and release fluid coupling assembly Patent [NASA-CASE-KKS-01985]	c15 N71-10782	Floating baffle to improve efficiency of liquid transfer from tanks [NASA-CASE-KSC-10639]	c15 N73-26472
Parasitic probe antenna Patent [NASA-CASE-KKS-09348]	c09 N71-13521	Digital servo controller [NASA-CASE-KSC-10769-1]	c09 N73-27153
Electronic checkout system for space vehicles Patent [NASA-CASE-KKS-08012-2]	c31 N71-15566	Zero gravity liquid transfer screen [NASA-CASE-KSC-10626]	c14 N73-27378
Apparatus for tensile testing Patent [NASA-CASE-KKS-06250]	c14 N71-15600	Optical rotational sensor [NASA-CASE-KSC-10752-1]	c15 N73-27407
Weatherproof helix antenna Patent [NASA-CASE-KKS-08485]	c07 N71-19493	Television multiplexing system [NASA-CASE-KSC-10654-1]	c07 N73-30115
Valve seat with resilient support member Patent [NASA-CASE-KKS-02582]	c15 N71-21234	Dual digital video switcher [NASA-CASE-KSC-10782-1]	c07 N73-32063
Diode and protection fuse unit Patent [NASA-CASE-KKS-03381]	c09 N71-22796	Lightning tracking system [NASA-CASE-KSC-10729-1]	c09 N73-32110
Optical monitor panel Patent [NASA-CASE-KKS-03509]	c14 N71-23175	Rocket borne instrument to measure electric fields inside electrified clouds [NASA-CASE-KSC-10730-1]	c14 N73-32318
Separation simulator Patent [NASA-CASE-KKS-04631]	c10 N71-23663	NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. LANGLEY RESEARCH CENTER, LANGLEY STATION, VA.	
Controlled release device Patent [NASA-CASE-KKS-03338]	c15 N71-24043	Jet shoes [NASA-CASE-XLA-08491]	c05 N69-21380
Phonocardiogram simulator Patent [NASA-CASE-KKS-10804]	c05 N71-24606	Condenser - Separator [NASA-CASE-XLA-08645]	c15 N69-21465
VHF/UHF parasitic probe antenna Patent [NASA-CASE-KKS-09340]	c07 N71-24614	Connector - Electrical [NASA-CASE-XLA-01288]	c09 N69-21470
BCD to decimal decoder Patent [NASA-CASE-KKS-06167]	c08 N71-24890	A support technique for vertically oriented launch vehicles [NASA-CASE-XLA-02704]	c11 N69-21540
Flammability test chamber Patent [NASA-CASE-KSC-10126]	c11 N71-24985	Electromagnetic mirror drive system [NASA-CASE-XLA-03724]	c14 N69-27461
Video sync processor Patent [NASA-CASE-KSC-10002]	c10 N71-25865	Evaporant holder [NASA-CASE-XLA-03105]	c15 N69-27483
Weld preparation machine Patent [NASA-CASE-KKS-07953]	c15 N71-26134	Compensating radiometer [NASA-CASE-XLA-04556]	c14 N69-27484
Validation device for spacecraft checkout equipment Patent [NASA-CASE-KKS-10543]	c07 N71-26292	Tubular coupling having frangible connecting means [NASA-CASE-XLA-02854]	c15 N69-27490
Internal work light Patent [NASA-CASE-KKS-05932]	c09 N71-26787	Fatigue-resistant shear pin [NASA-CASE-XLA-09122]	c15 N69-27505
Emergency escape system Patent [NASA-CASE-KKS-07814]	c15 N71-27067	Ablation sensor [NASA-CASE-XLA-01781]	c14 N69-39975
Voltage dropout sensor Patent [NASA-CASE-KSC-10020]	c10 N71-27338	Aeroflexible structures [NASA-CASE-XLA-06095]	c01 N69-39981
		Transient-compensated SCR inverter [NASA-CASE-XLA-08507]	c09 N69-39984

Kinesthetic control simulator Patent Application
[NASA-CASE-LAR-10276-1] c11 N70-26813

Capacitor power pak Patent Application
[NASA-CASE-LAR-10367-1] c03 N70-26817

Disk pack cleaning table Patent Application
[NASA-CASE-LAR-10590-1] c15 N70-26819

Folding apparatus Patent
[NASA-CASE-XLA-00137] c15 N70-33180

Infrared scanner Patent
[NASA-CASE-XLA-00120] c21 N70-33181

Reentry vehicle leading edge Patent
[NASA-CASE-XLA-00165] c31 N70-33242

Motion picture camera for optical pyrometry Patent
[NASA-CASE-XLA-00062] c14 N70-33254

Variable sweep wing configuration Patent
[NASA-CASE-XLA-00230] c02 N70-33255

Variable sweep wing aircraft Patent
[NASA-CASE-XLA-00221] c02 N70-33266

Plasma accelerator Patent
[NASA-CASE-XLA-00675] c25 N70-33267

Survival couch Patent
[NASA-CASE-XLA-00118] c05 N70-33285

Landing arrangement for aerial vehicles Patent
[NASA-CASE-XLA-00142] c02 N70-33286

Wind tunnel airstream oscillating apparatus Patent
[NASA-CASE-XLA-00112] c11 N70-33287

Hydrofoil Patent
[NASA-CASE-XLA-00229] c12 N70-33305

High intensity heat and light unit Patent
[NASA-CASE-XLA-00141] c09 N70-33312

Particle detection apparatus Patent
[NASA-CASE-XLA-00135] c14 N70-33322

Runway light Patent
[NASA-CASE-XLA-00119] c11 N70-33329

Spherical solid-propellant rocket motor Patent
[NASA-CASE-XLA-00105] c28 N70-33331

Jet aircraft configuration Patent
[NASA-CASE-XLA-00087] c02 N70-33332

Aerial capsule emergency separation device Patent
[NASA-CASE-XLA-00115] c03 N70-33343

Nozzle Patent
[NASA-CASE-XLA-00154] c28 N70-33374

Air frame drag balance Patent
[NASA-CASE-XLA-00113] c14 N70-33386

Flexible foam erectable space structures Patent
[NASA-CASE-XLA-00686] c31 N70-34135

Nose gear steering system for vehicle with main
skids Patent
[NASA-CASE-XLA-01804] c02 N70-34160

Surface roughness detector Patent
[NASA-CASE-XLA-00203] c14 N70-34161

Variable-span aircraft Patent
[NASA-CASE-XLA-00166] c02 N70-34178

Dynamic precession damper for spin stabilized
vehicles Patent
[NASA-CASE-XLA-01989] c21 N70-34295

Erectable modular space station Patent
[NASA-CASE-XLA-00678] c31 N70-34296

Electric-arc heater Patent
[NASA-CASE-XLA-00330] c33 N70-34540

Ac power amplifier Patent Application
[NASA-CASE-LAR-10218-1] c09 N70-34559

Method and apparatus for producing a plasma Patent
[NASA-CASE-XLA-00147] c25 N70-34661

Gas actuated bolt disconnect Patent
[NASA-CASE-XLA-00326] c03 N70-34667

Logarithmic converter Patent
[NASA-CASE-XLA-00471] c08 N70-34778

Handrel for shaping solid propellant rocket fuel
into a motor casing Patent
[NASA-CASE-XLA-00304] c27 N70-34783

Impact simulator Patent
[NASA-CASE-XLA-00493] c11 N70-34786

Accelerometer with FM output Patent
[NASA-CASE-XLA-00492] c14 N70-34799

Frangible tube energy dissipation Patent
[NASA-CASE-XLA-00754] c15 N70-34850

Landing arrangement for aerial vehicle Patent
[NASA-CASE-XLA-00806] c02 N70-34858

Method and apparatus for shock protection Patent
[NASA-CASE-XLA-00482] c15 N70-36409

Inflatable honeycomb Patent
[NASA-CASE-XLA-00204] c32 N70-36536

Thermal control of space vehicles Patent
[NASA-CASE-XLA-01291] c33 N70-36617

Foam generator Patent
[NASA-CASE-XLA-00838] c03 N70-36778

Parachute glider Patent
[NASA-CASE-XLA-00898] c02 N70-36804

Production of high purity silicon carbide Patent
[NASA-CASE-XLA-00158] c26 N70-36805

Airplane take-off performance indicator Patent
[NASA-CASE-XLA-00100] c14 N70-36807

Aerodynamic measuring device Patent
[NASA-CASE-XLA-00481] c14 N70-36824

Aircraft wheel spray drag alleviator Patent
[NASA-CASE-XLA-01583] c02 N70-36825

Attitude orientation of spin-stabilized space
vehicles Patent
[NASA-CASE-XLA-00281] c21 N70-36943

Continuously operating induction plasma
accelerator Patent
[NASA-CASE-XLA-01354] c25 N70-36946

Check valve assembly for a probe Patent
[NASA-CASE-XLA-00128] c15 N70-37925

Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938

Sandwich panel construction Patent
[NASA-CASE-XLA-00349] c33 N70-37979

Reflector space satellite Patent
[NASA-CASE-XLA-00138] c31 N70-37981

Variable-geometry winged reentry vehicle Patent
[NASA-CASE-XLA-00241] c31 N70-37986

Vehicle parachute and equipment jettison system
Patent
[NASA-CASE-XLA-00195] c02 N70-38009

Landing arrangement for aerospace vehicle Patent
[NASA-CASE-XLA-00805] c31 N70-38010

Antenna system using parasitic elements and two
driven elements at 90 deg angle fed 180 deg
out of phase Patent
[NASA-CASE-XLA-00414] c07 N70-38200

Despin weight release Patent
[NASA-CASE-XLA-00679] c15 N70-38601

Hanned space station Patent
[NASA-CASE-XLA-00258] c31 N70-38676

Missile stage separation indicator and stage
initiator Patent
[NASA-CASE-XLA-00791] c03 N70-39930

Apparatus for producing high purity silicon
carbide crystals Patent
[NASA-CASE-XLA-02057] c26 N70-40015

Miniature vibration isolator Patent
[NASA-CASE-XLA-01019] c15 N70-40156

Aircraft instrument Patent
[NASA-CASE-XLA-00487] c14 N70-40157

Radiation direction detector including means for
compensating for photocell aging Patent
[NASA-CASE-XLA-00183] c14 N70-40239

Passive communication satellite Patent
[NASA-CASE-XLA-00210] c30 N70-40309

Electrostatic plasma modulator for space vehicle
re-entry communication Patent
[NASA-CASE-XLA-01400] c07 N70-41331

Hicrometeoroid velocity measuring device Patent
[NASA-CASE-XLA-00495] c14 N70-41332

Method of obtaining permanent record of surface
flow phenomena Patent
[NASA-CASE-XLA-01353] c14 N70-41366

Means for communicating through a layer of
ionized gases Patent
[NASA-CASE-XLA-01127] c07 N70-41372

Quick release separation mechanism Patent
[NASA-CASE-XLA-01441] c15 N70-41679

Flexible wing deployment device Patent
[NASA-CASE-XLA-01220] c02 N70-41863

Self-sealing, unbonded, rocket motor nozzle
closure Patent
[NASA-CASE-XLA-02651] c28 N70-41967

Fatigue testing device Patent
[NASA-CASE-XLA-02131] c32 N70-42003

Techniques for insulating cryogenic fuel
containers Patent
[NASA-CASE-XLA-01967] c31 N70-42015

Double hinged flap Patent
[NASA-CASE-XLA-01290] c02 N70-42016

Spacecraft separation system for spinning
vehicles and/or payloads Patent
[NASA-CASE-XLA-02132] c31 N71-10582

Method for molding compounds Patent
[NASA-CASE-XLA-01091] c15 N71-10672

Automatic force measuring system Patent
[NASA-CASE-XLA-02605] c14 N71-10773

Gas analyzer for bi-gaseous mixtures Patent
[NASA-CASE-XLA-01131] c14 N71-10774

Multiple input radio receiver Patent
[NASA-CASE-XLA-00901] c07 N71-10775

Rotating space station simulator Patent		File card marker Patent	
[NASA-CASE-XLA-03127]	c11 N71-10776	[NASA-CASE-XLA-02705]	c08 N71-15908
Composite powerplant and shroud therefor Patent		Hypersonic test facility Patent	
[NASA-CASE-XLA-01043]	c28 N71-10780	[NASA-CASE-XLA-00378]	c11 N71-15925
All-directional fastener Patent		Test unit free-flight suspension system Patent	
[NASA-CASE-XLA-01807]	c15 N71-10799	[NASA-CASE-XLA-00939]	c11 N71-15926
Hot air balloon deceleration and recovery system Patent		Reduced gravity simulator Patent	
[NASA-CASE-XLA-06824-2]	c02 N71-11037	[NASA-CASE-XLA-01787]	c11 N71-16028
Control for flexible parawing Patent		Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent	
[NASA-CASE-XLA-06958]	c02 N71-11038	[NASA-CASE-XLA-00284]	c15 N71-16075
Variable sweep aircraft Patent		Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent	
[NASA-CASE-XLA-03659]	c02 N71-11041	[NASA-CASE-XLA-00302]	c15 N71-16077
Translating horizontal tail Patent		Separator Patent	
[NASA-CASE-XLA-08801-1]	c02 N71-11043	[NASA-CASE-XLA-00415]	c15 N71-16079
Space suit pressure stabilizer Patent		Omnidirectional multiple impact landing system Patent	
[NASA-CASE-XLA-05332]	c05 N71-11194	[NASA-CASE-XLA-09881]	c31 N71-16085
Equipotential space suit Patent		Flexible ring slosh damping baffle Patent	
[NASA-CASE-XLA-10007-1]	c05 N71-11195	[NASA-CASE-XLA-10317-1]	c32 N71-16103
Recovery of potable water from human wastes in below-G conditions Patent		Buoyant anti-slosh system Patent	
[NASA-CASE-XLA-03213]	c05 N71-11207	[NASA-CASE-XLA-04605]	c32 N71-16106
Process for interfacial polymerization of pyromellitic dianhydride and 1,2,4,5-tetraamino-benzene Patent		Detector panels-micrometeoroid impact Patent	
[NASA-CASE-XLA-03104]	c06 N71-11235	[NASA-CASE-XLA-05906]	c31 N71-16221
Imidazopyrrolone/imide copolymers Patent		Wind velocity probing device and method Patent	
[NASA-CASE-XLA-08802]	c06 N71-11238	[NASA-CASE-XLA-02081]	c20 N71-16281
Adaptive compression of communication signals Patent		Vibrating structure displacement measuring instrument Patent	
[NASA-CASE-XLA-03076]	c07 N71-11266	[NASA-CASE-XLA-03135]	c32 N71-16428
Reentry communication by material addition Patent		Viscous-pendulum-damper Patent	
[NASA-CASE-XLA-01552]	c07 N71-11284	[NASA-CASE-XLA-02079]	c12 N71-16894
Cooperative Doppler radar system Patent		Leak detector Patent	
[NASA-CASE-XLA-10403]	c21 N71-11766	[NASA-CASE-XLA-10323-1]	c12 N71-17573
Supersonic aircraft Patent		Logic AND gate for fluid circuits Patent	
[NASA-CASE-XLA-04451]	c02 N71-12243	[NASA-CASE-XLA-07391]	c12 N71-17579
Umbilical disconnect Patent		Contour surveying system Patent	
[NASA-CASE-XLA-00711]	c03 N71-12258	[NASA-CASE-XLA-08646]	c14 N71-17586
Remote controlled tubular disconnect Patent		Cable arrangement for rigid tethering Patent	
[NASA-CASE-XLA-01396]	c03 N71-12259	[NASA-CASE-XLA-02332]	c32 N71-17609
Backpack carrier Patent		Thermal pump-compressor for space use Patent	
[NASA-CASE-XLA-10056]	c05 N71-12351	[NASA-CASE-XLA-00377]	c33 N71-17610
Optical communications system Patent		Viscous pendulum damper Patent	
[NASA-CASE-XLA-01090]	c07 N71-12389	[NASA-CASE-XLA-10274-1]	c14 N71-17626
Analog to digital converter Patent		Self supporting space vehicle Patent	
[NASA-CASE-XLA-00670]	c08 N71-12501	[NASA-CASE-XLA-00117]	c31 N71-17680
Integrated time shared instrumentation display Patent		Technique for control of free-flight rocket vehicles Patent	
[NASA-CASE-XLA-01952]	c08 N71-12507	[NASA-CASE-XLA-00937]	c31 N71-17691
SCR blocking pulse gate amplifier Patent		Hydraulic grip Patent	
[NASA-CASE-XLA-07497]	c09 N71-12514	[NASA-CASE-XLA-05100]	c15 N71-17696
Minimum induced drag airfoil body Patent		Heat protection apparatus Patent	
[NASA-CASE-XLA-00755]	c01 N71-13410	[NASA-CASE-XLA-00892]	c33 N71-17897
Minimum induced drag airfoil body Patent		Thermopile vacuum gage tube simulator Patent	
[NASA-CASE-XLA-05828]	c01 N71-13411	[NASA-CASE-XLA-02758]	c14 N71-18481
Mechanical stability augmentation system Patent		Ionization vacuum gauge with all but the end of the ion collector shielded Patent	
[NASA-CASE-XLA-06339]	c02 N71-13422	[NASA-CASE-XLA-07424]	c14 N71-18482
Automatic balancing device Patent		Safe-arm initiator Patent	
[NASA-CASE-XLA-10774]	c10 N71-13545	[NASA-CASE-XLA-10372]	c09 N71-18599
Quick release connector Patent		Controlled glass bead peening Patent	
[NASA-CASE-XLA-01141]	c15 N71-13789	[NASA-CASE-XLA-07390]	c15 N71-18616
Spacecraft experiment pointing and attitude control system Patent		Exclusive-OR digital logic module Patent	
[NASA-CASE-XLA-05464]	c21 N71-14132	[NASA-CASE-XLA-07732]	c08 N71-18751
Pressurized cell micrometeoroid detector Patent		Slosh alleviator Patent	
[NASA-CASE-XLA-00936]	c14 N71-14996	[NASA-CASE-XLA-05749]	c15 N71-19569
Crossed-field MHD plasma generator/accelerator Patent		G conditioning suit Patent	
[NASA-CASE-XLA-03374]	c25 N71-15562	[NASA-CASE-XLA-02898]	c05 N71-20268
Adjustable attitude guide device Patent		Dosimeter for high levels of absorbed radiation Patent	
[NASA-CASE-XLA-07911]	c15 N71-15571	[NASA-CASE-XLA-03645]	c14 N71-20430
Control system for rocket vehicles Patent		Flow field simulation Patent	
[NASA-CASE-XLA-01163]	c21 N71-15582	[NASA-CASE-XLA-11138]	c12 N71-20436
Excessive temperature warning system Patent		Variable pulse width multiplier Patent	
[NASA-CASE-XLA-01926]	c14 N71-15620	[NASA-CASE-XLA-02850]	c09 N71-20447
Alleviation of divergence during rocket launch Patent		Means for measuring the electron density gradients of the plasma sheath formed around a space vehicle Patent	
[NASA-CASE-XLA-00256]	c31 N71-15663	[NASA-CASE-XLA-06232]	c25 N71-20563
Space capsule Patent		Null device for hand controller Patent	
[NASA-CASE-XLA-01332]	c31 N71-15664	[NASA-CASE-XLA-01808]	c15 N71-20740
Variable geometry manned orbital vehicle Patent		Event recorder Patent	
[NASA-CASE-XLA-03691]	c31 N71-15674	[NASA-CASE-XLA-01832]	c14 N71-21006
Payload/burned-out motor case separation system Patent		Inflatable support structure Patent	
[NASA-CASE-XLA-05369]	c31 N71-15687	[NASA-CASE-XLA-01731]	c32 N71-21045
Velocity package Patent		Fast opening diaphragm Patent	
[NASA-CASE-XLA-01339]	c31 N71-15692	[NASA-CASE-XLA-03660]	c15 N71-21060
		Ellipsograph for pantograph Patent	
		[NASA-CASE-XLA-03102]	c14 N71-21079

Random function tracer Patent		Velocity limiting safety system Patent	
[NASA-CASE-XLA-01401]	c15 N71-21179	[NASA-CASE-XLA-07473]	c15 N71-24895
Method and apparatus for bonding a plastics sleeve onto a metallic body Patent		Strain coupled servo control system Patent	
[NASA-CASE-XLA-01262]	c15 N71-21404	[NASA-CASE-XLA-08530]	c32 N71-25360
Hypersonic test facility Patent		Method of temperature compensating semiconductor strain gages Patent	
[NASA-CASE-XLA-05378]	c11 N71-21475	[NASA-CASE-XLA-04555-1]	c14 N71-25892
Multilegged support system Patent		Method for improving the signal-to-noise ratio of the Wheatstone bridge type bolometer Patent	
[NASA-CASE-XLA-01326]	c11 N71-21481	[NASA-CASE-XLA-02810]	c14 N71-25901
Macelle afterbody for jet engines Patent		Method of plating copper on aluminum Patent	
[NASA-CASE-XLA-10450]	c28 N71-21493	[NASA-CASE-XLA-08966-1]	c17 N71-25903
Canister closing device Patent		Laser calibrator Patent	
[NASA-CASE-XLA-01446]	c15 N71-21528	[NASA-CASE-XLA-03410]	c16 N71-25914
Ablation sensor Patent		Thermal protection ablation spray system Patent	
[NASA-CASE-XLA-01794]	c33 N71-21586	[NASA-CASE-XLA-04251]	c18 N71-26100
Self-repeating plasma generator having communicating annular and linear arc discharge passages Patent		Direct lift control system Patent	
[NASA-CASE-XLA-03103]	c25 N71-21693	[NASA-CASE-LAR-10249-1]	c02 N71-26110
Attitude control and damping system for spacecraft Patent		Light shield and infrared reflector for fatigue testing Patent	
[NASA-CASE-XLA-02551]	c21 N71-21708	[NASA-CASE-XLA-01782]	c14 N71-26136
Method of making inflatable honeycomb Patent		Dual resonant cavity absorption cell Patent	
[NASA-CASE-XLA-03492]	c15 N71-22713	[NASA-CASE-LAR-10305]	c14 N71-26137
Lunar penetrometer Patent		Resilience testing device Patent	
[NASA-CASE-XLA-00934]	c14 N71-22765	[NASA-CASE-XLA-08254]	c14 N71-26161
Thermal control wall panel Patent		Precipitation detector Patent	
[NASA-CASE-XLA-01243]	c33 N71-22792	[NASA-CASE-XLA-02619]	c10 N71-26334
Attitude sensor for space vehicles Patent		Instrument for measuring the dynamic behavior of liquids Patent	
[NASA-CASE-XLA-00793]	c21 N71-22880	[NASA-CASE-XLA-05541]	c12 N71-26387
Omnidirectional microwave spacecraft antenna Patent		Arbitrarily shaped model survey system Patent	
[NASA-CASE-XLA-03114]	c09 N71-22888	[NASA-CASE-LAR-10098]	c32 N71-26681
Thermal control panel Patent		Dielectric molding apparatus Patent	
[NASA-CASE-XLA-07728]	c33 N71-22890	[NASA-CASE-LAR-10121-1]	c15 N71-26721
Spacecraft airlock Patent		Method of making a solid propellant rocket motor Patent	
[NASA-CASE-XLA-02050]	c31 N71-22968	[NASA-CASE-XLA-04126]	c28 N71-26779
Station keeping of a gravity gradient stabilized satellite Patent		Dynamic vibration absorber Patent	
[NASA-CASE-XLA-03132]	c31 N71-22969	[NASA-CASE-LAR-10083-1]	c15 N71-27006
Semi-linear ball bearing Patent		Rate augmented digital to analog converter Patent	
[NASA-CASE-XLA-02809]	c15 N71-22982	[NASA-CASE-XLA-07828]	c08 N71-27057
Heat sensing instrument Patent		High speed flight vehicle control Patent	
[NASA-CASE-XLA-01551]	c14 N71-22989	[NASA-CASE-XLA-08967]	c02 N71-27088
Ablation sensor Patent		Suspended mass impact damper Patent	
[NASA-CASE-XLA-01791]	c14 N71-22991	[NASA-CASE-LAR-10193-1]	c15 N71-27146
Self-calibrating displacement transducer Patent		Active vibration isolator for flexible bodies Patent	
[NASA-CASE-XLA-00781]	c09 N71-22999	[NASA-CASE-LAR-10106-1]	c15 N71-27169
Lateral displacement system for separated rocket stages Patent		Soldering device Patent	
[NASA-CASE-XLA-04804]	c31 N71-23008	[NASA-CASE-XLA-08911]	c15 N71-27214
Thermal control coating Patent		Fringe counter for interferometers Patent	
[NASA-CASE-XLA-01995]	c18 N71-23047	[NASA-CASE-LAR-10204]	c14 N71-27215
Method of making an inflatable panel Patent		Wideband VCO with high phase stability Patent	
[NASA-CASE-XLA-03497]	c15 N71-23052	[NASA-CASE-XLA-03893]	c10 N71-27271
Variable duration pulse integrator Patent		Plural position switch status and operativeness checker Patent	
[NASA-CASE-XLA-01219]	c10 N71-23084	[NASA-CASE-XLA-08799]	c10 N71-27272
Impact energy absorber Patent		Angular displacement indicating gas bearing support system Patent	
[NASA-CASE-XLA-01530]	c14 N71-23092	[NASA-CASE-XLA-09346]	c15 N71-28740
Micrometeoroid penetration measuring device Patent		Solid state thermal control polymer coating Patent	
[NASA-CASE-XLA-00941]	c14 N71-23240	[NASA-CASE-XLA-01745]	c33 N71-28903
Combined optical attitude and altitude indicating instrument Patent		Specialized halogen generator for purification of water Patent	
[NASA-CASE-XLA-01907]	c14 N71-23268	[NASA-CASE-XLA-08913]	c14 N71-28933
Solar sensor having coarse and fine sensing with matched preirradiated cells and method of selecting cells Patent		Optical communications system Patent	
[NASA-CASE-XLA-01584]	c14 N71-23269	[NASA-CASE-XLA-01090]	c16 N71-28963
Variable width pulse integrator Patent		Antenna design for surface wave suppression Patent	
[NASA-CASE-XLA-03356]	c10 N71-23315	[NASA-CASE-XLA-10772]	c07 N71-28980
Leading edge curvature based on convective heating Patent		Analogue to digital converter tester Patent	
[NASA-CASE-XLA-01486]	c01 N71-23347	[NASA-CASE-XLA-06713]	c14 N71-28991
Measurement of time differences between luminous events Patent		Method of making pressurized panel Patent	
[NASA-CASE-XLA-01987]	c23 N71-23976	[NASA-CASE-XLA-08916]	c15 N71-29018
Method for measuring the characteristics of a gas Patent		Maksutov spectrograph Patent	
[NASA-CASE-XLA-03375]	c16 N71-24074	[NASA-CASE-XLA-10402]	c14 N71-29041
Laser grating interferometer Patent		Two component bearing Patent	
[NASA-CASE-XLA-04295]	c16 N71-24170	[NASA-CASE-XLA-00013]	c15 N71-29136
Automatic fatigue test temperature programmer Patent		Digital pulse width selection circuit Patent	
[NASA-CASE-XLA-02059]	c33 N71-24276	[NASA-CASE-XLA-07788]	c09 N71-29139
Ring wing tension vehicle Patent		Magnetically controlled plasma accelerator Patent	
[NASA-CASE-XLA-04901]	c31 N71-24315	[NASA-CASE-XLA-00327]	c25 N71-29184
Process for applying black coating to metals Patent		Boring bar drive mechanism Patent	
[NASA-CASE-XLA-06199]	c15 N71-24875	[NASA-CASE-XLA-03661]	c15 N71-33518
		Wind tunnel model damper Patent	
		[NASA-CASE-XLA-09480]	c11 N71-33612
		Variable geometry rotor system	
		[NASA-CASE-LAR-10557]	c02 N72-11018

Centrifugal hydrophobic separator [NASA-CASE-LAR-10194-1]	c12 N72-11293	Anti-buckling fatigue test assembly [NASA-CASE-LAR-10426-1]	c32 N72-27947
Flared tube strainer [NASA-CASE-XLA-05056]	c15 N72-11389	Linear explosive comparison [NASA-CASE-LAR-10800-1]	c33 N72-27959
Impact measuring technique [NASA-CASE-LAR-10913]	c14 N72-16282	Spherical measurement device [NASA-CASE-XLA-06683]	c14 N72-28436
Technique of duplicating fragile core [NASA-CASE-XLA-07829]	c15 N72-16329	Method of making semiconductor p-n junction stress and strain sensor [NASA-CASE-XLA-04980-2]	c14 N72-28438
Tube fabricating process [NASA-CASE-LAR-10203-1]	c15 N72-16330	Screened circuit capacitors [NASA-CASE-LAR-10294-1]	c26 N72-28762
Air bearing [NASA-CASE-WLP-10002]	c15 N72-17451	Barium release system [NASA-CASE-LAR-10670-2]	c13 N72-29425
Extensometer frame [NASA-CASE-XLA-10322]	c15 N72-17452	Deposition apparatus [NASA-CASE-LAR-10541-1]	c15 N72-32487
Split range transducer [NASA-CASE-XLA-11189]	c10 N72-20222	Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft [NASA-CASE-LAR-10753-1]	c02 N73-10031
Open tube guideway for high speed air cushioned vehicles [NASA-CASE-LAR-10256-1]	c11 N72-20253	Grinding arrangement for ball nose milling cutters [NASA-CASE-LAR-10450-1]	c15 N73-10504
Stereo photomicrography system [NASA-CASE-LAR-10176-1]	c14 N72-20380	Dielectric loaded aperture antenna [NASA-CASE-LAR-11084-1]	c09 N73-12216
Radar calibration sphere [NASA-CASE-XLA-11154]	c07 N72-21117	Lift balancing device [NASA-CASE-LAR-10348-1]	c11 N73-12264
Recorder using selective noise filter [NASA-CASE-ERC-10112]	c07 N72-21119	Heat exchanger system and method [NASA-CASE-LAR-10799-1]	c12 N73-12295
Stacked array of omnidirectional antennas [NASA-CASE-LAR-10545-1]	c09 N72-21244	Air removal device [NASA-CASE-XLA-8914]	c15 N73-12492
Electro-mechanical sine/cosine generator [NASA-CASE-LAR-10503-1]	c09 N72-21248	Apparatus for inserting and removing specimens from high temperature vacuum furnaces [NASA-CASE-LAR-10841-1]	c15 N73-12494
Fast scan control for deflection type mass spectrometers [NASA-CASE-LAR-10766-1]	c14 N72-21432	Nondestructive spot test method for titanium and titanium alloys [NASA-CASE-LAR-10539-1]	c17 N73-12547
Lamination method and apparatus [NASA-CASE-XLA-11028]	c15 N72-21486	Active air cushion control system minimizing vertical cushion response [NASA-CASE-LAR-10531-1]	c02 N73-13023
Lathe tool bit and holder for machining fiberglass materials [NASA-CASE-XLA-10470]	c15 N72-21489	Logical function generator [NASA-CASE-XLA-05099]	c09 N73-13209
Pressure operated electrical switch responsive to a pressure decrease after a pressure increase [NASA-CASE-LAR-10137-1]	c09 N72-22204	Ferry system [NASA-CASE-LAR-10574-1]	c11 N73-13257
Variable geometry wind tunnels [NASA-CASE-XLA-07430]	c11 N72-22246	Flow velocity and directional instrument [NASA-CASE-LAR-10855-1]	c14 N73-13415
Magnifying scratch gage force transducer [NASA-CASE-LAR-10496-1]	c14 N72-22437	Light shield and cooling apparatus [NASA-CASE-LAR-10089-1]	c15 N73-13474
Star image motion compensator [NASA-CASE-LAR-10523-1]	c14 N72-22444	Vortex breech high pressure gas generator [NASA-CASE-LAR-10549-1]	c31 N73-13898
Absolute focus lock for microscopes [NASA-CASE-LAR-10184]	c14 N72-22445	Structural panel [NASA-CASE-LAR-11052-1]	c32 N73-13929
Cryogenic feedthrough [NASA-CASE-LAR-10031]	c15 N72-22484	Explosively welded scarf joint [NASA-CASE-LAR-11211-1]	c15 N73-14480
A technique for breaking ice in the path of a ship [NASA-CASE-LAR-10815-1]	c16 N72-22520	Airfoil shape for flight at supersonic speeds [NASA-CASE-LAR-10585-1]	c01 N73-14981
One hand backpack harness [NASA-CASE-LAR-10102-1]	c05 N72-23085	Measuring probe position recorder [NASA-CASE-LAR-10806-1]	c14 N73-15474
Method and apparatus for mapping the sensitivity of the face of a photodetector specifically a PMT [NASA-CASE-LAR-10320-1]	c09 N72-23172	Apparatus for microbiological sampling [NASA-CASE-LAR-11069-1]	c04 N73-16061
Omnidirectional slot antenna for mounting on cylindrical space vehicle [NASA-CASE-LAR-10163-1]	c09 N72-25247	Automatic inoculating apparatus [NASA-CASE-LAR-11074-1]	c05 N73-16096
Hall effect transducer [NASA-CASE-LAR-10620-1]	c09 N72-25255	Method of detecting oxygen in a gas [NASA-CASE-LAR-10668-1]	c06 N73-16106
Radio frequency filter device [NASA-CASE-XLA-02609]	c09 N72-25256	Combustion detector [NASA-CASE-LAR-10739-1]	c14 N73-16484
Parametric amplifiers with idler circuit feedback [NASA-CASE-LAR-10253-1]	c09 N72-25258	Laser communication system for controlling several functions at a location remote to the laser [NASA-CASE-LAR-10311-1]	c16 N73-16536
Variable angle tube holder [NASA-CASE-LAR-10507-1]	c11 N72-25284	An automatic liquid inventory collecting and dispensing unit [NASA-CASE-LAR-11071-1]	c15 N73-18474
Low mass truss structure [NASA-CASE-LAR-10546-1]	c11 N72-25287	Apparatus for photographing meteors [NASA-CASE-LAR-10226-1]	c14 N73-19419
Liquid waste feed system [NASA-CASE-LAR-10365-1]	c05 N72-27102	Zero gravity liquid mixer [NASA-CASE-LAR-10195-1]	c15 N73-19458
Apparatus for applying simulated G-forces to an arm of an aircraft simulator pilot [NASA-CASE-LAR-10550-1]	c11 N72-27271	Cascade plug nozzle [NASA-CASE-LAR-10951-1]	c28 N73-19819
Microcircuit negative cutter [NASA-CASE-XLA-09843]	c15 N72-27485	Wing upper surface flap [NASA-CASE-LAR-11140-1]	c02 N73-20008
Apparatus and method for applying protective coatings [NASA-CASE-LAR-10362-1]	c15 N72-27486	Rate data encoder [NASA-CASE-LAR-10128-1]	c08 N73-20217
Method of repairing discontinuity in fiber glass structures [NASA-CASE-LAR-10416-1]	c15 N72-27527	Function generator for synthesizing complex vibration mode patterns [NASA-CASE-LAR-10310-1]	c10 N73-20253
Light regulator [NASA-CASE-LAR-10836-1]	c26 N72-27784	Infrared horizon locator [NASA-CASE-LAR-10726-1]	c14 N73-20475
Variably positioned guide vanes for aerodynamic choking [NASA-CASE-LAR-10642-1]	c28 N72-27820	Electrical resistance spot welding and brazing techniques for metal bonding [NASA-CASE-LAR-11072-1]	c15 N73-20535

Light intensity strain analysis			System for calibrating pressure transducer	
[NASA-CASE-LAR-10765-1]	c32	N73-20740	[NASA-CASE-LAR-10910-1]	c14
Anti-meteoroid device			Molding process for imidazopyrrolone polymers	
[NASA-CASE-LAR-10788-1]	c31	N73-20880	[NASA-CASE-LAR-10547-1]	c15
Means for accommodating large overstrain in lead wires			Lyophilized spore dispenser	
[NASA-CASE-LAR-10168-1]	c09	N73-22151	[NASA-CASE-LAR-10544-1]	c15
Instrumentation for measurement of aircraft noise and sonic boom			Transmitting and reflecting diffuser	
[NASA-CASE-LAR-11173-1]	c14	N73-22387	[NASA-CASE-LAR-10385-2]	c23
Noise suppressor			Evacuated displacement compression molding	
[NASA-CASE-LAR-11141-1]	c02	N73-22975	[NASA-CASE-LAR-10782-1]	c15
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds			Improved bonding method in the manufacture of continuous regression rate sensor devices	
[NASA-CASE-LAR-10578-1]	c12	N73-25262	[NASA-CASE-LAR-10337-1]	c15
Cable restraint			Modification of one man life raft	
[NASA-CASE-LAR-10129-1]	c15	N73-25512	[NASA-CASE-LAR-10241-1]	c05
A laser head for simultaneous optical pumping of several dye lasers			Attitude sensor	
[NASA-CASE-LAR-11341-1]	c16	N73-25564	[NASA-CASE-LAR-10586-1]	c14
High lift aircraft			Mossbauer spectrometer radiation detector	
[NASA-CASE-LAR-11252-1]	c02	N73-26007	[NASA-CASE-LAR-11155-1]	c14
Quiet jet transport aircraft			In situ transfer standard for ultrahigh vacuum gage calibration	
[NASA-CASE-LAR-11087-1]	c02	N73-26008	[NASA-CASE-LAR-10862-1]	c14
Graded bandgap Al(x)Ga(1-x)A s-GaAs solar cell			Dual measurement ablation sensor	
[NASA-CASE-LAR-11174-1]	c03	N73-26047	[NASA-CASE-LAR-10105-1]	c33
Determining particle density using known material Hogniot curves			Ejectable underwater sound source recovery assembly	
[NASA-CASE-LAR-11059-1]	c30	N73-26838	[NASA-CASE-LAR-10595-1]	c15
Electronic strain-level counter			Particulate and solar radiation stable coating for spacecraft	
[NASA-CASE-LAR-10756-1]	c32	N73-26910	[NASA-CASE-LAR-10805-1]	c18
Nondestructive spot test method for magnesium and magnesium alloys			Wind tunnel model and method	
[NASA-CASE-LAR-10953-1]	c17	N73-27446	[NASA-CASE-LAR-10812-1]	c11
Ablation article and method			High field CdS detector for infrared radiation	
[NASA-CASE-LAR-10439-1]	c33	N73-27796	[NASA-CASE-LAR-11027-1]	c14
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds			Method of fabricating an article with cavities	
[NASA-CASE-LAR-10612-1]	c12	N73-28144	[NASA-CASE-LAR-10318-1]	c14
Pressurized panel			Apparatus for remote handling of materials	
[NASA-CASE-XLA-08916-2]	c14	N73-28487	[NASA-CASE-LAR-10634-1]	c15
A spectrometer integrated with a facsimile camera			Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article	
[NASA-CASE-LAR-11207-1]	c14	N73-28496	[NASA-CASE-LAR-10489-1]	c15
Annular momentum control device used for stabilization of space vehicles and the like			Method for determining thermo-physical properties of specimens	
[NASA-CASE-LAR-11051-1]	c21	N73-28646	[NASA-CASE-LAR-11053-1]	c33
Apparatus for aiding a pilot in avoiding a midair collision between aircraft			Anti-buckling fatigue test assembly	
[NASA-CASE-LAR-10717-1]	c21	N73-30641	[NASA-CASE-LAR-10426-1]	c32
Evacuated displacement compression molding			Aromatic polyimide preparation	
[NASA-CASE-LAR-10782-2]	c15	N73-31444	[NASA-CASE-LAR-11372-1]	c06
Apparatus and method of molding			Resonant waveguide Stark cell	
[NASA-CASE-LAR-10489-2]	c15	N73-31446	[NASA-CASE-LAR-11352-1]	c09
Dual cycle aircraft turbine engine			Multichannel logarithmic RF level detector	
[NASA-CASE-LAR-11310-1]	c28	N73-31699	[NASA-CASE-LAR-11021-1]	c14
Electro-mechanical sine/cosine generator			Recording apparatus	
[NASA-CASE-LAR-11389-1]	c09	N73-32121	[NASA-CASE-LAR-11353-1]	c14
Exposure interlock for oscilloscope cameras			Reefing system	
[NASA-CASE-LAR-10319-1]	c14	N73-32322	[NASA-CASE-LAR-10129-2]	c15
Meteoroid detector			Fiber separating and cleaning method and apparatus	
[NASA-CASE-LAR-10483-1]	c14	N73-32327	[NASA-CASE-LAR-11224-1]	c15
Meteoroid impact position locator aid for manned space vehicles			A synchronous binary array divider	
[NASA-CASE-LAR-10629-1]	c14	N73-32348	[NASA-CASE-ERC-10180-1]	c08
Totally confined explosive welding			Orbital and entry tracking accessory for globes	
[NASA-CASE-LAR-10941-2]	c15	N73-32371	[NASA-CASE-LAR-10626-1]	c14
Transmitting and reflecting diffuser			Digital controller for a Baum folding machine	
[NASA-CASE-LAR-10385-3]	c23	N73-32538	[NASA-CASE-LAR-10688-1]	c15
Lightweight, variable solidity knitted parachute fabric			Totally confined explosive welding	
[NASA-CASE-LAR-10776-1]	c02	N74-10034	[NASA-CASE-LAR-10941-1]	c15
Technique for extending the frequency range of digital dividers			Method of fabricating an object with a thin wall having a precisely shaped slit	
[NASA-CASE-LAR-10730-1]	c10	N74-10223	[NASA-CASE-LAR-10409-1]	c15
Automatic focus control for facsimile cameras			Deployable pressurized cell structure for a micrometeoroid detector	
[NASA-CASE-LAR-11213-1]	c14	N74-10420	[NASA-CASE-LAR-10295-1]	c15
Automatic microbial transfer device			NATIONAL AERONAUTICS AND SPACE ADMINISTRATION.	
[NASA-CASE-LAR-11354-1]	c14	N74-10422	LEWIS RESEARCH CENTER, CLEVELAND, OHIO.	
Anti-multipath digital signal detector			Foil seal	
[NASA-CASE-LAR-11379-1]	c07	N74-11005	[NASA-CASE-XLE-05130]	c15
Fluid pressure amplifier and system			Fluid jet amplifier	
[NASA-CASE-LAR-10868-1]	c09	N74-11050	[NASA-CASE-XLE-03512]	c12
Method of making pressure tight seal for super alloy			Electrode and insulator with shielded dielectric junction	
[NASA-CASE-LAR-10170-1]	c15	N74-11301	[NASA-CASE-XLE-03778]	c09
Adjustable frequency response microphone			Thin window, drifted silicon, charged particle detector	
[NASA-CASE-LAR-11170-1]	c07	N74-12843	[NASA-CASE-XLE-10529]	c14
			Probes having ring and primary sensor at same potential to prevent collection of stray wall currents in ionized gases	
			[NASA-CASE-XLE-00690]	c25

Ion thruster cathode		Ion thruster cathode Patent Application	
[NASA-CASE-XLE-07087]	c06 N69-39889	[NASA-CASE-XLE-10814-1]	c28 N70-35422
Superconducting alternator		Formed metal ribbon wrap Patent	
[NASA-CASE-XLE-02824]	c03 N69-39890	[NASA-CASE-XLE-00164]	c15 N70-36411
Triode thermionic energy converter		Multistage multiple-reentry turbine Patent	
[NASA-CASE-XLE-01015]	c03 N69-39898	[NASA-CASE-XLE-00170]	c15 N70-36412
Slug flow magnetohydrodynamic generator		Fluid coupling Patent	
[NASA-CASE-XLE-02083]	c03 N69-39983	[NASA-CASE-XLE-00397]	c15 N70-36492
Reduced gravity liquid configuration simulator		Injector-valve device Patent	
[NASA-CASE-XLE-02624]	c12 N69-39988	[NASA-CASE-XLE-00303]	c15 N70-36535
Transpiration cooled turbine blade manufactured from wires Patent		Nickel-base alloy Patent	
[NASA-CASE-XLE-00020]	c15 N70-33226	[NASA-CASE-XLE-00283]	c17 N70-36616
Rocket propellant injector Patent		Apparatus having coaxial capacitor structure for measuring fluid density Patent	
[NASA-CASE-XLE-00103]	c28 N70-33241	[NASA-CASE-XLE-00143]	c14 N70-36618
Modification and improvements to cooled blades Patent		Rocket thrust chamber Patent	
[NASA-CASE-XLE-00092]	c15 N70-33264	[NASA-CASE-XLE-00145]	c28 N70-36806
Colloid propulsion method and apparatus Patent		Solid state power mapping instrument Patent	
[NASA-CASE-XLE-00817]	c28 N70-33265	[NASA-CASE-XLE-00301]	c14 N70-36808
High-vacuum condenser tank for ion rocket tests Patent		Ion rocket Patent	
[NASA-CASE-XLE-00168]	c11 N70-33278	[NASA-CASE-XLE-00376]	c28 N70-37245
High temperature nickel-base alloy Patent		Annular supersonic decelerator or drogue Patent	
[NASA-CASE-XLE-00151]	c17 N70-33283	[NASA-CASE-XLE-00222]	c02 N70-37939
Annular rocket motor and nozzle configuration Patent		Rocket engine Patent	
[NASA-CASE-XLE-00078]	c28 N70-33284	[NASA-CASE-XLE-00342]	c28 N70-37980
Reinforced metallic composites Patent		Variable sweep aircraft wing Patent	
[NASA-CASE-XLE-02428]	c17 N70-33288	[NASA-CASE-XLE-00350]	c02 N70-38011
Process for applying a protective coating for salt bath brazing Patent		Apparatus for transferring cryogenic liquids Patent	
[NASA-CASE-XLE-00046]	c15 N70-33311	[NASA-CASE-XLE-00345]	c15 N70-38020
Wire grid forming apparatus Patent		Method of producing porous tungsten ionizers for ion rocket engines Patent	
[NASA-CASE-XLE-00023]	c15 N70-33330	[NASA-CASE-XLE-00455]	c28 N70-38197
Electro-thermal rocket Patent		Method of making fiber reinforced metallic composites Patent	
[NASA-CASE-XLE-00267]	c28 N70-33356	[NASA-CASE-XLE-00231]	c17 N70-38198
External liquid-spray cooling of turbine blades Patent		Rocket engine injector Patent	
[NASA-CASE-XLE-00037]	c28 N70-33372	[NASA-CASE-XLE-00111]	c28 N70-38199
Apparatus for igniting solid propellants Patent		Reinforced metallic composites Patent	
[NASA-CASE-XLE-00207]	c28 N70-33375	[NASA-CASE-XLE-00228]	c17 N70-38490
Flexible seal for valves Patent		Rocket motor system Patent	
[NASA-CASE-XLE-00101]	c15 N70-33376	[NASA-CASE-XLE-00323]	c28 N70-38505
Apparatus for making a metal slurry product Patent		Particle beam measurement apparatus using beam kinetic energy to change the heat sensitive resistance of the detection probe Patent	
[NASA-CASE-XLE-00010]	c15 N70-33382	[NASA-CASE-XLE-00243]	c14 N70-38602
Energy conversion apparatus Patent		Penshape exhaust nozzle for supersonic engine Patent	
[NASA-CASE-XLE-00212]	c03 N70-34134	[NASA-CASE-XLE-00057]	c28 N70-38711
Enthalpy and stagnation temperature determination of a high temperature laminar flow gas stream Patent		Multistage multiple-reentry turbine Patent	
[NASA-CASE-XLE-00266]	c14 N70-34156	[NASA-CASE-XLE-00085]	c28 N70-39895
Electrothermal rockets having improved heat exchangers Patent		Gas lubricant compositions Patent	
[NASA-CASE-XLE-01783]	c28 N70-34175	[NASA-CASE-XLE-00353]	c18 N70-39897
Venting vapor apparatus Patent		Telescoping-spike supersonic inlet for aircraft engines Patent	
[NASA-CASE-XLE-00288]	c15 N70-34247	[NASA-CASE-XLE-00005]	c28 N70-39899
Electrostatic propulsion system with a direct nuclear electrogenerator Patent		High temperature spark plug Patent	
[NASA-CASE-XLE-00818]	c22 N70-34248	[NASA-CASE-XLE-00660]	c28 N70-39925
Thrust vector control apparatus Patent		Low viscosity magnetic fluid obtained by the colloidal suspension of magnetic particles Patent	
[NASA-CASE-XLE-00208]	c28 N70-34294	[NASA-CASE-XLE-01512]	c12 N70-40124
Nuclear reactor control rod assembly with improved driving mechanism Patent		Apparatus for absorbing and measuring power Patent	
[NASA-CASE-XLE-00298]	c22 N70-34501	[NASA-CASE-XLE-00720]	c14 N70-40201
High temperature heat source Patent		Device for directionally controlling electromagnetic radiation Patent	
[NASA-CASE-XLE-00490]	c33 N70-34545	[NASA-CASE-XLE-01716]	c09 N70-40234
Gaseous nuclear rocket Patent		Method for continuous variation of propellant flow and thrust in propulsive devices Patent	
[NASA-CASE-XLE-00321]	c22 N70-34572	[NASA-CASE-XLE-00177]	c28 N70-40367
Simulated fuel assembly Patent		Apparatus for increasing ion engine beam density Patent	
[NASA-CASE-XLE-00724]	c14 N70-34669	[NASA-CASE-XLE-00519]	c28 N70-41576
Inlet deflector for jet engines Patent		Foldable conduit Patent	
[NASA-CASE-XLE-00388]	c28 N70-34788	[NASA-CASE-XLE-00620]	c32 N70-41579
Radiant heater having formed filaments Patent		Liquid storage tank venting device for zero gravity environment Patent	
[NASA-CASE-XLE-00387]	c33 N70-34812	[NASA-CASE-XLE-01449]	c15 N70-41646
Optical torque meter Patent		Method of making a regeneratively cooled combustion chamber Patent	
[NASA-CASE-XLE-00503]	c14 N70-34818	[NASA-CASE-XLE-00150]	c28 N70-41818
Electric propulsion engine test chamber Patent		Instrument for the quantitative measurement of radiation at multiple wave lengths Patent	
[NASA-CASE-XLE-00252]	c11 N70-34844	[NASA-CASE-XLE-00011]	c14 N70-41946
Conical valve plug Patent		Small rocket engine Patent	
[NASA-CASE-XLE-00715]	c15 N70-34859	[NASA-CASE-XLE-00685]	c28 N70-41992
Channel-type shell construction for rocket engines and the like Patent		Apparatus for positioning and loading a test specimen Patent	
[NASA-CASE-XLE-00144]	c28 N70-34860	[NASA-CASE-XLE-01300]	c15 N70-41993
Non-reusable kinetic energy absorber Patent			
[NASA-CASE-XLE-00810]	c15 N70-34861		
High temperature testing apparatus Patent			
[NASA-CASE-XLE-00335]	c14 N70-35368		

Liquid flow sight assembly Patent			
[NASA-CASE-XLE-02998]	c14	N70-42074	
Inductive liquid level detection system Patent			
[NASA-CASE-XLE-01609]	c14	N71-10500	
Method of forming thin window drifted silicon charged particle detector Patent			
[NASA-CASE-XLE-00808]	c24	N71-10560	
Electrostatic thruster with improved insulators Patent			
[NASA-CASE-XLE-01902]	c28	N71-10574	
Thin-walled pressure vessel Patent			
[NASA-CASE-XLE-04677]	c15	N71-10577	
Method of making a silicon semiconductor device Patent			
[NASA-CASE-XLE-02792]	c26	N71-10607	
Metallic film diffusion for boundary lubrication Patent			
[NASA-CASE-XLE-01765]	c18	N71-10772	
Molecular beam velocity selector Patent			
[NASA-CASE-XLE-01533]	c11	N71-10777	
Meteoroid sensing apparatus having a coincidence network connected to a pair of capacitors Patent			
[NASA-CASE-XLE-01246]	c14	N71-10797	
Capacitor and method of making same Patent			
[NASA-CASE-XLE-10364-1]	c09	N71-13522	
Capillary radiator Patent			
[NASA-CASE-XLE-03307]	c33	N71-14035	
Electrostatic ion engine having a permanent magnetic circuit Patent			
[NASA-CASE-XLE-01124]	c28	N71-14043	
Split welding chamber Patent			
[NASA-CASE-XLE-11531]	c15	N71-14932	
Method and apparatus for making curved reflectors Patent			
[NASA-CASE-XLE-08917]	c15	N71-15597	
Method of making a diffusion bonded refractory coating Patent			
[NASA-CASE-XLE-01604-2]	c15	N71-15610	
Black-body furnace Patent			
[NASA-CASE-XLE-01399]	c33	N71-15625	
Method of igniting solid propellants Patent			
[NASA-CASE-XLE-01988]	c27	N71-15634	
Fluid dispensing apparatus and method Patent			
[NASA-CASE-XLE-01182]	c27	N71-15635	
Automatically deploying nozzle exit cone extension Patent			
[NASA-CASE-XLE-01640]	c31	N71-15637	
High temperature cobalt-base alloy Patent			
[NASA-CASE-XLE-00726]	c17	N71-15644	
Method of making a rocket motor casing Patent			
[NASA-CASE-XLE-00409]	c28	N71-15658	
Rocket motor casing Patent			
[NASA-CASE-XLE-05689]	c28	N71-15659	
Electrostatic ion rocket engine Patent			
[NASA-CASE-XLE-02066]	c28	N71-15661	
High temperature cobalt-base alloy Patent			
[NASA-CASE-XLE-02991]	c17	N71-16025	
Nickel-base alloy containing Mo-W-Al-Cr-Ta-Zr-C-Nb-B Patent			
[NASA-CASE-XLE-02082]	c17	N71-16026	
Method of improving the reliability of a rolling element system Patent			
[NASA-CASE-XLE-02999]	c15	N71-16052	
Process of casting heavy slips Patent			
[NASA-CASE-XLE-00106]	c15	N71-16076	
Boiler for generating high quality vapor Patent			
[NASA-CASE-XLE-00785]	c33	N71-16104	
Method of making self lubricating fluoride-metal composite materials Patent			
[NASA-CASE-XLE-08511-2]	c18	N71-16105	
Thrust and direction control apparatus Patent			
[NASA-CASE-XLE-03583]	c31	N71-17629	
Linear magnetic brake with two windings Patent			
[NASA-CASE-XLE-05079]	c15	N71-17652	
Method of lubricating rolling element bearings Patent			
[NASA-CASE-XLE-09527]	c15	N71-17688	
Hot wire liquid level detector for cryogenic fluids Patent			
[NASA-CASE-XLE-00454]	c23	N71-17802	
Pulsed differential comparator circuit Patent			
[NASA-CASE-XLE-03804]	c10	N71-19471	
Foil seal Patent			
[NASA-CASE-XLE-05130-2]	c15	N71-19570	
Generator for a space power system Patent			
[NASA-CASE-XLE-04250]	c09	N71-20446	
Method of making electrical contact on silicon solar cell and resultant product Patent			
[NASA-CASE-XLE-04787]	c03	N71-20492	
Small plasma probe Patent			
[NASA-CASE-XLE-02578]	c25	N71-20747	
Combined electrolysis device and fuel cell and method of operation Patent			
[NASA-CASE-XLE-01645]	c03	N71-20904	
Pressure monitoring with a plurality of ionization gauges controlled at a central location Patent			
[NASA-CASE-XLE-00787]	c14	N71-21090	
Control of transverse instability in rocket combustors Patent			
[NASA-CASE-XLE-04603]	c33	N71-21507	
High voltage divider system Patent			
[NASA-CASE-XLE-02008]	c09	N71-21583	
Plasma device feed system Patent			
[NASA-CASE-XLE-02902]	c25	N71-21694	
Burning rate control of solid propellants Patent			
[NASA-CASE-XLE-03494]	c27	N71-21819	
Protective device for machine and metalworking tools Patent			
[NASA-CASE-XLE-01092]	c15	N71-22797	
Cryogenic insulation system Patent			
[NASA-CASE-XLE-04222]	c23	N71-22881	
Method for producing fiber reinforced metallic composites Patent			
[NASA-CASE-XLE-03925]	c18	N71-22894	
Thermal shock apparatus Patent			
[NASA-CASE-XLE-02024]	c14	N71-22964	
Arc electrode of graphite with ball tip Patent			
[NASA-CASE-XLE-04788]	c09	N71-22987	
Gas purged dry box glove Patent			
[NASA-CASE-XLE-02531]	c05	N71-23080	
Automatic recording McLeod gauge Patent			
[NASA-CASE-XLE-03280]	c14	N71-23093	
Electronic cathode having a brush-like structure and a relatively thick oxide emissive coating Patent			
[NASA-CASE-XLE-04501]	c09	N71-23190	
High temperature ferromagnetic cobalt-base alloy Patent			
[NASA-CASE-XLE-03629]	c17	N71-23248	
Induction furnace with perforated tungsten foil shielding Patent			
[NASA-CASE-XLE-04026]	c14	N71-23267	
Gd or Sm doped silicon semiconductor composition Patent			
[NASA-CASE-XLE-10715]	c26	N71-23292	
Protection of serially connected solar cells against open circuits by the use of shunting diode Patent			
[NASA-CASE-XLE-04535]	c03	N71-23354	
Superconducting alternator Patent			
[NASA-CASE-XLE-02823]	c09	N71-23443	
Silicon solar cell with cover glass bonded to cell by metal pattern Patent			
[NASA-CASE-XLE-08569]	c03	N71-23449	
Analytical test apparatus and method for determining oxide content of alkali metal Patent			
[NASA-CASE-XLE-01997]	c06	N71-23527	
Thermionic converter with current augmented by self induced magnetic field Patent			
[NASA-CASE-XLE-01903]	c22	N71-23599	
Semiconductor material and method of making same Patent			
[NASA-CASE-XLE-02798]	c26	N71-23654	
Insulation system Patent			
[NASA-CASE-XLE-02647]	c18	N71-23658	
Self-lubricating fluoride metal composite materials Patent			
[NASA-CASE-XLE-08511]	c18	N71-23710	
Alloys for bearings Patent			
[NASA-CASE-XLE-05033]	c15	N71-23810	
Extrusion die for refractory metals Patent			
[NASA-CASE-XLE-06773]	c15	N71-23817	
Combustion chamber Patent			
[NASA-CASE-XLE-04857]	c28	N71-23968	
Metallic film diffusion for boundary lubrication Patent			
[NASA-CASE-XLE-10337]	c15	N71-24046	
Process for producing dispersion strengthened nickel with aluminum Patent			
[NASA-CASE-XLE-06969]	c17	N71-24142	
Thermal radiation shielding Patent			
[NASA-CASE-XLE-03432]	c33	N71-24145	
Method of attaching a cover glass to a silicon solar cell Patent			
[NASA-CASE-XLE-08569-2]	c03	N71-24681	

Rocket engine injector Patent [NASA-CASE-XLE-03157]	c28 N71-24736	Nickel bas alloy [NASA-CASE-XLE-10874-1]	c17 N72-22535
Multialarm summary alarm Patent [NASA-CASE-XLE-03061-1]	c10 N71-24798	Ion thruster magnetic field control [NASA-CASE-XLE-10835-1]	c28 N72-22771
Apparatus for making curved reflectors Patent [NASA-CASE-XLE-08917-2]	c15 N71-24836	Electrically conductive fluorocarbon polymer [NASA-CASE-XLE-06774-2]	c06 N72-25150
Flow angle sensor and read out system Patent [NASA-CASE-XLE-04503]	c14 N71-24864	Production of pure metals [NASA-CASE-XLE-10906-1]	c06 N72-25164
Shock tube powder dispersing apparatus Patent [NASA-CASE-XLE-04946]	c17 N71-24911	Analog Signal to Discrete Time Interval Converter (ASDTIC) [NASA-CASE-ERC-10048]	c09 N72-25251
Pneumatic oscillator Patent [NASA-CASE-XLE-10345-1]	c10 N71-25899	Controllable load insensitive power converters [NASA-CASE-ERC-10268]	c09 N72-25252
Heat activated cell with alkali anode and alkali salt electrolyte Patent [NASA-CASE-XLE-11358]	c03 N71-26084	Angular velocity and acceleration measuring apparatus [NASA-CASE-ERC-10292]	c14 N72-25410
Method of producing refractory composites containing tantalum carbide, hafnium carbide, and hafnium boride Patent [NASA-CASE-XLE-03940]	c18 N71-26153	Hall effect magnetometer [NASA-CASE-XLE-11632-1]	c14 N72-25440
Ion beam deflector Patent [NASA-CASE-XLE-10689-1]	c28 N71-26173	Electrical insulating layer process [NASA-CASE-XLE-10489-1]	c15 N72-25447
Rolling element bearings Patent [NASA-CASE-XLE-09527-2]	c15 N71-26189	Method for producing dispersion strengthened alloys by converting metal to a halide, communiting, reducing the metal halide to the metal and sintering [NASA-CASE-XLE-10450-1]	c15 N72-25448
Ion thruster accelerator system Patent [NASA-CASE-XLE-10106-1]	c28 N71-26642	Selective nickel deposition [NASA-CASE-XLE-10965-1]	c15 N72-25452
Propellant feed isolator Patent [NASA-CASE-XLE-10210-1]	c28 N71-26781	Aluminized nickel coatings for nickel-base superalloys [NASA-CASE-XLE-11348-1]	c17 N72-25517
Heat activated cell Patent [NASA-CASE-XLE-11359]	c03 N71-28579	Method of making fiber composites [NASA-CASE-XLE-10424-2-2]	c18 N72-25539
Process for glass coating an ion accelerator grid Patent [NASA-CASE-XLE-10278-1]	c15 N71-28582	Electricity measurement devices employing liquid crystalline materials [NASA-CASE-ERC-10275]	c26 N72-25680
Fluid jet amplifier Patent [NASA-CASE-XLE-09341]	c12 N71-28741	Ablative system [NASA-CASE-XLE-10359]	c33 N72-25911
Gas core nuclear reactor Patent [NASA-CASE-XLE-10250-1]	c22 N71-28759	Inductance device with vacuum insulation [NASA-CASE-XLE-10330-1]	c09 N72-27226
Gas turbine combustor Patent [NASA-CASE-XLE-10286-1]	c28 N71-28915	Apparatus for sensing temperature [NASA-CASE-XLE-05230]	c14 N72-27410
Cyclic switch Patent [NASA-CASE-XLE-10155-1]	c09 N71-29035	Thermocouple tape [NASA-CASE-XLE-11072-2]	c14 N72-28443
Temperature reducing coating for metals subject to flame exposure Patent [NASA-CASE-XLE-00035]	c33 N71-29151	Apparatus for producing metal powders [NASA-CASE-XLE-06461-2]	c17 N72-28535
Liquid spray cooling method Patent [NASA-CASE-XLE-00027]	c33 N71-29152	Refractory metal base alloy composites [NASA-CASE-XLE-03940-2]	c17 N72-28536
Turbo-machine blade vibration damper Patent [NASA-CASE-XLE-00155]	c28 N71-29154	Apparatus for producing high purity I-123 [NASA-CASE-XLE-10518-2]	c24 N72-28714
Corrosion resistant beryllium Patent [NASA-CASE-XLE-10327]	c17 N71-33408	Spiral groove seal [NASA-CASE-XLE-10326-2]	c15 N72-29488
A protected isotope heat source [NASA-CASE-XLE-11227-1]	c33 N71-35153	High current electrical leads [NASA-CASE-XLE-10950-1]	c09 N72-31239
Multiple fan integrated propulsion wing system [NASA-CASE-XLE-11224-1]	c02 N72-10033	Rocket chamber and method of making [NASA-CASE-XLE-11118-1]	c15 N72-32501
Attaching cover glasses to solar cells [NASA-CASE-XLE-11065-1]	c03 N72-11064	Sputtering holes with ion beamlets [NASA-CASE-XLE-11646-1]	c28 N72-32760
Integrated thermoelectric generator/space antenna combination [NASA-CASE-XER-09521]	c09 N72-12136	Production of high purity I-123 [NASA-CASE-XLE-10518-1]	c24 N72-33681
Sensing probe [NASA-CASE-XLE-10281-1]	c14 N72-17327	Duplex aluminized coatings [NASA-CASE-XLE-11696-1]	c15 N73-10502
Method of making emf cell [NASA-CASE-XLE-11359-2]	c03 N72-20034	Electrostatic collector for charged particles [NASA-CASE-XLE-11192-1]	c09 N73-13208
Isolated amplifier for measuring millivolt electrical signals with reference to a high common mode potential [NASA-CASE-XLE-03155-2]	c09 N72-20205	Method of making apparatus for sensing temperature [NASA-CASE-XLE-05230-2]	c14 N73-13417
Gaseous control system for nuclear reactors [NASA-CASE-XLE-04599]	c22 N72-20597	Method of forming superalloys [NASA-CASE-XLE-10805-1]	c15 N73-13465
Supersonic fan blading [NASA-CASE-XLE-11402-1]	c28 N72-20770	Rocket thrust throttling system [NASA-CASE-XLE-10374-1]	c28 N73-13773
Switching regulator [NASA-CASE-XLE-11005-1]	c09 N72-21243	Magnetocaloric pump [NASA-CASE-XLE-11672-1]	c15 N73-14479
Method and apparatus for controlling thermal nuclear reactors [NASA-CASE-XLE-05799]	c22 N72-21644	Circuit for detecting initial systole and diastolic notch [NASA-CASE-XLE-11581-1]	c05 N73-18139
Saturation current protection apparatus for saturable core transformers [NASA-CASE-ERC-10075-2]	c09 N72-22196	Gas turbine engine fuel control [NASA-CASE-XLE-11187-1]	c28 N73-19793
Pulse coupling circuit [NASA-CASE-XLE-10433-1]	c09 N72-22197	Journal bearings [NASA-CASE-XLE-11076-2]	c15 N73-20533
Solid state remote circuit selector switch [NASA-CASE-XLE-10387]	c09 N72-22201	Method of producing I-123 [NASA-CASE-XLE-11390-2]	c24 N73-20763
Load-insensitive electrical device [NASA-CASE-XER-11046]	c09 N72-22203	Jet exhaust noise suppressor [NASA-CASE-XLE-11286-1]	c02 N73-21066
High speed rolling element bearing [NASA-CASE-XLE-10856-1]	c15 N72-22490	Insulation foil and method of making [NASA-CASE-XLE-11484-1]	c15 N73-22415
Production of metal powders [NASA-CASE-XLE-06461]	c17 N72-22530	Improved coatings for refractory metals [NASA-CASE-XLE-11179-1]	c17 N73-22474
		Dished ion thruster grids [NASA-CASE-XLE-11694-1]	c28 N73-22721

Thermocouple tape			Supersonic-combustion rocket		
[NASA-CASE-LEW-11072-1]	c14	N73-24472	[NASA-CASE-LEW-11058-1]	c28	N74-13502
Method and apparatus for sputtering utilizing an			Method of making silicon solar cell array		
apertured electrode and a pulsed substrate bias			[NASA-CASE-LEW-11069-1]	c03	N74-14784
[NASA-CASE-LEW-10920-1]	c17	N73-24569	Spiral groove seal		
Magneto-plasma-dynamic arc thruster			[NASA-CASE-XLE-10326-4]	c15	N74-15125
[NASA-CASE-LEW-11180-1]	c25	N73-25760	Method of making rolling element bearings		
Controlled separation combustor			[NASA-CASE-LEW-11087-2]	c15	N74-15128
[NASA-CASE-LEW-11593-1]	c28	N73-25816	Gas turbine exhaust nozzle		
Ablative system			[NASA-CASE-LEW-11569-1]	c28	N74-15453
[NASA-CASE-LEW-10359-2]	c33	N73-25952	Demodulator for carrier transducers		
Covered silicon solar cells			[NASA-CASE-NUC-10107-1]	c09	N74-17930
[NASA-CASE-LEW-11065-2]	c03	N73-26048	Flow measuring apparatus		
Parasitic suppressing circuit			[NASA-CASE-LEW-12078-1]	c14	N74-18101
[NASA-CASE-ZRC-10403-1]	c10	N73-26228	Diffusion welding in air		
Twisted multifilament superconductor			[NASA-CASE-LEW-11387-1]	c15	N74-18128
[NASA-CASE-LEW-11726-1]	c26	N73-26752	Method of making an apertured casting		
Ophthalmic method and apparatus			[NASA-CASE-LEW-11169-1]	c15	N74-18131
[NASA-CASE-LEW-11669-1]	c05	N73-27062	Drilled ball bearing with a one piece		
Rocket propellant injection			anti-tipping cage assembly		
[NASA-CASE-LEW-11071-1]	c27	N73-27695	[NASA-CASE-LEW-11925-1]	c15	N74-18133
Single grid accelerator for an ion thruster			Journal bearings		
[NASA-CASE-XLE-10453-2]	c28	N73-27699	[NASA-CASE-LEW-11076-4]	c15	N74-18134
Preparation of polyimides from mixtures of			Duplex aluminized coatings		
monomeric diamines and esters of			[NASA-CASE-LEW-11696-2]	c18	N74-18197
polycarboxylic acids			Fabrication of polyphenylquinoxaline composite		
[NASA-CASE-LEW-11325-1]	c06	N73-27980	articles by means of in situ polymerization of		
Production of I-123			monomers		
[NASA-CASE-LEW-11390-3]	c11	N73-28128	[NASA-CASE-LEW-11879-1]	c18	N74-20152
Method and apparatus for measuring			Airflow control system for supersonic inlets		
electromagnetic radiation			[NASA-CASE-LEW-11188-1]	c02	N74-20646
[NASA-CASE-LEW-11159-1]	c14	N73-28488	Rapidly pulsed, high intensity, incoherent light		
Holding blades to rotors			source		
[NASA-CASE-LEW-10533-1]	c15	N73-28515	[NASA-CASE-XLE-2529-3]	c09	N74-20859
An ion exchange nuclear reactor			Electromagnetic flow rate meter		
[NASA-CASE-LEW-11645-2]	c22	N73-28660	[NASA-CASE-LEW-10981-1]	c14	N74-21018
Hall effect magnetometer			Diffusion welding		
[NASA-CASE-LEW-11632-2]	c14	N73-29437	[NASA-CASE-LEW-11388-2]	c15	N74-21055
High speed, self-acting shaft seal			Journal bearings		
[NASA-CASE-LEW-11274-1]	c15	N73-29457	[NASA-CASE-LEW-11076-1]	c15	N74-21061
Low mass rolling element for bearings			Glass-to-metal seals comprising relatively high		
[NASA-CASE-LEW-11087-1]	c15	N73-30458	expansion metals		
Swirl can primary combustor			[NASA-CASE-LEW-10698-1]	c15	N74-21063
[NASA-CASE-LEW-11326-1]	c23	N73-30665	Hollow rolling element bearings		
Ophthalmic liquefaction pump			[NASA-CASE-LEW-11087-3]	c15	N74-21064
[NASA-CASE-LEW-12051-1]	c04	N73-32000	NATIONAL AERONAUTICS AND SPACE ADMINISTRATION.		
Enhanced diffusion welding			LYNDON B. JOHNSON SPACE CENTER, HOUSTON, TEX.		
[NASA-CASE-LEW-11388-1]	c15	N73-32358	Coupling device		
High speed hybrid bearing comprising a fluid			[NASA-CASE-XHS-07846-1]	c09	N69-21927
bearing and a rolling bearing convected in			Flow test device		
series			[NASA-CASE-XMS-04917]	c14	N69-24257
[NASA-CASE-LEW-11152-1]	c15	N73-32359	Visual target for retrofire attitude control		
Nickel aluminide coated low alloy stainless steel			[NASA-CASE-XMS-12158-1]	c31	N69-27499
[NASA-CASE-LEW-11267-1]	c17	N73-32414	System for monitoring signal amplitude ranges		
Cobalt-base alloy			[NASA-CASE-XHS-04061-1]	c09	N69-39885
[NASA-CASE-LEW-10436-1]	c17	N73-32415	Amplifier drift tester		
Nuclear fuel elements			[NASA-CASE-XMS-05562-1]	c09	N69-39986
[NASA-CASE-XLE-00209]	c22	N73-32528	System for improving signal-to-noise ratio of a		
Method of fabricating a twisted composite			communication signal Patent Application		
superconductor			[NASA-CASE-HSC-12259-1]	c07	N70-12616
[NASA-CASE-LEW-11015]	c26	N73-32571	Two-step rocket engine bipropellant valve Patent		
Space vehicle with artificial gravity and			[NASA-CASE-XHS-04890-1]	c15	N70-22192
earth-like environment			Heat shield Patent		
[NASA-CASE-LEW-11101-1]	c31	N73-32750	[NASA-CASE-XHS-00486]	c33	N70-33344
Production of hollow components for rolling			Life raft Patent		
element bearings by diffusion welding			[NASA-CASE-XMS-00863]	c05	N70-34857
[NASA-CASE-LEW-11026-1]	c15	N73-33383	Shock absorbing support and restraint means Patent		
Electron beam controller			[NASA-CASE-XMS-01240]	c05	N70-35152
[NASA-CASE-LEW-11617-1]	c09	N74-10195	Energy absorbing structure Patent Application		
Spiral groove seal			[NASA-CASE-HSC-12279-1]	c15	N70-35679
[NASA-CASE-LEW-10326-3]	c15	N74-10474	Bonded solid lubricant coating Patent		
Journal bearings			[NASA-CASE-XHS-00259]	c18	N70-36400
[NASA-CASE-LEW-11076-3]	c15	N74-10475	Life preserver Patent		
Apparatus for producing high purity I-123			[NASA-CASE-XHS-00864]	c05	N70-36493
[NASA-CASE-LEW-10518-3]	c15	N74-10476	Resuscitation apparatus Patent		
Method of heat treating a formed powder product			[NASA-CASE-XHS-01115]	c05	N70-39922
material			Inflatable radar reflector unit Patent		
[NASA-CASE-LEW-10805-3]	c17	N74-10521	[NASA-CASE-XHS-00893]	c07	N70-40063
Apparatus for welding blades to rotors			Measuring device Patent		
[NASA-CASE-LEW-10533-2]	c15	N74-11300	[NASA-CASE-XMS-01546]	c14	N70-40233
High powered arc electrodes			Liquid-gas separator for zero gravity		
[NASA-CASE-LEW-11162-1]	c09	N74-12913	environment Patent		
Method of forming articles of manufacture from			[NASA-CASE-XHS-01492]	c05	N70-41297
superalloy powders			Instrument for use in performing a controlled		
[NASA-CASE-LEW-10805-2]	c15	N74-13179	Valsalva maneuver Patent		
Fine particulate capture device			[NASA-CASE-XHS-01615]	c05	N70-41329
[NASA-CASE-LEW-11583-1]	c15	N74-13199	Radial module space station Patent		
Deposition of alloy films			[NASA-CASE-XMS-01906]	c31	N70-41373
[NASA-CASE-LEW-11262-1]	c18	N74-13270			

Hypersonic reentry vehicle Patent [NASA-CASE-XMS-04142]	c31 N70-41631	Phonocardiograph transducer Patent [NASA-CASE-XMS-05365]	c14 N71-22993
Angular accelerometer Patent [NASA-CASE-XMS-05936]	c14 N70-41682	Multiple environment materials test chamber having a multiple port X-ray tube for irradiating a plurality of samples Patent [NASA-CASE-XMS-02930]	c11 N71-23042
Indexed keyed connection Patent [NASA-CASE-XMS-02532]	c15 N70-41808	Soft frame adjustable eyeglasses Patent [NASA-CASE-XMS-06064]	c05 N71-23096
Discrete local altitude sensing device Patent [NASA-CASE-XMS-03792]	c14 N70-41812	Blood pressure measuring system for separating and separately recording dc signal and an ac signal Patent [NASA-CASE-XMS-06061]	c05 N71-23317
Cryogenic storage system Patent [NASA-CASE-XMS-04390]	c31 N70-41871	Signal ratio system utilizing voltage controlled oscillators Patent [NASA-CASE-XMF-04367]	c09 N71-23545
Mass measuring system Patent [NASA-CASE-XMS-03371]	c05 N70-42000	Winch having cable position and load indicators Patent [NASA-CASE-HSC-12052-1]	c15 N71-24599
Line cutter Patent [NASA-CASE-XMS-04072]	c15 N70-42017	Radar antenna system for acquisition and tracking Patent [NASA-CASE-XMS-09610]	c07 N71-24625
Transpirationally cooled heat ablation system Patent [NASA-CASE-XMS-02677]	c31 N70-42075	Extravehicular tunnel suit system Patent [NASA-CASE-HSC-12243-1]	c05 N71-24728
Voltage-current characteristic simulator Patent [NASA-CASE-XMS-01554]	c10 N71-10578	Broadband modified turnstile antenna Patent [NASA-CASE-HSC-12209]	c09 N71-24842
Training vehicle for controlling attitude Patent [NASA-CASE-XMS-02977]	c11 N71-10746	Quick release hook tape Patent [NASA-CASE-XMS-10660-1]	c15 N71-25975
Gravity stabilized flying vehicle Patent [NASA-CASE-HSC-12111-1]	c02 N71-11039	Plated electrodes Patent [NASA-CASE-XMS-04213-1]	c09 N71-26002
Helmet assembly and latch means therefor Patent [NASA-CASE-XMS-04935]	c05 N71-11190	Audio signal processor Patent [NASA-CASE-HSC-12223-1]	c07 N71-26181
Pressure suit tie-down mechanism Patent [NASA-CASE-XMS-00784]	c05 N71-12335	Fabric for micrometeoroid protection garment Patent [NASA-CASE-HSC-12109]	c18 N71-26285
Hand-held self-manuevering unit Patent [NASA-CASE-XMS-05304]	c05 N71-12336	Antenna array phase quadrature tracking system Patent [NASA-CASE-HSC-12205-1]	c07 N71-27056
Pressure garment joint Patent [NASA-CASE-XMS-09636]	c05 N71-12344	Radiometric temperature reference Patent [NASA-CASE-HSC-13276-1]	c14 N71-27058
Emergency escape system Patent [NASA-CASE-HSC-12086-1]	c05 N71-12345	Pneumatic amplifier Patent [NASA-CASE-HSC-12121-1]	c15 N71-27147
Dynamic Doppler simulator Patent [NASA-CASE-XMS-05454-1]	c07 N71-12391	Orbital escape device Patent [NASA-CASE-XMS-06162]	c31 N71-28851
Electrical load protection device Patent [NASA-CASE-HSC-12135-1]	c09 N71-12526	Inflatable tether Patent [NASA-CASE-XMS-10993]	c15 N71-28936
High voltage pulse generator Patent [NASA-CASE-HSC-12178-1]	c09 N71-13518	Ion-exchange membrane with platinum electrode assembly Patent [NASA-CASE-XMS-02063]	c03 N71-29044
Process for conditioning tanned sharkskin and articles made therefrom Patent [NASA-CASE-XMS-09691-1]	c18 N71-15545	Oxygen production method and apparatus [NASA-CASE-HSC-12332-1]	c15 N72-15476
Ablation structures Patent [NASA-CASE-XMS-01816]	c33 N71-15623	Color television system [NASA-CASE-HSC-12146-1]	c07 N72-17109
Fluid power transmission Patent [NASA-CASE-XMS-01445]	c12 N71-16031	Current dependent filter inductance [NASA-CASE-HSC-10139]	c09 N72-17154
Spacecraft radiator cover Patent [NASA-CASE-HSC-12049]	c31 N71-16080	Low onset rate energy absorber [NASA-CASE-HSC-12279]	c15 N72-17450
Method of improving heat transfer characteristics in a nucleate boiling process Patent [NASA-CASE-XMS-04268]	c33 N71-16277	Stand-off type ablative heat shield [NASA-CASE-HSC-12143-1]	c33 N72-17947
Heated element fluid flow sensor Patent [NASA-CASE-HSC-12084-1]	c12 N71-17569	Photographic film restoration system [NASA-CASE-HSC-12448-1]	c14 N72-20394
Biological isolation garment Patent [NASA-CASE-HSC-12206-1]	c05 N71-17599	Optical range finder having nonoverlapping complete images [NASA-CASE-HSC-12105-1]	c14 N72-21409
Metal valve pintle with encapsulated elastomeric body Patent [NASA-CASE-HSC-12116-1]	c15 N71-17648	Open type urine receptacle [NASA-CASE-HSC-12324-1]	c05 N72-22093
Method for forming plastic materials Patent [NASA-CASE-XMS-05516]	c15 N71-17803	Family of frequency to amplitude converters [NASA-CASE-HSC-12395]	c09 N72-25257
Flexible blade antenna Patent [NASA-CASE-HSC-12101]	c09 N71-18720	Foldable construction block [NASA-CASE-HSC-12233-1]	c15 N72-25454
Space suit heat exchanger Patent [NASA-CASE-XMS-09571]	c05 N71-19439	Method and apparatus for detecting surface ions on silicon diodes and transistors [NASA-CASE-ERC-10325]	c15 N72-25457
Light intensity modulator controller Patent [NASA-CASE-XMS-04300]	c09 N71-19479	Scientific experiment flexible mount [NASA-CASE-HSC-12372-1]	c31 N72-25842
Solar optical telescope dome control system Patent [NASA-CASE-HSC-10966]	c14 N71-19568	Burn rate testing apparatus [NASA-CASE-XMS-09690]	c33 N72-25913
High temperature compositions Patent [NASA-CASE-XMS-00370]	c17 N71-20941	System for improving signal-to-noise ratio of a communication signal [NASA-CASE-HSC-12259-2]	c07 N72-33146
Radiation detector readout system Patent [NASA-CASE-XMS-03478]	c14 N71-21040	Latch mechanism [NASA-CASE-HSC-12549-1]	c15 N73-11443
Subgravity simulator Patent [NASA-CASE-XMS-04798]	c11 N71-21474	Digital communication system [NASA-CASE-HSC-13912-1]	c07 N73-12151
Shock absorber Patent [NASA-CASE-XMS-03722]	c15 N71-21530	Altitude measuring system [NASA-CASE-ERC-10412-1]	c09 N73-12211
Apparatus for machining geometric cones Patent [NASA-CASE-XMS-04292]	c15 N71-22722	A method of delivering a vehicle to earth orbit and returning the reusable portion thereof to earth [NASA-CASE-HSC-12391]	c30 N73-12884
Rescue litter flotation assembly Patent [NASA-CASE-XMS-04170]	c05 N71-22748		
Aligning and positioning device Patent [NASA-CASE-XMS-04178]	c15 N71-22798		
Tension measurement device Patent [NASA-CASE-XMS-04545]	c15 N71-22878		
Amplitude modulated laser transmitter Patent [NASA-CASE-XMS-04269]	c16 N71-22895		
Digital cardiometer system Patent [NASA-CASE-XMS-02399]	c05 N71-22896		

Multispectral imaging system
 [NASA-CASE-MSC-12404-1] c23 N73-13661
 Foldable construction block
 [NASA-CASE-MSC-12233-2] c32 N73-13921
 Space shuttle vehicle and system
 [NASA-CASE-MSC-12433] c31 N73-14854
 Technique for recovery of voice data from heat
 damaged magnetic tape
 [NASA-CASE-MSC-14219-1] c07 N73-16132
 Technique for recovery of voice data from heat
 damaged magnetic tape
 [NASA-CASE-MSC-14219-1] c07 N73-16132
 Binary concatenated coding system
 [NASA-CASE-MSC-14082-1] c08 N73-16163
 Binary concatenated coding system
 [NASA-CASE-MSC-14082-1] c08 N73-16163
 Reconstituted asbestos matrix
 [NASA-CASE-MSC-12568-1] c18 N73-16577
 Reconstituted asbestos matrix
 [NASA-CASE-MSC-12568-1] c18 N73-16577
 Method and device for detection of surface
 discontinuities or defects
 [NASA-CASE-MSC-14187-1] c14 N73-17564
 Medical subject monitoring systems
 [NASA-CASE-MSC-14180-1] c05 N73-22045
 Apparatus for statistical time-series analysis
 of electrical signals
 [NASA-CASE-MSC-12428-1] c10 N73-25240
 Life raft stabilizer
 [NASA-CASE-MSC-12393-1] c02 N73-26006
 On-film optical recording of camera lens settings
 [NASA-CASE-MSC-12363-1] c14 N73-26431
 Spacecraft docking and alignment system
 [NASA-CASE-MSC-12559-1] c31 N73-26879
 Powerplexer
 [NASA-CASE-MSC-12396-1] c03 N73-31988
 Foot pedal operated fluid type exercising device
 [NASA-CASE-MSC-11561-1] c05 N73-32014
 Digital to analog conversion apparatus
 [NASA-CASE-MSC-12458-1] c08 N73-32081
 Solid state controller three axes controller
 [NASA-CASE-MSC-12394-1] c03 N74-10942
 Method for obtaining oxygen from lunar or
 similar soil
 [NASA-CASE-MSC-12408-1] c13 N74-13011
 Adaptive voting computer system
 [NASA-CASE-MSC-13932-1] c08 N74-14920
 Position determination systems
 [NASA-CASE-MSC-12593-1] c09 N74-14942
 Phase protection system for ac power lines
 [NASA-CASE-MSC-17832-1] c10 N74-14956
 Optical instruments
 [NASA-CASE-MSC-14096-1] c14 N74-15095
 Strain arrestor plate
 [NASA-CASE-MSC-14182-1] c18 N74-15213
 Multifunction audio digitizer
 [NASA-CASE-MSC-13855-1] c07 N74-17885
 Digital transmitter for data bus communications
 system
 [NASA-CASE-MSC-14558-1] c07 N74-17888
 Method and apparatus for stable silicon dioxide
 layers on silicon grown in silicon nitride
 ambient
 [NASA-CASE-ERC-10073-1] c06 N74-19769
 Analysis of volatile organic compounds
 [NASA-CASE-MSC-14428-1] c06 N74-19776
 Method of fluxless brazing and diffusion bonding
 of aluminum containing components
 [NASA-CASE-MSC-14435-1] c15 N74-20071
 Pulse code modulated signal synchronizer
 [NASA-CASE-MSC-12462-1] c07 N74-20809
 Pulse code modulated signal synchronizer
 [NASA-CASE-MSC-12494-1] c07 N74-20810
 NATIONAL AERONAUTICS AND SPACE ADMINISTRATION.
 HANDED SPACECRAFT CENTER, CAPE CANAVERAL, FLA.
 Electrode for biological recording
 [NASA-CASE-XHS-02872] c05 N69-21925
 NATIONAL AERONAUTICS AND SPACE ADMINISTRATION.
 HANDED SPACECRAFT CENTER, LANGLEY STATION, VA.
 Flural recorder system
 [NASA-CASE-XHS-06949] c09 N69-21467
 NATIONAL AERONAUTICS AND SPACE ADMINISTRATION.
 MARSHALL SPACE FLIGHT CENTER, HUNTSVILLE, ALA.
 Band cutter and sealer for fusible fabrics
 [NASA-CASE-XHF-09386] c15 N69-21854
 Electrical feed-through connection for printed
 circuit boards and printed cable
 [NASA-CASE-XHF-01463] c14 N69-27431
 Method for detecting hydrogen gas
 [NASA-CASE-XHF-03873] c06 N69-39733
 Electrical connector Patent Application
 [NASA-CASE-BFS-14741] c09 N70-20737
 Angular measurement system Patent
 [NASA-CASE-XHF-00447] c14 N70-33179
 Insulating structure Patent
 [NASA-CASE-XHF-00341] c15 N70-33323
 Space vehicle electrical system Patent
 [NASA-CASE-XHF-00517] c03 N70-34157
 Pivotal shock absorbing pad assembly Patent
 [NASA-CASE-XHF-03856] c31 N70-34159
 Gimbaled, partially submerged rocket
 nozzle Patent
 [NASA-CASE-XHF-01544] c28 N70-34162
 Recoverable rocket vehicle Patent
 [NASA-CASE-XHF-00389] c31 N70-34176
 Electrical discharge apparatus for forming Patent
 [NASA-CASE-XHF-00375] c15 N70-34249
 Optical inspection apparatus Patent
 [NASA-CASE-XHF-00462] c14 N70-34298
 Relay binary circuit Patent
 [NASA-CASE-XHF-00421] c09 N70-34502
 Attitude and propellant flow control system and
 method Patent
 [NASA-CASE-XHF-00185] c21 N70-34539
 Electrical connector for flat cables Patent
 [NASA-CASE-XHF-00324] c09 N70-34596
 Externally pressurized fluid bearing Patent
 [NASA-CASE-XHF-00515] c15 N70-34664
 Force measuring instrument Patent
 [NASA-CASE-XHF-00456] c14 N70-34705
 Seismic displacement transducer Patent
 [NASA-CASE-XHF-00479] c14 N70-34794
 Electric arc welding Patent
 [NASA-CASE-XHF-00392] c15 N70-34814
 Assembly for recovering a capsule Patent
 [NASA-CASE-XHF-00641] c31 N70-36410
 Printed cable connector Patent
 [NASA-CASE-XHF-00369] c09 N70-36494
 Landing pad assembly for aerospace vehicles Patent
 [NASA-CASE-XHF-02853] c31 N70-36654
 Electric arc driven wind tunnel Patent
 [NASA-CASE-XHF-00411] c11 N70-36913
 Gravity device Patent
 [NASA-CASE-XHF-00424] c11 N70-38196
 Injector for bipropellant rocket engines Patent
 [NASA-CASE-XHF-00148] c28 N70-38710
 Electronic motor control system Patent
 [NASA-CASE-XHF-01129] c09 N70-38712
 Slosh suppressing device and method Patent
 [NASA-CASE-XHF-00658] c12 N70-38997
 Air bearing Patent
 [NASA-CASE-XHF-00339] c15 N70-39896
 Instrument support with precise lateral
 adjustment Patent
 [NASA-CASE-XHF-00480] c14 N70-39898
 Segmented back-up bar Patent
 [NASA-CASE-XHF-00640] c15 N70-39924
 Collapsible loop antenna for space vehicle Patent
 [NASA-CASE-XHF-00437] c07 N70-40202
 Flexible back-up bar Patent
 [NASA-CASE-XHF-00722] c15 N70-40204
 Electro-optical alignment control system Patent
 [NASA-CASE-XHF-00908] c14 N70-40238
 Missile launch release system Patent
 [NASA-CASE-XHF-03198] c30 N70-40353
 Double-acting shock absorber Patent
 [NASA-CASE-XHF-01045] c15 N70-40354
 Portable alignment tool Patent
 [NASA-CASE-XHF-01452] c15 N70-41371
 Device for suppressing sound and heat produced
 by high-velocity exhaust jets Patent
 [NASA-CASE-XHF-01813] c28 N70-41582
 Unfired-ceramic flame-resistant insulation and
 method of making the same Patent
 [NASA-CASE-XHF-01030] c18 N70-41583
 Pulse counting circuit which simultaneously
 indicates the occurrence of the nth pulse Patent
 [NASA-CASE-XHF-00906] c09 N70-41655
 Support apparatus for dynamic testing Patent
 [NASA-CASE-XHF-01772] c11 N70-41677
 Locking device with rolling detents Patent
 [NASA-CASE-XHF-01371] c15 N70-41829
 Tank construction for space vehicles Patent
 [NASA-CASE-XHF-01899] c31 N70-41948
 Accumulator Patent Application
 [NASA-CASE-MFS-10354] c12 N70-41976
 Positive displacement flowmeter Patent
 [NASA-CASE-XHF-02822] c14 N70-41994

Hydraulic support for dynamic testing Patent [NASA-CASE-XMF-03248]	c11 N71-10604	Space environmental work simulator Patent [NASA-CASE-XMF-07488]	c11 N71-18773
Fiber optic vibration transducer and analyzer Patent [NASA-CASE-XMF-02433]	c14 N71-10616	Space manufacturing machine Patent [NASA-CASE-MFS-20410]	c15 N71-19214
Method and means for damping nutation in a satellite Patent [NASA-CASE-XMF-00442]	c31 N71-10747	Extensometer Patent [NASA-CASE-XMF-04680]	c15 N71-19489
Heat pipe thermionic diode power system Patent [NASA-CASE-XMF-05843]	c03 N71-11055	Mechanical simulator of low gravity conditions Patent [NASA-CASE-MFS-10555]	c11 N71-19494
Synthesis of siloxane-containing epoxy polymers Patent [NASA-CASE-MFS-13994-1]	c06 N71-11240	Weld control system using thermocouple wire Patent [NASA-CASE-MFS-06074]	c15 N71-20393
Bi-carrier demodulator with modulation Patent [NASA-CASE-XMF-01160]	c07 N71-11298	Evaporant source for vapor deposition Patent [NASA-CASE-XMF-06065]	c15 N71-20395
Harness assembly Patent [NASA-CASE-MFS-14671]	c05 N71-12341	Satellite despin device Patent [NASA-CASE-XMF-08523]	c31 N71-20396
Magnetic matrix memory system Patent [NASA-CASE-XMF-05835]	c08 N71-12504	Method of coating circuit paths on printed circuit boards with solder Patent [NASA-CASE-XMF-01599]	c09 N71-20705
Pulse amplitude and width detector Patent [NASA-CASE-XMF-06519]	c09 N71-12519	Elastomeric silazane polymers and process for preparing the same Patent [NASA-CASE-XMF-04133]	c06 N71-20717
Microwave power receiving antenna Patent [NASA-CASE-MFS-20333]	c09 N71-13486	Method of producing alternating ether siloxane copolymers Patent [NASA-CASE-XMF-02584]	c06 N71-20905
Hybrid holographic system using reflected and transmitted object beams simultaneously Patent [NASA-CASE-MFS-20074]	c16 N71-15565	Honeycomb panel and method of making same Patent [NASA-CASE-XMF-01402]	c18 N71-21651
Reactance control system Patent [NASA-CASE-XMF-01598]	c21 N71-15583	Portable milling tool Patent [NASA-CASE-XMF-03511]	c15 N71-22799
Apparatus for welding torch angle and seam tracking control Patent [NASA-CASE-XMF-03287]	c15 N71-15607	Energy absorbing device Patent [NASA-CASE-XMF-10040]	c15 N71-22877
Multway vortex valve system Patent [NASA-CASE-XMF-04709]	c15 N71-15609	Continuous detonation reaction engine Patent [NASA-CASE-XMF-06926]	c28 N71-22983
Injector assembly for liquid fueled rocket engines Patent [NASA-CASE-XMF-00968]	c28 N71-15660	Adaptive tracking notch filter system Patent [NASA-CASE-XMF-01892]	c10 N71-22986
Space capsule ejection assembly Patent [NASA-CASE-XMF-03169]	c31 N71-15675	Meteorological balloon Patent [NASA-CASE-XMF-04163]	c02 N71-23007
Air cushion lift pad Patent [NASA-CASE-MFS-14685]	c31 N71-15689	Continuous turning slip ring assembly Patent [NASA-CASE-XMF-01049]	c15 N71-23049
Method of making a molded connector Patent [NASA-CASE-XMF-03498]	c15 N71-15986	Automatic welding speed controller Patent [NASA-CASE-XMF-01730]	c15 N71-23050
Regenerative braking system Patent [NASA-CASE-XMF-01096]	c10 N71-16030	Positive dc to positive dc converter Patent [NASA-CASE-XMF-14301]	c09 N71-23188
Condition and condition duration indicator Patent [NASA-CASE-XMF-01097]	c10 N71-16058	Zero gravity apparatus Patent [NASA-CASE-XMF-06515]	c14 N71-23227
Method and apparatus for securing to a spacecraft Patent [NASA-CASE-MFS-11133]	c31 N71-16222	Positive dc to negative dc converter Patent [NASA-CASE-XMF-08217]	c03 N71-23239
Method and apparatus of simulating zero gravity conditions Patent [NASA-CASE-MFS-12750]	c27 N71-16223	Evacuation port seal Patent [NASA-CASE-XMF-03290]	c15 N71-23256
Passive optical wind and turbulence detection system Patent [NASA-CASE-XMF-14032]	c20 N71-16340	Azimuth laying system Patent [NASA-CASE-XMF-01669]	c21 N71-23289
Serpentuator Patent [NASA-CASE-XMF-05344]	c31 N71-16345	Electron beam instrument for measuring electric fields Patent [NASA-CASE-XMF-10289]	c14 N71-23699
Gravimeter Patent [NASA-CASE-XMF-05844]	c14 N71-17587	Anemometer with braking mechanism Patent [NASA-CASE-XMF-05224]	c14 N71-23726
High pressure gas filter system Patent [NASA-CASE-MFS-12806]	c14 N71-17588	Apparatus for testing a pressure responsive instrument Patent [NASA-CASE-XMF-04134]	c14 N71-23755
Burst diaphragm flow initiator Patent [NASA-CASE-MFS-12915]	c11 N71-17600	Electric welding torch Patent [NASA-CASE-XMF-02330]	c15 N71-23798
Vacuum deposition apparatus Patent [NASA-CASE-XMF-01667]	c15 N71-17647	Swivel support for gas bearings Patent [NASA-CASE-XMF-07808]	c15 N71-23812
Quick disconnect latch and handle combination Patent [NASA-CASE-MFS-11132]	c15 N71-17649	Welding skate with computerized control Patent [NASA-CASE-XMF-07069]	c15 N71-23815
Method and apparatus for precision sizing and joining of large diameter tubes Patent [NASA-CASE-XMF-05114]	c15 N71-17650	Docking structure for spacecraft Patent [NASA-CASE-XMF-05941]	c31 N71-23912
Low temperature flexure fatigue cryostat Patent [NASA-CASE-XMF-02964]	c14 N71-17659	High pressure helium purifier Patent [NASA-CASE-XMF-06888]	c15 N71-24044
Precision stepping drive Patent [NASA-CASE-MFS-14772]	c15 N71-17692	Horizontal cryostat for fatigue testing Patent [NASA-CASE-XMF-10968]	c14 N71-24234
Multi-mission module Patent [NASA-CASE-XMF-01543]	c31 N71-17730	Method for leakage testing of tanks Patent [NASA-CASE-XMF-02392]	c32 N71-24285
Ratchet mechanism Patent [NASA-CASE-MFS-12805]	c15 N71-17805	Internal flare angle gauge Patent [NASA-CASE-XMF-04415]	c14 N71-24693
Method of making impurity-type semiconductor electrical contacts Patent [NASA-CASE-XMF-01016]	c26 N71-17818	Pulse rise time and amplitude detector Patent [NASA-CASE-XMF-08804]	c09 N71-24717
Apparatus for the determination of the existence or non-existence of a bonding between two members Patent [NASA-CASE-MFS-13686]	c15 N71-18132	System for maintaining a motor at a predetermined speed utilizing digital feedback means Patent [NASA-CASE-XMF-06892]	c09 N71-24805
Static inverters which sum a plurality of waves Patent [NASA-CASE-XMF-00663]	c08 N71-18752	Power system with heat pipe liquid coolant lines Patent [NASA-CASE-MFS-14114-2]	c09 N71-24807
		Magnetomotive metal working device Patent [NASA-CASE-XMF-03793]	c15 N71-24833
		Apparatus for determining the deflection of an electron beam impinging on a target Patent [NASA-CASE-XMF-06617]	c09 N71-24843

Transistor servo system including a unique differential amplifier circuit Patent		
[NASA-CASE-XMF-05195]	c10 N71-24861	
RC rate generator for slow speed measurement Patent.		
[NASA-CASE-XMF-02966]	c10 N71-24863	
Method and apparatus for precision sizing and joining of large diameter tubes Patent		
[NASA-CASE-XMF-05114-3]	c15 N71-24865	
Duct coupling for single-handed operation Patent		
[NASA-CASE-MFS-20395]	c15 N71-24903	
Brushless direct current tachometer Patent		
[NASA-CASE-MFS-20385]	c09 N71-24904	
Self-lubricating gears and other mechanical parts Patent		
[NASA-CASE-MFS-14971]	c15 N71-24984	
Pulse width inverter Patent		
[NASA-CASE-MFS-10068]	c10 N71-25139	
Isothermal cover with thermal reservoirs Patent		
[NASA-CASE-MFS-20355]	c33 N71-25353	
Storage container for electronic devices Patent		
[NASA-CASE-MFS-20075]	c09 N71-26133	
Method and apparatus for precision sizing and joining of large diameter tubes Patent		
[NASA-CASE-XMF-05114-2]	c15 N71-26148	
Filter system for control of outgas contamination in vacuum Patent		
[NASA-CASE-MFS-14711]	c15 N71-26185	
Image magnification adapter for cameras Patent		
[NASA-CASE-XMF-03844-1]	c14 N71-26474	
Thickness measuring and injection device Patent		
[NASA-CASE-MFS-20261]	c14 N71-27005	
Personal propulsion unit Patent		
[NASA-CASE-MFS-20130]	c28 N71-27585	
Power system with heat pipe liquid coolant lines Patent		
[NASA-CASE-MFS-14114]	c33 N71-27862	
Method of making shielded flat cable Patent		
[NASA-CASE-MFS-13687]	c09 N71-28691	
A dc motor speed control system Patent		
[NASA-CASE-MFS-14610]	c09 N71-28886	
Cryogenic thermal insulation Patent		
[NASA-CASE-XMF-05046]	c33 N71-28892	
Method of coating through-holes Patent		
[NASA-CASE-XMF-05999]	c15 N71-29032	
Response analyzers for sensors Patent		
[NASA-CASE-MFS-11204]	c14 N71-29134	
Current regulating voltage divider		
[NASA-CASE-MFS-20935]	c09 N71-34212	
Graphite-reinforced aluminum composite and method of preparing the same		
[NASA-CASE-MFS-21077]	c18 N71-34502	
Nuclear mass flowmeter		
[NASA-CASE-MFS-20485]	c14 N72-11365	
Fine adjustment mount		
[NASA-CASE-MFS-20249]	c15 N72-11386	
Method of making foamed materials in zero gravity		
[NASA-CASE-XMF-09902]	c15 N72-11387	
Air bearing assembly for curved surfaces		
[NASA-CASE-MFS-20423]	c15 N72-11388	
Stud-bonding gun		
[NASA-CASE-MFS-20299]	c15 N72-11392	
Apparatus for obtaining isotropic irradiation of a specimen		
[NASA-CASE-MFS-20095]	c24 N72-11595	
Reusable space transportation system		
[NASA-CASE-MFS-21527]	c31 N72-15781	
Wind tunnel test section		
[NASA-CASE-MFS-20509]	c11 N72-17183	
Multiple image storing system for high speed projectile holography		
[NASA-CASE-MFS-20596]	c14 N72-17324	
Method of manufacturing semiconductor devices using refractory dielectrics		
[NASA-CASE-XER-08476-1]	c26 N72-17820	
Underwater space suit pressure control regulator		
[NASA-CASE-MFS-20332]	c05 N72-20097	
Three mirror glancing incidence system for X-ray telescope		
[NASA-CASE-MFS-21372]	c14 N72-20397	
Apparatus for making diamonds		
[NASA-CASE-MFS-20698]	c15 N72-20446	
Two speed drive system		
[NASA-CASE-MFS-20645]	c15 N72-20463	
An airlock		
[NASA-CASE-MFS-20922]	c31 N72-20840	
Photoetching of metal-oxide layers		
[NASA-CASE-ERC-10108]	c06 N72-21094	
Liquid aerosol dispenser		
[NASA-CASE-MFS-20829]	c12 N72-21310	
Optical probing of supersonic flows with statistical correlation		
[NASA-CASE-MFS-20642]	c14 N72-21407	
Mechanically actuated triggered hand		
[NASA-CASE-MFS-20413]	c15 N72-21463	
Hermetically sealed elbow actuator		
[NASA-CASE-MFS-14710]	c09 N72-22195	
Shielded flat cable		
[NASA-CASE-MFS-13687-2]	c09 N72-22198	
Shock wave convergence apparatus		
[NASA-CASE-MFS-20890]	c14 N72-22439	
Bonding of reinforced Teflon to metals		
[NASA-CASE-MFS-20482]	c15 N72-22492	
Inorganic thermal control coatings		
[NASA-CASE-MFS-20011]	c18 N72-22566	
High temperature furnace for melting materials in space		
[NASA-CASE-MFS-20710]	c11 N72-23215	
Siloxane containing epoxide compounds		
[NASA-CASE-MFS-13994-2]	c06 N72-25148	
Silphenylenesiloxane polymers having in-chain perfluoroalkyl groups		
[NASA-CASE-MFS-20979]	c06 N72-25151	
Emergency lunar communications system		
[NASA-CASE-MFS-21042]	c07 N72-25171	
Lead attachment to high temperature devices		
[NASA-CASE-ERC-10224]	c09 N72-25261	
Device for measuring bearing preload		
[NASA-CASE-MFS-20434]	c11 N72-25288	
Accumulator		
[NASA-CASE-MFS-10354-2]	c12 N72-25306	
Multiple in-line docking capability for rotating space stations		
[NASA-CASE-MFS-20855-1]	c31 N72-25853	
Altitude simulation chamber for rocket engine testing		
[NASA-CASE-MFS-20620]	c11 N72-27262	
Fixture for supporting articles during vibration tests		
[NASA-CASE-MFS-20523]	c14 N72-27412	
Electrical connector		
[NASA-CASE-MFS-20757]	c09 N72-28225	
Remote control manipulator for zero gravity environment		
[NASA-CASE-MFS-14405]	c15 N72-28495	
Thermal compensating structural member		
[NASA-CASE-MFS-20433]	c15 N72-28496	
Semiconductor transducer device		
[NASA-CASE-ERC-10087-2]	c14 N72-31446	
Insert facing tool		
[NASA-CASE-MFS-21485-1]	c15 N72-31490	
Coaxial high density, hypervelocity plasma generator and accelerator with ionizable metal disc		
[NASA-CASE-MFS-20589]	c25 N72-32688	
Process for the preparation of brushite crystals		
[NASA-CASE-ERC-10338]	c04 N72-33072	
Adjustable force probe		
[NASA-CASE-MFS-20760]	c14 N72-33377	
Conductive elastomeric extensometer		
[NASA-CASE-MFS-21049-1]	c14 N73-11405	
Steady state thermal radiometer		
[NASA-CASE-MFS-21108-1]	c14 N73-12455	
Polyimide resin-fiberglass cloth laminates for printed circuit boards		
[NASA-CASE-MFS-20408]	c18 N73-12604	
Differential pressure control		
[NASA-CASE-MFS-14216]	c14 N73-13418	
Redundant hydraulic control system for actuators		
[NASA-CASE-MFS-20944]	c15 N73-13466	
Device and method for determining X ray reflection efficiency of optical surfaces		
[NASA-CASE-MFS-20243]	c23 N73-13662	
Battery testing device		
[NASA-CASE-MFS-20761-1]	c03 N73-17037	
Strain gauge ambiguity sensor for segmented mirror active optical system		
[NASA-CASE-MFS-20506-1]	c14 N73-17563	
A leak detector		
[NASA-CASE-MFS-21761-1]	c14 N73-18444	
Process for making diamonds		
[NASA-CASE-MFS-20698-2]	c15 N73-19457	
Test stand system for vacuum chambers		
[NASA-CASE-MFS-21362]	c11 N73-20267	
Material fatigue testing system		
[NASA-CASE-MFS-20673]	c14 N73-20476	

- Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c20 N73-21523
- Electronic optical transfer function analyzer
[NASA-CASE-MFS-21672-1] c23 N73-22630
- Sprag solenoid brake
[NASA-CASE-MFS-21846-1] c15 N73-23552
- System for depositing thin films
[NASA-CASE-MFS-20775-1] c26 N73-23770
- Ratemeter
[NASA-CASE-MFS-20418] c14 N73-24473
- Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c05 N73-25125
- Maxometers (peak wind speed anemometers)
[NASA-CASE-MFS-20916] c14 N73-25460
- Stable supply oscillator
[NASA-CASE-MFS-21698-1] c09 N73-26196
- Electrostatic measurement system
[NASA-CASE-MFS-22129-1] c09 N73-26197
- Self-energized plasma compressor
[NASA-CASE-MFS-22145-1] c25 N73-26721
- Monitoring deposition of films
[NASA-CASE-MFS-20675] c26 N73-26751
- Docking structure for spacecraft
[NASA-CASE-MFS-20863] c31 N73-26876
- Wide temperature range electronic device with lead attachment
[NASA-CASE-ERC-10224-2] c09 N73-27150
- Restraint system for ergometer
[NASA-CASE-MFS-21046-1] c14 N73-27377
- Multilayer focusing collimator
[NASA-CASE-MFS-20932-1] c14 N73-27380
- Apparatus and method for skin packaging articles
[NASA-CASE-MFS-20855] c15 N73-27405
- Ergometer
[NASA-CASE-MFS-21109-1] c05 N73-27941
- Tilting table for ergometer and for other biomedical devices
[NASA-CASE-MFS-21010-1] c05 N73-30078
- Ultrasonic bone densitometer
[NASA-CASE-MFS-20994-1] c05 N73-30090
- Measurement system
[NASA-CASE-MFS-20658-1] c14 N73-30386
- Collimator of multiple plates with axially aligned identical random arrays of apertures
[NASA-CASE-MFS-20546-2] c14 N73-30389
- Automatically operable self-leveling load table
[NASA-CASE-MFS-22039-1] c14 N73-30428
- Holographic thin film analyzer
[NASA-CASE-MFS-20823-1] c16 N73-30476
- Holographic system for nondestructive testing
[NASA-CASE-MFS-21704-1] c16 N73-30478
- Semiconductor surface protection material
[NASA-CASE-ERC-10339-1] c18 N73-30532
- Remote fire stack igniter
[NASA-CASE-MFS-21675-1] c33 N73-31826
- Polymerizable disiloxanes having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979-2] c06 N73-32030
- Redundant speed control for brushless Hall effect motor
[NASA-CASE-MFS-20207-1] c09 N73-32107
- Induction motor control system with voltage controlled oscillator circuit
[NASA-CASE-MFS-21465-1] c10 N73-32145
- Hole cutter
[NASA-CASE-MFS-22649-1] c15 N73-32376
- Synthesis of superconducting compounds by explosive compaction of powders
[NASA-CASE-MFS-20861-1] c18 N73-32437
- Remote manipulator system
[NASA-CASE-MFS-22022-1] c05 N74-10099
- Orthotic arm joint
[NASA-CASE-MFS-21611-1] c05 N74-10100
- Ultrasonic scanner for radial and flat panels
[NASA-CASE-MFS-20335-1] c14 N74-10415
- Ergometer calibrator
[NASA-CASE-MFS-21045-1] c14 N74-11288
- Digital computing cardiometer
[NASA-CASE-MFS-20284-1] c05 N74-12778
- Integrated circuit package with lead structure and method of preparing the same
[NASA-CASE-MFS-21374-1] c10 N74-12951
- Vee-notching device
[NASA-CASE-MFS-20730-1] c14 N74-13131
- Pseudo-noise test set for communication system evaluation
[NASA-CASE-MFS-22671-1] c14 N74-13146
- A variable frequency inverter for ac induction motors with torque, speed and braking control
[NASA-CASE-MFS-22088-1] c09 N74-13894
- Solar energy power system
[NASA-CASE-MFS-21628-1] c29 N74-14496
- Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c15 N74-15130
- Method and apparatus for checking the stability of a setup for making reflection type holograms
[NASA-CASE-MFS-21455-1] c16 N74-15146
- Method and apparatus for nondestructive testing
[NASA-CASE-MFS-21233-1] c23 N74-15395
- Real time moving scene holographic camera system
[NASA-CASE-MFS-21087-1] c14 N74-17153
- Nonflammable coating compositions
[NASA-CASE-MFS-20486-2] c18 N74-17283
- Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c05 N74-17853
- Electrostatic entrained material measurement system
[NASA-CASE-MFS-22128-2] c14 N74-18098
- Apparatus for calibrating an image dissector tube
[NASA-CASE-MFS-22208-1] c14 N74-18100
- Omnidirectional wheel
[NASA-CASE-MFS-21309-1] c15 N74-18125
- Reinforced polyquinoxaline gasket and method of preparing the same
[NASA-CASE-MFS-21364-1] c15 N74-18126
- Manual actuator
[NASA-CASE-MFS-21481-1] c15 N74-18127
- Testing device using X-ray lasers
[NASA-CASE-MFS-22409-1] c16 N74-18153
- Cryogenic gyroscope housing
[NASA-CASE-MFS-21136-1] c23 N74-18323
- Thermoelectric power system
[NASA-CASE-MFS-22002-1] c03 N74-18726
- Two stage light gas plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c11 N74-18891
- A panel for selectively absorbing solar thermal energy and the method for manufacturing the panel
[NASA-CASE-MFS-22562-1] c03 N74-19700
- Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c07 N74-19790
- Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver
[NASA-CASE-MFS-21470-1] c10 N74-19870
- A space vehicle
[NASA-CASE-MFS-22734-1] c31 N74-20541
- Reduced gravity fecal collector seat and urinal
[NASA-CASE-MFS-22102-1] c05 N74-20725
- Metabolic analyzer
[NASA-CASE-MFS-21415-1] c05 N74-20728
- Automatic quadrature control and measuring system
[NASA-CASE-MFS-21660-1] c14 N74-21017
- Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c15 N74-21058

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. PASADENA OFFICE, CALIF.

- Phase control circuits using frequency multiplications for phased array antennas
[NASA-CASE-ERC-10285] c10 N73-16206
- Method of forming difunctional polyisobutylene
[NASA-CASE-NPO-10893] c27 N73-22710
- Radiation and particle detector and amplifier
[NASA-CASE-NPO-12128-1] c14 N73-32317
- Expandable space frames
[NASA-CASE-ERC-10365-1] c31 N73-32749
- Use of thin film light detector
[NASA-CASE-NPO-11432-2] c14 N74-15090
- Temperature compensated digital inertial sensor
[NASA-CASE-NPO-13044-1] c14 N74-15094
- Compact hydrogenator
[NASA-CASE-NPO-11682-1] c15 N74-15127
- Short range laser obstacle detector
[NASA-CASE-NPO-11856-1] c16 N74-15145
- Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c07 N74-15838
- Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c16 N74-16187
- An improved heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c05 N74-17858
- Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c08 N74-17911
- System for stabilizing cable phase delay utilizing a coaxial cable under pressure

[NASA-CASE-NPO-13138-1]	c09 N74-17927	Auditory display for the blind	c14 N74-21014
Banded transformer cores		[NASA-CASE-HQN-10832-1]	
[NASA-CASE-NPO-11966-1]	c09 N74-17928	NATIONAL BUREAU OF STANDARDS, BOULDER, COLO.	
Motor run-up system		Densitometer Patent	
[NASA-CASE-NPO-13374-1]	c10 N74-17949	[NASA-CASE-XLE-00688]	c14 N70-41330
Inverter ratio failure detector		NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION,	
[NASA-CASE-NPO-13160-1]	c14 N74-18090	BOULDER, COLO.	
Wide angle sun sensor		Determining distance to lightning strokes from a	
[NASA-CASE-NPO-13327-1]	c14 N74-18093	single station	
Heat transfer device		[NASA-CASE-KSC-10698]	c07 N73-20175
[NASA-CASE-NPO-11120-1]	c33 N74-18552	NATIONAL RESEARCH CORP., CAMBRIDGE, MASS.	
Symmetrical odd-modulus frequency divider		Gauge calibration by diffusion	
[NASA-CASE-NPO-13426-1]	c09 N74-18869	[NASA-CASE-XGS-07752]	c14 N73-30390
Servo-controlled intravital microscope system		Ultrahigh vacuum measuring ionization gauge	
[NASA-CASE-NPO-13214-1]	c14 N74-19093	[NASA-CASE-XLA-05087]	c14 N73-30391
Method of forming a wick for a heat pipe		Apparatus for absolute pressure measurement	
[NASA-CASE-NPO-13391-1]	c33 N74-19584	[NASA-CASE-LAR-10000]	c14 N73-30394
Storage battery comprising negative plates of a		Ultrahigh vacuum gauge having two collector	
wedge shaped configuration		electrodes	
[NASA-CASE-NPO-11806-1]	c03 N74-19693	[NASA-CASE-LAR-02743]	c14 N73-32324
Heat operated cryogenic electrical generator		NORTH AMERICAN AVIATION, INC., CANOGA PARK, CALIF.	
[NASA-CASE-NPO-13303-1]	c03 N74-19701	Method of joining aluminum to stainless steel	
Electric power generation system directly from		Patent	
laser power		[NASA-CASE-MFS-07369]	c15 N71-20443
[NASA-CASE-NPO-13308-1]	c03 N74-19702	Propellant mass distribution metering apparatus	
Gated compressor, distortionless signal limiter		Patent	
[NASA-CASE-NPO-11820-1]	c07 N74-19788	[NASA-CASE-NPO-10185]	c10 N71-26339
Asynchronous, multiplexing, single line		Safety-type locking pin	
transmission and recovery data system		[NASA-CASE-HFS-18495]	c15 N72-11385
[NASA-CASE-NPO-13321-1]	c07 N74-19806	Hydrogen fire detection system with logic	
Apparatus for scanning the surface of a		circuit to analyze the spectrum of temporal	
cylindrical body		variations of the optical spectrum	
[NASA-CASE-NPO-11861-1]	c14 N74-20009	[NASA-CASE-MFS-13130]	c10 N72-17173
A doped Josephson tunneling junction for use in		NORTH AMERICAN AVIATION, INC., DOWNEY, CALIF.	
a sensitive IR detector		Heat shield oven	
[NASA-CASE-NPO-13348-1]	c14 N74-20022	[NASA-CASE-XMS-04318]	c15 N69-27871
Ultrasonically bonded valve assembly		Extensible cable support Patent	
[NASA-CASE-NPO-13360-1]	c15 N74-20073	[NASA-CASE-XMF-07587]	c15 N71-18701
Prevention of hydrogen embrittlement of high		High pressure air valve Patent	
strength steel		[NASA-CASE-MSC-11010]	c15 N71-19485
[NASA-CASE-NPO-12122-1]	c27 N74-20397	Load relieving device Patent	
Decision feedback loop for tracking a polyphase		[NASA-CASE-XMS-06329-1]	c15 N71-20441
modulated carrier		Optical projector system Patent	
[NASA-CASE-NPO-13103-1]	c07 N74-20811	[NASA-CASE-XNP-03853]	c23 N71-21882
Optically actuated two position mechanical mover		Brazing alloy Patent	
[NASA-CASE-NPO-13105-1]	c15 N74-21060	[NASA-CASE-XNP-03063]	c17 N71-23365
Flow control valve		Vibrophonocardiograph Patent	
[NASA-CASE-NPO-11951-1]	c15 N74-21065	[NASA-CASE-XFR-07172]	c05 N71-27234
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION,		NORTH AMERICAN AVIATION, INC., EL SEGUNDO, CALIF.	
WESTERN OPERATIONS OFFICE, SANTA MONICA, CALIF.		Aerodynamic spike nozzle Patent	
Automatic pump Patent		[NASA-CASE-IGS-01143]	c31 N71-15647
[NASA-CASE-XNP-04731]	c15 N71-24042	Expanding center probe and drogue Patent	
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION,		[NASA-CASE-XMS-03613]	c31 N71-16346
WASHINGTON, D.C.		Radio frequency shielded enclosure Patent	
Optical spin compensator		[NASA-CASE-XMF-09422]	c07 N71-19436
[NASA-CASE-XGS-02401]	c14 N69-27485	High impedance measuring apparatus Patent	
Waveguide mixer		[NASA-CASE-XMS-08589-1]	c09 N71-20569
[NASA-CASE-ERC-10179]	c07 N72-20141	Latching mechanism Patent	
Semiconductor-ferroelectric memory device		[NASA-CASE-XMS-03745]	c15 N71-21076
[NASA-CASE-ERC-10307]	c08 N72-21198	Tube dimpling tool Patent	
Shielded cathode mode bulk effect devices		[NASA-CASE-XMS-06876]	c15 N71-21536
[NASA-CASE-ERC-10119]	c26 N72-21701	Positive locking check valve Patent	
Fabrication of single crystal film semiconductor		[NASA-CASE-XMS-09310]	c15 N71-22706
devices		Etching of aluminum for bonding Patent	
[NASA-CASE-ERC-10222]	c09 N72-22199	[NASA-CASE-XMF-02303]	c17 N71-23828
Two color horizon sensor		Method and apparatus for varying thermal	
[NASA-CASE-ERC-10174]	c14 N72-25409	conductivity Patent	
Ultraviolet atomic emission detector		[NASA-CASE-XNP-05524]	c33 N71-24876
[NASA-CASE-HQN-10756-1]	c14 N72-25428	Purge device for thrust engines Patent	
Optical pump and driver system for lasers		[NASA-CASE-XMS-04826]	c28 N71-28849
[NASA-CASE-ERC-10283]	c16 N72-25485	Method and construction for protecting heat	
Clear air turbulence detector		sensitive bodies from thermal radiation and	
[NASA-CASE-ERC-10081]	c14 N72-28437	convective heat Patent	
Head-up attitude display		[NASA-CASE-XNP-01310]	c33 N71-28852
[NASA-CASE-ERC-10392]	c21 N73-14692	Propellant tank pressurization system Patent	
System for indicating direction of intruder		[NASA-CASE-XNP-00650]	c27 N71-28929
aircraft		Spherical shield Patent	
[NASA-CASE-ERC-10226-1]	c14 N73-16483	[NASA-CASE-INP-01855]	c15 N71-28937
Aircraft control system		Universal restrainer and joint Patent	
[NASA-CASE-ERC-10439]	c02 N73-19004	[NASA-CASE-XNP-02278]	c15 N71-28951
Display system		Method and device for cooling Patent	
[NASA-CASE-ERC-10350]	c14 N73-20474	[NASA-CASE-HQN-00938]	c33 N71-29053
Method and apparatus for measuring solar		NORTH AMERICAN AVIATION, INC., LOS ANGELES, CALIF.	
activity and atmospheric radiation effects		Method and system for respiration analysis Patent	
[NASA-CASE-ERC-10276]	c14 N73-26432	[NASA-CASE-XFR-08403]	c05 N71-11202
Doppler shift system		NORTH AMERICAN AVIATION, INC., TORRANCE, CALIF.	
[NASA-CASE-HQN-10740-1]	c24 N74-19310	Method and apparatus for detection and location	
Laser system with an antiresonant optical ring		of microleaks Patent	
[NASA-CASE-HQN-10844-1]	c16 N74-20118	[NASA-CASE-XMF-02307]	c14 N71-10779

NORTH AMERICAN ROCKWELL CORP., CANOGA PARK, CALIF.

Noncontaminating swabs
[NASA-CASE-MFS-18100] c15 N72-11390
Observation window for a gas confining chamber
[NASA-CASE-NPO-10890] c11 N73-12265
Droplet monitoring probe
[NASA-CASE-NPO-10985] c14 N73-20478
Circuit board package with wedge shaped covers
[NASA-CASE-MFS-21919-1] c10 N73-25243

NORTH AMERICAN ROCKWELL CORP., DOWNEY, CALIF.

Spacecraft Patent
[NASA-CASE-MSC-13047-1] c31 N71-25434
Latching mechanism Patent
[NASA-CASE-MSC-15474-1] c15 N71-26162
Dye penetrant for surfaces subsequently contacted by liquid oxygen Patent
[NASA-CASE-XMF-02221] c18 N71-27170
Frangible link
[NASA-CASE-MSC-11849-1] c15 N72-22488
Impact monitoring apparatus
[NASA-CASE-MSC-15626-1] c14 N72-25411
Bonding or repairing process
[NASA-CASE-MSC-12357] c15 N73-12489
Self-cycling fluid heater
[NASA-CASE-MSC-15567-1] c33 N73-16918
Aircraft-mounted crash-activated radio device
[NASA-CASE-MFS-16609-2] c07 N73-31084
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c10 N74-14956
Apparatus for remote handling of materials
[NASA-CASE-LAR-10634-1] c15 N74-18123

NORTH AMERICAN ROCKWELL CORP., EL SEGUNDO, CALIF.

Apparatus for testing wiring harness by vibration generating means
[NASA-CASE-MSC-15158-1] c14 N72-17325

NORTH AMERICAN ROCKWELL CORP., LOS ANGELES, CALIF.

Tactile sensing means for prosthetic limbs
[NASA-CASE-MFS-16570-1] c05 N73-32013

NORTH CAROLINA STATE UNIV., RALEIGH,

Thermal shock resistant hafnia ceramic material
[NASA-CASE-LAR-10894-1] c18 N73-14584

NORTHEASTERN UNIV., BOSTON, MASS.

Pulse-width modulation multiplier Patent
[NASA-CASE-XER-09213] c07 N71-12390

NORTROP CORP., HAWTHORNE, CALIF.

Shock tube bypass piston tunnel
[NASA-CASE-NPO-12109] c11 N72-22245

NORTROP NORTRONICS, PALOS VERDES PENINSULA, CALIF.

Method of making dry electrodes
[NASA-CASE-FRC-10029-2] c05 N72-25121

Valve Seat
[NASA-CASE-NPO-10606] c15 N72-25451

NORTROP SPACE LABS., HAWTHORNE, CALIF.

Method of evaluating moisture barrier properties of encapsulating materials Patent
[NASA-CASE-NPO-10051] c18 N71-24934

NORTRONICS, PALOS VERDES PENINSULA, CALIF.

Flexible conductive disc electrode Patent
[NASA-CASE-FRC-10029] c09 N71-24618

Gas low pressure low flow rate metering system Patent
[NASA-CASE-FRC-10022] c12 N71-26546

Method of removing insulated material from insulated wires
[NASA-CASE-FRC-10038] c15 N72-20444

NOTRE DAME UNIV., IND.

Synthesis of polymeric schiff bases by schiff-base exchange reactions Patent
[NASA-CASE-XMF-08651] c06 N71-11236

Direct synthesis of polymeric schiff bases from two amines and two aldehydes Patent
[NASA-CASE-XMF-08655] c06 N71-11239

Azine polymers and process for preparing the same Patent
[NASA-CASE-XMF-08656] c06 N71-11242

Synthesis of polymeric schiff bases by reaction of acetals and amine compounds Patent
[NASA-CASE-XMF-08652] c06 N71-11243

Aromatic diamine-aromatic dialdehyde high molecular weight Schiff base polymers prepared in a monofunctional Schiff base Patent
[NASA-CASE-XMF-03074] c06 N71-24740

P

PACKARD-BELL ELECTRONICS CORP., NEWBURY PARK, CALIF.

Optical alignment system Patent
[NASA-CASE-XNP-02029] c14 N70-41955

PANAUORA CORP., PENNSAUKEN, N.J.

Method of forming transparent films of ZnO
[NASA-CASE-FRC-10019] c15 N73-12487

PENINSULAR CHEMRESEARCH, INC., GAINESVILLE, FLA.

Hydroxy terminated perfluoro ethers Patent
[NASA-CASE-NPO-10768] c06 N71-27254

Perfluoro polyether acyl fluorides
[NASA-CASE-NPO-10765] c06 N72-20121

Polyurethane resins from hydroxy terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c06 N72-27144

Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-2] c06 N72-27151

Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c06 N73-33076

PHILCO-FORD CORP., HOUSTON, TEX.

Frequency modulation demodulator threshold extension device Patent
[NASA-CASE-MSC-12165-1] c07 N71-33696

PHILCO-FORD CORP., NEWPORT BEACH, CALIF.

Mechanically extendible telescoping boom
[NASA-CASE-NPO-11118] c03 N72-25021

PHILCO-FORD CORP., PALO ALTO, CALIF.

Composite antenna feed
[NASA-CASE-GSC-11046-1] c07 N73-28013

Amplitude steered array
[NASA-CASE-GSC-11446-1] c09 N74-20860

PRATT AND WHITNEY AIRCRAFT, EAST HARTFORD, CONN.

Liquid-gas separation system Patent
[NASA-CASE-XMS-01624] c15 N70-40062

Vibration damping system Patent
[NASA-CASE-XMS-01620] c23 N71-15673

Vapor pressure measuring system and method Patent
[NASA-CASE-XMS-01618] c14 N71-20741

Sealing member and combination thereof and method of producing said sealing member Patent
[NASA-CASE-XMS-01625] c15 N71-23022

Q

QUANTUM DYNAMICS, TARZANA, CALIF.

Respiratory analysis system and method
[NASA-CASE-MSC-13436-1] c05 N73-32015

R

RADIATION INSTRUMENT DEVELOPMENT LAB., INC.,

MELROSE PARK, ILL.

High speed binary to decimal conversion system Patent
[NASA-CASE-XGS-01230] c08 N71-19544

RADIATION SYSTEMS, INC., MCLEAN, VA.

Monopulse tracking system Patent
[NASA-CASE-XGS-01155] c10 N71-21483

RADIATION, INC., MELBOURNE, FLA.

Remote platform power conserving system
[NASA-CASE-GSC-11182-1] c31 N73-32769

RADIO CORP. OF AMERICA, LANCASTER, PA.

Bonding graphite with fused silver chloride
[NASA-CASE-XGS-00963] c15 N69-39735

RADIO CORP. OF AMERICA, NEW YORK.

Water cooled contactor for anode in carbon arc mechanism
[NASA-CASE-XMS-03700] c15 N69-24266

Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c09 N69-24318

Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c07 N69-24323

Radiation resistant silicon semiconductor devices Patent
[NASA-CASE-XGS-07801] c09 N71-12513

GaAs solar detector using manganese as a doping agent Patent
[NASA-CASE-XNP-01328] c26 N71-18064

Thermocouple assembly Patent
[NASA-CASE-XNP-01659] c14 N71-23039

Method of erasing target material of a vidicon tube or the like Patent
[NASA-CASE-XNP-06028] c09 N71-23189

Transient augmentation circuit for pulse amplifiers Patent
[NASA-CASE-XNP-01068] c10 N71-28739

RADIO CORP. OF AMERICA, PRINCETON, N.J.

Connector strips-positive, negative and T tabs
[NASA-CASE-XGS-01395] c03 N69-21539

Solar cell including second surface mirrors Patent
[NASA-CASE-NPO-10109] c03 N71-11049

Collapsible reflector Patent
[NASA-CASE-XMS-03454] c09 N71-20658

Simple method of making photovoltaic junctions Patent
[NASA-CASE-XNP-01960] c09 N71-23027

Method of electrolytically binding a layer of semiconductors together Patent
[NASA-CASE-XNP-01959] c26 N71-23043

Method and apparatus for distillation of liquids Patent
[NASA-CASE-XNP-08124] c15 N71-27184

Maximum power point tracker Patent
[NASA-CASE-GSC-10376-1] c14 N71-27407

Method of changing the conductivity of vapor deposited gallium arsenide by the introduction of water into the vapor deposition atmosphere Patent
[NASA-CASE-XNP-01961] c26 N71-29156

Radial heat flux transformer
[NASA-CASE-NPO-10828] c33 N72-17948

Target acquisition antenna
[NASA-CASE-GSC-10064-1] c10 N72-22235

Method for distillation of liquids
[NASA-CASE-XNP-08124-2] c06 N73-13129

Hermetically sealed semiconductor
[NASA-CASE-GSC-10791-1] c15 N73-14469

Thermal flux transfer system
[NASA-CASE-NPO-12070-1] c28 N73-32606

Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly
[NASA-CASE-GSC-11560-1] c09 N74-20861

RAND CORP., SANTA ROSA, CALIF.
Satellite communication system Patent
[NASA-CASE-XNP-02389] c07 N71-28900

DAYMOND ENGINEERING LAB., INC., MIDDLETOWN, CONN.
Synchronous servo loop control system Patent
[NASA-CASE-NXP-03744] c10 N71-20448

RAITHBON CO., SUDBURY, MASS.
Laser Doppler system for measuring three dimensional vector velocity Patent
[NASA-CASE-NFS-20386] c21 N71-19212

RCA SERVICE CO., INC., CHADEN, N.J.
Apparatus for inspecting microfilm Patent
[NASA-CASE-NFS-20240] c14 N71-26788

REESSELAER POLYTECHNIC INST., TROY, N.Y.
Coincidence apparatus for detecting particles
[NASA-CASE-XLA-07813] c14 N72-17328

RESEARCH TRIANGLE INST., DURHAM, N.C.
Semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980] c09 N69-27422

ROCHESTER UNIV., N.Y.
Concave grating spectrometer Patent
[NASA-CASE-XGS-01036] c14 N70-40003

ROCKETDYNE, CANOGA PARK, CALIF.
Frequency to analog converter Patent
[NASA-CASE-XNP-07040] c08 N71-12500

Load cell protection device Patent
[NASA-CASE-XMS-06782] c32 N71-15974

Thermobulb mount Patent
[NASA-CASE-NPO-10158] c33 N71-16356

Laminar flow enhancement Patent
[NASA-CASE-NPO-10122] c12 N71-17631

Temperature sensitive flow regulator Patent
[NASA-CASE-NFS-14259] c15 N71-19213

Hydrogen leak detection device Patent
[NASA-CASE-NFS-11537] c14 N71-20442

Technique of elbow bending small jacketed transfer lines Patent
[NASA-CASE-XNP-10475] c15 N71-24679

Gas liquefaction and dispensing apparatus Patent
[NASA-CASE-NPO-10070] c15 N71-27372

Locking device for turbine rotor blades Patent
[NASA-CASE-XNP-00816] c28 N71-28928

Laser camera and diffusion filter therefor Patent
[NASA-CASE-NPO-10417] c16 N71-33410

Hydrazinium nitroformate propellant stabilized with nitroguanidine
[NASA-CASE-NPO-12000] c27 N72-25699

Heat flow calorimeter
[NASA-CASE-GSC-11434-1] c14 N72-27430

Hydrazinium nitroformate propellant with saturated polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c27 N73-16764

Novel polymers and method of preparing same
[NASA-CASE-NPO-10998-1] c06 N73-32029

BOPH CORP., CHULA VISTA, CALIF.
Method of forming shapes from planar sheets of thermosetting materials

[NASA-CASE-NPO-11036] c15 N72-24522

ROYAL AIRCRAFT ESTABLISHMENT, FARNBOROUGH (ENGLAND).
Garments for controlling the temperature of the body Patent
[NASA-CASE-XMS-10269] c05 N71-24147

RYAN AERONAUTICAL CO., SAN DIEGO, CALIF.
Ring deployment method and apparatus Patent
[NASA-CASE-XMS-00907] c02 N70-41630

Masking device Patent
[NASA-CASE-XNP-02092] c15 N70-42033

S

SANDERS ASSOCIATES, INC., NASHUA, N.H.
Increasing efficiency of switching type regulator circuits Patent
[NASA-CASE-XMS-09352] c09 N71-23316

SARBIA CORP., ALBUQUERQUE, N.MEX.
Formaldehyde base disinfectants
[NASA-CASE-NPO-12115-1] c06 N73-17153

SANTA CLARA UNIV., CALIF.
Reversed cowl flap inlet thrust augmentor
[NASA-CASE-ARC-10754-1] c28 N73-32624

System for measuring drag forces in a turbulently flowing fluid
[NASA-CASE-ARC-10755-1] c14 N74-14115

SCHJELDahl (G. T.) CO., NORTHFIELD, MINN.
Rotating mandrel for assembly of inflatable devices Patent
[NASA-CASE-XLA-04143] c15 N71-17687

Traveling sealer for contoured table Patent
[NASA-CASE-XLA-01494] c15 N71-24164

SINGER-GENERAL PRECISION, INC., BINGHAMTON, N.Y.
CRT blanking and brightness control circuit
[NASA-CASE-KSC-10647-1] c10 N72-31273

SMITH ELECTRONICS, INC., CLEVELAND, OHIO.
Phase detector assembly Patent
[NASA-CASE-XMF-00701] c09 N70-40272

SMITHSONIAN ASTROPHYSICAL OBSERVATORY, CAMBRIDGE, MASS.
Atomic hydrogen maser with bulb temperature control to remove wall shift in maser output frequency
[NASA-CASE-HQN-10654-1] c16 N73-13489

Tunable cavity resonator with ramp shaped supports
[NASA-CASE-HQN-10790-1] c16 N74-11313

SOLID STATE RADIATIONS, INC., LOS ANGELES, CALIF.
Biomedical radiation detecting probe Patent
[NASA-CASE-XMS-01177] c05 N71-19440

SPACE SCIENCES, INC., WATICK, MASS.
Doppler shift system
[NASA-CASE-HQN-10740-1] c24 N72-28719

SPACE SCIENCES, INC., WALTHAM, MASS.
Doppler shift system
[NASA-CASE-HQN-10740-1] c24 N74-19310

SPACE TECHNOLOGY LABS., INC., REDONDO BEACH, CALIF.
Method and apparatus for measuring potentials in plasmas Patent
[NASA-CASE-XLE-00821] c25 N71-15650

AC logic flip-flop circuits Patent
[NASA-CASE-XGS-00823] c10 N71-15910

Apparatus for field strength measurement of a space vehicle Patent
[NASA-CASE-XLE-00820] c14 N71-16014

Hermetically sealed explosive release mechanism Patent
[NASA-CASE-IGS-00824] c15 N71-16078

Apparatus for measuring electric field strength on the surface of a model vehicle Patent
[NASA-CASE-XLE-02038] c09 N71-16086

Solar cell mounting Patent
[NASA-CASE-XNP-00826] c03 N71-20895

Prestressed refractory structure Patent
[NASA-CASE-XNP-02888] c18 N71-21068

Linear accelerator frequency control system Patent
[NASA-CASE-XGS-05441] c10 N71-22962

Fluid lubricant system Patent
[NASA-CASE-XNP-03972] c15 N71-23088

Compensating bandwidth switching transients in an amplifier circuit Patent
[NASA-CASE-XNP-01107] c10 N71-28859

SPACELABS, INC., VAN NUYS, CALIF.
Peak polarity selector Patent
[NASA-CASE-FRC-10010] c10 N71-24862

Respiration monitor
[NASA-CASE-FRC-10012] c14 N72-17329

SPACO, INC., HUNTSVILLE, ALA.
Sight switch using an infrared source and sensor Patent

[NASA-CASE-XNP-03934] c09 N71-22985
Method and device for detecting voids in low density material Patent
[NASA-CASE-MFS-20044] c14 N71-28993
SPECTRA-PHYSICS, INC., MOUNTAIN VIEW, CALIF.
Optically pumped resonance magnetometer for determining vectoral components in a spatial coordinate system Patent
[NASA-CASE-XGS-04879] c14 N71-20428
SPECTROLAB, INC., SYLMAR, CALIF.
Ultraviolet filter
[NASA-CASE-XNP-02340] c23 N69-24332
Central spar and module joint Patent
[NASA-CASE-XNP-02341] c15 N71-21531
Apparatus for applying cover slides
[NASA-CASE-NPO-10575] c03 N72-25019
SPERRY CYROSCOPE CO., GREAT NECK, N.Y.
Automatic gain control system
[NASA-CASE-XMS-05307] c09 N69-24330
SPERRY RAND CORP., BLUE BELL, PA.
Flipflop interrogator and bi-polar current driver Patent
[NASA-CASE-XGS-03058] c10 N71-19547
SPERRY RAND CORP., HUNTSVILLE, ALA.
Optical tracking mount Patent
[NASA-CASE-MFS-14017] c14 N71-26627
Collapsible antenna boom and transmission line Patent
[NASA-CASE-MFS-20068] c07 N71-27191
Device for handling printed circuit cards Patent
[NASA-CASE-MFS-20453] c15 N71-29133
A device for configuring multiple leads
[NASA-CASE-MFS-22133-1] c15 N73-18473
Frequency division multiplex technique
[NASA-CASE-KSC-10521] c07 N73-20176
An improved system for enhancing tool exchange capabilities of a portable wrench
[NASA-CASE-MFS-22283-1] c15 N73-30462
SPERRY RAND CORP., PHOENIX, ARIZ.
Isolation coupling arrangement for a torque measuring system
[NASA-CASE-XLA-04897] c15 N72-22482
STANFORD RESEARCH INST., MENLO PARK, CALIF.
Automatic fault correction system for parallel signal channels Patent
[NASA-CASE-XNP-03263] c09 N71-18843
Mercury capillary interrupter Patent
[NASA-CASE-XNP-02251] c12 N71-20896
Magnetic power switch Patent
[NASA-CASE-NPO-10242] c09 N71-24803
Procedure and apparatus for determination of water in nitrogen tetroxide
[NASA-CASE-NPO-10234] c06 N72-17094
STANFORD UNIV., CALIF.
Active RC networks
[NASA-CASE-ABC-10042-2] c10 N72-11256
Multiloop RC active filter apparatus having low parameter sensitivity with low amplifier gain
[NASA-CASE-ABC-10192] c09 N72-21245
Spacecraft attitude control method and apparatus
[NASA-CASE-BQN-10439] c21 N72-21624
Laser system with an antiresonant optical ring
[NASA-CASE-BQN-10844-1] c16 N74-20118
STANFORD UNIV., PALO ALTO, CALIF.
RC networks and amplifiers employing the same
[NASA-CASE-XAC-05462-2] c10 N72-17171
STATE UNIV. OF IOWA, IOWA CITY.
Mixture separation cell Patent
[NASA-CASE-XMS-02952] c18 N71-20742
SYLVANIA ELECTRONIC SYSTEMS-CENTRAL, WILLIAMSVILLE, N.Y.
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c16 N72-13437
Altitude sensing device
[NASA-CASE-XMS-01994-1] c14 N72-17326

T

TAAG DESIGNS, INC., COLLEGE PARK, MD.
Recovery of radiation damaged solar cells through thermal annealing
[NASA-CASE-XGS-04047-2] c03 N72-11062
Phototropic composition of matter
[NASA-CASE-XGS-03736] c14 N72-22443
TECHNICOLOR, INC., PARAMUS, N.J.
Automatic lightning detection and photographic system
[NASA-CASE-KSC-10728-1] c14 N73-32319

TECHNIDYNE, INC., WEST CHESTER, PA.
Methods and apparatus employing vibratory energy for wrenching Patent
[NASA-CASE-MFS-20586] c15 N71-17686
TECHNOLOGY, INC., SAN ANTONIO, TEX.
Contourograph system for monitoring electrocardiograms
[NASA-CASE-MSC-13407-1] c10 N72-20225
Korotkov sound processor
[NASA-CASE-MSC-13999-1] c05 N72-25142
Modification of the physical properties of freeze-dried rice
[NASA-CASE-MSC-13540-1] c05 N72-33096
TELEDYNE BROWN ENGINEERING, HUNTSVILLE, ALA.
Self-recording portable soil penetrometer
[NASA-CASE-MFS-20774] c14 N73-19420
TEMPLE UNIV. RESEARCH INST., PHILADELPHIA, PA.
Barium release system
[NASA-CASE-LAR-10670-1] c06 N73-30097
TEXAS INSTRUMENTS, INC., DALLAS.
Integrated circuit including field effect transistor and cernat resistor
[NASA-CASE-GSC-10835-1] c09 N72-33205
TEXAS TECHNOLOGICAL UNIV., LUBBOCK.
Insulated electrocardiographic electrodes
[NASA-CASE-MSC-14339-1] c05 N73-21151
TRANS-SONICS, INC., LEXINGTON, MASS.
Capacitive tank gaging apparatus being independent of liquid distribution.
[NASA-CASE-MFS-21629] c14 N72-22442
TRIDENT ENGINEERING ASSOCIATES, INC., ANNAPOLIS, MD.
Spectroscope equipment using a slender cylindrical reflector as a substitute for a slit Patent
[NASA-CASE-XGS-08269] c23 N71-26206
TRW EQUIPMENT LABS., CLEVELAND, OHIO.
Pulsed energy power system Patent
[NASA-CASE-MSC-13112] c03 N71-11057
TRW SYSTEMS GROUP, REDONDO BEACH, CALIF.
Ablative resin Patent
[NASA-CASE-XLE-05913] c33 N71-14032
Passive caging mechanism Patent
[NASA-CASE-GSC-10306-1] c15 N71-24694
Multiple varactor frequency doubler Patent
[NASA-CASE-XMR-04958-1] c10 N71-26414
Booster tank system Patent
[NASA-CASE-MSC-12390] c27 N71-29155
Resonant infrasonic gauging apparatus
[NASA-CASE-MSC-11847-1] c14 N72-11363
Cosmic dust analyzer
[NASA-CASE-MSC-13802-1] c30 N72-20805
Wide range analog-to-digital converter with a variable gain amplifier
[NASA-CASE-NPO-11018] c08 N72-21200
System for preconditioning a combustible vapor
[NASA-CASE-NPO-12072] c28 N72-22772
Fail-safe multiple transformer circuit configuration
[NASA-CASE-NPO-11078] c09 N72-25262
Digital control and information system
[NASA-CASE-NPO-11016] c08 N72-31226
TRW SYSTEMS, REDONDO BEACH, CALIF.
Electromechanical actuator
[NASA-CASE-XNP-05975] c15 N69-23185
Control valve and co-axial variable injector Patent
[NASA-CASE-XNP-09702] c15 N71-17654
Multiple orifice throttle valve Patent
[NASA-CASE-XNP-09698] c15 N71-18580
Semitoroidal diaphragm cavitating valve Patent
[NASA-CASE-XNP-09704] c12 N71-18615
Electrohydrodynamic control valve Patent
[NASA-CASE-NPO-10416] c12 N71-27332
TRW, INC., REDONDO BEACH, CALIF.
Method of and device for determining the characteristics and flux distribution of micrometeorites
[NASA-CASE-NPO-12127-1] c14 N74-13130
Ultrasonically bonded valve assembly
[NASA-CASE-NPO-13360-1] c15 N74-20073
TYCO LABS., INC., WALTHAM, MASS.
Bonding thermoelectric elements to nonmagnetic refractory metal electrodes
[NASA-CASE-XGS-04554] c15 N69-39786
Segmenting lead telluride-silicon germanium thermoelements Patent
[NASA-CASE-XGS-05718] c26 N71-16037

U

UNIFIED SCIENCE ASSOCIATES, INC., PASADENA, CALIF.
Method of producing crystalline materials
[NASA-CASE-NPO-10440] c15 N72-21466

UNION CARBIDE CORP., NEW YORK.
Laser apparatus for removing material from rotating objects Patent
[NASA-CASE-HFS-11279] c16 N71-20400

UNITED AIRCRAFT CORP., EAST HARTFORD, CONN.
Supporting and protecting device Patent
[NASA-CASE-XHF-00580] c11 N70-35383

Spherical tank gauge Patent
[NASA-CASE-XHS-06236] c14 N71-21007

Omnidirectional joint Patent
[NASA-CASE-XHS-09635] c05 N71-24623

Foreshortened convolute section for a pressurized suit Patent
[NASA-CASE-XHS-09637-1] c05 N71-24730

Tertiary flow injection thrust vectoring system Patent
[NASA-CASE-HFS-20831] c28 N71-29153

Restraint torso for a pressurized suit
[NASA-CASE-HSC-12397-1] c05 N72-25119

Bonded joint and method
[NASA-CASE-LAR-10900-1] c15 N73-10499

UNITED AIRCRAFT CORP., WEST PALM BEACH, FLA.
Inherent redundancy electric heater
[NASA-CASE-HFS-21462-1] c09 N74-14935

UNITED AIRCRAFT CORP., HINDS LOCKS, CONN.
Water separating system Patent
[NASA-CASE-XMS-13052] c14 N71-20427

Method of forming a root cord restrained convolute section
[NASA-CASE-HSC-12398] c05 N72-20098

UNITED TECHNOLOGY CENTER, SUNNYVALE, CALIF.
Solid propellant liner Patent
[NASA-CASE-XNP-09744] c27 N71-16392

V

VAPOR CORP., CHICAGO, ILL.
Method and apparatus for controllably heating fluid Patent
[NASA-CASE-XHF-04237] c33 N71-16278

VARIAN ASSOCIATES, PALO ALTO, CALIF.
High power-high voltage waterload Patent
[NASA-CASE-XNP-05381] c09 N71-20842

VIRGINIA UNIV., CHARLOTTESVILLE.
Depositing semiconductor films utilizing a thermal gradient
[NASA-CASE-XKS-04614] c15 N69-21460

Active microwave irises and windows
[NASA-CASE-LAR-10513-1] c07 N72-25170

Thin film microwave iris
[NASA-CASE-LAR-10511-1] c09 N72-29172

W

WEBER AIRCRAFT CORP., BURBANK, CALIF.
Articulated multiple couch assembly Patent
[NASA-CASE-HSC-11253] c05 N71-12343

Device for separating occupant from an ejection seat Patent
[NASA-CASE-XMS-04625] c05 N71-20718

Collapsible Apollo couch
[NASA-CASE-HSC-13140] c05 N72-11085

WESTINGHOUSE ELECTRIC CORP., BALTIMORE, MD.
Broadband choke for antenna structure
[NASA-CASE-XHS-05303] c07 N69-27462

Electronic background suppression method and apparatus for a field scanning sensor
[NASA-CASE-XGS-05211] c07 N69-39980

WESTINGHOUSE ELECTRIC CORP., HUNTSVILLE, ALA.
Solid state television camera system Patent
[NASA-CASE-XHF-06092] c07 N71-24612

Phototransistor
[NASA-CASE-HFS-20407] c09 N73-19235

WESTINGHOUSE ELECTRIC CORP., LINN, OHIO.
Transistor drive regulator Patent
[NASA-CASE-LBU-10233] c10 N71-27126

WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA.
Linear sawtooth voltage-wave generator employing transistor timing circuit having capacitor-zener diode combination feedback Patent
[NASA-CASE-XHS-01315] c09 N70-41675

Thermal conductive connection and method of baking same Patent
[NASA-CASE-XHS-02087] c09 N70-41717

Gas cooled high temperature thermocouple Patent
[NASA-CASE-XLE-09475-1] c33 N71-15568

High resolution developing of photosensitive resists Patent
[NASA-CASE-XGS-04993] c14 N71-17574

Regulated power supply Patent
[NASA-CASE-XHS-01991] c09 N71-21449

Pulse modulator providing fast rise and fall times Patent
[NASA-CASE-XHS-04919] c09 N71-23270

Extended area semiconductor radiation detectors and a novel readout arrangement Patent
[NASA-CASE-XGS-03230] c14 N71-23401

Frequency shift keying apparatus Patent
[NASA-CASE-XGS-01537] c07 N71-23405

Phase locked phase modulator including a voltage controlled oscillator Patent
[NASA-CASE-XNP-05382] c10 N71-23544

Bearing and gimbal lock mechanism and spiral flex lead module Patent
[NASA-CASE-GSC-10556-1] c31 N71-26537

Multiple slope sweep generator Patent
[NASA-CASE-XHS-03542] c09 N71-28926

Self-adjusting multisegment, deployable, natural circulation radiator Patent
[NASA-CASE-XHQ-03673] c33 N71-29046

Thermally cascaded thermoelectric generator
[NASA-CASE-NPO-10753] c03 N72-26031

Phototransistor imaging system
[NASA-CASE-HFS-20809] c23 N73-13660

Demodulator for carrier transducers
[NASA-CASE-HUC-10107-1] c09 N74-17930

Heat transfer device
[NASA-CASE-NPO-11120-1] c33 N74-18552

Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c33 N74-19584

Amplitude steered array
[NASA-CASE-GSC-11446-1] c09 N74-20860

Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEH-10698-1] c15 N74-21063

WESTINGHOUSE RESEARCH LABS., PITTSBURGH, PA.
Millimeter wave pumped parametric amplifier
[NASA-CASE-GSC-11617-1] c09 N74-10200

WESTON INSTRUMENTS, INC., COLLEGE PARK, MD.
Electronically resettable fuse Patent
[NASA-CASE-XGS-11177] c09 N71-27001

WHIRLPOOL CORP., ST. JOSEPH, ICH.
Relief container
[NASA-CASE-XHS-06761] c05 N69-23192

Fluid sample collector Patent
[NASA-CASE-XHS-06767-1] c14 N71-20435

WHITTAKER CORP., LOS ANGELES, CALIF.
Polyurethanes of fluorine containing polycarbonates
[NASA-CASE-HFS-10512] c06 N73-30099

Polyurethanes from fluoroalkyl propyleneglycol polyethers
[NASA-CASE-HFS-10506] c06 N73-30100

Fluorohydroxy ethers
[NASA-CASE-HFS-10507] c06 N73-30101

Highly fluorinated polymers
[NASA-CASE-HFS-11492] c06 N73-30102

Fluorine containing polyurethane
[NASA-CASE-HFS-10509] c06 N73-30103

WHITTAKER CORP., SAN DIEGO, CALIF.
Reinforced polyquinoxaline gasket and method of preparing the same
[NASA-CASE-HFS-21364-1] c15 N74-18126


WISCONSIN UNIV., MADISON.
Coaxial anode wire for gas radiation counters
[NASA-CASE-GSC-11492-1] c14 N73-28497

JULY 1974

NASA PATENT ABSTRACTS BIBLIOGRAPHY

Section 2

Typical Number Index Listing



Listings in this index are arranged alphanumerically by "patent" number. The subject category number indicates the category in Section 1 (Abstracts) in which the citation is located. The NASA accession number denotes the number by which the citation is identified within the subject category.

NASA-CASE-ARC-10003-1	c09 N71-25866
NASA-CASE-ARC-10009-1	c15 N71-17822
NASA-CASE-ARC-10017-1	c14 N72-29464
NASA-CASE-ARC-10020	c10 N72-17172
NASA-CASE-ARC-10030	c09 N71-12521
NASA-CASE-ARC-10042-2	c10 N72-11256
NASA-CASE-ARC-10043-1	c05 N71-11193
NASA-CASE-ARC-10050	c03 N71-33409
NASA-CASE-ARC-10097-2	c07 N73-25160
NASA-CASE-ARC-10098-1	c06 N71-24739
NASA-CASE-ARC-10099-1	c18 N71-15469
NASA-CASE-ARC-10100-1	c05 N71-24738
NASA-CASE-ARC-10101-1	c09 N71-33109
NASA-CASE-ARC-10105	c09 N72-17153
NASA-CASE-ARC-10106-1	c28 N72-22769
NASA-CASE-ARC-10109	c25 N71-29181
NASA-CASE-ARC-10131-1	c15 N71-27754
NASA-CASE-ARC-10132-1	c09 N71-24597
NASA-CASE-ARC-10134	c30 N72-17873
NASA-CASE-ARC-10136-1	c09 N72-22202
NASA-CASE-ARC-10137-1	c09 N71-28468
NASA-CASE-ARC-10138-1	c14 N72-24477
NASA-CASE-ARC-10140-1	c15 N71-17653
NASA-CASE-ARC-10153	c05 N71-28619
NASA-CASE-ARC-10154-1	c14 N72-22440
NASA-CASE-ARC-10160-1	c23 N72-27728
NASA-CASE-ARC-10176-1	c15 N72-21464
NASA-CASE-ARC-10178-1	c09 N72-17152
NASA-CASE-ARC-10179-1	c21 N72-22619
NASA-CASE-ARC-10180-1	c28 N72-20767
NASA-CASE-ARC-10180-1	c06 N74-12814
NASA-CASE-ARC-10192	c09 N72-21245
NASA-CASE-ARC-10194-1	c23 N73-20741
NASA-CASE-ARC-10196-1	c18 N73-13562
NASA-CASE-ARC-10197-1	c09 N74-17929
NASA-CASE-ARC-10263-1	c14 N72-22438
NASA-CASE-ARC-10264-1	c09 N73-20231
NASA-CASE-ARC-10265-1	c10 N72-28240
NASA-CASE-ARC-10268-1	c09 N70-12620
NASA-CASE-ARC-10268-2	c05 N74-11900
NASA-CASE-ARC-10268-3	c05 N74-11901
NASA-CASE-ARC-10269-1	c10 N72-16172
NASA-CASE-ARC-10275-1	c05 N72-22092
NASA-CASE-ARC-10278-1	c14 N73-25463
NASA-CASE-ARC-10280-1	c18 N70-34695
NASA-CASE-ARC-10302-1	c04 N74-15778
NASA-CASE-ARC-10304-1	c18 N73-26572
NASA-CASE-ARC-10308-1	c06 N72-31141
NASA-CASE-ARC-10325	c06 N72-25147
NASA-CASE-ARC-10329-1	c05 N73-26072
NASA-CASE-ARC-10329-2	c05 N74-19761
NASA-CASE-ARC-10330-1	c09 N73-32112
NASA-CASE-ARC-10344-1	c14 N72-21433
NASA-CASE-ARC-10344-2	c14 N74-20021
NASA-CASE-ARC-10345-1	c15 N73-12488
NASA-CASE-ARC-10348-1	c10 N72-10205
NASA-CASE-ARC-10362-1	c14 N73-32326

NASA-CASE-ARC-10364-2 (B)	c09 N74-14941
NASA-CASE-ARC-10370-1	c16 N72-10432
NASA-CASE-ARC-10441-1	c15 N74-15126
NASA-CASE-ARC-10442-1	c14 N74-15093
NASA-CASE-ARC-10443-1	c14 N73-20477
NASA-CASE-ARC-10444-1	c16 N73-33397
NASA-CASE-ARC-10447-1	c05 N73-14092
NASA-CASE-ARC-10448-1	c14 N72-21421
NASA-CASE-ARC-10448-2	c14 N74-12190
NASA-CASE-ARC-10448-3	c14 N74-12191
NASA-CASE-ARC-10456-1	c02 N73-30938
NASA-CASE-ARC-10461-1	c33 N73-20931
NASA-CASE-ARC-10462-1	c15 N73-29459
NASA-CASE-ARC-10463-1	c09 N73-32111
NASA-CASE-ARC-10464-1	c06 N74-12812
NASA-CASE-ARC-10466-1	c08 N73-21199
NASA-CASE-ARC-10467-1	c09 N73-14214
NASA-CASE-ARC-10468-1	c14 N73-33361
NASA-CASE-ARC-10469-1	c06 N72-31145
NASA-CASE-ARC-10470-1	c02 N73-26005
NASA-CASE-ARC-10470-2	c02 N73-30018
NASA-CASE-ARC-10516-1	c23 N74-21300
NASA-CASE-ARC-10519-1	c05 N72-31117
NASA-CASE-ARC-10519-2	c05 N74-18805
NASA-CASE-ARC-10583-1	c05 N73-14093
NASA-CASE-ARC-10592-1	c18 N74-21156
NASA-CASE-ARC-10592-2	c06 N74-11926
NASA-CASE-ARC-10593-1	c09 N73-30187
NASA-CASE-ARC-10596-1	c09 N72-27233
NASA-CASE-ARC-10597-1	c05 N74-20726
NASA-CASE-ARC-10598-1	c25 N73-29750
NASA-CASE-ARC-10599-1	c05 N73-26071
NASA-CASE-ARC-10633-1	c05 N73-22048
NASA-CASE-ARC-10637-1	c14 N73-21390
NASA-CASE-ARC-10642-1	c14 N74-18099
NASA-CASE-ARC-10643-1	c06 N73-29074
NASA-CASE-ARC-10710-1	c11 N73-27175
NASA-CASE-ARC-10712-1	c28 N73-20826
NASA-CASE-ARC-10714-1	c18 N74-11366
NASA-CASE-ARC-10716-1	c31 N73-32784
NASA-CASE-ARC-10721-1	c18 N74-14230
NASA-CASE-ARC-10722-1	c04 N74-13807
NASA-CASE-ARC-10749-1	c23 N73-32542
NASA-CASE-ARC-10753-1	c05 N74-13818
NASA-CASE-ARC-10754-1	c28 N73-32624
NASA-CASE-ARC-10755-1	c14 N74-14115
NASA-CASE-ARC-10756-1	c15 N74-16139
NASA-CASE-ARC-10813-1	c18 N74-16249
NASA-CASE-ERC-10001	c23 N71-24868
NASA-CASE-ERC-10011	c07 N71-29065
NASA-CASE-ERC-10013	c09 N71-26678
NASA-CASE-ERC-10014	c14 N71-28863
NASA-CASE-ERC-10015-2	c10 N72-27246
NASA-CASE-ERC-10017	c16 N71-15567
NASA-CASE-ERC-10019	c16 N71-15551
NASA-CASE-ERC-10020	c16 N71-26154
NASA-CASE-ERC-10022	c15 N71-26635
NASA-CASE-ERC-10031	c12 N71-18603
NASA-CASE-ERC-10032	c10 N71-25900
NASA-CASE-ERC-10033	c14 N71-26672
NASA-CASE-ERC-10034	c15 N71-24896
NASA-CASE-ERC-10041	c08 N71-29138
NASA-CASE-ERC-10044-1	c14 N71-27090
NASA-CASE-ERC-10045	c15 N71-24910
NASA-CASE-ERC-10046	c10 N71-18722
NASA-CASE-ERC-10048	c09 N72-25251
NASA-CASE-ERC-10065	c09 N71-27364
NASA-CASE-ERC-10072	c09 N70-11148
NASA-CASE-ERC-10073-1	c06 N74-19769
NASA-CASE-ERC-10075	c09 N71-24800
NASA-CASE-ERC-10075-2	c09 N72-22196
NASA-CASE-ERC-10081	c14 N72-28437
NASA-CASE-ERC-10087	c14 N71-27334
NASA-CASE-ERC-10087-2	c14 N72-31446
NASA-CASE-ERC-10088	c26 N71-25490
NASA-CASE-ERC-10089	c23 N72-17747
NASA-CASE-ERC-10090	c21 N71-24948
NASA-CASE-ERC-10097	c15 N71-28465
NASA-CASE-ERC-10098	c09 N71-28618

NUMBER INDEX

NASA-CASE-ERC-10100	c09 N71-33519	NASA-CASE-GSC-10221-1	c09 N72-23171
NASA-CASE-ERC-10108	c06 N72-21094	NASA-CASE-GSC-10225-1	c06 N73-27086
NASA-CASE-ERC-10112	c07 N72-21119	NASA-CASE-GSC-10299-1	c09 N71-24804
NASA-CASE-ERC-10113	c09 N71-27053	NASA-CASE-GSC-10303	c15 N72-22487
NASA-CASE-ERC-10119	c26 N72-21701	NASA-CASE-GSC-10306-1	c15 N71-24694
NASA-CASE-ERC-10120	c26 N69-33482	NASA-CASE-GSC-10344-1	c03 N72-27053
NASA-CASE-ERC-10125	c09 N71-24893	NASA-CASE-GSC-10361-1	c18 N72-23581
NASA-CASE-ERC-10138	c26 N71-14354	NASA-CASE-GSC-10366-1	c10 N71-18772
NASA-CASE-ERC-10139	c09 N72-17154	NASA-CASE-GSC-10373-1	c07 N71-19773
NASA-CASE-ERC-10150	c14 N71-28992	NASA-CASE-GSC-10376-1	c14 N71-27407
NASA-CASE-ERC-10151	c16 N71-29131	NASA-CASE-GSC-10390-1	c07 N72-11149
NASA-CASE-ERC-10174	c14 N72-25409	NASA-CASE-GSC-10413	c10 N71-26531
NASA-CASE-ERC-10178	c16 N71-24832	NASA-CASE-GSC-10441-1	c14 N71-27325
NASA-CASE-ERC-10179	c07 N72-20141	NASA-CASE-GSC-10452	c07 N71-12396
NASA-CASE-ERC-10180-1	c08 N74-20836	NASA-CASE-GSC-10487-1	c03 N71-24719
NASA-CASE-ERC-10187	c16 N69-31343	NASA-CASE-GSC-10503-1	c14 N72-20381
NASA-CASE-ERC-10214	c09 N72-31235	NASA-CASE-GSC-10514-1	c14 N72-20379
NASA-CASE-ERC-10222	c09 N72-22199	NASA-CASE-GSC-10518-1	c15 N72-22489
NASA-CASE-ERC-10224	c09 N72-25261	NASA-CASE-GSC-10553-1	c07 N71-19854
NASA-CASE-ERC-10224-2	c09 N73-27150	NASA-CASE-GSC-10554-1	c08 N71-29033
NASA-CASE-ERC-10226-1	c14 N73-16483	NASA-CASE-GSC-10555-1	c21 N71-27324
NASA-CASE-ERC-10248	c14 N72-17323	NASA-CASE-GSC-10556-1	c31 N71-26537
NASA-CASE-ERC-10267	c09 N72-23173	NASA-CASE-GSC-10557-1	c31 N71-26537
NASA-CASE-ERC-10268	c09 N72-25252	NASA-CASE-GSC-10564	c10 N71-29135
NASA-CASE-ERC-10275	c26 N72-25680	NASA-CASE-GSC-10565-1	c06 N72-25149
NASA-CASE-ERC-10276	c14 N73-26432	NASA-CASE-GSC-10566-1	c15 N72-18477
NASA-CASE-ERC-10283	c16 N72-25485	NASA-CASE-GSC-10590-1	c31 N73-14853
NASA-CASE-ERC-10285	c10 N73-16206	NASA-CASE-GSC-10607-1	c15 N72-20442
NASA-CASE-ERC-10292	c14 N72-25410	NASA-CASE-GSC-10614-1	c09 N72-11224
NASA-CASE-ERC-10307	c08 N72-21198	NASA-CASE-GSC-10640-1	c28 N72-18766
NASA-CASE-ERC-10323-1	c30 N70-22183	NASA-CASE-GSC-10656-1	c09 N72-25249
NASA-CASE-ERC-10324	c07 N72-25173	NASA-CASE-GSC-10667-1	c10 N71-33129
NASA-CASE-ERC-10325	c15 N72-25457	NASA-CASE-GSC-10668-1	c07 N71-28430
NASA-CASE-ERC-10338	c04 N72-33072	NASA-CASE-GSC-10669-1	c03 N72-20031
NASA-CASE-ERC-10339-1	c18 N73-30532	NASA-CASE-GSC-10695-1	c09 N72-25259
NASA-CASE-ERC-10350	c14 N73-20474	NASA-CASE-GSC-10700	c23 N71-30027
NASA-CASE-ERC-10363	c18 N72-25541	NASA-CASE-GSC-10709-1	c28 N71-25213
NASA-CASE-ERC-10364	c18 N72-25540	NASA-CASE-GSC-10710-1	c28 N71-27094
NASA-CASE-ERC-10365-1	c31 N73-32749	NASA-CASE-GSC-10735-1	c10 N71-26085
NASA-CASE-ERC-10392	c21 N73-14692	NASA-CASE-GSC-10780-1	c14 N72-16283
NASA-CASE-ERC-10403-1	c10 N73-26228	NASA-CASE-GSC-10786-1	c10 N72-28241
NASA-CASE-ERC-10412-1	c09 N73-12211	NASA-CASE-GSC-10791-1	c15 N73-14469
NASA-CASE-ERC-10419	c21 N72-21631	NASA-CASE-GSC-10814-1	c03 N73-20039
NASA-CASE-ERC-10439	c02 N73-19004	NASA-CASE-GSC-10835-1	c09 N72-33205
NASA-CASE-ERC-10552	c09 N71-12539	NASA-CASE-GSC-10878-1	c10 N72-22236
NASA-CASE-ERC-11020	c14 N71-26774	NASA-CASE-GSC-10879-1	c14 N72-25413
			NASA-CASE-GSC-10880-1	c08 N72-11172
			NASA-CASE-GSC-10890-1	c21 N73-30640
NASA-CASE-FRC-10005	c15 N71-26145	NASA-CASE-GSC-10891-1	c10 N71-26626
NASA-CASE-FRC-10010	c10 N71-24862	NASA-CASE-GSC-10903-1	c14 N73-12444
NASA-CASE-FRC-10012	c14 N72-17329	NASA-CASE-GSC-10913	c15 N72-22491
NASA-CASE-FRC-10019	c15 N73-12487	NASA-CASE-GSC-10945-1	c21 N72-31637
NASA-CASE-FRC-10022	c12 N71-26546	NASA-CASE-GSC-10949-1	c07 N71-28965
NASA-CASE-FRC-10029	c09 N71-24618	NASA-CASE-GSC-10975-1	c08 N73-13187
NASA-CASE-FRC-10029-2	c05 N72-25121	NASA-CASE-GSC-10984-1	c15 N71-34427
NASA-CASE-FRC-10031	c05 N70-20717	NASA-CASE-GSC-10990-1	c09 N73-26195
NASA-CASE-FRC-10036	c09 N72-22200	NASA-CASE-GSC-11013-1	c09 N73-19234
NASA-CASE-FRC-10038	c15 N72-20444	NASA-CASE-GSC-11018-1	c31 N73-30829
NASA-CASE-FRC-10049-1	c21 N74-13420	NASA-CASE-GSC-11046-1	c07 N73-28013
NASA-CASE-FRC-10051-1	c14 N74-13129	NASA-CASE-GSC-11063-1	c03 N70-35584
NASA-CASE-FRC-10060-1	c14 N73-27379	NASA-CASE-GSC-11074-1	c14 N73-28489
NASA-CASE-FRC-10063	c01 N71-12217	NASA-CASE-GSC-11077-1	c02 N73-13008
NASA-CASE-FRC-10071-1	c07 N74-20813	NASA-CASE-GSC-11079-1	c21 N71-28461
NASA-CASE-FRC-10072-1	c09 N74-14939	NASA-CASE-GSC-11092-2	c04 N73-27052
			NASA-CASE-GSC-11095-1	c14 N72-10375
NASA-CASE-GSC-10007	c18 N71-16046	NASA-CASE-GSC-11126-1	c09 N72-25253
NASA-CASE-GSC-10021-1	c09 N71-24595	NASA-CASE-GSC-11127-1	c09 N74-10202
NASA-CASE-GSC-10022-1	c10 N71-25882	NASA-CASE-GSC-11133-1	c23 N72-11568
NASA-CASE-GSC-10041-1	c10 N71-19418	NASA-CASE-GSC-11139	c09 N71-27016
NASA-CASE-GSC-10062	c14 N71-15605	NASA-CASE-GSC-11149-1	c15 N73-30457
NASA-CASE-GSC-10064-1	c10 N72-22235	NASA-CASE-GSC-11163-1	c15 N73-32360
NASA-CASE-GSC-10065-1	c10 N71-27136	NASA-CASE-GSC-11169-2	c05 N73-32011
NASA-CASE-GSC-10072	c18 N71-14014	NASA-CASE-GSC-11182-1	c31 N73-32769
NASA-CASE-GSC-10082-1	c10 N72-20221	NASA-CASE-GSC-11188-1	c14 N73-32320
NASA-CASE-GSC-10083-1	c30 N71-16090	NASA-CASE-GSC-11188-2	c21 N73-19630
NASA-CASE-GSC-10087-1	c02 N71-19287	NASA-CASE-GSC-11188-3	c14 N74-20008
NASA-CASE-GSC-10087-2	c21 N71-13958	NASA-CASE-GSC-11205-1	c15 N73-25513
NASA-CASE-GSC-10087-3	c07 N72-12080	NASA-CASE-GSC-11211-1	c03 N72-25020
NASA-CASE-GSC-10087-4	c07 N73-20174	NASA-CASE-GSC-11214-1	c06 N73-13128
NASA-CASE-GSC-10097-1	c08 N71-27210	NASA-CASE-GSC-11215-1	c09 N73-28083
NASA-CASE-GSC-10114-1	c10 N71-27366	NASA-CASE-GSC-11222-1	c16 N73-32391
NASA-CASE-GSC-10118-1	c07 N71-24621	NASA-CASE-GSC-11239-1	c10 N73-25241
NASA-CASE-GSC-10131-1	c07 N71-24624	NASA-CASE-GSC-11262-1	c16 N74-21091
NASA-CASE-GSC-10185-1	c07 N72-12081	NASA-CASE-GSC-11291-1	c25 N72-33696
NASA-CASE-GSC-10186	c08 N71-33110	NASA-CASE-GSC-11296-1	c23 N73-30666
NASA-CASE-GSC-10188-1	c23 N71-24725	NASA-CASE-GSC-11302-1	c14 N73-13416
NASA-CASE-GSC-10216-1	c23 N71-26722	NASA-CASE-GSC-11304-1	c06 N72-21105
NASA-CASE-GSC-10218-1	c15 N72-21465	NASA-CASE-GSC-11340-1	c10 N72-33230
NASA-CASE-GSC-10220-1	c07 N71-27233	NASA-CASE-GSC-11353-1	c23 N74-21304

NUMBER INDEX

NASA-CASE-GSC-11358-1	c06 N73-26100	NASA-CASE-KSC-10626	c14 N73-27378
NASA-CASE-GSC-11367	c10 N71-26374	NASA-CASE-KSC-10639	c15 N73-26472
NASA-CASE-GSC-11367-1	c03 N74-19692	NASA-CASE-KSC-10644	c09 N72-27227
NASA-CASE-GSC-11368-1	c09 N73-32108	NASA-CASE-KSC-10647-1	c10 N72-31273
NASA-CASE-GSC-11388-1	c07 N73-24187	NASA-CASE-KSC-10654-1	c07 N73-30115
NASA-CASE-GSC-11394-1	c09 N73-32109	NASA-CASE-KSC-10698	c07 N73-20175
NASA-CASE-GSC-11425-1	c24 N74-20329	NASA-CASE-KSC-10723-1	c15 N73-23553
NASA-CASE-GSC-11425-2	c09 N73-32114	NASA-CASE-KSC-10728-1	c14 N73-32319
NASA-CASE-GSC-11428-1	c09 N74-20864	NASA-CASE-KSC-10729-1	c09 N73-32110
NASA-CASE-GSC-11434-1	c14 N72-27430	NASA-CASE-KSC-10730-1	c14 N73-32318
NASA-CASE-GSC-11444-1	c14 N73-28490	NASA-CASE-KSC-10731-1	c14 N73-10461
NASA-CASE-GSC-11445-1	c15 N72-28503	NASA-CASE-KSC-10736-1	c09 N73-23290
NASA-CASE-GSC-11446-1	c09 N74-20860	NASA-CASE-KSC-10750-1	c14 N73-23527
NASA-CASE-GSC-11479-1	c21 N73-11680	NASA-CASE-KSC-10752-1	c15 N73-27407
NASA-CASE-GSC-11487-1	c14 N73-30393	NASA-CASE-KSC-10769-1	c09 N73-27153
NASA-CASE-GSC-11492-1	c14 N73-28497	NASA-CASE-KSC-10782-1	c07 N73-32063
NASA-CASE-GSC-11513-1	c09 N74-20862		
NASA-CASE-GSC-11514-1	c03 N72-24037	NASA-CASE-LAR-02743	c14 N73-32324
NASA-CASE-GSC-11531-1	c05 N73-11097	NASA-CASE-LAR-10000	c14 N73-30394
NASA-CASE-GSC-11533-1	c14 N73-13435	NASA-CASE-LAR-10007-1	c05 N71-11195
NASA-CASE-GSC-11551-1	c15 N74-18132	NASA-CASE-LAR-10031	c15 N72-22484
NASA-CASE-GSC-11553-1	c07 N74-15831	NASA-CASE-LAR-10056	c05 N71-12351
NASA-CASE-GSC-11560-1	c09 N74-20861	NASA-CASE-LAR-10061-1	c15 N72-31483
NASA-CASE-GSC-11569-1	c14 N73-11404	NASA-CASE-LAR-10076-1	c05 N73-20137
NASA-CASE-GSC-11577-1	c15 N73-19467	NASA-CASE-LAR-10083-1	c15 N71-27006
NASA-CASE-GSC-11582-1	c09 N73-32120	NASA-CASE-LAR-10089-1	c15 N73-13474
NASA-CASE-GSC-11600-1	c14 N74-21019	NASA-CASE-LAR-10098	c32 N71-26681
NASA-CASE-GSC-11602-1	c09 N73-13214	NASA-CASE-LAR-10102-1	c05 N72-23085
NASA-CASE-GSC-11617-1	c09 N74-10200	NASA-CASE-LAR-10105-1	c33 N74-15652
NASA-CASE-GSC-11619-1	c33 N73-32828	NASA-CASE-LAR-10106-1	c15 N71-27169
NASA-CASE-GSC-11620-1	c14 N72-33379	NASA-CASE-LAR-10121-1	c15 N71-26721
NASA-CASE-GSC-11623-1	c10 N73-31202	NASA-CASE-LAR-10128-1	c08 N73-20217
NASA-CASE-GSC-11627-1	c09 N74-19852	NASA-CASE-LAR-10129-1	c15 N73-25512
NASA-CASE-GSC-11690-1	c14 N73-28499	NASA-CASE-LAR-10129-2	c15 N74-20063
NASA-CASE-GSC-11743-1	c07 N73-27107	NASA-CASE-LAR-10137-1	c09 N72-22204
NASA-CASE-GSC-11744-1	c09 N73-23291	NASA-CASE-LAR-10163-1	c09 N72-25247
NASA-CASE-GSC-11746-1	c16 N73-32398	NASA-CASE-LAR-10168-1	c09 N73-22151
NASA-CASE-GSC-11752-1	c33 N74-19583	NASA-CASE-LAR-10170-1	c15 N74-11301
NASA-CASE-GSC-11760-1	c09 N73-32116	NASA-CASE-LAR-10173-1	c27 N71-14090
NASA-CASE-GSC-11783-1	c09 N73-32116	NASA-CASE-LAR-10176-1	c14 N72-20380
NASA-CASE-GSC-11786-1	c18 N74-10542	NASA-CASE-LAR-10180-1	c06 N71-13461
NASA-CASE-GSC-11844-1	c09 N74-19853	NASA-CASE-LAR-10184	c14 N72-22445
NASA-CASE-GSC-113173	c09 N74-20863	NASA-CASE-LAR-10193-1	c15 N71-27146
		NASA-CASE-LAR-10194-1	c12 N72-11293
NASA-CASE-HQN-00936	c31 N71-29050	NASA-CASE-LAR-10195-1	c15 N73-19458
NASA-CASE-HQN-00937	c07 N71-28979	NASA-CASE-LAR-10203-1	c15 N72-16330
NASA-CASE-HQN-00938	c33 N71-29053	NASA-CASE-LAR-10204	c14 N71-27215
NASA-CASE-HQN-10037-1	c14 N73-27376	NASA-CASE-LAR-10218-1	c09 N70-34559
NASA-CASE-HQN-10364	c06 N71-27363	NASA-CASE-LAR-10226-1	c14 N73-19419
NASA-CASE-HQN-10439	c21 N72-21624	NASA-CASE-LAR-10241-1	c05 N74-14845
NASA-CASE-HQN-10541-1	c07 N71-26291	NASA-CASE-LAR-10249-1	c02 N71-26110
NASA-CASE-HQN-10541-2	c15 N71-27135	NASA-CASE-LAR-10253-1	c09 N72-25258
NASA-CASE-HQN-10541-3	c23 N72-23695	NASA-CASE-LAR-10256-1	c11 N72-20253
NASA-CASE-HQN-10541-4	c16 N71-27183	NASA-CASE-LAR-10270-1	c32 N72-25877
NASA-CASE-HQN-10542-1	c23 N72-21663	NASA-CASE-LAR-10274-1	c14 N71-17626
NASA-CASE-HQN-10638-1	c15 N73-30460	NASA-CASE-LAR-10276-1	c11 N70-26813
NASA-CASE-HQN-10654-1	c16 N73-13489	NASA-CASE-LAR-10294-1	c26 N72-28762
NASA-CASE-HQN-10703	c21 N73-13643	NASA-CASE-LAR-10295-1	c15 N74-21062
NASA-CASE-HQN-10740-1	c24 N72-28719	NASA-CASE-LAR-10305	c14 N71-26137
NASA-CASE-HQN-10740-1	c24 N74-19310	NASA-CASE-LAR-10310-1	c10 N73-20253
NASA-CASE-HQN-10756-1	c14 N72-25428	NASA-CASE-LAR-10311-1	c16 N73-16536
NASA-CASE-HQN-10780	c14 N71-30265	NASA-CASE-LAR-10317-1	c32 N71-16103
NASA-CASE-HQN-10781	c23 N71-30292	NASA-CASE-LAR-10318-1	c14 N74-18089
NASA-CASE-HQN-10790-1	c16 N74-11313	NASA-CASE-LAR-10319-1	c14 N73-32322
NASA-CASE-HQN-10792-1	c09 N74-11049	NASA-CASE-LAR-10320-1	c09 N72-23172
NASA-CASE-HQN-10832-1	c14 N74-21014	NASA-CASE-LAR-10323-1	c12 N71-17573
NASA-CASE-HQN-10844-1	c16 N74-20118	NASA-CASE-LAR-10337-1	c15 N74-14141
		NASA-CASE-LAR-10348-1	c11 N73-12264
NASA-CASE-KSC-10002	c10 N71-25865	NASA-CASE-LAR-10362-1	c15 N72-27486
NASA-CASE-KSC-10003	c10 N73-13235	NASA-CASE-LAR-10365-1	c05 N72-27102
NASA-CASE-KSC-10020	c10 N71-27338	NASA-CASE-LAR-10367-1	c03 N70-26817
NASA-CASE-KSC-10031	c15 N72-22486	NASA-CASE-LAR-10372	c09 N71-18599
NASA-CASE-KSC-10108	c14 N73-25461	NASA-CASE-LAR-10373-1	c18 N71-26155
NASA-CASE-KSC-10126	c11 N71-24985	NASA-CASE-LAR-10385-2	c23 N74-13436
NASA-CASE-KSC-10162	c09 N72-11225	NASA-CASE-LAR-10385-3	c23 N73-32538
NASA-CASE-KSC-10164	c07 N71-33108	NASA-CASE-LAR-10403	c21 N71-11766
NASA-CASE-KSC-10198	c11 N71-28629	NASA-CASE-LAR-10409-1	c15 N74-21059
NASA-CASE-KSC-10242	c15 N72-23497	NASA-CASE-LAR-10416-1	c15 N72-27527
NASA-CASE-KSC-10278	c05 N72-16015	NASA-CASE-LAR-10426-1	c32 N72-27947
NASA-CASE-KSC-10294	c14 N72-18411	NASA-CASE-LAR-10426-1	c32 N74-19528
NASA-CASE-KSC-10326	c08 N72-21197	NASA-CASE-LAR-10439-1	c33 N73-27796
NASA-CASE-KSC-10392	c07 N73-26117	NASA-CASE-LAR-10440-1	c14 N73-32323
NASA-CASE-KSC-10393	c09 N72-21247	NASA-CASE-LAR-10450-1	c15 N73-10504
NASA-CASE-KSC-10397	c08 N72-25206	NASA-CASE-LAR-10483-1	c14 N73-32327
NASA-CASE-KSC-10513	c15 N72-25453	NASA-CASE-LAR-10489-1	c15 N74-18124
NASA-CASE-KSC-10521	c07 N73-20176	NASA-CASE-LAR-10489-2	c15 N73-31446
NASA-CASE-KSC-10565	c09 N72-25250	NASA-CASE-LAR-10496-1	c14 N72-22437
NASA-CASE-KSC-10595	c08 N73-12176	NASA-CASE-LAR-10503-1	c09 N72-21248
NASA-CASE-KSC-10615	c15 N73-12486	NASA-CASE-LAR-10507-1	c11 N72-25284

NUMBER INDEX

NASA-CASE-LAR-10511-1	c09	N72-29172	NASA-CASE-LAR-11211-1	c15	N73-14480
NASA-CASE-LAR-10513-1	c07	N72-25170	NASA-CASE-LAR-11213-1	c14	N74-10420
NASA-CASE-LAR-10523-1	c14	N72-22444	NASA-CASE-LAR-11224-1	c15	N74-20072
NASA-CASE-LAR-10531-1	c02	N73-13023	NASA-CASE-LAR-11237-1	c14	N73-32344
NASA-CASE-LAR-10539-1	c17	N73-12547	NASA-CASE-LAR-11252-1	c02	N73-26007
NASA-CASE-LAR-10541-1	c15	N72-32487	NASA-CASE-LAR-11310-1	c28	N73-31699
NASA-CASE-LAR-10544-1	c15	N74-13178	NASA-CASE-LAR-11341-1	c16	N73-25564
NASA-CASE-LAR-10545-1	c09	N72-12444	NASA-CASE-LAR-11352-1	c09	N74-19854
NASA-CASE-LAR-10546-1	c11	N72-25287	NASA-CASE-LAR-11353-1	c14	N74-20020
NASA-CASE-LAR-10547-1	c15	N74-13177	NASA-CASE-LAR-11354-1	c14	N74-10422
NASA-CASE-LAR-10549-1	c31	N73-13898	NASA-CASE-LAR-11372-1	c06	N74-19772
NASA-CASE-LAR-10550-1	c11	N72-27271	NASA-CASE-LAR-11379-1	c07	N74-11005
NASA-CASE-LAR-10551-1	c06	N74-12813	NASA-CASE-LAR-11389-1	c09	N73-32121
NASA-CASE-LAR-10557	c02	N72-11018			
NASA-CASE-LAR-10574-1	c11	N73-13257	NASA-CASE-LEW-10106-1	c28	N71-26642
NASA-CASE-LAR-10578-1	c12	N73-25262	NASA-CASE-LEW-10155-1	c09	N71-29035
NASA-CASE-LAR-10585-1	c01	N73-14981	NASA-CASE-LEW-10210-1	c28	N71-26781
NASA-CASE-LAR-10586-1	c14	N74-15089	NASA-CASE-LEW-10219-1	c18	N71-28729
NASA-CASE-LAR-10590-1	c15	N70-26819	NASA-CASE-LEW-10233	c10	N71-27126
NASA-CASE-LAR-10595-1	c15	N74-16135	NASA-CASE-LEW-10250-1	c22	N71-28759
NASA-CASE-LAR-10612-1	c12	N73-28144	NASA-CASE-LEW-10278-1	c15	N71-28582
NASA-CASE-LAR-10620-1	c09	N72-25255	NASA-CASE-LEW-10281-1	c14	N72-17327
NASA-CASE-LAR-10623-1	c14	N73-30395	NASA-CASE-LEW-10286-1	c28	N71-28915
NASA-CASE-LAR-10626-1	c14	N74-21015	NASA-CASE-LEW-10326-3	c15	N74-10474
NASA-CASE-LAR-10629-1	c14	N73-32348	NASA-CASE-LEW-10327	c17	N71-33408
NASA-CASE-LAR-10634-1	c15	N74-18123	NASA-CASE-LEW-10330-1	c09	N72-27226
NASA-CASE-LAR-10642-1	c28	N72-27820	NASA-CASE-LEW-10345-1	c10	N71-25899
NASA-CASE-LAR-10648-1	c06	N73-16106	NASA-CASE-LEW-10359	c33	N72-25911
NASA-CASE-LAR-10670-1	c06	N73-30097	NASA-CASE-LEW-10359-2	c33	N73-25952
NASA-CASE-LAR-10670-2	c13	N72-29425	NASA-CASE-LEW-10364-1	c09	N71-13522
NASA-CASE-LAR-10682-1	c02	N73-26004	NASA-CASE-LEW-10374-1	c28	N73-13773
NASA-CASE-LAR-10686	c14	N71-28935	NASA-CASE-LEW-10387	c09	N72-22201
NASA-CASE-LAR-10688-1	c15	N74-21056	NASA-CASE-LEW-10393-1	c17	N71-15468
NASA-CASE-LAR-10717-1	c21	N73-30641	NASA-CASE-LEW-10424-2-2	c18	N72-25539
NASA-CASE-LAR-10726-1	c14	N73-20475	NASA-CASE-LEW-10433-1	c09	N72-22197
NASA-CASE-LAR-10728-1	c14	N73-12445	NASA-CASE-LEW-10436-1	c17	N73-32415
NASA-CASE-LAR-10730-1	c10	N74-10223	NASA-CASE-LEW-10450-1	c15	N72-25448
NASA-CASE-LAR-10739-1	c14	N73-16484	NASA-CASE-LEW-10489-1	c15	N72-25447
NASA-CASE-LAR-10753-1	c02	N73-10031	NASA-CASE-LEW-10518-1	c24	N72-33681
NASA-CASE-LAR-10756-1	c32	N73-26910	NASA-CASE-LEW-10518-2	c24	N72-28714
NASA-CASE-LAR-10765-1	c32	N73-20740	NASA-CASE-LEW-10518-3	c15	N74-10476
NASA-CASE-LAR-10766-1	c14	N72-21432	NASA-CASE-LEW-10533-1	c15	N73-28515
NASA-CASE-LAR-10774	c10	N71-13545	NASA-CASE-LEW-10533-2	c15	N74-11300
NASA-CASE-LAR-10776-1	c02	N74-10034	NASA-CASE-LEW-10689-1	c28	N71-26173
NASA-CASE-LAR-10782-1	c15	N74-14133	NASA-CASE-LEW-10698-1	c15	N74-21063
NASA-CASE-LAR-10782-2	c15	N73-31444	NASA-CASE-LEW-10770-1	c28	N72-22770
NASA-CASE-LAR-10788-1	c31	N73-20880	NASA-CASE-LEW-10794-1	c06	N72-17093
NASA-CASE-LAR-10799-1	c12	N73-12295	NASA-CASE-LEW-10805-1	c15	N73-13465
NASA-CASE-LAR-10800-1	c33	N72-27959	NASA-CASE-LEW-10805-2	c15	N74-13179
NASA-CASE-LAR-10805-1	c18	N74-16246	NASA-CASE-LEW-10805-3	c17	N74-10521
NASA-CASE-LAR-10806-1	c14	N73-15474	NASA-CASE-LEW-10814-1	c28	N70-35422
NASA-CASE-LAR-10812-1	c11	N74-17955	NASA-CASE-LEW-10835-1	c28	N72-22771
NASA-CASE-LAR-10815-1	c16	N72-22520	NASA-CASE-LEW-10856-1	c15	N72-22490
NASA-CASE-LAR-10836-1	c26	N72-27784	NASA-CASE-LEW-10874-1	c17	N72-22535
NASA-CASE-LAR-10841-1	c15	N73-12494	NASA-CASE-LEW-10906-1	c06	N72-25164
NASA-CASE-LAR-10855-1	c14	N73-13415	NASA-CASE-LEW-10920-1	c17	N73-24569
NASA-CASE-LAR-10862-1	c14	N74-15092	NASA-CASE-LEW-10950-1	c09	N72-31239
NASA-CASE-LAR-10868-1	c09	N74-11050	NASA-CASE-LEW-10965-1	c15	N72-25452
NASA-CASE-LAR-10894-1	c18	N73-14584	NASA-CASE-LEW-10981-1	c14	N74-21018
NASA-CASE-LAR-10900-1	c15	N73-10499	NASA-CASE-LEW-11005-1	c09	N72-21243
NASA-CASE-LAR-10910-1	c14	N74-13132	NASA-CASE-LEW-11015	c26	N73-32571
NASA-CASE-LAR-10913	c14	N72-16282	NASA-CASE-LEW-11026-1	c15	N73-33383
NASA-CASE-LAR-10941-1	c15	N74-21057	NASA-CASE-LEW-11058-1	c28	N74-13502
NASA-CASE-LAR-10941-2	c15	N73-32371	NASA-CASE-LEW-11065-1	c03	N72-11064
NASA-CASE-LAR-10951-1	c28	N73-19819	NASA-CASE-LEW-11065-2	c03	N73-26048
NASA-CASE-LAR-10953-1	c17	N73-27446	NASA-CASE-LEW-11069-1	c03	N74-14784
NASA-CASE-LAR-10961-1	c15	N73-12496	NASA-CASE-LEW-11071-1	c27	N73-27695
NASA-CASE-LAR-10994-1	c18	N73-30536	NASA-CASE-LEW-11072-1	c14	N73-24472
NASA-CASE-LAR-11021-1	c14	N74-20019	NASA-CASE-LEW-11072-2	c14	N72-28443
NASA-CASE-LAR-11027-1	c14	N74-18088	NASA-CASE-LEW-11076-1	c15	N74-21061
NASA-CASE-LAR-11051-1	c21	N73-28646	NASA-CASE-LEW-11076-2	c15	N73-20533
NASA-CASE-LAR-11052-1	c32	N73-13929	NASA-CASE-LEW-11076-3	c15	N74-10475
NASA-CASE-LAR-11053-1	c33	N74-18551	NASA-CASE-LEW-11076-4	c15	N74-18134
NASA-CASE-LAR-11059-1	c00	N73-26838	NASA-CASE-LEW-11087-1	c15	N73-30458
NASA-CASE-LAR-11069-1	c04	N73-16061	NASA-CASE-LEW-11087-2	c15	N74-15128
NASA-CASE-LAR-11071-1	c15	N73-18474	NASA-CASE-LEW-11087-3	c15	N74-21064
NASA-CASE-LAR-11072-1	c15	N73-20535	NASA-CASE-LEW-11101-1	c31	N73-32750
NASA-CASE-LAR-11074-1	c05	N73-16096	NASA-CASE-LEW-11118-1	c15	N72-32501
NASA-CASE-LAR-11084-1	c09	N73-12216	NASA-CASE-LEW-11152-1	c15	N73-32359
NASA-CASE-LAR-11087-1	c02	N73-26008	NASA-CASE-LEW-11159-1	c14	N73-28488
NASA-CASE-LAR-11138	c12	N71-20436	NASA-CASE-LEW-11162-1	c09	N74-12913
NASA-CASE-LAR-11139-1	c14	N73-20483	NASA-CASE-LEW-11169-1	c15	N74-18131
NASA-CASE-LAR-11140-1	c02	N73-20008	NASA-CASE-LEW-11179-1	c17	N73-22474
NASA-CASE-LAR-11141-1	c02	N73-22975	NASA-CASE-LEW-11180-1	c25	N73-25760
NASA-CASE-LAR-11155-1	c14	N74-15091	NASA-CASE-LEW-11187-1	c28	N73-19793
NASA-CASE-LAR-11170-1	c07	N74-12843	NASA-CASE-LEW-11188-1	c02	N74-20646
NASA-CASE-LAR-11173-1	c14	N73-22387	NASA-CASE-LEW-11192-1	c09	N73-13208
NASA-CASE-LAR-11174-1	c03	N73-26047	NASA-CASE-LEW-11224-1	c02	N72-10033
NASA-CASE-LAR-11207-1	c14	N73-28496	NASA-CASE-LEW-11227-1	c33	N71-35153

NUMBER INDEX

NASA-CASE-LEW-11262-1	c18 N74-13270	NASA-CASE-MFS-15162	c14 N72-32452
NASA-CASE-LEW-11267-1	c17 N73-32414	NASA-CASE-MFS-15218-1	c15 N73-31438
NASA-CASE-LEW-11274-1	c15 N73-29457	NASA-CASE-MFS-16570-1	c05 N73-32013
NASA-CASE-LEW-11286-1	c02 N73-21066	NASA-CASE-MFS-16609-2	c07 N73-31084
NASA-CASE-LEW-11325-1	c06 N73-27980	NASA-CASE-MFS-18100	c15 N72-11390
NASA-CASE-LEW-11326-1	c23 N73-30665	NASA-CASE-MFS-18495	c15 N72-11385
NASA-CASE-LEW-11348-1	c17 N72-25517	NASA-CASE-MFS-20011	c18 N72-22566
NASA-CASE-LEW-11358	c03 N71-26084	NASA-CASE-MFS-20044	c14 N71-28993
NASA-CASE-LEW-11359	c03 N71-28579	NASA-CASE-MFS-20068	c07 N71-27191
NASA-CASE-LEW-11359-2	c03 N72-20034	NASA-CASE-MFS-20074	c16 N71-15565
NASA-CASE-LEW-11387-1	c15 N74-18128	NASA-CASE-MFS-20075	c09 N71-26133
NASA-CASE-LEW-11388-1	c15 N73-32358	NASA-CASE-MFS-20095	c24 N72-11595
NASA-CASE-LEW-11388-2	c15 N74-21055	NASA-CASE-MFS-20096	c14 N71-30026
NASA-CASE-LEW-11390-2	c24 N73-20763	NASA-CASE-MFS-20125	c16 N72-13437
NASA-CASE-LEW-11390-3	c11 N73-28128	NASA-CASE-MFS-20130	c28 N71-27585
NASA-CASE-LEW-11402-1	c28 N72-20770	NASA-CASE-MFS-20180	c16 N72-12440
NASA-CASE-LEW-11464-1	c15 N73-22415	NASA-CASE-MFS-20207-1	c09 N73-32107
NASA-CASE-LEW-11531	c15 N71-14932	NASA-CASE-MFS-20240	c14 N71-26788
NASA-CASE-LEW-11569-1	c28 N74-15453	NASA-CASE-MFS-20242	c14 N73-19421
NASA-CASE-LEW-11581-1	c05 N73-18139	NASA-CASE-MFS-20243	c23 N73-13662
NASA-CASE-LEW-11583-1	c15 N74-13199	NASA-CASE-MFS-20249	c15 N72-11386
NASA-CASE-LEW-11593-1	c28 N73-25816	NASA-CASE-MFS-20261	c14 N71-27005
NASA-CASE-LEW-11617-1	c09 N74-10195	NASA-CASE-MFS-20284-1	c05 N74-12778
NASA-CASE-LEW-11632-1	c14 N72-25440	NASA-CASE-MFS-20299	c15 N72-11392
NASA-CASE-LEW-11632-2	c14 N73-29437	NASA-CASE-MFS-20317	c15 N73-13463
NASA-CASE-LEW-11645-2	c22 N73-28660	NASA-CASE-MFS-20325	c28 N71-27095
NASA-CASE-LEW-11646-1	c28 N72-32760	NASA-CASE-MFS-20332	c05 N72-20097
NASA-CASE-LEW-11669-1	c05 N73-27062	NASA-CASE-MFS-20332-2	c05 N73-25125
NASA-CASE-LEW-11672-1	c15 N73-14479	NASA-CASE-MFS-20333	c09 N71-13486
NASA-CASE-LEW-11694-1	c28 N73-22721	NASA-CASE-MFS-20335-1	c14 N74-10415
NASA-CASE-LEW-11696-1	c15 N73-10502	NASA-CASE-MFS-20355	c33 N71-25353
NASA-CASE-LEW-11696-2	c18 N74-18197	NASA-CASE-MFS-20385	c09 N71-24904
NASA-CASE-LEW-11726-1	c26 N73-26752	NASA-CASE-MFS-20386	c21 N71-19212
NASA-CASE-LEW-11879-1	c18 N74-20152	NASA-CASE-MFS-20395	c15 N71-24903
NASA-CASE-LEW-11925-1	c15 N74-18133	NASA-CASE-MFS-20400	c31 N71-18611
NASA-CASE-LEW-12051-1	c04 N73-32000	NASA-CASE-MFS-20407	c09 N73-19235
NASA-CASE-LEW-12078-1	c14 N74-18101	NASA-CASE-MFS-20408	c18 N73-12604
NASA-CASE-MFS-06074	c15 N71-20393	NASA-CASE-MFS-20410	c15 N71-19214
NASA-CASE-MFS-07369	c15 N71-20443	NASA-CASE-MFS-20413	c15 N72-21463
NASA-CASE-MFS-10068	c10 N71-25139	NASA-CASE-MFS-20418	c14 N73-24473
NASA-CASE-MFS-10340	c15 N71-17628	NASA-CASE-MFS-20423	c15 N72-11388
NASA-CASE-MFS-10354	c12 N70-41976	NASA-CASE-MFS-20433	c15 N72-28496
NASA-CASE-MFS-10354-2	c12 N72-25306	NASA-CASE-MFS-20434	c11 N72-25288
NASA-CASE-MFS-10412	c12 N71-17578	NASA-CASE-MFS-20453	c15 N71-29133
NASA-CASE-MFS-10506	c06 N73-30100	NASA-CASE-MFS-20482	c15 N72-22492
NASA-CASE-MFS-10507	c06 N73-30101	NASA-CASE-MFS-20485	c14 N72-11365
NASA-CASE-MFS-10509	c06 N73-30103	NASA-CASE-MFS-20486-2	c18 N74-17283
NASA-CASE-MFS-10512	c06 N73-30099	NASA-CASE-MFS-20506-1	c14 N73-17563
NASA-CASE-MFS-10555	c11 N71-19494	NASA-CASE-MFS-20509	c11 N72-17183
NASA-CASE-MFS-11132	c15 N71-17649	NASA-CASE-MFS-20523	c14 N72-27412
NASA-CASE-MFS-11133	c31 N71-16222	NASA-CASE-MFS-20546-2	c14 N73-30389
NASA-CASE-MFS-11204	c14 N71-29134	NASA-CASE-MFS-20586	c15 N71-17686
NASA-CASE-MFS-11279	c16 N71-20400	NASA-CASE-MFS-20589	c25 N72-32688
NASA-CASE-MFS-11492	c06 N73-30102	NASA-CASE-MFS-20596	c14 N72-17324
NASA-CASE-MFS-11497	c28 N71-16224	NASA-CASE-MFS-20619	c28 N72-11708
NASA-CASE-MFS-11537	c14 N71-20442	NASA-CASE-MFS-20620	c11 N72-27262
NASA-CASE-MFS-12750	c27 N71-16223	NASA-CASE-MFS-20642	c14 N72-21407
NASA-CASE-MFS-12805	c15 N71-17805	NASA-CASE-MFS-20645	c15 N72-20463
NASA-CASE-MFS-12806	c14 N71-17588	NASA-CASE-MFS-20658-1	c14 N73-30386
NASA-CASE-MFS-12827	c14 N71-17656	NASA-CASE-MFS-20673	c14 N73-20476
NASA-CASE-MFS-12915	c11 N71-17600	NASA-CASE-MFS-20675	c26 N73-26751
NASA-CASE-MFS-13046	c07 N71-19433	NASA-CASE-MFS-20698	c15 N72-20446
NASA-CASE-MFS-13130	c10 N72-17173	NASA-CASE-MFS-20698-2	c15 N73-19457
NASA-CASE-MFS-13532	c18 N72-17532	NASA-CASE-MFS-20710	c11 N72-23215
NASA-CASE-MFS-13686	c15 N71-18132	NASA-CASE-MFS-20730-1	c14 N74-13131
NASA-CASE-MFS-13687	c09 N71-28691	NASA-CASE-MFS-20757	c09 N72-28225
NASA-CASE-MFS-13687-2	c09 N72-22198	NASA-CASE-MFS-20760	c14 N72-33377
NASA-CASE-MFS-13929	c15 N71-27091	NASA-CASE-MFS-20761-1	c03 N73-17037
NASA-CASE-MFS-13994-1	c06 N71-11240	NASA-CASE-MFS-20767-1	c15 N74-15130
NASA-CASE-MFS-13994-2	c06 N72-25148	NASA-CASE-MFS-20774	c14 N73-19420
NASA-CASE-MFS-14017	c14 N71-26627	NASA-CASE-MFS-20775-1	c26 N73-23770
NASA-CASE-MFS-14023	c33 N71-25351	NASA-CASE-MFS-20809	c23 N73-13660
NASA-CASE-MFS-14114	c33 N71-27862	NASA-CASE-MFS-20823-1	c16 N73-30476
NASA-CASE-MFS-14114-2	c09 N71-24807	NASA-CASE-MFS-20829	c12 N72-21310
NASA-CASE-MFS-14216	c14 N73-13418	NASA-CASE-MFS-20830	c15 N71-30028
NASA-CASE-MFS-14253	c33 N71-24858	NASA-CASE-MFS-20831	c28 N71-29153
NASA-CASE-MFS-14259	c15 N71-19213	NASA-CASE-MFS-20855	c15 N73-27405
NASA-CASE-MFS-14322	c08 N71-18692	NASA-CASE-MFS-20855-1	c31 N72-25853
NASA-CASE-MFS-14405	c15 N72-28495	NASA-CASE-MFS-20861-1	c18 N73-32437
NASA-CASE-MFS-14610	c09 N71-28886	NASA-CASE-MFS-20863	c31 N73-26876
NASA-CASE-MFS-14671	c05 N71-12341	NASA-CASE-MFS-20890	c14 N72-22439
NASA-CASE-MFS-14685	c31 N71-15689	NASA-CASE-MFS-20916	c14 N73-25460
NASA-CASE-MFS-14710	c09 N72-22195	NASA-CASE-MFS-20922	c31 N72-20840
NASA-CASE-MFS-14711	c15 N71-26185	NASA-CASE-MFS-20932-1	c14 N73-27380
NASA-CASE-MFS-14741	c09 N70-20737	NASA-CASE-MFS-20935	c09 N71-34212
NASA-CASE-MFS-14772	c15 N71-17692	NASA-CASE-MFS-20944	c15 N73-13466
NASA-CASE-MFS-14971	c15 N71-24984	NASA-CASE-MFS-20979	c06 N72-25151
NASA-CASE-MFS-15063	c14 N72-25412	NASA-CASE-MFS-20979-2	c06 N73-32030
		NASA-CASE-MFS-20994-1	c05 N73-30090

NUMBER INDEX

NASA-CASE-MFS-21010-1	c05 N73-30078	NASA-CASE-MSC-12033-1	c09 N71-13531
NASA-CASE-MFS-21040-1	c06 N73-30098	NASA-CASE-MSC-12049	c31 N71-16080
NASA-CASE-MFS-21042	c07 N72-25171	NASA-CASE-MSC-12052-1	c15 N71-24599
NASA-CASE-MFS-21045-1	c14 N74-11288	NASA-CASE-MSC-12084-1	c12 N71-17569
NASA-CASE-MFS-21046-1	c14 N73-27377	NASA-CASE-MSC-12086-1	c05 N71-12345
NASA-CASE-MFS-21049-1	c14 N73-11405	NASA-CASE-MSC-12101	c09 N71-18720
NASA-CASE-MFS-21077	c18 N71-34502	NASA-CASE-MSC-12105-1	c14 N72-21409
NASA-CASE-MFS-21087-1	c14 N74-17153	NASA-CASE-MSC-12109	c18 N71-26285
NASA-CASE-MFS-21108-1	c14 N73-12455	NASA-CASE-MSC-12111-1	c02 N71-11039
NASA-CASE-MFS-21109-1	c05 N73-27941	NASA-CASE-MSC-12116-1	c15 N71-17648
NASA-CASE-MFS-21115-1	c05 N74-12779	NASA-CASE-MSC-12121-1	c15 N71-27147
NASA-CASE-MFS-21136-1	c23 N74-18323	NASA-CASE-MSC-12135-1	c09 N71-12526
NASA-CASE-MFS-21163-1	c05 N74-17853	NASA-CASE-MSC-12139-1	c28 N71-14058
NASA-CASE-MFS-21214-1	c09 N73-30181	NASA-CASE-MSC-12143-1	c33 N72-17947
NASA-CASE-MFS-21233-1	c23 N74-15395	NASA-CASE-MSC-12146-1	c07 N72-17109
NASA-CASE-MFS-21244-1	c20 N73-21523	NASA-CASE-MSC-12165-1	c07 N71-33696
NASA-CASE-MFS-21309-1	c15 N74-18125	NASA-CASE-MSC-12168-1	c09 N71-18600
NASA-CASE-MFS-21362	c11 N73-20267	NASA-CASE-MSC-12178-1	c09 N71-13518
NASA-CASE-MFS-21364-1	c15 N74-18126	NASA-CASE-MSC-12205-1	c07 N71-27056
NASA-CASE-MFS-21372	c14 N72-20397	NASA-CASE-MSC-12206-1	c05 N71-17599
NASA-CASE-MFS-21374-1	c10 N74-12951	NASA-CASE-MSC-12209	c09 N71-24842
NASA-CASE-MFS-21394-1	c12 N72-27310	NASA-CASE-MSC-12223-1	c07 N71-26181
NASA-CASE-MFS-21395-1	c14 N72-27425	NASA-CASE-MSC-12233-1	c15 N72-25454
NASA-CASE-MFS-21415-1	c05 N74-20728	NASA-CASE-MSC-12233-2	c32 N73-13921
NASA-CASE-MFS-21424-1	c12 N73-16248	NASA-CASE-MSC-12243-1	c05 N71-24728
NASA-CASE-MFS-21433	c09 N73-20232	NASA-CASE-MSC-12259-1	c07 N70-12616
NASA-CASE-MFS-21441-1	c14 N73-30392	NASA-CASE-MSC-12259-2	c07 N72-33146
NASA-CASE-MFS-21455-1	c16 N74-15146	NASA-CASE-MSC-12279	c15 N72-17450
NASA-CASE-MFS-21462-1	c09 N74-14935	NASA-CASE-MSC-12279-1	c15 N70-35679
NASA-CASE-MFS-21465-1	c10 N73-32145	NASA-CASE-MSC-12280	c27 N71-16348
NASA-CASE-MFS-21470-1	c10 N74-19870	NASA-CASE-MSC-12293-1	c14 N72-27411
NASA-CASE-MFS-21481-1	c15 N74-18127	NASA-CASE-MSC-12297	c14 N72-23457
NASA-CASE-MFS-21485-1	c15 N72-31490	NASA-CASE-MSC-12324-1	c05 N72-22093
NASA-CASE-MFS-21488-1	c14 N73-23526	NASA-CASE-MSC-12332-1	c15 N72-15476
NASA-CASE-MFS-21527	c31 N72-15781	NASA-CASE-MSC-12357	c15 N73-12489
NASA-CASE-MFS-21540-1	c07 N74-19790	NASA-CASE-MSC-12363-1	c14 N73-26431
NASA-CASE-MFS-21556-1	c14 N73-20487	NASA-CASE-MSC-12372-1	c31 N72-25842
NASA-CASE-MFS-21577-1	c03 N73-20042	NASA-CASE-MSC-12389	c33 N71-29052
NASA-CASE-MFS-21606-1	c15 N73-22417	NASA-CASE-MSC-12390	c27 N71-29155
NASA-CASE-MFS-21611-1	c05 N74-10100	NASA-CASE-MSC-12391	c30 N73-12884
NASA-CASE-MFS-21628-1	c29 N74-14496	NASA-CASE-MSC-12393-1	c02 N73-26006
NASA-CASE-MFS-21629	c14 N72-22442	NASA-CASE-MSC-12394-1	c03 N74-10942
NASA-CASE-MFS-21660-1	c14 N74-21017	NASA-CASE-MSC-12395	c09 N72-25257
NASA-CASE-MFS-21671-1	c10 N73-17211	NASA-CASE-MSC-12396-1	c03 N73-31988
NASA-CASE-MFS-21672-1	c23 N73-22630	NASA-CASE-MSC-12397-1	c05 N72-25119
NASA-CASE-MFS-21675-1	c33 N73-1826	NASA-CASE-MSC-12398	c05 N72-20098
NASA-CASE-MFS-21680-1	c15 N73-20525	NASA-CASE-MSC-12404-1	c23 N73-13661
NASA-CASE-MFS-21681-1	c15 N73-20525	NASA-CASE-MSC-12408-1	c13 N74-13011
NASA-CASE-MFS-21698-1	c09 N73-26196	NASA-CASE-MSC-12411-1	c05 N72-20096
NASA-CASE-MFS-21704-1	c16 N73-30478	NASA-CASE-MSC-12428-1	c10 N73-25240
NASA-CASE-MFS-21728-1	c14 N73-25467	NASA-CASE-MSC-12433	c31 N73-14854
NASA-CASE-MFS-21761-1	c14 N73-18444	NASA-CASE-MSC-12448-1	c14 N72-20394
NASA-CASE-MFS-21846-1	c15 N73-23552	NASA-CASE-MSC-12458-1	c08 N73-32081
NASA-CASE-MFS-21919-1	c10 N73-25243	NASA-CASE-MSC-12462-1	c07 N74-20809
NASA-CASE-MFS-22002-1	c03 N74-18726	NASA-CASE-MSC-12494-1	c07 N74-20810
NASA-CASE-MFS-22022-1	c05 N74-10099	NASA-CASE-MSC-12531-1	c14 N73-22386
NASA-CASE-MFS-22039-1	c14 N73-30428	NASA-CASE-MSC-12549-1	c15 N73-11443
NASA-CASE-MFS-22040-1	c16 N73-26500	NASA-CASE-MSC-12559-1	c31 N73-26879
NASA-CASE-MFS-22073-1	c09 N74-11058	NASA-CASE-MSC-12568-1	c18 N73-16577
NASA-CASE-MFS-22088-1	c09 N74-13894	NASA-CASE-MSC-12593-1	c09 N74-14942
NASA-CASE-MFS-22102-1	c05 N74-20725	NASA-CASE-MSC-12609-1	c05 N73-32012
NASA-CASE-MFS-22128-2	c14 N74-18098	NASA-CASE-MSC-13047-1	c31 N71-25434
NASA-CASE-MFS-22129-1	c09 N73-26197	NASA-CASE-MSC-13110-1	c08 N72-22163
NASA-CASE-MFS-22133-1	c15 N73-18473	NASA-CASE-MSC-13112	c03 N71-11057
NASA-CASE-MFS-22145-1	c25 N73-26721	NASA-CASE-MSC-13140	c05 N72-11085
NASA-CASE-MFS-22189-1	c14 N74-10421	NASA-CASE-MSC-13201-1	c07 N71-28429
NASA-CASE-MFS-22208-1	c14 N74-18100	NASA-CASE-MSC-13276-1	c14 N71-27058
NASA-CASE-MFS-22283-1	c15 N73-30462	NASA-CASE-MSC-13281	c31 N72-18859
NASA-CASE-MFS-22287-1	c11 N74-18891	NASA-CASE-MSC-13282-1	c05 N71-24729
NASA-CASE-MFS-22324-1	c18 N73-21471	NASA-CASE-MSC-13332-1	c14 N72-21408
NASA-CASE-MFS-22342-1	c09 N73-24236	NASA-CASE-MSC-13335-1	c06 N72-31140
NASA-CASE-MFS-22343-1	c09 N73-18224	NASA-CASE-MSC-13397-1	c21 N72-25595
NASA-CASE-MFS-22409-1	c16 N74-18153	NASA-CASE-MSC-13407-1	c10 N72-20225
NASA-CASE-MFS-22411-1	c15 N74-21058	NASA-CASE-MSC-13436-1	c05 N73-32015
NASA-CASE-MFS-22562-1	c03 N74-19700	NASA-CASE-MSC-13492-1	c10 N71-28860
NASA-CASE-MFS-22649-1	c15 N73-32376	NASA-CASE-MSC-13512-1	c15 N72-22485
NASA-CASE-MFS-22671-1	c14 N74-13146	NASA-CASE-MSC-13530-2	c06 N73-11107
NASA-CASE-MFS-22734-1	c31 N74-20541	NASA-CASE-MSC-13540-1	c05 N72-33096
		NASA-CASE-MSC-13587-1	c15 N73-30459
		NASA-CASE-MSC-13601-1	c05 N72-11088
NASA-CASE-MSC-10959	c15 N71-26243	NASA-CASE-MSC-13604-1	c05 N73-13114
NASA-CASE-MSC-10960-1	c03 N71-24718	NASA-CASE-MSC-13609-1	c05 N72-25122
NASA-CASE-MSC-10966	c14 N71-19568	NASA-CASE-MSC-13648	c05 N72-27103
NASA-CASE-MSC-11010	c15 N71-19485	NASA-CASE-MSC-13746-1	c10 N73-32143
NASA-CASE-MSC-11253	c05 N71-12343	NASA-CASE-MSC-13789-1	c11 N73-32152
NASA-CASE-MSC-11277	c09 N71-29008	NASA-CASE-MSC-13802-1	c30 N72-20805
NASA-CASE-MSC-11561-1	c05 N73-32014	NASA-CASE-MSC-13855-1	c07 N74-17885
NASA-CASE-MSC-11817-1	c15 N71-26611	NASA-CASE-MSC-13907-1	c10 N73-26230
NASA-CASE-MSC-11847-1	c14 N72-11363	NASA-CASE-MSC-13912-1	c07 N73-12151
NASA-CASE-MSC-11849-1	c15 N72-22488		

RUBBER INDEX

NASA-CASE-HSC-13917-1	c05 N72-15098	NASA-CASE-NPO-10344	c10 N71-26544
NASA-CASE-HSC-13932-1	c08 N74-14920	NASA-CASE-NPO-10348	c10 N71-12554
NASA-CASE-HSC-13972-1	c05 N74-10975	NASA-CASE-NPO-10351	c08 N71-12503
NASA-CASE-HSC-13999-1	c05 N72-25142	NASA-CASE-NPO-10373	c03 N71-18698
NASA-CASE-HSC-14053-1	c08 N74-12888	NASA-CASE-NPO-10388	c07 N71-24622
NASA-CASE-HSC-14065-1	c07 N73-10215	NASA-CASE-NPO-10401	c03 N72-20033
NASA-CASE-HSC-14066-1	c10 N73-10269	NASA-CASE-NPO-10404	c03 N71-12255
NASA-CASE-HSC-14070-1	c07 N72-27178	NASA-CASE-NPO-10412	c09 N71-28421
NASA-CASE-HSC-14081-1	c14 N73-18443	NASA-CASE-NPO-10416	c12 N71-27332
NASA-CASE-HSC-14082-1	c08 N73-16163	NASA-CASE-NPO-10417	c16 N71-33410
NASA-CASE-HSC-14096-1	c14 N74-15095	NASA-CASE-NPO-10431	c15 N71-29132
NASA-CASE-HSC-14129-1	c10 N73-26231	NASA-CASE-NPO-10440	c15 N72-21466
NASA-CASE-HSC-14130-1	c10 N73-26232	NASA-CASE-NPO-10447	c06 N70-11252
NASA-CASE-HSC-14131-1	c09 N73-26199	NASA-CASE-NPO-10467	c23 N71-26654
NASA-CASE-HSC-14143-1	c33 N73-32823	NASA-CASE-NPO-10468	c23 N71-33229
NASA-CASE-HSC-14180-1	c05 N73-22045	NASA-CASE-NPO-10539	c07 N71-11285
NASA-CASE-HSC-14182-1	c18 N74-15213	NASA-CASE-NPO-10542	c09 N72-27228
NASA-CASE-HSC-14187-1	c14 N73-17564	NASA-CASE-NPO-10548	c16 N71-24831
NASA-CASE-HSC-14219-1	c07 N73-16132	NASA-CASE-NPO-10556	c14 N71-27185
NASA-CASE-HSC-14240-1	c10 N73-21240	NASA-CASE-NPO-10560	c08 N72-22166
NASA-CASE-HSC-14245-1	c31 N73-30832	NASA-CASE-NPO-10567	c08 N71-24633
NASA-CASE-HSC-14273-1	c12 N73-28179	NASA-CASE-NPO-10575	c03 N72-25019
NASA-CASE-HSC-14331-1	c18 N73-27501	NASA-CASE-NPO-10591	c03 N72-22041
NASA-CASE-HSC-14339-1	c05 N73-21151	NASA-CASE-NPO-10595	c10 N71-25917
NASA-CASE-HSC-14428-1	c06 N74-19776	NASA-CASE-NPO-10596	c06 N71-25929
NASA-CASE-HSC-14435-1	c15 N74-20071	NASA-CASE-NPO-10606	c15 N72-25451
NASA-CASE-HSC-14558-1	c07 N74-17888	NASA-CASE-NPO-10607	c09 N71-27232
NASA-CASE-HSC-15158-1	c14 N72-17325	NASA-CASE-NPO-10617	c14 N70-12618
NASA-CASE-HSC-15474-1	c15 N71-26162	NASA-CASE-NPO-10625	c09 N71-26182
NASA-CASE-HSC-15567-1	c33 N73-16918	NASA-CASE-NPO-10629	c08 N72-18184
NASA-CASE-HSC-15626-1	c14 N72-25411	NASA-CASE-NPO-10633	c03 N72-28025
NASA-CASE-HSC-17832-1	c10 N74-14956	NASA-CASE-NPO-10634	c23 N72-25619
NASA-CASE-HSC-90153-2	c05 N72-25120	NASA-CASE-NPO-10636	c08 N72-25210
NASA-CASE-NPO-10003	c10 N71-26415	NASA-CASE-NPO-10637	c15 N72-12409
NASA-CASE-NPO-10034	c15 N71-17685	NASA-CASE-NPO-10646	c15 N71-28467
NASA-CASE-NPO-10037	c09 N71-19610	NASA-CASE-NPO-10649	c07 N71-24840
NASA-CASE-NPO-10046	c28 N72-17843	NASA-CASE-NPO-10671	c15 N72-20443
NASA-CASE-NPO-10051	c18 N71-24934	NASA-CASE-NPO-10677	c05 N72-11084
NASA-CASE-NPO-10064	c15 N71-17693	NASA-CASE-NPO-10679	c15 N72-21462
NASA-CASE-NPO-10066	c09 N71-18598	NASA-CASE-NPO-10680	c31 N73-14855
NASA-CASE-NPO-10068	c08 N71-19288	NASA-CASE-NPO-10682	c15 N70-34699
NASA-CASE-NPO-10070	c15 N71-27372	NASA-CASE-NPO-10691	c14 N71-26199
NASA-CASE-NPO-10096	c07 N71-24583	NASA-CASE-NPO-10694	c09 N72-20200
NASA-CASE-NPO-10109	c03 N71-11049	NASA-CASE-NPO-10700	c07 N71-33613
NASA-CASE-NPO-10112	c08 N71-12502	NASA-CASE-NPO-10701	c06 N71-28620
NASA-CASE-NPO-10117	c15 N71-15608	NASA-CASE-NPO-10704	c15 N72-20445
NASA-CASE-NPO-10118	c07 N71-24741	NASA-CASE-NPO-10714	c06 N69-31244
NASA-CASE-NPO-10122	c12 N71-17631	NASA-CASE-NPO-10716	c09 N71-24892
NASA-CASE-NPO-10123	c15 N71-24835	NASA-CASE-NPO-10721	c15 N72-27484
NASA-CASE-NPO-10138	c33 N71-16357	NASA-CASE-NPO-10722	c09 N72-20199
NASA-CASE-NPO-10140	c07 N71-24742	NASA-CASE-NPO-10737	c28 N72-11709
NASA-CASE-NPO-10141	c11 N71-24964	NASA-CASE-NPO-10743	c08 N72-21199
NASA-CASE-NPO-10143	c10 N71-26326	NASA-CASE-NPO-10745	c08 N72-22164
NASA-CASE-NPO-10144	c14 N71-17701	NASA-CASE-NPO-10747	c03 N72-22042
NASA-CASE-NPO-10150	c08 N71-24650	NASA-CASE-NPO-10748	c08 N72-20177
NASA-CASE-NPO-10158	c33 N71-16356	NASA-CASE-NPO-10753	c03 N72-26031
NASA-CASE-NPO-10166-1	c07 N73-22076	NASA-CASE-NPO-10755	c15 N71-27084
NASA-CASE-NPO-10169	c10 N71-24844	NASA-CASE-NPO-10758	c14 N73-14427
NASA-CASE-NPO-10173	c15 N71-24696	NASA-CASE-NPO-10760	c09 N72-25254
NASA-CASE-NPO-10174	c14 N71-18465	NASA-CASE-NPO-10764-1	c14 N73-14428
NASA-CASE-NPO-10175	c14 N71-18625	NASA-CASE-NPO-10764-2	c10 N73-20259
NASA-CASE-NPO-10185	c10 N71-26339	NASA-CASE-NPO-10765	c06 N72-20121
NASA-CASE-NPO-10188	c03 N71-20273	NASA-CASE-NPO-10767-1	c06 N73-33076
NASA-CASE-NPO-10194	c03 N71-20407	NASA-CASE-NPO-10767-2	c06 N72-27151
NASA-CASE-NPO-10198	c09 N71-24806	NASA-CASE-NPO-10768	c06 N71-27254
NASA-CASE-NPO-10199	c09 N72-17156	NASA-CASE-NPO-10768-2	c06 N72-27144
NASA-CASE-NPO-10201	c08 N71-18694	NASA-CASE-NPO-10769	c08 N72-11171
NASA-CASE-NPO-10214	c10 N71-26577	NASA-CASE-NPO-10774	c06 N72-17095
NASA-CASE-NPO-10230	c09 N71-12520	NASA-CASE-NPO-10778	c14 N72-11364
NASA-CASE-NPO-10231	c07 N71-26101	NASA-CASE-NPO-10796	c15 N71-27068
NASA-CASE-NPO-10234	c06 N72-17094	NASA-CASE-NPO-10808	c15 N71-27432
NASA-CASE-NPO-10242	c09 N71-24803	NASA-CASE-NPO-10810	c14 N71-27323
NASA-CASE-NPO-10244	c15 N72-26371	NASA-CASE-NPO-10812	c15 N73-13864
NASA-CASE-NPO-10250	c23 N71-16212	NASA-CASE-NPO-10817-1	c08 N73-30135
NASA-CASE-NPO-10251	c10 N71-27365	NASA-CASE-NPO-10821	c03 N71-19545
NASA-CASE-NPO-10271	c17 N71-16393	NASA-CASE-NPO-10828	c33 N72-17948
NASA-CASE-NPO-10298	c12 N71-17661	NASA-CASE-NPO-10831	c33 N72-20915
NASA-CASE-NPO-10300	c14 N71-17662	NASA-CASE-NPO-10832	c14 N72-21405
NASA-CASE-NPO-10301	c07 N72-11148	NASA-CASE-NPO-10844	c07 N72-20140
NASA-CASE-NPO-10302	c10 N71-26142	NASA-CASE-NPO-10851	c07 N71-24613
NASA-CASE-NPO-10303	c07 N72-22127	NASA-CASE-NPO-10862	c06 N72-22107
NASA-CASE-NPO-10309	c15 N69-23190	NASA-CASE-NPO-10863	c06 N70-11251
NASA-CASE-NPO-10311	c31 N71-15643	NASA-CASE-NPO-10863-2	c06 N72-25152
NASA-CASE-NPO-10320	c14 N71-17655	NASA-CASE-NPO-10883	c31 N72-22874
NASA-CASE-NPO-10331	c09 N71-26701	NASA-CASE-NPO-10890	c11 N73-12265
NASA-CASE-NPO-10337	c14 N71-15604	NASA-CASE-NPO-10893	c27 N73-22710
NASA-CASE-NPO-10342	c10 N71-33407	NASA-CASE-NPO-10985	c14 N73-20878
NASA-CASE-NPO-10343	c07 N71-27341	NASA-CASE-NPO-10998-1	c06 N73-32029
			NASA-CASE-NPO-10999-1	c06 N73-32029

NUMBER INDEX

NASA-CASE-NPO-11001	c07 N72-21118	NASA-CASE-NPO-11623-1	c23 N72-25628
NASA-CASE-NPO-11002	c14 N72-22441	NASA-CASE-NPO-11628-1	c07 N73-30113
NASA-CASE-NPO-11012	c15 N72-11391	NASA-CASE-NPO-11630	c08 N72-33172
NASA-CASE-NPO-11013	c11 N72-22247	NASA-CASE-NPO-11631	c10 N73-12244
NASA-CASE-NPO-11016	c08 N72-31226	NASA-CASE-NPO-11659-1	c14 N74-11283
NASA-CASE-NPO-11018	c08 N72-21200	NASA-CASE-NPO-11661	c07 N73-14130
NASA-CASE-NPO-11021	c03 N72-20032	NASA-CASE-NPO-11682-1	c15 N74-15127
NASA-CASE-NPO-11023	c09 N72-17155	NASA-CASE-NPO-11686	c14 N73-25462
NASA-CASE-NPO-11031	c07 N71-33606	NASA-CASE-NPO-11703-1	c07 N73-32144
NASA-CASE-NPO-11036	c15 N72-24522	NASA-CASE-NPO-11707	c07 N73-25161
NASA-CASE-NPO-11059	c15 N72-17454	NASA-CASE-NPO-11738-1	c09 N73-30185
NASA-CASE-NPO-11064	c07 N72-11150	NASA-CASE-NPO-11743-1	c33 N73-29959
NASA-CASE-NPO-11078	c09 N72-25262	NASA-CASE-NPO-11749	c14 N73-28486
NASA-CASE-NPO-11082	c08 N72-22167	NASA-CASE-NPO-11751	c07 N73-24176
NASA-CASE-NPO-11087	c23 N71-29125	NASA-CASE-NPO-11758-1	c15 N72-28507
NASA-CASE-NPO-11088	c08 N71-29034	NASA-CASE-NPO-11771	c03 N73-20040
NASA-CASE-NPO-11091	c18 N72-22567	NASA-CASE-NPO-11775	c26 N72-28761
NASA-CASE-NPO-11095	c15 N72-25455	NASA-CASE-NPO-11806-1	c03 N74-19693
NASA-CASE-NPO-11104	c08 N72-22165	NASA-CASE-NPO-11820-1	c07 N74-19788
NASA-CASE-NPO-11106	c14 N70-34697	NASA-CASE-NPO-11821-1	c08 N73-26175
NASA-CASE-NPO-11106-2	c23 N72-28696	NASA-CASE-NPO-11850-1	c09 N74-12912
NASA-CASE-NPO-11118	c03 N72-25021	NASA-CASE-NPO-11856-1	c16 N74-15145
NASA-CASE-NPO-11120-1	c33 N74-18552	NASA-CASE-NPO-11861-1	c14 N74-20009
NASA-CASE-NPO-11129	c09 N72-33204	NASA-CASE-NPO-11868	c10 N73-20254
NASA-CASE-NPO-11130	c08 N72-20176	NASA-CASE-NPO-11880	c28 N73-24783
NASA-CASE-NPO-11133	c10 N72-20223	NASA-CASE-NPO-11905-1	c08 N74-12887
NASA-CASE-NPO-11134	c09 N72-21246	NASA-CASE-NPO-11919-1	c14 N74-11284
NASA-CASE-NPO-11138	c03 N70-34646	NASA-CASE-NPO-11921-1	c07 N73-23118
NASA-CASE-NPO-11140	c15 N72-17455	NASA-CASE-NPO-11932-1	c14 N73-29438
NASA-CASE-NPO-11147	c14 N72-27408	NASA-CASE-NPO-11941-1	c10 N73-27171
NASA-CASE-NPO-11156-2	c03 N73-30974	NASA-CASE-NPO-11942-1	c33 N73-32818
NASA-CASE-NPO-11161	c08 N72-25207	NASA-CASE-NPO-11948-1	c10 N73-15255
NASA-CASE-NPO-11177	c15 N72-17453	NASA-CASE-NPO-11951-1	c15 N74-21065
NASA-CASE-NPO-11190	c03 N71-34044	NASA-CASE-NPO-11962-1	c09 N74-10194
NASA-CASE-NPO-11194	c08 N72-25209	NASA-CASE-NPO-11966-1	c09 N74-17928
NASA-CASE-NPO-11201	c14 N72-27409	NASA-CASE-NPO-11975-1	c27 N73-17802
NASA-CASE-NPO-11202	c15 N72-25450	NASA-CASE-NPO-12000	c27 N72-25699
NASA-CASE-NPO-11203	c10 N72-20224	NASA-CASE-NPO-12015	c27 N73-16764
NASA-CASE-NPO-11210	c11 N72-20244	NASA-CASE-NPO-12061-1	c06 N72-21100
NASA-CASE-NPO-11213	c15 N73-20514	NASA-CASE-NPO-12070-1	c28 N73-32606
NASA-CASE-NPO-11222	c15 N72-25456	NASA-CASE-NPO-12072	c28 N72-22772
NASA-CASE-NPO-11239	c14 N73-12446	NASA-CASE-NPO-12106	c09 N73-15235
NASA-CASE-NPO-11243	c07 N72-20154	NASA-CASE-NPO-12107	c08 N71-27255
NASA-CASE-NPO-11253	c09 N72-17157	NASA-CASE-NPO-12109	c11 N72-22285
NASA-CASE-NPO-11264	c07 N72-25174	NASA-CASE-NPO-12115-1	c06 N73-17153
NASA-CASE-NPO-11282	c10 N73-16205	NASA-CASE-NPO-12122-1	c27 N74-20397
NASA-CASE-NPO-11283	c09 N72-25260	NASA-CASE-NPO-12127-1	c14 N74-13130
NASA-CASE-NPO-11291-1	c14 N73-30388	NASA-CASE-NPO-12128-1	c14 N73-32317
NASA-CASE-NPO-11302-1	c07 N73-13149	NASA-CASE-NPO-13044-1	c14 N74-15094
NASA-CASE-NPO-11302-2	c07 N74-10132	NASA-CASE-NPO-13050-1	c16 N73-18508
NASA-CASE-NPO-11304	c14 N73-26430	NASA-CASE-NPO-13081-1	c07 N73-23106
NASA-CASE-NPO-11307-1	c10 N73-30205	NASA-CASE-NPO-13086-1	c15 N73-12495
NASA-CASE-NPO-11311	c14 N72-25414	NASA-CASE-NPO-13091-1	c09 N73-12214
NASA-CASE-NPO-11317-2	c16 N74-13205	NASA-CASE-NPO-13103-1	c07 N74-20811
NASA-CASE-NPO-11322	c06 N72-25146	NASA-CASE-NPO-13105-1	c15 N74-21060
NASA-CASE-NPO-11330	c33 N73-26958	NASA-CASE-NPO-13112-1	c11 N73-29138
NASA-CASE-NPO-11333	c08 N72-22162	NASA-CASE-NPO-13114-1	c22 N73-13656
NASA-CASE-NPO-11338	c08 N72-25208	NASA-CASE-NPO-13120-1	c18 N73-23629
NASA-CASE-NPO-11340	c15 N72-33477	NASA-CASE-NPO-13121-1	c22 N73-12702
NASA-CASE-NPO-11342	c09 N72-25248	NASA-CASE-NPO-13125-1	c09 N73-18225
NASA-CASE-NPO-11358	c07 N72-25172	NASA-CASE-NPO-13127-1	c14 N73-29438
NASA-CASE-NPO-11361	c07 N72-32169	NASA-CASE-NPO-13131-1	c16 N73-31467
NASA-CASE-NPO-11366	c11 N73-26238	NASA-CASE-NPO-13138-1	c09 N74-17927
NASA-CASE-NPO-11369	c15 N73-13467	NASA-CASE-NPO-13139-1	c08 N74-17911
NASA-CASE-NPO-11371	c08 N73-12177	NASA-CASE-NPO-13140-1	c07 N73-27106
NASA-CASE-NPO-11373	c13 N72-25323	NASA-CASE-NPO-13157-1	c15 N73-26475
NASA-CASE-NPO-11377	c15 N73-27406	NASA-CASE-NPO-13159-1	c09 N74-17928
NASA-CASE-NPO-11387	c14 N73-14429	NASA-CASE-NPO-13160-1	c14 N74-18090
NASA-CASE-NPO-11388	c03 N72-23048	NASA-CASE-NPO-13170-1	c14 N73-28495
NASA-CASE-NPO-11406	c08 N73-12175	NASA-CASE-NPO-13171-1	c07 N74-11000
NASA-CASE-NPO-11417	c15 N73-24513	NASA-CASE-NPO-13172-1	c33 N73-17917
NASA-CASE-NPO-11418-1	c14 N73-13420	NASA-CASE-NPO-13175-1	c16 N73-27431
NASA-CASE-NPO-11426	c07 N73-26119	NASA-CASE-NPO-13201-1	c15 N73-26474
NASA-CASE-NPO-11432-2	c14 N74-15090	NASA-CASE-NPO-13205-1	c15 N73-31442
NASA-CASE-NPO-11433	c18 N71-31140	NASA-CASE-NPO-13214-1	c14 N74-19093
NASA-CASE-NPO-11437	c16 N72-28521	NASA-CASE-NPO-13215-1	c07 N73-26144
NASA-CASE-NPO-11456	c08 N73-26176	NASA-CASE-NPO-13217-1	c05 N73-31011
NASA-CASE-NPO-11458	c28 N72-23810	NASA-CASE-NPO-13224-1	c15 N73-31445
NASA-CASE-NPO-11479	c15 N73-13462	NASA-CASE-NPO-13253-1	c15 N73-31443
NASA-CASE-NPO-11481	c21 N73-13644	NASA-CASE-NPO-13263-1	c07 N74-15838
NASA-CASE-NPO-11493	c14 N73-12447	NASA-CASE-NPO-13292-1	c03 N74-19701
NASA-CASE-NPO-11497	c08 N73-25206	NASA-CASE-NPO-13303-1	c03 N74-19702
NASA-CASE-NPO-11548	c07 N73-26118	NASA-CASE-NPO-13308-1	c05 N74-17858
NASA-CASE-NPO-11556	c12 N72-25292	NASA-CASE-NPO-13313-1	c07 N74-19806
NASA-CASE-NPO-11559	c28 N73-24784	NASA-CASE-NPO-13321-1	c14 N74-18093
NASA-CASE-NPO-11569	c10 N73-26229	NASA-CASE-NPO-13327-1	c14 N74-20022
NASA-CASE-NPO-11572	c07 N73-16121	NASA-CASE-NPO-13348-1	c15 N74-20073
NASA-CASE-NPO-11593-1	c07 N73-28012	NASA-CASE-NPO-13360-1	
NASA-CASE-NPO-11609-1	c06 N72-22114			

NUMBER INDEX

NASA-CASE-NPO-13374-1	c10 N74-17949	NASA-CASE-XFR-00181	c21 N70-33279
NASA-CASE-NPO-13391-1	c33 N74-19584	NASA-CASE-XFR-00756	c02 N71-13421
NASA-CASE-NPO-13426-1	c09 N74-18869	NASA-CASE-XFR-00811	c15 N70-36901
NASA-CASE-NPO-13449-1	c16 N74-16187	NASA-CASE-XFR-00929	c31 N70-34966
NASA-CASE-NUC-10107-1	c09 N74-17930	NASA-CASE-XFR-02007	c12 N71-24692
NASA-CASE-WLP-10002	c15 N72-17451	NASA-CASE-XFR-03107	c09 N71-19449
NASA-CASE-XAC-00001	c15 N71-28952	NASA-CASE-XFR-03802	c33 N71-23085
NASA-CASE-XAC-00030	c14 N70-34820	NASA-CASE-XFR-04104	c03 N70-42073
NASA-CASE-XAC-00042	c14 N70-34816	NASA-CASE-XFR-04147	c11 N71-10748
NASA-CASE-XAC-00048	c02 N71-29128	NASA-CASE-XFR-05302	c15 N71-23254
NASA-CASE-XAC-00060	c09 N70-35915	NASA-CASE-XFR-05421	c15 N71-22994
NASA-CASE-XAC-00073	c14 N70-34813	NASA-CASE-XFR-05637	c09 N71-19480
NASA-CASE-XAC-00074	c15 N70-34817	NASA-CASE-XFR-07172	c05 N71-27234
NASA-CASE-XAC-00086	c09 N70-33182	NASA-CASE-XFR-07658-1	c05 N71-26293
NASA-CASE-XAC-00139	c02 N70-34856	NASA-CASE-XFR-08403	c05 N71-11202
NASA-CASE-XAC-00319	c25 N70-41628	NASA-CASE-XFR-09479	c14 N69-27503
NASA-CASE-XAC-00399	c11 N70-34815	NASA-CASE-XFR-10856	c05 N71-11189
NASA-CASE-XAC-00404	c08 N70-40125	NASA-CASE-XGS-00131	c09 N70-38995
NASA-CASE-XAC-00405	c05 N70-41819	NASA-CASE-XGS-00174	c08 N70-34743
NASA-CASE-XAC-00435	c09 N70-35440	NASA-CASE-XGS-00260	c31 N70-37924
NASA-CASE-XAC-00472	c15 N70-40180	NASA-CASE-XGS-00359	c14 N70-34158
NASA-CASE-XAC-00648	c14 N70-40400	NASA-CASE-XGS-00373	c23 N71-15978
NASA-CASE-XAC-00731	c11 N71-15960	NASA-CASE-XGS-00381	c09 N70-34819
NASA-CASE-XAC-00812	c14 N71-15598	NASA-CASE-XGS-00458	c09 N70-38604
NASA-CASE-XAC-00942	c10 N71-16042	NASA-CASE-XGS-00466	c21 N70-34297
NASA-CASE-XAC-01101	c14 N70-41957	NASA-CASE-XGS-00473	c03 N70-38713
NASA-CASE-XAC-01158	c15 N71-23051	NASA-CASE-XGS-00587	c15 N70-35087
NASA-CASE-XAC-01404	c05 N70-41581	NASA-CASE-XGS-00619	c30 N70-40016
NASA-CASE-XAC-01591	c31 N71-17729	NASA-CASE-XGS-00689	c08 N70-34787
NASA-CASE-XAC-01662	c14 N71-23037	NASA-CASE-XGS-00740	c07 N71-23098
NASA-CASE-XAC-01677	c09 N71-20816	NASA-CASE-XGS-00769	c14 N70-41647
NASA-CASE-XAC-02058	c02 N71-16087	NASA-CASE-XGS-00783	c30 N71-17788
NASA-CASE-XAC-02405	c09 N71-16089	NASA-CASE-XGS-00809	c21 N70-35427
NASA-CASE-XAC-02407	c14 N69-27423	NASA-CASE-XGS-00823	c10 N71-15910
NASA-CASE-XAC-02807	c09 N71-23021	NASA-CASE-XGS-00824	c15 N71-16078
NASA-CASE-XAC-02877	c14 N70-41681	NASA-CASE-XGS-00886	c03 N71-11053
NASA-CASE-XAC-02970	c14 N69-39896	NASA-CASE-XGS-00938	c32 N70-41367
NASA-CASE-XAC-02981	c14 N71-21072	NASA-CASE-XGS-00963	c15 N69-39735
NASA-CASE-XAC-03107	c23 N71-16098	NASA-CASE-XGS-01013	c14 N71-23725
NASA-CASE-XAC-03392	c03 N70-41954	NASA-CASE-XGS-01021	c08 N71-21042
NASA-CASE-XAC-03740	c14 N71-26135	NASA-CASE-XGS-01022	c07 N71-16088
NASA-CASE-XAC-03777	c10 N71-15909	NASA-CASE-XGS-01023	c14 N71-22992
NASA-CASE-XAC-04030	c10 N71-19472	NASA-CASE-XGS-01036	c14 N70-40003
NASA-CASE-XAC-04031	c08 N71-18594	NASA-CASE-XGS-01052	c14 N71-15992
NASA-CASE-XAC-04458	c14 N71-24232	NASA-CASE-XGS-01110	c07 N69-24334
NASA-CASE-XAC-04885	c14 N71-23790	NASA-CASE-XGS-01118	c10 N71-23662
NASA-CASE-XAC-04886-1	c14 N71-20439	NASA-CASE-XGS-01143	c31 N71-15647
NASA-CASE-XAC-05333	c11 N71-22875	NASA-CASE-XGS-01155	c10 N71-21483
NASA-CASE-XAC-05422	c04 N71-23185	NASA-CASE-XGS-01159	c21 N71-10678
NASA-CASE-XAC-05462	c09 N72-20209	NASA-CASE-XGS-01222	c10 N71-20841
NASA-CASE-XAC-05462-2	c10 N72-17171	NASA-CASE-XGS-01223	c07 N71-10609
NASA-CASE-XAC-05506-1	c24 N71-16095	NASA-CASE-XGS-01230	c08 N71-19544
NASA-CASE-XAC-05632	c32 N71-23971	NASA-CASE-XGS-01231	c14 N70-41676
NASA-CASE-XAC-05695	c25 N71-16073	NASA-CASE-XGS-01331	c14 N71-22996
NASA-CASE-XAC-05706	c05 N71-12342	NASA-CASE-XGS-01395	c03 N69-21539
NASA-CASE-XAC-05902	c11 N71-18578	NASA-CASE-XGS-01418	c09 N71-23573
NASA-CASE-XAC-06029-1	c31 N71-24813	NASA-CASE-XGS-01419	c03 N70-41864
NASA-CASE-XAC-06302	c08 N71-19763	NASA-CASE-XGS-01451	c09 N71-10677
NASA-CASE-XAC-06956	c15 N71-21177	NASA-CASE-XGS-01473	c09 N71-10673
NASA-CASE-XAC-07043	c05 N71-23161	NASA-CASE-XGS-01475	c03 N71-11058
NASA-CASE-XAC-08494	c30 N71-15990	NASA-CASE-XGS-01504	c16 N70-41578
NASA-CASE-XAC-08972	c02 N71-20570	NASA-CASE-XGS-01513	c03 N71-23336
NASA-CASE-XAC-08981	c09 N69-39897	NASA-CASE-XGS-01537	c07 N71-23405
NASA-CASE-XAC-09489-1	c15 N71-26673	NASA-CASE-XGS-01587	c14 N71-15962
NASA-CASE-XAC-10019	c15 N71-23809	NASA-CASE-XGS-01590	c07 N71-12392
NASA-CASE-XAC-10607	c10 N71-23669	NASA-CASE-XGS-01593	c03 N70-35408
NASA-CASE-XAC-10608-1	c09 N71-12517	NASA-CASE-XGS-01654	c31 N71-24750
NASA-CASE-XAC-10768	c09 N71-18830	NASA-CASE-XGS-01674	c03 N71-29129
NASA-CASE-XAC-10770-1	c16 N71-24828	NASA-CASE-XGS-01725	c14 N69-39982
NASA-CASE-XAC-11225	c14 N69-27486	NASA-CASE-XGS-01784	c10 N71-20782
NASA-CASE-XAR-01547	c05 N69-21473	NASA-CASE-XGS-01812	c07 N71-23001
NASA-CASE-XAR-03786	c09 N69-21313	NASA-CASE-XGS-01881	c09 N70-40123
NASA-CASE-XER-07894	c09 N71-18721	NASA-CASE-XGS-01971	c15 N71-15922
NASA-CASE-XER-07895	c26 N72-25679	NASA-CASE-XGS-01983	c10 N70-41964
NASA-CASE-XER-07896-2	c23 N72-22673	NASA-CASE-XGS-02011	c15 N71-20739
NASA-CASE-XER-08476-1	c26 N72-17820	NASA-CASE-XGS-02171	c09 N69-24324
NASA-CASE-XER-09213	c07 N71-12390	NASA-CASE-XGS-02290	c07 N71-28809
NASA-CASE-XER-09519	c14 N71-18483	NASA-CASE-XGS-02317	c09 N71-23525
NASA-CASE-XER-09521	c09 N72-12136	NASA-CASE-XGS-02319	c14 N71-22965
NASA-CASE-XER-11019	c09 N71-23598	NASA-CASE-XGS-02401	c14 N69-27485
NASA-CASE-XER-11046	c09 N72-22203	NASA-CASE-XGS-02422	c15 N71-21529
NASA-CASE-XER-11046-2	c09 N72-21251	NASA-CASE-XGS-02435	c18 N71-22998
NASA-CASE-XER-11203	c14 N71-28994	NASA-CASE-XGS-02437	c15 N69-21472
			NASA-CASE-XGS-02439	c14 N71-19431
			NASA-CASE-XGS-02440	c08 N71-19432
			NASA-CASE-XGS-02441	c15 N70-41629
			NASA-CASE-XGS-02554	c31 N71-21064

NUMBER INDEX

NASA-CASE-XGS-02607	c31	N71-23009	NASA-CASE-XGS-10010	c03	N72-15986
NASA-CASE-XGS-02608	c07	N70-41678	NASA-CASE-XGS-10518	c16	N71-28554
NASA-CASE-XGS-02610	c14	N71-23174	NASA-CASE-XGS-11177	c09	N71-27001
NASA-CASE-XGS-02612	c08	N71-19435			
NASA-CASE-XGS-02629	c14	N71-21082	NASA-CASE-XHQ-01208	c15	N70-35409
NASA-CASE-XGS-02630	c03	N71-22974	NASA-CASE-XHQ-01897	c28	N70-35381
NASA-CASE-XGS-02631	c03	N71-23006	NASA-CASE-XHQ-03673	c33	N71-29046
NASA-CASE-XGS-02749	c07	N69-39978	NASA-CASE-XHQ-03903	c15	N69-21922
NASA-CASE-XGS-02751	c09	N71-23015	NASA-CASE-XHQ-04106	c14	N70-40240
NASA-CASE-XGS-02812	c09	N71-19466			
NASA-CASE-XGS-02816	c07	N69-24323	NASA-CASE-XKS-00348	c09	N73-14215
NASA-CASE-XGS-02884	c15	N71-22705	NASA-CASE-XKS-01985	c15	N71-10782
NASA-CASE-XGS-02889	c07	N71-11282	NASA-CASE-XKS-02342	c05	N71-11199
NASA-CASE-XGS-03058	c10	N71-19547	NASA-CASE-XKS-02582	c15	N71-21234
NASA-CASE-XGS-03095	c09	N69-27463	NASA-CASE-XKS-03338	c15	N71-24043
NASA-CASE-XGS-03120	c15	N71-24047	NASA-CASE-XKS-03381	c09	N71-22796
NASA-CASE-XGS-03230	c14	N71-23401	NASA-CASE-XKS-03495	c14	N69-39785
NASA-CASE-XGS-03303	c08	N71-18595	NASA-CASE-XKS-03509	c14	N71-23175
NASA-CASE-XGS-03304	c09	N71-22988	NASA-CASE-XKS-04614	c15	N69-21460
NASA-CASE-XGS-03351	c31	N71-16081	NASA-CASE-XKS-04631	c10	N71-23663
NASA-CASE-XGS-03390	c03	N71-23187	NASA-CASE-XKS-05932	c09	N71-26787
NASA-CASE-XGS-03427	c10	N71-23029	NASA-CASE-XKS-06167	c08	N71-24890
NASA-CASE-XGS-03429	c03	N69-21330	NASA-CASE-XKS-06250	c14	N71-15600
NASA-CASE-XGS-03431	c21	N71-15642	NASA-CASE-XKS-07814	c15	N71-27067
NASA-CASE-XGS-03501	c09	N71-20864	NASA-CASE-XKS-07953	c15	N71-26134
NASA-CASE-XGS-03502	c10	N71-20852	NASA-CASE-XKS-08012-2	c31	N71-15566
NASA-CASE-XGS-03505	c03	N71-10608	NASA-CASE-XKS-08485	c07	N71-19493
NASA-CASE-XGS-03532	c14	N71-17627	NASA-CASE-XKS-09340	c07	N71-24614
NASA-CASE-XGS-03556	c27	N70-35534	NASA-CASE-XKS-09348	c09	N71-13521
NASA-CASE-XGS-03632	c09	N71-23311	NASA-CASE-XKS-10543	c07	N71-26292
NASA-CASE-XGS-03644	c16	N71-18614	NASA-CASE-XKS-10804	c05	N71-24606
NASA-CASE-XGS-03736	c14	N72-22443			
NASA-CASE-XGS-03864	c15	N69-24320	NASA-CASE-XLA-8914	c15	N73-12492
NASA-CASE-XGS-03865	c14	N69-21363	NASA-CASE-XLA-00013	c15	N71-29136
NASA-CASE-XGS-04047-2	c03	N72-11062	NASA-CASE-XLA-00062	c14	N70-33254
NASA-CASE-XGS-04119	c18	N69-39979	NASA-CASE-XLA-00087	c02	N70-33332
NASA-CASE-XGS-04173	c19	N71-26674	NASA-CASE-XLA-00100	c14	N70-36807
NASA-CASE-XGS-04175	c15	N71-18579	NASA-CASE-XLA-00105	c28	N70-33331
NASA-CASE-XGS-04224	c10	N71-26418	NASA-CASE-XLA-00112	c11	N70-33287
NASA-CASE-XGS-04227	c15	N71-21744	NASA-CASE-XLA-00113	c14	N70-33386
NASA-CASE-XGS-04393	c21	N71-14159	NASA-CASE-XLA-00115	c03	N70-33343
NASA-CASE-XGS-04478	c14	N71-24233	NASA-CASE-XLA-00117	c31	N71-17680
NASA-CASE-XGS-04480	c16	N69-27491	NASA-CASE-XLA-00118	c05	N70-33285
NASA-CASE-XGS-04531	c03	N69-24267	NASA-CASE-XLA-00119	c11	N70-33329
NASA-CASE-XGS-04588	c15	N71-24045	NASA-CASE-XLA-00120	c21	N70-33181
NASA-CASE-XGS-04554	c15	N69-39786	NASA-CASE-XLA-00128	c15	N70-37925
NASA-CASE-XGS-04765	c08	N71-18693	NASA-CASE-XLA-00135	c14	N70-33322
NASA-CASE-XGS-04766	c08	N71-18602	NASA-CASE-XLA-00137	c15	N70-33180
NASA-CASE-XGS-04767	c08	N71-12494	NASA-CASE-XLA-00138	c31	N70-37981
NASA-CASE-XGS-04768	c08	N71-19437	NASA-CASE-XLA-00141	c09	N70-33312
NASA-CASE-XGS-04799	c18	N71-24183	NASA-CASE-XLA-00142	c02	N70-33286
NASA-CASE-XGS-04808	c03	N69-25146	NASA-CASE-XLA-00147	c25	N70-34661
NASA-CASE-XGS-04879	c14	N71-20428	NASA-CASE-XLA-00149	c31	N70-37938
NASA-CASE-XGS-04987	c08	N71-20571	NASA-CASE-XLA-00154	c28	N70-33374
NASA-CASE-XGS-04993	c14	N71-17574	NASA-CASE-XLA-00158	c26	N70-36805
NASA-CASE-XGS-04994	c09	N69-21543	NASA-CASE-XLA-00165	c31	N70-33242
NASA-CASE-XGS-04999	c09	N69-24317	NASA-CASE-XLA-00166	c02	N70-34178
NASA-CASE-XGS-05003	c09	N69-24318	NASA-CASE-XLA-00183	c14	N70-40239
NASA-CASE-XGS-05180	c18	N71-25881	NASA-CASE-XLA-00188	c15	N71-22874
NASA-CASE-XGS-05211	c07	N69-39980	NASA-CASE-XLA-00189	c33	N70-36846
NASA-CASE-XGS-05289	c09	N71-19470	NASA-CASE-XLA-00195	c02	N70-38009
NASA-CASE-XGS-05290	c09	N71-25999	NASA-CASE-XLA-00203	c14	N70-34161
NASA-CASE-XGS-05291	c23	N71-16341	NASA-CASE-XLA-00204	c32	N70-36536
NASA-CASE-XGS-05432	c03	N71-19438	NASA-CASE-XLA-00210	c30	N70-40309
NASA-CASE-XGS-05434	c03	N71-20491	NASA-CASE-XLA-00221	c02	N70-33266
NASA-CASE-XGS-05441	c10	N71-22962	NASA-CASE-XLA-00229	c12	N70-33305
NASA-CASE-XGS-05532	c06	N71-17705	NASA-CASE-XLA-00230	c02	N70-33255
NASA-CASE-XGS-05533	c04	N69-27487	NASA-CASE-XLA-00241	c31	N70-37986
NASA-CASE-XGS-05534	c23	N71-16355	NASA-CASE-XLA-00256	c31	N71-15663
NASA-CASE-XGS-05579	c31	N71-15676	NASA-CASE-XLA-00258	c31	N70-38676
NASA-CASE-XGS-05582	c07	N69-27460	NASA-CASE-XLA-00281	c21	N70-36943
NASA-CASE-XGS-05680	c14	N71-17585	NASA-CASE-XLA-00284	c15	N71-16075
NASA-CASE-XGS-05715	c23	N71-16100	NASA-CASE-XLA-00302	c15	N71-16077
NASA-CASE-XGS-05718	c26	N71-16037	NASA-CASE-XLA-00304	c27	N70-34783
NASA-CASE-XGS-05918	c07	N69-39974	NASA-CASE-XLA-00326	c03	N70-34667
NASA-CASE-XGS-06226	c10	N71-25950	NASA-CASE-XLA-00327	c25	N71-29184
NASA-CASE-XGS-06306	c17	N71-16044	NASA-CASE-XLA-00330	c33	N70-34540
NASA-CASE-XGS-06628	c24	N71-16213	NASA-CASE-XLA-00349	c33	N70-37979
NASA-CASE-XGS-07514	c23	N71-16099	NASA-CASE-XLA-00350	c02	N70-38011
NASA-CASE-XGS-07752	c14	N73-30390	NASA-CASE-XLA-00377	c33	N71-17610
NASA-CASE-XGS-07801	c09	N71-12513	NASA-CASE-XLA-00378	c11	N71-15925
NASA-CASE-XGS-07805	c15	N72-33476	NASA-CASE-XLA-00414	c07	N70-38200
NASA-CASE-XGS-08259	c14	N71-23698	NASA-CASE-XLA-00415	c15	N71-16079
NASA-CASE-XGS-08266	c14	N69-27432	NASA-CASE-XLA-00471	c08	N70-34778
NASA-CASE-XGS-08269	c23	N71-26206	NASA-CASE-XLA-00481	c14	N70-36824
NASA-CASE-XGS-08679	c10	N71-21473	NASA-CASE-XLA-00482	c15	N70-36409
NASA-CASE-XGS-08718	c15	N71-24600	NASA-CASE-XLA-00487	c14	N70-40157
NASA-CASE-XGS-08729	c28	N71-14044	NASA-CASE-XLA-00492	c14	N70-34799
NASA-CASE-XGS-09190	c31	N71-16102	NASA-CASE-XLA-00493	c11	N70-34786

NUMBER INDEX

NASA-CASE-XLA-00495	c14	N70-41332	NASA-CASE-XLA-02705	c08	N71-15908
NASA-CASE-XLA-00670	c08	N71-12501	NASA-CASE-XLA-02758	c14	N71-18481
NASA-CASE-XLA-00675	c25	N70-33267	NASA-CASE-XLA-02809	c15	N71-22982
NASA-CASE-XLA-00678	c31	N70-34296	NASA-CASE-XLA-02810	c14	N71-25901
NASA-CASE-XLA-00679	c15	N70-38601	NASA-CASE-XLA-02850	c09	N71-20447
NASA-CASE-XLA-00686	c31	N70-34135	NASA-CASE-XLA-02854	c15	N69-27490
NASA-CASE-XLA-00711	c03	N71-12258	NASA-CASE-XLA-02865	c28	N71-15563
NASA-CASE-XLA-00754	c15	N70-34850	NASA-CASE-XLA-02898	c05	N71-20268
NASA-CASE-XLA-00755	c01	N71-13410	NASA-CASE-XLA-03076	c07	N71-11266
NASA-CASE-XLA-00781	c09	N71-22999	NASA-CASE-XLA-03102	c14	N71-21079
NASA-CASE-XLA-00791	c03	N70-39930	NASA-CASE-XLA-03103	c25	N71-21693
NASA-CASE-XLA-00793	c21	N71-22880	NASA-CASE-XLA-03104	c06	N71-11235
NASA-CASE-XLA-00805	c31	N70-38010	NASA-CASE-XLA-03105	c15	N69-27483
NASA-CASE-XLA-00806	c02	N70-34858	NASA-CASE-XLA-03114	c09	N71-22888
NASA-CASE-XLA-00838	c03	N70-36778	NASA-CASE-XLA-03127	c11	N71-10776
NASA-CASE-XLA-00892	c33	N71-17897	NASA-CASE-XLA-03132	c31	N71-22969
NASA-CASE-XLA-00898	c02	N70-36804	NASA-CASE-XLA-03135	c32	N71-16428
NASA-CASE-XLA-00901	c07	N71-10775	NASA-CASE-XLA-03213	c05	N71-11207
NASA-CASE-XLA-00934	c14	N71-22765	NASA-CASE-XLA-03271	c11	N69-24321
NASA-CASE-XLA-00936	c14	N71-14996	NASA-CASE-XLA-03273	c14	N71-18699
NASA-CASE-XLA-00937	c31	N71-17691	NASA-CASE-XLA-03356	c10	N71-23315
NASA-CASE-XLA-00939	c11	N71-15926	NASA-CASE-XLA-03374	c25	N71-15562
NASA-CASE-XLA-00941	c14	N71-23240	NASA-CASE-XLA-03375	c16	N71-24074
NASA-CASE-XLA-01019	c15	N70-40156	NASA-CASE-XLA-03410	c16	N71-25914
NASA-CASE-XLA-01027	c31	N71-24035	NASA-CASE-XLA-03492	c15	N71-22713
NASA-CASE-XLA-01043	c28	N71-10780	NASA-CASE-XLA-03497	c15	N71-23052
NASA-CASE-XLA-01090	c07	N71-12389	NASA-CASE-XLA-03538	c15	N71-24897
NASA-CASE-XLA-01090	c16	N71-28963	NASA-CASE-XLA-03645	c14	N71-20430
NASA-CASE-XLA-01091	c15	N71-10672	NASA-CASE-XLA-03659	c02	N71-11041
NASA-CASE-XLA-01127	c07	N70-41372	NASA-CASE-XLA-03660	c75	N71-21060
NASA-CASE-XLA-01131	c14	N71-10774	NASA-CASE-XLA-03661	c15	N71-33518
NASA-CASE-XLA-01141	c15	N71-13789	NASA-CASE-XLA-03691	c31	N71-15674
NASA-CASE-XLA-01163	c21	N71-15582	NASA-CASE-XLA-03724	c14	N69-27461
NASA-CASE-XLA-01219	c10	N71-23084	NASA-CASE-XLA-03893	c10	N71-27271
NASA-CASE-XLA-01220	c02	N70-41863	NASA-CASE-XLA-04063	c31	N71-33160
NASA-CASE-XLA-01243	c33	N71-22792	NASA-CASE-XLA-04126	c28	N71-26779
NASA-CASE-XLA-01262	c15	N71-21404	NASA-CASE-XLA-04143	c15	N71-17687
NASA-CASE-XLA-01288	c09	N69-21470	NASA-CASE-XLA-04251	c18	N71-26100
NASA-CASE-XLA-01290	c02	N70-42016	NASA-CASE-XLA-04295	c16	N71-24170
NASA-CASE-XLA-01291	c33	N70-36617	NASA-CASE-XLA-04451	c02	N71-12243
NASA-CASE-XLA-01326	c11	N71-21481	NASA-CASE-XLA-04555-1	c14	N71-25892
NASA-CASE-XLA-01332	c31	N71-15664	NASA-CASE-XLA-04556	c14	N69-27484
NASA-CASE-XLA-01339	c31	N71-15692	NASA-CASE-XLA-04605	c32	N71-16106
NASA-CASE-XLA-01353	c14	N70-41366	NASA-CASE-XLA-04622	c03	N70-41580
NASA-CASE-XLA-01354	c25	N70-36946	NASA-CASE-XLA-04804	c31	N71-23008
NASA-CASE-XLA-01396	c03	N71-12259	NASA-CASE-XLA-04897	c15	N72-22482
NASA-CASE-XLA-01400	c07	N70-41331	NASA-CASE-XLA-04901	c31	N71-24315
NASA-CASE-XLA-01401	c15	N71-21179	NASA-CASE-XLA-04980	c09	N69-27422
NASA-CASE-XLA-01441	c15	N70-41679	NASA-CASE-XLA-04980-2	c14	N72-28438
NASA-CASE-XLA-01446	c15	N71-21528	NASA-CASE-XLA-05056	c15	N72-11389
NASA-CASE-XLA-01486	c01	N71-23497	NASA-CASE-XLA-05087	c14	N73-30391
NASA-CASE-XLA-01494	c15	N71-24164	NASA-CASE-XLA-05099	c09	N73-13209
NASA-CASE-XLA-01530	c14	N71-23092	NASA-CASE-XLA-05100	c15	N71-17696
NASA-CASE-XLA-01551	c14	N71-22989	NASA-CASE-XLA-05332	c05	N71-11194
NASA-CASE-XLA-01552	c07	N71-11284	NASA-CASE-XLA-05369	c31	N71-15687
NASA-CASE-XLA-01583	c02	N70-36825	NASA-CASE-XLA-05378	c11	N71-21475
NASA-CASE-XLA-01584	c14	N71-23269	NASA-CASE-XLA-05464	c21	N71-14132
NASA-CASE-XLA-01731	c32	N71-21045	NASA-CASE-XLA-05541	c12	N71-26387
NASA-CASE-XLA-01745	c33	N71-28903	NASA-CASE-XLA-05749	c15	N71-19569
NASA-CASE-XLA-01781	c14	N69-39975	NASA-CASE-XLA-05828	c01	N71-13411
NASA-CASE-XLA-01782	c14	N71-26136	NASA-CASE-XLA-05906	c31	N71-16221
NASA-CASE-XLA-01787	c11	N71-16028	NASA-CASE-XLA-05966	c15	N72-12408
NASA-CASE-XLA-01791	c14	N71-22991	NASA-CASE-XLA-06095	c01	N69-39981
NASA-CASE-XLA-01794	c33	N71-21586	NASA-CASE-XLA-06199	c15	N71-24875
NASA-CASE-XLA-01804	c02	N70-34160	NASA-CASE-XLA-06232	c25	N71-20563
NASA-CASE-XLA-01807	c15	N71-10799	NASA-CASE-XLA-06339	c02	N71-13422
NASA-CASE-XLA-01808	c15	N71-20740	NASA-CASE-XLA-06683	c14	N72-28436
NASA-CASE-XLA-01832	c14	N71-21006	NASA-CASE-XLA-06713	c14	N71-28991
NASA-CASE-XLA-01907	c14	N71-23268	NASA-CASE-XLA-06824-2	c02	N71-11037
NASA-CASE-XLA-01926	c14	N71-15620	NASA-CASE-XLA-06958	c02	N71-11038
NASA-CASE-XLA-01952	c08	N71-12507	NASA-CASE-XLA-07390	c15	N71-18616
NASA-CASE-XLA-01967	c31	N70-42015	NASA-CASE-XLA-07391	c12	N71-17579
NASA-CASE-XLA-01987	c23	N71-23976	NASA-CASE-XLA-07424	c14	N71-18482
NASA-CASE-XLA-01989	c21	N70-34295	NASA-CASE-XLA-07430	c11	N72-22246
NASA-CASE-XLA-01995	c18	N71-23047	NASA-CASE-XLA-07473	c15	N71-24895
NASA-CASE-XLA-02050	c31	N71-22968	NASA-CASE-XLA-07497	c09	N71-12514
NASA-CASE-XLA-02057	c26	N70-40015	NASA-CASE-XLA-07728	c33	N71-22890
NASA-CASE-XLA-02079	c33	N71-24276	NASA-CASE-XLA-07732	c08	N71-18751
NASA-CASE-XLA-02081	c12	N71-16894	NASA-CASE-XLA-07788	c09	N71-29139
NASA-CASE-XLA-02131	c20	N71-16281	NASA-CASE-XLA-07813	c14	N72-17328
NASA-CASE-XLA-02132	c32	N70-42003	NASA-CASE-XLA-07828	c08	N71-27057
NASA-CASE-XLA-02332	c31	N71-10582	NASA-CASE-XLA-07829	c15	N72-16329
NASA-CASE-XLA-02551	c32	N71-17609	NASA-CASE-XLA-07911	c15	N71-15571
NASA-CASE-XLA-02605	c21	N71-21708	NASA-CASE-XLA-08254	c14	N71-26161
NASA-CASE-XLA-02609	c14	N71-10773	NASA-CASE-XLA-08491	c05	N69-21380
NASA-CASE-XLA-02619	c09	N72-25256	NASA-CASE-XLA-08493	c10	N71-19421
NASA-CASE-XLA-02651	c10	N71-26334	NASA-CASE-XLA-08507	c09	N69-39984
NASA-CASE-XLA-02704	c28	N70-41967	NASA-CASE-XLA-08530	c32	N71-25360
	c11	N69-21540	NASA-CASE-XLA-08645	c15	N69-21465

NUMBER INDEX

NASA-CASE-XLA-08646	c14 N71-17586	NASA-CASE-XLE-00688	c14 N70-41330
NASA-CASE-XLA-08799	c10 N71-27272	NASA-CASE-XLE-00690	c25 N69-39884
NASA-CASE-XLA-08801-1	c02 N71-11043	NASA-CASE-XLE-00702	c14 N70-40203
NASA-CASE-XLA-08802	c06 N71-11238	NASA-CASE-XLE-00703	c15 N71-15967
NASA-CASE-XLA-08911	c15 N71-27214	NASA-CASE-XLE-00715	c15 N70-34859
NASA-CASE-XLA-08913	c14 N71-28933	NASA-CASE-XLE-00720	c14 N70-40201
NASA-CASE-XLA-08916	c15 N71-29018	NASA-CASE-XLE-00724	c14 N70-34669
NASA-CASE-XLA-08916-2	c14 N73-28487	NASA-CASE-XLE-00726	c17 N71-15644
NASA-CASE-XLA-08966-1	c17 N71-25903	NASA-CASE-XLE-00785	c33 N71-16104
NASA-CASE-XLA-08967	c02 N71-27088	NASA-CASE-XLE-00787	c14 N71-21090
NASA-CASE-XLA-09122	c15 N69-27505	NASA-CASE-XLE-00808	c24 N71-10560
NASA-CASE-XLA-09346	c15 N71-28740	NASA-CASE-XLE-00810	c15 N70-34861
NASA-CASE-XLA-09371	c10 N71-18724	NASA-CASE-XLE-00815	c15 N70-35407
NASA-CASE-XLA-09480	c11 N71-33612	NASA-CASE-XLE-00817	c28 N70-33265
NASA-CASE-XLA-09843	c15 N72-27485	NASA-CASE-XLE-00818	c22 N70-34248
NASA-CASE-XLA-09881	c31 N71-16085	NASA-CASE-XLE-00820	c14 N71-16014
NASA-CASE-XLA-10322	c15 N72-17452	NASA-CASE-XLE-00821	c25 N71-15650
NASA-CASE-XLA-10402	c14 N71-29041	NASA-CASE-XLE-00953	c15 N71-15966
NASA-CASE-XLA-10450	c28 N71-21493	NASA-CASE-XLE-01015	c03 N69-39898
NASA-CASE-XLA-10470	c15 N72-21489	NASA-CASE-XLE-01092	c15 N71-22797
NASA-CASE-XLA-10772	c07 N71-28980	NASA-CASE-XLE-01124	c28 N71-14043
NASA-CASE-XLA-11028	c15 N72-21486	NASA-CASE-XLE-01182	c27 N71-15635
NASA-CASE-XLA-11154	c07 N72-21117	NASA-CASE-XLE-01246	c14 N71-10797
NASA-CASE-XLA-11189	c10 N72-20222	NASA-CASE-XLE-01300	c15 N70-41993
		NASA-CASE-XLE-01399	c33 N71-15625
NASA-CASE-XLE-2529-3	c09 N74-20859	NASA-CASE-XLE-01449	c15 N70-41646
NASA-CASE-XLE-00005	c28 N70-39899	NASA-CASE-XLE-01481	c14 N71-10781
NASA-CASE-XLE-00010	c15 N70-33382	NASA-CASE-XLE-01512	c12 N70-40124
NASA-CASE-XLE-00011	c14 N70-41946	NASA-CASE-XLE-01533	c11 N71-10777
NASA-CASE-XLE-00020	c15 N70-33226	NASA-CASE-XLE-01604-2	c15 N71-15610
NASA-CASE-XLE-00023	c15 N70-33330	NASA-CASE-XLE-01609	c14 N71-10500
NASA-CASE-XLE-00027	c33 N71-29152	NASA-CASE-XLE-01640	c31 N71-15637
NASA-CASE-XLE-00035	c33 N71-29151	NASA-CASE-XLE-01645	c03 N71-20904
NASA-CASE-XLE-00037	c28 N70-33372	NASA-CASE-XLE-01716	c09 N70-40234
NASA-CASE-XLE-00046	c15 N70-33311	NASA-CASE-XLE-01765	c18 N71-10772
NASA-CASE-XLE-00057	c28 N70-38711	NASA-CASE-XLE-01783	c28 N70-34175
NASA-CASE-XLE-00078	c28 N70-33284	NASA-CASE-XLE-01902	c28 N71-10574
NASA-CASE-XLE-00085	c28 N70-39895	NASA-CASE-XLE-01903	c22 N71-23599
NASA-CASE-XLE-00092	c15 N70-33264	NASA-CASE-XLE-01988	c27 N71-15634
NASA-CASE-XLE-00101	c15 N70-33376	NASA-CASE-XLE-01997	c06 N71-23527
NASA-CASE-XLE-00103	c28 N70-33241	NASA-CASE-XLE-02008	c09 N71-21583
NASA-CASE-XLE-00106	c15 N71-16076	NASA-CASE-XLE-02024	c14 N71-22964
NASA-CASE-XLE-00111	c28 N70-38199	NASA-CASE-XLE-02038	c09 N71-16086
NASA-CASE-XLE-00143	c14 N70-36618	NASA-CASE-XLE-02066	c28 N71-15661
NASA-CASE-XLE-00144	c28 N70-34860	NASA-CASE-XLE-02082	c17 N71-16026
NASA-CASE-XLE-00145	c28 N70-36806	NASA-CASE-XLE-02083	c03 N69-39983
NASA-CASE-XLE-00150	c28 N70-41818	NASA-CASE-XLE-02428	c17 N70-33288
NASA-CASE-XLE-00151	c17 N70-33283	NASA-CASE-XLE-02531	c05 N71-23080
NASA-CASE-XLE-00155	c28 N71-29154	NASA-CASE-XLE-02578	c25 N71-20747
NASA-CASE-XLE-00164	c15 N70-36411	NASA-CASE-XLE-02624	c12 N69-39988
NASA-CASE-XLE-00168	c11 N70-33278	NASA-CASE-XLE-02647	c18 N71-23658
NASA-CASE-XLE-00170	c15 N70-36412	NASA-CASE-XLE-02792	c26 N71-10607
NASA-CASE-XLE-00177	c28 N70-40367	NASA-CASE-XLE-02798	c26 N71-23654
NASA-CASE-XLE-00207	c28 N70-33375	NASA-CASE-XLE-02823	c09 N71-23443
NASA-CASE-XLE-00208	c28 N70-34294	NASA-CASE-XLE-02824	c03 N69-39890
NASA-CASE-XLE-00209	c22 N73-32528	NASA-CASE-XLE-02902	c25 N71-21694
NASA-CASE-XLE-00212	c03 N70-34134	NASA-CASE-XLE-02991	c17 N71-16025
NASA-CASE-XLE-00222	c02 N70-37939	NASA-CASE-XLE-02998	c14 N70-42074
NASA-CASE-XLE-00228	c17 N70-38490	NASA-CASE-XLE-02999	c15 N71-16052
NASA-CASE-XLE-00231	c17 N70-38198	NASA-CASE-XLE-03061-1	c10 N71-24798
NASA-CASE-XLE-00243	c14 N70-38602	NASA-CASE-XLE-03155-2	c09 N72-20205
NASA-CASE-XLE-00252	c11 N70-34844	NASA-CASE-XLE-03157	c28 N71-24736
NASA-CASE-XLE-00266	c14 N70-34156	NASA-CASE-XLE-03280	c14 N71-23093
NASA-CASE-XLE-00267	c28 N70-33356	NASA-CASE-XLE-03307	c33 N71-14035
NASA-CASE-XLE-00283	c17 N70-36616	NASA-CASE-XLE-03432	c33 N71-24145
NASA-CASE-XLE-00288	c15 N70-34247	NASA-CASE-XLE-03494	c27 N71-21819
NASA-CASE-XLE-00298	c22 N70-34501	NASA-CASE-XLE-03512	c12 N69-21466
NASA-CASE-XLE-00301	c14 N70-36808	NASA-CASE-XLE-03583	c31 N71-17629
NASA-CASE-XLE-00303	c15 N70-36535	NASA-CASE-XLE-03629	c17 N71-23248
NASA-CASE-XLE-00321	c22 N70-34572	NASA-CASE-XLE-03778	c09 N69-21542
NASA-CASE-XLE-00323	c28 N70-38505	NASA-CASE-XLE-03803	c15 N71-23816
NASA-CASE-XLE-00335	c14 N70-35368	NASA-CASE-XLE-03803-2	c15 N71-17651
NASA-CASE-XLE-00342	c15 N70-37980	NASA-CASE-XLE-03804	c10 N71-19471
NASA-CASE-XLE-00345	c15 N70-38020	NASA-CASE-XLE-03925	c18 N71-22894
NASA-CASE-XLE-00353	c18 N70-39897	NASA-CASE-XLE-03940	c18 N71-26153
NASA-CASE-XLE-00376	c28 N70-37245	NASA-CASE-XLE-03940-2	c17 N72-28536
NASA-CASE-XLE-00387	c33 N70-34812	NASA-CASE-XLE-04026	c14 N71-23267
NASA-CASE-XLE-00388	c28 N70-34788	NASA-CASE-XLE-04222	c23 N71-22881
NASA-CASE-XLE-00397	c15 N70-36492	NASA-CASE-XLE-04250	c09 N71-20446
NASA-CASE-XLE-00409	c28 N71-15658	NASA-CASE-XLE-04501	c09 N71-23190
NASA-CASE-XLE-00454	c23 N71-17802	NASA-CASE-XLE-04503	c14 N71-24864
NASA-CASE-XLE-00455	c28 N70-38197	NASA-CASE-XLE-04526	c03 N71-11052
NASA-CASE-XLE-00490	c33 N70-34545	NASA-CASE-XLE-04535	c03 N71-23354
NASA-CASE-XLE-00503	c14 N70-34818	NASA-CASE-XLE-04599	c22 N72-20597
NASA-CASE-XLE-00519	c28 N70-41576	NASA-CASE-XLE-04603	c33 N71-21507
NASA-CASE-XLE-00586	c15 N71-15968	NASA-CASE-XLE-04677	c15 N71-10577
NASA-CASE-XLE-00620	c32 N70-41579	NASA-CASE-XLE-04787	c03 N71-20492
NASA-CASE-XLE-00660	c28 N70-39925	NASA-CASE-XLE-04788	c09 N71-22987
NASA-CASE-XLE-00685	c28 N70-41992	NASA-CASE-XLE-04857	c28 N71-23968

NUMBER INDEX

NASA-CASE-XLE-04946
 NASA-CASE-XLE-05033
 NASA-CASE-XLE-05079
 NASA-CASE-XLE-05130
 NASA-CASE-XLE-05130-2
 NASA-CASE-XLE-05230
 NASA-CASE-XLE-05230-2
 NASA-CASE-XLE-05260
 NASA-CASE-XLE-05641-1
 NASA-CASE-XLE-05689
 NASA-CASE-XLE-05799
 NASA-CASE-XLE-05913
 NASA-CASE-XLE-06461
 NASA-CASE-XLE-06461-2
 NASA-CASE-XLE-06773
 NASA-CASE-XLE-06774-2
 NASA-CASE-XLE-06969
 NASA-CASE-XLE-07087
 NASA-CASE-XLE-08511
 NASA-CASE-XLE-08511-2
 NASA-CASE-XLE-08569
 NASA-CASE-XLE-08569-2
 NASA-CASE-XLE-08917
 NASA-CASE-XLE-08917-2
 NASA-CASE-XLE-09341
 NASA-CASE-XLE-09475-1
 NASA-CASE-XLE-09527
 NASA-CASE-XLE-09527-2
 NASA-CASE-XLE-10326-2
 NASA-CASE-XLE-10326-4
 NASA-CASE-XLE-10337
 NASA-CASE-XLE-10453-2
 NASA-CASE-XLE-10466
 NASA-CASE-XLE-10529
 NASA-CASE-XLE-10715
 NASA-CASE-XLE-10910
 NASA-CASE-XLE-103477-1

NASA-CASE-XMF-00148
 NASA-CASE-XMF-00185
 NASA-CASE-XMF-00324
 NASA-CASE-XMF-00339
 NASA-CASE-XMF-00341
 NASA-CASE-XMF-00369
 NASA-CASE-XMF-00375
 NASA-CASE-XMF-00389
 NASA-CASE-XMF-00392
 NASA-CASE-XMF-00411
 NASA-CASE-XMF-00421
 NASA-CASE-XMF-00424
 NASA-CASE-XMF-00437
 NASA-CASE-XMF-00442
 NASA-CASE-XMF-00447
 NASA-CASE-XMF-00456
 NASA-CASE-XMF-00462
 NASA-CASE-XMF-00479
 NASA-CASE-XMF-00480
 NASA-CASE-XMF-00515
 NASA-CASE-XMF-00517
 NASA-CASE-XMF-00580
 NASA-CASE-XMF-00640
 NASA-CASE-XMF-00641
 NASA-CASE-XMF-00658
 NASA-CASE-XMF-00663
 NASA-CASE-XMF-00684
 NASA-CASE-XMF-00701
 NASA-CASE-XMF-00722
 NASA-CASE-XMF-00906
 NASA-CASE-XMF-00908
 NASA-CASE-XMF-00923
 NASA-CASE-XMF-00966
 NASA-CASE-XMF-01016
 NASA-CASE-XMF-01030
 NASA-CASE-XMF-01045
 NASA-CASE-XMF-01049
 NASA-CASE-XMF-01083
 NASA-CASE-XMF-01096
 NASA-CASE-XMF-01097
 NASA-CASE-XMF-01099
 NASA-CASE-XMF-01129
 NASA-CASE-XMF-01160
 NASA-CASE-XMF-01174
 NASA-CASE-XMF-01371
 NASA-CASE-XMF-01402
 NASA-CASE-XMF-01452
 NASA-CASE-XMF-01483
 NASA-CASE-XMF-01543
 NASA-CASE-XMF-01544
 NASA-CASE-XMF-01598

c17 N71-24911
 c15 N71-23810
 c15 N71-17652
 c15 N69-21362
 c15 N71-19570
 c14 N72-27410
 c14 N73-13417
 c14 N71-20429
 c15 N71-26346
 c28 N71-15659
 c22 N72-21644
 c33 N71-14032
 c17 N72-22530
 c17 N72-28535
 c15 N71-23817
 c06 N72-25150
 c17 N71-24142
 c06 N69-39889
 c18 N71-23710
 c18 N71-16105
 c03 N71-23449
 c03 N71-24681
 c15 N71-15597
 c15 N71-24836
 c12 N71-28741
 c33 N71-15568
 c15 N71-17688
 c15 N71-26189
 c15 N72-29488
 c15 N74-15125
 c15 N71-24046
 c28 N73-27699
 c17 N69-25147
 c14 N69-23191
 c26 N71-23292
 c18 N71-29040
 c28 N71-20330

c28 N70-38710
 c21 N70-34539
 c09 N70-34596
 c15 N70-39896
 c15 N70-33323
 c09 N70-36494
 c15 N70-34249
 c31 N70-34176
 c15 N70-34814
 c11 N70-36913
 c09 N70-34502
 c11 N70-38196
 c07 N70-40202
 c31 N71-10747
 c14 N70-33179
 c14 N70-34705
 c14 N70-34298
 c14 N70-34794
 c14 N70-39898
 c15 N70-34664
 c03 N70-34157
 c11 N70-35383
 c15 N70-39924
 c31 N70-36410
 c12 N70-38997
 c08 N71-18752
 c21 N71-21688
 c09 N70-40272
 c15 N70-40204
 c09 N70-41655
 c14 N70-40238
 c28 N70-36802
 c28 N71-15660
 c26 N71-17818
 c18 N70-41583
 c15 N70-40354
 c15 N71-23049
 c15 N71-22723
 c10 N71-16030
 c10 N71-16058
 c14 N71-15969
 c09 N70-38712
 c07 N71-11298
 c02 N70-41589
 c15 N70-41829
 c18 N71-21651
 c15 N70-41371
 c14 N69-27431
 c31 N71-17730
 c28 N70-34162
 c21 N71-15583

NASA-CASE-XMF-01599
 NASA-CASE-XMF-01667
 NASA-CASE-XMF-01669
 NASA-CASE-XMF-01730
 NASA-CASE-XMF-01772
 NASA-CASE-XMF-01779
 NASA-CASE-XMF-01813
 NASA-CASE-XMF-01887
 NASA-CASE-XMF-01892
 NASA-CASE-XMF-01899
 NASA-CASE-XMF-01973
 NASA-CASE-XMF-01974
 NASA-CASE-XMF-02039
 NASA-CASE-XMF-02107
 NASA-CASE-XMF-02108
 NASA-CASE-XMF-02221
 NASA-CASE-XMF-02263
 NASA-CASE-XMF-02303
 NASA-CASE-XMF-02307
 NASA-CASE-XMF-02330
 NASA-CASE-XMF-02392
 NASA-CASE-XMF-02433
 NASA-CASE-XMF-02584
 NASA-CASE-XMF-02786
 NASA-CASE-XMF-02822
 NASA-CASE-XMF-02853
 NASA-CASE-XMF-02964
 NASA-CASE-XMF-02966
 NASA-CASE-XMF-03074
 NASA-CASE-XMF-03169
 NASA-CASE-XMF-03198
 NASA-CASE-XMF-03212
 NASA-CASE-XMF-03248
 NASA-CASE-XMF-03287
 NASA-CASE-XMF-03290
 NASA-CASE-XMF-03498
 NASA-CASE-XMF-03511
 NASA-CASE-XMF-03793
 NASA-CASE-XMF-03844-1
 NASA-CASE-XMF-03856
 NASA-CASE-XMF-03873
 NASA-CASE-XMF-03934
 NASA-CASE-XMF-03968
 NASA-CASE-XMF-03988
 NASA-CASE-XMF-04042
 NASA-CASE-XMF-04132
 NASA-CASE-XMF-04133
 NASA-CASE-XMF-04134
 NASA-CASE-XMF-04163
 NASA-CASE-XMF-04208
 NASA-CASE-XMF-04237
 NASA-CASE-XMF-04238
 NASA-CASE-XMF-04367
 NASA-CASE-XMF-04415
 NASA-CASE-XMF-04680
 NASA-CASE-XMF-04709
 NASA-CASE-XMF-04958-1
 NASA-CASE-XMF-04966
 NASA-CASE-XMF-05046
 NASA-CASE-XMF-05114
 NASA-CASE-XMF-05114-2
 NASA-CASE-XMF-05114-3
 NASA-CASE-XMF-05195
 NASA-CASE-XMF-05224
 NASA-CASE-XMF-05279
 NASA-CASE-XMF-05344
 NASA-CASE-XMF-05835
 NASA-CASE-XMF-05843
 NASA-CASE-XMF-05844
 NASA-CASE-XMF-05941
 NASA-CASE-XMF-05999
 NASA-CASE-XMF-06065
 NASA-CASE-XMF-06092
 NASA-CASE-XMF-06409
 NASA-CASE-XMF-06515
 NASA-CASE-XMF-06519
 NASA-CASE-XMF-06531
 NASA-CASE-XMF-06589
 NASA-CASE-XMF-06617
 NASA-CASE-XMF-06888
 NASA-CASE-XMF-06892
 NASA-CASE-XMF-06926
 NASA-CASE-XMF-07069
 NASA-CASE-XMF-07488
 NASA-CASE-XMF-07587
 NASA-CASE-XMF-07770-2
 NASA-CASE-XMF-07808
 NASA-CASE-XMF-08217
 NASA-CASE-XMF-08522

c09 N71-20705
 c15 N71-17647
 c21 N71-23289
 c15 N71-23050
 c11 N70-41677
 c12 N71-20815
 c28 N70-41582
 c15 N71-10617
 c10 N71-22986
 c31 N70-41948
 c31 N70-41588
 c14 N71-22752
 c15 N71-15871
 c15 N71-10809
 c31 N70-36845
 c18 N71-27170
 c02 N74-10907
 c17 N71-23828
 c14 N71-10779
 c15 N71-23798
 c32 N71-24285
 c14 N71-10616
 c06 N71-20905
 c17 N71-20743
 c14 N70-41994
 c31 N70-36654
 c14 N71-17659
 c10 N71-24863
 c06 N71-24740
 c31 N71-15675
 c30 N70-40353
 c15 N71-22721
 c11 N71-10604
 c15 N71-15607
 c15 N71-23256
 c15 N71-15986
 c15 N71-22799
 c15 N71-24833
 c14 N71-26474
 c31 N70-34159
 c06 N69-39733
 c09 N71-22985
 c14 N71-27186
 c15 N71-21403
 c15 N71-23023
 c15 N69-27502
 c06 N71-20717
 c14 N71-23755
 c02 N71-23007
 c33 N71-29051
 c33 N71-16278
 c09 N69-39734
 c09 N71-23545
 c14 N71-24693
 c15 N71-19489
 c15 N71-15609
 c10 N71-26414
 c14 N71-17658
 c33 N71-28892
 c15 N71-17650
 c15 N71-26148
 c15 N71-24865
 c10 N71-24861
 c14 N71-23726
 c18 N71-16124
 c31 N71-16345
 c08 N71-12504
 c03 N71-11055
 c14 N71-17587
 c31 N71-23912
 c15 N71-29032
 c15 N71-20395
 c07 N71-24612
 c06 N71-23230
 c14 N71-23227
 c09 N71-12519
 c14 N71-17575
 c05 N71-23159
 c09 N71-24843
 c15 N71-24044
 c09 N71-24805
 c28 N71-22983
 c15 N71-23815
 c11 N71-18773
 c15 N71-18701
 c18 N71-26772
 c15 N71-23812
 c03 N71-23239
 c15 N71-19486

NUMBER INDEX

NASA-CASE-XMF-08523	c31	N71-20396	NASA-CASE-XMS-04533	c15	N71-23086
NASA-CASE-XMF-08651	c06	N71-11236	NASA-CASE-XMS-04545	c15	N71-22878
NASA-CASE-XMF-08652	c06	N71-11243	NASA-CASE-XMS-04625	c05	N71-20718
NASA-CASE-XMF-08655	c06	N71-11239	NASA-CASE-XMS-04798	c11	N71-21474
NASA-CASE-XMF-08656	c06	N71-11242	NASA-CASE-XMS-04826	c28	N71-28849
NASA-CASE-XMF-08665	c10	N71-19467	NASA-CASE-XMS-04843	c03	N69-21469
NASA-CASE-XMF-08674	c06	N71-28807	NASA-CASE-XMS-04890-1	c15	N70-22192
NASA-CASE-XMF-08804	c09	N71-24717	NASA-CASE-XMS-04917	c14	N69-28257
NASA-CASE-XMF-09386	c15	N69-21854	NASA-CASE-XMS-04919	c09	N71-23270
NASA-CASE-XMF-09422	c07	N71-19436	NASA-CASE-XMS-04935	c05	N71-11190
NASA-CASE-XMF-09902	c15	N72-11387	NASA-CASE-XMS-05303	c07	N69-27462
NASA-CASE-XMF-10040	c15	N71-22877	NASA-CASE-XMS-05304	c05	N71-12336
NASA-CASE-XMF-10289	c14	N71-23699	NASA-CASE-XMS-05307	c09	N69-24330
NASA-CASE-XMF-10753	c06	N71-11237	NASA-CASE-XMS-05365	c14	N71-22993
NASA-CASE-XMF-10968	c14	N71-24234	NASA-CASE-XMS-05454-1	c07	N71-12391
NASA-CASE-XMF-14032	c20	N71-16340	NASA-CASE-XMS-05516	c15	N71-17803
NASA-CASE-XMF-14301	c09	N71-23188	NASA-CASE-XMS-05562-1	c09	N69-39986
			NASA-CASE-XMS-05605-1	c10	N71-19468
NASA-CASE-XMS-00259	c18	N70-36400	NASA-CASE-XMS-05890	c09	N71-23191
NASA-CASE-XMS-00370	c17	N71-20941	NASA-CASE-XMS-05894-1	c15	N69-21924
NASA-CASE-XMS-00486	c33	N70-33344	NASA-CASE-XMS-05909-1	c14	N69-27459
NASA-CASE-XMS-00583	c28	N70-38504	NASA-CASE-XMS-05936	c14	N70-41682
NASA-CASE-XMS-00764	c05	N71-12335	NASA-CASE-XMS-06056-1	c23	N71-24857
NASA-CASE-XMS-00863	c05	N70-34857	NASA-CASE-XMS-06061	c05	N71-23317
NASA-CASE-XMS-00864	c05	N70-36493	NASA-CASE-XMS-06064	c05	N71-23096
NASA-CASE-XMS-00893	c07	N70-40063	NASA-CASE-XMS-06162	c31	N71-28851
NASA-CASE-XMS-00907	c02	N70-41630	NASA-CASE-XMS-06236	c14	N71-21007
NASA-CASE-XMS-00913	c10	N71-23543	NASA-CASE-XMS-06329-1	c15	N71-20441
NASA-CASE-XMS-00945	c09	N71-10798	NASA-CASE-XMS-06497	c14	N71-26244
NASA-CASE-XMS-01108	c15	N69-24322	NASA-CASE-XMS-06740-1	c07	N71-26579
NASA-CASE-XMS-01115	c05	N70-39922	NASA-CASE-XMS-06761	c05	N69-23192
NASA-CASE-XMS-01177	c05	N71-19440	NASA-CASE-XMS-06767-1	c14	N71-20435
NASA-CASE-XMS-01240	c05	N70-35152	NASA-CASE-XMS-06782	c32	N71-15974
NASA-CASE-XMS-01315	c09	N70-41675	NASA-CASE-XMS-06876	c15	N71-21536
NASA-CASE-XMS-01445	c12	N71-16031	NASA-CASE-XMS-06949	c09	N69-21467
NASA-CASE-XMS-01492	c05	N70-41297	NASA-CASE-XMS-07168	c07	N71-11300
NASA-CASE-XMS-01546	c14	N70-40233	NASA-CASE-XMS-07487	c15	N71-23255
NASA-CASE-XMS-01554	c10	N71-10578	NASA-CASE-XMS-07846-1	c09	N69-21927
NASA-CASE-XMS-01615	c05	N70-41329	NASA-CASE-XMS-08589-1	c09	N71-20569
NASA-CASE-XMS-01618	c14	N71-20741	NASA-CASE-XMS-09310	c15	N71-22706
NASA-CASE-XMS-01620	c23	N71-15673	NASA-CASE-XMS-09352	c09	N71-23316
NASA-CASE-XMS-01624	c15	N70-40062	NASA-CASE-XMS-09571	c05	N71-19439
NASA-CASE-XMS-01625	c15	N71-23022	NASA-CASE-XMS-09610	c07	N71-24625
NASA-CASE-XMS-01816	c33	N71-15623	NASA-CASE-XMS-09632-1	c05	N71-11203
NASA-CASE-XMS-01905	c12	N71-21089	NASA-CASE-XMS-09635	c05	N71-24623
NASA-CASE-XMS-01906	c31	N70-41373	NASA-CASE-XMS-09636	c05	N71-12344
NASA-CASE-XMS-01991	c09	N71-21449	NASA-CASE-XMS-09637-1	c05	N71-24730
NASA-CASE-XMS-01994-1	c14	N72-17326	NASA-CASE-XMS-09652-1	c05	N71-26333
NASA-CASE-XMS-02009	c33	N71-20834	NASA-CASE-XMS-09690	c33	N72-25913
NASA-CASE-XMS-02063	c03	N71-29044	NASA-CASE-XMS-09691-1	c18	N71-15545
NASA-CASE-XMS-02087	c09	N70-41717	NASA-CASE-XMS-10269	c05	N71-24147
NASA-CASE-XMS-02159	c10	N71-22961	NASA-CASE-XMS-10660-1	c15	N71-25975
NASA-CASE-XMS-02182	c10	N71-28783	NASA-CASE-XMS-10984-1	c10	N71-19417
NASA-CASE-XMS-02184	c15	N71-20813	NASA-CASE-XMS-10993	c15	N71-28936
NASA-CASE-XMS-02383	c15	N71-15918	NASA-CASE-XMS-12158-1	c31	N69-27499
NASA-CASE-XMS-02399	c05	N71-22896	NASA-CASE-XMS-13052	c14	N71-20427
NASA-CASE-XMS-02532	c15	N70-41808			
NASA-CASE-XMS-02677	c31	N70-42075	NASA-CASE-XNP-00214	c15	N70-36908
NASA-CASE-XMS-02872	c05	N69-21925	NASA-CASE-XNP-00217	c28	N70-38181
NASA-CASE-XMS-02930	c11	N71-23042	NASA-CASE-XNP-00234	c28	N70-38645
NASA-CASE-XMS-02952	c18	N71-20742	NASA-CASE-XNP-00249	c28	N70-38249
NASA-CASE-XMS-02977	c11	N71-10746	NASA-CASE-XNP-00250	c11	N71-28779
NASA-CASE-XMS-03252	c15	N71-10658	NASA-CASE-XNP-00294	c21	N70-36938
NASA-CASE-XMS-03371	c05	N70-42000	NASA-CASE-XNP-00384	c09	N71-13530
NASA-CASE-XMS-03454	c09	N71-20658	NASA-CASE-XNP-00416	c15	N70-36947
NASA-CASE-XMS-03478	c14	N71-21040	NASA-CASE-XNP-00425	c11	N70-38202
NASA-CASE-XMS-03537	c15	N69-21471	NASA-CASE-XNP-00431	c09	N70-38998
NASA-CASE-XMS-03542	c09	N71-28926	NASA-CASE-XNP-00432	c08	N70-35423
NASA-CASE-XMS-03613	c31	N71-16346	NASA-CASE-XNP-00438	c21	N70-35089
NASA-CASE-XMS-03700	c15	N69-24266	NASA-CASE-XNP-00449	c14	N70-35220
NASA-CASE-XMS-03722	c15	N71-21530	NASA-CASE-XNP-00450	c15	N70-38603
NASA-CASE-XMS-03745	c15	N71-21076	NASA-CASE-XNP-00459	c11	N70-38675
NASA-CASE-XMS-03792	c14	N70-41812	NASA-CASE-XNP-00463	c33	N70-36847
NASA-CASE-XMS-04061-1	c09	N69-39885	NASA-CASE-XNP-00465	c21	N70-35395
NASA-CASE-XMS-04072	c15	N70-42017	NASA-CASE-XNP-00476	c15	N70-38620
NASA-CASE-XMS-04142	c31	N70-41631	NASA-CASE-XNP-00477	c08	N73-28045
NASA-CASE-XMS-04170	c05	N71-22748	NASA-CASE-XNP-00540	c09	N70-35382
NASA-CASE-XMS-04178	c15	N71-22798	NASA-CASE-XNP-00595	c15	N70-34967
NASA-CASE-XMS-04201	c14	N71-22990	NASA-CASE-XNP-00597	c18	N71-23088
NASA-CASE-XMS-04212-1	c05	N71-12346	NASA-CASE-XNP-00610	c28	N70-36910
NASA-CASE-XMS-04213-1	c09	N71-26002	NASA-CASE-XNP-00611	c09	N70-35219
NASA-CASE-XMS-04215-1	c09	N69-39987	NASA-CASE-XNP-00612	c11	N70-38182
NASA-CASE-XMS-04268	c33	N71-16277	NASA-CASE-XNP-00614	c14	N70-36907
NASA-CASE-XMS-04269	c16	N71-22895	NASA-CASE-XNP-00637	c14	N70-40273
NASA-CASE-XMS-04292	c15	N71-22722	NASA-CASE-XNP-00644	c03	N70-36803
NASA-CASE-XMS-04300	c09	N71-19479	NASA-CASE-XNP-00646	c14	N70-35666
NASA-CASE-XMS-04312	c07	N71-22984	NASA-CASE-XNP-00650	c27	N71-28929
NASA-CASE-XMS-04318	c15	N69-27871	NASA-CASE-XNP-00676	c15	N70-38996
NASA-CASE-XMS-04390	c31	N70-41871	NASA-CASE-XNP-00683	c09	N70-35425

NUMBER INDEX

NASA-CASE-XNP-00708	c14	N70-35394	NASA-CASE-XNP-03128	c10	N70-41991
NASA-CASE-XNP-00710	c15	N71-10778	NASA-CASE-XNP-03134	c07	N71-10676
NASA-CASE-XNP-00732	c28	N70-41447	NASA-CASE-XNP-03250	c06	N71-23500
NASA-CASE-XNP-00733	c06	N70-34946	NASA-CASE-XNP-03263	c09	N71-18843
NASA-CASE-XNP-00738	c09	N70-38201	NASA-CASE-XNP-03282	c28	N72-20758
NASA-CASE-XNP-00745	c10	N71-28960	NASA-CASE-XNP-03332	c09	N71-10618
NASA-CASE-XNP-00746	c07	N71-21476	NASA-CASE-XNP-03378	c03	N71-11051
NASA-CASE-XNP-00748	c07	N70-36911	NASA-CASE-XNP-03413	c03	N71-26726
NASA-CASE-XNP-00777	c10	N71-19469	NASA-CASE-XNP-03459	c15	N71-21078
NASA-CASE-XNP-00816	c28	N71-28928	NASA-CASE-XNP-03459-2	c18	N71-15688
NASA-CASE-XNP-00826	c03	N71-20895	NASA-CASE-XNP-03578	c11	N71-23030
NASA-CASE-XNP-00840	c15	N70-38225	NASA-CASE-XNP-03623	c09	N73-28084
NASA-CASE-XNP-00876	c28	N70-41311	NASA-CASE-XNP-03637	c15	N71-21371
NASA-CASE-XNP-00911	c08	N70-41961	NASA-CASE-XNP-03692	c28	N71-24830
NASA-CASE-XNP-00920	c15	N71-15906	NASA-CASE-XNP-03704	c15	N71-17695
NASA-CASE-XNP-00952	c10	N71-23271	NASA-CASE-XNP-03744	c10	N71-20448
NASA-CASE-XNP-01012	c08	N71-28925	NASA-CASE-XNP-03796	c23	N71-15467
NASA-CASE-XNP-01020	c03	N71-12260	NASA-CASE-XNP-03835	c06	N71-23499
NASA-CASE-XNP-01056	c14	N71-23081	NASA-CASE-XNP-03853	c23	N71-21882
NASA-CASE-XNP-01057	c07	N71-15907	NASA-CASE-XNP-03914	c21	N71-10771
NASA-CASE-XNP-01058	c09	N71-12540	NASA-CASE-XNP-03916	c09	N71-28810
NASA-CASE-XNP-01059	c23	N71-21821	NASA-CASE-XNP-03918	c14	N71-23087
NASA-CASE-XNP-01068	c10	N71-28739	NASA-CASE-XNP-03930	c14	N69-24331
NASA-CASE-XNP-01104	c28	N70-39931	NASA-CASE-XNP-03972	c15	N71-23048
NASA-CASE-XNP-01107	c10	N71-28859	NASA-CASE-XNP-04023	c06	N71-28808
NASA-CASE-XNP-01152	c15	N70-41811	NASA-CASE-XNP-04067	c08	N71-22707
NASA-CASE-XNP-01153	c32	N71-17645	NASA-CASE-XNP-04111	c14	N71-15622
NASA-CASE-XNP-01185	c26	N73-28710	NASA-CASE-XNP-04124	c28	N71-21822
NASA-CASE-XNP-01187	c15	N73-28516	NASA-CASE-XNP-04148	c17	N71-24830
NASA-CASE-XNP-01188	c15	N73-32361	NASA-CASE-XNP-04161	c14	N71-15599
NASA-CASE-XNP-01193	c10	N71-16057	NASA-CASE-XNP-04162-1	c08	N70-34675
NASA-CASE-XNP-01263-2	c15	N71-26312	NASA-CASE-XNP-04167-2	c25	N72-24753
NASA-CASE-XNP-01306	c07	N71-20814	NASA-CASE-XNP-04167-3	c25	N72-21693
NASA-CASE-XNP-01306-2	c09	N71-24596	NASA-CASE-XNP-04180	c07	N69-39736
NASA-CASE-XNP-01307	c21	N70-41856	NASA-CASE-XNP-04183	c09	N69-24329
NASA-CASE-XNP-01310	c33	N71-28852	NASA-CASE-XNP-04231	c14	N73-32325
NASA-CASE-XNP-01318	c10	N71-23033	NASA-CASE-XNP-04262-2	c17	N71-26773
NASA-CASE-XNP-01328	c26	N71-18064	NASA-CASE-XNP-04264	c03	N69-21337
NASA-CASE-XNP-01383	c09	N71-10659	NASA-CASE-XNP-04338	c17	N71-23046
NASA-CASE-XNP-01390	c28	N70-41275	NASA-CASE-XNP-04339	c17	N71-29137
NASA-CASE-XNP-01412	c15	N70-42034	NASA-CASE-XNP-04389	c28	N71-20942
NASA-CASE-XNP-01464	c03	N71-10728	NASA-CASE-XNP-04623	c10	N71-26103
NASA-CASE-XNP-01466	c10	N71-26434	NASA-CASE-XNP-04731	c15	N71-24042
NASA-CASE-XNP-01472	c14	N70-41807	NASA-CASE-XNP-04732	c09	N71-20851
NASA-CASE-XNP-01501	c21	N70-41930	NASA-CASE-XNP-04758	c03	N71-24605
NASA-CASE-XNP-01567	c15	N70-41310	NASA-CASE-XNP-04780	c08	N71-19687
NASA-CASE-XNP-01641	c15	N71-22997	NASA-CASE-XNP-04816	c06	N69-39936
NASA-CASE-XNP-01659	c14	N71-23039	NASA-CASE-XNP-04817	c14	N71-23225
NASA-CASE-XNP-01660	c14	N71-23036	NASA-CASE-XNP-04819	c08	N71-23295
NASA-CASE-XNP-01735	c07	N71-22750	NASA-CASE-XNP-04969	c11	N69-27466
NASA-CASE-XNP-01747	c15	N71-23024	NASA-CASE-XNP-05082	c15	N70-41960
NASA-CASE-XNP-01749	c27	N70-41897	NASA-CASE-XNP-05219	c16	N71-15550
NASA-CASE-XNP-01753	c08	N71-22897	NASA-CASE-XNP-05231	c14	N73-28491
NASA-CASE-XNP-01848	c15	N71-28959	NASA-CASE-XNP-05254	c07	N71-20791
NASA-CASE-XNP-01855	c15	N71-28937	NASA-CASE-XNP-05297	c15	N71-23811
NASA-CASE-XNP-01951	c09	N70-41929	NASA-CASE-XNP-05381	c09	N71-20842
NASA-CASE-XNP-01954	c28	N71-28850	NASA-CASE-XNP-05382	c10	N71-23544
NASA-CASE-XNP-01959	c26	N71-23043	NASA-CASE-XNP-05415	c08	N71-12505
NASA-CASE-XNP-01960	c09	N71-23027	NASA-CASE-XNP-05429	c26	N71-21824
NASA-CASE-XNP-01961	c26	N71-29156	NASA-CASE-XNP-05524	c33	N71-24876
NASA-CASE-XNP-01962	c32	N70-41370	NASA-CASE-XNP-05530	c14	N73-32321
NASA-CASE-XNP-02029	c14	N70-41955	NASA-CASE-XNP-05535	c14	N71-23040
NASA-CASE-XNP-02092	c15	N70-42033	NASA-CASE-XNP-05612	c09	N69-21468
NASA-CASE-XNP-02139	c18	N71-24184	NASA-CASE-XNP-05634	c15	N71-24834
NASA-CASE-XNP-02140	c09	N71-23097	NASA-CASE-XNP-05821	c03	N71-11056
NASA-CASE-XNP-02251	c12	N71-20896	NASA-CASE-XNP-05975	c15	N69-23185
NASA-CASE-XNP-02278	c15	N71-28951	NASA-CASE-XNP-06028	c09	N71-23189
NASA-CASE-XNP-02340	c23	N69-24332	NASA-CASE-XNP-06031	c15	N71-15606
NASA-CASE-XNP-02341	c15	N71-21531	NASA-CASE-XNP-06032	c09	N69-21926
NASA-CASE-XNP-02389	c07	N71-28900	NASA-CASE-XNP-06234	c10	N71-27137
NASA-CASE-XNP-02500	c18	N71-27397	NASA-CASE-XNP-06503	c23	N71-29049
NASA-CASE-XNP-02507	c31	N71-17679	NASA-CASE-XNP-06505	c10	N71-24799
NASA-CASE-XNP-02588	c15	N71-18613	NASA-CASE-XNP-06506	c03	N71-11050
NASA-CASE-XNP-02592	c24	N71-20518	NASA-CASE-XNP-06507	c09	N71-23548
NASA-CASE-XNP-02595	c31	N71-21881	NASA-CASE-XNP-06508	c18	N69-39895
NASA-CASE-XNP-02654	c10	N70-42032	NASA-CASE-XNP-06509	c14	N71-23226
NASA-CASE-XNP-02713	c10	N69-39888	NASA-CASE-XNP-06510	c14	N71-23797
NASA-CASE-XNP-02723	c07	N70-41680	NASA-CASE-XNP-06611	c07	N71-26102
NASA-CASE-XNP-02748	c08	N71-22749	NASA-CASE-XNP-06914	c15	N71-21489
NASA-CASE-XNP-02778	c08	N71-22710	NASA-CASE-XNP-06933	c14	N73-32321
NASA-CASE-XNP-02791	c07	N71-23026	NASA-CASE-XNP-06936	c15	N71-24695
NASA-CASE-XNP-02792	c14	N71-28958	NASA-CASE-XNP-06937	c09	N71-19516
NASA-CASE-XNP-02839	c28	N70-41922	NASA-CASE-XNP-06942	c28	N71-23293
NASA-CASE-XNP-02862-1	c15	N71-26294	NASA-CASE-XNP-06957	c14	N71-21088
NASA-CASE-XNP-02888	c18	N71-21068	NASA-CASE-XNP-07040	c08	N71-12500
NASA-CASE-XNP-02923	c28	N71-23081	NASA-CASE-XNP-07169	c15	N73-32362
NASA-CASE-XNP-02982	c31	N70-41855	NASA-CASE-XNP-07477	c09	N71-26092
NASA-CASE-XNP-02983	c14	N71-21091	NASA-CASE-XNP-07478	c14	N69-21923
NASA-CASE-XNP-03063	c17	N71-23365	NASA-CASE-XNP-07481	c25	N69-21929

NUMBER INDEX

NASA-CASE-XNP-07659	c06	N71-22975	US-PATENT-APPL-SN-11853	c15	N71-28951
NASA-CASE-XNP-08124	c15	N71-27184	US-PATENT-APPL-SN-12661	c14	N72-22437
NASA-CASE-XNP-08124-2	c06	N73-13129	US-PATENT-APPL-SN-13266	c05	N72-23085
NASA-CASE-XNP-08274	c10	N71-13537	US-PATENT-APPL-SN-14488	c09	N70-38995
NASA-CASE-XNP-08567	c09	N71-26000	US-PATENT-APPL-SN-15019	c15	N72-17455
NASA-CASE-XNP-08680	c14	N71-22995	US-PATENT-APPL-SN-15020	c14	N70-34697
NASA-CASE-XNP-08832	c08	N71-12506	US-PATENT-APPL-SN-15022	c15	N72-21465
NASA-CASE-XNP-08836	c09	N71-12515	US-PATENT-APPL-SN-15023	c15	N70-34699
NASA-CASE-XNP-08837	c18	N71-16210	US-PATENT-APPL-SN-15024	c09	N72-21245
NASA-CASE-XNP-08840	c23	N71-16365	US-PATENT-APPL-SN-15025	c03	N72-20033
NASA-CASE-XNP-08875	c10	N71-23099	US-PATENT-APPL-SN-15222	c18	N72-25539
NASA-CASE-XNP-08876	c17	N73-28573	US-PATENT-APPL-SN-16808	c14	N72-22445
NASA-CASE-XNP-08877	c15	N71-23025	US-PATENT-APPL-SN-17101	c28	N72-18766
NASA-CASE-XNP-08880	c09	N71-24808	US-PATENT-APPL-SN-17102	c09	N72-20205
NASA-CASE-XNP-08881	c17	N71-28747	US-PATENT-APPL-SN-18427	c09	N72-23172
NASA-CASE-XNP-08882	c15	N69-39935	US-PATENT-APPL-SN-18776	c28	N70-33284
NASA-CASE-XNP-08883	c23	N71-16101	US-PATENT-APPL-SN-18780	c12	N70-33305
NASA-CASE-XNP-08897	c15	N71-17694	US-PATENT-APPL-SN-18982	c28	N72-11708
NASA-CASE-XNP-08907	c23	N71-29123	US-PATENT-APPL-SN-19585	c15	N72-25455
NASA-CASE-XNP-08961	c14	N71-24809	US-PATENT-APPL-SN-19971	c09	N70-33312
NASA-CASE-XNP-09205	c14	N71-17657	US-PATENT-APPL-SN-20960	c15	N72-17453
NASA-CASE-XNP-09225	c09	N69-24333	US-PATENT-APPL-SN-21263	c01	N71-12217
NASA-CASE-XNP-09227	c15	N69-24319	US-PATENT-APPL-SN-21508	c08	N72-20176
NASA-CASE-XNP-09228	c09	N69-27500	US-PATENT-APPL-SN-21644	c05	N72-20292
NASA-CASE-XNP-09450	c10	N71-18723	US-PATENT-APPL-SN-21732	c15	N70-26819
NASA-CASE-XNP-09451	c06	N71-26754	US-PATENT-APPL-SN-21906	c09	N72-17157
NASA-CASE-XNP-09452	c15	N69-27504	US-PATENT-APPL-SN-22265	c14	N72-21405
NASA-CASE-XNP-09453	c08	N71-19420	US-PATENT-APPL-SN-22320	c14	N72-11365
NASA-CASE-XNP-09461	c28	N72-23809	US-PATENT-APPL-SN-23132	c08	N72-22163
NASA-CASE-XNP-09462	c14	N71-17584	US-PATENT-APPL-SN-23532	c07	N72-21117
NASA-CASE-XNP-09469	c24	N71-25555	US-PATENT-APPL-SN-24154	c15	N70-35679
NASA-CASE-XNP-09572	c14	N71-15621	US-PATENT-APPL-SN-24154	c15	N72-17450
NASA-CASE-XNP-09698	c15	N71-18580	US-PATENT-APPL-SN-24155	c14	N73-26432
NASA-CASE-XNP-09699	c06	N71-24607	US-PATENT-APPL-SN-24224	c09	N72-20200
NASA-CASE-XNP-09701	c14	N71-26475	US-PATENT-APPL-SN-25175	c28	N70-39895
NASA-CASE-XNP-09702	c15	N71-17654	US-PATENT-APPL-SN-25487	c08	N72-21197
NASA-CASE-XNP-09704	c12	N71-18615	US-PATENT-APPL-SN-25488	c08	N72-25206
NASA-CASE-XNP-09744	c27	N71-16392	US-PATENT-APPL-SN-26375	c02	N70-33286
NASA-CASE-XNP-09750	c14	N69-39937	US-PATENT-APPL-SN-26375	c02	N70-34858
NASA-CASE-XNP-09752	c14	N69-21541	US-PATENT-APPL-SN-26573	c31	N72-22874
NASA-CASE-XNP-09759	c08	N71-24851	US-PATENT-APPL-SN-27340	c15	N72-20442
NASA-CASE-XNP-09763	c14	N71-20461	US-PATENT-APPL-SN-28175	c21	N70-33279
NASA-CASE-XNP-09768	c09	N71-12516	US-PATENT-APPL-SN-28235	c10	N72-17171
NASA-CASE-XNP-09770	c15	N71-20440	US-PATENT-APPL-SN-29917	c15	N73-13465
NASA-CASE-XNP-09770-2	c15	N72-22483	US-PATENT-APPL-SN-29917	c17	N74-10521
NASA-CASE-XNP-09770-3	c11	N71-27036	US-PATENT-APPL-SN-29917	c15	N74-13179
NASA-CASE-XNP-09771	c09	N71-24841	US-PATENT-APPL-SN-29979	c11	N70-26813
NASA-CASE-XNP-09775	c09	N71-20445	US-PATENT-APPL-SN-30498	c15	N74-21063
NASA-CASE-XNP-09776	c09	N69-39929	US-PATENT-APPL-SN-31242	c28	N70-33374
NASA-CASE-XNP-09785	c08	N69-21928	US-PATENT-APPL-SN-31702	c16	N73-16536
NASA-CASE-XNP-09802	c33	N71-15641	US-PATENT-APPL-SN-31703	c09	N72-21244
NASA-CASE-XNP-09808	c09	N71-12518	US-PATENT-APPL-SN-31885	c10	N72-17172
NASA-CASE-XNP-09830	c07	N71-26102	US-PATENT-APPL-SN-32496	c15	N70-37925
NASA-CASE-XNP-09830	c14	N71-26266	US-PATENT-APPL-SN-32664	c11	N72-25287
NASA-CASE-XNP-09832	c30	N71-23723	US-PATENT-APPL-SN-32665	c14	N72-22444
NASA-CASE-XNP-10475	c15	N71-24679	US-PATENT-APPL-SN-33159	c10	N72-11256
NASA-CASE-XNP-10830	c07	N71-11281	US-PATENT-APPL-SN-33535	c06	N72-17093
NASA-CASE-XNP-10843	c07	N71-11267	US-PATENT-APPL-SN-34553	c18	N70-34695
NASA-CASE-XNP-10854	c10	N71-26331	US-PATENT-APPL-SN-34989	c16	N74-13205
			US-PATENT-APPL-SN-36531	c07	N72-25174
US-PATENT-APPL-SN-0914	c28	N70-38711	US-PATENT-APPL-SN-36534	c21	N73-14692
US-PATENT-APPL-SN-2792	c14	N70-33386	US-PATENT-APPL-SN-36819	c23	N72-22673
US-PATENT-APPL-SN-3151	c05	N72-27102	US-PATENT-APPL-SN-36926	c28	N72-23810
US-PATENT-APPL-SN-3417	c15	N72-22490	US-PATENT-APPL-SN-38262	c28	N70-35422
US-PATENT-APPL-SN-3418	c15	N72-20446	US-PATENT-APPL-SN-38814	c15	N72-11385
US-PATENT-APPL-SN-3418	c15	N73-19457	US-PATENT-APPL-SN-38816	c23	N74-13436
US-PATENT-APPL-SN-3696	c10	N72-20224	US-PATENT-APPL-SN-39185	c16	N72-25485
US-PATENT-APPL-SN-5114	c06	N72-25150	US-PATENT-APPL-SN-39342	c09	N72-25252
US-PATENT-APPL-SN-6610	c15	N72-22492	US-PATENT-APPL-SN-39343	c33	N74-18552
US-PATENT-APPL-SN-6615	c03	N72-25019	US-PATENT-APPL-SN-39344	c14	N72-25409
US-PATENT-APPL-SN-6616	c03	N72-22042	US-PATENT-APPL-SN-39755	c08	N72-21198
US-PATENT-APPL-SN-6617	c15	N72-22488	US-PATENT-APPL-SN-41345	c09	N72-29172
US-PATENT-APPL-SN-7668	c15	N71-26611	US-PATENT-APPL-SN-41346	c15	N72-24522
US-PATENT-APPL-SN-7669	c31	N72-18859	US-PATENT-APPL-SN-41347	c09	N72-25256
US-PATENT-APPL-SN-7867	c14	N72-17324	US-PATENT-APPL-SN-41348	c09	N72-23173
US-PATENT-APPL-SN-7868	c10	N72-17173	US-PATENT-APPL-SN-41404	c03	N73-20039
US-PATENT-APPL-SN-8203	c15	N70-33180	US-PATENT-APPL-SN-41430	c10	N72-20221
US-PATENT-APPL-SN-8204	c31	N70-37981	US-PATENT-APPL-SN-41431	c03	N70-35584
US-PATENT-APPL-SN-8497	c14	N72-11363	US-PATENT-APPL-SN-41455	c02	N70-33255
US-PATENT-APPL-SN-8498	c05	N71-24729	US-PATENT-APPL-SN-42022	c15	N70-35409
US-PATENT-APPL-SN-8636	c15	N72-25451	US-PATENT-APPL-SN-43327	c15	N72-26371
US-PATENT-APPL-SN-8650	c03	N72-25021	US-PATENT-APPL-SN-43883	c18	N73-30532
US-PATENT-APPL-SN-9251	c03	N70-34646	US-PATENT-APPL-SN-43884	c15	N72-25457
US-PATENT-APPL-SN-10161	c33	N72-20915	US-PATENT-APPL-SN-45519	c14	N72-25410
US-PATENT-APPL-SN-10162	c22	N72-21644	US-PATENT-APPL-SN-45549	c06	N72-21100
US-PATENT-APPL-SN-10329	c09	N72-25251	US-PATENT-APPL-SN-47061	c26	N72-25680
US-PATENT-APPL-SN-10812	c28	N70-40367	US-PATENT-APPL-SN-47062	c15	N72-17451
US-PATENT-APPL-SN-10827	c14	N72-28436	US-PATENT-APPL-SN-47063	c33	N72-25911
US-PATENT-APPL-SN-11220	c14	N73-30389	US-PATENT-APPL-SN-47063	c33	N73-25952

NUMBER INDEX

US-PATENT-APPL-SN-47120	c31	N70-33242	US-PATENT-APPL-SN-75431	c21	N72-31637
US-PATENT-APPL-SN-47121	c09	N70-39915	US-PATENT-APPL-SN-76899	c09	N72-22201
US-PATENT-APPL-SN-47122	c14	N70-34813	US-PATENT-APPL-SN-77169	c14	N72-21408
US-PATENT-APPL-SN-47123	c15	N70-34817	US-PATENT-APPL-SN-77220	c14	N72-27409
US-PATENT-APPL-SN-47440	c07	N73-20174	US-PATENT-APPL-SN-77221	c08	N72-25210
US-PATENT-APPL-SN-47441	c09	N70-34559	US-PATENT-APPL-SN-77251	c25	N70-41628
US-PATENT-APPL-SN-47443	c09	N72-17152	US-PATENT-APPL-SN-77252	c02	N70-37939
US-PATENT-APPL-SN-50206	c07	N72-17109	US-PATENT-APPL-SN-77256	c15	N70-33323
US-PATENT-APPL-SN-50207	c07	N72-20141	US-PATENT-APPL-SN-77786	c14	N72-27412
US-PATENT-APPL-SN-50208	c14	N73-13418	US-PATENT-APPL-SN-78065	c08	N72-22162
US-PATENT-APPL-SN-50339	c04	N72-33072	US-PATENT-APPL-SN-78703	c15	N73-20514
US-PATENT-APPL-SN-51317	c14	N73-30389	US-PATENT-APPL-SN-78704	c05	N72-25121
US-PATENT-APPL-SN-51473	c02	N70-33266	US-PATENT-APPL-SN-78717	c05	N73-13114
US-PATENT-APPL-SN-51477	c14	N72-25412	US-PATENT-APPL-SN-78766	c02	N74-10907
US-PATENT-APPL-SN-53156	c10	N71-28860	US-PATENT-APPL-SN-80029	c14	N73-32320
US-PATENT-APPL-SN-54270	c07	N72-25173	US-PATENT-APPL-SN-80029	c14	N74-20008
US-PATENT-APPL-SN-54271	c02	N73-19004	US-PATENT-APPL-SN-80368	c09	N73-20231
US-PATENT-APPL-SN-54540	c15	N72-29488	US-PATENT-APPL-SN-80369	c09	N72-22198
US-PATENT-APPL-SN-54540	c15	N74-15125	US-PATENT-APPL-SN-81095	c13	N72-25323
US-PATENT-APPL-SN-54552	c27	N70-34783	US-PATENT-APPL-SN-81096	c14	N73-14427
US-PATENT-APPL-SN-55333	c10	N73-16206	US-PATENT-APPL-SN-82280	c09	N72-25262
US-PATENT-APPL-SN-55534	c11	N72-25288	US-PATENT-APPL-SN-82647	c28	N72-22772
US-PATENT-APPL-SN-55535	c14	N73-20474	US-PATENT-APPL-SN-82648	c12	N72-25292
US-PATENT-APPL-SN-55536	c14	N72-29464	US-PATENT-APPL-SN-82649	c08	N73-30135
US-PATENT-APPL-SN-55537	c18	N72-25540	US-PATENT-APPL-SN-82658	c30	N70-40309
US-PATENT-APPL-SN-55806	c06	N72-31140	US-PATENT-APPL-SN-83816	c03	N74-14784
US-PATENT-APPL-SN-55791	c10	N72-16172	US-PATENT-APPL-SN-84002	c08	N73-20217
US-PATENT-APPL-SN-57252	c14	N72-25414	US-PATENT-APPL-SN-84212	c18	N74-17283
US-PATENT-APPL-SN-57253	c18	N72-25541	US-PATENT-APPL-SN-84289	c15	N73-14469
US-PATENT-APPL-SN-57399	c03	N72-20034	US-PATENT-APPL-SN-84290	c05	N73-20137
US-PATENT-APPL-SN-58147	c28	N70-33356	US-PATENT-APPL-SN-84961	c02	N70-34178
US-PATENT-APPL-SN-58892	c06	N73-30097	US-PATENT-APPL-SN-84962	c21	N70-36943
US-PATENT-APPL-SN-58893	c15	N72-25456	US-PATENT-APPL-SN-85585	c21	N70-35427
US-PATENT-APPL-SN-58894	c23	N73-13662	US-PATENT-APPL-SN-86018	c23	N71-30292
US-PATENT-APPL-SN-58895	c15	N72-20445	US-PATENT-APPL-SN-86417	c07	N72-25171
US-PATENT-APPL-SN-58956	c14	N72-27411	US-PATENT-APPL-SN-86548	c09	N72-21243
US-PATENT-APPL-SN-58966	c21	N72-25595	US-PATENT-APPL-SN-87222	c05	N72-27103
US-PATENT-APPL-SN-58968	c15	N72-27484	US-PATENT-APPL-SN-87223	c15	N72-15476
US-PATENT-APPL-SN-58969	c09	N72-25249	US-PATENT-APPL-SN-87550	c06	N72-25146
US-PATENT-APPL-SN-60276	c22	N73-32528	US-PATENT-APPL-SN-87551	c33	N73-16918
US-PATENT-APPL-SN-60531	c28	N70-37980	US-PATENT-APPL-SN-87597	c09	N72-21251
US-PATENT-APPL-SN-60536	c02	N70-38009	US-PATENT-APPL-SN-88435	c14	N74-15090
US-PATENT-APPL-SN-60876	c15	N72-27485	US-PATENT-APPL-SN-89209	c09	N72-25248
US-PATENT-APPL-SN-60881	c32	N72-25877	US-PATENT-APPL-SN-89210	c07	N73-26119
US-PATENT-APPL-SN-60882	c05	N73-32011	US-PATENT-APPL-SN-89211	c14	N73-12446
US-PATENT-APPL-SN-60883	c10	N73-13235	US-PATENT-APPL-SN-89212	c08	N72-25208
US-PATENT-APPL-SN-60950	c04	N73-27052	US-PATENT-APPL-SN-90595	c03	N72-20031
US-PATENT-APPL-SN-61329	c31	N70-37986	US-PATENT-APPL-SN-91180	c14	N70-40240
US-PATENT-APPL-SN-61535	c15	N72-25453	US-PATENT-APPL-SN-91642	c14	N72-31446
US-PATENT-APPL-SN-61894	c12	N72-21310	US-PATENT-APPL-SN-93329	c09	N73-26195
US-PATENT-APPL-SN-61895	c07	N72-33146	US-PATENT-APPL-SN-94049	c14	N73-20476
US-PATENT-APPL-SN-63144	c16	N72-28521	US-PATENT-APPL-SN-94259	c27	N70-35534
US-PATENT-APPL-SN-63195	c14	N72-27408	US-PATENT-APPL-SN-94347	c05	N72-25122
US-PATENT-APPL-SN-63383	c08	N72-20177	US-PATENT-APPL-SN-94369	c07	N71-28965
US-PATENT-APPL-SN-63384	c05	N72-22093	US-PATENT-APPL-SN-94374	c14	N72-25411
US-PATENT-APPL-SN-63532	c08	N72-25209	US-PATENT-APPL-SN-94952	c14	N70-34158
US-PATENT-APPL-SN-63610	c06	N72-25147	US-PATENT-APPL-SN-95183	c08	N73-12175
US-PATENT-APPL-SN-64224	c17	N70-38490	US-PATENT-APPL-SN-97112	c21	N70-34539
US-PATENT-APPL-SN-64226	c17	N70-38198	US-PATENT-APPL-SN-97343	c10	N72-27246
US-PATENT-APPL-SN-64391	c31	N72-25842	US-PATENT-APPL-SN-97472	c14	N73-28487
US-PATENT-APPL-SN-64392	c12	N70-41976	US-PATENT-APPL-SN-97829	c06	N73-13129
US-PATENT-APPL-SN-64709	c10	N72-26240	US-PATENT-APPL-SN-98517	c09	N72-25250
US-PATENT-APPL-SN-64723	c07	N72-25170	US-PATENT-APPL-SN-98640	c09	N72-25253
US-PATENT-APPL-SN-65548	c18	N70-39897	US-PATENT-APPL-SN-98772	c08	N73-12176
US-PATENT-APPL-SN-65840	c10	N72-20225	US-PATENT-APPL-SN-98773	c15	N72-22486
US-PATENT-APPL-SN-66004	c15	N72-25450	US-PATENT-APPL-SN-98774	c14	N73-19419
US-PATENT-APPL-SN-66206	c11	N73-13257	US-PATENT-APPL-SN-98798	c09	N73-13209
US-PATENT-APPL-SN-67730	c15	N73-13463	US-PATENT-APPL-SN-99174	c14	N72-33377
US-PATENT-APPL-SN-67815	c28	N72-22771	US-PATENT-APPL-SN-99175	c09	N72-25258
US-PATENT-APPL-SN-68023	c05	N72-33096	US-PATENT-APPL-SN-99198	c31	N73-32749
US-PATENT-APPL-SN-68024	c17	N72-22535	US-PATENT-APPL-SN-99201	c15	N73-25512
US-PATENT-APPL-SN-69209	c15	N72-21463	US-PATENT-APPL-SN-99201	c15	N74-20063
US-PATENT-APPL-SN-70032	c11	N73-12264	US-PATENT-APPL-SN-99524	c06	N72-27144
US-PATENT-APPL-SN-70967	c07	N73-13149	US-PATENT-APPL-SN-99901	c15	N74-10474
US-PATENT-APPL-SN-70967	c07	N74-10132	US-PATENT-APPL-SN-99903	c11	N73-12265
US-PATENT-APPL-SN-71047	c09	N72-21247	US-PATENT-APPL-SN-100637	c21	N71-28461
US-PATENT-APPL-SN-71048	c18	N73-12604	US-PATENT-APPL-SN-100639	c14	N72-32452
US-PATENT-APPL-SN-71366	c17	N71-20941	US-PATENT-APPL-SN-100774	c06	N72-25151
US-PATENT-APPL-SN-72024	c09	N73-12211	US-PATENT-APPL-SN-100774	c06	N73-32030
US-PATENT-APPL-SN-73283	c15	N72-28495	US-PATENT-APPL-SN-100996	c08	N73-13187
US-PATENT-APPL-SN-73310	c09	N72-25247	US-PATENT-APPL-SN-101029	c31	N70-38676
US-PATENT-APPL-SN-73367	c14	N71-15969	US-PATENT-APPL-SN-101214	c14	N73-26430
US-PATENT-APPL-SN-73422	c15	N72-25454	US-PATENT-APPL-SN-101354	c10	N73-16205
US-PATENT-APPL-SN-73834	c15	N72-23497	US-PATENT-APPL-SN-102412	c25	N72-33696
US-PATENT-APPL-SN-73922	c14	N73-25461	US-PATENT-APPL-SN-103077	c25	N72-32688
US-PATENT-APPL-SN-73932	c15	N72-22485	US-PATENT-APPL-SN-103078	c15	N73-12486
US-PATENT-APPL-SN-74759	c14	N73-20478	US-PATENT-APPL-SN-103091	c15	N72-20463
US-PATENT-APPL-SN-74861	c27	N72-25699	US-PATENT-APPL-SN-103229	c14	N72-22439
US-PATENT-APPL-SN-74862	c27	N73-16764	US-PATENT-APPL-SN-103551	c31	N73-14854

NUMBER INDEX

US-PATENT-APPL-SN-104047	c15 N72-31483	US-PATENT-APPL-SN-137912	c06 N72-21105
US-PATENT-APPL-SN-104048	c31 N73-14955	US-PATENT-APPL-SN-138227	c26 N72-27784
US-PATENT-APPL-SN-104187	c14 N70-36618	US-PATENT-APPL-SN-138229	c15 N72-32487
US-PATENT-APPL-SN-104188	c09 N70-34819	US-PATENT-APPL-SN-138230	c32 N73-20740
US-PATENT-APPL-SN-104346	c14 N73-28488	US-PATENT-APPL-SN-138540	c14 N70-36808
US-PATENT-APPL-SN-104884	c15 N72-33476	US-PATENT-APPL-SN-139006	c09 N70-38604
US-PATENT-APPL-SN-104885	c14 N73-24472	US-PATENT-APPL-SN-139007	c28 N70-37245
US-PATENT-APPL-SN-104885	c23 N71-15978	US-PATENT-APPL-SN-139012	c03 N70-38713
US-PATENT-APPL-SN-105518	c14 N74-13130	US-PATENT-APPL-SN-139094	c05 N73-32011
US-PATENT-APPL-SN-106106	c28 N70-34294	US-PATENT-APPL-SN-139250	c04 N73-27052
US-PATENT-APPL-SN-106135	c17 N73-24569	US-PATENT-APPL-SN-139528	c03 N72-25020
US-PATENT-APPL-SN-106424	c30 N73-12884	US-PATENT-APPL-SN-140439	c10 N72-10205
US-PATENT-APPL-SN-106465	c32 N73-13921	US-PATENT-APPL-SN-140443	c09 N70-35219
US-PATENT-APPL-SN-107298	c15 N73-25513	US-PATENT-APPL-SN-140509	c09 N70-35382
US-PATENT-APPL-SN-107376	c10 N72-33230	US-PATENT-APPL-SN-140946	c18 N73-26572
US-PATENT-APPL-SN-107379	c28 N73-13773	US-PATENT-APPL-SN-141220	c33 N70-37979
US-PATENT-APPL-SN-107380	c23 N73-20741	US-PATENT-APPL-SN-142662	c23 N73-13661
US-PATENT-APPL-SN-107659	c17 N70-36616	US-PATENT-APPL-SN-142719	c14 N73-14429
US-PATENT-APPL-SN-107866	c15 N70-36411	US-PATENT-APPL-SN-143078	c08 N72-33172
US-PATENT-APPL-SN-107870	c31 N73-13898	US-PATENT-APPL-SN-143508	c09 N74-12913
US-PATENT-APPL-SN-108824	c09 N70-34596	US-PATENT-APPL-SN-144139	c11 N73-26238
US-PATENT-APPL-SN-109789	c09 N72-27226	US-PATENT-APPL-SN-144803	c11 N70-34844
US-PATENT-APPL-SN-110402	c15 N70-39896	US-PATENT-APPL-SN-144804	c14 N70-39898
US-PATENT-APPL-SN-110591	c18 N71-31140	US-PATENT-APPL-SN-145007	c18 N70-36400
US-PATENT-APPL-SN-111123	c21 N73-30640	US-PATENT-APPL-SN-145026	c06 N72-25152
US-PATENT-APPL-SN-111998	c07 N72-32169	US-PATENT-APPL-SN-145027	c06 N73-32029
US-PATENT-APPL-SN-112988	c14 N73-12445	US-PATENT-APPL-SN-146935	c14 N73-20475
US-PATENT-APPL-SN-112998	c23 N72-25619	US-PATENT-APPL-SN-146939	c33 N71-35153
US-PATENT-APPL-SN-112999	c14 N73-12444	US-PATENT-APPL-SN-146940	c05 N73-32014
US-PATENT-APPL-SN-114846	c15 N72-28496	US-PATENT-APPL-SN-147099	c14 N73-13417
US-PATENT-APPL-SN-114847	c11 N72-23215	US-PATENT-APPL-SN-147103	c10 N73-20253
US-PATENT-APPL-SN-114848	c09 N72-27227	US-PATENT-APPL-SN-147922	c28 N73-19793
US-PATENT-APPL-SN-114849	c09 N73-28083	US-PATENT-APPL-SN-147940	c14 N72-10375
US-PATENT-APPL-SN-114873	c18 N73-13562	US-PATENT-APPL-SN-147996	c28 N73-24784
US-PATENT-APPL-SN-115082	c07 N73-25160	US-PATENT-APPL-SN-147997	c15 N72-33477
US-PATENT-APPL-SN-115083	c06 N73-13128	US-PATENT-APPL-SN-148001	c14 N70-34298
US-PATENT-APPL-SN-115134	c03 N71-34044	US-PATENT-APPL-SN-148756	c15 N73-13466
US-PATENT-APPL-SN-115944	c09 N73-19235	US-PATENT-APPL-SN-149283	c14 N74-17153
US-PATENT-APPL-SN-116777	c05 N72-33205	US-PATENT-APPL-SN-150215	c33 N73-25952
US-PATENT-APPL-SN-116778	c07 N72-25172	US-PATENT-APPL-SN-151112	c15 N70-34814
US-PATENT-APPL-SN-116786	c14 N73-30388	US-PATENT-APPL-SN-151114	c31 N70-34176
US-PATENT-APPL-SN-116790	c08 N73-12177	US-PATENT-APPL-SN-151411	c07 N73-26118
US-PATENT-APPL-SN-117575	c14 N70-35220	US-PATENT-APPL-SN-151412	c09 N73-32112
US-PATENT-APPL-SN-118169	c15 N70-38247	US-PATENT-APPL-SN-151413	c14 N73-12447
US-PATENT-APPL-SN-118200	c28 N70-38710	US-PATENT-APPL-SN-151598	c03 N70-34134
US-PATENT-APPL-SN-118202	c14 N70-38602	US-PATENT-APPL-SN-152328	c02 N74-20646
US-PATENT-APPL-SN-118203	c33 N73-26958	US-PATENT-APPL-SN-152849	c15 N73-30457
US-PATENT-APPL-SN-118269	c09 N72-25260	US-PATENT-APPL-SN-153266	c02 N70-38011
US-PATENT-APPL-SN-118270	c03 N72-23048	US-PATENT-APPL-SN-153542	c28 N73-32606
US-PATENT-APPL-SN-119282	c15 N73-24513	US-PATENT-APPL-SN-153543	c08 N73-26176
US-PATENT-APPL-SN-120241	c07 N70-40202	US-PATENT-APPL-SN-154094	c33 N72-27539
US-PATENT-APPL-SN-120795	c14 N70-36824	US-PATENT-APPL-SN-154930	c03 N72-11064
US-PATENT-APPL-SN-120797	c08 N70-34743	US-PATENT-APPL-SN-154933	c14 N73-25463
US-PATENT-APPL-SN-120803	c23 N72-11568	US-PATENT-APPL-SN-154934	c02 N72-10033
US-PATENT-APPL-SN-121328	c10 N73-12244	US-PATENT-APPL-SN-154935	c11 N72-27262
US-PATENT-APPL-SN-123253	c21 N70-34297	US-PATENT-APPL-SN-155565	c08 N73-25206
US-PATENT-APPL-SN-123597	c14 N73-16483	US-PATENT-APPL-SN-155584	c09 N70-40123
US-PATENT-APPL-SN-124909	c07 N73-16121	US-PATENT-APPL-SN-155595	c26 N73-28710
US-PATENT-APPL-SN-125234	c14 N73-26431	US-PATENT-APPL-SN-155596	c15 N73-32361
US-PATENT-APPL-SN-125236	c09 N72-25255	US-PATENT-APPL-SN-155598	c15 N73-28516
US-PATENT-APPL-SN-125979	c08 N70-35423	US-PATENT-APPL-SN-156724	c21 N73-13643
US-PATENT-APPL-SN-127234	c15 N71-34427	US-PATENT-APPL-SN-156725	c14 N73-27377
US-PATENT-APPL-SN-127480	c18 N71-34502	US-PATENT-APPL-SN-156778	c17 N72-28535
US-PATENT-APPL-SN-127481	c02 N73-13008	US-PATENT-APPL-SN-158914	c11 N70-36913
US-PATENT-APPL-SN-127618	c15 N73-27405	US-PATENT-APPL-SN-158916	c05 N70-41819
US-PATENT-APPL-SN-127647	c02 N73-26004	US-PATENT-APPL-SN-159804	c11 N70-38196
US-PATENT-APPL-SN-127915	c14 N73-20477	US-PATENT-APPL-SN-159857	c05 N73-26072
US-PATENT-APPL-SN-128419	c09 N72-25254	US-PATENT-APPL-SN-159966	c31 N73-26876
US-PATENT-APPL-SN-129071	c15 N73-13467	US-PATENT-APPL-SN-160371	c05 N72-11088
US-PATENT-APPL-SN-129072	c15 N73-13464	US-PATENT-APPL-SN-160859	c32 N73-26910
US-PATENT-APPL-SN-129073	c28 N70-35381	US-PATENT-APPL-SN-160860	c18 N73-32437
US-PATENT-APPL-SN-129579	c31 N73-14853	US-PATENT-APPL-SN-161028	c14 N73-19420
US-PATENT-APPL-SN-130353	c22 N70-34572	US-PATENT-APPL-SN-162100	c09 N74-14939
US-PATENT-APPL-SN-134478	c14 N70-33179	US-PATENT-APPL-SN-162101	c14 N73-24473
US-PATENT-APPL-SN-134479	c11 N70-34815	US-PATENT-APPL-SN-162230	c26 N72-28761
US-PATENT-APPL-SN-134481	c14 N73-16484	US-PATENT-APPL-SN-162380	c16 N74-21091
US-PATENT-APPL-SN-134567	c06 N72-31141	US-PATENT-APPL-SN-163151	c23 N72-21663
US-PATENT-APPL-SN-134568	c21 N73-13644	US-PATENT-APPL-SN-163152	c17 N73-27446
US-PATENT-APPL-SN-134571	c09 N72-25257	US-PATENT-APPL-SN-164428	c09 N70-35440
US-PATENT-APPL-SN-134573	c15 N73-28515	US-PATENT-APPL-SN-166487	c11 N73-32152
US-PATENT-APPL-SN-134658	c09 N70-36494	US-PATENT-APPL-SN-166541	c14 N73-13415
US-PATENT-APPL-SN-134782	c09 N72-28225	US-PATENT-APPL-SN-166969	c15 N70-34249
US-PATENT-APPL-SN-136006	c09 N71-34212	US-PATENT-APPL-SN-166970	c15 N70-36409
US-PATENT-APPL-SN-136007	c18 N74-13270	US-PATENT-APPL-SN-167719	c16 N73-33397
US-PATENT-APPL-SN-136008	c17 N73-12547	US-PATENT-APPL-SN-168560	c02 N70-34856
US-PATENT-APPL-SN-136085	c15 N73-19457	US-PATENT-APPL-SN-168650	c14 N73-13416
US-PATENT-APPL-SN-136253	c28 N72-20767	US-PATENT-APPL-SN-169671	c10 N73-30205
US-PATENT-APPL-SN-136253	c06 N74-12814	US-PATENT-APPL-SN-169962	c12 N72-11293
US-PATENT-APPL-SN-137391	c16 N72-10432	US-PATENT-APPL-SN-169977	c14 N70-34794

NUMBER INDEX

US-PATENT-APPL-SN-170440	c15 N73-13462	US-PATENT-APPL-SN-196898	c15 N74-15130
US-PATENT-APPL-SN-170544	c25 N72-21693	US-PATENT-APPL-SN-196931	c07 N74-17885
US-PATENT-APPL-SN-170680	c33 N74-15652	US-PATENT-APPL-SN-196970	c15 N73-33383
US-PATENT-APPL-SN-170681	c10 N73-25240	US-PATENT-APPL-SN-197183	c01 N73-14981
US-PATENT-APPL-SN-172459	c06 N73-16106	US-PATENT-APPL-SN-197548	c09 N70-34502
US-PATENT-APPL-SN-172807	c07 N73-28012	US-PATENT-APPL-SN-197551	c31 N70-34296
US-PATENT-APPL-SN-173081	c28 N70-36806	US-PATENT-APPL-SN-197553	c08 N70-34778
US-PATENT-APPL-SN-173185	c23 N73-13660	US-PATENT-APPL-SN-197554	c14 N70-35368
US-PATENT-APPL-SN-173190	c05 N73-32015	US-PATENT-APPL-SN-197689	c15 N74-14133
US-PATENT-APPL-SN-173981	c14 N70-35666	US-PATENT-APPL-SN-197870	c14 N73-32322
US-PATENT-APPL-SN-174684	c03 N73-30974	US-PATENT-APPL-SN-198285	c09 N73-13208
US-PATENT-APPL-SN-175267	c14 N73-28486	US-PATENT-APPL-SN-198289	c14 N73-32326
US-PATENT-APPL-SN-175497	c08 N73-28045	US-PATENT-APPL-SN-198355	c05 N72-15098
US-PATENT-APPL-SN-175852	c25 N73-25760	US-PATENT-APPL-SN-198362	c14 N73-28489
US-PATENT-APPL-SN-175881	c09 N73-15235	US-PATENT-APPL-SN-198379	c15 N73-32359
US-PATENT-APPL-SN-175981	c16 N73-30476	US-PATENT-APPL-SN-198380	c31 N72-15781
US-PATENT-APPL-SN-175983	c31 N73-32750	US-PATENT-APPL-SN-198472	c06 N74-12812
US-PATENT-APPL-SN-177684	c28 N70-34060	US-PATENT-APPL-SN-198763	c15 N74-18124
US-PATENT-APPL-SN-177753	c07 N72-20154	US-PATENT-APPL-SN-198885	c05 N73-27062
US-PATENT-APPL-SN-177985	c07 N74-15831	US-PATENT-APPL-SN-199199	c25 N71-29184
US-PATENT-APPL-SN-178213	c25 N70-33267	US-PATENT-APPL-SN-199202	c14 N70-40239
US-PATENT-APPL-SN-178215	c25 N70-34661	US-PATENT-APPL-SN-199957	c10 N73-26229
US-PATENT-APPL-SN-178721	c03 N70-35408	US-PATENT-APPL-SN-200040	c05 N74-10975
US-PATENT-APPL-SN-178771	c06 N73-11107	US-PATENT-APPL-SN-200085	c26 N73-26751
US-PATENT-APPL-SN-180370	c28 N70-33375	US-PATENT-APPL-SN-200682	c07 N73-14130
US-PATENT-APPL-SN-180374	c28 N70-38181	US-PATENT-APPL-SN-200717	c09 N73-19234
US-PATENT-APPL-SN-180377	c15 N70-36908	US-PATENT-APPL-SN-200762	c03 N73-20040
US-PATENT-APPL-SN-180379	c21 N70-35395	US-PATENT-APPL-SN-201700	c09 N74-17930
US-PATENT-APPL-SN-180380	c09 N70-38998	US-PATENT-APPL-SN-201782	c15 N73-19458
US-PATENT-APPL-SN-180381	c21 N70-35089	US-PATENT-APPL-SN-201904	c15 N73-30458
US-PATENT-APPL-SN-180382	c28 N70-38645	US-PATENT-APPL-SN-201904	c15 N74-15128
US-PATENT-APPL-SN-180384	c11 N70-38675	US-PATENT-APPL-SN-201904	c15 N74-21064
US-PATENT-APPL-SN-180391	c28 N70-38249	US-PATENT-APPL-SN-202024	c14 N70-34156
US-PATENT-APPL-SN-180392	c09 N71-13530	US-PATENT-APPL-SN-202029	c11 N70-34786
US-PATENT-APPL-SN-180394	c15 N70-38603	US-PATENT-APPL-SN-202030	c31 N71-10747
US-PATENT-APPL-SN-180395	c15 N70-36947	US-PATENT-APPL-SN-202750	c14 N74-21015
US-PATENT-APPL-SN-180396	c11 N70-38202	US-PATENT-APPL-SN-202769	c05 N73-27941
US-PATENT-APPL-SN-180473	c28 N73-27699	US-PATENT-APPL-SN-203271	c04 N74-15778
US-PATENT-APPL-SN-180683	c10 N73-25241	US-PATENT-APPL-SN-203405	c02 N73-26006
US-PATENT-APPL-SN-180962	c14 N72-21433	US-PATENT-APPL-SN-203409	c28 N70-38197
US-PATENT-APPL-SN-180963	c14 N73-27378	US-PATENT-APPL-SN-203411	c33 N70-38412
US-PATENT-APPL-SN-181023	c15 N73-26472	US-PATENT-APPL-SN-204015	c09 N70-38201
US-PATENT-APPL-SN-181024	c07 N73-26117	US-PATENT-APPL-SN-205047	c15 N73-32360
US-PATENT-APPL-SN-181828	c02 N70-34858	US-PATENT-APPL-SN-205470	c08 N71-18752
US-PATENT-APPL-SN-181829	c31 N70-38010	US-PATENT-APPL-SN-205675	c14 N73-30386
US-PATENT-APPL-SN-182033	c33 N73-27796	US-PATENT-APPL-SN-206266	c24 N74-20329
US-PATENT-APPL-SN-182359	c07 N73-28013	US-PATENT-APPL-SN-206279	c02 N73-26005
US-PATENT-APPL-SN-182692	c15 N70-36535	US-PATENT-APPL-SN-206698	c15 N73-30459
US-PATENT-APPL-SN-182696	c21 N70-36938	US-PATENT-APPL-SN-207211	c07 N73-30113
US-PATENT-APPL-SN-182698	c15 N70-38620	US-PATENT-APPL-SN-209478	c07 N70-38200
US-PATENT-APPL-SN-182699	c28 N70-38504	US-PATENT-APPL-SN-209479	c15 N70-34850
US-PATENT-APPL-SN-182977	c14 N74-13131	US-PATENT-APPL-SN-209535	c28 N73-24783
US-PATENT-APPL-SN-182978	c16 N73-13489	US-PATENT-APPL-SN-209801	c08 N70-40125
US-PATENT-APPL-SN-183240	c06 N73-30098	US-PATENT-APPL-SN-209802	c09 N73-14215
US-PATENT-APPL-SN-183377	c28 N70-38505	US-PATENT-APPL-SN-211332	c02 N74-10034
US-PATENT-APPL-SN-183378	c15 N70-38020	US-PATENT-APPL-SN-211411	c11 N73-20267
US-PATENT-APPL-SN-183379	c14 N73-32327	US-PATENT-APPL-SN-211464	c28 N70-36910
US-PATENT-APPL-SN-184090	c07 N70-36911	US-PATENT-APPL-SN-212010	c14 N72-20394
US-PATENT-APPL-SN-184649	c06 N73-27980	US-PATENT-APPL-SN-212028	c09 N73-14214
US-PATENT-APPL-SN-184960	c09 N74-12912	US-PATENT-APPL-SN-212165	c14 N73-25460
US-PATENT-APPL-SN-186700	c16 N74-13205	US-PATENT-APPL-SN-212173	c02 N71-13421
US-PATENT-APPL-SN-187143	c15 N73-27406	US-PATENT-APPL-SN-212174	c15 N70-38459
US-PATENT-APPL-SN-187262	c15 N74-15127	US-PATENT-APPL-SN-212496	c03 N70-36803
US-PATENT-APPL-SN-187365	c31 N70-37924	US-PATENT-APPL-SN-212497	c11 N71-28779
US-PATENT-APPL-SN-187446	c15 N70-34967	US-PATENT-APPL-SN-212900	c14 N73-25462
US-PATENT-APPL-SN-188594	c14 N72-21432	US-PATENT-APPL-SN-212921	c07 N73-20176
US-PATENT-APPL-SN-188836	c08 N73-32081	US-PATENT-APPL-SN-212977	c15 N73-30460
US-PATENT-APPL-SN-188827	c15 N74-13178	US-PATENT-APPL-SN-213004	c14 N73-19421
US-PATENT-APPL-SN-188928	c14 N73-27379	US-PATENT-APPL-SN-213836	c15 N70-38601
US-PATENT-APPL-SN-189290	c18 N73-14584	US-PATENT-APPL-SN-213949	c07 N73-20175
US-PATENT-APPL-SN-189375	c30 N72-20805	US-PATENT-APPL-SN-214006	c15 N74-18126
US-PATENT-APPL-SN-189438	c32 N70-36536	US-PATENT-APPL-SN-214084	c15 N74-18123
US-PATENT-APPL-SN-189648	c17 N73-32414	US-PATENT-APPL-SN-214086	c14 N73-30395
US-PATENT-APPL-SN-190316	c06 N74-12813	US-PATENT-APPL-SN-214089	c14 N74-21018
US-PATENT-APPL-SN-191301	c03 N70-36778	US-PATENT-APPL-SN-216710	c12 N70-38997
US-PATENT-APPL-SN-192016	c10 N73-20254	US-PATENT-APPL-SN-216711	c03 N70-34157
US-PATENT-APPL-SN-192101	c07 N73-24176	US-PATENT-APPL-SN-216939	c14 N70-40400
US-PATENT-APPL-SN-192141	c07 N73-22076	US-PATENT-APPL-SN-217213	c15 N74-11301
US-PATENT-APPL-SN-192803	c23 N73-30665	US-PATENT-APPL-SN-218965	c10 N73-32145
US-PATENT-APPL-SN-192970	c10 N73-25243	US-PATENT-APPL-SN-219435	c15 N72-21486
US-PATENT-APPL-SN-193456	c15 N73-12488	US-PATENT-APPL-SN-219436	c15 N72-21489
US-PATENT-APPL-SN-193671	c05 N74-14845	US-PATENT-APPL-SN-219590	c06 N73-32030
US-PATENT-APPL-SN-193672	c14 N73-30393	US-PATENT-APPL-SN-219722	c21 N72-12631
US-PATENT-APPL-SN-193814	c14 N73-13420	US-PATENT-APPL-SN-219806	c28 N72-20770
US-PATENT-APPL-SN-193947	c15 N74-13177	US-PATENT-APPL-SN-220251	c15 N74-15125
US-PATENT-APPL-SN-193980	c05 N73-25125	US-PATENT-APPL-SN-220274	c31 N72-20940
US-PATENT-APPL-SN-195061	c15 N70-36492	US-PATENT-APPL-SN-220785	c11 N72-20253
US-PATENT-APPL-SN-195346	c31 N70-34135	US-PATENT-APPL-SN-221093	c17 N73-32415
US-PATENT-APPL-SN-195347	c07 N73-25161		

NUMBER INDEX

US-PATENT-APPL-SN-221276	c14	N70-41955	US-PATENT-APPL-SN-245063	c09	N74-11049
US-PATENT-APPL-SN-221634	c05	N70-34857	US-PATENT-APPL-SN-245941	c33	N71-17897
US-PATENT-APPL-SN-221637	c26	N70-36805	US-PATENT-APPL-SN-246056	c23	N74-15395
US-PATENT-APPL-SN-221670	c14	N72-21421	US-PATENT-APPL-SN-247055	c15	N74-11300
US-PATENT-APPL-SN-221685	c15	N74-21062	US-PATENT-APPL-SN-247090	c15	N74-18128
US-PATENT-APPL-SN-221714	c09	N73-32110	US-PATENT-APPL-SN-247136	c14	N71-30265
US-PATENT-APPL-SN-221833	c09	N73-27150	US-PATENT-APPL-SN-247419	c14	N70-36907
US-PATENT-APPL-SN-221945	c31	N70-36410	US-PATENT-APPL-SN-247423	c01	N71-13410
US-PATENT-APPL-SN-223003	c33	N70-36846	US-PATENT-APPL-SN-247481	c05	N73-26071
US-PATENT-APPL-SN-223560	c10	N73-32144	US-PATENT-APPL-SN-247482	c17	N72-25517
US-PATENT-APPL-SN-224489	c14	N74-18089	US-PATENT-APPL-SN-248469	c14	N73-32318
US-PATENT-APPL-SN-226476	c10	N73-32143	US-PATENT-APPL-SN-248471	c15	N72-28503
US-PATENT-APPL-SN-226477	c14	N72-20397	US-PATENT-APPL-SN-248761	c13	N72-29425
US-PATENT-APPL-SN-226551	c06	N73-26100	US-PATENT-APPL-SN-248985	c03	N71-29129
US-PATENT-APPL-SN-227682	c14	N70-34161	US-PATENT-APPL-SN-249537	c14	N71-10797
US-PATENT-APPL-SN-227683	c02	N70-36804	US-PATENT-APPL-SN-249539	c28	N71-15658
US-PATENT-APPL-SN-227692	c14	N70-40003	US-PATENT-APPL-SN-249540	c15	N70-34861
US-PATENT-APPL-SN-228150	c05	N73-32013	US-PATENT-APPL-SN-249542	c28	N70-41576
US-PATENT-APPL-SN-228163	c03	N74-19693	US-PATENT-APPL-SN-250335	c12	N72-25306
US-PATENT-APPL-SN-228189	c14	N74-11283	US-PATENT-APPL-SN-250451	c08	N70-34787
US-PATENT-APPL-SN-228190	c23	N73-30666	US-PATENT-APPL-SN-250567	c33	N71-24876
US-PATENT-APPL-SN-228229	c06	N72-22114	US-PATENT-APPL-SN-250766	c07	N73-30115
US-PATENT-APPL-SN-228507	c11	N70-38182	US-PATENT-APPL-SN-250974	c31	N71-15664
US-PATENT-APPL-SN-228569	c14	N71-16014	US-PATENT-APPL-SN-251449	c07	N70-40063
US-PATENT-APPL-SN-228707	c25	N71-15650	US-PATENT-APPL-SN-251451	c09	N70-35425
US-PATENT-APPL-SN-229128	c14	N73-28490	US-PATENT-APPL-SN-251609	c05	N73-30078
US-PATENT-APPL-SN-229143	c09	N72-12248	US-PATENT-APPL-SN-251621	c16	N73-32391
US-PATENT-APPL-SN-229286	c33	N71-29052	US-PATENT-APPL-SN-251752	c15	N72-27527
US-PATENT-APPL-SN-229354	c08	N74-14920	US-PATENT-APPL-SN-252259	c33	N70-34545
US-PATENT-APPL-SN-229413	c14	N73-32323	US-PATENT-APPL-SN-253006	c22	N70-34248
US-PATENT-APPL-SN-229916	c13	N74-13011	US-PATENT-APPL-SN-253249	c09	N74-11050
US-PATENT-APPL-SN-231520	c27	N71-29155	US-PATENT-APPL-SN-253405	c10	N73-26228
US-PATENT-APPL-SN-231604	c28	N70-39925	US-PATENT-APPL-SN-253725	c14	N74-13129
US-PATENT-APPL-SN-231662	c14	N73-30392	US-PATENT-APPL-SN-253774	c25	N70-36946
US-PATENT-APPL-SN-232021	c21	N74-13420	US-PATENT-APPL-SN-254173	c14	N72-25440
US-PATENT-APPL-SN-232318	c11	N71-15960	US-PATENT-APPL-SN-254177	c10	N73-26230
US-PATENT-APPL-SN-232914	c15	N70-36412	US-PATENT-APPL-SN-254279	c06	N72-25164
US-PATENT-APPL-SN-233098	c12	N73-25262	US-PATENT-APPL-SN-254323	c14	N72-28443
US-PATENT-APPL-SN-233173	c12	N73-28144	US-PATENT-APPL-SN-254847	c15	N71-22874
US-PATENT-APPL-SN-233519	c28	N74-13502	US-PATENT-APPL-SN-255132	c14	N71-15598
US-PATENT-APPL-SN-233587	c16	N72-22520	US-PATENT-APPL-SN-256317	c05	N72-25142
US-PATENT-APPL-SN-233743	c15	N74-13179	US-PATENT-APPL-SN-256484	c06	N70-34946
US-PATENT-APPL-SN-234568	c28	N70-34788	US-PATENT-APPL-SN-257346	c15	N70-36901
US-PATENT-APPL-SN-235162	c08	N71-12501	US-PATENT-APPL-SN-258152	c14	N74-15090
US-PATENT-APPL-SN-235225	c23	N72-28696	US-PATENT-APPL-SN-258171	c12	N72-27310
US-PATENT-APPL-SN-235266	c26	N73-32571	US-PATENT-APPL-SN-258331	c03	N73-31988
US-PATENT-APPL-SN-235268	c16	N74-15145	US-PATENT-APPL-SN-258931	c14	N70-40203
US-PATENT-APPL-SN-235269	c09	N73-30181	US-PATENT-APPL-SN-258932	c05	N70-36493
US-PATENT-APPL-SN-235255	c09	N73-30185	US-PATENT-APPL-SN-259487	c33	N70-36847
US-PATENT-APPL-SN-235338	c23	N72-25628	US-PATENT-APPL-SN-260087	c21	N71-21688
US-PATENT-APPL-SN-235588	c28	N71-28928	US-PATENT-APPL-SN-260093	c14	N72-27425
US-PATENT-APPL-SN-235957	c14	N73-27376	US-PATENT-APPL-SN-260241	c23	N74-21304
US-PATENT-APPL-SN-235962	c16	N74-11313	US-PATENT-APPL-SN-261183	c11	N72-27271
US-PATENT-APPL-SN-236052	c14	N72-25428	US-PATENT-APPL-SN-261912	c14	N70-34818
US-PATENT-APPL-SN-236281	c09	N73-20232	US-PATENT-APPL-SN-261917	c09	N70-40272
US-PATENT-APPL-SN-236285	c08	N73-26175	US-PATENT-APPL-SN-261918	c28	N70-41447
US-PATENT-APPL-SN-236748	c14	N70-40157	US-PATENT-APPL-SN-262430	c23	N74-18323
US-PATENT-APPL-SN-236749	c15	N70-40180	US-PATENT-APPL-SN-262596	c14	N71-28958
US-PATENT-APPL-SN-236985	c03	N74-19692	US-PATENT-APPL-SN-263230	c09	N74-20860
US-PATENT-APPL-SN-237029	c09	N73-32108	US-PATENT-APPL-SN-263498	c14	N72-27430
US-PATENT-APPL-SN-237491	c02	N73-30938	US-PATENT-APPL-SN-263815	c11	N74-17955
US-PATENT-APPL-SN-237694	c14	N74-11284	US-PATENT-APPL-SN-264728	c30	N70-40016
US-PATENT-APPL-SN-238047	c10	N74-12951	US-PATENT-APPL-SN-264729	c33	N70-34540
US-PATENT-APPL-SN-238263	c14	N74-10415	US-PATENT-APPL-SN-264731	c09	N70-41655
US-PATENT-APPL-SN-238264	c15	N74-21061	US-PATENT-APPL-SN-264735	c28	N70-33265
US-PATENT-APPL-SN-238421	c28	N71-29153	US-PATENT-APPL-SN-264736	c28	N70-36802
US-PATENT-APPL-SN-239573	c10	N74-10223	US-PATENT-APPL-SN-266107	c11	N71-15925
US-PATENT-APPL-SN-239574	c09	N73-32107	US-PATENT-APPL-SN-266771	c15	N74-18127
US-PATENT-APPL-SN-239575	c32	N72-27947	US-PATENT-APPL-SN-266772	c15	N72-27486
US-PATENT-APPL-SN-239575	c32	N74-19528	US-PATENT-APPL-SN-266820	c28	N72-27820
US-PATENT-APPL-SN-239576	c09	N74-14935	US-PATENT-APPL-SN-266822	c07	N74-10132
US-PATENT-APPL-SN-239577	c14	N74-13132	US-PATENT-APPL-SN-266832	c09	N74-10195
US-PATENT-APPL-SN-239803	c23	N74-13436	US-PATENT-APPL-SN-266866	c33	N73-32818
US-PATENT-APPL-SN-240760	c15	N71-16075	US-PATENT-APPL-SN-266899	c08	N74-12888
US-PATENT-APPL-SN-241061	c06	N72-27151	US-PATENT-APPL-SN-266911	c14	N74-20009
US-PATENT-APPL-SN-241061	c06	N73-33076	US-PATENT-APPL-SN-266912	c07	N74-19788
US-PATENT-APPL-SN-241085	c14	N70-40238	US-PATENT-APPL-SN-266913	c15	N72-28507
US-PATENT-APPL-SN-241614	c10	N73-27171	US-PATENT-APPL-SN-266925	c05	N74-17853
US-PATENT-APPL-SN-241615	c09	N73-32111	US-PATENT-APPL-SN-266927	c24	N72-28714
US-PATENT-APPL-SN-242027	c05	N74-12778	US-PATENT-APPL-SN-266928	c17	N74-10521
US-PATENT-APPL-SN-242028	c21	N73-30641	US-PATENT-APPL-SN-266930	c05	N74-12779
US-PATENT-APPL-SN-242662	c14	N74-15095	US-PATENT-APPL-SN-266940	c07	N72-27178
US-PATENT-APPL-SN-243374	c31	N72-25853	US-PATENT-APPL-SN-266943	c24	N72-28719
US-PATENT-APPL-SN-244158	c09	N74-20863	US-PATENT-APPL-SN-266943	c24	N74-19310
US-PATENT-APPL-SN-244440	c21	N73-19630	US-PATENT-APPL-SN-267572	c11	N73-29138
US-PATENT-APPL-SN-244440	c14	N73-32320	US-PATENT-APPL-SN-267768	c23	N74-21300
US-PATENT-APPL-SN-244519	c15	N74-18125	US-PATENT-APPL-SN-267862	c09	N72-27233
US-PATENT-APPL-SN-244523	c31	N73-30829	US-PATENT-APPL-SN-269212	c07	N71-10775
US-PATENT-APPL-SN-244566	c14	N74-20008	US-PATENT-APPL-SN-269215	c14	N70-41332

NUMBER INDEX

US-PATENT-APPL-SN-269222	c15 N70-38225	US-PATENT-APPL-SN-299042	c15 N71-15918
US-PATENT-APPL-SN-270118	c33 N71-17610	US-PATENT-APPL-SN-300113	c33 N70-33344
US-PATENT-APPL-SN-271821	c15 N71-10778	US-PATENT-APPL-SN-300712	c15 N70-35407
US-PATENT-APPL-SN-271822	c15 N71-15967	US-PATENT-APPL-SN-300957	c33 N71-29053
US-PATENT-APPL-SN-271823	c27 N71-28929	US-PATENT-APPL-SN-301039	c15 N73-11443
US-PATENT-APPL-SN-271824	c07 N71-21476	US-PATENT-APPL-SN-301417	c14 N74-21014
US-PATENT-APPL-SN-271951	c14 N74-15092	US-PATENT-APPL-SN-301418	c05 N73-14093
US-PATENT-APPL-SN-273222	c09 N72-31239	US-PATENT-APPL-SN-301419	c12 N73-12295
US-PATENT-APPL-SN-273240	c15 N74-16135	US-PATENT-APPL-SN-301683	c07 N71-15907
US-PATENT-APPL-SN-273534	c09 N70-38712	US-PATENT-APPL-SN-302681	c15 N73-14480
US-PATENT-APPL-SN-274065	c16 N71-28963	US-PATENT-APPL-SN-302720	c02 N73-13023
US-PATENT-APPL-SN-274360	c07 N74-20809	US-PATENT-APPL-SN-302749	c14 N70-40201
US-PATENT-APPL-SN-275118	c14 N74-18088	US-PATENT-APPL-SN-304430	c14 N73-11405
US-PATENT-APPL-SN-277402	c22 N70-34501	US-PATENT-APPL-SN-304698	c32 N70-41579
US-PATENT-APPL-SN-277404	c05 N70-39922	US-PATENT-APPL-SN-304705	c07 N74-20810
US-PATENT-APPL-SN-277436	c15 N72-31490	US-PATENT-APPL-SN-304749	c11 N71-16028
US-PATENT-APPL-SN-277833	c03 N70-41580	US-PATENT-APPL-SN-305012	c14 N74-15094
US-PATENT-APPL-SN-277904	c33 N73-29959	US-PATENT-APPL-SN-305013	c14 N73-13435
US-PATENT-APPL-SN-277961	c33 N70-36617	US-PATENT-APPL-SN-305020	c21 N70-34295
US-PATENT-APPL-SN-278790	c15 N70-34664	US-PATENT-APPL-SN-305638	c15 N73-13474
US-PATENT-APPL-SN-279646	c08 N71-21042	US-PATENT-APPL-SN-305639	c15 N73-14479
US-PATENT-APPL-SN-280029	c15 N74-15126	US-PATENT-APPL-SN-306652	c10 N73-15255
US-PATENT-APPL-SN-280030	c15 N73-20535	US-PATENT-APPL-SN-306980	c07 N73-24187
US-PATENT-APPL-SN-280031	c26 N73-26752	US-PATENT-APPL-SN-307269	c24 N71-10560
US-PATENT-APPL-SN-280032	c14 N74-15093	US-PATENT-APPL-SN-307270	c10 N71-16030
US-PATENT-APPL-SN-280305	c14 N72-33379	US-PATENT-APPL-SN-307271	c09 N71-22999
US-PATENT-APPL-SN-280362	c14 N71-28935	US-PATENT-APPL-SN-307714	c07 N73-31084
US-PATENT-APPL-SN-280390	c15 N74-15128	US-PATENT-APPL-SN-307727	c07 N74-20813
US-PATENT-APPL-SN-280580	c12 N71-21089	US-PATENT-APPL-SN-307728	c14 N73-12455
US-PATENT-APPL-SN-280776	c14 N70-40273	US-PATENT-APPL-SN-307729	c15 N73-12494
US-PATENT-APPL-SN-280777	c08 N70-41961	US-PATENT-APPL-SN-308362	c09 N73-12216
US-PATENT-APPL-SN-281069	c14 N70-35394	US-PATENT-APPL-SN-308363	c15 N73-12496
US-PATENT-APPL-SN-281875	c33 N74-18551	US-PATENT-APPL-SN-308918	c27 N71-15634
US-PATENT-APPL-SN-281876	c05 N74-20726	US-PATENT-APPL-SN-309354	c11 N71-15926
US-PATENT-APPL-SN-281877	c16 N74-15146	US-PATENT-APPL-SN-310034	c07 N73-12151
US-PATENT-APPL-SN-281908	c06 N72-31145	US-PATENT-APPL-SN-310193	c09 N73-30187
US-PATENT-APPL-SN-282738	c05 N72-31117	US-PATENT-APPL-SN-310506	c10 N71-16042
US-PATENT-APPL-SN-282817	c15 N70-40156	US-PATENT-APPL-SN-310507	c07 N71-11298
US-PATENT-APPL-SN-282818	c14 N71-14996	US-PATENT-APPL-SN-310611	c32 N73-13929
US-PATENT-APPL-SN-283502	c15 N74-21060	US-PATENT-APPL-SN-310615	c15 N73-29459
US-PATENT-APPL-SN-284245	c09 N74-17928	US-PATENT-APPL-SN-310616	c14 N74-21017
US-PATENT-APPL-SN-284265	c14 N70-34799	US-PATENT-APPL-SN-310624	c09 N74-17929
US-PATENT-APPL-SN-284266	c15 N71-16077	US-PATENT-APPL-SN-311175	c05 N73-14092
US-PATENT-APPL-SN-284757	c14 N70-34669	US-PATENT-APPL-SN-311234	c14 N73-29438
US-PATENT-APPL-SN-285705	c15 N74-21056	US-PATENT-APPL-SN-311387	c23 N71-30027
US-PATENT-APPL-SN-286620	c15 N71-30028	US-PATENT-APPL-SN-312265	c28 N71-14043
US-PATENT-APPL-SN-287149	c14 N73-20483	US-PATENT-APPL-SN-312443	c10 N71-21473
US-PATENT-APPL-SN-287150	c15 N74-21065	US-PATENT-APPL-SN-313132	c28 N70-34175
US-PATENT-APPL-SN-288847	c14 N73-10461	US-PATENT-APPL-SN-313135	c15 N70-35087
US-PATENT-APPL-SN-288856	c09 N74-20859	US-PATENT-APPL-SN-313136	c09 N71-12540
US-PATENT-APPL-SN-288857	c14 N73-33361	US-PATENT-APPL-SN-313381	c14 N74-15091
US-PATENT-APPL-SN-289017	c15 N73-10504	US-PATENT-APPL-SN-313389	c06 N73-29074
US-PATENT-APPL-SN-289018	c02 N73-10031	US-PATENT-APPL-SN-314074	c15 N71-16079
US-PATENT-APPL-SN-289033	c15 N73-32358	US-PATENT-APPL-SN-314570	c10 N71-28960
US-PATENT-APPL-SN-289033	c15 N74-21055	US-PATENT-APPL-SN-314572	c14 N71-15992
US-PATENT-APPL-SN-289048	c15 N74-21057	US-PATENT-APPL-SN-315048	c12 N73-16248
US-PATENT-APPL-SN-289049	c14 N74-15089	US-PATENT-APPL-SN-315068	c02 N73-20008
US-PATENT-APPL-SN-289050	c15 N72-32501	US-PATENT-APPL-SN-315069	c09 N74-20862
US-PATENT-APPL-SN-290021	c15 N73-10499	US-PATENT-APPL-SN-315070	c08 N73-16163
US-PATENT-APPL-SN-290022	c09 N73-12214	US-PATENT-APPL-SN-315096	c12 N70-40124
US-PATENT-APPL-SN-290030	c08 N74-12887	US-PATENT-APPL-SN-316477	c18 N71-10772
US-PATENT-APPL-SN-290867	c28 N70-39931	US-PATENT-APPL-SN-316618	c28 N74-15453
US-PATENT-APPL-SN-290868	c31 N70-34966	US-PATENT-APPL-SN-317389	c18 N70-41583
US-PATENT-APPL-SN-290870	c15 N70-38996	US-PATENT-APPL-SN-317391	c15 N71-15968
US-PATENT-APPL-SN-290873	c10 N71-16058	US-PATENT-APPL-SN-317567	c16 N73-18508
US-PATENT-APPL-SN-290915	c07 N74-11000	US-PATENT-APPL-SN-318151	c25 N73-29750
US-PATENT-APPL-SN-291845	c05 N73-11097	US-PATENT-APPL-SN-318152	c05 N74-20728
US-PATENT-APPL-SN-292382	c18 N74-17283	US-PATENT-APPL-SN-318357	c14 N74-21019
US-PATENT-APPL-SN-292477	c15 N73-12495	US-PATENT-APPL-SN-318443	c03 N70-34667
US-PATENT-APPL-SN-292596	c10 N71-29135	US-PATENT-APPL-SN-319150	c09 N73-18225
US-PATENT-APPL-SN-292681	c09 N74-10194	US-PATENT-APPL-SN-319410	c15 N74-20063
US-PATENT-APPL-SN-292682	c14 N73-32319	US-PATENT-APPL-SN-319892	c07 N71-10609
US-PATENT-APPL-SN-292685	c09 N74-20864	US-PATENT-APPL-SN-319893	c14 N70-41647
US-PATENT-APPL-SN-292686	c28 N72-32760	US-PATENT-APPL-SN-319894	c03 N71-11053
US-PATENT-APPL-SN-292698	c09 N73-32109	US-PATENT-APPL-SN-319905	c14 N71-10781
US-PATENT-APPL-SN-293725	c14 N73-11404	US-PATENT-APPL-SN-320233	c33 N71-15625
US-PATENT-APPL-SN-293726	c15 N74-21055	US-PATENT-APPL-SN-320595	c26 N70-40015
US-PATENT-APPL-SN-293727	c10 N74-14956	US-PATENT-APPL-SN-321179	c18 N74-21156
US-PATENT-APPL-SN-293739	c21 N73-11680	US-PATENT-APPL-SN-321180	c02 N73-30018
US-PATENT-APPL-SN-294727	c22 N73-12702	US-PATENT-APPL-SN-321656	c14 N70-41807
US-PATENT-APPL-SN-294738	c22 N73-13656	US-PATENT-APPL-SN-322545	c14 N71-10774
US-PATENT-APPL-SN-295855	c23 N71-17802	US-PATENT-APPL-SN-322997	c15 N73-19467
US-PATENT-APPL-SN-296879	c26 N71-18064	US-PATENT-APPL-SN-322998	c14 N73-15474
US-PATENT-APPL-SN-297127	c10 N73-10269	US-PATENT-APPL-SN-323182	c03 N70-41864
US-PATENT-APPL-SN-297128	c07 N73-10215	US-PATENT-APPL-SN-324029	c07 N73-16132
US-PATENT-APPL-SN-298156	c15 N73-10502	US-PATENT-APPL-SN-325784	c18 N73-16577
US-PATENT-APPL-SN-298157	c09 N73-13214	US-PATENT-APPL-SN-326198	c04 N71-16061
US-PATENT-APPL-SN-298799	c14 N71-15962	US-PATENT-APPL-SN-326298	c14 N71-22765
US-PATENT-APPL-SN-298800	c14 N70-34705	US-PATENT-APPL-SN-326299	c26 N71-17818

NUMBER INDEX

US-PATENT-APPL-SN-326326	c14	N73-17564	US-PATENT-APPL-SN-353632	c15	N71-13789
US-PATENT-APPL-SN-326327	c03	N73-17037	US-PATENT-APPL-SN-353634	c15	N70-41829
US-PATENT-APPL-SN-326364	c05	N73-16096	US-PATENT-APPL-SN-353637	c02	N70-34160
US-PATENT-APPL-SN-327163	c03	N71-20895	US-PATENT-APPL-SN-353644	c07	N71-23098
US-PATENT-APPL-SN-327565	c02	N70-36825	US-PATENT-APPL-SN-353645	c15	N71-15922
US-PATENT-APPL-SN-327921	c05	N73-18139	US-PATENT-APPL-SN-354060	c23	N73-22630
US-PATENT-APPL-SN-327969	c14	N73-29437	US-PATENT-APPL-SN-354182	c10	N71-20841
US-PATENT-APPL-SN-327982	c06	N73-17153	US-PATENT-APPL-SN-354406	c05	N73-22045
US-PATENT-APPL-SN-328140	c18	N71-21651	US-PATENT-APPL-SN-354407	c09	N73-22351
US-PATENT-APPL-SN-328792	c14	N73-17563	US-PATENT-APPL-SN-354408	c14	N73-22187
US-PATENT-APPL-SN-328795	c33	N73-17917	US-PATENT-APPL-SN-354611	c05	N73-22048
US-PATENT-APPL-SN-329237	c09	N73-18224	US-PATENT-APPL-SN-354612	c14	N73-22386
US-PATENT-APPL-SN-329243	c27	N73-17802	US-PATENT-APPL-SN-355126	c17	N71-15644
US-PATENT-APPL-SN-329331	c15	N71-15906	US-PATENT-APPL-SN-355129	c14	N70-41957
US-PATENT-APPL-SN-329595	c05	N70-41329	US-PATENT-APPL-SN-355130	c15	N70-40354
US-PATENT-APPL-SN-329598	c10	N73-17211	US-PATENT-APPL-SN-356488	c08	N71-19544
US-PATENT-APPL-SN-330209	c15	N70-41646	US-PATENT-APPL-SN-356554	c15	N73-22415
US-PATENT-APPL-SN-330210	c14	N71-21090	US-PATENT-APPL-SN-356555	c15	N73-22417
US-PATENT-APPL-SN-331323	c07	N71-16088	US-PATENT-APPL-SN-356664	c26	N73-23770
US-PATENT-APPL-SN-331324	c05	N70-35152	US-PATENT-APPL-SN-356692	c15	N70-41371
US-PATENT-APPL-SN-331759	c28	N73-19819	US-PATENT-APPL-SN-357312	c17	N73-22474
US-PATENT-APPL-SN-331760	c14	N73-18443	US-PATENT-APPL-SN-357334	c03	N71-12258
US-PATENT-APPL-SN-332313	c21	N71-10678	US-PATENT-APPL-SN-357336	c03	N71-12259
US-PATENT-APPL-SN-332339	c07	N71-11284	US-PATENT-APPL-SN-357337	c15	N71-10782
US-PATENT-APPL-SN-333766	c31	N71-15663	US-PATENT-APPL-SN-357340	c23	N71-15673
US-PATENT-APPL-SN-333770	c21	N71-15583	US-PATENT-APPL-SN-358127	c05	N71-12335
US-PATENT-APPL-SN-333912	c07	N74-19790	US-PATENT-APPL-SN-359039	c07	N73-23118
US-PATENT-APPL-SN-334349	c15	N73-18474	US-PATENT-APPL-SN-359156	c14	N73-23526
US-PATENT-APPL-SN-334672	c14	N70-41330	US-PATENT-APPL-SN-359157	c14	N74-18090
US-PATENT-APPL-SN-334678	c11	N71-10777	US-PATENT-APPL-SN-359532	c15	N71-28959
US-PATENT-APPL-SN-335201	c09	N74-17927	US-PATENT-APPL-SN-359557	c02	N73-22975
US-PATENT-APPL-SN-335441	c14	N71-23268	US-PATENT-APPL-SN-359958	c15	N73-23552
US-PATENT-APPL-SN-336103	c66	N71-15550	US-PATENT-APPL-SN-360180	c17	N71-16026
US-PATENT-APPL-SN-336319	c33	N73-20931	US-PATENT-APPL-SN-360182	c31	N70-36654
US-PATENT-APPL-SN-336320	c15	N71-15966	US-PATENT-APPL-SN-360878	c03	N71-11051
US-PATENT-APPL-SN-336607	c10	N71-15910	US-PATENT-APPL-SN-361666	c09	N73-24236
US-PATENT-APPL-SN-336608	c32	N71-17645	US-PATENT-APPL-SN-361906	c09	N74-20861
US-PATENT-APPL-SN-337487	c15	N73-18473	US-PATENT-APPL-SN-361907	c14	N73-25467
US-PATENT-APPL-SN-337816	c14	N73-18444	US-PATENT-APPL-SN-362145	c07	N73-26144
US-PATENT-APPL-SN-338484	c07	N74-20811	US-PATENT-APPL-SN-362146	c10	N73-26231
US-PATENT-APPL-SN-339040	c31	N70-41373	US-PATENT-APPL-SN-362261	c14	N73-32325
US-PATENT-APPL-SN-339806	c02	N73-21066	US-PATENT-APPL-SN-363348	c05	N70-41581
US-PATENT-APPL-SN-339821	c17	N70-33288	US-PATENT-APPL-SN-363653	c07	N70-41331
US-PATENT-APPL-SN-339825	c28	N71-15660	US-PATENT-APPL-SN-363654	c07	N70-41372
US-PATENT-APPL-SN-340113	c16	N70-41578	US-PATENT-APPL-SN-363691	c28	N73-25816
US-PATENT-APPL-SN-340791	c14	N73-20487	US-PATENT-APPL-SN-364867	c09	N71-10673
US-PATENT-APPL-SN-340862	c09	N73-32121	US-PATENT-APPL-SN-365644	c16	N73-26500
US-PATENT-APPL-SN-340863	c24	N73-20763	US-PATENT-APPL-SN-366226	c10	N71-16057
US-PATENT-APPL-SN-340864	c15	N74-21059	US-PATENT-APPL-SN-367267	c02	N73-26008
US-PATENT-APPL-SN-340865	c31	N73-20880	US-PATENT-APPL-SN-367268	c02	N73-26007
US-PATENT-APPL-SN-340871	c10	N74-19870	US-PATENT-APPL-SN-367293	c16	N73-25564
US-PATENT-APPL-SN-341467	c15	N70-39924	US-PATENT-APPL-SN-367294	c30	N73-26838
US-PATENT-APPL-SN-341621	c05	N74-20725	US-PATENT-APPL-SN-367606	c25	N73-26721
US-PATENT-APPL-SN-341662	c03	N74-10942	US-PATENT-APPL-SN-368123	c09	N71-10618
US-PATENT-APPL-SN-342572	c02	N71-16087	US-PATENT-APPL-SN-369334	c21	N71-22880
US-PATENT-APPL-SN-342574	c03	N71-20904	US-PATENT-APPL-SN-369336	c09	N71-10659
US-PATENT-APPL-SN-343308	c03	N73-20042	US-PATENT-APPL-SN-369337	c15	N70-41811
US-PATENT-APPL-SN-343425	c11	N70-35383	US-PATENT-APPL-SN-369338	c08	N71-28925
US-PATENT-APPL-SN-343426	c07	N71-20814	US-PATENT-APPL-SN-369640	c32	N70-41370
US-PATENT-APPL-SN-343607	c15	N73-20525	US-PATENT-APPL-SN-370134	c30	N70-40353
US-PATENT-APPL-SN-343760	c07	N71-28979	US-PATENT-APPL-SN-370135	c11	N70-41677
US-PATENT-APPL-SN-344410	c28	N73-20826	US-PATENT-APPL-SN-370255	c09	N73-26197
US-PATENT-APPL-SN-344793	c03	N71-11058	US-PATENT-APPL-SN-370271	c07	N73-27107
US-PATENT-APPL-SN-345372	c07	N73-23106	US-PATENT-APPL-SN-370505	c09	N73-26196
US-PATENT-APPL-SN-346356	c14	N70-41676	US-PATENT-APPL-SN-370581	c27	N73-27695
US-PATENT-APPL-SN-346361	c15	N74-21064	US-PATENT-APPL-SN-370582	c31	N73-26879
US-PATENT-APPL-SN-346372	c14	N73-23527	US-PATENT-APPL-SN-370872	c15	N73-26475
US-PATENT-APPL-SN-346483	c15	N73-20533	US-PATENT-APPL-SN-370969	c23	N71-29049
US-PATENT-APPL-SN-347101	c09	N70-41675	US-PATENT-APPL-SN-370999	c23	N73-32538
US-PATENT-APPL-SN-347626	c15	N70-40204	US-PATENT-APPL-SN-371322	c03	N73-26048
US-PATENT-APPL-SN-347952	c15	N73-23553	US-PATENT-APPL-SN-371856	c15	N70-42033
US-PATENT-APPL-SN-347953	c05	N73-21151	US-PATENT-APPL-SN-371857	c07	N70-41680
US-PATENT-APPL-SN-347960	c03	N70-39930	US-PATENT-APPL-SN-372142	c03	N73-26047
US-PATENT-APPL-SN-348422	c18	N73-23629	US-PATENT-APPL-SN-372143	c15	N73-27407
US-PATENT-APPL-SN-348600	c28	N71-29154	US-PATENT-APPL-SN-372148	c14	N73-28497
US-PATENT-APPL-SN-348787	c09	N73-23290	US-PATENT-APPL-SN-372149	c15	N73-26474
US-PATENT-APPL-SN-349778	c09	N70-40234	US-PATENT-APPL-SN-372438	c30	N71-17788
US-PATENT-APPL-SN-349781	c31	N71-15647	US-PATENT-APPL-SN-372648	c27	N71-16348
US-PATENT-APPL-SN-349782	c09	N71-16086	US-PATENT-APPL-SN-372727	c31	N70-36845
US-PATENT-APPL-SN-350249	c20	N73-21523	US-PATENT-APPL-SN-372730	c28	N71-28850
US-PATENT-APPL-SN-350250	c18	N73-21471	US-PATENT-APPL-SN-373587	c10	N73-26232
US-PATENT-APPL-SN-350300	c15	N73-31446	US-PATENT-APPL-SN-373588	c09	N73-26199
US-PATENT-APPL-SN-351259	c15	N71-10672	US-PATENT-APPL-SN-373591	c31	N71-15692
US-PATENT-APPL-SN-351929	c10	N73-21240	US-PATENT-APPL-SN-374421	c18	N73-27501
US-PATENT-APPL-SN-352381	c28	N73-22721	US-PATENT-APPL-SN-374422	c07	N73-27106
US-PATENT-APPL-SN-352382	c08	N73-21199	US-PATENT-APPL-SN-374423	c16	N73-27431
US-PATENT-APPL-SN-352383	c14	N73-21390	US-PATENT-APPL-SN-374424	c14	N74-12190
US-PATENT-APPL-SN-352400	c26	N71-10607	US-PATENT-APPL-SN-374441	c14	N73-27380
US-PATENT-APPL-SN-353162	c09	N73-23291	US-PATENT-APPL-SN-374583	c09	N73-27153

NUMBER INDEX

US-PATENT-APPL-SN-375401	c17	N71-16025	US-PATENT-APPL-SN-398132	c15	N70-41808
US-PATENT-APPL-SN-375405	c31	N71-15675	US-PATENT-APPL-SN-398885	c18	N74-11366
US-PATENT-APPL-SN-375674	c28	N70-41582	US-PATENT-APPL-SN-398886	c28	N73-32624
US-PATENT-APPL-SN-375680	c10	N71-28739	US-PATENT-APPL-SN-398901	c15	N73-32376
US-PATENT-APPL-SN-375682	c31	N70-41588	US-PATENT-APPL-SN-399419	c21	N71-23289
US-PATENT-APPL-SN-376258	c22	N73-28660	US-PATENT-APPL-SN-400467	c07	N73-32063
US-PATENT-APPL-SN-377146	c14	N71-23041	US-PATENT-APPL-SN-400613	c15	N71-21528
US-PATENT-APPL-SN-377777	c32	N70-42003	US-PATENT-APPL-SN-400617	c31	N71-17629
US-PATENT-APPL-SN-377780	c11	N71-10604	US-PATENT-APPL-SN-401466	c09	N74-10202
US-PATENT-APPL-SN-377784	c28	N70-41311	US-PATENT-APPL-SN-401919	c18	N74-10542
US-PATENT-APPL-SN-378080	c12	N71-24692	US-PATENT-APPL-SN-401920	c15	N74-20073
US-PATENT-APPL-SN-379018	c05	N74-11901	US-PATENT-APPL-SN-401921	c27	N74-20397
US-PATENT-APPL-SN-379019	c11	N73-27175	US-PATENT-APPL-SN-402365	c31	N71-17730
US-PATENT-APPL-SN-379048	c05	N74-11900	US-PATENT-APPL-SN-402865	c09	N74-10200
US-PATENT-APPL-SN-379049	c15	N73-31444	US-PATENT-APPL-SN-402866	c23	N73-32542
US-PATENT-APPL-SN-379072	c15	N71-16078	US-PATENT-APPL-SN-402867	c14	N73-32348
US-PATENT-APPL-SN-379290	c14	N73-28499	US-PATENT-APPL-SN-402868	c14	N73-32344
US-PATENT-APPL-SN-379417	c02	N70-41863	US-PATENT-APPL-SN-402978	c10	N71-23084
US-PATENT-APPL-SN-379768	c28	N71-10780	US-PATENT-APPL-SN-403694	c05	N74-10100
US-PATENT-APPL-SN-379771	c33	N71-28852	US-PATENT-APPL-SN-403695	c31	N73-32784
US-PATENT-APPL-SN-380046	c11	N73-28128	US-PATENT-APPL-SN-403959	c14	N70-41994
US-PATENT-APPL-SN-380630	c15	N73-29457	US-PATENT-APPL-SN-403960	c14	N70-41366
US-PATENT-APPL-SN-380960	c15	N70-41993	US-PATENT-APPL-SN-404212	c14	N73-32324
US-PATENT-APPL-SN-380965	c10	N71-23033	US-PATENT-APPL-SN-405341	c05	N74-10099
US-PATENT-APPL-SN-381848	c14	N74-12191	US-PATENT-APPL-SN-405342	c14	N74-10421
US-PATENT-APPL-SN-381940	c09	N71-20705	US-PATENT-APPL-SN-405346	c15	N74-10475
US-PATENT-APPL-SN-382261	c14	N73-28495	US-PATENT-APPL-SN-405629	c09	N71-10677
US-PATENT-APPL-SN-382262	c15	N74-21058	US-PATENT-APPL-SN-405630	c14	N71-10516
US-PATENT-APPL-SN-382976	c15	N71-21179	US-PATENT-APPL-SN-405632	c21	N71-15582
US-PATENT-APPL-SN-384010	c10	N71-28859	US-PATENT-APPL-SN-406097	c14	N71-21088
US-PATENT-APPL-SN-384773	c21	N73-28646	US-PATENT-APPL-SN-406715	c14	N74-10420
US-PATENT-APPL-SN-384811	c15	N71-10809	US-PATENT-APPL-SN-407595	c28	N70-41992
US-PATENT-APPL-SN-385013	c14	N73-28496	US-PATENT-APPL-SN-407599	c14	N71-21091
US-PATENT-APPL-SN-385520	c14	N71-23037	US-PATENT-APPL-SN-407603	c05	N71-11199
US-PATENT-APPL-SN-385522	c12	N73-28179	US-PATENT-APPL-SN-408435	c15	N71-28937
US-PATENT-APPL-SN-385526	c12	N71-16031	US-PATENT-APPL-SN-408438	c07	N71-22750
US-PATENT-APPL-SN-385527	c31	N71-17729	US-PATENT-APPL-SN-408442	c10	N71-23662
US-PATENT-APPL-SN-385530	c09	N71-10798	US-PATENT-APPL-SN-409126	c18	N71-21068
US-PATENT-APPL-SN-386467	c14	N70-40233	US-PATENT-APPL-SN-409990	c14	N74-10422
US-PATENT-APPL-SN-386789	c05	N73-30090	US-PATENT-APPL-SN-409991	c09	N74-11058
US-PATENT-APPL-SN-386790	c14	N73-30428	US-PATENT-APPL-SN-410325	c18	N71-23088
US-PATENT-APPL-SN-386793	c16	N73-30478	US-PATENT-APPL-SN-410326	c09	N71-21449
US-PATENT-APPL-SN-386800	c15	N71-21404	US-PATENT-APPL-SN-410330	c26	N71-23043
US-PATENT-APPL-SN-387094	c15	N73-31438	US-PATENT-APPL-SN-410331	c02	N70-41589
US-PATENT-APPL-SN-387095	c15	N73-30462	US-PATENT-APPL-SN-410332	c14	N71-23039
US-PATENT-APPL-SN-387332	c15	N70-33226	US-PATENT-APPL-SN-411572	c14	N74-11288
US-PATENT-APPL-SN-388023	c10	N70-41964	US-PATENT-APPL-SN-411944	c15	N70-41629
US-PATENT-APPL-SN-388024	c32	N71-17609	US-PATENT-APPL-SN-411945	c18	N71-23047
US-PATENT-APPL-SN-388966	c31	N70-41855	US-PATENT-APPL-SN-411949	c27	N71-15635
US-PATENT-APPL-SN-388967	c10	N71-23271	US-PATENT-APPL-SN-412080	c16	N74-20118
US-PATENT-APPL-SN-389916	c31	N73-30832	US-PATENT-APPL-SN-412379	c07	N74-11005
US-PATENT-APPL-SN-389929	c10	N73-31202	US-PATENT-APPL-SN-413661	c15	N71-23024
US-PATENT-APPL-SN-390250	c21	N70-41856	US-PATENT-APPL-SN-413662	c09	N70-41929
US-PATENT-APPL-SN-390251	c07	N71-23026	US-PATENT-APPL-SN-414042	c15	N74-13199
US-PATENT-APPL-SN-390466	c18	N73-30536	US-PATENT-APPL-SN-414043	c06	N74-11926
US-PATENT-APPL-SN-390467	c05	N73-31011	US-PATENT-APPL-SN-414482	c10	N71-10578
US-PATENT-APPL-SN-390468	c16	N73-31467	US-PATENT-APPL-SN-416135	c07	N74-15838
US-PATENT-APPL-SN-391343	c05	N69-21473	US-PATENT-APPL-SN-416938	c11	N71-10746
US-PATENT-APPL-SN-392823	c33	N73-31826	US-PATENT-APPL-SN-416940	c21	N71-21708
US-PATENT-APPL-SN-392965	c18	N71-22998	US-PATENT-APPL-SN-416941	c31	N70-34159
US-PATENT-APPL-SN-392969	c09	N71-23573	US-PATENT-APPL-SN-416943	c14	N71-23269
US-PATENT-APPL-SN-392970	c32	N70-41367	US-PATENT-APPL-SN-416945	c10	N71-23543
US-PATENT-APPL-SN-392973	c07	N71-23001	US-PATENT-APPL-SN-416946	c28	N71-15563
US-PATENT-APPL-SN-392992	c15	N71-23052	US-PATENT-APPL-SN-417253	c11	N71-23042
US-PATENT-APPL-SN-393451	c02	N70-42016	US-PATENT-APPL-SN-418010	c07	N74-12843
US-PATENT-APPL-SN-393461	c31	N71-17691	US-PATENT-APPL-SN-418362	c14	N71-20741
US-PATENT-APPL-SN-393464	c23	N71-21821	US-PATENT-APPL-SN-418931	c05	N70-42000
US-PATENT-APPL-SN-393523	c15	N73-31443	US-PATENT-APPL-SN-418933	c15	N71-23022
US-PATENT-APPL-SN-393524	c08	N74-17911	US-PATENT-APPL-SN-419747	c09	N74-14942
US-PATENT-APPL-SN-393525	c15	N73-31442	US-PATENT-APPL-SN-419748	c18	N74-15213
US-PATENT-APPL-SN-393526	c33	N73-32823	US-PATENT-APPL-SN-419831	c14	N74-13146
US-PATENT-APPL-SN-393527	c31	N73-32769	US-PATENT-APPL-SN-420245	c08	N71-22749
US-PATENT-APPL-SN-393528	c16	N73-32398	US-PATENT-APPL-SN-420250	c15	N71-23051
US-PATENT-APPL-SN-394149	c14	N74-19093	US-PATENT-APPL-SN-420466	c14	N71-23092
US-PATENT-APPL-SN-394206	c09	N73-32114	US-PATENT-APPL-SN-420813	c16	N74-16187
US-PATENT-APPL-SN-394207	c15	N74-10476	US-PATENT-APPL-SN-421702	c29	N74-14496
US-PATENT-APPL-SN-394638	c28	N70-34162	US-PATENT-APPL-SN-422092	c14	N71-22989
US-PATENT-APPL-SN-394638	c28	N73-31699	US-PATENT-APPL-SN-422095	c07	N71-10676
US-PATENT-APPL-SN-395348	c15	N71-22713	US-PATENT-APPL-SN-422096	c03	N71-29044
US-PATENT-APPL-SN-395493	c15	N73-32371	US-PATENT-APPL-SN-422097	c11	N71-21481
US-PATENT-APPL-SN-395687	c15	N73-31445	US-PATENT-APPL-SN-422098	c15	N71-22797
US-PATENT-APPL-SN-395868	c09	N73-32116	US-PATENT-APPL-SN-422099	c14	N71-22964
US-PATENT-APPL-SN-396443	c15	N71-15986	US-PATENT-APPL-SN-422100	c14	N71-21040
US-PATENT-APPL-SN-396444	c10	N71-20782	US-PATENT-APPL-SN-422864	c05	N69-21925
US-PATENT-APPL-SN-397476	c33	N73-32828	US-PATENT-APPL-SN-422865	c31	N70-41631
US-PATENT-APPL-SN-397477	c09	N73-32120	US-PATENT-APPL-SN-422867	c15	N70-40062
US-PATENT-APPL-SN-397478	c04	N73-32000	US-PATENT-APPL-SN-422868	c15	N71-10617
US-PATENT-APPL-SN-397665	c10	N70-41991	US-PATENT-APPL-SN-422869	c14	N71-10779
US-PATENT-APPL-SN-398131	c05	N70-41297	US-PATENT-APPL-SN-423412	c08	N71-22897

NUMBER INDEX

US-PATENT-APPL-SN-424013	c14 N74-14115	US-PATENT-APPL-SN-450501	c09 N74-19852
US-PATENT-APPL-SN-424038	c15 N74-14141	US-PATENT-APPL-SN-450502	c15 N74-20072
US-PATENT-APPL-SN-424153	c15 N71-21234	US-PATENT-APPL-SN-450503	c09 N74-18869
US-PATENT-APPL-SN-424156	c02 N71-23007	US-PATENT-APPL-SN-450504	c15 N74-20071
US-PATENT-APPL-SN-424157	c28 N70-41275	US-PATENT-APPL-SN-450505	c15 N74-18133
US-PATENT-APPL-SN-425096	c05 N71-23080	US-PATENT-APPL-SN-450536	c14 N74-18098
US-PATENT-APPL-SN-425362	c15 N71-10658	US-PATENT-APPL-SN-451596	c17 N71-29137
US-PATENT-APPL-SN-425362	c18 N74-20152	US-PATENT-APPL-SN-452761	c09 N74-19853
US-PATENT-APPL-SN-425363	c09 N71-20658	US-PATENT-APPL-SN-452767	c05 N74-18805
US-PATENT-APPL-SN-425364	c33 N71-15623	US-PATENT-APPL-SN-452768	c05 N74-19761
US-PATENT-APPL-SN-425365	c32 N71-21045	US-PATENT-APPL-SN-452769	c03 N74-18726
US-PATENT-APPL-SN-425655	c03 N71-23006	US-PATENT-APPL-SN-452770	c14 N74-20022
US-PATENT-APPL-SN-425972	c09 N74-13894	US-PATENT-APPL-SN-452944	c18 N71-24183
US-PATENT-APPL-SN-426155	c28 N71-15661	US-PATENT-APPL-SN-452945	c18 N69-39979
US-PATENT-APPL-SN-426455	c15 N70-42034	US-PATENT-APPL-SN-453115	c14 N74-20019
US-PATENT-APPL-SN-426702	c05 N74-13818	US-PATENT-APPL-SN-453225	c15 N71-24833
US-PATENT-APPL-SN-427395	c18 N74-14230	US-PATENT-APPL-SN-453227	c31 N71-10582
US-PATENT-APPL-SN-427775	c06 N71-23527	US-PATENT-APPL-SN-453229	c17 N71-23828
US-PATENT-APPL-SN-427990	c31 N70-41948	US-PATENT-APPL-SN-453231	c23 N71-15467
US-PATENT-APPL-SN-428882	c33 N71-29051	US-PATENT-APPL-SN-453232	c15 N71-21311
US-PATENT-APPL-SN-428887	c02 N70-41630	US-PATENT-APPL-SN-453232	c31 N74-20541
US-PATENT-APPL-SN-428890	c18 N74-16246	US-PATENT-APPL-SN-455163	c07 N74-19806
US-PATENT-APPL-SN-428992	c07 N74-17888	US-PATENT-APPL-SN-455164	c03 N74-19702
US-PATENT-APPL-SN-428994	c04 N74-13807	US-PATENT-APPL-SN-455352	c33 N71-20834
US-PATENT-APPL-SN-428995	c14 N74-18093	US-PATENT-APPL-SN-455477	c08 N71-19687
US-PATENT-APPL-SN-429437	c05 N71-20268	US-PATENT-APPL-SN-456578	c07 N70-41678
US-PATENT-APPL-SN-429932	c18 N71-27170	US-PATENT-APPL-SN-456581	c09 N71-23021
US-PATENT-APPL-SN-430192	c18 N71-23658	US-PATENT-APPL-SN-456874	c06 N71-23499
US-PATENT-APPL-SN-430226	c03 N70-41954	US-PATENT-APPL-SN-457295	c03 N74-19701
US-PATENT-APPL-SN-430776	c18 N71-24184	US-PATENT-APPL-SN-457874	c09 N71-23545
US-PATENT-APPL-SN-430777	c03 N71-10728	US-PATENT-APPL-SN-457875	c31 N70-42015
US-PATENT-APPL-SN-430778	c03 N71-12260	US-PATENT-APPL-SN-457876	c02 N71-12243
US-PATENT-APPL-SN-430780	c15 N71-16052	US-PATENT-APPL-SN-457879	c15 N71-21078
US-PATENT-APPL-SN-431235	c15 N71-21531	US-PATENT-APPL-SN-458484	c03 N74-19700
US-PATENT-APPL-SN-432025	c07 N71-23405	US-PATENT-APPL-SN-459138	c14 N71-10773
US-PATENT-APPL-SN-432026	c21 N70-41930	US-PATENT-APPL-SN-459407	c14 N73-30391
US-PATENT-APPL-SN-432027	c15 N71-22723	US-PATENT-APPL-SN-459736	c09 N74-19854
US-PATENT-APPL-SN-432028	c12 N71-20896	US-PATENT-APPL-SN-460876	c09 N69-21470
US-PATENT-APPL-SN-432030	c15 N69-24322	US-PATENT-APPL-SN-460877	c33 N71-23085
US-PATENT-APPL-SN-432032	c15 N71-22705	US-PATENT-APPL-SN-461765	c17 N71-23046
US-PATENT-APPL-SN-432433	c09 N71-16089	US-PATENT-APPL-SN-462762	c12 N69-21466
US-PATENT-APPL-SN-433821	c09 N74-14941	US-PATENT-APPL-SN-462763	c14 N71-22991
US-PATENT-APPL-SN-433968	c15 N71-15871	US-PATENT-APPL-SN-464878	c10 N71-22986
US-PATENT-APPL-SN-434143	c31 N71-24750	US-PATENT-APPL-SN-464879	c14 N71-21072
US-PATENT-APPL-SN-434148	c10 N70-42032	US-PATENT-APPL-SN-464880	c33 N71-21586
US-PATENT-APPL-SN-435387	c14 N71-30026	US-PATENT-APPL-SN-464885	c15 N71-22997
US-PATENT-APPL-SN-435433	c12 N71-16894	US-PATENT-APPL-SN-466390	c28 N71-20330
US-PATENT-APPL-SN-435756	c15 N74-16139	US-PATENT-APPL-SN-466868	c22 N71-23599
US-PATENT-APPL-SN-436313	c18 N74-18197	US-PATENT-APPL-SN-466873	c17 N71-20743
US-PATENT-APPL-SN-436315	c18 N74-16249	US-PATENT-APPL-SN-466875	c08 N71-22707
US-PATENT-APPL-SN-437556	c09 N71-22796	US-PATENT-APPL-SN-467820	c28 N71-26779
US-PATENT-APPL-SN-437611	c09 N71-23027	US-PATENT-APPL-SN-468647	c21 N71-10771
US-PATENT-APPL-SN-438135	c11 N74-18891	US-PATENT-APPL-SN-468655	c15 N69-21471
US-PATENT-APPL-SN-438147	c14 N71-10500	US-PATENT-APPL-SN-469011	c11 N69-21540
US-PATENT-APPL-SN-438797	c09 N70-41717	US-PATENT-APPL-SN-469012	c25 N71-20747
US-PATENT-APPL-SN-439489	c23 N69-24332	US-PATENT-APPL-SN-469013	c14 N69-27423
US-PATENT-APPL-SN-439490	c27 N70-41897	US-PATENT-APPL-SN-470902	c06 N71-28808
US-PATENT-APPL-SN-440033	c09 N71-23097	US-PATENT-APPL-SN-471154	c09 N73-28084
US-PATENT-APPL-SN-440036	c09 N71-22888	US-PATENT-APPL-SN-472066	c31 N70-42075
US-PATENT-APPL-SN-440039	c15 N74-18132	US-PATENT-APPL-SN-472372	c07 N71-20791
US-PATENT-APPL-SN-440917	c14 N69-39975	US-PATENT-APPL-SN-472747	c31 N71-16081
US-PATENT-APPL-SN-441936	c15 N71-10799	US-PATENT-APPL-SN-473535	c31 N71-15637
US-PATENT-APPL-SN-442558	c26 N71-29156	US-PATENT-APPL-SN-473537	c08 N71-15908
US-PATENT-APPL-SN-442835	c02 N71-11041	US-PATENT-APPL-SN-474531	c31 N71-23009
US-PATENT-APPL-SN-444087	c15 N74-18134	US-PATENT-APPL-SN-475299	c31 N71-17679
US-PATENT-APPL-SN-4445178	c11 N71-23030	US-PATENT-APPL-SN-476759	c03 N70-42073
US-PATENT-APPL-SN-445292	c16 N74-18153	US-PATENT-APPL-SN-476761	c11 N71-10748
US-PATENT-APPL-SN-445398	c14 N71-22996	US-PATENT-APPL-SN-476763	c09 N69-21313
US-PATENT-APPL-SN-445807	c14 N71-22992	US-PATENT-APPL-SN-477333	c28 N70-41922
US-PATENT-APPL-SN-446131	c14 N74-20020	US-PATENT-APPL-SN-478491	c14 N69-21363
US-PATENT-APPL-SN-446561	c14 N74-18099	US-PATENT-APPL-SN-479353	c15 N71-23256
US-PATENT-APPL-SN-446562	c14 N74-20021	US-PATENT-APPL-SN-480210	c11 N71-21474
US-PATENT-APPL-SN-446564	c33 N74-19584	US-PATENT-APPL-SN-480211	c14 N71-26135
US-PATENT-APPL-SN-446567	c15 N74-18131	US-PATENT-APPL-SN-482307	c15 N71-21060
US-PATENT-APPL-SN-446568	c33 N74-19583	US-PATENT-APPL-SN-482311	c05 N71-22748
US-PATENT-APPL-SN-446569	c14 N74-18101	US-PATENT-APPL-SN-482313	c11 N69-24321
US-PATENT-APPL-SN-447124	c11 N71-10776	US-PATENT-APPL-SN-482670	c14 N71-21007
US-PATENT-APPL-SN-447927	c15 N71-10577	US-PATENT-APPL-SN-482952	c09 N71-28926
US-PATENT-APPL-SN-447928	c14 N69-39896	US-PATENT-APPL-SN-483885	c04 N71-23185
US-PATENT-APPL-SN-447930	c03 N69-21337	US-PATENT-APPL-SN-483886	c09 N71-22988
US-PATENT-APPL-SN-447933	c06 N74-19772	US-PATENT-APPL-SN-483891	c14 N69-39982
US-PATENT-APPL-SN-448321	c14 N74-18100	US-PATENT-APPL-SN-484156	c11 N71-21475
US-PATENT-APPL-SN-448325	c10 N71-26414	US-PATENT-APPL-SN-484485	c01 N71-23497
US-PATENT-APPL-SN-448365	c15 N70-41310	US-PATENT-APPL-SN-484489	c10 N71-15909
US-PATENT-APPL-SN-448898	c10 N74-17949	US-PATENT-APPL-SN-484490	c24 N71-20518
US-PATENT-APPL-SN-449118	c05 N74-17858	US-PATENT-APPL-SN-484855	c09 N71-19480
US-PATENT-APPL-SN-449153	c28 N70-41967	US-PATENT-APPL-SN-485058	c06 N71-23500
US-PATENT-APPL-SN-449901	c14 N74-41681	US-PATENT-APPL-SN-485656	c28 N71-10574
US-PATENT-APPL-SN-450500	c06 N74-19776	US-PATENT-APPL-SN-485957	c25 N71-21694

NUMBER INDEX

US-PATENT-APPL-SN-485958	c15	N71-24047	US-PATENT-APPL-SN-517858	c14	N71-21006
US-PATENT-APPL-SN-485960	c15	N70-42017	US-PATENT-APPL-SN-517869	c15	N71-23050
US-PATENT-APPL-SN-486573	c10	N71-19469	US-PATENT-APPL-SN-518487	c05	N71-11190
US-PATENT-APPL-SN-486684	c15	N73-32362	US-PATENT-APPL-SN-519160	c18	N71-20742
US-PATENT-APPL-SN-487341	c14	N71-19431	US-PATENT-APPL-SN-519161	c05	N71-20718
US-PATENT-APPL-SN-487342	c09	N71-21583	US-PATENT-APPL-SN-519395	c09	N69-24317
US-PATENT-APPL-SN-487343	c03	N69-39890	US-PATENT-APPL-SN-520838	c08	N71-18595
US-PATENT-APPL-SN-487344	c15	N69-21472	US-PATENT-APPL-SN-520839	c10	N71-19472
US-PATENT-APPL-SN-487352	c14	N71-18699	US-PATENT-APPL-SN-521753	c15	N70-41960
US-PATENT-APPL-SN-487929	c09	N74-20859	US-PATENT-APPL-SN-521754	c07	N71-22984
US-PATENT-APPL-SN-487934	c15	N71-21530	US-PATENT-APPL-SN-521755	c28	N71-28849
US-PATENT-APPL-SN-487939	c14	N71-23040	US-PATENT-APPL-SN-521994	c17	N71-23365
US-PATENT-APPL-SN-487940	c10	N71-26434	US-PATENT-APPL-SN-521996	c15	N69-27871
US-PATENT-APPL-SN-488381	c14	N73-32321	US-PATENT-APPL-SN-521998	c07	N69-24323
US-PATENT-APPL-SN-488442	c25	N69-39884	US-PATENT-APPL-SN-521999	c12	N71-20815
US-PATENT-APPL-SN-491054	c14	N71-23174	US-PATENT-APPL-SN-522794	c09	N71-23190
US-PATENT-APPL-SN-491058	c09	N71-23443	US-PATENT-APPL-SN-522795	c20	N71-16281
US-PATENT-APPL-SN-491059	c09	N71-23015	US-PATENT-APPL-SN-523511	c28	N71-20942
US-PATENT-APPL-SN-491845	c28	N71-15659	US-PATENT-APPL-SN-524746	c14	N73-28491
US-PATENT-APPL-SN-492344	c05	N71-22896	US-PATENT-APPL-SN-526631	c10	N71-19471
US-PATENT-APPL-SN-493942	c14	N71-17659	US-PATENT-APPL-SN-526664	c07	N69-24334
US-PATENT-APPL-SN-493943	c15	N71-21529	US-PATENT-APPL-SN-526665	c14	N69-24331
US-PATENT-APPL-SN-494280	c28	N71-23081	US-PATENT-APPL-SN-527331	c17	N73-28573
US-PATENT-APPL-SN-494282	c15	N69-39735	US-PATENT-APPL-SN-528031	c10	N69-39888
US-PATENT-APPL-SN-494283	c31	N71-24035	US-PATENT-APPL-SN-529593	c27	N71-21819
US-PATENT-APPL-SN-494287	c03	N71-22974	US-PATENT-APPL-SN-529594	c15	N69-27483
US-PATENT-APPL-SN-494739	c07	N71-26291	US-PATENT-APPL-SN-529594	c33	N71-29152
US-PATENT-APPL-SN-496205	c14	N71-22965	US-PATENT-APPL-SN-529609	c09	N69-39986
US-PATENT-APPL-SN-498167	c03	N71-10608	US-PATENT-APPL-SN-530958	c09	N71-22985
US-PATENT-APPL-SN-498168	c28	N71-21822	US-PATENT-APPL-SN-531642	c25	N71-21693
US-PATENT-APPL-SN-499122	c15	N71-24164	US-PATENT-APPL-SN-532006	c23	N71-24857
US-PATENT-APPL-SN-500435	c14	N71-21082	US-PATENT-APPL-SN-533659	c14	N73-30390
US-PATENT-APPL-SN-500446	c10	N71-23029	US-PATENT-APPL-SN-534295	c15	N71-21076
US-PATENT-APPL-SN-502693	c15	N71-20739	US-PATENT-APPL-SN-534564	c10	N71-22961
US-PATENT-APPL-SN-502701	c08	N71-23295	US-PATENT-APPL-SN-534901	c14	N70-36807
US-PATENT-APPL-SN-502709	c31	N71-21881	US-PATENT-APPL-SN-534966	c15	N71-24042
US-PATENT-APPL-SN-502710	c15	N71-23046	US-PATENT-APPL-SN-534975	c14	N71-24232
US-PATENT-APPL-SN-502729	c31	N70-41871	US-PATENT-APPL-SN-535304	c09	N71-28810
US-PATENT-APPL-SN-502739	c09	N71-23311	US-PATENT-APPL-SN-536210	c17	N71-24830
US-PATENT-APPL-SN-502740	c14	N69-27485	US-PATENT-APPL-SN-536216	c10	N71-23315
US-PATENT-APPL-SN-502743	c08	N71-19435	US-PATENT-APPL-SN-536217	c10	N71-23544
US-PATENT-APPL-SN-502746	c03	N69-39898	US-PATENT-APPL-SN-537615	c28	N71-22983
US-PATENT-APPL-SN-502750	c09	N71-19466	US-PATENT-APPL-SN-537617	c09	N71-22987
US-PATENT-APPL-SN-502753	c07	N69-39978	US-PATENT-APPL-SN-538166	c15	N71-21177
US-PATENT-APPL-SN-502756	c03	N71-23336	US-PATENT-APPL-SN-538168	c23	N71-16098
US-PATENT-APPL-SN-504266	c31	N71-21064	US-PATENT-APPL-SN-538905	c08	N71-18594
US-PATENT-APPL-SN-505320	c16	N71-18614	US-PATENT-APPL-SN-538907	c33	N71-28903
US-PATENT-APPL-SN-505321	c10	N71-22962	US-PATENT-APPL-SN-538908	c33	N71-22890
US-PATENT-APPL-SN-505765	c15	N71-23816	US-PATENT-APPL-SN-538911	c33	N71-22792
US-PATENT-APPL-SN-506135	c06	N71-20905	US-PATENT-APPL-SN-538913	c14	N71-17627
US-PATENT-APPL-SN-506137	c15	N71-23049	US-PATENT-APPL-SN-539237	c33	N71-16278
US-PATENT-APPL-SN-506908	c09	N71-18843	US-PATENT-APPL-SN-539255	c18	N71-26153
US-PATENT-APPL-SN-507254	c14	N71-22990	US-PATENT-APPL-SN-539255	c17	N72-28536
US-PATENT-APPL-SN-507257	c09	N71-19449	US-PATENT-APPL-SN-540414	c15	N71-22799
US-PATENT-APPL-SN-508169	c18	N71-27397	US-PATENT-APPL-SN-541399	c14	N71-20428
US-PATENT-APPL-SN-508170	c08	N71-22710	US-PATENT-APPL-SN-542713	c23	N71-23976
US-PATENT-APPL-SN-508601	c15	N71-22878	US-PATENT-APPL-SN-543206	c05	N71-23159
US-PATENT-APPL-SN-508873	c14	N71-23240	US-PATENT-APPL-SN-543774	c06	N69-39733
US-PATENT-APPL-SN-509460	c01	N71-13411	US-PATENT-APPL-SN-544895	c07	N71-28809
US-PATENT-APPL-SN-510150	c10	N71-26103	US-PATENT-APPL-SN-544899	c09	N71-20569
US-PATENT-APPL-SN-510155	c06	N71-11235	US-PATENT-APPL-SN-545223	c03	N71-11056
US-PATENT-APPL-SN-510474	c15	N71-23810	US-PATENT-APPL-SN-545224	c15	N69-21362
US-PATENT-APPL-SN-510475	c14	N71-23087	US-PATENT-APPL-SN-545228	c07	N69-39736
US-PATENT-APPL-SN-511299	c15	N71-22798	US-PATENT-APPL-SN-545229	c03	N69-21469
US-PATENT-APPL-SN-511564	c09	N69-39885	US-PATENT-APPL-SN-545535	c03	N69-21539
US-PATENT-APPL-SN-511567	c05	N71-12336	US-PATENT-APPL-SN-545805	c15	N71-21744
US-PATENT-APPL-SN-512352	c15	N70-33330	US-PATENT-APPL-SN-546142	c09	N69-24329
US-PATENT-APPL-SN-512559	c23	N71-22881	US-PATENT-APPL-SN-546148	c11	N71-22875
US-PATENT-APPL-SN-512561	c16	N71-25914	US-PATENT-APPL-SN-546149	c16	N71-24170
US-PATENT-APPL-SN-512562	c16	N71-24074	US-PATENT-APPL-SN-547072	c15	N71-24043
US-PATENT-APPL-SN-514407	c18	N71-22894	US-PATENT-APPL-SN-547677	c10	N71-20448
US-PATENT-APPL-SN-515484	c14	N71-22993	US-PATENT-APPL-SN-548808	c14	N71-23227
US-PATENT-APPL-SN-516150	c05	N71-19440	US-PATENT-APPL-SN-549860	c03	N71-19438
US-PATENT-APPL-SN-516151	c15	N70-41679	US-PATENT-APPL-SN-550088	c07	N71-24612
US-PATENT-APPL-SN-516152	c14	N71-23225	US-PATENT-APPL-SN-551182	c03	N71-23187
US-PATENT-APPL-SN-516153	c10	N71-28783	US-PATENT-APPL-SN-551694	c31	N71-18611
US-PATENT-APPL-SN-516154	c09	N69-24330	US-PATENT-APPL-SN-551815	c02	N71-11038
US-PATENT-APPL-SN-516155	c09	N71-23270	US-PATENT-APPL-SN-551846	c03	N71-20492
US-PATENT-APPL-SN-516158	c09	N71-19479	US-PATENT-APPL-SN-551933	c33	N71-14032
US-PATENT-APPL-SN-516159	c14	N70-41812	US-PATENT-APPL-SN-551961	c15	N70-33376
US-PATENT-APPL-SN-516160	c33	N71-16277	US-PATENT-APPL-SN-552344	c09	N69-27463
US-PATENT-APPL-SN-516162	c07	N71-28900	US-PATENT-APPL-SN-553897	c23	N71-16341
US-PATENT-APPL-SN-516793	c16	N71-22895	US-PATENT-APPL-SN-554277	c07	N71-26579
US-PATENT-APPL-SN-517694	c14	N70-42074	US-PATENT-APPL-SN-554897	c15	N71-22982
US-PATENT-APPL-SN-517100	c28	N70-33241	US-PATENT-APPL-SN-554899	c15	N70-33382
US-PATENT-APPL-SN-517156	c14	N71-23093	US-PATENT-APPL-SN-554949	c06	N71-20717
US-PATENT-APPL-SN-517157	c15	N71-22722	US-PATENT-APPL-SN-554950	c17	N71-23248
US-PATENT-APPL-SN-517158	c14	N71-23407	US-PATENT-APPL-SN-555189	c08	N71-27255
US-PATENT-APPL-SN-517159	c15	N71-20740	US-PATENT-APPL-SN-556784	c09	N71-20447

NUMBER INDEX

US-PATENT-APPL-SN-556830	c15	N71-26294	US-PATENT-APPL-SN-586325	c31	N71-24315
US-PATENT-APPL-SN-557016	c15	N71-23086	US-PATENT-APPL-SN-586329	c05	N71-24623
US-PATENT-APPL-SN-557584	c09	N71-20851	US-PATENT-APPL-SN-586330	c05	N71-12344
US-PATENT-APPL-SN-557861	c03	N71-24605	US-PATENT-APPL-SN-588635	c21	N71-15642
US-PATENT-APPL-SN-557868	c14	N70-41682	US-PATENT-APPL-SN-588651	c31	N71-24813
US-PATENT-APPL-SN-557871	c10	N71-21483	US-PATENT-APPL-SN-588671	c03	N71-23354
US-PATENT-APPL-SN-559055	c33	N71-29046	US-PATENT-APPL-SN-590141	c03	N69-24267
US-PATENT-APPL-SN-559349	c33	N71-24145	US-PATENT-APPL-SN-590144	c15	N71-15606
US-PATENT-APPL-SN-559350	c33	N71-28892	US-PATENT-APPL-SN-590145	c07	N69-39980
US-PATENT-APPL-SN-559351	c14	N69-39785	US-PATENT-APPL-SN-590146	c09	N69-21926
US-PATENT-APPL-SN-560967	c15	N69-21922	US-PATENT-APPL-SN-590147	c15	N71-21489
US-PATENT-APPL-SN-560968	c10	N71-24863	US-PATENT-APPL-SN-590158	c05	N71-28147
US-PATENT-APPL-SN-560969	c14	N71-15622	US-PATENT-APPL-SN-590159	c09	N69-24324
US-PATENT-APPL-SN-561223	c14	N71-20427	US-PATENT-APPL-SN-591000	c15	N71-24044
US-PATENT-APPL-SN-562443	c09	N69-39734	US-PATENT-APPL-SN-591004	c07	N71-11266
US-PATENT-APPL-SN-562444	c14	N71-22995	US-PATENT-APPL-SN-591007	c16	N69-27491
US-PATENT-APPL-SN-562445	c14	N71-23797	US-PATENT-APPL-SN-591014	c28	N71-24736
US-PATENT-APPL-SN-562933	c10	N71-24799	US-PATENT-APPL-SN-591930	c03	N69-21330
US-PATENT-APPL-SN-562934	c09	N69-21468	US-PATENT-APPL-SN-592680	c15	N71-22877
US-PATENT-APPL-SN-563644	c15	N71-18613	US-PATENT-APPL-SN-592694	c05	N71-12342
US-PATENT-APPL-SN-563646	c05	N71-23096	US-PATENT-APPL-SN-593593	c06	N71-11239
US-PATENT-APPL-SN-563648	c15	N71-17803	US-PATENT-APPL-SN-593594	c06	N71-11236
US-PATENT-APPL-SN-563650	c25	N69-21929	US-PATENT-APPL-SN-593595	c06	N71-24740
US-PATENT-APPL-SN-563651	c28	N71-23293	US-PATENT-APPL-SN-593604	c11	N69-27466
US-PATENT-APPL-SN-564919	c09	N71-23316	US-PATENT-APPL-SN-593605	c06	N71-11242
US-PATENT-APPL-SN-566392	c14	N71-23175	US-PATENT-APPL-SN-593606	c06	N71-11243
US-PATENT-APPL-SN-566397	c05	N71-23161	US-PATENT-APPL-SN-593607	c07	N71-26102
US-PATENT-APPL-SN-566717	c14	N71-24233	US-PATENT-APPL-SN-594584	c14	N71-25892
US-PATENT-APPL-SN-567686	c15	N71-22994	US-PATENT-APPL-SN-594587	c28	N71-21493
US-PATENT-APPL-SN-567806	c06	N71-22975	US-PATENT-APPL-SN-594633	c15	N71-24046
US-PATENT-APPL-SN-568067	c31	N71-22968	US-PATENT-APPL-SN-596338	c09	N71-20816
US-PATENT-APPL-SN-568071	c14	N69-27461	US-PATENT-APPL-SN-596733	c15	N72-11389
US-PATENT-APPL-SN-568160	c10	N71-18724	US-PATENT-APPL-SN-596735	c32	N71-24285
US-PATENT-APPL-SN-568346	c04	N69-27487	US-PATENT-APPL-SN-598118	c15	N69-27490
US-PATENT-APPL-SN-568352	c09	N71-20842	US-PATENT-APPL-SN-598119	c08	N71-19437
US-PATENT-APPL-SN-568354	c14	N71-22752	US-PATENT-APPL-SN-598120	c08	N71-18602
US-PATENT-APPL-SN-568355	c32	N71-23971	US-PATENT-APPL-SN-599975	c08	N69-21928
US-PATENT-APPL-SN-568356	c14	N71-15599	US-PATENT-APPL-SN-600266	c14	N71-20430
US-PATENT-APPL-SN-568362	c03	N69-39983	US-PATENT-APPL-SN-600682	c14	N71-20461
US-PATENT-APPL-SN-568364	c10	N71-26418	US-PATENT-APPL-SN-601228	c15	N71-17652
US-PATENT-APPL-SN-568620	c10	N71-26626	US-PATENT-APPL-SN-601229	c14	N71-26474
US-PATENT-APPL-SN-568987	c10	N71-19547	US-PATENT-APPL-SN-602828	c09	N71-13531
US-PATENT-APPL-SN-570093	c06	N71-17705	US-PATENT-APPL-SN-603396	c14	N69-23191
US-PATENT-APPL-SN-570095	c14	N71-23226	US-PATENT-APPL-SN-603397	c26	N71-23292
US-PATENT-APPL-SN-570097	c15	N69-23185	US-PATENT-APPL-SN-605088	c15	N71-17695
US-PATENT-APPL-SN-570678	c17	N71-25903	US-PATENT-APPL-SN-605090	c15	N71-19485
US-PATENT-APPL-SN-573432	c14	N71-23790	US-PATENT-APPL-SN-605091	c15	N71-26346
US-PATENT-APPL-SN-574280	c15	N69-21460	US-PATENT-APPL-SN-605092	c05	N71-23317
US-PATENT-APPL-SN-574282	c15	N69-23190	US-PATENT-APPL-SN-605093	c17	N71-24911
US-PATENT-APPL-SN-574282	c15	N71-23025	US-PATENT-APPL-SN-605094	c09	N71-24808
US-PATENT-APPL-SN-574283	c14	N69-24257	US-PATENT-APPL-SN-605095	c10	N71-19417
US-PATENT-APPL-SN-574284	c08	N71-19763	US-PATENT-APPL-SN-605096	c15	N71-24834
US-PATENT-APPL-SN-574290	c14	N71-20439	US-PATENT-APPL-SN-605097	c14	N69-21923
US-PATENT-APPL-SN-575291	c33	N71-29151	US-PATENT-APPL-SN-605098	c09	N71-26092
US-PATENT-APPL-SN-575475	c05	N69-23192	US-PATENT-APPL-SN-605099	c09	N71-23548
US-PATENT-APPL-SN-575930	c06	N71-23230	US-PATENT-APPL-SN-605100	c15	N71-21536
US-PATENT-APPL-SN-576182	c33	N71-24276	US-PATENT-APPL-SN-605102	c09	N69-39987
US-PATENT-APPL-SN-576183	c09	N71-23525	US-PATENT-APPL-SN-605518	c15	N71-23023
US-PATENT-APPL-SN-576195	c14	N71-21079	US-PATENT-APPL-SN-605964	c06	N73-30103
US-PATENT-APPL-SN-576521	c09	N71-20864	US-PATENT-APPL-SN-605994	c06	N73-30101
US-PATENT-APPL-SN-576792	c14	N71-26136	US-PATENT-APPL-SN-606027	c06	N73-30099
US-PATENT-APPL-SN-576797	c09	N69-24318	US-PATENT-APPL-SN-606036	c06	N73-30100
US-PATENT-APPL-SN-577114	c15	N69-24320	US-PATENT-APPL-SN-606462	c08	N71-24891
US-PATENT-APPL-SN-577115	c15	N71-17647	US-PATENT-APPL-SN-606463	c14	N71-24864
US-PATENT-APPL-SN-577545	c08	N71-18693	US-PATENT-APPL-SN-606464	c15	N71-18579
US-PATENT-APPL-SN-577546	c31	N71-23008	US-PATENT-APPL-SN-607461	c05	N71-12346
US-PATENT-APPL-SN-577548	c09	N69-27422	US-PATENT-APPL-SN-607484	c09	N71-26002
US-PATENT-APPL-SN-577548	c14	N72-28438	US-PATENT-APPL-SN-607608	c14	N69-27484
US-PATENT-APPL-SN-577549	c15	N71-22721	US-PATENT-APPL-SN-608247	c15	N71-20813
US-PATENT-APPL-SN-577775	c14	N71-17574	US-PATENT-APPL-SN-608944	c15	N71-23798
US-PATENT-APPL-SN-577778	c03	N71-11050	US-PATENT-APPL-SN-610723	c14	N71-23755
US-PATENT-APPL-SN-578916	c14	N71-23036	US-PATENT-APPL-SN-610724	c31	N71-28851
US-PATENT-APPL-SN-578923	c15	N71-21403	US-PATENT-APPL-SN-610728	c31	N71-22969
US-PATENT-APPL-SN-578925	c23	N71-16355	US-PATENT-APPL-SN-612265	c14	N72-22442
US-PATENT-APPL-SN-578926	c06	N69-39936	US-PATENT-APPL-SN-612568	c15	N71-28952
US-PATENT-APPL-SN-578928	c26	N71-21824	US-PATENT-APPL-SN-612740	c25	N71-20563
US-PATENT-APPL-SN-578931	c23	N71-21882	US-PATENT-APPL-SN-613235	c14	N73-30394
US-PATENT-APPL-SN-578932	c08	N71-12505	US-PATENT-APPL-SN-613979	c33	N71-14035
US-PATENT-APPL-SN-579121	c15	N71-29136	US-PATENT-APPL-SN-617021	c23	N71-16101
US-PATENT-APPL-SN-580365	c15	N71-23255	US-PATENT-APPL-SN-617022	c07	N69-27462
US-PATENT-APPL-SN-582171	c32	N71-16428	US-PATENT-APPL-SN-617770	c14	N71-23267
US-PATENT-APPL-SN-582609	c10	N71-19467	US-PATENT-APPL-SN-617774	c18	N71-16124
US-PATENT-APPL-SN-584015	c14	N71-26475	US-PATENT-APPL-SN-617775	c06	N71-28807
US-PATENT-APPL-SN-584066	c10	N71-20852	US-PATENT-APPL-SN-617776	c18	N69-39985
US-PATENT-APPL-SN-584067	c07	N71-12392	US-PATENT-APPL-SN-617778	c14	N71-26244
US-PATENT-APPL-SN-584070	c09	N69-27500	US-PATENT-APPL-SN-617779	c09	N69-39929
US-PATENT-APPL-SN-584071	c26	N71-16037	US-PATENT-APPL-SN-617783	c15	N69-24266
US-PATENT-APPL-SN-584072	c15	N69-39786	US-PATENT-APPL-SN-618969	c05	N71-26333
US-PATENT-APPL-SN-586324	c05	N71-26293	US-PATENT-APPL-SN-619519	c32	N71-16106

NUMBER INDEX

US-PATENT-APPL-SN-619520	c05	N69-21380	US-PATENT-APPL-SN-651627	c26	N72-25679
US-PATENT-APPL-SN-619521	c06	N69-39889	US-PATENT-APPL-SN-653277	c31	N71-23912
US-PATENT-APPL-SN-619903	c15	N69-27505	US-PATENT-APPL-SN-653278	c14	N69-27503
US-PATENT-APPL-SN-619907	c09	N69-21543	US-PATENT-APPL-SN-655675	c17	N71-24142
US-PATENT-APPL-SN-619908	c08	N71-20571	US-PATENT-APPL-SN-655677	c08	N71-19432
US-PATENT-APPL-SN-621098	c09	N71-20446	US-PATENT-APPL-SN-655724	c15	N71-22706
US-PATENT-APPL-SN-621714	c15	N71-19569	US-PATENT-APPL-SN-656592	c09	N71-12519
US-PATENT-APPL-SN-621715	c05	N71-11207	US-PATENT-APPL-SN-656953	c14	N71-17585
US-PATENT-APPL-SN-621742	c28	N71-23968	US-PATENT-APPL-SN-656993	c09	N71-24843
US-PATENT-APPL-SN-624611	c09	N72-20209	US-PATENT-APPL-SN-656995	c21	N71-14132
US-PATENT-APPL-SN-626376	c05	N71-11189	US-PATENT-APPL-SN-657742	c18	N71-26100
US-PATENT-APPL-SN-627257	c08	N71-12504	US-PATENT-APPL-SN-658955	c14	N71-15605
US-PATENT-APPL-SN-627599	c18	N71-16046	US-PATENT-APPL-SN-658956	c15	N71-15607
US-PATENT-APPL-SN-628094	c16	N71-20400	US-PATENT-APPL-SN-658957	c14	N71-17584
US-PATENT-APPL-SN-628246	c15	N71-17687	US-PATENT-APPL-SN-658964	c19	N71-26674
US-PATENT-APPL-SN-628247	c09	N69-21542	US-PATENT-APPL-SN-660571	c26	N71-23654
US-PATENT-APPL-SN-628248	c14	N69-27432	US-PATENT-APPL-SN-660572	c15	N71-15571
US-PATENT-APPL-SN-629759	c15	N71-16076	US-PATENT-APPL-SN-660573	c15	N71-28936
US-PATENT-APPL-SN-631848	c09	N71-12514	US-PATENT-APPL-SN-660841	c14	N71-15621
US-PATENT-APPL-SN-632104	c09	N71-19470	US-PATENT-APPL-SN-660842	c14	N71-23726
US-PATENT-APPL-SN-632152	c10	N71-24798	US-PATENT-APPL-SN-660843	c08	N71-24650
US-PATENT-APPL-SN-632154	c09	N69-39984	US-PATENT-APPL-SN-661170	c14	N71-24809
US-PATENT-APPL-SN-632162	c14	N69-39937	US-PATENT-APPL-SN-662763	c15	N73-12489
US-PATENT-APPL-SN-632163	c30	N71-23723	US-PATENT-APPL-SN-662828	c11	N71-18578
US-PATENT-APPL-SN-632164	c15	N69-24319	US-PATENT-APPL-SN-662829	c15	N71-15597
US-PATENT-APPL-SN-632165	c14	N71-26266	US-PATENT-APPL-SN-663180	c10	N71-23663
US-PATENT-APPL-SN-634038	c25	N71-16073	US-PATENT-APPL-SN-665209	c14	N71-23725
US-PATENT-APPL-SN-634040	c15	N71-19489	US-PATENT-APPL-SN-665676	c14	N71-19568
US-PATENT-APPL-SN-634060	c09	N69-39897	US-PATENT-APPL-SN-665679	c15	N71-20395
US-PATENT-APPL-SN-635325	c14	N69-27431	US-PATENT-APPL-SN-665680	c24	N71-16213
US-PATENT-APPL-SN-635326	c14	N71-18482	US-PATENT-APPL-SN-665681	c15	N71-18616
US-PATENT-APPL-SN-635327	c12	N69-39988	US-PATENT-APPL-SN-666551	c14	N71-23698
US-PATENT-APPL-SN-635328	c09	N69-21467	US-PATENT-APPL-SN-666553	c03	N71-11055
US-PATENT-APPL-SN-635970	c15	N69-21465	US-PATENT-APPL-SN-666554	c33	N71-16104
US-PATENT-APPL-SN-635972	c18	N71-23710	US-PATENT-APPL-SN-666555	c07	N71-24614
US-PATENT-APPL-SN-636878	c14	N71-20442	US-PATENT-APPL-SN-667625	c31	N71-15674
US-PATENT-APPL-SN-637882	c15	N71-17650	US-PATENT-APPL-SN-667636	c03	N71-20491
US-PATENT-APPL-SN-638192	c10	N71-26415	US-PATENT-APPL-SN-667637	c28	N71-14044
US-PATENT-APPL-SN-638194	c33	N71-21507	US-PATENT-APPL-SN-668238	c15	N71-15608
US-PATENT-APPL-SN-638707	c14	N69-27486	US-PATENT-APPL-SN-668241	c15	N71-17685
US-PATENT-APPL-SN-639589	c28	N70-33372	US-PATENT-APPL-SN-668242	c10	N71-27272
US-PATENT-APPL-SN-640154	c09	N71-18600	US-PATENT-APPL-SN-668247	c09	N71-20445
US-PATENT-APPL-SN-640447	c15	N71-19486	US-PATENT-APPL-SN-668248	c10	N71-26331
US-PATENT-APPL-SN-640448	c08	N71-19420	US-PATENT-APPL-SN-668249	c03	N71-20407
US-PATENT-APPL-SN-640449	c09	N71-19516	US-PATENT-APPL-SN-668257	c23	N71-16100
US-PATENT-APPL-SN-640450	c15	N71-17694	US-PATENT-APPL-SN-668302	c07	N71-12390
US-PATENT-APPL-SN-640452	c09	N71-12513	US-PATENT-APPL-SN-668751	c06	N71-11237
US-PATENT-APPL-SN-640453	c23	N71-16099	US-PATENT-APPL-SN-668755	c15	N71-17693
US-PATENT-APPL-SN-640454	c06	N71-11238	US-PATENT-APPL-SN-668968	c09	N71-12515
US-PATENT-APPL-SN-640455	c10	N71-23099	US-PATENT-APPL-SN-668969	c08	N71-19288
US-PATENT-APPL-SN-640456	c03	N71-26726	US-PATENT-APPL-SN-669336	c15	N71-17651
US-PATENT-APPL-SN-640457	c03	N71-11052	US-PATENT-APPL-SN-670814	c03	N71-19545
US-PATENT-APPL-SN-640458	c15	N71-23811	US-PATENT-APPL-SN-670829	c28	N72-23809
US-PATENT-APPL-SN-640459	c10	N71-18723	US-PATENT-APPL-SN-672382	c15	N71-23815
US-PATENT-APPL-SN-640460	c14	N69-21541	US-PATENT-APPL-SN-672383	c15	N71-24045
US-PATENT-APPL-SN-640462	c15	N71-20443	US-PATENT-APPL-SN-672384	c15	N71-27067
US-PATENT-APPL-SN-640781	c03	N69-25146	US-PATENT-APPL-SN-672388	c26	N72-17820
US-PATENT-APPL-SN-640783	c09	N71-26000	US-PATENT-APPL-SN-673226	c08	N71-12502
US-PATENT-APPL-SN-640784	c15	N69-39935	US-PATENT-APPL-SN-673227	c11	N71-24964
US-PATENT-APPL-SN-640785	c09	N69-24333	US-PATENT-APPL-SN-673228	c07	N71-19433
US-PATENT-APPL-SN-640786	c15	N71-24695	US-PATENT-APPL-SN-673229	c33	N71-15641
US-PATENT-APPL-SN-640787	c28	N71-24321	US-PATENT-APPL-SN-674355	c14	N71-20429
US-PATENT-APPL-SN-640788	c15	N69-27502	US-PATENT-APPL-SN-674356	c14	N71-23699
US-PATENT-APPL-SN-640789	c15	N69-27504	US-PATENT-APPL-SN-674357	c05	N71-12351
US-PATENT-APPL-SN-641420	c03	N71-23449	US-PATENT-APPL-SN-675238	c10	N71-26374
US-PATENT-APPL-SN-641431	c30	N71-16090	US-PATENT-APPL-SN-676012	c05	N71-11193
US-PATENT-APPL-SN-641441	c08	N71-18751	US-PATENT-APPL-SN-676375	c14	N71-18483
US-PATENT-APPL-SN-643332	c15	N71-14932	US-PATENT-APPL-SN-676386	c08	N71-12507
US-PATENT-APPL-SN-644444	c09	N71-18721	US-PATENT-APPL-SN-676387	c10	N71-25950
US-PATENT-APPL-SN-644446	c14	N71-24693	US-PATENT-APPL-SN-676391	c21	N71-11766
US-PATENT-APPL-SN-644447	c14	N71-24234	US-PATENT-APPL-SN-677475	c32	N71-26681
US-PATENT-APPL-SN-644448	c17	N69-25147	US-PATENT-APPL-SN-677476	c14	N71-17586
US-PATENT-APPL-SN-644799	c17	N71-15468	US-PATENT-APPL-SN-677505	c09	N71-13521
US-PATENT-APPL-SN-645563	c31	N71-20396	US-PATENT-APPL-SN-677506	c16	N71-15567
US-PATENT-APPL-SN-645573	c24	N71-25555	US-PATENT-APPL-SN-677508	c16	N71-15551
US-PATENT-APPL-SN-645584	c08	N71-12494	US-PATENT-APPL-SN-678700	c05	N71-19439
US-PATENT-APPL-SN-646124	c15	N71-23817	US-PATENT-APPL-SN-679055	c08	N71-24633
US-PATENT-APPL-SN-646424	c07	N69-27460	US-PATENT-APPL-SN-679862	c20	N71-16340
US-PATENT-APPL-SN-646934	c08	N71-18692	US-PATENT-APPL-SN-679885	c09	N71-12521
US-PATENT-APPL-SN-647298	c31	N71-16102	US-PATENT-APPL-SN-681687	c03	N71-20273
US-PATENT-APPL-SN-649075	c14	N71-15600	US-PATENT-APPL-SN-681692	c08	N71-12506
US-PATENT-APPL-SN-649076	c08	N71-24890	US-PATENT-APPL-SN-681693	c09	N71-18598
US-PATENT-APPL-SN-649078	c07	N71-19493	US-PATENT-APPL-SN-681942	c18	N71-15688
US-PATENT-APPL-SN-649356	c09	N71-23189	US-PATENT-APPL-SN-683507	c15	N71-15609
US-PATENT-APPL-SN-649357	c08	N71-12500	US-PATENT-APPL-SN-683606	c09	N71-24717
US-PATENT-APPL-SN-649358	c07	N71-11267	US-PATENT-APPL-SN-683612	c01	N69-39981
US-PATENT-APPL-SN-649359	c15	N71-18701	US-PATENT-APPL-SN-683613	c15	N71-15610
US-PATENT-APPL-SN-649360	c23	N71-16365	US-PATENT-APPL-SN-684083	c09	N71-24596
US-PATENT-APPL-SN-650166	c09	N71-23491	US-PATENT-APPL-SN-684178	c15	N71-23812

NUMBER INDEX

US-PATENT-APPL-SN-684209	c10	N71-19418	US-PATENT-APPL-SN-711903	c18	N71-26772
US-PATENT-APPL-SN-684894	c17	N71-26773	US-PATENT-APPL-SN-711921	c18	N71-16105
US-PATENT-APPL-SN-685463	c15	N71-23254	US-PATENT-APPL-SN-711970	c09	N71-18830
US-PATENT-APPL-SN-685473	c17	N71-16044	US-PATENT-APPL-SN-711971	c09	N71-23598
US-PATENT-APPL-SN-685497	c07	N69-39974	US-PATENT-APPL-SN-711972	c06	N71-24607
US-PATENT-APPL-SN-685748	c07	N71-11282	US-PATENT-APPL-SN-712065	c08	N71-12503
US-PATENT-APPL-SN-685750	c27	N71-16392	US-PATENT-APPL-SN-712099	c23	N71-24868
US-PATENT-APPL-SN-685764	c14	N69-27459	US-PATENT-APPL-SN-712658	c07	N71-19773
US-PATENT-APPL-SN-685766	c15	N69-21924	US-PATENT-APPL-SN-713162	c06	N71-26754
US-PATENT-APPL-SN-685787	c14	N71-18625	US-PATENT-APPL-SN-713188	c08	N71-33110
US-PATENT-APPL-SN-686209	c15	N71-23809	US-PATENT-APPL-SN-713616	c06	N71-27363
US-PATENT-APPL-SN-686248	c14	N71-26774	US-PATENT-APPL-SN-714296	c14	N71-15604
US-PATENT-APPL-SN-686296	c18	N71-14014	US-PATENT-APPL-SN-714595	c15	N71-17822
US-PATENT-APPL-SN-686344	c15	N71-17688	US-PATENT-APPL-SN-715975	c06	N71-11240
US-PATENT-APPL-SN-686796	c15	N70-33311	US-PATENT-APPL-SN-716183	c15	N71-18132
US-PATENT-APPL-SN-686933	c14	N71-17588	US-PATENT-APPL-SN-716734	c15	N71-17628
US-PATENT-APPL-SN-686974	c15	N71-20441	US-PATENT-APPL-SN-716795	c14	N71-20435
US-PATENT-APPL-SN-688743	c15	N71-20393	US-PATENT-APPL-SN-717052	c14	N71-17626
US-PATENT-APPL-SN-688805	c14	N71-17701	US-PATENT-APPL-SN-717822	c09	N71-25866
US-PATENT-APPL-SN-688807	c03	N71-23239	US-PATENT-APPL-SN-718095	c28	N70-39899
US-PATENT-APPL-SN-688868	c15	N71-17686	US-PATENT-APPL-SN-718279	c15	N71-26312
US-PATENT-APPL-SN-690163	c14	N71-18465	US-PATENT-APPL-SN-718689	c14	N71-17655
US-PATENT-APPL-SN-690172	c11	N72-22245	US-PATENT-APPL-SN-718752	c03	N71-18698
US-PATENT-APPL-SN-690977	c16	N71-24828	US-PATENT-APPL-SN-718769	c14	N71-17662
US-PATENT-APPL-SN-690998	c30	N71-15990	US-PATENT-APPL-SN-719029	c14	N71-27186
US-PATENT-APPL-SN-691735	c09	N71-12520	US-PATENT-APPL-SN-719173	c28	N70-33331
US-PATENT-APPL-SN-691736	c18	N71-16210	US-PATENT-APPL-SN-719869	c31	N71-15676
US-PATENT-APPL-SN-691737	c07	N71-24742	US-PATENT-APPL-SN-719870	c07	N71-26292
US-PATENT-APPL-SN-691738	c08	N71-18694	US-PATENT-APPL-SN-720041	c05	N71-27234
US-PATENT-APPL-SN-691739	c32	N71-15974	US-PATENT-APPL-SN-720125	c09	N71-12539
US-PATENT-APPL-SN-691909	c05	N71-24606	US-PATENT-APPL-SN-720546	c18	N72-17532
US-PATENT-APPL-SN-692331	c10	N71-26326	US-PATENT-APPL-SN-721607	c18	N71-25881
US-PATENT-APPL-SN-692332	c07	N71-11281	US-PATENT-APPL-SN-723465	c15	N72-29488
US-PATENT-APPL-SN-692471	c09	N71-12518	US-PATENT-APPL-SN-723465	c15	N74-15125
US-PATENT-APPL-SN-693419	c31	N71-16222	US-PATENT-APPL-SN-723476	c05	N71-12341
US-PATENT-APPL-SN-693420	c31	N71-16080	US-PATENT-APPL-SN-723488	c09	N71-28691
US-PATENT-APPL-SN-694246	c15	N71-26673	US-PATENT-APPL-SN-723804	c09	N71-24806
US-PATENT-APPL-SN-694247	c09	N69-21927	US-PATENT-APPL-SN-723805	c10	N71-26339
US-PATENT-APPL-SN-694317	c12	N71-20436	US-PATENT-APPL-SN-723827	c10	N71-27137
US-PATENT-APPL-SN-694340	c11	N71-17600	US-PATENT-APPL-SN-724551	c15	N71-17696
US-PATENT-APPL-SN-694345	c10	N71-23669	US-PATENT-APPL-SN-725405	c15	N71-26134
US-PATENT-APPL-SN-695973	c05	N71-12343	US-PATENT-APPL-SN-725432	c07	N71-24622
US-PATENT-APPL-SN-697075	c15	N71-27184	US-PATENT-APPL-SN-725475	c31	N71-15643
US-PATENT-APPL-SN-697341	c09	N71-23188	US-PATENT-APPL-SN-725719	c15	N71-26243
US-PATENT-APPL-SN-698592	c15	N71-18580	US-PATENT-APPL-SN-726898	c12	N71-17579
US-PATENT-APPL-SN-698629	c09	N71-12516	US-PATENT-APPL-SN-727207	c30	N70-22183
US-PATENT-APPL-SN-698630	c09	N71-24841	US-PATENT-APPL-SN-727480	c14	N71-17658
US-PATENT-APPL-SN-700040	c18	N72-23581	US-PATENT-APPL-SN-728234	c03	N71-12255
US-PATENT-APPL-SN-700120	c15	N71-20440	US-PATENT-APPL-SN-729299	c03	N72-15986
US-PATENT-APPL-SN-700142	c21	N71-14159	US-PATENT-APPL-SN-730162	c09	N71-18599
US-PATENT-APPL-SN-700174	c02	N71-20570	US-PATENT-APPL-SN-730700	c07	N71-24583
US-PATENT-APPL-SN-700541	c10	N71-25139	US-PATENT-APPL-SN-730701	c12	N71-18615
US-PATENT-APPL-SN-700586	c15	N71-19570	US-PATENT-APPL-SN-730702	c33	N71-16356
US-PATENT-APPL-SN-700984	c11	N71-19494	US-PATENT-APPL-SN-730703	c10	N71-13537
US-PATENT-APPL-SN-700985	c15	N69-23190	US-PATENT-APPL-SN-730733	c28	N71-16224
US-PATENT-APPL-SN-700986	c12	N71-26387	US-PATENT-APPL-SN-730734	c15	N71-17654
US-PATENT-APPL-SN-700987	c09	N71-19610	US-PATENT-APPL-SN-731388	c15	N71-24835
US-PATENT-APPL-SN-701244	c05	N72-20096	US-PATENT-APPL-SN-732455	c22	N71-28759
US-PATENT-APPL-SN-701635	c12	N71-17578	US-PATENT-APPL-SN-732917	c14	N71-17575
US-PATENT-APPL-SN-701654	c03	N71-11049	US-PATENT-APPL-SN-732921	c10	N71-26544
US-PATENT-APPL-SN-701679	c02	N71-19287	US-PATENT-APPL-SN-732922	c17	N71-28747
US-PATENT-APPL-SN-701679	c07	N73-20174	US-PATENT-APPL-SN-733039	c07	N72-12081
US-PATENT-APPL-SN-701732	c24	N71-16095	US-PATENT-APPL-SN-734805	c14	N70-34816
US-PATENT-APPL-SN-701733	c10	N71-24844	US-PATENT-APPL-SN-735911	c14	N70-41946
US-PATENT-APPL-SN-701744	c21	N71-13958	US-PATENT-APPL-SN-736848	c23	N71-16212
US-PATENT-APPL-SN-701767	c07	N71-26101	US-PATENT-APPL-SN-738119	c18	N71-15545
US-PATENT-APPL-SN-702396	c31	N71-16345	US-PATENT-APPL-SN-738314	c12	N71-17573
US-PATENT-APPL-SN-702911	c15	N71-24875	US-PATENT-APPL-SN-738315	c14	N71-27334
US-PATENT-APPL-SN-702967	c06	N71-24739	US-PATENT-APPL-SN-738315	c14	N72-31446
US-PATENT-APPL-SN-704224	c18	N71-15469	US-PATENT-APPL-SN-739391	c09	N72-17156
US-PATENT-APPL-SN-704299	c10	N71-26577	US-PATENT-APPL-SN-739927	c32	N71-16103
US-PATENT-APPL-SN-704420	c05	N71-11202	US-PATENT-APPL-SN-741461	c12	N71-18603
US-PATENT-APPL-SN-704446	c10	N71-33407	US-PATENT-APPL-SN-741814	c07	N71-12389
US-PATENT-APPL-SN-704465	c07	N71-24741	US-PATENT-APPL-SN-742816	c14	N71-17656
US-PATENT-APPL-SN-704668	c10	N71-12554	US-PATENT-APPL-SN-743429	c07	N71-11285
US-PATENT-APPL-SN-706013	c33	N71-27862	US-PATENT-APPL-SN-743525	c07	N71-28430
US-PATENT-APPL-SN-706564	c14	N71-17587	US-PATENT-APPL-SN-744910	c15	N71-17649
US-PATENT-APPL-SN-707440	c06	N73-30102	US-PATENT-APPL-SN-745337	c28	N72-20758
US-PATENT-APPL-SN-707495	c11	N71-18773	US-PATENT-APPL-SN-745852	c12	N71-17661
US-PATENT-APPL-SN-709398	c06	N71-13461	US-PATENT-APPL-SN-749121	c07	N72-11149
US-PATENT-APPL-SN-709399	c16	N71-26154	US-PATENT-APPL-SN-749148	c10	N71-19421
US-PATENT-APPL-SN-709622	c33	N71-24858	US-PATENT-APPL-SN-749149	c15	N71-24897
US-PATENT-APPL-SN-710533	c02	N71-11043	US-PATENT-APPL-SN-749181	c09	N71-24803
US-PATENT-APPL-SN-710561	c09	N71-12517	US-PATENT-APPL-SN-749320	c14	N72-22443
US-PATENT-APPL-SN-710562	c31	N71-16085	US-PATENT-APPL-SN-749548	c10	N71-33129
US-PATENT-APPL-SN-710621	c06	N73-27086	US-PATENT-APPL-SN-750031	c05	N73-32012
US-PATENT-APPL-SN-710945	c33	N71-15568	US-PATENT-APPL-SN-750786	c07	N71-27341
US-PATENT-APPL-SN-710949	c12	N71-17631	US-PATENT-APPL-SN-750787	c10	N71-27126
US-PATENT-APPL-SN-711898	c18	N71-24934	US-PATENT-APPL-SN-751061	c18	N71-29040

NUMBER INDEX

US-PATENT-APPL-SN-751198	c03	N71-24718	US-PATENT-APPL-SN-774266	c15	N71-26185
US-PATENT-APPL-SN-751215	c22	N72-20597	US-PATENT-APPL-SN-774691	c10	N72-31273
US-PATENT-APPL-SN-751266	c15	N71-33518	US-PATENT-APPL-SN-774733	c14	N72-24477
US-PATENT-APPL-SN-752729	c09	N71-26787	US-PATENT-APPL-SN-775072	c16	N71-24831
US-PATENT-APPL-SN-752946	c15	N71-29032	US-PATENT-APPL-SN-775670	c09	N71-24800
US-PATENT-APPL-SN-752947	c31	N71-15689	US-PATENT-APPL-SN-775870	c09	N72-22196
US-PATENT-APPL-SN-753974	c16	N71-33410	US-PATENT-APPL-SN-775877	c02	N71-11039
US-PATENT-APPL-SN-754019	c09	N71-25999	US-PATENT-APPL-SN-775966	c02	N71-11037
US-PATENT-APPL-SN-754020	c12	N71-27332	US-PATENT-APPL-SN-776185	c03	N72-22041
US-PATENT-APPL-SN-754055	c07	N71-24624	US-PATENT-APPL-SN-777764	c15	N71-27214
US-PATENT-APPL-SN-756260	c23	N71-26722	US-PATENT-APPL-SN-777765	c15	N71-29018
US-PATENT-APPL-SN-756266	c15	N71-26145	US-PATENT-APPL-SN-777765	c14	N73-28487
US-PATENT-APPL-SN-756381	c06	N71-25929	US-PATENT-APPL-SN-777766	c31	N71-16221
US-PATENT-APPL-SN-756511	c09	N71-27016	US-PATENT-APPL-SN-777818	c09	N71-27364
US-PATENT-APPL-SN-756834	c15	N72-21466	US-PATENT-APPL-SN-779024	c10	N71-27271
US-PATENT-APPL-SN-757625	c09	N71-26701	US-PATENT-APPL-SN-779025	c09	N72-23171
US-PATENT-APPL-SN-757857	c10	N71-25900	US-PATENT-APPL-SN-779160	c14	N72-16282
US-PATENT-APPL-SN-757861	c05	N71-11194	US-PATENT-APPL-SN-779169	c09	N71-28618
US-PATENT-APPL-SN-757875	c09	N71-24805	US-PATENT-APPL-SN-779847	c15	N71-27091
US-PATENT-APPL-SN-758082	c15	N71-17805	US-PATENT-APPL-SN-780064	c15	N71-27372
US-PATENT-APPL-SN-758390	c28	N71-26642	US-PATENT-APPL-SN-780065	c12	N71-28741
US-PATENT-APPL-SN-758540	c28	N73-27699	US-PATENT-APPL-SN-782544	c14	N71-27325
US-PATENT-APPL-SN-758942	c27	N71-14090	US-PATENT-APPL-SN-782955	c07	N71-33108
US-PATENT-APPL-SN-759256	c07	N71-27233	US-PATENT-APPL-SN-782956	c10	N71-25865
US-PATENT-APPL-SN-759457	c33	N71-16357	US-PATENT-APPL-SN-783374	c15	N71-27147
US-PATENT-APPL-SN-759460	c09	N71-24597	US-PATENT-APPL-SN-783375	c07	N71-24621
US-PATENT-APPL-SN-759665	c14	N71-18481	US-PATENT-APPL-SN-783377	c05	N71-28619
US-PATENT-APPL-SN-760114	c28	N72-11709	US-PATENT-APPL-SN-783378	c07	N71-19436
US-PATENT-APPL-SN-760389	c09	N71-24618	US-PATENT-APPL-SN-783379	c15	N71-17653
US-PATENT-APPL-SN-760819	c14	N70-34820	US-PATENT-APPL-SN-784055	c15	N72-11390
US-PATENT-APPL-SN-760927	c26	N71-25490	US-PATENT-APPL-SN-784521	c14	N71-15620
US-PATENT-APPL-SN-760928	c15	N71-28582	US-PATENT-APPL-SN-784544	c15	N72-12408
US-PATENT-APPL-SN-761007	c18	N71-26155	US-PATENT-APPL-SN-785078	c03	N72-27053
US-PATENT-APPL-SN-761404	c09	N71-12526	US-PATENT-APPL-SN-785546	c10	N71-25882
US-PATENT-APPL-SN-762438	c12	N71-17569	US-PATENT-APPL-SN-785595	c10	N71-24861
US-PATENT-APPL-SN-762935	c14	N71-29041	US-PATENT-APPL-SN-785611	c15	N71-24600
US-PATENT-APPL-SN-762936	c31	N69-27499	US-PATENT-APPL-SN-785613	c05	N72-25119
US-PATENT-APPL-SN-762956	c14	N71-26627	US-PATENT-APPL-SN-785615	c05	N72-20098
US-PATENT-APPL-SN-762957	c08	N71-27210	US-PATENT-APPL-SN-785620	c21	N71-27324
US-PATENT-APPL-SN-763040	c14	N72-28438	US-PATENT-APPL-SN-785710	c05	N71-24730
US-PATENT-APPL-SN-763355	c06	N71-28620	US-PATENT-APPL-SN-785780	c18	N71-28729
US-PATENT-APPL-SN-763684	c15	N72-16329	US-PATENT-APPL-SN-787393	c23	N71-26206
US-PATENT-APPL-SN-763685	c15	N71-24910	US-PATENT-APPL-SN-787410	c15	N71-19213
US-PATENT-APPL-SN-763705	c09	N71-18720	US-PATENT-APPL-SN-787846	c23	N71-33229
US-PATENT-APPL-SN-763706	c15	N71-24896	US-PATENT-APPL-SN-787906	c03	N71-26084
US-PATENT-APPL-SN-763729	c12	N71-26546	US-PATENT-APPL-SN-787911	c03	N71-28579
US-PATENT-APPL-SN-763743	c14	N72-21409	US-PATENT-APPL-SN-789043	c10	N71-26531
US-PATENT-APPL-SN-763744	c10	N72-27246	US-PATENT-APPL-SN-789044	c14	N72-20381
US-PATENT-APPL-SN-763868	c15	N71-24679	US-PATENT-APPL-SN-789045	c15	N72-22489
US-PATENT-APPL-SN-763869	c17	N71-16393	US-PATENT-APPL-SN-789278	c15	N71-24694
US-PATENT-APPL-SN-764252	c14	N71-25901	US-PATENT-APPL-SN-789903	c07	N71-28429
US-PATENT-APPL-SN-764470	c16	N71-28554	US-PATENT-APPL-SN-790420	c09	N71-24595
US-PATENT-APPL-SN-764812	c10	N71-19468	US-PATENT-APPL-SN-791267	c23	N72-17747
US-PATENT-APPL-SN-765123	c31	N71-15687	US-PATENT-APPL-SN-791268	c33	N72-17947
US-PATENT-APPL-SN-765264	c02	N71-29128	US-PATENT-APPL-SN-791288	c28	N71-25213
US-PATENT-APPL-SN-765738	c03	N71-11057	US-PATENT-APPL-SN-791364	c14	N72-17328
US-PATENT-APPL-SN-766170	c07	N71-24625	US-PATENT-APPL-SN-791693	c05	N71-11203
US-PATENT-APPL-SN-766244	c15	N71-26721	US-PATENT-APPL-SN-791888	c23	N71-24725
US-PATENT-APPL-SN-766245	c14	N71-27215	US-PATENT-APPL-SN-792623	c14	N72-23457
US-PATENT-APPL-SN-766697	c09	N71-33519	US-PATENT-APPL-SN-793657	c17	N72-28536
US-PATENT-APPL-SN-767741	c09	N72-27228	US-PATENT-APPL-SN-793770	c25	N71-15562
US-PATENT-APPL-SN-768336	c15	N71-17648	US-PATENT-APPL-SN-793771	c14	N72-22440
US-PATENT-APPL-SN-768470	c09	N71-28421	US-PATENT-APPL-SN-793772	c10	N71-18722
US-PATENT-APPL-SN-768473	c14	N71-17657	US-PATENT-APPL-SN-793823	c09	N71-33109
US-PATENT-APPL-SN-768662	c07	N73-25160	US-PATENT-APPL-SN-794530	c15	N72-11386
US-PATENT-APPL-SN-768671	c15	N69-21854	US-PATENT-APPL-SN-794968	c15	N71-27146
US-PATENT-APPL-SN-769592	c15	N72-16330	US-PATENT-APPL-SN-795182	c07	N71-24840
US-PATENT-APPL-SN-769665	c15	N72-11387	US-PATENT-APPL-SN-795217	c33	N71-25351
US-PATENT-APPL-SN-769788	c07	N71-11300	US-PATENT-APPL-SN-796358	c05	N72-11085
US-PATENT-APPL-SN-769998	c25	N71-29181	US-PATENT-APPL-SN-796360	c15	N71-24696
US-PATENT-APPL-SN-770203	c05	N71-11195	US-PATENT-APPL-SN-796370	c10	N71-27366
US-PATENT-APPL-SN-770209	c08	N71-27057	US-PATENT-APPL-SN-796405	c14	N71-27185
US-PATENT-APPL-SN-770371	c15	N71-24599	US-PATENT-APPL-SN-796685	c26	N72-28762
US-PATENT-APPL-SN-770398	c06	N71-27254	US-PATENT-APPL-SN-796690	c07	N72-21119
US-PATENT-APPL-SN-770398	c06	N72-27144	US-PATENT-APPL-SN-796691	c10	N71-26334
US-PATENT-APPL-SN-770417	c06	N73-33076	US-PATENT-APPL-SN-797056	c15	N71-25975
US-PATENT-APPL-SN-770425	c06	N72-20121	US-PATENT-APPL-SN-797057	c15	N70-22192
US-PATENT-APPL-SN-771216	c14	N72-17329	US-PATENT-APPL-SN-797058	c05	N71-24738
US-PATENT-APPL-SN-771523	c10	N71-18772	US-PATENT-APPL-SN-797059	c15	N71-28465
US-PATENT-APPL-SN-771530	c09	N72-12136	US-PATENT-APPL-SN-797219	c03	N71-33409
US-PATENT-APPL-SN-771759	c09	N71-29008	US-PATENT-APPL-SN-797794	c07	N71-12396
US-PATENT-APPL-SN-771760	c10	N71-25917	US-PATENT-APPL-SN-797795	c07	N71-27191
US-PATENT-APPL-SN-771803	c07	N71-12391	US-PATENT-APPL-SN-797796	c28	N71-14058
US-PATENT-APPL-SN-771937	c10	N71-28862	US-PATENT-APPL-SN-798277	c23	N71-26654
US-PATENT-APPL-SN-772006	c17	N71-33408	US-PATENT-APPL-SN-799013	c09	N71-28468
US-PATENT-APPL-SN-773029	c09	N71-24893	US-PATENT-APPL-SN-799353	c09	N71-27232
US-PATENT-APPL-SN-773072	c10	N72-28241	US-PATENT-APPL-SN-800204	c06	N72-17094
US-PATENT-APPL-SN-774151	c15	N71-17692	US-PATENT-APPL-SN-800973	c16	N71-24832
US-PATENT-APPL-SN-774265	c10	N71-27365	US-PATENT-APPL-SN-801312	c16	N71-15565

NUMBER INDEX

US-PATENT-APPL-SN-801336	c02 N71-13422	US-PATENT-APPL-SN-837378	c15 N71-24865
US-PATENT-APPL-SN-801660	c14 N71-26672	US-PATENT-APPL-SN-837825	c15 N71-27006
US-PATENT-APPL-SN-802812	c10 N72-22235	US-PATENT-APPL-SN-837830	c02 N71-27088
US-PATENT-APPL-SN-802813	c15 N72-22487	US-PATENT-APPL-SN-838278	c08 N74-20836
US-PATENT-APPL-SN-802816	c31 N71-16346	US-PATENT-APPL-SN-838630	c14 N71-28993
US-PATENT-APPL-SN-802818	c07 N71-29065	US-PATENT-APPL-SN-839934	c07 N72-20140
US-PATENT-APPL-SN-802820	c10 N71-13545	US-PATENT-APPL-SN-839935	c15 N71-24895
US-PATENT-APPL-SN-802948	c31 N71-33160	US-PATENT-APPL-SN-839941	c07 N71-26181
US-PATENT-APPL-SN-802972	c09 N71-26678	US-PATENT-APPL-SN-839994	c28 N71-28915
US-PATENT-APPL-SN-804172	c28 N71-26781	US-PATENT-APPL-SN-840176	c28 N71-27095
US-PATENT-APPL-SN-805298	c10 N71-25899	US-PATENT-APPL-SN-840308	c07 N71-33613
US-PATENT-APPL-SN-805405	c14 N71-27323	US-PATENT-APPL-SN-840359	c23 N71-29125
US-PATENT-APPL-SN-805406	c07 N71-24613	US-PATENT-APPL-SN-840870	c15 N71-26189
US-PATENT-APPL-SN-806149	c27 N71-16223	US-PATENT-APPL-SN-840983	c05 N70-33285
US-PATENT-APPL-SN-806226	c14 N71-27407	US-PATENT-APPL-SN-841845	c14 N73-32317
US-PATENT-APPL-SN-808192	c15 N71-27432	US-PATENT-APPL-SN-842170	c11 N70-33278
US-PATENT-APPL-SN-808193	c31 N71-26537	US-PATENT-APPL-SN-842171	c11 N70-33329
US-PATENT-APPL-SN-808462	c10 N71-27136	US-PATENT-APPL-SN-843022	c11 N70-33287
US-PATENT-APPL-SN-808576	c15 N71-27754	US-PATENT-APPL-SN-843032	c28 N70-41818
US-PATENT-APPL-SN-808577	c32 N71-25360	US-PATENT-APPL-SN-843251	c03 N72-11062
US-PATENT-APPL-SN-808822	c14 N73-16483	US-PATENT-APPL-SN-844225	c05 N72-25120
US-PATENT-APPL-SN-809822	c28 N71-27585	US-PATENT-APPL-SN-844355	c03 N72-26031
US-PATENT-APPL-SN-810575	c15 N71-27169	US-PATENT-APPL-SN-845365	c09 N71-13518
US-PATENT-APPL-SN-810576	c15 N73-12492	US-PATENT-APPL-SN-845584	c27 N73-22710
US-PATENT-APPL-SN-810579	c09 N72-22203	US-PATENT-APPL-SN-845807	c15 N72-11391
US-PATENT-APPL-SN-810815	c06 N72-22107	US-PATENT-APPL-SN-845971	c11 N71-28629
US-PATENT-APPL-SN-811037	c14 N71-26137	US-PATENT-APPL-SN-845972	c09 N70-11148
US-PATENT-APPL-SN-811038	c14 N72-20380	US-PATENT-APPL-SN-845973	c11 N71-24985
US-PATENT-APPL-SN-811509	c02 N70-33332	US-PATENT-APPL-SN-845974	c33 N71-25353
US-PATENT-APPL-SN-811542	c21 N71-24948	US-PATENT-APPL-SN-845990	c14 N71-27005
US-PATENT-APPL-SN-811892	c14 N71-27090	US-PATENT-APPL-SN-845991	c14 N71-29134
US-PATENT-APPL-SN-812998	c28 N72-22769	US-PATENT-APPL-SN-847023	c31 N70-37938
US-PATENT-APPL-SN-812999	c05 N71-12345	US-PATENT-APPL-SN-847027	c03 N70-33343
US-PATENT-APPL-SN-813338	c18 N72-22566	US-PATENT-APPL-SN-848282	c15 N72-21462
US-PATENT-APPL-SN-813488	c15 N71-28467	US-PATENT-APPL-SN-848325	c06 N70-11251
US-PATENT-APPL-SN-813494	c08 N72-11171	US-PATENT-APPL-SN-848351	c06 N70-11252
US-PATENT-APPL-SN-814212	c14 N72-17326	US-PATENT-APPL-SN-848403	c09 N74-20859
US-PATENT-APPL-SN-815366	c14 N71-28994	US-PATENT-APPL-SN-848481	c17 N70-33283
US-PATENT-APPL-SN-815367	c14 N71-28863	US-PATENT-APPL-SN-848776	c07 N72-22127
US-PATENT-APPL-SN-815760	c15 N71-27068	US-PATENT-APPL-SN-848805	c06 N72-17095
US-PATENT-APPL-SN-816733	c15 N71-27084	US-PATENT-APPL-SN-848810	c07 N72-11148
US-PATENT-APPL-SN-816988	c14 N71-26199	US-PATENT-APPL-SN-848811	c10 N71-26142
US-PATENT-APPL-SN-817481	c09 N72-11225	US-PATENT-APPL-SN-849106	c09 N72-22197
US-PATENT-APPL-SN-817482	c10 N71-27338	US-PATENT-APPL-SN-850586	c31 N71-25434
US-PATENT-APPL-SN-817569	c06 N69-31244	US-PATENT-APPL-SN-850587	c08 N72-21199
US-PATENT-APPL-SN-818349	c21 N71-19212	US-PATENT-APPL-SN-851298	c15 N72-12409
US-PATENT-APPL-SN-819599	c15 N71-19214	US-PATENT-APPL-SN-851394	c09 N71-24892
US-PATENT-APPL-SN-819898	c30 N72-17873	US-PATENT-APPL-SN-852131	c15 N71-24836
US-PATENT-APPL-SN-820453	c03 N72-24037	US-PATENT-APPL-SN-852843	c09 N72-22195
US-PATENT-APPL-SN-820963	c07 N71-19854	US-PATENT-APPL-SN-853641	c33 N72-25913
US-PATENT-APPL-SN-820964	c15 N71-28740	US-PATENT-APPL-SN-853716	c09 N71-24904
US-PATENT-APPL-SN-820965	c09 N71-13486	US-PATENT-APPL-SN-853746	c02 N72-11018
US-PATENT-APPL-SN-821586	c26 N71-14354	US-PATENT-APPL-SN-853763	c07 N70-12616
US-PATENT-APPL-SN-822039	c06 N72-25149	US-PATENT-APPL-SN-853763	c07 N72-33146
US-PATENT-APPL-SN-822088	c15 N71-27135	US-PATENT-APPL-SN-853855	c17 N72-22530
US-PATENT-APPL-SN-822089	c23 N72-23695	US-PATENT-APPL-SN-853856	c17 N72-28535
US-PATENT-APPL-SN-822090	c16 N71-27183	US-PATENT-APPL-SN-853983	c16 N71-29131
US-PATENT-APPL-SN-822518	c09 N71-13522	US-PATENT-APPL-SN-853984	c14 N70-33254
US-PATENT-APPL-SN-822519	c14 N71-28992	US-PATENT-APPL-SN-854815	c21 N70-33181
US-PATENT-APPL-SN-822534	c09 N72-11224	US-PATENT-APPL-SN-855004	c09 N71-24807
US-PATENT-APPL-SN-824042	c23 N71-29123	US-PATENT-APPL-SN-855253	c24 N72-11595
US-PATENT-APPL-SN-824755	c09 N70-33182	US-PATENT-APPL-SN-856257	c06 N74-19769
US-PATENT-APPL-SN-825253	c16 N69-31343	US-PATENT-APPL-SN-856258	c09 N70-12620
US-PATENT-APPL-SN-825258	c26 N72-21701	US-PATENT-APPL-SN-856279	c05 N71-17599
US-PATENT-APPL-SN-825259	c14 N71-26788	US-PATENT-APPL-SN-856282	c07 N72-21118
US-PATENT-APPL-SN-827579	c15 N71-24984	US-PATENT-APPL-SN-856327	c08 N72-22166
US-PATENT-APPL-SN-827597	c26 N69-33482	US-PATENT-APPL-SN-856328	c05 N72-16015
US-PATENT-APPL-SN-828909	c28 N71-27094	US-PATENT-APPL-SN-856415	c14 N72-22441
US-PATENT-APPL-SN-828920	c14 N70-12618	US-PATENT-APPL-SN-856511	c09 N71-26182
US-PATENT-APPL-SN-828921	c09 N71-27001	US-PATENT-APPL-SN-856511	c05 N70-20717
US-PATENT-APPL-SN-828983	c03 N71-24719	US-PATENT-APPL-SN-857445	c05 N71-24728
US-PATENT-APPL-SN-828984	c08 N71-29033	US-PATENT-APPL-SN-857967	c15 N72-20443
US-PATENT-APPL-SN-829825	c03 N71-24681	US-PATENT-APPL-SN-858695	c11 N72-22247
US-PATENT-APPL-SN-830366	c16 N72-13437	US-PATENT-APPL-SN-860492	c09 N72-20199
US-PATENT-APPL-SN-830715	c15 N71-24903	US-PATENT-APPL-SN-860493	c14 N72-16283
US-PATENT-APPL-SN-830978	c28 N71-26173	US-PATENT-APPL-SN-860635	c28 N72-17843
US-PATENT-APPL-SN-831118	c08 N72-11172	US-PATENT-APPL-SN-860750	c08 N72-22165
US-PATENT-APPL-SN-832603	c09 N72-22199	US-PATENT-APPL-SN-860751	c08 N72-18184
US-PATENT-APPL-SN-833049	c06 N72-21094	US-PATENT-APPL-SN-860781	c18 N72-22567
US-PATENT-APPL-SN-833058	c21 N72-22619	US-PATENT-APPL-SN-861152	c14 N70-33322
US-PATENT-APPL-SN-833059	c09 N71-26133	US-PATENT-APPL-SN-861649	c14 N72-17327
US-PATENT-APPL-SN-833506	c02 N71-26110	US-PATENT-APPL-SN-862921	c31 N71-29050
US-PATENT-APPL-SN-835146	c15 N70-33264	US-PATENT-APPL-SN-863276	c16 N72-12440
US-PATENT-APPL-SN-835152	c28 N70-38199	US-PATENT-APPL-SN-863280	c24 N72-33681
US-PATENT-APPL-SN-835153	c31 N71-17680	US-PATENT-APPL-SN-863913	c14 N71-28991
US-PATENT-APPL-SN-836280	c14 N73-14428	US-PATENT-APPL-SN-863914	c09 N72-31235
US-PATENT-APPL-SN-836280	c10 N73-20259	US-PATENT-APPL-SN-863963	c10 N71-26085
US-PATENT-APPL-SN-836367	c09 N71-24804	US-PATENT-APPL-SN-863967	c11 N71-27036
US-PATENT-APPL-SN-837377	c15 N71-26148			

NUMBER INDEX

US-PATENT-APPL-SN-864020	c15 N72-17454	US-PATENT-CLASS-1	c14 N71-27005
US-PATENT-APPL-SN-864039	c15 N72-22483	US-PATENT-CLASS-2-2.1	c05 N71-11194
US-PATENT-APPL-SN-864097	c07 N71-33606	US-PATENT-CLASS-2-2.1	c05 N71-11195
US-PATENT-APPL-SN-864710	c03 N70-26817	US-PATENT-CLASS-2-2.1	c05 N71-12335
US-PATENT-APPL-SN-865106	c09 N72-22202	US-PATENT-CLASS-2-2.1	c05 N71-12344
US-PATENT-APPL-SN-865109	c14 N71-28933	US-PATENT-CLASS-2-2.1	c05 N71-23161
US-PATENT-APPL-SN-865274	c09 N72-17155	US-PATENT-CLASS-2-2.1	c05 N71-24623
US-PATENT-APPL-SN-865298	c15 N72-11388	US-PATENT-CLASS-2-2.1	c05 N71-24730
US-PATENT-APPL-SN-865329	c15 N71-29132	US-PATENT-CLASS-2-2.1	c05 N72-20096
US-PATENT-APPL-SN-865811	c09 N71-27053	US-PATENT-CLASS-2-2.1	c05 N72-20098
US-PATENT-APPL-SN-865909	c14 N72-11364	US-PATENT-CLASS-2-2.1	c05 N72-25119
US-PATENT-APPL-SN-866442	c25 N72-24753	US-PATENT-CLASS-2-2.1	c05 N72-25119
US-PATENT-APPL-SN-867841	c11 N72-22246	US-PATENT-CLASS-2-2.1	c05 N72-22092
US-PATENT-APPL-SN-867842	c23 N72-27728	US-PATENT-CLASS-2-2.1A	c05 N73-25125
US-PATENT-APPL-SN-867843	c14 N71-26161	US-PATENT-CLASS-2-2.1A	c05 N73-32012
US-PATENT-APPL-SN-867851	c15 N72-22484	US-PATENT-CLASS-2-2.1A	c05 N71-26333
US-PATENT-APPL-SN-868445	c14 N72-17323	US-PATENT-CLASS-2-6	c05 N71-23096
US-PATENT-APPL-SN-868529	c08 N72-22167	US-PATENT-CLASS-2-14	c18 N71-26285
US-PATENT-APPL-SN-868530	c05 N72-11084	US-PATENT-CLASS-2-81	c05 N73-32012
US-PATENT-APPL-SN-868775	c09 N72-25261	US-PATENT-CLASS-2-81	c05 N72-25119
US-PATENT-APPL-SN-868775	c09 N73-27150	US-PATENT-CLASS-2-115	c18 N71-26285
US-PATENT-APPL-SN-869260	c05 N72-20097	US-PATENT-CLASS-2-275	c05 N73-32013
US-PATENT-APPL-SN-869260	c05 N73-25125	US-PATENT-CLASS-3-1	c05 N73-32013
US-PATENT-APPL-SN-870689	c06 N72-25148	US-PATENT-CLASS-3-2	c05 N73-32013
US-PATENT-APPL-SN-872602	c09 N72-22200	US-PATENT-CLASS-3-6	c05 N73-32013
US-PATENT-APPL-SN-872664	c08 N70-34675	US-PATENT-CLASS-3-12	c05 N74-20725
US-PATENT-APPL-SN-873045	c14 N72-20379	US-PATENT-CLASS-4-10	c05 N72-22093
US-PATENT-APPL-SN-873259	c08 N72-21200	US-PATENT-CLASS-4-99	c05 N72-22093
US-PATENT-APPL-SN-873260	c33 N72-17948	US-PATENT-CLASS-4-110	c05 N74-20725
US-PATENT-APPL-SN-873793	c14 N72-21407	US-PATENT-CLASS-4-120	c05 N72-11085
US-PATENT-APPL-SN-874177	c11 N72-25284	US-PATENT-CLASS-5-69	c05 N71-23159
US-PATENT-APPL-SN-874435	c11 N71-33612	US-PATENT-CLASS-5-82	c05 N70-33285
US-PATENT-APPL-SN-874732	c09 N71-29139	US-PATENT-CLASS-5-345	c18 N71-15545
US-PATENT-APPL-SN-874733	c15 N71-26635	US-PATENT-CLASS-8-94.12	c02 N73-26006
US-PATENT-APPL-SN-874958	c31 N71-15566	US-PATENT-CLASS-9-2A	c02 N73-26006
US-PATENT-APPL-SN-875849	c07 N71-33696	US-PATENT-CLASS-9-3	c03 N70-36778
US-PATENT-APPL-SN-876588	c15 N72-25452	US-PATENT-CLASS-9-8	c15 N71-24600
US-PATENT-APPL-SN-877717	c14 N72-27410	US-PATENT-CLASS-9-9	c05 N70-34857
US-PATENT-APPL-SN-877717	c14 N73-13417	US-PATENT-CLASS-9-11	c02 N73-26006
US-PATENT-APPL-SN-877990	c14 N72-28437	US-PATENT-CLASS-9-11A	c05 N74-14845
US-PATENT-APPL-SN-878730	c08 N72-22164	US-PATENT-CLASS-9-11A	c05 N71-22748
US-PATENT-APPL-SN-878731	c15 N71-26162	US-PATENT-CLASS-9-312	c05 N70-36493
US-PATENT-APPL-SN-880246	c28 N72-22770	US-PATENT-CLASS-9-316	c11 N72-23215
US-PATENT-APPL-SN-880247	c09 N70-20737	US-PATENT-CLASS-13-20	c33 N71-15625
US-PATENT-APPL-SN-880248	c07 N72-11150	US-PATENT-CLASS-13-26	c14 N71-23267
US-PATENT-APPL-SN-880249	c15 N72-22482	US-PATENT-CLASS-13-26	c11 N72-23215
US-PATENT-APPL-SN-880250	c03 N72-20032	US-PATENT-CLASS-13-31	c33 N71-24145
US-PATENT-APPL-SN-880271	c15 N72-25448	US-PATENT-CLASS-13-35	c15 N72-11390
US-PATENT-APPL-SN-880272	c14 N71-27058	US-PATENT-CLASS-15-143	c15 N72-11390
US-PATENT-APPL-SN-880398	c15 N73-12487	US-PATENT-CLASS-15-210	c14 N73-30395
US-PATENT-APPL-SN-880831	c11 N72-20244	US-PATENT-CLASS-15-415	c15 N71-26721
US-PATENT-APPL-SN-880885	c07 N72-12080	US-PATENT-CLASS-18-6	c06 N71-22975
US-PATENT-APPL-SN-881039	c09 N71-24842	US-PATENT-CLASS-18-26	c27 N70-34783
US-PATENT-APPL-SN-881041	c09 N72-22204	US-PATENT-CLASS-18-39	c17 N71-16393
US-PATENT-APPL-SN-882122	c14 N72-22438	US-PATENT-CLASS-21-207	c15 N71-15966
US-PATENT-APPL-SN-882577	c07 N71-27056	US-PATENT-CLASS-22-200	c17 N70-38198
US-PATENT-APPL-SN-883523	c09 N72-33204	US-PATENT-CLASS-22-203	c06 N72-17093
US-PATENT-APPL-SN-883524	c09 N72-21246	US-PATENT-CLASS-23-55	c06 N72-17093
US-PATENT-APPL-SN-885521	c03 N72-28025	US-PATENT-CLASS-23-88	c06 N72-17093
US-PATENT-APPL-SN-885571	c09 N71-28886	US-PATENT-CLASS-23-97	c04 N72-33072
US-PATENT-APPL-SN-885594	c15 N71-29133	US-PATENT-CLASS-23-109	c06 N72-17095
US-PATENT-APPL-SN-887685	c10 N72-20223	US-PATENT-CLASS-23-201	c15 N69-21922
US-PATENT-APPL-SN-887698	c09 N72-17153	US-PATENT-CLASS-23-208	c26 N70-36805
US-PATENT-APPL-SN-887699	c15 N72-17452	US-PATENT-CLASS-23-208	c15 N72-20446
US-PATENT-APPL-SN-887700	c07 N71-28980	US-PATENT-CLASS-23-209.1	c06 N71-23527
US-PATENT-APPL-SN-887701	c08 N71-29034	US-PATENT-CLASS-23-230	c06 N72-17095
US-PATENT-APPL-SN-889374	c08 N72-25207	US-PATENT-CLASS-23-230R	c06 N72-17094
US-PATENT-APPL-SN-889375	c10 N72-20222	US-PATENT-CLASS-23-230R	c17 N73-12547
US-PATENT-APPL-SN-889376	c18 N71-26285	US-PATENT-CLASS-23-230R	c17 N73-27446
US-PATENT-APPL-SN-889387	c09 N71-29035	US-PATENT-CLASS-23-232C	c06 N72-17094
US-PATENT-APPL-SN-889420	c14 N72-25413	US-PATENT-CLASS-23-232C	c06 N73-16106
US-PATENT-APPL-SN-889422	c09 N72-25259	US-PATENT-CLASS-23-232E	c06 N73-16106
US-PATENT-APPL-SN-889423	c10 N72-22236	US-PATENT-CLASS-23-232R	c06 N74-12813
US-PATENT-APPL-SN-889437	c15 N72-11392	US-PATENT-CLASS-23-252E	c23 N71-16355
US-PATENT-APPL-SN-889438	c15 N72-18477	US-PATENT-CLASS-23-253	c06 N71-26754
US-PATENT-APPL-SN-889478	c08 N71-29138	US-PATENT-CLASS-23-253	c06 N72-17095
US-PATENT-APPL-SN-889479	c14 N72-17325	US-PATENT-CLASS-23-253	c06 N72-17094
US-PATENT-APPL-SN-889551	c21 N72-21624	US-PATENT-CLASS-23-253PC	c15 N74-18123
US-PATENT-APPL-SN-889554	c15 N72-20444	US-PATENT-CLASS-23-253PC	c15 N72-21465
US-PATENT-APPL-SN-889555	c09 N72-17154	US-PATENT-CLASS-23-253R	c14 N71-20442
US-PATENT-APPL-SN-889556	c14 N72-18411	US-PATENT-CLASS-23-254	c06 N73-16106
US-PATENT-APPL-SN-889557	c11 N72-17183	US-PATENT-CLASS-23-254E	c06 N73-16106
US-PATENT-APPL-SN-889558	c15 N72-22491	US-PATENT-CLASS-23-254E	c15 N71-27372
US-PATENT-APPL-SN-889583	c15 N72-21464	US-PATENT-CLASS-23-259	c15 N72-21465
US-PATENT-APPL-SN-889584	c08 N72-31226	US-PATENT-CLASS-23-259	c15 N74-18123
US-PATENT-APPL-SN-889682	c15 N72-25447	US-PATENT-CLASS-23-277	c26 N70-40015
		US-PATENT-CLASS-23-281	c28 N72-18766
US-PATENT-CLASS-D71-1	c02 N74-10907	US-PATENT-CLASS-23-281	c06 N74-12813

NUMBER INDEX

US-PATENT-CLASS-23-284	c15 N74-15127	US-PATENT-CLASS-29-572	c03 N72-22041
US-PATENT-CLASS-23-288	c28 N72-18766	US-PATENT-CLASS-29-572	c03 N74-14784
US-PATENT-CLASS-23-288F	c06 N74-12813	US-PATENT-CLASS-29-573	c14 N73-13417
US-PATENT-CLASS-23-288J	c06 N74-12813	US-PATENT-CLASS-29-578	c26 N72-17820
US-PATENT-CLASS-24-126	c15 N71-22994	US-PATENT-CLASS-29-580	c09 N73-27150
US-PATENT-CLASS-24-134R	c15 N73-25512	US-PATENT-CLASS-29-588	c14 N71-27334
US-PATENT-CLASS-24-205.17	c15 N71-25975	US-PATENT-CLASS-29-588	c14 N72-31446
US-PATENT-CLASS-24-211	c15 N71-17653	US-PATENT-CLASS-29-588	c03 N74-14784
US-PATENT-CLASS-24-211N	c15 N72-11385	US-PATENT-CLASS-29-589	c26 N72-17820
US-PATENT-CLASS-24-263	c15 N71-21076	US-PATENT-CLASS-29-589	c09 N72-25261
US-PATENT-CLASS-24-263	c15 N71-26162	US-PATENT-CLASS-29-589	c15 N73-14469
US-PATENT-CLASS-25-156	c15 N71-16076	US-PATENT-CLASS-29-590	c09 N72-22199
US-PATENT-CLASS-27-498	c15 N73-28515	US-PATENT-CLASS-29-591	c15 N73-14469
US-PATENT-CLASS-29-25.14	c05 N72-25121	US-PATENT-CLASS-29-599	c15 N72-25447
US-PATENT-CLASS-29-25.18	c09 N71-26678	US-PATENT-CLASS-29-599	c26 N73-26752
US-PATENT-CLASS-29-25.18	c05 N72-25121	US-PATENT-CLASS-29-599	c26 N73-32571
US-PATENT-CLASS-29-25.42	c26 N72-28762	US-PATENT-CLASS-29-603	c08 N71-27210
US-PATENT-CLASS-29-148.4	c15 N71-16052	US-PATENT-CLASS-29-624	c15 N72-20444
US-PATENT-CLASS-29-148.4	c15 N71-17688	US-PATENT-CLASS-29-624	c14 N73-13417
US-PATENT-CLASS-29-148.4A	c15 N74-15128	US-PATENT-CLASS-29-628	c15 N72-22491
US-PATENT-CLASS-29-148.4B	c15 N74-15128	US-PATENT-CLASS-29-628	c09 N72-25261
US-PATENT-CLASS-29-155.55	c15 N71-15986	US-PATENT-CLASS-29-628	c09 N73-28083
US-PATENT-CLASS-29-157	c28 N71-15658	US-PATENT-CLASS-29-629	c09 N73-28083
US-PATENT-CLASS-29-157.3	c28 N70-41818	US-PATENT-CLASS-29-630	c05 N72-25121
US-PATENT-CLASS-29-157.3R	c33 N74-18552	US-PATENT-CLASS-29-630A	c09 N73-28083
US-PATENT-CLASS-29-182	c15 N74-13179	US-PATENT-CLASS-29-630A	c15 N70-42017
US-PATENT-CLASS-29-182.1	c18 N71-23710	US-PATENT-CLASS-30-228	c05 N73-27062
US-PATENT-CLASS-29-182.2	c17 N71-23046	US-PATENT-CLASS-32-28	c05 N73-27062
US-PATENT-CLASS-29-182.5	c17 N72-28536	US-PATENT-CLASS-32-58	c14 N70-36907
US-PATENT-CLASS-29-183.5	c17 N70-38490	US-PATENT-CLASS-33-1	c14 N72-28436
US-PATENT-CLASS-29-195Y	c14 N73-32320	US-PATENT-CLASS-33-1SA	c14 N74-21015
US-PATENT-CLASS-29-196.2	c17 N73-32414	US-PATENT-CLASS-33-1SA	c08 N72-11172
US-PATENT-CLASS-29-196.6	c17 N73-32414	US-PATENT-CLASS-33-1SA	c14 N71-21079
US-PATENT-CLASS-29-197	c17 N73-32414	US-PATENT-CLASS-33-31	c14 N74-21015
US-PATENT-CLASS-29-198	c17 N70-33288	US-PATENT-CLASS-33-46R	c15 N72-11386
US-PATENT-CLASS-29-198	c09 N72-25259	US-PATENT-CLASS-33-72	c14 N72-28436
US-PATENT-CLASS-29-234	c15 N70-36901	US-PATENT-CLASS-33-75R	c14 N72-11364
US-PATENT-CLASS-29-271	c15 N70-41371	US-PATENT-CLASS-33-125	c15 N71-19489
US-PATENT-CLASS-29-278R	c15 N71-29133	US-PATENT-CLASS-33-147	c14 N71-17657
US-PATENT-CLASS-29-400	c05 N71-12345	US-PATENT-CLASS-33-149	c14 N69-21363
US-PATENT-CLASS-29-412	c15 N72-20444	US-PATENT-CLASS-33-174	c14 N71-17658
US-PATENT-CLASS-29-420.5	c17 N74-10521	US-PATENT-CLASS-33-174	c14 N71-24693
US-PATENT-CLASS-29-420.5	c15 N74-13179	US-PATENT-CLASS-33-174S	c14 N72-22445
US-PATENT-CLASS-29-421	c15 N71-29018	US-PATENT-CLASS-33-189	c15 N71-26145
US-PATENT-CLASS-29-421	c14 N72-22439	US-PATENT-CLASS-33-204C	c08 N72-11172
US-PATENT-CLASS-29-423	c15 N70-36409	US-PATENT-CLASS-33-207	c15 N71-15571
US-PATENT-CLASS-29-423	c15 N74-21059	US-PATENT-CLASS-33-285	c16 N74-21091
US-PATENT-CLASS-29-426	c15 N72-20444	US-PATENT-CLASS-34-155	c14 N73-28489
US-PATENT-CLASS-29-428	c15 N71-17686	US-PATENT-CLASS-34-160	c14 N73-28489
US-PATENT-CLASS-29-452	c15 N73-30457	US-PATENT-CLASS-34-162	c14 N73-28489
US-PATENT-CLASS-29-460	c15 N74-11301	US-PATENT-CLASS-34-162	c07 N74-15831
US-PATENT-CLASS-29-470.1	c15 N74-21057	US-PATENT-CLASS-35-8	c05 N72-16015
US-PATENT-CLASS-29-472.9	c15 N69-39786	US-PATENT-CLASS-35-10.2	c14 N71-15621
US-PATENT-CLASS-29-472.9	c26 N71-16037	US-PATENT-CLASS-35-12	c11 N70-34815
US-PATENT-CLASS-29-472.9	c15 N72-22492	US-PATENT-CLASS-35-12	c31 N70-34966
US-PATENT-CLASS-29-472.9	c15 N72-22487	US-PATENT-CLASS-35-12	c11 N71-10746
US-PATENT-CLASS-29-473.1	c15 N72-22492	US-PATENT-CLASS-35-12	c11 N71-10748
US-PATENT-CLASS-29-473.1	c05 N72-25121	US-PATENT-CLASS-35-12	c11 N71-10776
US-PATENT-CLASS-29-482	c15 N74-18128	US-PATENT-CLASS-35-12	c11 N71-18773
US-PATENT-CLASS-29-482	c15 N73-33383	US-PATENT-CLASS-35-12	c11 N71-19494
US-PATENT-CLASS-29-487	c15 N74-21055	US-PATENT-CLASS-35-12	c11 N71-21474
US-PATENT-CLASS-29-487	c15 N70-33311	US-PATENT-CLASS-35-12C	c14 N73-27377
US-PATENT-CLASS-29-488	c15 N74-18128	US-PATENT-CLASS-35-17	c05 N71-24606
US-PATENT-CLASS-29-488	c15 N71-20443	US-PATENT-CLASS-35-19	c10 N71-27365
US-PATENT-CLASS-29-492	c09 N72-25261	US-PATENT-CLASS-35-22R	c05 N73-13114
US-PATENT-CLASS-29-494	c15 N73-33383	US-PATENT-CLASS-35-29	c11 N71-16028
US-PATENT-CLASS-29-494	c15 N74-21055	US-PATENT-CLASS-35-29	c05 N71-28619
US-PATENT-CLASS-29-495	c15 N71-21078	US-PATENT-CLASS-35-35A	c14 N74-21014
US-PATENT-CLASS-29-497	c09 N72-25261	US-PATENT-CLASS-35-45	c14 N70-35394
US-PATENT-CLASS-29-497	c15 N73-32358	US-PATENT-CLASS-35-49	c12 N69-39988
US-PATENT-CLASS-29-497	c15 N74-18128	US-PATENT-CLASS-40-28	c12 N71-18603
US-PATENT-CLASS-29-497.5	c15 N73-28515	US-PATENT-CLASS-40-130	c09 N73-14215
US-PATENT-CLASS-29-497.5	c15 N73-33383	US-PATENT-CLASS-42-1F	c11 N72-22247
US-PATENT-CLASS-29-497.5	c15 N74-11300	US-PATENT-CLASS-44-77	c06 N71-23499
US-PATENT-CLASS-29-498	c09 N72-25261	US-PATENT-CLASS-47-1.4	c31 N73-32750
US-PATENT-CLASS-29-498	c15 N73-33383	US-PATENT-CLASS-47-17	c31 N73-32750
US-PATENT-CLASS-29-498	c15 N74-11301	US-PATENT-CLASS-51-57	c15 N71-22705
US-PATENT-CLASS-29-498	c15 N74-18128	US-PATENT-CLASS-51-170	c15 N71-26134
US-PATENT-CLASS-29-502	c15 N74-21055	US-PATENT-CLASS-51-216	c15 N72-20444
US-PATENT-CLASS-29-503	c09 N72-25261	US-PATENT-CLASS-51-320	c15 N72-20444
US-PATENT-CLASS-29-504	c15 N74-11301	US-PATENT-CLASS-51-323	c18 N72-25540
US-PATENT-CLASS-29-517	c15 N74-21055	US-PATENT-CLASS-52-DIG.10	c18 N72-25541
US-PATENT-CLASS-29-527.2	c15 N71-17650	US-PATENT-CLASS-52-DIG.10	c15 N72-28496
US-PATENT-CLASS-29-527.2	c15 N72-20444	US-PATENT-CLASS-52-1	c32 N71-21045
US-PATENT-CLASS-29-527.2	c15 N73-32360	US-PATENT-CLASS-52-2	c31 N71-16080
US-PATENT-CLASS-29-527.2	c15 N74-11301	US-PATENT-CLASS-52-3	c31 N73-32749
US-PATENT-CLASS-29-570	c26 N72-28761	US-PATENT-CLASS-52-64	c18 N72-25540
US-PATENT-CLASS-29-572	c09 N71-23027	US-PATENT-CLASS-52-80	
US-PATENT-CLASS-29-572	c03 N71-24681			

NUMBER INDEX

US-PATENT-CLASS-52-80	c18 N72-25541	US-PATENT-CLASS-60-35.54	c28 N71-29153
US-PATENT-CLASS-52-80	c31 N73-32749	US-PATENT-CLASS-60-35.55	c28 N70-34162
US-PATENT-CLASS-52-108	c15 N72-18477	US-PATENT-CLASS-60-35.55	c28 N70-38711
US-PATENT-CLASS-52-109	c31 N73-32749	US-PATENT-CLASS-60-35.55	c21 N71-15582
US-PATENT-CLASS-52-127	c15 N71-21531	US-PATENT-CLASS-60-35.55	c15 N71-28951
US-PATENT-CLASS-52-169	c15 N72-25454	US-PATENT-CLASS-60-35.60	c28 N71-15659
US-PATENT-CLASS-52-171	c11 N73-12265	US-PATENT-CLASS-60-36	c15 N72-33477
US-PATENT-CLASS-52-173	c15 N72-25454	US-PATENT-CLASS-60-37	c15 N73-13467
US-PATENT-CLASS-52-249	c33 N71-25351	US-PATENT-CLASS-60-39.28R	c28 N73-19793
US-PATENT-CLASS-52-272	c31 N71-24035	US-PATENT-CLASS-60-39.36	c28 N71-20330
US-PATENT-CLASS-52-284	c32 N73-13921	US-PATENT-CLASS-60-39.36	c28 N71-28915
US-PATENT-CLASS-52-404	c33 N71-25351	US-PATENT-CLASS-60-39.46	c27 N71-15635
US-PATENT-CLASS-52-573	c15 N72-28496	US-PATENT-CLASS-60-39.47	c27 N71-16392
US-PATENT-CLASS-52-594	c15 N72-25454	US-PATENT-CLASS-60-39.48	c28 N70-38199
US-PATENT-CLASS-52-594	c32 N73-13921	US-PATENT-CLASS-60-39.48	c28 N70-39931
US-PATENT-CLASS-52-646	c31 N73-32749	US-PATENT-CLASS-60-39.48	c27 N71-28929
US-PATENT-CLASS-52-648	c11 N72-25287	US-PATENT-CLASS-60-39.65	c28 N71-28915
US-PATENT-CLASS-52-655	c11 N72-25287	US-PATENT-CLASS-60-39.65	c23 N73-30665
US-PATENT-CLASS-53-22	c15 N71-23256	US-PATENT-CLASS-60-39.66	c15 N70-36411
US-PATENT-CLASS-53-22A	c15 N73-27405	US-PATENT-CLASS-60-39.66	c23 N73-30665
US-PATENT-CLASS-53-102	c15 N71-21528	US-PATENT-CLASS-60-39.72	c23 N73-30665
US-PATENT-CLASS-53-112A	c15 N73-27405	US-PATENT-CLASS-60-39.74	c28 N70-33241
US-PATENT-CLASS-55-16	c06 N72-31140	US-PATENT-CLASS-60-39.74	c28 N72-17843
US-PATENT-CLASS-55-35	c05 N70-41297	US-PATENT-CLASS-60-39.74A	c15 N72-25455
US-PATENT-CLASS-55-55	c06 N72-31140	US-PATENT-CLASS-60-39.74R	c23 N73-30665
US-PATENT-CLASS-55-75	c15 N71-26185	US-PATENT-CLASS-60-39.48	c28 N72-11709
US-PATENT-CLASS-55-158	c18 N71-20742	US-PATENT-CLASS-60-51	c15 N71-27754
US-PATENT-CLASS-55-160	c15 N71-15968	US-PATENT-CLASS-60-54.5	c15 N71-10658
US-PATENT-CLASS-55-179	c14 N71-17588	US-PATENT-CLASS-60-97	c03 N71-12260
US-PATENT-CLASS-55-204	c15 N71-23023	US-PATENT-CLASS-60-108	c33 N71-16104
US-PATENT-CLASS-55-208	c14 N71-18483	US-PATENT-CLASS-60-200	c28 N71-14044
US-PATENT-CLASS-55-306	c28 N70-34788	US-PATENT-CLASS-60-200A	c33 N72-25911
US-PATENT-CLASS-55-400	c11 N71-10777	US-PATENT-CLASS-60-200A	c33 N73-25952
US-PATENT-CLASS-55-408	c15 N70-40062	US-PATENT-CLASS-60-202	c28 N70-41922
US-PATENT-CLASS-55-418	c15 N71-22721	US-PATENT-CLASS-60-202	c28 N71-10574
US-PATENT-CLASS-55-446	c15 N72-22489	US-PATENT-CLASS-60-202	c25 N71-21694
US-PATENT-CLASS-55-464	c15 N72-22489	US-PATENT-CLASS-60-202	c28 N71-21822
US-PATENT-CLASS-55-493	c14 N72-23457	US-PATENT-CLASS-60-202	c28 N71-23081
US-PATENT-CLASS-55-498	c14 N72-23457	US-PATENT-CLASS-60-202	c28 N71-23293
US-PATENT-CLASS-55-502	c14 N72-23457	US-PATENT-CLASS-60-202	c28 N71-25213
US-PATENT-CLASS-55-510	c06 N74-12813	US-PATENT-CLASS-60-202	c28 N71-26173
US-PATENT-CLASS-55-518	c06 N74-12813	US-PATENT-CLASS-60-202	c28 N71-26642
US-PATENT-CLASS-55-521	c14 N72-23457	US-PATENT-CLASS-60-202	c28 N71-26781
US-PATENT-CLASS-58-24	c10 N71-26326	US-PATENT-CLASS-60-202	c28 N72-11709
US-PATENT-CLASS-60-1	c15 N72-33677	US-PATENT-CLASS-60-202	c28 N72-22770
US-PATENT-CLASS-60-1	c15 N73-13467	US-PATENT-CLASS-60-202	c28 N72-22771
US-PATENT-CLASS-60-23	c09 N71-26182	US-PATENT-CLASS-60-202	c28 N73-24783
US-PATENT-CLASS-60-23	c15 N72-12409	US-PATENT-CLASS-60-202	c25 N73-25760
US-PATENT-CLASS-60-23	c21 N72-31637	US-PATENT-CLASS-60-202	c28 N73-27699
US-PATENT-CLASS-60-23	c15 N73-13467	US-PATENT-CLASS-60-211	c28 N73-13773
US-PATENT-CLASS-60-25	c15 N73-24513	US-PATENT-CLASS-60-215	c06 N73-30097
US-PATENT-CLASS-60-25	c15 N74-21060	US-PATENT-CLASS-60-217	c12 N71-17631
US-PATENT-CLASS-60-26	c21 N72-31637	US-PATENT-CLASS-60-225	c28 N71-10780
US-PATENT-CLASS-60-26	c03 N73-20040	US-PATENT-CLASS-60-240	c28 N71-24736
US-PATENT-CLASS-60-35.3	c28 N70-33265	US-PATENT-CLASS-60-240	c28 N73-13773
US-PATENT-CLASS-60-35.3	c28 N70-40367	US-PATENT-CLASS-60-243	c33 N71-21507
US-PATENT-CLASS-60-35.5	c28 N70-33356	US-PATENT-CLASS-60-243	c15 N71-27432
US-PATENT-CLASS-60-35.5	c28 N70-34175	US-PATENT-CLASS-60-243	c28 N73-13773
US-PATENT-CLASS-60-35.5	c22 N70-34248	US-PATENT-CLASS-60-251	c28 N70-41311
US-PATENT-CLASS-60-35.5	c28 N70-36802	US-PATENT-CLASS-60-251	c27 N71-21819
US-PATENT-CLASS-60-35.5	c21 N70-36938	US-PATENT-CLASS-60-254	c28 N72-20758
US-PATENT-CLASS-60-35.5	c25 N70-36946	US-PATENT-CLASS-60-254	c28 N73-24784
US-PATENT-CLASS-60-35.5	c28 N70-37245	US-PATENT-CLASS-60-256	c28 N73-24784
US-PATENT-CLASS-60-35.5	c28 N70-37980	US-PATENT-CLASS-60-257	c31 N70-41948
US-PATENT-CLASS-60-35.5	c28 N71-14043	US-PATENT-CLASS-60-258	c15 N70-22192
US-PATENT-CLASS-60-35.5	c28 N71-15661	US-PATENT-CLASS-60-258	c28 N71-22983
US-PATENT-CLASS-60-35.6	c28 N70-33284	US-PATENT-CLASS-60-258	c28 N71-28849
US-PATENT-CLASS-60-35.6	c28 N70-33331	US-PATENT-CLASS-60-258	c28 N72-17843
US-PATENT-CLASS-60-35.6	c28 N70-33374	US-PATENT-CLASS-60-258	c15 N72-25455
US-PATENT-CLASS-60-35.6	c28 N70-33375	US-PATENT-CLASS-60-258	c28 N74-13502
US-PATENT-CLASS-60-35.6	c28 N70-34860	US-PATENT-CLASS-60-259	c28 N70-41275
US-PATENT-CLASS-60-35.6	c28 N70-35381	US-PATENT-CLASS-60-259	c28 N74-13502
US-PATENT-CLASS-60-35.6	c27 N70-35534	US-PATENT-CLASS-60-260	c28 N70-41992
US-PATENT-CLASS-60-35.6	c15 N70-36535	US-PATENT-CLASS-60-260	c28 N72-18766
US-PATENT-CLASS-60-35.6	c28 N70-36806	US-PATENT-CLASS-60-263	c28 N71-24321
US-PATENT-CLASS-60-35.6	c28 N70-36910	US-PATENT-CLASS-60-265	c28 N71-20942
US-PATENT-CLASS-60-35.6	c28 N70-38249	US-PATENT-CLASS-60-265	c33 N72-25911
US-PATENT-CLASS-60-35.6	c28 N70-38504	US-PATENT-CLASS-60-265	c33 N73-25952
US-PATENT-CLASS-60-35.6	c28 N70-38505	US-PATENT-CLASS-60-266	c33 N71-28852
US-PATENT-CLASS-60-35.6	c28 N70-38710	US-PATENT-CLASS-60-266	c28 N72-23810
US-PATENT-CLASS-60-35.6	c28 N70-39899	US-PATENT-CLASS-60-267	c33 N71-29053
US-PATENT-CLASS-60-35.6	c33 N71-15623	US-PATENT-CLASS-60-267	c33 N72-25911
US-PATENT-CLASS-60-35.6	c27 N71-15634	US-PATENT-CLASS-60-267	c33 N73-25952
US-PATENT-CLASS-60-35.6	c31 N71-15637	US-PATENT-CLASS-60-267	c28 N73-32606
US-PATENT-CLASS-60-35.6	c31 N71-15647	US-PATENT-CLASS-60-271	c28 N72-11708
US-PATENT-CLASS-60-35.6	c28 N71-15660	US-PATENT-CLASS-60-271	c28 N72-23810
US-PATENT-CLASS-60-35.6	c14 N71-27186	US-PATENT-CLASS-60-291	c31 N73-13898
US-PATENT-CLASS-60-35.54	c28 N70-34294	US-PATENT-CLASS-62-2	c15 N71-15906
US-PATENT-CLASS-60-35.54	c28 N70-38645	US-PATENT-CLASS-62-6	c15 N69-23190

NUMBER INDEX

US-PATENT-CLASS-62-6	c23	N71-15467	US-PATENT-CLASS-73-15.6	c32	N74-19528
US-PATENT-CLASS-62-6	c15	N71-23025	US-PATENT-CLASS-73-15R	c33	N72-25913
US-PATENT-CLASS-62-6	c23	N72-25619	US-PATENT-CLASS-73-15R	c14	N73-28486
US-PATENT-CLASS-62-7	c15	N73-12486	US-PATENT-CLASS-73-15R	c33	N74-18551
US-PATENT-CLASS-62-15	c06	N70-34946	US-PATENT-CLASS-73-17	c06	N71-24607
US-PATENT-CLASS-62-40	c15	N71-24044	US-PATENT-CLASS-73-23	c14	N71-10774
US-PATENT-CLASS-62-45	c15	N70-33323	US-PATENT-CLASS-73-23	c05	N71-11202
US-PATENT-CLASS-62-45	c31	N70-41871	US-PATENT-CLASS-73-23	c05	N74-20728
US-PATENT-CLASS-62-45	c33	N71-25351	US-PATENT-CLASS-73-23.1	c06	N69-39936
US-PATENT-CLASS-62-45	c33	N71-28892	US-PATENT-CLASS-73-23.1	c06	N72-17094
US-PATENT-CLASS-62-45	c15	N73-12486	US-PATENT-CLASS-73-23.1	c06	N72-25146
US-PATENT-CLASS-62-45	c14	N74-15093	US-PATENT-CLASS-73-24	c06	N69-39733
US-PATENT-CLASS-62-50	c15	N70-34247	US-PATENT-CLASS-73-28	c14	N73-27376
US-PATENT-CLASS-62-51	c15	N72-17453	US-PATENT-CLASS-73-28	c14	N73-30395
US-PATENT-CLASS-62-55	c15	N70-38020	US-PATENT-CLASS-73-29	c14	N71-17701
US-PATENT-CLASS-62-55.5	c11	N71-24964	US-PATENT-CLASS-73-29	c14	N71-20741
US-PATENT-CLASS-62-55.5	c15	N72-22484	US-PATENT-CLASS-73-30	c14	N70-41681
US-PATENT-CLASS-62-56	c05	N72-11084	US-PATENT-CLASS-73-32	c14	N70-41330
US-PATENT-CLASS-62-80	c23	N72-25619	US-PATENT-CLASS-73-35	c33	N72-27959
US-PATENT-CLASS-62-85	c23	N72-25619	US-PATENT-CLASS-73-38	c18	N71-24934
US-PATENT-CLASS-62-89	c05	N73-26071	US-PATENT-CLASS-73-40.5	c14	N71-10779
US-PATENT-CLASS-62-93	c15	N69-21465	US-PATENT-CLASS-73-40.7	c15	N71-24910
US-PATENT-CLASS-62-93	c03	N72-28025	US-PATENT-CLASS-73-40.7	c14	N71-28992
US-PATENT-CLASS-62-176	c05	N73-26071	US-PATENT-CLASS-73-45.5	c12	N71-17573
US-PATENT-CLASS-62-207	c05	N73-26071	US-PATENT-CLASS-73-49.2	c32	N71-24285
US-PATENT-CLASS-62-209	c05	N73-26071	US-PATENT-CLASS-73-49.3	c14	N71-26672
US-PATENT-CLASS-62-259	c05	N73-20137	US-PATENT-CLASS-73-49.8	c14	N69-27503
US-PATENT-CLASS-62-259	c05	N73-26071	US-PATENT-CLASS-73-49.8	c15	N71-29132
US-PATENT-CLASS-62-268	c14	N71-20427	US-PATENT-CLASS-73-57	c14	N71-17584
US-PATENT-CLASS-62-384	c23	N71-24725	US-PATENT-CLASS-73-57	c14	N73-14429
US-PATENT-CLASS-62-467	c32	N70-37979	US-PATENT-CLASS-73-60	c14	N73-14429
US-PATENT-CLASS-62-467	c33	N71-17897	US-PATENT-CLASS-73-61	c14	N71-26199
US-PATENT-CLASS-62-467	c05	N72-11084	US-PATENT-CLASS-73-65	c14	N71-22992
US-PATENT-CLASS-62-467	c33	N72-25911	US-PATENT-CLASS-73-67.2	c11	N69-21540
US-PATENT-CLASS-62-467	c33	N73-25952	US-PATENT-CLASS-73-67.2	c15	N71-18132
US-PATENT-CLASS-62-475	c23	N72-25619	US-PATENT-CLASS-73-67.2	c14	N72-22440
US-PATENT-CLASS-62-514	c23	N71-26654	US-PATENT-CLASS-73-67.3	c32	N73-26910
US-PATENT-CLASS-64-18	c15	N71-28467	US-PATENT-CLASS-73-67.5R	c23	N74-15395
US-PATENT-CLASS-64-27	c15	N71-28959	US-PATENT-CLASS-73-67.8S	c14	N74-10415
US-PATENT-CLASS-64-28	c15	N69-27505	US-PATENT-CLASS-73-67.8S	c15	N74-15130
US-PATENT-CLASS-65-DIG.11	c15	N74-21063	US-PATENT-CLASS-73-67.9	c05	N74-20726
US-PATENT-CLASS-65-7	c18	N71-23088	US-PATENT-CLASS-73-70.2	c14	N71-10616
US-PATENT-CLASS-72-34	c15	N71-21536	US-PATENT-CLASS-73-71.2	c14	N70-34794
US-PATENT-CLASS-72-53	c15	N71-18616	US-PATENT-CLASS-73-71.3	c16	N74-15146
US-PATENT-CLASS-72-53	c15	N73-32360	US-PATENT-CLASS-73-71.4	c32	N71-16428
US-PATENT-CLASS-72-56	c15	N70-34249	US-PATENT-CLASS-73-71.4	c32	N71-26681
US-PATENT-CLASS-72-56	c15	N71-24833	US-PATENT-CLASS-73-71.5U	c23	N74-15395
US-PATENT-CLASS-72-56	c15	N71-24865	US-PATENT-CLASS-73-71.6	c14	N71-27185
US-PATENT-CLASS-72-56	c15	N71-26148	US-PATENT-CLASS-73-71.6	c14	N72-27412
US-PATENT-CLASS-72-60	c15	N71-24836	US-PATENT-CLASS-73-71.6	c14	N73-13416
US-PATENT-CLASS-72-61	c15	N71-26346	US-PATENT-CLASS-73-71.6	c14	N73-19421
US-PATENT-CLASS-72-83	c15	N71-22723	US-PATENT-CLASS-73-76	c06	N72-17095
US-PATENT-CLASS-72-253	c15	N71-22797	US-PATENT-CLASS-73-79	c14	N71-26161
US-PATENT-CLASS-72-258	c15	N73-13464	US-PATENT-CLASS-73-81	c14	N73-32321
US-PATENT-CLASS-72-307	c15	N72-12408	US-PATENT-CLASS-73-84	c14	N71-22765
US-PATENT-CLASS-72-354	c15	N71-23811	US-PATENT-CLASS-73-84	c14	N73-19420
US-PATENT-CLASS-72-364	c15	N71-18579	US-PATENT-CLASS-73-85	c14	N72-33377
US-PATENT-CLASS-72-369	c15	N71-24679	US-PATENT-CLASS-73-86	c14	N69-39975
US-PATENT-CLASS-72-447	c15	N73-13463	US-PATENT-CLASS-73-86	c33	N71-21586
US-PATENT-CLASS-72-467	c15	N71-23817	US-PATENT-CLASS-73-86	c33	N73-27796
US-PATENT-CLASS-72-476	c15	N73-13463	US-PATENT-CLASS-73-86	c33	N74-15652
US-PATENT-CLASS-73-1	c10	N71-13545	US-PATENT-CLASS-73-88	c32	N71-17645
US-PATENT-CLASS-73-1	c09	N71-22988	US-PATENT-CLASS-73-88.5	c14	N70-34705
US-PATENT-CLASS-73-1DV	c14	N73-27379	US-PATENT-CLASS-73-88.5	c14	N70-34799
US-PATENT-CLASS-73-1F	c14	N74-21019	US-PATENT-CLASS-73-88.5	c14	N71-17656
US-PATENT-CLASS-73-1R	c14	N71-29134	US-PATENT-CLASS-73-88.5	c14	N71-21091
US-PATENT-CLASS-73-4	c14	N71-18481	US-PATENT-CLASS-73-88.5	c14	N71-23087
US-PATENT-CLASS-73-4	c14	N71-23036	US-PATENT-CLASS-73-88.5	c14	N71-24233
US-PATENT-CLASS-73-4	c14	N71-23755	US-PATENT-CLASS-73-88.5	c09	N72-22200
US-PATENT-CLASS-73-4	c14	N73-30390	US-PATENT-CLASS-73-88.5R	c15	N72-17452
US-PATENT-CLASS-73-4R	c14	N74-13132	US-PATENT-CLASS-73-88.5R	c32	N73-26910
US-PATENT-CLASS-73-4V	c14	N74-15092	US-PATENT-CLASS-73-88A	c32	N73-20740
US-PATENT-CLASS-73-9	c14	N71-22995	US-PATENT-CLASS-73-88R	c14	N74-13129
US-PATENT-CLASS-73-12	c14	N71-23225	US-PATENT-CLASS-73-90	c32	N70-42003
US-PATENT-CLASS-73-12	c14	N71-26161	US-PATENT-CLASS-73-90	c32	N71-25360
US-PATENT-CLASS-73-12	c14	N72-16282	US-PATENT-CLASS-73-90	c14	N73-20476
US-PATENT-CLASS-73-12	c14	N72-25411	US-PATENT-CLASS-73-91	c14	N73-20476
US-PATENT-CLASS-73-12	c14	N73-32327	US-PATENT-CLASS-73-91	c32	N73-26910
US-PATENT-CLASS-73-12	c15	N74-21062	US-PATENT-CLASS-73-91	c32	N74-19528
US-PATENT-CLASS-73-15	c14	N70-34156	US-PATENT-CLASS-73-94	c14	N73-32323
US-PATENT-CLASS-73-15	c14	N71-15992	US-PATENT-CLASS-73-95	c15	N71-24834
US-PATENT-CLASS-73-15	c14	N71-22964	US-PATENT-CLASS-73-95	c14	N72-11364
US-PATENT-CLASS-73-15	c11	N71-24985	US-PATENT-CLASS-73-97	c14	N71-15600
US-PATENT-CLASS-73-15	c11	N71-28629	US-PATENT-CLASS-73-99	c14	N71-10781
US-PATENT-CLASS-73-15.4	c14	N71-17659	US-PATENT-CLASS-73-100	c15	N70-41993
US-PATENT-CLASS-73-15.6	c14	N70-35368	US-PATENT-CLASS-73-100	c32	N72-25877
US-PATENT-CLASS-73-15.6	c14	N71-24234	US-PATENT-CLASS-73-103	c15	N71-17696
US-PATENT-CLASS-73-15.6	c14	N71-26136	US-PATENT-CLASS-73-103	c14	N72-27412
US-PATENT-CLASS-73-15.6	c32	N72-25877	US-PATENT-CLASS-73-103	c14	N73-32323

NUMBER INDEX

US-PATENT-CLASS-73-105	c14 N70-34161	US-PATENT-CLASS-73-295	c23 N71-17802
US-PATENT-CLASS-73-105	c14 N71-17586	US-PATENT-CLASS-73-301	c12 N71-26387
US-PATENT-CLASS-73-116	c11 N70-33278	US-PATENT-CLASS-73-304	c14 N72-22442
US-PATENT-CLASS-73-116	c11 N70-34844	US-PATENT-CLASS-73-304C	c14 N71-29134
US-PATENT-CLASS-73-116	c14 N70-40203	US-PATENT-CLASS-73-339	c33 N73-27796
US-PATENT-CLASS-73-116	c11 N70-41677	US-PATENT-CLASS-73-341	c14 N71-15598
US-PATENT-CLASS-73-116	c11 N71-10604	US-PATENT-CLASS-73-343	c33 N71-16356
US-PATENT-CLASS-73-116	c31 N71-15643	US-PATENT-CLASS-73-343	c11 N71-21475
US-PATENT-CLASS-73-117	c14 N71-22965	US-PATENT-CLASS-73-355	c14 N71-27323
US-PATENT-CLASS-73-117.1	c11 N72-27262	US-PATENT-CLASS-73-355	c14 N72-28437
US-PATENT-CLASS-73-117.4	c14 N71-20429	US-PATENT-CLASS-73-355R	c14 N72-24477
US-PATENT-CLASS-73-117.4	c28 N71-27094	US-PATENT-CLASS-73-379	c05 N73-27947
US-PATENT-CLASS-73-133	c14 N71-23725	US-PATENT-CLASS-73-379	c05 N73-30078
US-PATENT-CLASS-73-133	c15 N72-22482	US-PATENT-CLASS-73-382	c10 N71-13537
US-PATENT-CLASS-73-134	c14 N70-40201	US-PATENT-CLASS-73-382	c14 N71-17587
US-PATENT-CLASS-73-136	c14 N70-34818	US-PATENT-CLASS-73-384	c15 N70-37925
US-PATENT-CLASS-73-136R	c15 N72-26371	US-PATENT-CLASS-73-389	c12 N71-24692
US-PATENT-CLASS-73-140	c11 N72-25288	US-PATENT-CLASS-73-398	c14 N70-34816
US-PATENT-CLASS-73-141	c14 N70-41957	US-PATENT-CLASS-73-398	c14 N71-21072
US-PATENT-CLASS-73-141	c15 N71-20441	US-PATENT-CLASS-73-398	c09 N71-24597
US-PATENT-CLASS-73-141	c14 N71-23790	US-PATENT-CLASS-73-398	c14 N73-30394
US-PATENT-CLASS-73-141A	c26 N71-25490	US-PATENT-CLASS-73-398C	c14 N72-22438
US-PATENT-CLASS-73-141A	c14 N72-21405	US-PATENT-CLASS-73-400	c14 N71-23093
US-PATENT-CLASS-73-141A	c14 N72-22437	US-PATENT-CLASS-73-400	c14 N71-24232
US-PATENT-CLASS-73-141AB	c14 N72-33377	US-PATENT-CLASS-73-401	c14 N70-34820
US-PATENT-CLASS-73-142	c15 N70-40180	US-PATENT-CLASS-73-419	c14 N71-22752
US-PATENT-CLASS-73-142	c14 N71-20439	US-PATENT-CLASS-73-420	c14 N74-13132
US-PATENT-CLASS-73-144	c15 N71-22878	US-PATENT-CLASS-73-421.5	c14 N73-12444
US-PATENT-CLASS-73-147	c11 N70-33287	US-PATENT-CLASS-73-421.5R	c13 N72-25323
US-PATENT-CLASS-73-147	c14 N70-33386	US-PATENT-CLASS-73-421.5R	c14 N73-30395
US-PATENT-CLASS-73-147	c14 N70-34813	US-PATENT-CLASS-73-421.5R	c05 N74-20728
US-PATENT-CLASS-73-147	c11 N70-36913	US-PATENT-CLASS-73-422	c14 N71-20435
US-PATENT-CLASS-73-147	c14 N70-40400	US-PATENT-CLASS-73-422GC	c13 N72-25323
US-PATENT-CLASS-73-147	c14 N70-41366	US-PATENT-CLASS-73-422TC	c13 N72-25323
US-PATENT-CLASS-73-147	c11 N71-15926	US-PATENT-CLASS-73-425.6	c15 N72-21465
US-PATENT-CLASS-73-147	c09 N71-16086	US-PATENT-CLASS-73-432	c11 N70-34786
US-PATENT-CLASS-73-147	c12 N71-20436	US-PATENT-CLASS-73-432	c11 N70-38675
US-PATENT-CLASS-73-147	c09 N71-20816	US-PATENT-CLASS-73-432	c05 N70-42000
US-PATENT-CLASS-73-147	c11 N71-21481	US-PATENT-CLASS-73-432	c31 N71-16221
US-PATENT-CLASS-73-147	c11 N71-23030	US-PATENT-CLASS-73-432	c27 N71-16223
US-PATENT-CLASS-73-147	c15 N71-27006	US-PATENT-CLASS-73-432	c30 N71-17788
US-PATENT-CLASS-73-147	c15 N71-28740	US-PATENT-CLASS-73-432	c14 N71-23227
US-PATENT-CLASS-73-147	c11 N71-33612	US-PATENT-CLASS-73-432	c10 N71-26339
US-PATENT-CLASS-73-147	c11 N72-17183	US-PATENT-CLASS-73-432	c11 N71-28629
US-PATENT-CLASS-73-147	c14 N72-21407	US-PATENT-CLASS-73-432	c14 N71-30026
US-PATENT-CLASS-73-147	c11 N72-22246	US-PATENT-CLASS-73-432	c15 N74-21062
US-PATENT-CLASS-73-147	c11 N73-12264	US-PATENT-CLASS-73-432R	c33 N73-27796
US-PATENT-CLASS-73-147	c14 N73-13415	US-PATENT-CLASS-73-432R	c14 N73-28487
US-PATENT-CLASS-73-147	c12 N73-25262	US-PATENT-CLASS-73-432SD	c11 N72-27262
US-PATENT-CLASS-73-147	c12 N73-28144	US-PATENT-CLASS-73-432SD	c11 N73-20267
US-PATENT-CLASS-73-147	c11 N74-17955	US-PATENT-CLASS-73-492	c14 N72-25411
US-PATENT-CLASS-73-149	c14 N72-11363	US-PATENT-CLASS-73-497	c14 N71-30265
US-PATENT-CLASS-73-149	c05 N74-10975	US-PATENT-CLASS-73-497	c14 N74-15094
US-PATENT-CLASS-73-161	c11 N72-25288	US-PATENT-CLASS-73-505	c23 N71-16098
US-PATENT-CLASS-73-170	c14 N71-14996	US-PATENT-CLASS-73-515	c14 N72-25410
US-PATENT-CLASS-73-170	c17 N73-32415	US-PATENT-CLASS-73-517	c11 N70-38196
US-PATENT-CLASS-73-170R	c07 N73-20175	US-PATENT-CLASS-73-517	c14 N70-41682
US-PATENT-CLASS-73-170R	c14 N73-28487	US-PATENT-CLASS-73-517	c14 N71-15969
US-PATENT-CLASS-73-170R	c14 N73-32327	US-PATENT-CLASS-73-517B	c14 N74-15094
US-PATENT-CLASS-73-178	c14 N70-36807	US-PATENT-CLASS-73-521	c14 N72-25410
US-PATENT-CLASS-73-178	c14 N70-40157	US-PATENT-CLASS-74-2	c15 N71-24600
US-PATENT-CLASS-73-182	c14 N73-13415	US-PATENT-CLASS-74-2	c37 N73-14855
US-PATENT-CLASS-73-189	c20 N71-16281	US-PATENT-CLASS-74-5.6	c14 N74-15094
US-PATENT-CLASS-73-189	c02 N71-23007	US-PATENT-CLASS-74-5.7	c23 N74-18323
US-PATENT-CLASS-73-189	c14 N71-23726	US-PATENT-CLASS-74-5.12	c31 N71-26537
US-PATENT-CLASS-73-189	c14 N73-13415	US-PATENT-CLASS-74-5.22	c21 N73-13644
US-PATENT-CLASS-73-189	c14 N73-25460	US-PATENT-CLASS-74-5.47	c21 N71-23289
US-PATENT-CLASS-73-189	c33 N71-15641	US-PATENT-CLASS-74-5F	c15 N73-12488
US-PATENT-CLASS-73-190	c14 N71-22989	US-PATENT-CLASS-74-18.2	c11 N71-27036
US-PATENT-CLASS-73-190	c33 N71-23085	US-PATENT-CLASS-74-63	c15 N71-17692
US-PATENT-CLASS-73-190	c33 N71-29051	US-PATENT-CLASS-74-89.15	c15 N71-26635
US-PATENT-CLASS-73-194	c14 N70-41994	US-PATENT-CLASS-74-89.15	c15 N72-21462
US-PATENT-CLASS-73-194	c14 N71-23226	US-PATENT-CLASS-74-89.16	c15 N71-23809
US-PATENT-CLASS-73-194	c12 N71-26546	US-PATENT-CLASS-74-100	c15 N71-24045
US-PATENT-CLASS-73-194A	c14 N72-17329	US-PATENT-CLASS-74-105	c09 N72-22195
US-PATENT-CLASS-73-194E	c14 N73-20478	US-PATENT-CLASS-74-126	c15 N71-21529
US-PATENT-CLASS-73-194E	c05 N73-32015	US-PATENT-CLASS-74-409	c15 N71-21744
US-PATENT-CLASS-73-194EM	c14 N73-32326	US-PATENT-CLASS-74-424.8	c15 N71-26635
US-PATENT-CLASS-73-194F	c14 N74-21018	US-PATENT-CLASS-74-468	c15 N71-24984
US-PATENT-CLASS-73-194M	c14 N72-11365	US-PATENT-CLASS-74-469	c15 N72-21463
US-PATENT-CLASS-73-198	c05 N73-32015	US-PATENT-CLASS-74-469	c15 N72-28495
US-PATENT-CLASS-73-198	c14 N69-24257	US-PATENT-CLASS-74-471	c05 N70-41581
US-PATENT-CLASS-73-204	c14 N72-17327	US-PATENT-CLASS-74-471	c03 N70-42073
US-PATENT-CLASS-73-212	c12 N71-17569	US-PATENT-CLASS-74-471	c15 N71-20740
US-PATENT-CLASS-73-212	c14 N70-36824	US-PATENT-CLASS-74-501H	c15 N72-22485
US-PATENT-CLASS-73-290	c14 N73-13415	US-PATENT-CLASS-74-519	c03 N70-41954
US-PATENT-CLASS-73-290	c14 N71-10500	US-PATENT-CLASS-74-594.6	c15 N74-18127
US-PATENT-CLASS-73-290B	c14 N71-21007	US-PATENT-CLASS-74-594.7	c15 N74-18127
	c14 N72-11363	US-PATENT-CLASS-75-5B	c17 N72-22530

NUMBER INDEX

US-PATENT-CLASS-75-DIG.1	c18 N72-25539	US-PATENT-CLASS-95-1.1	c14 N72-18411
US-PATENT-CLASS-75-0.5BB	c15 N72-25448	US-PATENT-CLASS-95-1.1	c14 N73-26431
US-PATENT-CLASS-75-20F	c15 N72-11387	US-PATENT-CLASS-95-11	c14 N71-18465
US-PATENT-CLASS-75-63	c15 N71-27184	US-PATENT-CLASS-95-11	c16 N71-33410
US-PATENT-CLASS-75-66	c17 N71-26773	US-PATENT-CLASS-95-11	c14 N73-32319
US-PATENT-CLASS-75-66	c06 N73-13129	US-PATENT-CLASS-95-11.5	c14 N73-32319
US-PATENT-CLASS-75-66	c17 N73-28573	US-PATENT-CLASS-95-11.5R	c14 N73-19419
US-PATENT-CLASS-75-135	c18 N73-32437	US-PATENT-CLASS-95-11R	c14 N73-19419
US-PATENT-CLASS-75-142	c17 N71-20743	US-PATENT-CLASS-95-12	c14 N73-33361
US-PATENT-CLASS-75-170	c17 N71-15644	US-PATENT-CLASS-95-12.5	c31 N72-25842
US-PATENT-CLASS-75-170	c17 N71-16025	US-PATENT-CLASS-95-12.5	c14 N73-14427
US-PATENT-CLASS-75-170	c17 N71-23248	US-PATENT-CLASS-95-18	c14 N72-20380
US-PATENT-CLASS-75-170	c17 N72-22535	US-PATENT-CLASS-95-42	c14 N73-32322
US-PATENT-CLASS-75-171	c17 N70-33283	US-PATENT-CLASS-95-44	c14 N71-26474
US-PATENT-CLASS-75-171	c17 N70-36616	US-PATENT-CLASS-95-53	c15 N71-21060
US-PATENT-CLASS-75-171	c17 N71-16026	US-PATENT-CLASS-95-53EA	c09 N74-20861
US-PATENT-CLASS-75-171	c17 N73-32415	US-PATENT-CLASS-95-58	c14 N70-40273
US-PATENT-CLASS-75-172	c17 N71-23365	US-PATENT-CLASS-95-59	c14 N73-14427
US-PATENT-CLASS-75-200	c17 N74-10521	US-PATENT-CLASS-95-89R	c07 N74-15831
US-PATENT-CLASS-75-200	c15 N74-13179	US-PATENT-CLASS-96-36.2	c06 N72-21094
US-PATENT-CLASS-75-202	c17 N71-15468	US-PATENT-CLASS-96-36.2	c15 N72-25452
US-PATENT-CLASS-75-204	c18 N71-22894	US-PATENT-CLASS-96-49	c14 N71-17574
US-PATENT-CLASS-75-206	c15 N72-25448	US-PATENT-CLASS-96-90PC	c14 N72-22443
US-PATENT-CLASS-75-208	c18 N72-25539	US-PATENT-CLASS-99-80PS	c05 N72-33096
US-PATENT-CLASS-75-211	c18 N72-25539	US-PATENT-CLASS-100-8	c09 N74-17928
US-PATENT-CLASS-75-213	c15 N72-25448	US-PATENT-CLASS-100-299	c15 N72-20446
US-PATENT-CLASS-75-213	c15 N74-13179	US-PATENT-CLASS-102-34.4	c07 N72-25171
US-PATENT-CLASS-75-214	c15 N74-13179	US-PATENT-CLASS-102-49	c33 N70-36846
US-PATENT-CLASS-75-222	c28 N70-38197	US-PATENT-CLASS-102-49	c28 N70-38181
US-PATENT-CLASS-75-226	c18 N72-25539	US-PATENT-CLASS-102-49	c03 N70-39930
US-PATENT-CLASS-75-226	c17 N74-10521	US-PATENT-CLASS-102-49	c15 N70-41679
US-PATENT-CLASS-75-226	c15 N74-13179	US-PATENT-CLASS-102-49	c28 N70-41967
US-PATENT-CLASS-78-1	c15 N70-33330	US-PATENT-CLASS-102-49	c31 N71-10582
US-PATENT-CLASS-81-3R	c15 N71-29133	US-PATENT-CLASS-102-49	c15 N71-13789
US-PATENT-CLASS-81-57.38	c15 N73-30457	US-PATENT-CLASS-102-49	c31 N71-15692
US-PATENT-CLASS-81-63.1	c15 N71-17805	US-PATENT-CLASS-102-49	c31 N71-17730
US-PATENT-CLASS-82-14	c15 N71-22722	US-PATENT-CLASS-102-49.5	c31 N71-15687
US-PATENT-CLASS-82-24R	c14 N72-16283	US-PATENT-CLASS-102-49.5	c15 N71-22874
US-PATENT-CLASS-83-8	c15 N72-27485	US-PATENT-CLASS-102-49.5	c31 N71-23008
US-PATENT-CLASS-83-452	c14 N74-13131	US-PATENT-CLASS-102-49.5	c31 N73-14853
US-PATENT-CLASS-83-467	c15 N71-22798	US-PATENT-CLASS-102-49.7	c28 N73-24784
US-PATENT-CLASS-83-522	c15 N72-27485	US-PATENT-CLASS-102-49.8	c28 N73-24784
US-PATENT-CLASS-83-562	c15 N72-27485	US-PATENT-CLASS-102-50	c31 N71-24750
US-PATENT-CLASS-83-563	c15 N72-27485	US-PATENT-CLASS-102-70.2	c09 N71-18599
US-PATENT-CLASS-83-588	c15 N72-27485	US-PATENT-CLASS-102-70.2R	c14 N74-15089
US-PATENT-CLASS-83-602	c14 N74-13131	US-PATENT-CLASS-102-95	c11 N73-32152
US-PATENT-CLASS-83-917	c14 N74-13131	US-PATENT-CLASS-102-101	c28 N71-26779
US-PATENT-CLASS-85-1	c15 N72-22488	US-PATENT-CLASS-102-105	c33 N72-17947
US-PATENT-CLASS-85-3	c15 N71-17653	US-PATENT-CLASS-102-105	c33 N72-25911
US-PATENT-CLASS-85-5B	c15 N72-11385	US-PATENT-CLASS-102-105	c33 N73-25952
US-PATENT-CLASS-85-7	c15 N71-23254	US-PATENT-CLASS-103.5R	c04 N73-27052
US-PATENT-CLASS-85-33	c15 N71-15922	US-PATENT-CLASS-103-1	c26 N71-21824
US-PATENT-CLASS-85-33	c15 N71-21489	US-PATENT-CLASS-103-37	c28 N71-14058
US-PATENT-CLASS-86-1	c28 N71-26779	US-PATENT-CLASS-103-48	c15 N71-24042
US-PATENT-CLASS-86-20.2	c28 N71-26779	US-PATENT-CLASS-104-1	c05 N71-28619
US-PATENT-CLASS-88-1	c21 N70-35427	US-PATENT-CLASS-104-139	c05 N71-28619
US-PATENT-CLASS-88-1	c21 N71-22880	US-PATENT-CLASS-106-15	c18 N71-14014
US-PATENT-CLASS-88-14	c14 N70-34298	US-PATENT-CLASS-106-15	c18 N71-15469
US-PATENT-CLASS-88-14	c14 N70-40003	US-PATENT-CLASS-106-39	c26 N72-28762
US-PATENT-CLASS-88-14	c14 N70-41946	US-PATENT-CLASS-106-39R	c18 N73-14584
US-PATENT-CLASS-88-14	c14 N70-41955	US-PATENT-CLASS-106-40	c18 N71-22998
US-PATENT-CLASS-88-14	c09 N71-22999	US-PATENT-CLASS-106-46	c26 N72-28762
US-PATENT-CLASS-88-16	c14 N70-33254	US-PATENT-CLASS-106-52	c15 N74-21063
US-PATENT-CLASS-88-24	c23 N71-21882	US-PATENT-CLASS-106-55	c17 N71-20941
US-PATENT-CLASS-89-1	c03 N70-34667	US-PATENT-CLASS-106-55	c18 N73-14584
US-PATENT-CLASS-89-1	c15 N71-16078	US-PATENT-CLASS-106-58	c18 N73-14584
US-PATENT-CLASS-89-1.5	c31 N71-15675	US-PATENT-CLASS-106-63	c18 N73-14584
US-PATENT-CLASS-89-1.5	c15 N71-24600	US-PATENT-CLASS-106-74	c18 N69-39979
US-PATENT-CLASS-89-1.7	c11 N70-38202	US-PATENT-CLASS-106-84	c18 N71-24183
US-PATENT-CLASS-89-1.7	c30 N70-40353	US-PATENT-CLASS-106-84	c18 N71-24184
US-PATENT-CLASS-89-1.7	c03 N71-12258	US-PATENT-CLASS-106-84	c18 N72-25666
US-PATENT-CLASS-89-1.7	c03 N71-12259	US-PATENT-CLASS-106-84	c18 N72-23581
US-PATENT-CLASS-89-1.806	c15 N71-24043	US-PATENT-CLASS-106-88	c18 N71-16124
US-PATENT-CLASS-89-1.811	c15 N72-17455	US-PATENT-CLASS-106-209	c05 N72-25120
US-PATENT-CLASS-89-8	c11 N71-18578	US-PATENT-CLASS-106-286	c18 N72-22566
US-PATENT-CLASS-89-8	c11 N73-32152	US-PATENT-CLASS-106-288B	c18 N72-22566
US-PATENT-CLASS-90-11	c15 N71-33518	US-PATENT-CLASS-106-292	c18 N72-17532
US-PATENT-CLASS-90-12	c15 N71-22799	US-PATENT-CLASS-106-296	c18 N71-26772
US-PATENT-CLASS-91-186	c05 N73-32014	US-PATENT-CLASS-106-299	c18 N72-17532
US-PATENT-CLASS-91-361	c15 N71-27754	US-PATENT-CLASS-112-402	c18 N71-26285
US-PATENT-CLASS-91-363A	c15 N73-13466	US-PATENT-CLASS-113-116	c15 N71-15597
US-PATENT-CLASS-91-390	c15 N71-27147	US-PATENT-CLASS-114-66.5	c12 N70-33305
US-PATENT-CLASS-91-390	c15 N71-27754	US-PATENT-CLASS-114-122	c02 N73-26006
US-PATENT-CLASS-91-448	c15 N71-27754	US-PATENT-CLASS-116-114AH	c14 N72-25411
US-PATENT-CLASS-91-448	c15 N73-13466	US-PATENT-CLASS-116-117	c14 N70-42074
US-PATENT-CLASS-91-461	c15 N71-27147	US-PATENT-CLASS-117-6	c14 N71-20461
US-PATENT-CLASS-92-49	c14 N73-13418	US-PATENT-CLASS-117-16R	c15 N72-25452
US-PATENT-CLASS-92-94	c32 N70-41370	US-PATENT-CLASS-117-21	c18 N69-39895
US-PATENT-CLASS-93-1	c15 N70-33180	US-PATENT-CLASS-117-33.3	c23 N74-13436

NUMBER INDEX

US-PATENT-CLASS-117-35R	c06 N73-13128	US-PATENT-CLASS-128-2.06F	c05 N74-12778
US-PATENT-CLASS-117-37	c15 N72-25452	US-PATENT-CLASS-128-2.06R	c05 N73-27941
US-PATENT-CLASS-117-45	c14 N74-20008	US-PATENT-CLASS-128-2.07	c05 N73-32015
US-PATENT-CLASS-117-46	c15 N71-16077	US-PATENT-CLASS-128-2.07	c05 N74-20728
US-PATENT-CLASS-117-47R	c15 N72-25452	US-PATENT-CLASS-128-2.08	c05 N69-21473
US-PATENT-CLASS-117-50	c15 N71-15610	US-PATENT-CLASS-128-2.08	c05 N73-32015
US-PATENT-CLASS-117-62	c15 N72-25447	US-PATENT-CLASS-128-2.08	c05 N74-20728
US-PATENT-CLASS-117-62	c15 N72-25452	US-PATENT-CLASS-128-2N	c05 N72-25122
US-PATENT-CLASS-117-65.2	c18 N71-10772	US-PATENT-CLASS-128-2N	c05 N73-13114
US-PATENT-CLASS-117-66	c15 N73-32360	US-PATENT-CLASS-128-2R	c09 N72-22202
US-PATENT-CLASS-117-69	c18 N70-36400	US-PATENT-CLASS-128-2S	c05 N74-10975
US-PATENT-CLASS-117-69	c15 N71-16075	US-PATENT-CLASS-128-2V	c05 N74-20726
US-PATENT-CLASS-117-93.3	c15 N72-25452	US-PATENT-CLASS-128-24	c05 N71-24738
US-PATENT-CLASS-117-93.16D	c15 N72-25447	US-PATENT-CLASS-128-24A	c05 N73-27062
US-PATENT-CLASS-117-95	c06 N74-19769	US-PATENT-CLASS-128-25	c05 N71-24738
US-PATENT-CLASS-117-104	c18 N71-26100	US-PATENT-CLASS-128-25R	c15 N74-18127
US-PATENT-CLASS-117-105	c15 N73-32360	US-PATENT-CLASS-128-29	c05 N70-39922
US-PATENT-CLASS-117-105.2	c15 N74-11301	US-PATENT-CLASS-128-142.5	c05 N71-11190
US-PATENT-CLASS-117-105.5	c15 N73-32360	US-PATENT-CLASS-128-142.5	c05 N71-11203
US-PATENT-CLASS-117-106	c33 N71-14032	US-PATENT-CLASS-128-142.5	c05 N71-17599
US-PATENT-CLASS-117-106A	c23 N74-13436	US-PATENT-CLASS-128-142.5	c05 N72-20096
US-PATENT-CLASS-117-107	c15 N72-25447	US-PATENT-CLASS-128-142.5	c05 N73-25125
US-PATENT-CLASS-117-107.2	c15 N71-17695	US-PATENT-CLASS-128-191R	c06 N74-12813
US-PATENT-CLASS-117-119	c18 N71-16105	US-PATENT-CLASS-128-206F	c14 N73-24473
US-PATENT-CLASS-117-124C	c15 N72-25452	US-PATENT-CLASS-128-272	c15 N71-24835
US-PATENT-CLASS-117-129	c15 N74-21063	US-PATENT-CLASS-128-275	c15 N71-24835
US-PATENT-CLASS-117-130R	c15 N73-32360	US-PATENT-CLASS-128-283	c05 N69-23192
US-PATENT-CLASS-117-132	c06 N72-25150	US-PATENT-CLASS-128-295	c05 N72-22093
US-PATENT-CLASS-117-138.8R	c15 N73-32360	US-PATENT-CLASS-128-305	c05 N73-27062
US-PATENT-CLASS-117-151	c15 N73-32360	US-PATENT-CLASS-128-402	c05 N72-20096
US-PATENT-CLASS-117-152	c15 N72-25452	US-PATENT-CLASS-128-417	c05 N72-25120
US-PATENT-CLASS-117-160R	c15 N73-32360	US-PATENT-CLASS-128-417	c05 N72-27103
US-PATENT-CLASS-117-161	c06 N72-25150	US-PATENT-CLASS-129-16.7	c08 N71-15908
US-PATENT-CLASS-117-161P	c06 N73-27980	US-PATENT-CLASS-135-1	c32 N70-36536
US-PATENT-CLASS-117-161UN	c06 N73-27980	US-PATENT-CLASS-136-6	c03 N71-26084
US-PATENT-CLASS-117-200	c09 N72-25259	US-PATENT-CLASS-136-6	c03 N72-15986
US-PATENT-CLASS-117-201	c15 N69-21460	US-PATENT-CLASS-136-20	c03 N74-19693
US-PATENT-CLASS-117-201	c18 N71-16046	US-PATENT-CLASS-136-24	c09 N73-32108
US-PATENT-CLASS-117-201	c03 N72-24037	US-PATENT-CLASS-136-28	c03 N71-10608
US-PATENT-CLASS-117-211	c15 N72-25447	US-PATENT-CLASS-136-30	c03 N74-19693
US-PATENT-CLASS-117-212	c09 N71-20705	US-PATENT-CLASS-136-36	c03 N74-19692
US-PATENT-CLASS-117-212	c15 N71-29032	US-PATENT-CLASS-136-79	c03 N72-20032
US-PATENT-CLASS-117-212	c26 N72-28762	US-PATENT-CLASS-136-81	c03 N72-20032
US-PATENT-CLASS-117-217	c15 N72-25447	US-PATENT-CLASS-136-83	c03 N71-28579
US-PATENT-CLASS-117-217	c26 N72-28762	US-PATENT-CLASS-136-83R	c03 N72-20034
US-PATENT-CLASS-117-224	c15 N71-28582	US-PATENT-CLASS-136-86	c03 N71-11052
US-PATENT-CLASS-117-228	c06 N73-27980	US-PATENT-CLASS-136-86	c03 N71-20904
US-PATENT-CLASS-118-11	c15 N71-17647	US-PATENT-CLASS-136-86	c15 N71-23022
US-PATENT-CLASS-118-49.1	c15 N72-32487	US-PATENT-CLASS-136-86	c03 N71-29044
US-PATENT-CLASS-118-49.5	c09 N71-26701	US-PATENT-CLASS-136-89	c03 N69-24267
US-PATENT-CLASS-118-308	c17 N71-24911	US-PATENT-CLASS-136-89	c03 N71-11049
US-PATENT-CLASS-119-15	c11 N71-22875	US-PATENT-CLASS-136-89	c03 N71-11050
US-PATENT-CLASS-119-51.5	c04 N74-15778	US-PATENT-CLASS-136-89	c03 N71-11056
US-PATENT-CLASS-119-51.13	c04 N74-15778	US-PATENT-CLASS-136-89	c03 N71-18698
US-PATENT-CLASS-119-51R	c04 N74-15778	US-PATENT-CLASS-136-89	c03 N71-19545
US-PATENT-CLASS-119-52AF	c04 N74-15778	US-PATENT-CLASS-136-89	c03 N71-20492
US-PATENT-CLASS-119-54	c04 N74-15778	US-PATENT-CLASS-136-89	c03 N71-20895
US-PATENT-CLASS-119-96	c05 N71-28619	US-PATENT-CLASS-136-89	c26 N71-23043
US-PATENT-CLASS-121-38	c15 N70-35409	US-PATENT-CLASS-136-89	c03 N71-23187
US-PATENT-CLASS-121-38	c02 N71-29128	US-PATENT-CLASS-136-89	c03 N71-23449
US-PATENT-CLASS-122-32	c33 N72-20915	US-PATENT-CLASS-136-89	c03 N71-33409
US-PATENT-CLASS-123-102	c11 N72-20244	US-PATENT-CLASS-136-89	c03 N72-20031
US-PATENT-CLASS-123-122AB	c28 N72-22772	US-PATENT-CLASS-136-89	c03 N72-22042
US-PATENT-CLASS-126-270	c09 N70-40234	US-PATENT-CLASS-136-89	c31 N72-22874
US-PATENT-CLASS-126-270	c03 N70-41580	US-PATENT-CLASS-136-89	c03 N72-24037
US-PATENT-CLASS-128-DIG.4	c05 N72-27103	US-PATENT-CLASS-136-89	c09 N72-25259
US-PATENT-CLASS-128-1	c05 N70-41819	US-PATENT-CLASS-136-89	c03 N72-27053
US-PATENT-CLASS-128-1	c05 N71-20268	US-PATENT-CLASS-136-89	c09 N73-32109
US-PATENT-CLASS-128-1A	c05 N73-32012	US-PATENT-CLASS-136-89	c03 N74-14784
US-PATENT-CLASS-128-2	c05 N73-27062	US-PATENT-CLASS-136-100R	c03 N72-20034
US-PATENT-CLASS-128-2.1	c05 N71-11193	US-PATENT-CLASS-136-132	c03 N71-11053
US-PATENT-CLASS-128-2.1	c05 N71-12346	US-PATENT-CLASS-136-132	c03 N71-22974
US-PATENT-CLASS-128-2.1	c05 N71-24729	US-PATENT-CLASS-136-133	c15 N69-24320
US-PATENT-CLASS-128-2.1	c09 N71-26002	US-PATENT-CLASS-136-133	c03 N71-23006
US-PATENT-CLASS-128-2.1	c05 N72-25120	US-PATENT-CLASS-136-133	c03 N72-15986
US-PATENT-CLASS-128-2.1A	c09 N72-17153	US-PATENT-CLASS-136-135	c03 N72-15986
US-PATENT-CLASS-128-2.1A	c09 N72-22202	US-PATENT-CLASS-136-146	c03 N69-21337
US-PATENT-CLASS-128-2.1E	c05 N72-27103	US-PATENT-CLASS-136-166	c03 N71-23336
US-PATENT-CLASS-128-2.1R	c05 N73-26072	US-PATENT-CLASS-136-166	c03 N72-20032
US-PATENT-CLASS-128-2.05	c05 N70-41329	US-PATENT-CLASS-136-170	c03 N71-11051
US-PATENT-CLASS-128-2.05	c04 N71-23185	US-PATENT-CLASS-136-175	c03 N72-20034
US-PATENT-CLASS-128-2.05	c05 N71-27234	US-PATENT-CLASS-136-179	c03 N70-41864
US-PATENT-CLASS-128-2.05F	c14 N73-32326	US-PATENT-CLASS-136-182	c03 N71-10728
US-PATENT-CLASS-128-2.05R	c05 N73-27941	US-PATENT-CLASS-136-182	c03 N71-20407
US-PATENT-CLASS-128-2.05T	c05 N74-12778	US-PATENT-CLASS-136-182	c09 N71-20491
US-PATENT-CLASS-128-2.06	c05 N69-21925	US-PATENT-CLASS-136-202	c03 N72-12136
US-PATENT-CLASS-128-2.06	c05 N71-22896	US-PATENT-CLASS-136-202	c03 N72-26031
US-PATENT-CLASS-128-2.06	c09 N71-24618	US-PATENT-CLASS-136-206	c03 N72-11062
US-PATENT-CLASS-128-2.06	c05 N71-26293	US-PATENT-CLASS-136-206	c09 N72-12136

NUMBER INDEX

US-PATENT-CLASS-136-213	c14	N69-27459	US-PATENT-CLASS-148-126	c17	N71-24142
US-PATENT-CLASS-136-224	c14	N73-12447	US-PATENT-CLASS-148-126	c18	N71-26153
US-PATENT-CLASS-136-225	c14	N73-24472	US-PATENT-CLASS-148-126	c18	N71-28729
US-PATENT-CLASS-136-227	c09	N72-12136	US-PATENT-CLASS-148-126	c17	N74-10521
US-PATENT-CLASS-136-228	c33	N71-15568	US-PATENT-CLASS-148-174	c26	N71-29156
US-PATENT-CLASS-136-230	c14	N71-23039	US-PATENT-CLASS-148-187	c26	N72-17820
US-PATENT-CLASS-136-233	c14	N72-27410	US-PATENT-CLASS-148-187	c14	N72-28438
US-PATENT-CLASS-136-233	c14	N73-13417	US-PATENT-CLASS-148-188	c24	N71-10560
US-PATENT-CLASS-137-1	c12	N70-38997	US-PATENT-CLASS-148-188	c09	N71-12513
US-PATENT-CLASS-137-1	c15	N73-27406	US-PATENT-CLASS-149-1	c23	N71-16212
US-PATENT-CLASS-137-13	c15	N71-15967	US-PATENT-CLASS-149-1	c06	N73-30097
US-PATENT-CLASS-137-13	c15	N72-33477	US-PATENT-CLASS-149-2	c12	N70-40124
US-PATENT-CLASS-137-15.1	c02	N74-20646	US-PATENT-CLASS-149-19	c27	N71-14090
US-PATENT-CLASS-137-15.2	c02	N74-20646	US-PATENT-CLASS-149-19	c27	N72-25699
US-PATENT-CLASS-137-81	c05	N72-20097	US-PATENT-CLASS-149-19	c27	N73-16764
US-PATENT-CLASS-137-81	c14	N73-13418	US-PATENT-CLASS-149-20	c27	N72-25699
US-PATENT-CLASS-137-81.5	c12	N69-21466	US-PATENT-CLASS-149-36	c27	N72-25699
US-PATENT-CLASS-137-81.5	c15	N71-15609	US-PATENT-CLASS-149-36	c27	N73-16764
US-PATENT-CLASS-137-81.5	c12	N71-17578	US-PATENT-CLASS-149-36	c06	N73-30097
US-PATENT-CLASS-137-81.5	c12	N71-17579	US-PATENT-CLASS-149-92	c27	N72-25699
US-PATENT-CLASS-137-81.5	c10	N71-25899	US-PATENT-CLASS-149-109	c27	N70-41897
US-PATENT-CLASS-137-81.5	c12	N71-27332	US-PATENT-CLASS-152-11	c31	N71-18611
US-PATENT-CLASS-137-81.5	c12	N71-28741	US-PATENT-CLASS-152-225	c15	N71-27091
US-PATENT-CLASS-137-81.5	c28	N72-22772	US-PATENT-CLASS-152-250	c15	N71-27091
US-PATENT-CLASS-137-81.5	c15	N72-33477	US-PATENT-CLASS-156-3	c17	N71-16044
US-PATENT-CLASS-137-81.5	c15	N73-13462	US-PATENT-CLASS-156-3	c15	N71-21404
US-PATENT-CLASS-137-81.5	c28	N73-13773	US-PATENT-CLASS-156-3	c15	N71-24047
US-PATENT-CLASS-137-154	c15	N73-27406	US-PATENT-CLASS-156-3	c06	N72-21094
US-PATENT-CLASS-137-197	c15	N70-41646	US-PATENT-CLASS-156-18	c26	N73-26752
US-PATENT-CLASS-137-340	c15	N70-34817	US-PATENT-CLASS-156-60	c15	N71-22713
US-PATENT-CLASS-137-340	c15	N70-35087	US-PATENT-CLASS-156-66	c15	N72-11392
US-PATENT-CLASS-137-341	c12	N71-17661	US-PATENT-CLASS-156-84	c15	N72-16330
US-PATENT-CLASS-137-397	c15	N73-26472	US-PATENT-CLASS-156-86	c15	N72-16330
US-PATENT-CLASS-137-469	c05	N72-20097	US-PATENT-CLASS-156-172	c15	N71-17651
US-PATENT-CLASS-137-487.5	c14	N73-13418	US-PATENT-CLASS-156-212	c03	N71-26726
US-PATENT-CLASS-137-491	c15	N69-21924	US-PATENT-CLASS-156-242	c15	N69-24322
US-PATENT-CLASS-137-495	c15	N70-38603	US-PATENT-CLASS-156-245	c14	N74-18089
US-PATENT-CLASS-137-496	c15	N71-22706	US-PATENT-CLASS-156-247	c14	N74-18089
US-PATENT-CLASS-137-505.12	c14	N71-18625	US-PATENT-CLASS-156-250	c03	N72-25019
US-PATENT-CLASS-137-516.27	c15	N73-30459	US-PATENT-CLASS-156-264	c05	N72-25121
US-PATENT-CLASS-137-535	c15	N73-30459	US-PATENT-CLASS-156-285	c15	N71-23052
US-PATENT-CLASS-137-535	c05	N73-32014	US-PATENT-CLASS-156-285	c18	N73-30532
US-PATENT-CLASS-137-538	c05	N73-25125	US-PATENT-CLASS-156-285	c14	N74-18089
US-PATENT-CLASS-137-539	c15	N70-41811	US-PATENT-CLASS-156-308	c05	N72-25121
US-PATENT-CLASS-137-554	c09	N71-23191	US-PATENT-CLASS-156-309	c14	N74-18089
US-PATENT-CLASS-137-559	c11	N73-12265	US-PATENT-CLASS-156-320	c15	N72-11392
US-PATENT-CLASS-137-582	c32	N71-16103	US-PATENT-CLASS-156-331	c15	N74-18126
US-PATENT-CLASS-137-582	c32	N71-16106	US-PATENT-CLASS-156-345	c15	N70-42033
US-PATENT-CLASS-137-582	c15	N71-19569	US-PATENT-CLASS-156-510	c15	N71-17687
US-PATENT-CLASS-137-582	c15	N73-26472	US-PATENT-CLASS-156-510	c03	N72-25019
US-PATENT-CLASS-137-594	c12	N71-18615	US-PATENT-CLASS-156-545	c15	N71-24164
US-PATENT-CLASS-137-604	c15	N73-27406	US-PATENT-CLASS-161-7	c18	N72-25540
US-PATENT-CLASS-137-608	c15	N73-13462	US-PATENT-CLASS-161-7	c18	N72-25541
US-PATENT-CLASS-137-614	c15	N70-36492	US-PATENT-CLASS-161-42	c15	N74-18126
US-PATENT-CLASS-137-615	c12	N71-16031	US-PATENT-CLASS-161-43	c15	N74-18126
US-PATENT-CLASS-137-624.14	c03	N69-21469	US-PATENT-CLASS-161-67	c33	N72-17947
US-PATENT-CLASS-137-625.5	c15	N71-23051	US-PATENT-CLASS-161-68	c18	N71-21651
US-PATENT-CLASS-137-625.69	c15	N70-36908	US-PATENT-CLASS-161-68	c18	N72-25540
US-PATENT-CLASS-137-628	c15	N74-21065	US-PATENT-CLASS-161-68	c18	N72-25541
US-PATENT-CLASS-137-819	c09	N74-11050	US-PATENT-CLASS-161-69	c33	N71-24858
US-PATENT-CLASS-137-833	c09	N74-11050	US-PATENT-CLASS-161-89	c17	N71-28747
US-PATENT-CLASS-137-840	c09	N74-11050	US-PATENT-CLASS-161-93	c18	N73-12604
US-PATENT-CLASS-138-4	c15	N71-18580	US-PATENT-CLASS-161-93	c15	N74-18126
US-PATENT-CLASS-138-42	c15	N71-15608	US-PATENT-CLASS-161-115	c18	N70-41583
US-PATENT-CLASS-138-43	c15	N71-19213	US-PATENT-CLASS-161-127	c18	N72-25540
US-PATENT-CLASS-138-45	c15	N71-18580	US-PATENT-CLASS-161-127	c18	N72-25541
US-PATENT-CLASS-138-45	c15	N73-13462	US-PATENT-CLASS-161-161	c33	N71-25351
US-PATENT-CLASS-138-46	c12	N71-18615	US-PATENT-CLASS-161-182	c15	N69-39735
US-PATENT-CLASS-138-119	c32	N70-41579	US-PATENT-CLASS-161-182	c15	N74-18126
US-PATENT-CLASS-138-178	c15	N72-20445	US-PATENT-CLASS-161-189	c23	N71-15978
US-PATENT-CLASS-139-425R	c28	N72-11708	US-PATENT-CLASS-161-192	c15	N74-18126
US-PATENT-CLASS-140-105	c15	N72-12408	US-PATENT-CLASS-161-196	c15	N74-21063
US-PATENT-CLASS-140-123	c15	N71-15918	US-PATENT-CLASS-161-214	c06	N73-27980
US-PATENT-CLASS-140-124	c15	N71-10809	US-PATENT-CLASS-161-227	c06	N73-27980
US-PATENT-CLASS-141-5	c33	N71-20834	US-PATENT-CLASS-165-1	c09	N70-41717
US-PATENT-CLASS-141-23	c15	N72-21465	US-PATENT-CLASS-165-2	c33	N71-24876
US-PATENT-CLASS-141-91	c12	N71-21089	US-PATENT-CLASS-165-2	c14	N74-15093
US-PATENT-CLASS-141-258	c14	N71-27005	US-PATENT-CLASS-165-3	c03	N72-28025
US-PATENT-CLASS-148-1.5	c26	N71-10607	US-PATENT-CLASS-165-12	c33	N71-24276
US-PATENT-CLASS-148-1.5	c26	N71-23654	US-PATENT-CLASS-165-20	c03	N72-28025
US-PATENT-CLASS-148-1.5	c24	N74-20329	US-PATENT-CLASS-165-32	c31	N73-30829
US-PATENT-CLASS-148-6	c18	N71-29040	US-PATENT-CLASS-165-32	c33	N73-32818
US-PATENT-CLASS-148-6.3	c17	N71-33408	US-PATENT-CLASS-165-44	c15	N71-26611
US-PATENT-CLASS-148-6.11	c15	N71-24875	US-PATENT-CLASS-165-46	c05	N71-19439
US-PATENT-CLASS-148-6.16	c18	N71-23047	US-PATENT-CLASS-165-46	c05	N71-24147
US-PATENT-CLASS-148-6.20	c17	N71-23828	US-PATENT-CLASS-165-46	c05	N73-20137
US-PATENT-CLASS-148-11.5R	c15	N73-13465	US-PATENT-CLASS-165-46	c05	N73-26071
US-PATENT-CLASS-148-13	c14	N71-25892	US-PATENT-CLASS-165-47	c33	N71-29052
US-PATENT-CLASS-148-32.5	c17	N72-22535	US-PATENT-CLASS-165-47	c31	N73-30829

SUBBER INDEX

US-PATENT-CLASS-165-86	c15 N71-26611	US-PATENT-CLASS-178-7.1	c07 N71-24612
US-PATENT-CLASS-165-86	c33 N71-29046	US-PATENT-CLASS-178-7.1	c07 N71-27341
US-PATENT-CLASS-165-96	c33 N70-36847	US-PATENT-CLASS-178-7.1	c09 N72-17156
US-PATENT-CLASS-165-96	c33 N71-22890	US-PATENT-CLASS-178-7.1	c07 N74-19790
US-PATENT-CLASS-165-96	c31 N73-30829	US-PATENT-CLASS-178-7.2	c14 N70-41807
US-PATENT-CLASS-165-96	c33 N73-32818	US-PATENT-CLASS-178-7.2	c14 N74-21014
US-PATENT-CLASS-165-96	c33 N71-25353	US-PATENT-CLASS-178-7.2R	c08 N72-22164
US-PATENT-CLASS-165-104	c09 N71-24807	US-PATENT-CLASS-178-7.3	c07 N71-27341
US-PATENT-CLASS-165-105	c33 N71-25353	US-PATENT-CLASS-178-7.3	c07 N72-12081
US-PATENT-CLASS-165-105	c33 N72-17948	US-PATENT-CLASS-178-7.5E	c10 N72-31273
US-PATENT-CLASS-165-105	c31 N73-30829	US-PATENT-CLASS-178-7.6	c14 N74-20009
US-PATENT-CLASS-165-105	c28 N73-32606	US-PATENT-CLASS-178-7.7	c09 N71-12539
US-PATENT-CLASS-165-105	c33 N74-18552	US-PATENT-CLASS-178-7.7	c07 N74-20813
US-PATENT-CLASS-165-106	c33 N73-32818	US-PATENT-CLASS-178-7.92	c14 N72-25414
US-PATENT-CLASS-165-107	c09 N71-24807	US-PATENT-CLASS-178-18	c10 N73-32143
US-PATENT-CLASS-165-109	c14 N74-15093	US-PATENT-CLASS-178-50	c08 N72-18184
US-PATENT-CLASS-165-133	c33 N71-16277	US-PATENT-CLASS-178-50	c08 N72-25208
US-PATENT-CLASS-165-133	c33 N71-25353	US-PATENT-CLASS-178-52	c08 N72-22162
US-PATENT-CLASS-165-133	c33 N72-20915	US-PATENT-CLASS-178-54CF	c09 N71-28618
US-PATENT-CLASS-165-138	c09 N71-24807	US-PATENT-CLASS-178-54PE	c09 N71-28618
US-PATENT-CLASS-165-141	c28 N73-32606	US-PATENT-CLASS-178-66	c09 N71-25866
US-PATENT-CLASS-165-155	c33 N72-20915	US-PATENT-CLASS-178-66	c08 N72-18184
US-PATENT-CLASS-165-158	c33 N72-20915	US-PATENT-CLASS-178-67	c08 N70-41961
US-PATENT-CLASS-165-161	c33 N72-20915	US-PATENT-CLASS-178-69.4R	c07 N74-10132
US-PATENT-CLASS-165-174	c33 N72-20915	US-PATENT-CLASS-178-69.5	c07 N71-11281
US-PATENT-CLASS-165-185	c28 N73-32606	US-PATENT-CLASS-178-69.5	c10 N71-19468
US-PATENT-CLASS-169-28	c12 N72-21310	US-PATENT-CLASS-178-69.5	c10 N71-25865
US-PATENT-CLASS-169-36	c12 N72-21310	US-PATENT-CLASS-178-69.5	c10 N71-33407
US-PATENT-CLASS-173-131	c15 N73-13463	US-PATENT-CLASS-178-69.5	c07 N72-25173
US-PATENT-CLASS-174-DIG.6	c26 N73-26752	US-PATENT-CLASS-178-69.5	c07 N73-13149
US-PATENT-CLASS-174-DIG.6	c26 N73-32571	US-PATENT-CLASS-178-69.5	c09 N73-28084
US-PATENT-CLASS-174-18	c09 N69-21542	US-PATENT-CLASS-178-69.5R	c07 N72-20140
US-PATENT-CLASS-174-28	c07 N71-27191	US-PATENT-CLASS-178-88	c07 N71-12392
US-PATENT-CLASS-174-35	c07 N71-19436	US-PATENT-CLASS-178-88	c08 N74-12887
US-PATENT-CLASS-174-36	c09 N72-22198	US-PATENT-CLASS-178-88	c07 N74-20809
US-PATENT-CLASS-174-52S	c15 N73-14469	US-PATENT-CLASS-179-1	c07 N71-26181
US-PATENT-CLASS-174-68.5	c15 N70-41960	US-PATENT-CLASS-179-1	c31 N71-33160
US-PATENT-CLASS-174-72	c03 N69-21539	US-PATENT-CLASS-179-1P	c10 N73-12244
US-PATENT-CLASS-174-84	c15 N72-17455	US-PATENT-CLASS-179-1R	c07 N71-33108
US-PATENT-CLASS-174-106R	c09 N72-22198	US-PATENT-CLASS-179-1SA	c10 N73-25240
US-PATENT-CLASS-174-110.3	c14 N71-27186	US-PATENT-CLASS-179-1VC	c07 N71-33108
US-PATENT-CLASS-174-115	c09 N70-38201	US-PATENT-CLASS-179-15	c07 N69-39978
US-PATENT-CLASS-174-117FP	c09 N72-22198	US-PATENT-CLASS-179-15	c07 N71-20814
US-PATENT-CLASS-174-126CP	c26 N73-32571	US-PATENT-CLASS-179-15	c07 N71-24621
US-PATENT-CLASS-175-26	c15 N73-32362	US-PATENT-CLASS-179-15	c07 N71-24622
US-PATENT-CLASS-175-310	c15 N70-42034	US-PATENT-CLASS-179-15	c08 N72-18184
US-PATENT-CLASS-175-323	c14 N69-21923	US-PATENT-CLASS-179-15.55R	c08 N72-11171
US-PATENT-CLASS-176-11	c24 N72-33681	US-PATENT-CLASS-179-15.55R	c08 N72-33172
US-PATENT-CLASS-176-19	c14 N70-34669	US-PATENT-CLASS-179-15A	c08 N72-22162
US-PATENT-CLASS-176-19	c14 N70-36808	US-PATENT-CLASS-179-15A	c07 N73-26118
US-PATENT-CLASS-176-35	c22 N70-34501	US-PATENT-CLASS-179-15AN	c07 N73-16121
US-PATENT-CLASS-176-45	c22 N71-28759	US-PATENT-CLASS-179-15BC	c08 N72-25208
US-PATENT-CLASS-176-52	c22 N70-34572	US-PATENT-CLASS-179-15BC	c07 N73-16121
US-PATENT-CLASS-176-86G	c22 N72-20597	US-PATENT-CLASS-179-15BL	c08 N72-22162
US-PATENT-CLASS-176-86L	c22 N72-21644	US-PATENT-CLASS-179-15BL	c07 N73-26118
US-PATENT-CLASS-176-169	c22 N73-32528	US-PATENT-CLASS-179-15BS	c10 N71-33407
US-PATENT-CLASS-177-210	c14 N71-10773	US-PATENT-CLASS-179-15BS	c07 N72-20140
US-PATENT-CLASS-178-DIG.1	c14 N74-20009	US-PATENT-CLASS-179-15BS	c07 N73-30115
US-PATENT-CLASS-178-DIG.6	c10 N73-13235	US-PATENT-CLASS-179-15BV	c07 N72-25172
US-PATENT-CLASS-178-DIG.8	c14 N72-25412	US-PATENT-CLASS-179-15FD	c08 N72-25208
US-PATENT-CLASS-178-DIG.12	c07 N72-12081	US-PATENT-CLASS-179-15FS	c07 N73-28012
US-PATENT-CLASS-178-DIG.20	c23 N72-27728	US-PATENT-CLASS-179-100.2	c09 N69-24329
US-PATENT-CLASS-178-DIG.21	c16 N72-13437	US-PATENT-CLASS-179-100.2	c09 N71-25866
US-PATENT-CLASS-178-DIG.23	c07 N73-30115	US-PATENT-CLASS-179-100.2	c08 N71-27210
US-PATENT-CLASS-178-DIG.28	c08 N72-22164	US-PATENT-CLASS-179-100.2	c08 N71-27255
US-PATENT-CLASS-178-DIG.32	c14 N74-21014	US-PATENT-CLASS-179-100.2A	c21 N73-13644
US-PATENT-CLASS-178-DIG.36	c08 N72-22164	US-PATENT-CLASS-179-100.2CH	c16 N74-13205
US-PATENT-CLASS-178-5.2R	c09 N71-28618	US-PATENT-CLASS-179-100.2K	c07 N72-21119
US-PATENT-CLASS-178-5.2R	c07 N72-17109	US-PATENT-CLASS-179-100.2ND	c14 N74-11283
US-PATENT-CLASS-178-5.4	c07 N72-17109	US-PATENT-CLASS-179-100.2T	c14 N74-11283
US-PATENT-CLASS-178-5.8R	c14 N74-21014	US-PATENT-CLASS-179-100.2CA	c09 N72-11224
US-PATENT-CLASS-178-6	c07 N71-19433	US-PATENT-CLASS-179-100.2ND	c09 N72-11224
US-PATENT-CLASS-178-6	c09 N71-19449	US-PATENT-CLASS-179-175.1A	c14 N73-27379
US-PATENT-CLASS-178-6	c07 N71-23026	US-PATENT-CLASS-180-6.5	c11 N73-26238
US-PATENT-CLASS-178-6	c07 N71-26579	US-PATENT-CLASS-180-7R	c11 N73-26238
US-PATENT-CLASS-178-6	c07 N72-12081	US-PATENT-CLASS-180-8A	c11 N73-26238
US-PATENT-CLASS-178-6	c16 N72-13437	US-PATENT-CLASS-180-9.2R	c11 N73-26238
US-PATENT-CLASS-178-6	c10 N73-13235	US-PATENT-CLASS-180-9.5	c11 N73-26238
US-PATENT-CLASS-178-6	c14 N74-20009	US-PATENT-CLASS-180-41	c15 N74-18125
US-PATENT-CLASS-178-6.5	c23 N72-27728	US-PATENT-CLASS-180-79.3	c11 N72-20244
US-PATENT-CLASS-178-6.6	c07 N71-11300	US-PATENT-CLASS-180-105E	c31 N71-15689
US-PATENT-CLASS-178-6.6DD	c07 N71-26102	US-PATENT-CLASS-180-118	c31 N71-15689
US-PATENT-CLASS-178-6.6DD	c07 N73-30115	US-PATENT-CLASS-180-121	c15 N72-17451
US-PATENT-CLASS-178-6.7	c14 N74-11283	US-PATENT-CLASS-180-125	c15 N72-17451
US-PATENT-CLASS-178-6.7R	c07 N72-17109	US-PATENT-CLASS-180-127	c11 N71-28779
US-PATENT-CLASS-178-6.8	c07 N74-15831	US-PATENT-CLASS-181-5	c28 N74-15453
US-PATENT-CLASS-178-6.8	c08 N72-22164	US-PATENT-CLASS-181-43	c28 N70-41582
US-PATENT-CLASS-178-6.8	c14 N72-25412	US-PATENT-CLASS-181-52	c15 N73-25512
US-PATENT-CLASS-178-6.8	c07 N73-30115	US-PATENT-CLASS-182-5	

NUMBER INDEX

US-PATENT-CLASS-182-10	c15 N71-27067	US-PATENT-CLASS-214-1	c32 N70-41367
US-PATENT-CLASS-182-191	c05 N71-11199	US-PATENT-CLASS-214-1CM	c15 N72-28495
US-PATENT-CLASS-184-1	c15 N71-23048	US-PATENT-CLASS-214-90R	c03 N72-25021
US-PATENT-CLASS-187-1	c15 N72-25453	US-PATENT-CLASS-219-10.49	c11 N71-15925
US-PATENT-CLASS-187-7.1	c07 N71-24742	US-PATENT-CLASS-219-19	c33 N70-34812
US-PATENT-CLASS-187-20	c15 N72-25453	US-PATENT-CLASS-219-34	c09 N70-33312
US-PATENT-CLASS-187-95	c15 N72-25453	US-PATENT-CLASS-219-50	c14 N73-26430
US-PATENT-CLASS-188-1	c15 N70-34861	US-PATENT-CLASS-219-62	c15 N73-28515
US-PATENT-CLASS-188-1	c15 N70-38601	US-PATENT-CLASS-219-72	c15 N71-14932
US-PATENT-CLASS-188-1	c15 N70-40354	US-PATENT-CLASS-219-78	c15 N74-11300
US-PATENT-CLASS-188-1	c14 N71-17626	US-PATENT-CLASS-219-85	c15 N72-22491
US-PATENT-CLASS-188-1	c15 N71-22877	US-PATENT-CLASS-219-85	c15 N72-23497
US-PATENT-CLASS-188-1	c14 N71-23092	US-PATENT-CLASS-219-91	c15 N71-18613
US-PATENT-CLASS-188-1	c15 N71-26243	US-PATENT-CLASS-219-91	c15 N73-32358
US-PATENT-CLASS-188-1	c15 N71-27146	US-PATENT-CLASS-219-101	c15 N74-11300
US-PATENT-CLASS-188-1	c15 N71-27169	US-PATENT-CLASS-219-107	c15 N73-28515
US-PATENT-CLASS-188-1B	c15 N72-20443	US-PATENT-CLASS-219-107	c15 N74-11300
US-PATENT-CLASS-188-1C	c15 N72-17450	US-PATENT-CLASS-219-109	c15 N72-23497
US-PATENT-CLASS-188-1C	c15 N72-20443	US-PATENT-CLASS-219-117	c15 N73-32358
US-PATENT-CLASS-188-1C	c15 N73-30460	US-PATENT-CLASS-219-121	c15 N69-21471
US-PATENT-CLASS-188-1C	c11 N73-32152	US-PATENT-CLASS-219-121	c33 N70-34540
US-PATENT-CLASS-188-65.1	c15 N73-25512	US-PATENT-CLASS-219-121	c15 N71-19486
US-PATENT-CLASS-188-65.5	c15 N71-27067	US-PATENT-CLASS-219-121	c16 N71-20400
US-PATENT-CLASS-188-87	c12 N71-16894	US-PATENT-CLASS-219-121	c15 N71-27135
US-PATENT-CLASS-188-88	c15 N71-26611	US-PATENT-CLASS-219-121P	c15 N72-32487
US-PATENT-CLASS-188-103	c15 N71-27146	US-PATENT-CLASS-219-125	c15 N71-23815
US-PATENT-CLASS-188-129	c15 N72-17450	US-PATENT-CLASS-219-130	c15 N71-23798
US-PATENT-CLASS-188-266	c15 N73-25513	US-PATENT-CLASS-219-131	c15 N71-15871
US-PATENT-CLASS-188-268	c15 N72-20443	US-PATENT-CLASS-219-137	c15 N70-34814
US-PATENT-CLASS-189-36	c15 N70-36947	US-PATENT-CLASS-219-158	c15 N72-22491
US-PATENT-CLASS-192-43.1	c15 N71-17805	US-PATENT-CLASS-219-203	c11 N73-12265
US-PATENT-CLASS-195-28N	c06 N72-25149	US-PATENT-CLASS-219-216	c07 N74-15831
US-PATENT-CLASS-195-66K	c06 N73-27086	US-PATENT-CLASS-219-221	c15 N72-11392
US-PATENT-CLASS-195-68	c04 N69-27487	US-PATENT-CLASS-219-229	c15 N71-27214
US-PATENT-CLASS-195-99	c06 N71-17705	US-PATENT-CLASS-219-234	c15 N72-22491
US-PATENT-CLASS-195-103.5R	c06 N72-25149	US-PATENT-CLASS-219-234	c15 N72-23497
US-PATENT-CLASS-195-127	c15 N72-21465	US-PATENT-CLASS-219-243	c15 N72-11392
US-PATENT-CLASS-195-127	c11 N72-25284	US-PATENT-CLASS-219-273	c15 N72-32487
US-PATENT-CLASS-195-127	c14 N72-25413	US-PATENT-CLASS-219-275	c15 N71-20395
US-PATENT-CLASS-195-127	c15 N73-20514	US-PATENT-CLASS-219-347	c15 N69-27871
US-PATENT-CLASS-195-127	c05 N73-32011	US-PATENT-CLASS-219-347	c33 N70-34545
US-PATENT-CLASS-200-6	c10 N71-15909	US-PATENT-CLASS-219-348	c15 N73-27405
US-PATENT-CLASS-200-6	c09 N71-16089	US-PATENT-CLASS-219-364	c33 N71-16278
US-PATENT-CLASS-200-19	c09 N70-39915	US-PATENT-CLASS-219-378	c33 N71-25353
US-PATENT-CLASS-200-39	c03 N70-38713	US-PATENT-CLASS-219-388	c07 N74-15831
US-PATENT-CLASS-200-61.42	c09 N71-12518	US-PATENT-CLASS-219-411	c17 N69-25147
US-PATENT-CLASS-200-61.45	c14 N70-41812	US-PATENT-CLASS-219-413	c14 N71-28958
US-PATENT-CLASS-200-64	c15 N72-17455	US-PATENT-CLASS-219-477	c09 N74-14935
US-PATENT-CLASS-200-81.9M	c09 N72-20199	US-PATENT-CLASS-219-499	c14 N73-26440
US-PATENT-CLASS-200-81R	c09 N72-22204	US-PATENT-CLASS-219-505	c14 N71-27058
US-PATENT-CLASS-200-82	c10 N71-23663	US-PATENT-CLASS-219-522	c11 N73-12265
US-PATENT-CLASS-200-82C	c09 N72-22204	US-PATENT-CLASS-219-530	c33 N71-25353
US-PATENT-CLASS-200-152	c09 N71-19610	US-PATENT-CLASS-219-539	c09 N74-14935
US-PATENT-CLASS-202-182	c05 N71-11207	US-PATENT-CLASS-220-1	c31 N71-17680
US-PATENT-CLASS-202-234	c15 N71-23086	US-PATENT-CLASS-220-5R	c15 N72-22486
US-PATENT-CLASS-204-20	c18 N71-16210	US-PATENT-CLASS-220-9	c23 N71-22881
US-PATENT-CLASS-204-30	c09 N71-28691	US-PATENT-CLASS-220-9	c18 N71-23658
US-PATENT-CLASS-204-33	c17 N71-25903	US-PATENT-CLASS-220-9	c15 N71-23816
US-PATENT-CLASS-204-37	c33 N71-29151	US-PATENT-CLASS-220-9	c33 N71-25351
US-PATENT-CLASS-204-38	c17 N71-24830	US-PATENT-CLASS-220-14	c15 N69-39935
US-PATENT-CLASS-204-49	c15 N72-25452	US-PATENT-CLASS-220-15	c31 N71-15664
US-PATENT-CLASS-204-59	c15 N72-21466	US-PATENT-CLASS-220-46	c15 N71-27068
US-PATENT-CLASS-204-130	c15 N72-21466	US-PATENT-CLASS-220-55	c15 N69-27502
US-PATENT-CLASS-204-157.18AG	c15 N72-25452	US-PATENT-CLASS-220-63	c11 N70-38182
US-PATENT-CLASS-204-168	c24 N71-25555	US-PATENT-CLASS-220-67	c15 N71-10577
US-PATENT-CLASS-204-192	c15 N73-12487	US-PATENT-CLASS-220-89	c11 N71-15960
US-PATENT-CLASS-204-192	c17 N73-24569	US-PATENT-CLASS-220-89	c11 N71-17600
US-PATENT-CLASS-204-192	c18 N74-13270	US-PATENT-CLASS-221-265	c04 N74-15778
US-PATENT-CLASS-204-195	c14 N71-17575	US-PATENT-CLASS-222-45	c14 N70-40233
US-PATENT-CLASS-204-263	c14 N71-28933	US-PATENT-CLASS-222-49	c14 N71-27005
US-PATENT-CLASS-204-298	c15 N70-34967	US-PATENT-CLASS-222-61	c27 N71-29155
US-PATENT-CLASS-204-298	c09 N71-26701	US-PATENT-CLASS-222-71	c15 N72-21465
US-PATENT-CLASS-204-298	c15 N72-32487	US-PATENT-CLASS-222-135	c15 N72-21465
US-PATENT-CLASS-204-305	c03 N71-24718	US-PATENT-CLASS-222-137	c14 N71-27005
US-PATENT-CLASS-204-324	c33 N73-16918	US-PATENT-CLASS-222-193	c15 N74-13178
US-PATENT-CLASS-204-325	c33 N73-16918	US-PATENT-CLASS-222-309	c15 N72-21465
US-PATENT-CLASS-204-328	c33 N73-16918	US-PATENT-CLASS-222-309	c05 N74-12779
US-PATENT-CLASS-209-10	c15 N71-20440	US-PATENT-CLASS-222-324	c05 N74-17853
US-PATENT-CLASS-209-349	c15 N72-22483	US-PATENT-CLASS-222-340	c05 N74-12779
US-PATENT-CLASS-210-103	c05 N72-27102	US-PATENT-CLASS-222-387	c05 N74-12779
US-PATENT-CLASS-210-104	c05 N72-27102	US-PATENT-CLASS-222-389	c15 N70-38996
US-PATENT-CLASS-210-110	c05 N72-27102	US-PATENT-CLASS-222-414	c14 N73-27378
US-PATENT-CLASS-210-137	c05 N72-27102	US-PATENT-CLASS-222-514	c05 N74-12779
US-PATENT-CLASS-210-188	c12 N72-25292	US-PATENT-CLASS-224-25	c05 N71-12351
US-PATENT-CLASS-210-212	c03 N72-20033	US-PATENT-CLASS-224-25A	c05 N72-23085
US-PATENT-CLASS-210-314	c28 N70-41447	US-PATENT-CLASS-224-444	c05 N74-17853
US-PATENT-CLASS-210-445	c15 N72-11389	US-PATENT-CLASS-225-1	c15 N71-17628
US-PATENT-CLASS-212-11	c32 N71-17609	US-PATENT-CLASS-225-2	c26 N71-14354
US-PATENT-CLASS-212-134	c15 N72-11388	US-PATENT-CLASS-226-58	c14 N71-28935

US-PATENT-CLASS-226-190	c08 N71-19420	US-PATENT-CLASS-235-194	c09 N71-19480
US-PATENT-CLASS-228-7	c15 N71-15607	US-PATENT-CLASS-235-194	c08 N72-22165
US-PATENT-CLASS-228-8	c15 N71-23050	US-PATENT-CLASS-235-194	c10 N73-26230
US-PATENT-CLASS-228-9	c15 N71-20393	US-PATENT-CLASS-235-197	c08 N72-22165
US-PATENT-CLASS-228-50	c15 N70-39924	US-PATENT-CLASS-235-197	c09 N72-23173
US-PATENT-CLASS-228-50	c15 N70-40204	US-PATENT-CLASS-235-197	c10 N73-20253
US-PATENT-CLASS-228-53	c15 N71-27214	US-PATENT-CLASS-235-197	c10 N73-26230
US-PATENT-CLASS-228-57	c15 N72-22491	US-PATENT-CLASS-235-201	c10 N71-25899
US-PATENT-CLASS-229-DIG.11	c32 N73-13921	US-PATENT-CLASS-236-1	c33 N71-16357
US-PATENT-CLASS-230-54	c11 N72-22245	US-PATENT-CLASS-236-68	c15 N72-12409
US-PATENT-CLASS-230-162	c33 N71-17610	US-PATENT-CLASS-238-1	c05 N71-28619
US-PATENT-CLASS-230-221	c11 N72-22245	US-PATENT-CLASS-239-127.1	c28 N71-23968
US-PATENT-CLASS-233-11	c15 N71-16079	US-PATENT-CLASS-239-127.1	c28 N73-32606
US-PATENT-CLASS-235.150.27	c21 N74-13420	US-PATENT-CLASS-239-265.11	c18 N71-21068
US-PATENT-CLASS-235-10.2	c08 N73-25206	US-PATENT-CLASS-239-265.19	c28 N71-21493
US-PATENT-CLASS-235-61.6	c01 N71-13411	US-PATENT-CLASS-239-265.19	c28 N72-11708
US-PATENT-CLASS-235-61.6	c15 N71-21179	US-PATENT-CLASS-239-265.43	c28 N71-16224
US-PATENT-CLASS-235-61NV	c08 N72-11172	US-PATENT-CLASS-239-265.43	c28 N72-11708
US-PATENT-CLASS-235-92	c08 N71-22897	US-PATENT-CLASS-239-416	c15 N69-23185
US-PATENT-CLASS-235-92	c08 N71-24891	US-PATENT-CLASS-239-416	c15 N71-17654
US-PATENT-CLASS-235-92	c10 N71-27137	US-PATENT-CLASS-239-418	c28 N72-23809
US-PATENT-CLASS-235-92	c14 N71-27215	US-PATENT-CLASS-239-424	c15 N72-25455
US-PATENT-CLASS-235-92CA	c10 N74-10223	US-PATENT-CLASS-239-433	c28 N72-23809
US-PATENT-CLASS-235-92CC	c08 N72-20176	US-PATENT-CLASS-239-543	c28 N72-23809
US-PATENT-CLASS-235-92CV	c08 N73-25206	US-PATENT-CLASS-240-1.2	c11 N70-33329
US-PATENT-CLASS-235-92DE	c08 N72-20176	US-PATENT-CLASS-240-11.2	c09 N71-26787
US-PATENT-CLASS-235-92DN	c08 N72-20176	US-PATENT-CLASS-240-11.4	c09 N71-26787
US-PATENT-CLASS-235-92DM	c10 N74-10223	US-PATENT-CLASS-240-51.11	c09 N71-26787
US-PATENT-CLASS-235-92DN	c08 N73-25206	US-PATENT-CLASS-242-54	c15 N72-18477
US-PATENT-CLASS-235-92EA	c08 N73-25206	US-PATENT-CLASS-242-55.19	c14 N70-41647
US-PATENT-CLASS-235-92EV	c08 N73-25206	US-PATENT-CLASS-242-55.19	c07 N71-10609
US-PATENT-CLASS-235-92FQ	c08 N73-20217	US-PATENT-CLASS-242-192	c14 N71-23698
US-PATENT-CLASS-235-92LG	c08 N72-20176	US-PATENT-CLASS-244-1SS	c03 N72-20031
US-PATENT-CLASS-235-92MT	c08 N72-31226	US-PATENT-CLASS-244-1	c31 N69-27499
US-PATENT-CLASS-235-92MT	c32 N73-26910	US-PATENT-CLASS-244-1	c03 N70-33343
US-PATENT-CLASS-235-92PE	c15 N74-21056	US-PATENT-CLASS-244-1	c33 N70-33344
US-PATENT-CLASS-235-92R	c08 N72-20176	US-PATENT-CLASS-244-1	c03 N70-34157
US-PATENT-CLASS-235-92R	c08 N73-20217	US-PATENT-CLASS-244-1	c31 N70-34176
US-PATENT-CLASS-235-92R	c08 N73-25206	US-PATENT-CLASS-244-1	c21 N70-34295
US-PATENT-CLASS-235-92SB	c15 N74-21056	US-PATENT-CLASS-244-1	c31 N70-34296
US-PATENT-CLASS-235-92T	c03 N72-25020	US-PATENT-CLASS-244-1	c21 N70-35395
US-PATENT-CLASS-235-92T	c08 N73-20217	US-PATENT-CLASS-244-1	c31 N70-36410
US-PATENT-CLASS-235-150.1	c08 N71-29033	US-PATENT-CLASS-244-1	c33 N70-36617
US-PATENT-CLASS-235-150.1	c08 N72-31226	US-PATENT-CLASS-244-1	c21 N70-36943
US-PATENT-CLASS-235-150.2	c08 N71-29033	US-PATENT-CLASS-244-1	c31 N70-37924
US-PATENT-CLASS-235-150.3	c10 N74-10223	US-PATENT-CLASS-244-1	c31 N70-37938
US-PATENT-CLASS-235-150.22	c02 N71-13421	US-PATENT-CLASS-244-1	c31 N70-37986
US-PATENT-CLASS-235-150.22	c21 N74-13420	US-PATENT-CLASS-244-1	c31 N70-38676
US-PATENT-CLASS-235-150.25	c21 N71-21688	US-PATENT-CLASS-244-1	c30 N70-40016
US-PATENT-CLASS-235-150.26	c21 N74-13420	US-PATENT-CLASS-244-1	c31 N70-41373
US-PATENT-CLASS-235-150.27	c08 N71-29033	US-PATENT-CLASS-244-1	c31 N70-41588
US-PATENT-CLASS-235-150.52	c08 N72-22165	US-PATENT-CLASS-244-1	c31 N70-41631
US-PATENT-CLASS-235-150.53	c08 N72-22165	US-PATENT-CLASS-244-1	c31 N70-41855
US-PATENT-CLASS-235-151	c07 N73-13149	US-PATENT-CLASS-244-1	c21 N70-41856
US-PATENT-CLASS-235-151	c15 N74-21056	US-PATENT-CLASS-244-1	c31 N70-42075
US-PATENT-CLASS-235-151.1	c08 N71-29033	US-PATENT-CLASS-244-1	c03 N71-11058
US-PATENT-CLASS-235-151.1	c08 N72-31226	US-PATENT-CLASS-244-1	c33 N71-14035
US-PATENT-CLASS-235-151.27	c08 N73-25206	US-PATENT-CLASS-244-1	c21 N71-14132
US-PATENT-CLASS-235-151.31	c10 N73-25240	US-PATENT-CLASS-244-1	c21 N71-14159
US-PATENT-CLASS-235-152	c07 N71-24741	US-PATENT-CLASS-244-1	c21 N71-15583
US-PATENT-CLASS-235-152	c08 N72-20176	US-PATENT-CLASS-244-1	c31 N71-15663
US-PATENT-CLASS-235-152	c08 N72-22167	US-PATENT-CLASS-244-1	c31 N71-15674
US-PATENT-CLASS-235-152	c08 N72-25210	US-PATENT-CLASS-244-1	c31 N71-15676
US-PATENT-CLASS-235-152	c08 N73-12175	US-PATENT-CLASS-244-1	c02 N71-16087
US-PATENT-CLASS-235-152	c09 N73-13209	US-PATENT-CLASS-244-1	c31 N71-16222
US-PATENT-CLASS-235-152	c08 N73-26175	US-PATENT-CLASS-244-1	c31 N71-16345
US-PATENT-CLASS-235-152IE	c08 N73-32081	US-PATENT-CLASS-244-1	c31 N71-16346
US-PATENT-CLASS-235-153	c08 N71-24633	US-PATENT-CLASS-244-1	c31 N71-17679
US-PATENT-CLASS-235-153	c08 N72-22166	US-PATENT-CLASS-244-1	c15 N71-17693
US-PATENT-CLASS-235-153AK	c08 N74-14920	US-PATENT-CLASS-244-1	c31 N71-17729
US-PATENT-CLASS-235-154	c08 N70-34778	US-PATENT-CLASS-244-1	c15 N71-19214
US-PATENT-CLASS-235-154	c10 N71-23662	US-PATENT-CLASS-244-1	c03 N71-20273
US-PATENT-CLASS-235-154	c08 N72-18184	US-PATENT-CLASS-244-1	c31 N71-20396
US-PATENT-CLASS-235-154	c08 N72-25206	US-PATENT-CLASS-244-1	c31 N71-21064
US-PATENT-CLASS-235-155	c08 N71-24890	US-PATENT-CLASS-244-1	c14 N71-21082
US-PATENT-CLASS-235-155	c08 N72-21197	US-PATENT-CLASS-244-1	c21 N71-21708
US-PATENT-CLASS-235-155	c08 N73-12176	US-PATENT-CLASS-244-1	c31 N71-21881
US-PATENT-CLASS-235-156	c08 N71-18693	US-PATENT-CLASS-244-1	c33 N71-22792
US-PATENT-CLASS-235-158	c08 N71-19437	US-PATENT-CLASS-244-1	c31 N71-22968
US-PATENT-CLASS-235-164	c08 N71-33110	US-PATENT-CLASS-244-1	c31 N71-22969
US-PATENT-CLASS-235-164	c08 N73-26175	US-PATENT-CLASS-244-1	c31 N71-23009
US-PATENT-CLASS-235-164	c08 N74-20836	US-PATENT-CLASS-244-1	c14 N71-23040
US-PATENT-CLASS-235-175	c08 N71-18602	US-PATENT-CLASS-244-1	c31 N71-23912
US-PATENT-CLASS-235-175	c08 N71-33110	US-PATENT-CLASS-244-1	c31 N71-24315
US-PATENT-CLASS-235-176	c08 N70-34787	US-PATENT-CLASS-244-1	c15 N71-24600
US-PATENT-CLASS-235-181	c07 N71-21476	US-PATENT-CLASS-244-1	c05 N71-24728
US-PATENT-CLASS-235-181	c07 N73-13149	US-PATENT-CLASS-244-1	c33 N71-25353
US-PATENT-CLASS-235-183	c08 N72-22165	US-PATENT-CLASS-244-1	c31 N71-25434
US-PATENT-CLASS-235-186	c10 N73-26230	US-PATENT-CLASS-244-1	c31 N71-26537

NUMBER INDEX

US-PATENT-CLASS-244-1	c15 N71-26611	US-PATENT-CLASS-244-117	c33 N72-17947
US-PATENT-CLASS-244-1	c28 N71-27095	US-PATENT-CLASS-244-117A	c33 N73-25952
US-PATENT-CLASS-244-1	c21 N71-27324	US-PATENT-CLASS-244-122	c05 N71-20718
US-PATENT-CLASS-244-1	c33 N71-28903	US-PATENT-CLASS-244-135	c31 N70-42015
US-PATENT-CLASS-244-1	c15 N71-28936	US-PATENT-CLASS-244-135	c15 N73-12486
US-PATENT-CLASS-244-1	c31 N71-29050	US-PATENT-CLASS-244-135	c14 N73-27378
US-PATENT-CLASS-244-1	c31 N71-33160	US-PATENT-CLASS-244-137P	c31 N73-26876
US-PATENT-CLASS-244-1.55	c03 N73-20040	US-PATENT-CLASS-244-138	c01 N69-39981
US-PATENT-CLASS-244-1SA	c21 N72-21624	US-PATENT-CLASS-244-138	c02 N70-41630
US-PATENT-CLASS-244-1SA	c21 N72-25595	US-PATENT-CLASS-244-138	c31 N71-16085
US-PATENT-CLASS-244-1SA	c03 N73-20039	US-PATENT-CLASS-244-138	c31 N71-25434
US-PATENT-CLASS-244-1SA	c15 N73-25513	US-PATENT-CLASS-244-138	c31 N71-28851
US-PATENT-CLASS-244-1SA	c21 N73-30640	US-PATENT-CLASS-244-139	c31 N73-13898
US-PATENT-CLASS-244-1SA	c14 N74-15089	US-PATENT-CLASS-244-140	c02 N70-38009
US-PATENT-CLASS-244-1SB	c15 N73-12486	US-PATENT-CLASS-244-145	c02 N74-10034
US-PATENT-CLASS-244-1SC	c31 N73-32750	US-PATENT-CLASS-244-150	c15 N71-24600
US-PATENT-CLASS-244-1SD	c31 N73-26876	US-PATENT-CLASS-244-152	c02 N70-36804
US-PATENT-CLASS-244-1SS	c11 N73-13257	US-PATENT-CLASS-244-155	c30 N73-12884
US-PATENT-CLASS-244-1SS	c03 N73-20039	US-PATENT-CLASS-244-155	c31 N73-14854
US-PATENT-CLASS-244-1SS	c14 N73-27378	US-PATENT-CLASS-248-14	c15 N72-17454
US-PATENT-CLASS-244-1SS	c31 N73-30829	US-PATENT-CLASS-248-18	c14 N69-27486
US-PATENT-CLASS-244-1SS	c31 N73-32750	US-PATENT-CLASS-248-18	c15 N72-11391
US-PATENT-CLASS-244-1SS	c33 N73-32818	US-PATENT-CLASS-248-20	c15 N72-11391
US-PATENT-CLASS-244-3.14	c31 N71-17691	US-PATENT-CLASS-248-27	c15 N71-20813
US-PATENT-CLASS-244-3.16	c14 N74-15089	US-PATENT-CLASS-248-119	c11 N70-35383
US-PATENT-CLASS-244-3.21	c30 N72-17873	US-PATENT-CLASS-248-178	c15 N70-41310
US-PATENT-CLASS-244-3.22	c31 N71-17629	US-PATENT-CLASS-248-183	c14 N71-26627
US-PATENT-CLASS-244-3.22	c28 N72-22769	US-PATENT-CLASS-248-183	c15 N72-11386
US-PATENT-CLASS-244-4	c05 N69-21380	US-PATENT-CLASS-248-188.4	c15 N72-27484
US-PATENT-CLASS-244-4	c05 N71-12336	US-PATENT-CLASS-248-188.9	c31 N70-34159
US-PATENT-CLASS-244-4	c28 N71-27585	US-PATENT-CLASS-248-278	c15 N72-11386
US-PATENT-CLASS-244-12	c02 N70-33332	US-PATENT-CLASS-248-317	c11 N69-27466
US-PATENT-CLASS-244-13	c01 N71-23497	US-PATENT-CLASS-248-346	c14 N70-39898
US-PATENT-CLASS-244-13	c02 N73-26005	US-PATENT-CLASS-248-358	c15 N70-80156
US-PATENT-CLASS-244-14	c14 N70-33322	US-PATENT-CLASS-248-358	c23 N71-15673
US-PATENT-CLASS-244-15.5	c31 N72-18859	US-PATENT-CLASS-248-358	c15 N71-24694
US-PATENT-CLASS-244-16	c02 N70-41863	US-PATENT-CLASS-248-360	c15 N71-17649
US-PATENT-CLASS-244-17.13	c02 N73-19004	US-PATENT-CLASS-248-361	c05 N71-28619
US-PATENT-CLASS-244-23	c02 N71-11039	US-PATENT-CLASS-248-487	c15 N72-11386
US-PATENT-CLASS-244-23A	c21 N72-25595	US-PATENT-CLASS-250-41.9	c06 N71-13461
US-PATENT-CLASS-244-31	c02 N71-11037	US-PATENT-CLASS-250-41.9	c24 N71-16095
US-PATENT-CLASS-244-31	c31 N71-16081	US-PATENT-CLASS-250-41.9	c14 N71-23041
US-PATENT-CLASS-244-32	c02 N73-13008	US-PATENT-CLASS-250-41.9	c14 N71-28863
US-PATENT-CLASS-244-35	c01 N71-13410	US-PATENT-CLASS-250-41.9	c14 N72-17328
US-PATENT-CLASS-244-42	c02 N70-42016	US-PATENT-CLASS-250-41.9	c14 N73-32325
US-PATENT-CLASS-244-42	c02 N71-26110	US-PATENT-CLASS-250-41.9D	c14 N72-29464
US-PATENT-CLASS-244-43	c02 N70-33255	US-PATENT-CLASS-250-41.9G	c14 N73-12444
US-PATENT-CLASS-244-43	c02 N71-11043	US-PATENT-CLASS-250-41.9S	c14 N73-12444
US-PATENT-CLASS-244-44	c02 N71-11038	US-PATENT-CLASS-250-41.9S	c14 N71-28992
US-PATENT-CLASS-244-45	c02 N71-12243	US-PATENT-CLASS-250-43.5	c27 N71-16348
US-PATENT-CLASS-244-46	c02 N70-33266	US-PATENT-CLASS-250-43.5	c15 N71-24896
US-PATENT-CLASS-244-46	c02 N70-33286	US-PATENT-CLASS-250-43.5	c14 N71-25901
US-PATENT-CLASS-244-46	c02 N70-34178	US-PATENT-CLASS-250-43.5PC	c14 N72-11365
US-PATENT-CLASS-244-46	c02 N70-34858	US-PATENT-CLASS-250-43.5R	c14 N71-27090
US-PATENT-CLASS-244-46	c31 N70-38010	US-PATENT-CLASS-250-43.5R	c14 N72-21408
US-PATENT-CLASS-244-46	c02 N70-38011	US-PATENT-CLASS-250-43.5R	c06 N72-25146
US-PATENT-CLASS-244-46	c02 N71-11041	US-PATENT-CLASS-250-43.5R	c06 N72-31141
US-PATENT-CLASS-244-46	c02 N73-26005	US-PATENT-CLASS-250-49.5	c14 N69-39982
US-PATENT-CLASS-244-50	c02 N70-34160	US-PATENT-CLASS-250-49.5	c14 N71-28863
US-PATENT-CLASS-244-51	c02 N70-34856	US-PATENT-CLASS-250-49.5	c14 N72-17328
US-PATENT-CLASS-244-53	c28 N71-15563	US-PATENT-CLASS-250-49.5B	c24 N72-11595
US-PATENT-CLASS-244-53B	c02 N74-20646	US-PATENT-CLASS-250-49.5TE	c24 N72-11595
US-PATENT-CLASS-244-55	c02 N73-26005	US-PATENT-CLASS-250-51	c24 N72-11595
US-PATENT-CLASS-244-57	c15 N71-26611	US-PATENT-CLASS-250-51.5	c23 N73-13662
US-PATENT-CLASS-244-75A	c02 N73-26004	US-PATENT-CLASS-250-51.5	c14 N73-28491
US-PATENT-CLASS-244-76	c21 N70-34539	US-PATENT-CLASS-250-52	c15 N71-15606
US-PATENT-CLASS-244-76	c02 N71-13422	US-PATENT-CLASS-250-52	c11 N71-23042
US-PATENT-CLASS-244-76	c02 N71-20570	US-PATENT-CLASS-250-52	c24 N72-11595
US-PATENT-CLASS-244-76C	c02 N73-26004	US-PATENT-CLASS-250-52	c23 N73-13662
US-PATENT-CLASS-244-77	c32 N71-23971	US-PATENT-CLASS-250-65F	c15 N72-25452
US-PATENT-CLASS-244-77A	c21 N74-13420	US-PATENT-CLASS-250-65R	c14 N73-30389
US-PATENT-CLASS-244-77B	c21 N74-13420	US-PATENT-CLASS-250-71	c14 N70-41676
US-PATENT-CLASS-244-77D	c02 N73-19004	US-PATENT-CLASS-250-71.5	c14 N72-17328
US-PATENT-CLASS-244-77F	c02 N73-26004	US-PATENT-CLASS-250-71.5R	c14 N72-29464
US-PATENT-CLASS-244-77G	c02 N73-26004	US-PATENT-CLASS-250-71R	c06 N73-16106
US-PATENT-CLASS-244-83	c21 N70-33279	US-PATENT-CLASS-250-83	c14 N69-27484
US-PATENT-CLASS-244-83	c15 N71-23255	US-PATENT-CLASS-250-83	c14 N69-39937
US-PATENT-CLASS-244-83	c31 N71-33160	US-PATENT-CLASS-250-83	c09 N71-18830
US-PATENT-CLASS-244-83	c03 N74-10942	US-PATENT-CLASS-250-83	c05 N71-19440
US-PATENT-CLASS-244-90	c02 N71-27088	US-PATENT-CLASS-250-83	c14 N71-20430
US-PATENT-CLASS-244-100	c15 N70-34850	US-PATENT-CLASS-250-83	c14 N71-23401
US-PATENT-CLASS-244-100	c31 N70-36654	US-PATENT-CLASS-250-83	c09 N71-27232
US-PATENT-CLASS-244-100	c31 N70-36845	US-PATENT-CLASS-250-83.3	c21 N70-33181
US-PATENT-CLASS-244-100	c02 N70-41589	US-PATENT-CLASS-250-83.3	c21 N70-34297
US-PATENT-CLASS-244-103	c02 N70-36825	US-PATENT-CLASS-250-83.3	c14 N71-15599
US-PATENT-CLASS-244-113	c02 N70-37939	US-PATENT-CLASS-250-83.3	c14 N71-18699
US-PATENT-CLASS-244-113	c31 N71-25434	US-PATENT-CLASS-250-83.3	c14 N71-21088
US-PATENT-CLASS-244-114	c21 N72-22619	US-PATENT-CLASS-250-83.3	c09 N71-22985
US-PATENT-CLASS-244-117	c31 N70-33242	US-PATENT-CLASS-250-83.3	c14 N71-25901

NUMBER INDEX

US-PATENT-CLASS-250-83.3	c14 N71-26475	US-PATENT-CLASS-250-218	c14 N71-28994
US-PATENT-CLASS-250-83.3	c14 N71-27323	US-PATENT-CLASS-250-219	c14 N71-28993
US-PATENT-CLASS-250-83.3	c14 N72-17328	US-PATENT-CLASS-250-219DF	c14 N74-13130
US-PATENT-CLASS-250-83.3H	c14 N72-21408	US-PATENT-CLASS-250-219TH	c26 N73-26751
US-PATENT-CLASS-250-83.3H	c14 N72-24477	US-PATENT-CLASS-250-225	c14 N71-24864
US-PATENT-CLASS-250-83.3H	c14 N73-12445	US-PATENT-CLASS-250-225	c14 N72-27409
US-PATENT-CLASS-250-83.3H	c14 N73-20475	US-PATENT-CLASS-250-226	c14 N72-25409
US-PATENT-CLASS-250-83.3H	c14 N73-25462	US-PATENT-CLASS-250-227	c14 N71-22991
US-PATENT-CLASS-250-83.3H	c14 N73-12445	US-PATENT-CLASS-250-227	c14 N71-23240
US-PATENT-CLASS-250-83.3R	c14 N73-20477	US-PATENT-CLASS-250-229	c08 N73-30135
US-PATENT-CLASS-250-83.3R	c14 N73-32317	US-PATENT-CLASS-250-231	c14 N73-20475
US-PATENT-CLASS-250-83.3R	c10 N72-17173	US-PATENT-CLASS-250-231SE	c23 N74-21304
US-PATENT-CLASS-250-83.3R	c14 N72-25409	US-PATENT-CLASS-250-232	c23 N71-21821
US-PATENT-CLASS-250-83.3UV	c06 N73-16106	US-PATENT-CLASS-250-232	c23 N71-16100
US-PATENT-CLASS-250-83.3UV	c10 N70-41991	US-PATENT-CLASS-250-233	c03 N73-20040
US-PATENT-CLASS-250-83.6	c14 N71-27090	US-PATENT-CLASS-250-234	c14 N72-11364
US-PATENT-CLASS-250-83.6R	c14 N72-20381	US-PATENT-CLASS-250-235	c21 N73-30640
US-PATENT-CLASS-250-83.6R	c25 N72-33696	US-PATENT-CLASS-250-236	c14 N69-24331
US-PATENT-CLASS-250-83.6R	c14 N74-13130	US-PATENT-CLASS-250-237	c08 N73-30135
US-PATENT-CLASS-250-83CD	c14 N73-12445	US-PATENT-CLASS-250-237R	c14 N74-15089
US-PATENT-CLASS-250-83R	c14 N73-20477	US-PATENT-CLASS-250-237R	c08 N73-30135
US-PATENT-CLASS-250-83R	c14 N71-24809	US-PATENT-CLASS-250-239	c14 N73-28488
US-PATENT-CLASS-250-84	c14 N70-40240	US-PATENT-CLASS-250-336	c14 N74-18088
US-PATENT-CLASS-250-105	c14 N73-30389	US-PATENT-CLASS-250-338	c14 N74-11284
US-PATENT-CLASS-250-105	c16 N69-27491	US-PATENT-CLASS-250-343	c14 N74-15091
US-PATENT-CLASS-250-199	c07 N71-12389	US-PATENT-CLASS-250-360	c14 N74-15091
US-PATENT-CLASS-250-199	c16 N71-22895	US-PATENT-CLASS-250-361	c14 N74-18088
US-PATENT-CLASS-250-199	c16 N71-25914	US-PATENT-CLASS-250-369	c14 N74-18088
US-PATENT-CLASS-250-199	c16 N71-27183	US-PATENT-CLASS-250-370	c14 N73-30392
US-PATENT-CLASS-250-199	c16 N71-28963	US-PATENT-CLASS-250-371	c14 N74-15091
US-PATENT-CLASS-250-199	c16 N73-16536	US-PATENT-CLASS-250-394	c14 N74-18088
US-PATENT-CLASS-250-199	c07 N73-26119	US-PATENT-CLASS-250-492	c14 N73-30392
US-PATENT-CLASS-250-201	c14 N70-40238	US-PATENT-CLASS-250-518	c15 N70-35407
US-PATENT-CLASS-250-203	c14 N69-27432	US-PATENT-CLASS-251-11	c15 N71-19485
US-PATENT-CLASS-250-203	c14 N69-27485	US-PATENT-CLASS-251-31	c15 N71-10778
US-PATENT-CLASS-250-203	c07 N69-39736	US-PATENT-CLASS-251-61	c12 N71-18615
US-PATENT-CLASS-250-203	c14 N70-34158	US-PATENT-CLASS-251-61.1	c15 N72-31483
US-PATENT-CLASS-250-203	c21 N70-35089	US-PATENT-CLASS-251-86	c15 N71-18580
US-PATENT-CLASS-250-203	c14 N70-40239	US-PATENT-CLASS-251-118	c15 N74-21065
US-PATENT-CLASS-250-203	c21 N71-10678	US-PATENT-CLASS-251-120	c15 N71-18580
US-PATENT-CLASS-250-203	c21 N71-10771	US-PATENT-CLASS-251-121	c15 N73-13462
US-PATENT-CLASS-250-203	c21 N71-15642	US-PATENT-CLASS-251-122	c15 N74-21065
US-PATENT-CLASS-250-203	c14 N71-19568	US-PATENT-CLASS-251-122	c12 N71-18615
US-PATENT-CLASS-250-203	c14 N71-23269	US-PATENT-CLASS-251-127	c15 N72-20442
US-PATENT-CLASS-250-203	c14 N71-23797	US-PATENT-CLASS-251-129	c15 N71-23024
US-PATENT-CLASS-250-203	c14 N72-22444	US-PATENT-CLASS-251-148	c15 N71-21234
US-PATENT-CLASS-250-203	c14 N73-30393	US-PATENT-CLASS-251-172	c15 N70-33376
US-PATENT-CLASS-250-203	c14 N72-27409	US-PATENT-CLASS-251-173	c15 N74-21065
US-PATENT-CLASS-250-203R	c14 N73-25462	US-PATENT-CLASS-251-210	c15 N72-31483
US-PATENT-CLASS-250-203R	c14 N73-28490	US-PATENT-CLASS-251-331	c15 N70-34859
US-PATENT-CLASS-250-203R	c21 N73-30640	US-PATENT-CLASS-251-333	c12 N71-18615
US-PATENT-CLASS-250-203R	c14 N74-15089	US-PATENT-CLASS-251-333	c15 N72-20442
US-PATENT-CLASS-250-203R	c16 N72-13437	US-PATENT-CLASS-251-333	c12 N71-18615
US-PATENT-CLASS-250-204	c16 N74-21091	US-PATENT-CLASS-251-342	c15 N71-17648
US-PATENT-CLASS-250-205	c14 N72-27411	US-PATENT-CLASS-251-358	c15 N72-25451
US-PATENT-CLASS-250-205	c09 N73-14214	US-PATENT-CLASS-251-360	c18 N73-26572
US-PATENT-CLASS-250-205	c16 N74-13205	US-PATENT-CLASS-252-8.1	c15 N71-23810
US-PATENT-CLASS-250-205	c10 N71-20782	US-PATENT-CLASS-252-12	c15 N71-21403
US-PATENT-CLASS-250-206	c14 N71-21040	US-PATENT-CLASS-252-26	c15 N71-24046
US-PATENT-CLASS-250-207	c14 N72-17328	US-PATENT-CLASS-252-26	c18 N70-39897
US-PATENT-CLASS-250-207	c14 N73-32317	US-PATENT-CLASS-252-58	c26 N71-23292
US-PATENT-CLASS-250-207	c14 N72-20379	US-PATENT-CLASS-252-62.3	c14 N72-22443
US-PATENT-CLASS-250-208	c07 N69-39980	US-PATENT-CLASS-252-300	c18 N71-27170
US-PATENT-CLASS-250-209	c20 N71-16340	US-PATENT-CLASS-252-301.2	c06 N73-30097
US-PATENT-CLASS-250-209	c10 N72-17173	US-PATENT-CLASS-252-301.4	c06 N73-30097
US-PATENT-CLASS-250-209	c14 N72-25409	US-PATENT-CLASS-252-305	c14 N73-14428
US-PATENT-CLASS-250-209	c14 N73-16483	US-PATENT-CLASS-252-408	c06 N73-32029
US-PATENT-CLASS-250-209	c14 N73-26432	US-PATENT-CLASS-252-431N	c06 N73-32029
US-PATENT-CLASS-250-209	c14 N73-28490	US-PATENT-CLASS-252-431R	c05 N72-25120
US-PATENT-CLASS-250-209	c21 N73-30640	US-PATENT-CLASS-252-514	c33 N71-29152
US-PATENT-CLASS-250-211J	c09 N72-17152	US-PATENT-CLASS-253-39.1	c15 N70-33226
US-PATENT-CLASS-250-211J	c09 N73-14214	US-PATENT-CLASS-253-39.15	c15 N70-33264
US-PATENT-CLASS-250-211J	c14 N74-15090	US-PATENT-CLASS-253-39.15	c28 N70-33372
US-PATENT-CLASS-250-212	c03 N71-23354	US-PATENT-CLASS-253-39.15	c15 N70-36412
US-PATENT-CLASS-250-212	c03 N73-20040	US-PATENT-CLASS-253-66	c28 N70-39895
US-PATENT-CLASS-250-212	c09 N73-32109	US-PATENT-CLASS-253-66	c28 N71-28928
US-PATENT-CLASS-250-214	c14 N73-25462	US-PATENT-CLASS-253-77	c28 N71-29154
US-PATENT-CLASS-250-214	c14 N73-25462	US-PATENT-CLASS-253-77	c15 N73-30457
US-PATENT-CLASS-250-214	c14 N74-15090	US-PATENT-CLASS-254-29A	c14 N74-13129
US-PATENT-CLASS-250-214R	c14 N73-28490	US-PATENT-CLASS-254-93R	c15 N71-24599
US-PATENT-CLASS-250-215	c14 N73-16483	US-PATENT-CLASS-254-150	c15 N73-25512
US-PATENT-CLASS-250-217	c14 N69-39896	US-PATENT-CLASS-254-156	c15 N71-24599
US-PATENT-CLASS-250-217	c14 N73-16483	US-PATENT-CLASS-254-173	c15 N71-24599
US-PATENT-CLASS-250-217	c16 N74-13205	US-PATENT-CLASS-254-186	c15 N72-25453
US-PATENT-CLASS-250-217F	c14 N73-16484	US-PATENT-CLASS-254-190	c14 N74-15093
US-PATENT-CLASS-250-217R	c14 N73-19419	US-PATENT-CLASS-259-DIG.18	c15 N73-19458
US-PATENT-CLASS-250-217SS	c09 N73-14214	US-PATENT-CLASS-259-4	c14 N74-15093
US-PATENT-CLASS-250-217SS	c16 N74-15145	US-PATENT-CLASS-259-60	c15 N71-21177
US-PATENT-CLASS-250-218	c14 N71-22996	US-PATENT-CLASS-259-71	c15 N74-18123
		US-PATENT-CLASS-259-72	

NUMBER INDEX

US-PATENT-CLASS-259-98	c15 N74-15126	US-PATENT-CLASS-264-102	c15 N74-14133
US-PATENT-CLASS-260-46.5E	c18 N74-21156	US-PATENT-CLASS-264-102	c15 N74-18124
US-PATENT-CLASS-260-2	c06 N71-11243	US-PATENT-CLASS-264-104	c05 N72-25120
US-PATENT-CLASS-260-2	c06 N71-20717	US-PATENT-CLASS-264-111	c17 N71-29137
US-PATENT-CLASS-260-2	c06 N71-20905	US-PATENT-CLASS-264-135	c15 N74-18126
US-PATENT-CLASS-260-2	c06 N71-27363	US-PATENT-CLASS-264-136	c15 N74-18126
US-PATENT-CLASS-260-2	c06 N73-30102	US-PATENT-CLASS-264-221	c15 N72-16329
US-PATENT-CLASS-260-2.1E	c18 N72-22567	US-PATENT-CLASS-264-225	c15 N72-16329
US-PATENT-CLASS-260-2.5	c06 N71-11242	US-PATENT-CLASS-264-227	c15 N72-16329
US-PATENT-CLASS-260-2.5	c06 N71-24739	US-PATENT-CLASS-264-257	c15 N74-18126
US-PATENT-CLASS-260-2.5	c06 N71-25929	US-PATENT-CLASS-264-294	c15 N74-13177
US-PATENT-CLASS-260-2.5	c18 N71-26155	US-PATENT-CLASS-266-19	c15 N70-33382
US-PATENT-CLASS-260-2.5	c06 N72-25150	US-PATENT-CLASS-266-24	c17 N72-28535
US-PATENT-CLASS-260-2.5AM	c06 N74-12812	US-PATENT-CLASS-267-1	c15 N69-27504
US-PATENT-CLASS-260-2.5F	c18 N73-13562	US-PATENT-CLASS-267-1	c15 N70-38225
US-PATENT-CLASS-260-2.5FP	c06 N72-25147	US-PATENT-CLASS-267-64	c15 N71-21530
US-PATENT-CLASS-260-2.5L	c06 N74-12814	US-PATENT-CLASS-267-166	c33 N74-18552
US-PATENT-CLASS-260-2R	c15 N74-18126	US-PATENT-CLASS-269-48.1	c14 N74-13131
US-PATENT-CLASS-260-18S	c06 N72-25151	US-PATENT-CLASS-272-DIG.1	c05 N73-32014
US-PATENT-CLASS-260-29.6S	c18 N74-17283	US-PATENT-CLASS-272-DIG.4	c05 N73-32014
US-PATENT-CLASS-260-30.2	c06 N73-27980	US-PATENT-CLASS-272-DIG.5	c05 N73-32014
US-PATENT-CLASS-260-30.8DS	c06 N73-27980	US-PATENT-CLASS-272-70	c05 N71-28619
US-PATENT-CLASS-260-32.6N	c06 N73-27980	US-PATENT-CLASS-272-73	c14 N73-27377
US-PATENT-CLASS-260-33.4R	c06 N73-27980	US-PATENT-CLASS-272-73	c05 N73-27941
US-PATENT-CLASS-260-33.6R	c06 N73-27980	US-PATENT-CLASS-272-73	c15 N74-18127
US-PATENT-CLASS-260-37	c18 N71-25881	US-PATENT-CLASS-272-79C	c05 N73-32014
US-PATENT-CLASS-260-46.5	c06 N71-11237	US-PATENT-CLASS-272-80	c15 N74-18127
US-PATENT-CLASS-260-46.5	c06 N71-11240	US-PATENT-CLASS-273-1E	c05 N73-13114
US-PATENT-CLASS-260-46.5E	c06 N72-25151	US-PATENT-CLASS-274-4R	c09 N72-11224
US-PATENT-CLASS-260-46.5G	c06 N72-25151	US-PATENT-CLASS-277-13	c15 N71-26294
US-PATENT-CLASS-260-46.5P	c06 N72-25151	US-PATENT-CLASS-277-25	c15 N69-21362
US-PATENT-CLASS-260-46.5R	c06 N73-26100	US-PATENT-CLASS-277-25	c15 N71-19570
US-PATENT-CLASS-260-47	c06 N71-28620	US-PATENT-CLASS-277-25	c15 N72-29488
US-PATENT-CLASS-260-47	c06 N71-28807	US-PATENT-CLASS-277-25	c15 N74-10474
US-PATENT-CLASS-260-47CP	c06 N73-27980	US-PATENT-CLASS-277-27	c15 N72-29488
US-PATENT-CLASS-260-47UP	c06 N73-32029	US-PATENT-CLASS-277-27	c15 N74-10474
US-PATENT-CLASS-260-65	c06 N73-27980	US-PATENT-CLASS-277-27	c15 N74-15125
US-PATENT-CLASS-260-72.5	c06 N71-11236	US-PATENT-CLASS-277-74	c15 N72-29488
US-PATENT-CLASS-260-72.5	c06 N71-11239	US-PATENT-CLASS-277-91	c15 N74-15125
US-PATENT-CLASS-260-72.5	c06 N71-24740	US-PATENT-CLASS-277-96	c15 N74-10474
US-PATENT-CLASS-260-77.5	c06 N73-30099	US-PATENT-CLASS-285-DIG.21	c15 N72-25450
US-PATENT-CLASS-260-77.5	c06 N73-30100	US-PATENT-CLASS-285-DIG.21	c33 N73-26958
US-PATENT-CLASS-260-77.5	c06 N73-30103	US-PATENT-CLASS-285-3	c15 N69-27490
US-PATENT-CLASS-260-77.5AP	c06 N72-27144	US-PATENT-CLASS-285-3	c15 N72-25450
US-PATENT-CLASS-260-77.5AP	c06 N73-33076	US-PATENT-CLASS-285-18	c15 N72-20445
US-PATENT-CLASS-260-78	c06 N71-11235	US-PATENT-CLASS-285-24	c15 N71-10782
US-PATENT-CLASS-260-78	c06 N71-11238	US-PATENT-CLASS-285-27	c15 N70-41808
US-PATENT-CLASS-260-78TF	c06 N73-27980	US-PATENT-CLASS-285-33	c15 N72-25450
US-PATENT-CLASS-260-78UA	c06 N73-27980	US-PATENT-CLASS-285-38	c15 N71-24903
US-PATENT-CLASS-260-85.5	c06 N71-23500	US-PATENT-CLASS-285-45	c15 N71-28937
US-PATENT-CLASS-260-92.1	c06 N72-25150	US-PATENT-CLASS-285-314	c15 N71-24903
US-PATENT-CLASS-260-92.1	c06 N72-25152	US-PATENT-CLASS-285-316	c15 N72-25450
US-PATENT-CLASS-260-93.5A	c06 N73-32029	US-PATENT-CLASS-285-316	c33 N73-26958
US-PATENT-CLASS-260-93.5S	c06 N73-32029	US-PATENT-CLASS-285-317	c15 N71-24903
US-PATENT-CLASS-260-94.2M	c06 N73-32029	US-PATENT-CLASS-285-331	c15 N70-41629
US-PATENT-CLASS-260-94.2R	c06 N73-32029	US-PATENT-CLASS-285-345	c15 N72-20445
US-PATENT-CLASS-260-94.7R	c06 N73-32029	US-PATENT-CLASS-285-406	c15 N71-24903
US-PATENT-CLASS-260-94.8	c27 N73-22710	US-PATENT-CLASS-285-410	c05 N72-11085
US-PATENT-CLASS-260-211.5	c06 N72-25149	US-PATENT-CLASS-287-54A	c11 N72-25287
US-PATENT-CLASS-260-348SC	c06 N72-25148	US-PATENT-CLASS-287-85R	c15 N73-12488
US-PATENT-CLASS-260-404.5	c18 N71-15688	US-PATENT-CLASS-287-92	c31 N73-32749
US-PATENT-CLASS-260-429	c06 N71-28808	US-PATENT-CLASS-287-119	c15 N70-41829
US-PATENT-CLASS-260-448.2	c06 N71-23230	US-PATENT-CLASS-287-189.36	c15 N71-10799
US-PATENT-CLASS-260-448.2D	c06 N72-25151	US-PATENT-CLASS-287-189.365	c15 N71-26312
US-PATENT-CLASS-260-448.2D	c06 N73-32030	US-PATENT-CLASS-290-40	c03 N71-11057
US-PATENT-CLASS-260-448.2N	c15 N74-21058	US-PATENT-CLASS-294-15	c15 N71-29133
US-PATENT-CLASS-260-485F	c06 N73-30098	US-PATENT-CLASS-294-83	c15 N71-24897
US-PATENT-CLASS-260-535H	c06 N72-27144	US-PATENT-CLASS-297-68	c05 N71-12343
US-PATENT-CLASS-260-544F	c06 N72-20121	US-PATENT-CLASS-297-68	c05 N72-11085
US-PATENT-CLASS-260-567.6M	c06 N73-32029	US-PATENT-CLASS-297-216	c05 N70-35152
US-PATENT-CLASS-260-615	c06 N71-27254	US-PATENT-CLASS-297-232	c05 N72-11085
US-PATENT-CLASS-260-615	c06 N73-30101	US-PATENT-CLASS-297-385	c05 N71-12341
US-PATENT-CLASS-260-877	c06 N72-22107	US-PATENT-CLASS-297-386	c15 N73-30460
US-PATENT-CLASS-261-145	c28 N72-22772	US-PATENT-CLASS-301-5P	c15 N74-18125
US-PATENT-CLASS-263-48	c15 N69-27483	US-PATENT-CLASS-305-35EB	c11 N73-26238
US-PATENT-CLASS-264-DIG.36	c18 N73-14584	US-PATENT-CLASS-305-39	c11 N73-26238
US-PATENT-CLASS-264-DIG.44	c15 N72-16329	US-PATENT-CLASS-307-18	c03 N73-31988
US-PATENT-CLASS-264-3	c28 N71-26779	US-PATENT-CLASS-307-28	c03 N73-31988
US-PATENT-CLASS-264-22	c15 N72-20446	US-PATENT-CLASS-307-29	c03 N73-31988
US-PATENT-CLASS-264-22	c14 N72-22439	US-PATENT-CLASS-307-38	c03 N73-31988
US-PATENT-CLASS-264-27	c26 N71-17818	US-PATENT-CLASS-307-53	c10 N71-26626
US-PATENT-CLASS-264-28	c15 N73-12489	US-PATENT-CLASS-307-81	c09 N72-17157
US-PATENT-CLASS-264-36	c15 N73-12489	US-PATENT-CLASS-307-83	c09 N72-25262
US-PATENT-CLASS-264-40	c18 N73-14584	US-PATENT-CLASS-307-88	c08 N70-34743
US-PATENT-CLASS-264-65	c15 N71-17803	US-PATENT-CLASS-307-88	c09 N70-38604
US-PATENT-CLASS-264-92	c15 N72-24522	US-PATENT-CLASS-307-88	c09 N71-24803
US-PATENT-CLASS-264-92	c15 N71-10672	US-PATENT-CLASS-307-88.3	c09 N71-26000
US-PATENT-CLASS-264-102	c15 N73-12489	US-PATENT-CLASS-307-88.5	c09 N72-25258
US-PATENT-CLASS-264-102			c09 N70-34819

NUMBER INDEX

US-PATENT-CLASS-307-88.5	c09 N70-40272	US-PATENT-CLASS-307-265	c09 N71-29139
US-PATENT-CLASS-307-88.5	c09 N70-41675	US-PATENT-CLASS-307-267	c09 N71-20447
US-PATENT-CLASS-307-88.5	c10 N70-42032	US-PATENT-CLASS-307-268	c09 N69-24317
US-PATENT-CLASS-307-88.5	c09 N71-10673	US-PATENT-CLASS-307-271	c10 N73-32145
US-PATENT-CLASS-307-88.5	c10 N71-15910	US-PATENT-CLASS-307-273	c10 N71-18723
US-PATENT-CLASS-307-88.5	c10 N71-16042	US-PATENT-CLASS-307-273	c09 N71-27016
US-PATENT-CLASS-307-88.5	c10 N71-28739	US-PATENT-CLASS-307-273	c09 N71-28468
US-PATENT-CLASS-307-88.5	c09 N72-22197	US-PATENT-CLASS-307-273	c10 N71-28860
US-PATENT-CLASS-307-88MF	c09 N72-27227	US-PATENT-CLASS-307-273	c09 N71-29139
US-PATENT-CLASS-307-92	c09 N72-25262	US-PATENT-CLASS-307-273	c10 N72-20221
US-PATENT-CLASS-307-103	c09 N71-24892	US-PATENT-CLASS-307-284	c09 N72-22201
US-PATENT-CLASS-307-104	c09 N69-21468	US-PATENT-CLASS-307-288	c09 N71-23015
US-PATENT-CLASS-307-106	c09 N72-27227	US-PATENT-CLASS-307-288	c09 N71-28468
US-PATENT-CLASS-307-118	c14 N71-27407	US-PATENT-CLASS-307-288	c10 N72-20221
US-PATENT-CLASS-307-126	c10 N74-14956	US-PATENT-CLASS-307-288	c09 N72-22202
US-PATENT-CLASS-307-127	c09 N69-27500	US-PATENT-CLASS-307-289	c10 N71-19547
US-PATENT-CLASS-307-136	c03 N72-25020	US-PATENT-CLASS-307-294	c09 N71-29139
US-PATENT-CLASS-307-141.8	c09 N71-13486	US-PATENT-CLASS-307-295	c10 N72-17171
US-PATENT-CLASS-307-149	c16 N73-32391	US-PATENT-CLASS-307-295	c10 N72-20223
US-PATENT-CLASS-307-157	c10 N72-22236	US-PATENT-CLASS-307-295	c09 N72-21245
US-PATENT-CLASS-307-206	c08 N71-29034	US-PATENT-CLASS-307-295	c09 N72-33204
US-PATENT-CLASS-307-207	c09 N73-13209	US-PATENT-CLASS-307-296	c08 N71-12494
US-PATENT-CLASS-307-207	c10 N71-28860	US-PATENT-CLASS-307-296	c07 N71-28430
US-PATENT-CLASS-307-215	c09 N71-29139	US-PATENT-CLASS-307-299	c08 N72-21198
US-PATENT-CLASS-307-215	c10 N72-22236	US-PATENT-CLASS-307-299	c26 N72-21701
US-PATENT-CLASS-307-215	c09 N73-13209	US-PATENT-CLASS-307-300	c10 N71-27126
US-PATENT-CLASS-307-216	c08 N71-18751	US-PATENT-CLASS-307-303	c08 N72-21198
US-PATENT-CLASS-307-220	c10 N73-26229	US-PATENT-CLASS-307-304	c09 N72-22201
US-PATENT-CLASS-307-221R	c10 N73-20254	US-PATENT-CLASS-307-304	c09 N73-20232
US-PATENT-CLASS-307-222	c09 N69-27463	US-PATENT-CLASS-307-305	c09 N72-23171
US-PATENT-CLASS-307-222	c08 N71-29034	US-PATENT-CLASS-307-308	c14 N73-28488
US-PATENT-CLASS-307-223	c09 N72-17157	US-PATENT-CLASS-307-310	c09 N73-14214
US-PATENT-CLASS-307-223B	c09 N72-22201	US-PATENT-CLASS-307-311	c14 N72-18411
US-PATENT-CLASS-307-225R	c10 N74-10223	US-PATENT-CLASS-307-311	c08 N72-21198
US-PATENT-CLASS-307-227	c09 N72-17157	US-PATENT-CLASS-307-311	c09 N73-14214
US-PATENT-CLASS-307-227	c09 N71-12520	US-PATENT-CLASS-307-313	c10 N72-20221
US-PATENT-CLASS-307-229	c09 N72-23173	US-PATENT-CLASS-307-317	c09 N72-22200
US-PATENT-CLASS-307-229	c10 N72-16172	US-PATENT-CLASS-307-317	c09 N72-22201
US-PATENT-CLASS-307-230	c09 N72-21245	US-PATENT-CLASS-307-322	c10 N72-22236
US-PATENT-CLASS-307-230	c09 N73-20232	US-PATENT-CLASS-307-323	c10 N72-22236
US-PATENT-CLASS-307-230	c09 N72-22202	US-PATENT-CLASS-308-DIG.1	c15 N72-17451
US-PATENT-CLASS-307-231	c09 N72-25257	US-PATENT-CLASS-308-1	c31 N71-26537
US-PATENT-CLASS-307-233	c10 N73-26229	US-PATENT-CLASS-308-2	c15 N71-23812
US-PATENT-CLASS-307-233	c10 N71-23315	US-PATENT-CLASS-308-2A	c15 N72-26371
US-PATENT-CLASS-307-234	c09 N71-27016	US-PATENT-CLASS-308-2A	c15 N73-12488
US-PATENT-CLASS-307-234	c08 N71-29138	US-PATENT-CLASS-308-5	c15 N71-10617
US-PATENT-CLASS-307-235	c10 N71-19471	US-PATENT-CLASS-308-5	c15 N72-11388
US-PATENT-CLASS-307-235	c09 N71-23545	US-PATENT-CLASS-308-5	c15 N72-17451
US-PATENT-CLASS-307-235	c10 N71-24862	US-PATENT-CLASS-308-9	c15 N70-34664
US-PATENT-CLASS-307-237	c09 N72-22200	US-PATENT-CLASS-308-9	c15 N70-38620
US-PATENT-CLASS-307-237	c07 N74-19788	US-PATENT-CLASS-308-9	c15 N70-39896
US-PATENT-CLASS-307-241	c09 N72-22201	US-PATENT-CLASS-308-9	c15 N71-20739
US-PATENT-CLASS-307-242	c10 N73-13235	US-PATENT-CLASS-308-9	c14 N71-26627
US-PATENT-CLASS-307-243	c09 N71-12516	US-PATENT-CLASS-308-9	c15 N72-17451
US-PATENT-CLASS-307-243	c08 N72-22162	US-PATENT-CLASS-308-9	c15 N73-32359
US-PATENT-CLASS-307-246	c09 N71-27016	US-PATENT-CLASS-308-10	c15 N71-22997
US-PATENT-CLASS-307-247	c09 N71-29139	US-PATENT-CLASS-308-10	c15 N72-33476
US-PATENT-CLASS-307-247	c09 N72-22202	US-PATENT-CLASS-308-10	c23 N74-18323
US-PATENT-CLASS-307-251	c09 N71-33109	US-PATENT-CLASS-308-35	c15 N73-32359
US-PATENT-CLASS-307-251	c08 N72-22162	US-PATENT-CLASS-308-73	c15 N74-21061
US-PATENT-CLASS-307-252	c10 N69-39888	US-PATENT-CLASS-308-170	c15 N71-28465
US-PATENT-CLASS-307-252	c09 N71-12514	US-PATENT-CLASS-308-176	c15 N71-22982
US-PATENT-CLASS-307-252F	c09 N72-17153	US-PATENT-CLASS-308-177	c15 N71-29136
US-PATENT-CLASS-307-252J	c09 N72-17153	US-PATENT-CLASS-308-187	c15 N71-26189
US-PATENT-CLASS-307-252J	c09 N72-22201	US-PATENT-CLASS-308-188	c15 N73-30458
US-PATENT-CLASS-307-252K	c09 N72-22201	US-PATENT-CLASS-308-188	c15 N74-21064
US-PATENT-CLASS-307-252M	c09 N72-23171	US-PATENT-CLASS-308-191	c15 N74-21064
US-PATENT-CLASS-307-252R	c09 N72-23171	US-PATENT-CLASS-308-193	c15 N73-30458
US-PATENT-CLASS-307-253	c10 N71-27126	US-PATENT-CLASS-308-195	c15 N72-22490
US-PATENT-CLASS-307-254	c10 N71-24799	US-PATENT-CLASS-310-2	c03 N72-23048
US-PATENT-CLASS-307-254	c09 N72-22200	US-PATENT-CLASS-310-4	c09 N69-21313
US-PATENT-CLASS-307-257	c09 N72-21247	US-PATENT-CLASS-310-4	c03 N69-39898
US-PATENT-CLASS-307-259	c09 N72-21247	US-PATENT-CLASS-310-4	c09 N69-39929
US-PATENT-CLASS-307-259	c09 N72-23171	US-PATENT-CLASS-310-4	c03 N70-34134
US-PATENT-CLASS-307-259	c10 N73-13235	US-PATENT-CLASS-310-4	c03 N71-11055
US-PATENT-CLASS-307-260	c09 N71-23311	US-PATENT-CLASS-310-4	c22 N71-23599
US-PATENT-CLASS-307-260	c05 N71-23317	US-PATENT-CLASS-310-4	c09 N71-24807
US-PATENT-CLASS-307-261	c09 N71-33109	US-PATENT-CLASS-310-4	c33 N71-27862
US-PATENT-CLASS-307-261	c09 N72-25251	US-PATENT-CLASS-310-4	c09 N71-28421
US-PATENT-CLASS-307-262	c10 N72-16172	US-PATENT-CLASS-310-4	c09 N72-25260
US-PATENT-CLASS-307-262	c09 N72-22197	US-PATENT-CLASS-310-4	c09 N72-27228
US-PATENT-CLASS-307-262	c09 N72-33204	US-PATENT-CLASS-310-5	c03 N70-35408
US-PATENT-CLASS-307-263	c09 N71-23270	US-PATENT-CLASS-310-8.5	c14 N71-22993
US-PATENT-CLASS-307-263	c09 N71-28926	US-PATENT-CLASS-310-9.1	c15 N71-21311
US-PATENT-CLASS-307-265	c09 N69-39987	US-PATENT-CLASS-310-10	c03 N69-39890
US-PATENT-CLASS-307-265	c10 N71-23029	US-PATENT-CLASS-310-10	c09 N71-23443
US-PATENT-CLASS-307-265	c09 N71-28468	US-PATENT-CLASS-310-10	c09 N71-24904
US-PATENT-CLASS-307-265	c10 N71-28860	US-PATENT-CLASS-310-10	c09 N72-25255
US-PATENT-CLASS-307-265	c08 N71-29138	US-PATENT-CLASS-310-11	c25 N69-21929

NUMBER INDEX

US-PATENT-CLASS-310-11	c03	N69-39983	US-PATENT-CLASS-315-111	c25	N71-15562
US-PATENT-CLASS-310-11	c03	N70-36803	US-PATENT-CLASS-315-111	c24	N71-16213
US-PATENT-CLASS-310-11	c14	N72-22439	US-PATENT-CLASS-315-111	c25	N71-21693
US-PATENT-CLASS-310-11	c12	N72-25292	US-PATENT-CLASS-315-111	c28	N71-26781
US-PATENT-CLASS-310-11	c14	N74-21018	US-PATENT-CLASS-315-111	c25	N71-29181
US-PATENT-CLASS-310-15	c09	N72-25255	US-PATENT-CLASS-315-111	c25	N71-29184
US-PATENT-CLASS-310-42	c14	N72-22439	US-PATENT-CLASS-315-111	c09	N71-33519
US-PATENT-CLASS-310-51	c15	N71-27169	US-PATENT-CLASS-315-111	c25	N72-24753
US-PATENT-CLASS-310-54	c09	N71-20446	US-PATENT-CLASS-315-111	c25	N72-32688
US-PATENT-CLASS-310-68	c15	N72-25456	US-PATENT-CLASS-315-111	c14	N73-30391
US-PATENT-CLASS-310-80	c15	N72-25456	US-PATENT-CLASS-315-135	c09	N72-25250
US-PATENT-CLASS-310-83	c15	N72-25456	US-PATENT-CLASS-315-151	c14	N72-27411
US-PATENT-CLASS-310-93	c15	N71-17652	US-PATENT-CLASS-315-153	c14	N73-16483
US-PATENT-CLASS-310-101	c15	N71-24696	US-PATENT-CLASS-315-156	c14	N72-27411
US-PATENT-CLASS-310-168	c09	N71-25999	US-PATENT-CLASS-315-158	c14	N72-27411
US-PATENT-CLASS-310-254	c09	N71-25999	US-PATENT-CLASS-315-160	c09	N71-12540
US-PATENT-CLASS-312-1	c05	N71-23080	US-PATENT-CLASS-315-169R	c23	N73-13660
US-PATENT-CLASS-312-1	c05	N73-20137	US-PATENT-CLASS-315-169TV	c23	N73-13660
US-PATENT-CLASS-312-1	c15	N74-20063	US-PATENT-CLASS-315-211	c09	N74-20859
US-PATENT-CLASS-312-209	c15	N74-18123	US-PATENT-CLASS-315-228	c09	N74-20859
US-PATENT-CLASS-312-257	c31	N72-22874	US-PATENT-CLASS-315-241	c09	N71-13518
US-PATENT-CLASS-312-296	c09	N71-18600	US-PATENT-CLASS-315-248	c09	N73-30181
US-PATENT-CLASS-313-DIG.8	c28	N73-24783	US-PATENT-CLASS-315-258	c16	N73-32391
US-PATENT-CLASS-313-7	c14	N71-18482	US-PATENT-CLASS-315-297	c14	N72-27411
US-PATENT-CLASS-313-7	c14	N73-32324	US-PATENT-CLASS-315-307	c14	N72-27411
US-PATENT-CLASS-313-11.5	c28	N70-39925	US-PATENT-CLASS-315-310	c14	N72-27411
US-PATENT-CLASS-313-22	c09	N71-26787	US-PATENT-CLASS-315-311	c14	N72-27411
US-PATENT-CLASS-313-32	c09	N74-12913	US-PATENT-CLASS-315-324	c09	N73-30181
US-PATENT-CLASS-313-44	c15	N69-24319	US-PATENT-CLASS-315-326	c25	N72-24753
US-PATENT-CLASS-313-63	c28	N70-41576	US-PATENT-CLASS-315-349	c09	N72-25250
US-PATENT-CLASS-313-63	c09	N71-10618	US-PATENT-CLASS-315-356	c16	N73-32391
US-PATENT-CLASS-313-63	c28	N71-26781	US-PATENT-CLASS-315-358	c25	N72-24753
US-PATENT-CLASS-313-63	c28	N73-24783	US-PATENT-CLASS-317-DIG.3	c10	N71-26334
US-PATENT-CLASS-313-63	c28	N73-27699	US-PATENT-CLASS-317-DIG.6	c10	N73-26228
US-PATENT-CLASS-313-104	c14	N73-32317	US-PATENT-CLASS-317-9	c09	N71-22796
US-PATENT-CLASS-313-109.5	c09	N71-33519	US-PATENT-CLASS-317-9	c09	N71-27001
US-PATENT-CLASS-313-110	c09	N71-12521	US-PATENT-CLASS-317-16	c09	N69-39897
US-PATENT-CLASS-313-153	c09	N74-12913	US-PATENT-CLASS-317-16	c09	N74-17929
US-PATENT-CLASS-313-155	c25	N71-29181	US-PATENT-CLASS-317-20	c10	N71-26531
US-PATENT-CLASS-313-156	c25	N70-34661	US-PATENT-CLASS-317-31	c09	N71-12526
US-PATENT-CLASS-313-161	c25	N71-29181	US-PATENT-CLASS-317-31	c10	N71-23543
US-PATENT-CLASS-313-161	c25	N73-25760	US-PATENT-CLASS-317-31	c09	N74-17929
US-PATENT-CLASS-313-161	c09	N73-30181	US-PATENT-CLASS-317-33	c10	N71-26531
US-PATENT-CLASS-313-186	c25	N72-24753	US-PATENT-CLASS-317-33	c09	N71-27001
US-PATENT-CLASS-313-209	c09	N74-12913	US-PATENT-CLASS-317-33	c10	N71-27366
US-PATENT-CLASS-313-212	c25	N72-24753	US-PATENT-CLASS-317-33	c09	N71-29008
US-PATENT-CLASS-313-217	c28	N73-27699	US-PATENT-CLASS-317-33SC	c10	N74-14956
US-PATENT-CLASS-313-217	c09	N74-12913	US-PATENT-CLASS-317-43	c10	N74-14956
US-PATENT-CLASS-313-218	c28	N73-27699	US-PATENT-CLASS-317-46	c10	N74-14956
US-PATENT-CLASS-313-224	c25	N72-24753	US-PATENT-CLASS-317-47	c10	N74-14956
US-PATENT-CLASS-313-224	c09	N74-12913	US-PATENT-CLASS-317-48	c10	N74-14956
US-PATENT-CLASS-313-230	c28	N71-28850	US-PATENT-CLASS-317-54	c09	N71-29008
US-PATENT-CLASS-313-230	c28	N73-27699	US-PATENT-CLASS-317-60	c09	N71-29008
US-PATENT-CLASS-313-231	c06	N69-39889	US-PATENT-CLASS-317-100	c10	N71-28783
US-PATENT-CLASS-313-231	c09	N71-23190	US-PATENT-CLASS-317-100	c10	N73-25243
US-PATENT-CLASS-313-231	c25	N71-29181	US-PATENT-CLASS-317-101	c09	N71-26133
US-PATENT-CLASS-313-231	c09	N71-33519	US-PATENT-CLASS-317-101A	c09	N72-33205
US-PATENT-CLASS-313-231	c25	N72-24753	US-PATENT-CLASS-317-101A	c23	N73-13660
US-PATENT-CLASS-313-231	c25	N72-32688	US-PATENT-CLASS-317-101DH	c15	N72-22486
US-PATENT-CLASS-313-231	c28	N73-24783	US-PATENT-CLASS-317-101DH	c10	N73-25243
US-PATENT-CLASS-313-231	c25	N73-25760	US-PATENT-CLASS-317-117	c15	N72-22486
US-PATENT-CLASS-313-236	c09	N71-26182	US-PATENT-CLASS-317-120	c15	N72-22486
US-PATENT-CLASS-313-237	c09	N71-26182	US-PATENT-CLASS-317-122	c15	N71-18701
US-PATENT-CLASS-313-271	c25	N71-20747	US-PATENT-CLASS-317-123	c09	N71-24892
US-PATENT-CLASS-313-309	c10	N72-27246	US-PATENT-CLASS-317-140	c09	N70-34502
US-PATENT-CLASS-313-336	c10	N72-27246	US-PATENT-CLASS-317-148.5	c10	N71-23271
US-PATENT-CLASS-313-351	c10	N72-27246	US-PATENT-CLASS-317-148.5	c09	N71-24892
US-PATENT-CLASS-313-352	c09	N71-22987	US-PATENT-CLASS-317-153	c10	N71-26334
US-PATENT-CLASS-313-355	c28	N73-27699	US-PATENT-CLASS-317-155.5	c09	N71-29008
US-PATENT-CLASS-313-356	c14	N72-29464	US-PATENT-CLASS-317-157.5	c15	N69-21472
US-PATENT-CLASS-314-129	c15	N69-24266	US-PATENT-CLASS-317-158	c15	N73-28516
US-PATENT-CLASS-315-DIG.2	c16	N73-32391	US-PATENT-CLASS-317-158	c26	N73-28710
US-PATENT-CLASS-315-3.5	c09	N73-13208	US-PATENT-CLASS-317-158	c15	N73-32361
US-PATENT-CLASS-315-5.35	c09	N74-10195	US-PATENT-CLASS-317-230	c09	N71-27232
US-PATENT-CLASS-315-5.38	c09	N73-13208	US-PATENT-CLASS-317-230	c26	N72-28761
US-PATENT-CLASS-315-5.38	c09	N74-10195	US-PATENT-CLASS-317-231	c09	N71-27232
US-PATENT-CLASS-315-18	c07	N74-20813	US-PATENT-CLASS-317-234	c14	N69-23191
US-PATENT-CLASS-315-22	c10	N72-20225	US-PATENT-CLASS-317-234	c09	N69-27422
US-PATENT-CLASS-315-22	c07	N74-20813	US-PATENT-CLASS-317-234	c26	N71-18064
US-PATENT-CLASS-315-22R	c10	N72-31273	US-PATENT-CLASS-317-234A	c15	N73-14469
US-PATENT-CLASS-315-24	c08	N71-20571	US-PATENT-CLASS-317-234D	c14	N72-31446
US-PATENT-CLASS-315-25	c10	N72-20225	US-PATENT-CLASS-317-234E	c10	N74-12951
US-PATENT-CLASS-315-26	c09	N71-23189	US-PATENT-CLASS-317-234F	c10	N74-12951
US-PATENT-CLASS-315-30R	c10	N72-31273	US-PATENT-CLASS-317-234G	c14	N72-31446
US-PATENT-CLASS-315-36	c10	N72-27246	US-PATENT-CLASS-317-234G	c15	N73-14469
US-PATENT-CLASS-315-101	c16	N73-32391	US-PATENT-CLASS-317-234H	c09	N73-27150
US-PATENT-CLASS-315-108	c09	N71-33519	US-PATENT-CLASS-317-234J	c26	N72-25679
US-PATENT-CLASS-315-111	c25	N70-33267	US-PATENT-CLASS-317-234L	c09	N73-27150
US-PATENT-CLASS-315-111	c25	N70-41628	US-PATENT-CLASS-317-234M	c09	N73-27150

NUMBER INDEX

US-PATENT-CLASS-317-234H	c10 N74-12951	US-PATENT-CLASS-321-2	c09 N74-11049
US-PATENT-CLASS-317-234N	c09 N73-27150	US-PATENT-CLASS-321-5	c08 N71-18752
US-PATENT-CLASS-317-234N	c10 N74-12951	US-PATENT-CLASS-321-8R	c14 N74-18090
US-PATENT-CLASS-317-234R	c09 N73-27150	US-PATENT-CLASS-321-9	c10 N71-25139
US-PATENT-CLASS-317-234R	c10 N74-12951	US-PATENT-CLASS-321-10	c09 N72-17154
US-PATENT-CLASS-317-234V	c26 N72-21701	US-PATENT-CLASS-321-11	c09 N69-39984
US-PATENT-CLASS-317-234V	c09 N73-15235	US-PATENT-CLASS-321-11	c09 N72-25252
US-PATENT-CLASS-317-235	c09 N69-24318	US-PATENT-CLASS-321-11	c10 N73-26228
US-PATENT-CLASS-317-235	c09 N72-33205	US-PATENT-CLASS-321-12	c10 N71-27366
US-PATENT-CLASS-317-235A	c26 N72-25679	US-PATENT-CLASS-321-14	c09 N72-22196
US-PATENT-CLASS-317-235A	c09 N72-33205	US-PATENT-CLASS-321-15	c09 N72-22203
US-PATENT-CLASS-317-235AG	c09 N73-15235	US-PATENT-CLASS-321-18	c09 N72-22203
US-PATENT-CLASS-317-235AJ	c26 N72-25679	US-PATENT-CLASS-321-18	c09 N72-25251
US-PATENT-CLASS-317-235AJ	c09 N72-33205	US-PATENT-CLASS-321-18	c09 N72-25252
US-PATENT-CLASS-317-235AM	c09 N73-19235	US-PATENT-CLASS-321-18	c09 N74-11049
US-PATENT-CLASS-317-235K	c09 N73-15235	US-PATENT-CLASS-321-19	c09 N72-22196
US-PATENT-CLASS-317-235H	c14 N72-31446	US-PATENT-CLASS-321-19	c09 N72-25252
US-PATENT-CLASS-317-235H	c09 N73-19235	US-PATENT-CLASS-321-25	c09 N72-22196
US-PATENT-CLASS-317-235H	c14 N74-15090	US-PATENT-CLASS-321-45	c09 N71-24800
US-PATENT-CLASS-317-235R	c26 N72-21701	US-PATENT-CLASS-321-45	c09 N72-22203
US-PATENT-CLASS-317-235R	c26 N72-25679	US-PATENT-CLASS-321-45C	c10 N73-26228
US-PATENT-CLASS-317-235R	c14 N72-31446	US-PATENT-CLASS-321-45ER	c09 N72-25252
US-PATENT-CLASS-317-235R	c09 N73-19235	US-PATENT-CLASS-321-45R	c09 N72-25252
US-PATENT-CLASS-317-235R	c09 N73-32112	US-PATENT-CLASS-321-45R	c09 N72-25254
US-PATENT-CLASS-317-235T	c09 N73-19235	US-PATENT-CLASS-321-45S	c09 N74-11049
US-PATENT-CLASS-317-235UA	c09 N73-19235	US-PATENT-CLASS-321-47	c09 N71-33109
US-PATENT-CLASS-317-235UH	c09 N73-32112	US-PATENT-CLASS-321-47	c09 N72-25253
US-PATENT-CLASS-317-238	c09 N71-27232	US-PATENT-CLASS-321-48	c12 N71-20896
US-PATENT-CLASS-317-246	c14 N69-21541	US-PATENT-CLASS-321-60	c14 N71-23174
US-PATENT-CLASS-317-247	c14 N72-24477	US-PATENT-CLASS-321-61	c09 N71-27364
US-PATENT-CLASS-317-258	c09 N71-13522	US-PATENT-CLASS-321-64	c09 N71-27364
US-PATENT-CLASS-317-261	c26 N72-28761	US-PATENT-CLASS-321-69	c10 N71-26414
US-PATENT-CLASS-318-20.105	c08 N71-27057	US-PATENT-CLASS-322-2	c03 N72-23048
US-PATENT-CLASS-318-22	c15 N71-17694	US-PATENT-CLASS-322-32	c09 N71-27364
US-PATENT-CLASS-318-31	c15 N71-28952	US-PATENT-CLASS-323-DIG.1	c09 N72-21243
US-PATENT-CLASS-318-138	c09 N71-10677	US-PATENT-CLASS-323-DIG.1	c09 N72-25249
US-PATENT-CLASS-318-138	c14 N71-17585	US-PATENT-CLASS-323-DIG.1	c09 N74-11049
US-PATENT-CLASS-318-138	c10 N71-18772	US-PATENT-CLASS-323-8	c10 N71-10578
US-PATENT-CLASS-318-138	c09 N71-25999	US-PATENT-CLASS-323-17	c09 N72-25249
US-PATENT-CLASS-318-227	c07 N71-33613	US-PATENT-CLASS-323-19	c08 N72-31226
US-PATENT-CLASS-318-230	c07 N71-33613	US-PATENT-CLASS-323-20	c14 N71-27407
US-PATENT-CLASS-318-230	c10 N73-32145	US-PATENT-CLASS-323-22	c09 N71-21449
US-PATENT-CLASS-318-231	c10 N73-32145	US-PATENT-CLASS-323-22	c09 N71-23316
US-PATENT-CLASS-318-254	c09 N71-25999	US-PATENT-CLASS-323-22T	c09 N72-21243
US-PATENT-CLASS-318-254	c09 N73-32107	US-PATENT-CLASS-323-22T	c09 N72-25249
US-PATENT-CLASS-318-257	c10 N71-18724	US-PATENT-CLASS-323-38	c09 N72-21243
US-PATENT-CLASS-318-258	c09 N71-26092	US-PATENT-CLASS-323-48	c09 N71-27053
US-PATENT-CLASS-318-260	c09 N70-38712	US-PATENT-CLASS-323-48	c09 N72-25262
US-PATENT-CLASS-318-265	c15 N71-24895	US-PATENT-CLASS-323-56	c10 N71-22961
US-PATENT-CLASS-318-308	c11 N72-20244	US-PATENT-CLASS-323-56	c09 N71-24893
US-PATENT-CLASS-318-314	c10 N71-20448	US-PATENT-CLASS-323-56	c09 N72-22196
US-PATENT-CLASS-318-317	c09 N71-28886	US-PATENT-CLASS-323-60	c09 N71-27053
US-PATENT-CLASS-318-318	c09 N71-24805	US-PATENT-CLASS-323-82	c09 N72-25262
US-PATENT-CLASS-318-327	c11 N72-20244	US-PATENT-CLASS-323-89C	c09 N72-22196
US-PATENT-CLASS-318-328	c09 N73-32107	US-PATENT-CLASS-324-.5	c14 N71-20428
US-PATENT-CLASS-318-331	c09 N71-28886	US-PATENT-CLASS-324-.5R	c16 N73-13489
US-PATENT-CLASS-318-341	c10 N73-32145	US-PATENT-CLASS-324-0.5	c14 N71-26137
US-PATENT-CLASS-318-345	c09 N71-28886	US-PATENT-CLASS-324-0.5	c14 N71-26266
US-PATENT-CLASS-318-376	c10 N71-16030	US-PATENT-CLASS-324-5	c14 N71-28991
US-PATENT-CLASS-318-376	c11 N72-20244	US-PATENT-CLASS-324-20R	c09 N72-23172
US-PATENT-CLASS-318-382	c15 N71-24695	US-PATENT-CLASS-324-29.5	c03 N72-25020
US-PATENT-CLASS-318-489	c02 N73-19004	US-PATENT-CLASS-324-29.5	c14 N73-30388
US-PATENT-CLASS-318-504	c09 N71-28886	US-PATENT-CLASS-324-30R	c14 N73-20478
US-PATENT-CLASS-318-571	c10 N71-27136	US-PATENT-CLASS-324-32	c14 N71-16014
US-PATENT-CLASS-318-576	c09 N72-21246	US-PATENT-CLASS-324-33	c25 N69-39984
US-PATENT-CLASS-318-580	c03 N74-10942	US-PATENT-CLASS-324-33	c14 N70-35666
US-PATENT-CLASS-318-599	c10 N71-24861	US-PATENT-CLASS-324-33	c24 N71-20518
US-PATENT-CLASS-318-628	c03 N74-10942	US-PATENT-CLASS-324-33	c14 N71-21090
US-PATENT-CLASS-318-653	c10 N71-27136	US-PATENT-CLASS-324-33	c14 N71-27090
US-PATENT-CLASS-320-13	c03 N71-29129	US-PATENT-CLASS-324-34	c25 N71-16073
US-PATENT-CLASS-320-17	c03 N71-24605	US-PATENT-CLASS-324-34FL	c14 N74-21018
US-PATENT-CLASS-320-23	c03 N71-19438	US-PATENT-CLASS-324-40	c23 N74-15395
US-PATENT-CLASS-320-39	c03 N71-24719	US-PATENT-CLASS-324-41	c10 N72-28240
US-PATENT-CLASS-320-48	c03 N72-25020	US-PATENT-CLASS-324-43	c14 N69-27423
US-PATENT-CLASS-321-1.5	c09 N73-32109	US-PATENT-CLASS-324-43	c09 N70-40123
US-PATENT-CLASS-321-2	c03 N69-21330	US-PATENT-CLASS-324-43	c14 N71-15962
US-PATENT-CLASS-321-2	c03 N69-25146	US-PATENT-CLASS-324-43	c14 N71-26135
US-PATENT-CLASS-321-2	c03 N71-12255	US-PATENT-CLASS-324-43	c14 N71-27325
US-PATENT-CLASS-321-2	c09 N71-23188	US-PATENT-CLASS-324-52	c14 N72-17325
US-PATENT-CLASS-321-2	c03 N71-23239	US-PATENT-CLASS-324-52	c14 N73-28486
US-PATENT-CLASS-321-2	c10 N71-26085	US-PATENT-CLASS-324-57	c10 N71-16057
US-PATENT-CLASS-321-2	c09 N72-22196	US-PATENT-CLASS-324-57	c09 N71-20569
US-PATENT-CLASS-321-2	c09 N72-22203	US-PATENT-CLASS-324-57R	c15 N72-21464
US-PATENT-CLASS-321-2	c03 N72-23048	US-PATENT-CLASS-324-57R	c14 N73-30388
US-PATENT-CLASS-321-2	c09 N72-25249	US-PATENT-CLASS-324-57R	c14 N74-18090
US-PATENT-CLASS-321-2	c09 N72-25251	US-PATENT-CLASS-324-58.5	c15 N71-17822
US-PATENT-CLASS-321-2	c09 N72-25252	US-PATENT-CLASS-324-58.5	c25 N71-20563
US-PATENT-CLASS-321-2	c09 N72-25253	US-PATENT-CLASS-324-58.5	c14 N71-26137
US-PATENT-CLASS-321-2	c09 N72-25254	US-PATENT-CLASS-324-58.5	c18 N71-27397

NUMBER INDEX

US-PATENT-CLASS-324-61	c14 N69-39785	US-PATENT-CLASS-325-39	c07 N72-11149
US-PATENT-CLASS-324-61	c14 N70-36618	US-PATENT-CLASS-325-40	c07 N73-26118
US-PATENT-CLASS-324-61	c14 N71-10797	US-PATENT-CLASS-325-41	c10 N71-26577
US-PATENT-CLASS-324-61	c18 N71-27397	US-PATENT-CLASS-325-42	c07 N71-11266
US-PATENT-CLASS-324-61	c14 N72-22442	US-PATENT-CLASS-325-45	c07 N73-25160
US-PATENT-CLASS-324-61R	c14 N72-24477	US-PATENT-CLASS-325-51	c07 N72-25173
US-PATENT-CLASS-324-62R	c14 N73-30388	US-PATENT-CLASS-325-55	c07 N72-25173
US-PATENT-CLASS-324-64	c15 N72-21464	US-PATENT-CLASS-325-58	c07 N72-11149
US-PATENT-CLASS-324-65	c14 N71-27186	US-PATENT-CLASS-325-58	c07 N72-20140
US-PATENT-CLASS-324-65	c14 N73-20478	US-PATENT-CLASS-325-58	c07 N72-25173
US-PATENT-CLASS-324-65P	c15 N72-23497	US-PATENT-CLASS-325-60	c08 N71-19763
US-PATENT-CLASS-324-65R	c05 N72-16015	US-PATENT-CLASS-325-60	c07 N73-16121
US-PATENT-CLASS-324-66	c14 N70-41332	US-PATENT-CLASS-325-61	c07 N73-25160
US-PATENT-CLASS-324-70	c14 N71-22990	US-PATENT-CLASS-325-62	c08 N72-25208
US-PATENT-CLASS-324-70	c10 N71-24863	US-PATENT-CLASS-325-62	c10 N74-19870
US-PATENT-CLASS-324-70	c09 N71-24843	US-PATENT-CLASS-325-63	c10 N71-19467
US-PATENT-CLASS-324-71	c09 N72-21246	US-PATENT-CLASS-325-63	c07 N73-20174
US-PATENT-CLASS-324-71R	c15 N72-21464	US-PATENT-CLASS-325-64	c07 N72-25173
US-PATENT-CLASS-324-71R	c25 N71-15650	US-PATENT-CLASS-325-65	c07 N70-41331
US-PATENT-CLASS-324-72	c10 N71-19421	US-PATENT-CLASS-325-65	c07 N70-41372
US-PATENT-CLASS-324-72	c14 N71-23699	US-PATENT-CLASS-325-65	c07 N71-11284
US-PATENT-CLASS-324-72	c07 N73-20175	US-PATENT-CLASS-325-67	c07 N71-26292
US-PATENT-CLASS-324-72	c14 N73-32318	US-PATENT-CLASS-325-67	c10 N73-25241
US-PATENT-CLASS-324-72	c14 N71-28991	US-PATENT-CLASS-325-113	c07 N71-24840
US-PATENT-CLASS-324-73	c08 N72-22166	US-PATENT-CLASS-325-113	c07 N73-25160
US-PATENT-CLASS-324-73AT	c09 N71-10659	US-PATENT-CLASS-325-114	c07 N72-25171
US-PATENT-CLASS-324-77	c07 N71-24622	US-PATENT-CLASS-325-139	c07 N73-25160
US-PATENT-CLASS-324-77	c08 N72-20177	US-PATENT-CLASS-325-141	c07 N72-25173
US-PATENT-CLASS-324-77G	c10 N73-25240	US-PATENT-CLASS-325-143	c05 N71-12342
US-PATENT-CLASS-324-77R	c09 N72-25257	US-PATENT-CLASS-325-148	c07 N74-19790
US-PATENT-CLASS-324-78D	c05 N74-12778	US-PATENT-CLASS-325-151.11	c08 N71-27057
US-PATENT-CLASS-324-78D	c14 N73-24473	US-PATENT-CLASS-325-163	c07 N71-23405
US-PATENT-CLASS-324-78E	c10 N73-25240	US-PATENT-CLASS-325-185	c07 N71-28430
US-PATENT-CLASS-324-78J	c14 N73-30386	US-PATENT-CLASS-325-302	c07 N72-25173
US-PATENT-CLASS-324-79D	c14 N72-27408	US-PATENT-CLASS-325-305	c07 N71-10775
US-PATENT-CLASS-324-79R	c10 N72-20224	US-PATENT-CLASS-325-305	c10 N71-20841
US-PATENT-CLASS-324-83A	c14 N74-21017	US-PATENT-CLASS-325-305	c07 N71-23098
US-PATENT-CLASS-324-83Q	c10 N72-20224	US-PATENT-CLASS-325-320	c08 N74-12887
US-PATENT-CLASS-324-85	c26 N72-25680	US-PATENT-CLASS-325-320	c07 N74-20809
US-PATENT-CLASS-324-92	c10 N71-12554	US-PATENT-CLASS-325-320	c07 N74-20811
US-PATENT-CLASS-324-95	c14 N73-30388	US-PATENT-CLASS-325-321	c07 N72-20140
US-PATENT-CLASS-324-95	c26 N72-25680	US-PATENT-CLASS-325-321	c07 N74-20810
US-PATENT-CLASS-324-96	c09 N72-11225	US-PATENT-CLASS-325-325	c07 N71-24613
US-PATENT-CLASS-324-102	c09 N74-17930	US-PATENT-CLASS-325-325	c07 N72-25173
US-PATENT-CLASS-324-102	c10 N71-27338	US-PATENT-CLASS-325-325	c07 N73-13149
US-PATENT-CLASS-324-103	c14 N70-38602	US-PATENT-CLASS-325-346	c10 N73-16205
US-PATENT-CLASS-324-106	c08 N71-29138	US-PATENT-CLASS-325-347	c07 N71-33696
US-PATENT-CLASS-324-106	c10 N71-27338	US-PATENT-CLASS-325-348	c07 N71-33696
US-PATENT-CLASS-324-107	c09 N70-41655	US-PATENT-CLASS-325-363	c07 N71-11267
US-PATENT-CLASS-324-113	c14 N71-26244	US-PATENT-CLASS-325-363	c14 N71-26774
US-PATENT-CLASS-324-115	c10 N72-20222	US-PATENT-CLASS-325-363	c14 N72-28437
US-PATENT-CLASS-324-115	c14 N71-23037	US-PATENT-CLASS-325-363	c10 N73-25241
US-PATENT-CLASS-324-117	c09 N74-17930	US-PATENT-CLASS-325-369	c07 N71-27056
US-PATENT-CLASS-324-118	c09 N72-11225	US-PATENT-CLASS-325-373	c07 N72-33146
US-PATENT-CLASS-324-119	c14 N71-19431	US-PATENT-CLASS-325-419	c10 N73-16205
US-PATENT-CLASS-324-120	c09 N71-23021	US-PATENT-CLASS-325-419	c07 N73-28012
US-PATENT-CLASS-324-120	c09 N72-11225	US-PATENT-CLASS-325-419	c07 N74-20810
US-PATENT-CLASS-324-123R	c09 N71-13530	US-PATENT-CLASS-325-419	c07 N74-20811
US-PATENT-CLASS-324-132	c10 N72-20222	US-PATENT-CLASS-325-420	c07 N73-30113
US-PATENT-CLASS-324-132	c10 N71-27338	US-PATENT-CLASS-325-422	c07 N73-30113
US-PATENT-CLASS-324-133	c09 N69-21926	US-PATENT-CLASS-325-423	c07 N74-20809
US-PATENT-CLASS-324-158	c15 N72-25457	US-PATENT-CLASS-325-445	c07 N72-20141
US-PATENT-CLASS-324-158D	c15 N72-25457	US-PATENT-CLASS-325-446	c09 N69-24324
US-PATENT-CLASS-324-181	c09 N71-24717	US-PATENT-CLASS-325-473	c07 N71-33696
US-PATENT-CLASS-324-186	c09 N72-25257	US-PATENT-CLASS-325-473	c10 N73-12244
US-PATENT-CLASS-324-186	c05 N74-12778	US-PATENT-CLASS-325-478	c07 N71-33696
US-PATENT-CLASS-325-4	c07 N71-16088	US-PATENT-CLASS-325-480	c07 N71-33696
US-PATENT-CLASS-325-4	c07 N71-19773	US-PATENT-CLASS-325-480	c10 N73-12244
US-PATENT-CLASS-325-4	c07 N71-24621	US-PATENT-CLASS-325-482	c07 N71-33696
US-PATENT-CLASS-325-4	c07 N72-11149	US-PATENT-CLASS-325-492	c09 N72-17153
US-PATENT-CLASS-325-4	c07 N72-12080	US-PATENT-CLASS-325-492	c09 N72-22202
US-PATENT-CLASS-325-4	c07 N72-20140	US-PATENT-CLASS-328-1	c23 N71-16099
US-PATENT-CLASS-325-4	c07 N72-25171	US-PATENT-CLASS-328-1	c10 N71-19472
US-PATENT-CLASS-325-4	c07 N73-20174	US-PATENT-CLASS-328-1	c09 N72-22200
US-PATENT-CLASS-325-5	c07 N73-20174	US-PATENT-CLASS-328-16	c10 N72-20223
US-PATENT-CLASS-325-7	c07 N73-20174	US-PATENT-CLASS-328-20	c10 N72-20223
US-PATENT-CLASS-325-8	c07 N73-20174	US-PATENT-CLASS-328-24	c09 N72-33204
US-PATENT-CLASS-325-9	c07 N73-20174	US-PATENT-CLASS-328-37	c08 N71-12503
US-PATENT-CLASS-325-10	c07 N72-12081	US-PATENT-CLASS-328-37	c10 N73-20254
US-PATENT-CLASS-325-12	c07 N73-20174	US-PATENT-CLASS-328-38	c10 N72-20223
US-PATENT-CLASS-325-13	c07 N72-12081	US-PATENT-CLASS-328-42	c08 N71-19432
US-PATENT-CLASS-325-16	c07 N71-27056	US-PATENT-CLASS-328-44	c08 N71-29034
US-PATENT-CLASS-325-17	c07 N73-20174	US-PATENT-CLASS-328-48	c14 N73-30386
US-PATENT-CLASS-325-23	c07 N71-27056	US-PATENT-CLASS-328-48	c10 N74-10223
US-PATENT-CLASS-325-29	c09 N72-22202	US-PATENT-CLASS-328-49	c10 N71-27137
US-PATENT-CLASS-325-31	c07 N71-20791	US-PATENT-CLASS-328-58	c08 N71-29138
US-PATENT-CLASS-325-38	c07 N72-20140	US-PATENT-CLASS-328-61	c09 N71-23525
US-PATENT-CLASS-325-38	c07 N72-25173	US-PATENT-CLASS-328-61	c10 N73-20254
US-PATENT-CLASS-325-38B	c07 N74-17885	US-PATENT-CLASS-328-67	c10 N71-28960

NUMBER INDEX

US-PATENT-CLASS-328-92	c10	N71-28860	US-PATENT-CLASS-330-31	c10	N72-17172
US-PATENT-CLASS-328-104	c08	N72-22162	US-PATENT-CLASS-330-35	c09	N72-17156
US-PATENT-CLASS-328-104	c10	N73-13235	US-PATENT-CLASS-330-35	c09	N73-20232
US-PATENT-CLASS-328-106	c09	N72-22201	US-PATENT-CLASS-330-35	c09	N74-14939
US-PATENT-CLASS-328-110	c09	N71-12519	US-PATENT-CLASS-330-40	c07	N71-28430
US-PATENT-CLASS-328-116	c09	N69-39885	US-PATENT-CLASS-330-40	c09	N72-17155
US-PATENT-CLASS-328-120	c09	N71-27016	US-PATENT-CLASS-330-40	c09	N73-20232
US-PATENT-CLASS-328-123	c08	N74-12888	US-PATENT-CLASS-330-49	c14	N70-35220
US-PATENT-CLASS-328-129	c14	N73-30386	US-PATENT-CLASS-330-51	c10	N71-28859
US-PATENT-CLASS-328-133	c09	N71-24596	US-PATENT-CLASS-330-59	c09	N72-25250
US-PATENT-CLASS-328-133	c10	N72-20224	US-PATENT-CLASS-330-61	c09	N71-23097
US-PATENT-CLASS-328-134	c08	N71-18692	US-PATENT-CLASS-330-70CR	c10	N73-27171
US-PATENT-CLASS-328-134	c14	N73-30386	US-PATENT-CLASS-330-70R	c09	N72-21245
US-PATENT-CLASS-328-136	c09	N72-25257	US-PATENT-CLASS-330-80T	c09	N73-20232
US-PATENT-CLASS-328-140	c09	N72-25257	US-PATENT-CLASS-330-85	c09	N72-21245
US-PATENT-CLASS-328-142	c09	N72-21245	US-PATENT-CLASS-330-86	c09	N73-20231
US-PATENT-CLASS-328-145	c09	N72-23173	US-PATENT-CLASS-330-94	c10	N72-17172
US-PATENT-CLASS-328-151	c09	N72-22200	US-PATENT-CLASS-330-107	c10	N72-11256
US-PATENT-CLASS-328-154	c08	N72-22162	US-PATENT-CLASS-330-107	c10	N72-17172
US-PATENT-CLASS-328-154	c10	N73-13235	US-PATENT-CLASS-330-109	c10	N72-11256
US-PATENT-CLASS-328-155	c10	N72-16172	US-PATENT-CLASS-330-109	c10	N72-17171
US-PATENT-CLASS-328-155	c09	N72-33204	US-PATENT-CLASS-330-109	c10	N72-17172
US-PATENT-CLASS-328-155	c09	N74-17927	US-PATENT-CLASS-330-109	c09	N73-20231
US-PATENT-CLASS-328-160	c07	N74-19788	US-PATENT-CLASS-330-124	c07	N71-28430
US-PATENT-CLASS-328-164	c07	N71-33696	US-PATENT-CLASS-330-176	c10	N72-17171
US-PATENT-CLASS-328-165	c09	N71-24806	US-PATENT-CLASS-330-200	c07	N71-28430
US-PATENT-CLASS-328-165	c07	N71-33696	US-PATENT-CLASS-331-1A	c09	N74-10194
US-PATENT-CLASS-328-166	c10	N72-20223	US-PATENT-CLASS-331-4	c09	N69-21543
US-PATENT-CLASS-328-167	c10	N71-22986	US-PATENT-CLASS-331-4	c09	N74-10194
US-PATENT-CLASS-328-167	c08	N71-29034	US-PATENT-CLASS-331-7	c07	N72-11150
US-PATENT-CLASS-328-167	c10	N72-17171	US-PATENT-CLASS-331-10	c07	N72-11150
US-PATENT-CLASS-328-167	c09	N72-21245	US-PATENT-CLASS-331-14	c09	N72-21247
US-PATENT-CLASS-328-167	c09	N73-20231	US-PATENT-CLASS-331-14	c09	N74-10194
US-PATENT-CLASS-328-167	c08	N73-26175	US-PATENT-CLASS-331-17	c10	N71-20852
US-PATENT-CLASS-328-168	c07	N74-19788	US-PATENT-CLASS-331-17	c10	N73-27171
US-PATENT-CLASS-328-171	c10	N71-24844	US-PATENT-CLASS-331-17	c09	N74-10194
US-PATENT-CLASS-328-172	c07	N74-19788	US-PATENT-CLASS-331-18	c10	N71-26374
US-PATENT-CLASS-328-186	c09	N72-17157	US-PATENT-CLASS-331-18	c09	N74-10194
US-PATENT-CLASS-328-187	c10	N73-20254	US-PATENT-CLASS-331-23	c09	N72-21247
US-PATENT-CLASS-328-189	c14	N72-27408	US-PATENT-CLASS-331-25	c10	N73-27171
US-PATENT-CLASS-328-207	c09	N71-28468	US-PATENT-CLASS-331-30	c09	N72-21247
US-PATENT-CLASS-328-207	c10	N71-28860	US-PATENT-CLASS-331-34	c07	N72-11150
US-PATENT-CLASS-328-207	c09	N71-29139	US-PATENT-CLASS-331-44	c14	N72-27408
US-PATENT-CLASS-328-207	c10	N72-20221	US-PATENT-CLASS-331-45	c10	N73-16206
US-PATENT-CLASS-328-233	c10	N71-22962	US-PATENT-CLASS-331-62	c09	N74-11049
US-PATENT-CLASS-329-50	c09	N74-17930	US-PATENT-CLASS-331-66	c07	N72-11150
US-PATENT-CLASS-329-104	c07	N71-11282	US-PATENT-CLASS-331-78	c09	N71-23598
US-PATENT-CLASS-329-104	c08	N74-12887	US-PATENT-CLASS-331-78	c08	N72-12175
US-PATENT-CLASS-329-120	c07	N73-30113	US-PATENT-CLASS-331-90	c09	N73-15235
US-PATENT-CLASS-329-122	c10	N71-19469	US-PATENT-CLASS-331-94	c16	N70-41578
US-PATENT-CLASS-329-122	c07	N73-28012	US-PATENT-CLASS-331-94	c16	N72-28521
US-PATENT-CLASS-329-122	c08	N74-12887	US-PATENT-CLASS-331-94	c16	N73-13489
US-PATENT-CLASS-329-122	c07	N74-20811	US-PATENT-CLASS-331-94.5	c16	N71-18614
US-PATENT-CLASS-329-126	c08	N74-12887	US-PATENT-CLASS-331-94.5	c16	N71-24832
US-PATENT-CLASS-329-140	c07	N71-24583	US-PATENT-CLASS-331-94.5	c23	N71-26722
US-PATENT-CLASS-329-145	c07	N71-33696	US-PATENT-CLASS-331-94.5	c15	N71-27135
US-PATENT-CLASS-329-161	c07	N72-20141	US-PATENT-CLASS-331-94.5	c23	N71-29125
US-PATENT-CLASS-329-162	c07	N72-20141	US-PATENT-CLASS-331-94.5	c16	N71-33410
US-PATENT-CLASS-330-2	c09	N69-39986	US-PATENT-CLASS-331-94.5	c16	N72-12440
US-PATENT-CLASS-330-2	c09	N72-25250	US-PATENT-CLASS-331-94.5	c25	N72-24753
US-PATENT-CLASS-330-4	c16	N71-15550	US-PATENT-CLASS-331-94.5	c16	N72-25485
US-PATENT-CLASS-330-4	c16	N71-24831	US-PATENT-CLASS-331-94.5	c07	N73-26119
US-PATENT-CLASS-330-4	c16	N72-28521	US-PATENT-CLASS-331-94.5	c09	N73-32111
US-PATENT-CLASS-330-4.3	c16	N73-32391	US-PATENT-CLASS-331-94.5	c16	N73-32391
US-PATENT-CLASS-330-4.5	c09	N72-25258	US-PATENT-CLASS-331-94.5A	c16	N73-33397
US-PATENT-CLASS-330-9	c09	N74-14939	US-PATENT-CLASS-331-94.5D	c09	N74-20859
US-PATENT-CLASS-330-10	c09	N74-14939	US-PATENT-CLASS-331-94.5K	c16	N74-15145
US-PATENT-CLASS-330-11	c09	N71-13531	US-PATENT-CLASS-331-94.5S	c16	N74-15145
US-PATENT-CLASS-330-11	c10	N71-33129	US-PATENT-CLASS-331-107	c09	N71-18721
US-PATENT-CLASS-330-11	c09	N72-17156	US-PATENT-CLASS-331-107	c26	N72-21701
US-PATENT-CLASS-330-12	c10	N72-33230	US-PATENT-CLASS-331-107G	c26	N72-25679
US-PATENT-CLASS-330-13	c10	N71-26415	US-PATENT-CLASS-331-107G	c09	N73-15235
US-PATENT-CLASS-330-14	c09	N70-35440	US-PATENT-CLASS-331-108A	c09	N74-20862
US-PATENT-CLASS-330-16	c10	N71-33129	US-PATENT-CLASS-331-109	c10	N71-27271
US-PATENT-CLASS-330-18	c09	N72-17155	US-PATENT-CLASS-331-111	c10	N71-23669
US-PATENT-CLASS-330-20	c09	N73-20232	US-PATENT-CLASS-331-111	c09	N72-21247
US-PATENT-CLASS-330-22	c09	N71-10798	US-PATENT-CLASS-331-113	c09	N70-38995
US-PATENT-CLASS-330-22	c09	N73-20232	US-PATENT-CLASS-331-113	c10	N71-19418
US-PATENT-CLASS-330-24	c10	N71-33129	US-PATENT-CLASS-331-113	c09	N71-19470
US-PATENT-CLASS-330-26	c10	N72-17172	US-PATENT-CLASS-331-113	c10	N71-25882
US-PATENT-CLASS-330-27R	c10	N72-31273	US-PATENT-CLASS-331-113	c10	N71-25950
US-PATENT-CLASS-330-29	c09	N69-24330	US-PATENT-CLASS-331-113	c09	N71-28810
US-PATENT-CLASS-330-29	c10	N72-28241	US-PATENT-CLASS-331-113A	c09	N72-25253
US-PATENT-CLASS-330-30	c09	N71-19466	US-PATENT-CLASS-331-113A	c09	N72-25254
US-PATENT-CLASS-330-30	c09	N71-19516	US-PATENT-CLASS-331-113A	c09	N74-11049
US-PATENT-CLASS-330-30	c09	N71-27016	US-PATENT-CLASS-331-115	c10	N72-33230
US-PATENT-CLASS-330-30D	c10	N72-20221	US-PATENT-CLASS-331-115	c09	N74-20862
US-PATENT-CLASS-330-30D	c09	N73-20232	US-PATENT-CLASS-331-116R	c10	N72-33230
US-PATENT-CLASS-330-31	c10	N71-26331	US-PATENT-CLASS-331-116R	c09	N74-20862

NUMBER INDEX

US-PATENT-CLASS-331-117	c10	N71-27271	US-PATENT-CLASS-336-320	c09	N74-14935
US-PATENT-CLASS-331-117	c09	N72-22203	US-PATENT-CLASS-339-5	c15	N71-23049
US-PATENT-CLASS-331-135	c10	N73-32145	US-PATENT-CLASS-339-17	c14	N69-27431
US-PATENT-CLASS-331-159	c09	N74-20862	US-PATENT-CLASS-339-17	c15	N71-17685
US-PATENT-CLASS-331-177	c10	N71-27271	US-PATENT-CLASS-339-17	c09	N71-26133
US-PATENT-CLASS-331-177R	c09	N73-15235	US-PATENT-CLASS-339-17R	c15	N71-29133
US-PATENT-CLASS-331-178	c09	N74-10194	US-PATENT-CLASS-339-45H	c15	N72-25450
US-PATENT-CLASS-332-1	c10	N71-23084	US-PATENT-CLASS-339-46	c15	N72-17455
US-PATENT-CLASS-332-7.51	c16	N72-25485	US-PATENT-CLASS-339-75MP	c09	N72-28225
US-PATENT-CLASS-332-7.51	c07	N73-26119	US-PATENT-CLASS-339-91	c09	N69-21927
US-PATENT-CLASS-332-7.51	c09	N74-20859	US-PATENT-CLASS-339-91B	c15	N72-25450
US-PATENT-CLASS-332-9	c07	N71-12390	US-PATENT-CLASS-339-94M	c09	N72-28225
US-PATENT-CLASS-332-9R	c08	N71-29138	US-PATENT-CLASS-339-95	c09	N69-39734
US-PATENT-CLASS-332-10	c08	N71-29138	US-PATENT-CLASS-339-143R	c09	N72-25256
US-PATENT-CLASS-332-11D	c07	N74-17885	US-PATENT-CLASS-339-147R	c09	N72-25256
US-PATENT-CLASS-332-19	c10	N71-23544	US-PATENT-CLASS-339-150	c09	N69-21470
US-PATENT-CLASS-332-21	c08	N72-25208	US-PATENT-CLASS-339-176	c09	N70-34596
US-PATENT-CLASS-332-29	c07	N71-28429	US-PATENT-CLASS-339-176	c09	N70-36494
US-PATENT-CLASS-332-30	c10	N71-27271	US-PATENT-CLASS-339-176M	c15	N72-17455
US-PATENT-CLASS-332-30	c07	N71-28429	US-PATENT-CLASS-339-176MP	c09	N72-28225
US-PATENT-CLASS-332-31	c08	N71-12500	US-PATENT-CLASS-339-177	c09	N71-20851
US-PATENT-CLASS-332-31	c26	N72-21701	US-PATENT-CLASS-339-218M	c09	N72-28225
US-PATENT-CLASS-332-51W	c07	N72-20141	US-PATENT-CLASS-339-275T	c09	N72-20200
US-PATENT-CLASS-333-6	c07	N71-33606	US-PATENT-CLASS-339-276T	c09	N72-20200
US-PATENT-CLASS-333-7	c07	N71-33606	US-PATENT-CLASS-339-278M	c15	N72-17455
US-PATENT-CLASS-333-7	c07	N72-25170	US-PATENT-CLASS-340-5C	c14	N73-27379
US-PATENT-CLASS-333-8	c07	N69-24334	US-PATENT-CLASS-340-5R	c15	N74-16135
US-PATENT-CLASS-333-14	c07	N74-19788	US-PATENT-CLASS-340-8R	c15	N74-16135
US-PATENT-CLASS-333-16	c09	N74-17927	US-PATENT-CLASS-340-12R	c15	N74-16135
US-PATENT-CLASS-333-17	c10	N74-19870	US-PATENT-CLASS-340-15.5GC	c14	N73-26432
US-PATENT-CLASS-333-18	c09	N74-17927	US-PATENT-CLASS-340-25	c14	N73-16483
US-PATENT-CLASS-333-21	c07	N71-10676	US-PATENT-CLASS-340-26	c21	N72-22619
US-PATENT-CLASS-333-21A	c07	N71-33606	US-PATENT-CLASS-340-27AT	c21	N73-14692
US-PATENT-CLASS-333-24R	c09	N72-29172	US-PATENT-CLASS-340-27NA	c21	N73-13643
US-PATENT-CLASS-333-30	c10	N71-25900	US-PATENT-CLASS-340-27R	c14	N73-16483
US-PATENT-CLASS-333-70CR	c10	N72-17171	US-PATENT-CLASS-340-27R	c14	N73-20474
US-PATENT-CLASS-333-72	c10	N71-25900	US-PATENT-CLASS-340-33	c21	N73-13643
US-PATENT-CLASS-333-73	c07	N69-24323	US-PATENT-CLASS-340-57	c14	N71-15620
US-PATENT-CLASS-333-73	c09	N71-23573	US-PATENT-CLASS-340-97	c21	N73-13643
US-PATENT-CLASS-333-73R	c09	N73-26195	US-PATENT-CLASS-340-146.1	c09	N71-18843
US-PATENT-CLASS-333-73S	c09	N73-26195	US-PATENT-CLASS-340-146.1	c08	N71-22749
US-PATENT-CLASS-333-73W	c07	N72-20141	US-PATENT-CLASS-340-146.1	c10	N71-26103
US-PATENT-CLASS-333-79	c10	N70-41964	US-PATENT-CLASS-340-146.1	c08	N71-27255
US-PATENT-CLASS-333-79	c09	N72-25256	US-PATENT-CLASS-340-146.1	c08	N72-22167
US-PATENT-CLASS-333-80	c09	N71-12517	US-PATENT-CLASS-340-146.1	c08	N72-25207
US-PATENT-CLASS-333-80	c09	N72-21245	US-PATENT-CLASS-340-146.1	c07	N73-13149
US-PATENT-CLASS-333-80T	c10	N72-33230	US-PATENT-CLASS-340-146.1AL	c08	N72-25210
US-PATENT-CLASS-333-81	c07	N71-29065	US-PATENT-CLASS-340-146.1AL	c08	N73-12175
US-PATENT-CLASS-333-81B	c14	N73-13420	US-PATENT-CLASS-340-146.1AQ	c08	N73-12177
US-PATENT-CLASS-333-81R	c07	N72-25170	US-PATENT-CLASS-340-146.1AV	c08	N73-12177
US-PATENT-CLASS-333-82A	c09	N73-26195	US-PATENT-CLASS-340-146.1C	c07	N73-20176
US-PATENT-CLASS-333-83	c09	N71-24841	US-PATENT-CLASS-340-146.2	c08	N71-12505
US-PATENT-CLASS-333-83R	c16	N74-11313	US-PATENT-CLASS-340-146.2	c08	N71-23295
US-PATENT-CLASS-333-84M	c09	N73-26195	US-PATENT-CLASS-340-147	c09	N70-33182
US-PATENT-CLASS-333-95	c07	N71-27191	US-PATENT-CLASS-340-147	c09	N70-38998
US-PATENT-CLASS-333-96	c09	N71-20445	US-PATENT-CLASS-340-147R	c07	N73-20176
US-PATENT-CLASS-333-96	c07	N71-27191	US-PATENT-CLASS-340-150	c10	N71-27272
US-PATENT-CLASS-333-97	c07	N69-27462	US-PATENT-CLASS-340-163	c07	N73-20176
US-PATENT-CLASS-333-97R	c16	N74-11313	US-PATENT-CLASS-340-164	c10	N71-27272
US-PATENT-CLASS-333-98	c09	N71-23548	US-PATENT-CLASS-340-166	c10	N71-27272
US-PATENT-CLASS-333-98	c09	N71-24808	US-PATENT-CLASS-340-166	c10	N73-32144
US-PATENT-CLASS-333-98P	c07	N72-25170	US-PATENT-CLASS-340-167	c07	N72-25173
US-PATENT-CLASS-333-98P	c09	N72-29172	US-PATENT-CLASS-340-171	c09	N72-22202
US-PATENT-CLASS-333-98R	c07	N72-25170	US-PATENT-CLASS-340-171	c16	N73-16536
US-PATENT-CLASS-333-98R	c09	N72-29172	US-PATENT-CLASS-340-172.5	c08	N69-21928
US-PATENT-CLASS-333-98R	c14	N73-13420	US-PATENT-CLASS-340-172.5	c09	N69-24333
US-PATENT-CLASS-333-98S	c07	N72-25170	US-PATENT-CLASS-340-172.5	c08	N71-12502
US-PATENT-CLASS-335-205	c09	N72-20199	US-PATENT-CLASS-340-172.5	c08	N71-12506
US-PATENT-CLASS-335-216	c16	N71-28554	US-PATENT-CLASS-340-172.5	c31	N71-15566
US-PATENT-CLASS-335-216	c23	N71-29049	US-PATENT-CLASS-340-172.5	c08	N71-19288
US-PATENT-CLASS-335-216	c26	N73-32571	US-PATENT-CLASS-340-172.5	c08	N71-22707
US-PATENT-CLASS-335-296	c09	N73-30185	US-PATENT-CLASS-340-172.5	c08	N71-22710
US-PATENT-CLASS-335-297	c09	N73-30185	US-PATENT-CLASS-340-172.5	c07	N71-24624
US-PATENT-CLASS-335-300	c09	N70-41929	US-PATENT-CLASS-340-172.5	c08	N71-27255
US-PATENT-CLASS-336-DIG.1	c26	N73-26752	US-PATENT-CLASS-340-172.5	c07	N72-25172
US-PATENT-CLASS-336-60	c09	N72-27226	US-PATENT-CLASS-340-172.5	c08	N72-25207
US-PATENT-CLASS-336-178	c09	N72-17154	US-PATENT-CLASS-340-172.5	c09	N72-25248
US-PATENT-CLASS-336-198	c09	N72-27226	US-PATENT-CLASS-340-172.5	c08	N73-13187
US-PATENT-CLASS-336-200	c26	N73-26752	US-PATENT-CLASS-340-172.5	c08	N73-26176
US-PATENT-CLASS-336-210	c09	N74-17928	US-PATENT-CLASS-340-173	c10	N73-32144
US-PATENT-CLASS-336-220	c09	N72-27226	US-PATENT-CLASS-340-173.2	c08	N72-21198
US-PATENT-CLASS-337-75	c15	N72-12409	US-PATENT-CLASS-340-173CR	c08	N74-12888
US-PATENT-CLASS-337-114	c09	N71-29035	US-PATENT-CLASS-340-173LM	c08	N72-21198
US-PATENT-CLASS-337-121	c09	N71-29035	US-PATENT-CLASS-340-173LS	c08	N71-12504
US-PATENT-CLASS-337-354	c15	N72-12409	US-PATENT-CLASS-340-174	c09	N71-12515
US-PATENT-CLASS-337-359	c15	N72-12409	US-PATENT-CLASS-340-174	c08	N71-18595
US-PATENT-CLASS-338-5	c32	N71-15974	US-PATENT-CLASS-340-174	c08	N71-18694
US-PATENT-CLASS-338-64	c09	N71-21583	US-PATENT-CLASS-340-174	c10	N71-23033
US-PATENT-CLASS-338-82	c09	N71-20842	US-PATENT-CLASS-340-174		

NUMBER INDEX

US-PATENT-CLASS-340-174	c10	N71-26418	US-PATENT-CLASS-343-6	c30	N71-16090
US-PATENT-CLASS-340-174	c10	N71-26434	US-PATENT-CLASS-343-6.5	c21	N71-11766
US-PATENT-CLASS-340-174	c08	N71-28925	US-PATENT-CLASS-343-6.5	c10	N71-23099
US-PATENT-CLASS-340-174	c10	N71-29135	US-PATENT-CLASS-343-6.5R	c07	N72-12080
US-PATENT-CLASS-340-174.1	c08	N71-21042	US-PATENT-CLASS-343-6.5R	c07	N72-21118
US-PATENT-CLASS-340-174.1	c07	N71-23001	US-PATENT-CLASS-343-6.5R	c07	N72-25171
US-PATENT-CLASS-340-174.1	c08	N71-27210	US-PATENT-CLASS-343-6.5R	c08	N72-25209
US-PATENT-CLASS-340-174.1L	c14	N74-11283	US-PATENT-CLASS-343-6.5R	c07	N73-25161
US-PATENT-CLASS-340-174.1M	c16	N74-13205	US-PATENT-CLASS-343-6.5R	c21	N73-30641
US-PATENT-CLASS-340-174.1B	c21	N73-13644	US-PATENT-CLASS-343-6.5R	c09	N74-12912
US-PATENT-CLASS-340-174AG	c23	N72-17747	US-PATENT-CLASS-343-6.5SS	c09	N74-12912
US-PATENT-CLASS-340-174CS	c08	N72-21199	US-PATENT-CLASS-343-6.8R	c07	N72-12080
US-PATENT-CLASS-340-174CT	c23	N72-17747	US-PATENT-CLASS-343-6.8R	c07	N73-25161
US-PATENT-CLASS-340-174GA	c23	N72-17747	US-PATENT-CLASS-343-6.8R	c14	N73-25461
US-PATENT-CLASS-340-174LC	c08	N72-21199	US-PATENT-CLASS-343-7.4	c10	N72-22235
US-PATENT-CLASS-340-174M	c08	N72-21199	US-PATENT-CLASS-343-7.5	c07	N69-39974
US-PATENT-CLASS-340-174SC	c23	N72-17747	US-PATENT-CLASS-343-7.5	c09	N71-24595
US-PATENT-CLASS-340-174SR	c08	N72-21199	US-PATENT-CLASS-343-7.5	c07	N72-11149
US-PATENT-CLASS-340-174YC	c16	N74-13205	US-PATENT-CLASS-343-7.5	c10	N74-19870
US-PATENT-CLASS-340-177	c09	N72-17153	US-PATENT-CLASS-343-11R	c09	N73-12211
US-PATENT-CLASS-340-198	c14	N70-33179	US-PATENT-CLASS-343-11VB	c09	N73-12211
US-PATENT-CLASS-340-198	c07	N71-11298	US-PATENT-CLASS-343-12	c21	N70-41930
US-PATENT-CLASS-340-203	c09	N72-22202	US-PATENT-CLASS-343-12	c10	N72-20224
US-PATENT-CLASS-340-207	c07	N73-25160	US-PATENT-CLASS-343-12R	c08	N72-25209
US-PATENT-CLASS-340-210	c03	N72-20031	US-PATENT-CLASS-343-13	c09	N71-18598
US-PATENT-CLASS-340-213	c10	N71-27272	US-PATENT-CLASS-343-14	c07	N70-41680
US-PATENT-CLASS-340-213.1	c10	N71-19417	US-PATENT-CLASS-343-14	c08	N72-25209
US-PATENT-CLASS-340-223	c10	N73-32144	US-PATENT-CLASS-343-14	c14	N73-25461
US-PATENT-CLASS-340-227	c10	N71-16058	US-PATENT-CLASS-343-16	c09	N71-20864
US-PATENT-CLASS-340-227	c14	N71-27186	US-PATENT-CLASS-343-16	c10	N71-21483
US-PATENT-CLASS-340-227R	c14	N72-25412	US-PATENT-CLASS-343-16M	c10	N72-22235
US-PATENT-CLASS-340-228.2	c10	N72-17173	US-PATENT-CLASS-343-17.2	c07	N70-36911
US-PATENT-CLASS-340-228S	c14	N73-16484	US-PATENT-CLASS-343-17.5	c14	N73-25461
US-PATENT-CLASS-340-233	c14	N71-25901	US-PATENT-CLASS-343-17.7	c07	N71-12391
US-PATENT-CLASS-340-235	c10	N71-26334	US-PATENT-CLASS-343-17.7	c10	N74-19870
US-PATENT-CLASS-340-240	c09	N72-27227	US-PATENT-CLASS-343-18	c31	N70-37981
US-PATENT-CLASS-340-248	c10	N71-27338	US-PATENT-CLASS-343-18	c07	N70-40063
US-PATENT-CLASS-340-258	c10	N72-28240	US-PATENT-CLASS-343-18	c30	N70-40309
US-PATENT-CLASS-340-258R	c07	N73-25160	US-PATENT-CLASS-343-18	c07	N70-41678
US-PATENT-CLASS-340-277	c10	N73-30205	US-PATENT-CLASS-343-18B	c09	N74-12912
US-PATENT-CLASS-340-279	c05	N72-16015	US-PATENT-CLASS-343-100	c10	N71-18722
US-PATENT-CLASS-340-279	c10	N73-30205	US-PATENT-CLASS-343-100	c07	N71-19854
US-PATENT-CLASS-340-285	c14	N71-25901	US-PATENT-CLASS-343-100	c30	N71-23723
US-PATENT-CLASS-340-324	c08	N71-12507	US-PATENT-CLASS-343-100	c07	N71-24621
US-PATENT-CLASS-340-324	c09	N71-33519	US-PATENT-CLASS-343-100	c09	N71-24804
US-PATENT-CLASS-340-324A	c09	N72-25248	US-PATENT-CLASS-343-100	c31	N71-24813
US-PATENT-CLASS-340-324R	c26	N72-25680	US-PATENT-CLASS-343-100	c07	N71-27056
US-PATENT-CLASS-340-332	c09	N72-25250	US-PATENT-CLASS-343-100	c07	N71-28900
US-PATENT-CLASS-340-336	c09	N71-33519	US-PATENT-CLASS-343-100ME	c14	N72-28437
US-PATENT-CLASS-340-347	c08	N70-35423	US-PATENT-CLASS-343-100ME	c14	N73-26432
US-PATENT-CLASS-340-347	c08	N70-40125	US-PATENT-CLASS-343-100R	c10	N73-16206
US-PATENT-CLASS-340-347	c08	N71-12501	US-PATENT-CLASS-343-100SA	c10	N73-16206
US-PATENT-CLASS-340-347	c08	N71-18594	US-PATENT-CLASS-343-100SA	c09	N74-20860
US-PATENT-CLASS-340-347	c08	N71-19435	US-PATENT-CLASS-343-100ST	c07	N72-21118
US-PATENT-CLASS-340-347	c08	N71-19544	US-PATENT-CLASS-343-100ST	c09	N74-20860
US-PATENT-CLASS-340-347	c08	N71-19687	US-PATENT-CLASS-343-108R	c21	N74-13420
US-PATENT-CLASS-340-347	c08	N71-24650	US-PATENT-CLASS-343-112	c21	N71-13958
US-PATENT-CLASS-340-347	c10	N71-25917	US-PATENT-CLASS-343-112	c02	N71-19287
US-PATENT-CLASS-340-347	c10	N71-26544	US-PATENT-CLASS-343-112	c21	N71-24948
US-PATENT-CLASS-340-347	c08	N73-28045	US-PATENT-CLASS-343-112CA	c21	N73-13643
US-PATENT-CLASS-340-347AD	c14	N71-28991	US-PATENT-CLASS-343-112CA	c21	N73-30641
US-PATENT-CLASS-340-347AD	c08	N72-21200	US-PATENT-CLASS-343-112D	c14	N72-28437
US-PATENT-CLASS-340-347AD	c08	N72-22163	US-PATENT-CLASS-343-112R	c09	N73-32110
US-PATENT-CLASS-340-347AD	c08	N72-22166	US-PATENT-CLASS-343-113	c10	N71-21473
US-PATENT-CLASS-340-347AD	c08	N72-31226	US-PATENT-CLASS-343-113	c07	N71-24625
US-PATENT-CLASS-340-347AD	c08	N73-20217	US-PATENT-CLASS-343-113R	c09	N73-32110
US-PATENT-CLASS-340-347AD	c07	N74-17685	US-PATENT-CLASS-343-117	c07	N71-27056
US-PATENT-CLASS-340-347DA	c08	N71-27057	US-PATENT-CLASS-343-176	c07	N71-27056
US-PATENT-CLASS-340-347DA	c08	N72-20176	US-PATENT-CLASS-343-179	c07	N72-11149
US-PATENT-CLASS-340-347DA	c08	N72-25206	US-PATENT-CLASS-343-179	c07	N73-20174
US-PATENT-CLASS-340-347DA	c08	N73-32081	US-PATENT-CLASS-343-200	c07	N73-16121
US-PATENT-CLASS-340-347DD	c10	N71-33407	US-PATENT-CLASS-343-204	c07	N73-26118
US-PATENT-CLASS-340-347DD	c08	N72-18184	US-PATENT-CLASS-343-703	c09	N71-13521
US-PATENT-CLASS-340-347DD	c08	N72-20176	US-PATENT-CLASS-343-703	c07	N71-24614
US-PATENT-CLASS-340-347DD	c08	N72-21197	US-PATENT-CLASS-343-705	c07	N70-38200
US-PATENT-CLASS-340-347DD	c08	N73-12176	US-PATENT-CLASS-343-705	c07	N70-40202
US-PATENT-CLASS-340-347R	c08	N72-22165	US-PATENT-CLASS-343-705	c31	N71-10747
US-PATENT-CLASS-340-348	c08	N72-22167	US-PATENT-CLASS-343-706	c07	N72-21117
US-PATENT-CLASS-340-403	c10	N71-27272	US-PATENT-CLASS-343-708	c09	N71-22888
US-PATENT-CLASS-340-407	c14	N74-21014	US-PATENT-CLASS-343-708	c07	N71-22984
US-PATENT-CLASS-340-412	c10	N71-24798	US-PATENT-CLASS-343-708	c07	N71-28980
US-PATENT-CLASS-340-415	c10	N73-32144	US-PATENT-CLASS-343-708	c09	N72-25247
US-PATENT-CLASS-340-418	c14	N73-16484	US-PATENT-CLASS-343-708	c09	N74-20864
US-PATENT-CLASS-343-DIG.2	c07	N73-24176	US-PATENT-CLASS-343-718	c09	N71-18720
US-PATENT-CLASS-343-DIG.2	c09	N74-20860	US-PATENT-CLASS-343-720	c09	N72-12136
US-PATENT-CLASS-343-DIG.3	c09	N72-12136	US-PATENT-CLASS-343-725	c07	N73-28013
US-PATENT-CLASS-343-5CM	c07	N72-21118	US-PATENT-CLASS-343-729	c07	N73-28013
US-PATENT-CLASS-343-5DP	c07	N72-11149	US-PATENT-CLASS-343-730	c09	N74-20863
US-PATENT-CLASS-343-5DP	c09	N73-12211	US-PATENT-CLASS-343-754	c09	N73-19234

NUMBER INDEX

US-PATENT-CLASS-343-762	c07 N72-25174	US-PATENT-CLASS-346-108	c07 N74-15831
US-PATENT-CLASS-343-768	c10 N71-26142	US-PATENT-CLASS-346-110	c14 N73-32322
US-PATENT-CLASS-343-769	c09 N74-20864	US-PATENT-CLASS-346-138	c21 N73-13644
US-PATENT-CLASS-343-770	c09 N72-31235	US-PATENT-CLASS-346-138	c07 N74-15831
US-PATENT-CLASS-343-771	c07 N71-28809	US-PATENT-CLASS-350-1	c23 N69-24332
US-PATENT-CLASS-343-771	c07 N72-11148	US-PATENT-CLASS-350-1	c07 N71-29065
US-PATENT-CLASS-343-771	c09 N72-21244	US-PATENT-CLASS-350-1	c16 N72-12440
US-PATENT-CLASS-343-771	c07 N72-22127	US-PATENT-CLASS-350-2	c23 N71-30027
US-PATENT-CLASS-343-771	c09 N72-25247	US-PATENT-CLASS-350-3.5	c16 N71-15551
US-PATENT-CLASS-343-771	c09 N72-31235	US-PATENT-CLASS-350-3.5	c16 N71-15565
US-PATENT-CLASS-343-771	c07 N72-20141	US-PATENT-CLASS-350-3.5	c16 N71-15567
US-PATENT-CLASS-343-771	c07 N72-20141	US-PATENT-CLASS-350-3.5	c16 N71-26154
US-PATENT-CLASS-343-772	c07 N71-12396	US-PATENT-CLASS-350-3.5	c16 N71-29131
US-PATENT-CLASS-343-773	c07 N71-27233	US-PATENT-CLASS-350-3.5	c14 N72-17324
US-PATENT-CLASS-343-776	c07 N72-25174	US-PATENT-CLASS-350-3.5	c16 N73-30476
US-PATENT-CLASS-343-777	c07 N71-11285	US-PATENT-CLASS-350-3.5	c16 N74-15146
US-PATENT-CLASS-343-777	c10 N72-22235	US-PATENT-CLASS-350-3.5	c14 N74-17153
US-PATENT-CLASS-343-779	c07 N72-25174	US-PATENT-CLASS-350-6	c14 N69-27461
US-PATENT-CLASS-343-779	c09 N70-35219	US-PATENT-CLASS-350-6	c16 N74-15145
US-PATENT-CLASS-343-781	c09 N70-35382	US-PATENT-CLASS-350-7	c14 N74-15095
US-PATENT-CLASS-343-781	c09 N70-35425	US-PATENT-CLASS-350-16	c14 N72-22444
US-PATENT-CLASS-343-781	c07 N72-32169	US-PATENT-CLASS-350-19	c14 N72-22441
US-PATENT-CLASS-343-781	c07 N74-11000	US-PATENT-CLASS-350-23	c14 N72-22441
US-PATENT-CLASS-343-782	c07 N73-14130	US-PATENT-CLASS-350-26	c14 N72-22441
US-PATENT-CLASS-343-784	c07 N71-28980	US-PATENT-CLASS-350-35	c14 N72-22441
US-PATENT-CLASS-343-786	c07 N71-15907	US-PATENT-CLASS-350-36	c14 N72-22441
US-PATENT-CLASS-343-786	c07 N71-22750	US-PATENT-CLASS-350-49	c14 N72-22441
US-PATENT-CLASS-343-786	c07 N71-26101	US-PATENT-CLASS-350-52	c14 N72-22444
US-PATENT-CLASS-343-786	c07 N71-27233	US-PATENT-CLASS-350-52	c14 N72-22444
US-PATENT-CLASS-343-786	c07 N72-20141	US-PATENT-CLASS-350-55	c23 N71-33229
US-PATENT-CLASS-343-786	c10 N72-22235	US-PATENT-CLASS-350-55	c14 N73-30393
US-PATENT-CLASS-343-786	c07 N72-25174	US-PATENT-CLASS-350-55	c23 N73-30666
US-PATENT-CLASS-343-786	c09 N72-31235	US-PATENT-CLASS-350-58	c14 N71-15604
US-PATENT-CLASS-343-786	c09 N74-20863	US-PATENT-CLASS-350-79	c14 N72-32452
US-PATENT-CLASS-343-786	c09 N71-24842	US-PATENT-CLASS-350-86	c14 N72-22445
US-PATENT-CLASS-343-797	c07 N72-22127	US-PATENT-CLASS-350-96	c07 N71-26291
US-PATENT-CLASS-343-797	c09 N72-31235	US-PATENT-CLASS-350-102	c23 N71-29123
US-PATENT-CLASS-343-797	c07 N73-28013	US-PATENT-CLASS-350-138	c23 N72-27728
US-PATENT-CLASS-343-797	c09 N74-20863	US-PATENT-CLASS-350-147	c14 N72-27409
US-PATENT-CLASS-343-797	c07 N71-27233	US-PATENT-CLASS-350-150	c26 N72-25680
US-PATENT-CLASS-343-799	c07 N73-28013	US-PATENT-CLASS-350-151	c16 N74-13205
US-PATENT-CLASS-343-803	c07 N71-28979	US-PATENT-CLASS-350-160R	c14 N72-25410
US-PATENT-CLASS-343-823	c31 N70-34135	US-PATENT-CLASS-350-160R	c26 N72-25680
US-PATENT-CLASS-343-833	c07 N72-32169	US-PATENT-CLASS-350-161	c26 N72-27784
US-PATENT-CLASS-343-837	c07 N73-14130	US-PATENT-CLASS-350-162	c14 N72-17323
US-PATENT-CLASS-343-837	c09 N73-19234	US-PATENT-CLASS-350-162SF	c23 N73-30666
US-PATENT-CLASS-343-839	c07 N71-27233	US-PATENT-CLASS-350-171	c23 N72-23695
US-PATENT-CLASS-343-840	c09 N72-12136	US-PATENT-CLASS-350-175FS	c14 N72-25414
US-PATENT-CLASS-343-840	c07 N72-32169	US-PATENT-CLASS-350-189	c23 N71-24857
US-PATENT-CLASS-343-853	c07 N72-11148	US-PATENT-CLASS-350-199	c14 N73-30393
US-PATENT-CLASS-343-853	c07 N72-22127	US-PATENT-CLASS-350-202	c23 N73-20741
US-PATENT-CLASS-343-853	c07 N72-25174	US-PATENT-CLASS-350-203	c14 N72-25409
US-PATENT-CLASS-343-853	c09 N72-31235	US-PATENT-CLASS-350-204	c14 N73-30393
US-PATENT-CLASS-343-853	c10 N73-16206	US-PATENT-CLASS-350-213	c14 N71-15622
US-PATENT-CLASS-343-853	c09 N74-20863	US-PATENT-CLASS-350-236	c14 N74-15095
US-PATENT-CLASS-343-853	c09 N74-20864	US-PATENT-CLASS-350-269	c09 N74-20861
US-PATENT-CLASS-343-854	c07 N69-27460	US-PATENT-CLASS-350-270	c23 N74-21300
US-PATENT-CLASS-343-854	c07 N71-27233	US-PATENT-CLASS-350-275	c09 N71-19479
US-PATENT-CLASS-343-854	c09 N73-19234	US-PATENT-CLASS-350-285	c14 N71-15605
US-PATENT-CLASS-343-854	c09 N74-20860	US-PATENT-CLASS-350-285	c14 N71-17662
US-PATENT-CLASS-343-872	c07 N71-28980	US-PATENT-CLASS-350-285	c19 N71-26674
US-PATENT-CLASS-343-873	c07 N71-19493	US-PATENT-CLASS-350-285	c15 N72-11386
US-PATENT-CLASS-343-873	c09 N72-25247	US-PATENT-CLASS-350-285	c16 N73-33397
US-PATENT-CLASS-343-880	c07 N73-26117	US-PATENT-CLASS-350-285	c14 N74-15095
US-PATENT-CLASS-343-883	c07 N73-26117	US-PATENT-CLASS-350-286	c07 N71-29065
US-PATENT-CLASS-343-884	c07 N71-27191	US-PATENT-CLASS-350-287	c15 N72-11386
US-PATENT-CLASS-343-889	c07 N73-26117	US-PATENT-CLASS-350-288	c23 N71-29123
US-PATENT-CLASS-343-893	c09 N72-21244	US-PATENT-CLASS-350-293	c16 N73-16536
US-PATENT-CLASS-343-893	c07 N73-28013	US-PATENT-CLASS-350-299	c23 N74-21304
US-PATENT-CLASS-343-895	c09 N73-19234	US-PATENT-CLASS-350-310	c11 N69-24321
US-PATENT-CLASS-343-895	c07 N73-26117	US-PATENT-CLASS-350-310	c23 N71-24868
US-PATENT-CLASS-343-909	c07 N74-11000	US-PATENT-CLASS-350-310	c23 N71-29123
US-PATENT-CLASS-343-912	c07 N72-21117	US-PATENT-CLASS-350-310	c23 N71-33229
US-PATENT-CLASS-343-912	c07 N72-22127	US-PATENT-CLASS-350-310	c23 N72-22673
US-PATENT-CLASS-343-915	c31 N71-16102	US-PATENT-CLASS-350-312	c16 N72-12440
US-PATENT-CLASS-343-915	c09 N71-20658	US-PATENT-CLASS-351-23	c05 N73-26072
US-PATENT-CLASS-343-915	c07 N72-32169	US-PATENT-CLASS-351-30	c05 N73-26072
US-PATENT-CLASS-343-915	c07 N73-14130	US-PATENT-CLASS-351-36	c05 N73-26072
US-PATENT-CLASS-343-915	c07 N73-24176	US-PATENT-CLASS-352-84	c16 N71-33410
US-PATENT-CLASS-346-1	c12 N71-20815	US-PATENT-CLASS-352-84	c14 N72-18411
US-PATENT-CLASS-346-1	c09 N72-21246	US-PATENT-CLASS-352-169	c14 N73-14427
US-PATENT-CLASS-346-23	c14 N72-18411	US-PATENT-CLASS-354-234	c09 N74-20861
US-PATENT-CLASS-346-24	c07 N74-15831	US-PATENT-CLASS-354-234	c23 N74-21300
US-PATENT-CLASS-346-29	c09 N72-21246	US-PATENT-CLASS-355-18	c14 N73-33361
US-PATENT-CLASS-346-44	c09 N69-21467	US-PATENT-CLASS-356-4	c14 N72-17326
US-PATENT-CLASS-346-50	c14 N71-21006	US-PATENT-CLASS-356-4	c07 N73-26119
US-PATENT-CLASS-346-74MD	c21 N73-13644	US-PATENT-CLASS-356-4	c16 N74-15145
US-PATENT-CLASS-346-107	c23 N71-23976	US-PATENT-CLASS-356-5	c07 N73-26119
US-PATENT-CLASS-346-107A	c14 N72-18411	US-PATENT-CLASS-356-5	c16 N74-15145

NUMBER INDEX

US-PATENT-CLASS-356-17	c14	N72-21409	US-PATENT-CLASS-431-9	c23	N73-30665
US-PATENT-CLASS-356-18	c14	N72-21409	US-PATENT-CLASS-431-173	c23	N73-30665
US-PATENT-CLASS-356-28	c21	N71-19212	US-PATENT-CLASS-431-352	c28	N71-28915
US-PATENT-CLASS-356-28	c16	N71-24828			
US-PATENT-CLASS-356-28	c24	N74-19310	US-PATENT-DES-228,688	c02	N74-10907
US-PATENT-CLASS-356-32	c14	N72-11364			
US-PATENT-CLASS-356-32	c32	N73-20740	US-PATENT-RE-26,548	c07	N71-12389
US-PATENT-CLASS-356-36	c23	N71-16365			
US-PATENT-CLASS-356-43	c14	N74-15095	US-PATENT-2,837,706	c15	N71-28952
US-PATENT-CLASS-356-51	c06	N72-31141	US-PATENT-2,898,889	c02	N71-29128
US-PATENT-CLASS-356-72	c14	N71-23268	US-PATENT-2,903,307	c15	N71-29136
US-PATENT-CLASS-356-72	c33	N73-27796	US-PATENT-2,926,123	c33	N71-29151
US-PATENT-CLASS-356-74	c30	N71-15990	US-PATENT-2,934,331	c15	N70-33382
US-PATENT-CLASS-356-76	c23	N71-26206	US-PATENT-2,940,259	c28	N70-33241
US-PATENT-CLASS-356-76	c14	N71-29041	US-PATENT-2,944,316	c15	N71-16076
US-PATENT-CLASS-356-85	c15	N74-18123	US-PATENT-2,945,667	c15	N70-33376
US-PATENT-CLASS-356-103	c14	N71-28994	US-PATENT-2,956,772	c33	N71-29152
US-PATENT-CLASS-356-104	c16	N71-24074	US-PATENT-2,960,002	c14	N70-41946
US-PATENT-CLASS-356-106	c14	N71-17627	US-PATENT-2,971,837	c17	N70-33283
US-PATENT-CLASS-356-106	c14	N71-17655	US-PATENT-2,974,925	c28	N70-33372
US-PATENT-CLASS-356-106	c14	N71-27215	US-PATENT-2,984,735	c11	N70-33329
US-PATENT-CLASS-356-106	c14	N73-12446	US-PATENT-2,991,671	c15	N70-33330
US-PATENT-CLASS-356-106	c16	N74-15146	US-PATENT-2,991,961	c02	N70-33332
US-PATENT-CLASS-356-106R	c24	N74-19310	US-PATENT-2,996,212	c31	N71-17680
US-PATENT-CLASS-356-106S	c23	N73-13661	US-PATENT-2,997,274	c28	N71-29154
US-PATENT-CLASS-356-107	c16	N71-24170	US-PATENT-3,001,363	c28	N70-33331
US-PATENT-CLASS-356-108	c26	N73-26751	US-PATENT-3,001,395	c14	N70-33386
US-PATENT-CLASS-356-108	c16	N73-30476	US-PATENT-3,001,739	c03	N70-33343
US-PATENT-CLASS-356-109	c16	N73-30476	US-PATENT-3,004,735	c14	N70-33322
US-PATENT-CLASS-356-110	c14	N73-25463	US-PATENT-3,005,081	c09	N70-33312
US-PATENT-CLASS-356-112	c24	N74-19310	US-PATENT-3,005,339	c11	N70-33287
US-PATENT-CLASS-356-113	c14	N72-17323	US-PATENT-3,008,229	c15	N70-33311
US-PATENT-CLASS-356-114	c14	N73-12446	US-PATENT-3,010,372	c15	N70-33180
US-PATENT-CLASS-356-117	c23	N71-16101	US-PATENT-3,011,760	c15	N70-33226
US-PATENT-CLASS-356-138	c14	N72-20379	US-PATENT-3,012,400	c28	N70-33374
US-PATENT-CLASS-356-138	c16	N73-33397	US-PATENT-3,012,407	c15	N70-33323
US-PATENT-CLASS-356-141	c14	N72-27409	US-PATENT-3,016,693	c28	N70-33356
US-PATENT-CLASS-356-141	c14	N73-28490	US-PATENT-3,016,863	c12	N70-33305
US-PATENT-CLASS-356-141	c16	N74-21091	US-PATENT-3,022,672	c14	N70-34816
US-PATENT-CLASS-356-148	c16	N73-33397	US-PATENT-3,024,659	c14	N70-34820
US-PATENT-CLASS-356-150	c15	N71-28740	US-PATENT-3,028,122	c02	N70-33286
US-PATENT-CLASS-356-152	c15	N71-28740	US-PATENT-3,028,126	c21	N70-33279
US-PATENT-CLASS-356-152	c16	N72-13437	US-PATENT-3,028,128	c31	N70-33242
US-PATENT-CLASS-356-152	c14	N72-20379	US-PATENT-3,035,333	c28	N70-41818
US-PATENT-CLASS-356-152	c14	N72-27409	US-PATENT-3,038,077	c21	N70-33181
US-PATENT-CLASS-356-152	c14	N73-25462	US-PATENT-3,038,175	c05	N70-33285
US-PATENT-CLASS-356-152	c16	N74-15145	US-PATENT-3,041,587	c14	N70-33179
US-PATENT-CLASS-356-152	c16	N74-21091	US-PATENT-3,041,924	c14	N70-33254
US-PATENT-CLASS-356-152	c23	N74-21304	US-PATENT-3,045,424	c28	N70-40367
US-PATENT-CLASS-356-153	c15	N71-28740	US-PATENT-3,049,876	c28	N70-33284
US-PATENT-CLASS-356-153	c23	N71-29125	US-PATENT-3,053,484	c02	N70-33255
US-PATENT-CLASS-356-153	c16	N73-33397	US-PATENT-3,057,597	c15	N70-33264
US-PATENT-CLASS-356-154	c15	N71-26673	US-PATENT-3,059,220	c09	N70-33182
US-PATENT-CLASS-356-161	c26	N73-26751	US-PATENT-3,063,291	c11	N70-33278
US-PATENT-CLASS-356-166	c14	N71-23175	US-PATENT-3,064,928	c02	N70-33266
US-PATENT-CLASS-356-167	c14	N72-11364	US-PATENT-3,067,573	c28	N70-39899
US-PATENT-CLASS-356-172	c16	N73-33397	US-PATENT-3,068,658	c15	N70-34247
US-PATENT-CLASS-356-172	c16	N74-21091	US-PATENT-3,069,123	c14	N70-39898
US-PATENT-CLASS-356-197	c15	N74-18123	US-PATENT-3,070,330	c21	N70-34539
US-PATENT-CLASS-356-202	c26	N73-26751	US-PATENT-3,070,349	c28	N70-39895
US-PATENT-CLASS-356-203	c14	N71-26788	US-PATENT-3,070,407	c15	N70-39896
US-PATENT-CLASS-356-209	c23	N71-16341	US-PATENT-3,072,574	c18	N70-39897
US-PATENT-CLASS-356-209	c14	N71-28993	US-PATENT-3,076,065	c09	N70-39915
US-PATENT-CLASS-356-209	c14	N72-17323	US-PATENT-3,077,599	c07	N70-40202
US-PATENT-CLASS-356-216	c14	N74-15095	US-PATENT-3,079,113	c02	N70-38009
US-PATENT-CLASS-356-222	c03	N72-20033	US-PATENT-3,080,711	c28	N70-38711
US-PATENT-CLASS-356-241	c14	N72-32452	US-PATENT-3,083,611	c21	N70-35427
US-PATENT-CLASS-356-244	c14	N72-17323	US-PATENT-3,084,421	c17	N70-38490
US-PATENT-CLASS-356-248	c14	N72-22444	US-PATENT-3,085,165	c09	N70-34819
US-PATENT-CLASS-408-137	c15	N71-33518	US-PATENT-3,087,692	c02	N70-34178
US-PATENT-CLASS-416-115	c02	N72-11018	US-PATENT-3,088,441	c15	N70-35409
US-PATENT-CLASS-416-121	c02	N72-11018	US-PATENT-3,090,212	c33	N70-37979
US-PATENT-CLASS-416-127	c02	N72-11018	US-PATENT-3,090,580	c31	N70-37924
US-PATENT-CLASS-416-130	c02	N72-11018	US-PATENT-3,093,000	c15	N70-37925
US-PATENT-CLASS-416-149	c02	N72-11018	US-PATENT-3,093,346	c31	N70-37938
US-PATENT-CLASS-416-200	c02	N72-11018	US-PATENT-3,096,630	c02	N70-37939
US-PATENT-CLASS-417-50	c15	N71-27084	US-PATENT-3,100,294	c09	N70-38998
US-PATENT-CLASS-417-152	c15	N72-22489	US-PATENT-3,100,990	c14	N70-34813
US-PATENT-CLASS-417-391	c15	N73-24513	US-PATENT-3,102,948	c15	N70-34814
US-PATENT-CLASS-417-470	c15	N74-15126	US-PATENT-3,104,079	c31	N70-37986
US-PATENT-CLASS-417-471	c15	N74-15126	US-PATENT-3,104,082	c02	N70-38011
US-PATENT-CLASS-423-231	c06	N74-12813	US-PATENT-3,105,515	c15	N70-38603
US-PATENT-CLASS-423-446	c15	N73-19457	US-PATENT-3,106,603	c09	N70-38201
US-PATENT-CLASS-423-579	c13	N74-13011	US-PATENT-3,108,171	c33	N70-34812
US-PATENT-CLASS-423-625	c15	N73-19457	US-PATENT-3,110,318	c12	N70-38997
US-PATENT-CLASS-425-77	c15	N72-20446	US-PATENT-3,112,672	c11	N70-38202
US-PATENT-CLASS-425-113	c15	N73-13464	US-PATENT-3,115,630	c31	N70-37981
US-PATENT-CLASS-425-133	c15	N73-13464	US-PATENT-3,118,100	c03	N71-29129
US-PATENT-CLASS-425-176	c15	N73-13464	US-PATENT-3,119,232	c28	N70-37980

NUMBER INDEX

US-PATENT-3,120,101	c28 N70-34860	US-PATENT-3,188,472	c21 N70-34297
US-PATENT-3,120,361	c31 N70-38010	US-PATENT-3,188,844	c15 N70-34249
US-PATENT-3,120,738	c28 N70-38249	US-PATENT-3,189,299	c21 N70-34295
US-PATENT-3,121,309	c28 N70-35381	US-PATENT-3,189,535	c15 N70-34967
US-PATENT-3,122,000	c15 N70-38020	US-PATENT-3,189,726	c33 N70-34545
US-PATENT-3,122,098	c28 N70-38181	US-PATENT-3,189,794	c09 N70-34502
US-PATENT-3,122,885	c28 N70-38710	US-PATENT-3,189,864	c09 N70-34596
US-PATENT-3,123,248	c11 N70-38182	US-PATENT-3,191,316	c31 N70-34966
US-PATENT-3,127,157	c15 N70-38225	US-PATENT-3,191,379	c27 N70-35534
US-PATENT-3,128,389	c09 N70-38604	US-PATENT-3,191,907	c15 N70-34859
US-PATENT-3,128,845	c15 N70-38601	US-PATENT-3,192,730	c06 N70-34946
US-PATENT-3,130,940	c33 N70-33344	US-PATENT-3,193,883	c27 N70-34783
US-PATENT-3,132,342	c07 N70-38200	US-PATENT-3,194,060	c14 N70-34794
US-PATENT-3,132,476	c28 N70-34294	US-PATENT-3,194,525	c11 N70-35383
US-PATENT-3,132,476	c15 N71-28951	US-PATENT-3,194,951	c08 N70-34778
US-PATENT-3,132,479	c15 N70-38620	US-PATENT-3,196,261	c08 N70-34787
US-PATENT-3,132,903	c28 N70-38504	US-PATENT-3,196,362	c09 N70-35440
US-PATENT-3,135,089	c28 N70-38505	US-PATENT-3,196,557	c11 N70-34815
US-PATENT-3,135,090	c28 N70-38199	US-PATENT-3,196,558	c14 N70-35394
US-PATENT-3,136,123	c09 N73-14215	US-PATENT-3,196,598	c28 N70-34788
US-PATENT-3,137,082	c17 N70-38198	US-PATENT-3,196,675	c14 N70-34818
US-PATENT-3,138,837	c28 N70-38645	US-PATENT-3,196,690	c11 N70-34786
US-PATENT-3,139,725	c15 N70-36908	US-PATENT-3,197,616	c14 N71-28958
US-PATENT-3,140,728	c11 N70-38196	US-PATENT-3,198,709	c22 N70-34501
US-PATENT-3,141,340	c28 N70-38197	US-PATENT-3,198,955	c08 N70-34743
US-PATENT-3,141,769	c03 N70-38713	US-PATENT-3,198,994	c26 N73-28710
US-PATENT-3,141,932	c15 N70-34850	US-PATENT-3,199,340	c14 N70-34799
US-PATENT-3,143,321	c14 N70-40240	US-PATENT-3,199,343	c11 N70-34844
US-PATENT-3,143,651	c31 N70-38676	US-PATENT-3,199,931	c15 N70-34664
US-PATENT-3,144,219	c02 N70-34856	US-PATENT-3,200,706	c03 N70-34667
US-PATENT-3,144,999	c11 N71-15960	US-PATENT-3,201,560	c33 N70-34540
US-PATENT-3,145,874	c09 N70-38712	US-PATENT-3,201,635	c25 N70-34661
US-PATENT-3,147,422	c09 N70-36494	US-PATENT-3,201,980	c14 N70-40203
US-PATENT-3,149,897	c09 N70-38995	US-PATENT-3,202,381	c31 N70-34176
US-PATENT-3,150,329	c03 N70-36778	US-PATENT-3,202,398	c28 N71-28928
US-PATENT-3,150,387	c05 N70-36493	US-PATENT-3,202,582	c22 N70-34572
US-PATENT-3,152,344	c05 N70-34857	US-PATENT-3,202,844	c03 N70-34134
US-PATENT-3,155,992	c28 N70-37245	US-PATENT-3,202,915	c14 N70-38602
US-PATENT-3,156,090	c18 N70-36400	US-PATENT-3,202,998	c31 N70-34135
US-PATENT-3,157,529	c15 N70-34817	US-PATENT-3,204,447	c14 N70-34156
US-PATENT-3,158,172	c31 N70-36410	US-PATENT-3,204,889	c03 N70-34157
US-PATENT-3,158,336	c03 N70-36803	US-PATENT-3,205,141	c14 N70-34669
US-PATENT-3,158,764	c28 N70-36802	US-PATENT-3,205,361	c14 N70-34158
US-PATENT-3,159,967	c14 N70-36808	US-PATENT-3,205,362	c21 N70-35089
US-PATENT-3,160,567	c14 N70-35220	US-PATENT-3,205,381	c03 N70-35408
US-PATENT-3,160,825	c15 N70-36409	US-PATENT-3,206,141	c21 N70-35395
US-PATENT-3,160,950	c15 N70-36411	US-PATENT-3,208,215	c28 N70-34162
US-PATENT-3,162,012	c14 N70-36907	US-PATENT-3,208,272	c14 N70-34161
US-PATENT-3,163,935	c15 N70-34861	US-PATENT-3,208,694	c02 N70-34160
US-PATENT-3,164,222	c15 N70-36412	US-PATENT-3,208,707	c31 N70-34159
US-PATENT-3,164,369	c05 N70-35152	US-PATENT-3,209,360	c09 N70-35219
US-PATENT-3,165,356	c15 N70-36901	US-PATENT-3,209,361	c09 N70-35425
US-PATENT-3,166,834	c17 N70-36616	US-PATENT-3,210,927	c28 N70-34175
US-PATENT-3,167,426	c14 N70-36807	US-PATENT-3,211,169	c15 N70-35087
US-PATENT-3,168,827	c02 N70-36825	US-PATENT-3,211,414	c15 N70-35407
US-PATENT-3,169,001	c15 N70-36947	US-PATENT-3,212,096	c09 N70-35382
US-PATENT-3,169,613	c31 N70-34296	US-PATENT-3,212,259	c28 N71-29153
US-PATENT-3,169,725	c15 N70-36535	US-PATENT-3,212,325	c14 N70-34705
US-PATENT-3,170,286	c28 N70-36910	US-PATENT-3,212,564	c33 N71-29052
US-PATENT-3,170,290	c27 N71-28929	US-PATENT-3,215,572	c12 N70-40124
US-PATENT-3,170,295	c14 N70-36824	US-PATENT-3,215,842	c16 N71-28963
US-PATENT-3,170,324	c32 N70-36536	US-PATENT-3,216,007	c08 N70-40125
US-PATENT-3,170,471	c15 N70-36492	US-PATENT-3,217,624	c14 N70-40273
US-PATENT-3,170,486	c15 N70-38996	US-PATENT-3,218,479	c09 N70-40272
US-PATENT-3,170,605	c02 N70-34858	US-PATENT-3,218,547	c09 N70-40123
US-PATENT-3,170,657	c02 N70-36804	US-PATENT-3,218,850	c14 N70-40400
US-PATENT-3,170,660	c17 N70-33288	US-PATENT-3,219,250	c15 N70-40204
US-PATENT-3,170,773	c25 N70-33267	US-PATENT-3,219,365	c15 N71-28937
US-PATENT-3,171,060	c14 N70-35666	US-PATENT-3,219,997	c08 N73-28045
US-PATENT-3,171,081	c08 N70-35423	US-PATENT-3,220,004	c30 N70-40309
US-PATENT-3,172,097	c28 N70-33265	US-PATENT-3,221,547	c14 N70-40201
US-PATENT-3,173,246	c28 N70-33375	US-PATENT-3,221,549	c14 N70-40157
US-PATENT-3,173,251	c25 N70-36946	US-PATENT-3,223,374	c15 N70-40156
US-PATENT-3,174,278	c28 N70-36806	US-PATENT-3,224,001	c07 N70-40063
US-PATENT-3,174,279	c26 N70-36805	US-PATENT-3,224,173	c15 N70-40062
US-PATENT-3,174,827	c31 N70-36654	US-PATENT-3,224,263	c15 N70-40180
US-PATENT-3,175,789	c14 N70-36618	US-PATENT-3,224,336	c30 N70-40353
US-PATENT-3,176,222	c14 N70-35368	US-PATENT-3,228,492	c15 N70-40354
US-PATENT-3,176,499	c33 N70-36617	US-PATENT-3,228,558	c14 N70-40233
US-PATENT-3,176,933	c33 N70-36847	US-PATENT-3,229,099	c14 N70-40238
US-PATENT-3,177,933	c21 N70-36938	US-PATENT-3,229,102	c14 N70-40239
US-PATENT-3,178,883	c33 N70-36846	US-PATENT-3,229,139	c28 N70-39925
US-PATENT-3,180,264	c21 N70-36943	US-PATENT-3,229,155	c25 N70-41628
US-PATENT-3,180,587	c31 N70-36845	US-PATENT-3,229,463	c28 N70-39931
US-PATENT-3,181,821	c11 N70-36913	US-PATENT-3,229,568	c14 N70-40003
US-PATENT-3,182,496	c07 N70-36911	US-PATENT-3,229,636	c03 N70-39930
US-PATENT-3,183,506	c22 N70-34248	US-PATENT-3,229,682	c09 N70-40234
US-PATENT-3,184,915	c14 N70-34298	US-PATENT-3,229,689	c05 N70-39922
US-PATENT-3,185,023	c11 N70-38675	US-PATENT-3,229,884	c15 N70-39924
US-PATENT-3,187,583				

NUMBER INDEX

US-PATENT-3,229,930	c30 N70-40016	US-PATENT-3,277,486	c31 N71-10747
US-PATENT-3,230,053	c26 N70-40015	US-PATENT-3,279,193	c33 N71-28852
US-PATENT-3,236,066	c15 N71-28959	US-PATENT-3,281,963	c11 N71-10746
US-PATENT-3,237,253	c15 N71-15966	US-PATENT-3,281,964	c11 N71-10776
US-PATENT-3,238,345	c11 N71-15925	US-PATENT-3,281,965	c11 N71-10748
US-PATENT-3,238,413	c25 N71-29184	US-PATENT-3,282,035	c11 N71-10777
US-PATENT-3,238,715	c28 N71-14043	US-PATENT-3,282,091	c14 N71-10781
US-PATENT-3,238,730	c03 N71-12260	US-PATENT-3,282,532	c31 N71-17729
US-PATENT-3,238,774	c14 N71-14996	US-PATENT-3,282,541	c31 N71-24750
US-PATENT-3,238,777	c14 N71-15598	US-PATENT-3,282,739	c03 N71-11053
US-PATENT-3,239,660	c23 N71-30292	US-PATENT-3,282,740	c03 N71-11051
US-PATENT-3,242,716	c14 N71-15992	US-PATENT-3,283,088	c10 N71-15909
US-PATENT-3,243,154	c23 N71-15673	US-PATENT-3,283,175	c10 N71-15910
US-PATENT-3,243,791	c07 N71-11298	US-PATENT-3,283,241	c14 N71-16014
US-PATENT-3,244,943	c15 N73-28516	US-PATENT-3,286,274	c05 N71-12335
US-PATENT-3,249,012	c03 N71-12258	US-PATENT-3,286,531	c30 N71-17788
US-PATENT-3,249,013	c03 N71-12259	US-PATENT-3,286,629	c31 N71-17730
US-PATENT-3,251,053	c08 N71-12501	US-PATENT-3,286,630	c31 N71-10582
US-PATENT-3,252,100	c10 N71-28960	US-PATENT-3,286,882	c27 N71-29155
US-PATENT-3,254,395	c28 N71-15658	US-PATENT-3,286,953	c21 N70-41856
US-PATENT-3,254,487	c28 N71-15659	US-PATENT-3,286,957	c02 N70-41863
US-PATENT-3,257,780	c15 N71-15968	US-PATENT-3,287,031	c15 N70-41808
US-PATENT-3,258,582	c02 N71-13421	US-PATENT-3,287,174	c03 N70-41864
US-PATENT-3,258,687	c14 N71-15962	US-PATENT-3,287,496	c14 N70-41807
US-PATENT-3,258,831	c15 N71-15986	US-PATENT-3,287,582	c28 N70-41576
US-PATENT-3,258,912	c27 N71-15634	US-PATENT-3,287,640	c09 N70-41655
US-PATENT-3,258,918	c27 N71-15635	US-PATENT-3,287,660	c16 N70-41578
US-PATENT-3,260,055	c23 N71-15467	US-PATENT-3,287,725	c07 N70-41680
US-PATENT-3,260,204	c31 N71-15692	US-PATENT-3,289,205	c07 N70-41678
US-PATENT-3,260,326	c11 N71-28779	US-PATENT-3,295,360	c14 N70-41681
US-PATENT-3,261,210	c14 N71-15969	US-PATENT-3,295,366	c11 N70-41677
US-PATENT-3,262,025	c15 N73-32361	US-PATENT-3,295,377	c14 N70-41682
US-PATENT-3,262,186	c15 N71-16052	US-PATENT-3,295,386	c05 N70-41581
US-PATENT-3,262,262	c28 N71-15661	US-PATENT-3,295,512	c03 N70-41580
US-PATENT-3,262,351	c15 N71-15922	US-PATENT-3,295,545	c15 N70-41646
US-PATENT-3,262,365	c31 N71-15675	US-PATENT-3,295,556	c32 N70-41579
US-PATENT-3,262,395	c15 N71-30028	US-PATENT-3,295,684	c28 N70-41447
US-PATENT-3,262,518	c05 N71-11199	US-PATENT-3,295,699	c32 N70-41367
US-PATENT-3,262,655	c31 N71-15663	US-PATENT-3,295,782	c14 N70-41647
US-PATENT-3,263,016	c33 N71-15625	US-PATENT-3,295,790	c31 N70-41588
US-PATENT-3,263,171	c09 N71-13530	US-PATENT-3,295,798	c02 N70-41589
US-PATENT-3,263,610	c15 N71-13789	US-PATENT-3,295,808	c15 N70-41310
US-PATENT-3,264,135	c15 N71-16075	US-PATENT-3,296,060	c18 N70-41583
US-PATENT-3,270,441	c11 N71-16028	US-PATENT-3,296,526	c14 N70-41332
US-PATENT-3,270,499	c28 N71-15660	US-PATENT-3,296,531	c07 N70-41331
US-PATENT-3,270,501	c31 N71-15647	US-PATENT-3,298,175	c33 N71-29053
US-PATENT-3,270,503	c33 N71-15623	US-PATENT-3,298,182	c28 N70-41311
US-PATENT-3,270,504	c31 N71-15637	US-PATENT-3,298,221	c14 N70-41330
US-PATENT-3,270,505	c21 N71-15582	US-PATENT-3,298,285	c32 N70-41370
US-PATENT-3,270,512	c15 N71-15906	US-PATENT-3,298,362	c05 N70-41329
US-PATENT-3,270,565	c14 N71-30265	US-PATENT-3,298,582	c14 N71-28935
US-PATENT-3,270,756	c15 N71-15967	US-PATENT-3,299,364	c16 N71-15550
US-PATENT-3,270,802	c33 N71-24876	US-PATENT-3,299,431	c07 N71-28979
US-PATENT-3,270,835	c28 N70-41582	US-PATENT-3,299,913	c15 N71-15918
US-PATENT-3,270,908	c31 N71-15664	US-PATENT-3,300,162	c31 N70-41373
US-PATENT-3,270,985	c21 N71-15583	US-PATENT-3,300,717	c25 N71-15650
US-PATENT-3,270,986	c05 N71-12336	US-PATENT-3,300,731	c07 N70-41372
US-PATENT-3,270,988	c01 N71-13410	US-PATENT-3,300,847	c15 N70-41371
US-PATENT-3,270,989	c02 N71-11041	US-PATENT-3,300,949	c05 N70-41297
US-PATENT-3,270,990	c28 N71-15563	US-PATENT-3,300,981	c28 N70-41275
US-PATENT-3,271,140	c17 N71-15644	US-PATENT-3,301,046	c14 N70-41366
US-PATENT-3,271,181	c15 N71-16077	US-PATENT-3,301,315	c09 N70-41717
US-PATENT-3,271,532	c09 N71-16089	US-PATENT-3,301,507	c31 N70-41631
US-PATENT-3,271,558	c15 N71-15871	US-PATENT-3,301,511	c02 N70-41630
US-PATENT-3,271,594	c10 N71-28739	US-PATENT-3,301,578	c15 N70-41629
US-PATENT-3,271,620	c09 N71-12540	US-PATENT-3,302,023	c14 N70-41676
US-PATENT-3,271,637	c26 N71-18064	US-PATENT-3,302,040	c09 N70-41675
US-PATENT-3,271,649	c10 N71-16030	US-PATENT-3,302,569	c15 N70-41679
US-PATENT-3,273,094	c23 N71-29049	US-PATENT-3,302,633	c05 N70-41819
US-PATENT-3,273,355	c33 N71-17897	US-PATENT-3,302,662	c15 N70-41811
US-PATENT-3,273,381	c32 N71-17645	US-PATENT-3,302,960	c15 N70-41829
US-PATENT-3,273,388	c09 N71-16086	US-PATENT-3,303,304	c14 N70-41812
US-PATENT-3,273,392	c23 N71-17802	US-PATENT-3,304,028	c31 N70-41855
US-PATENT-3,273,399	c12 N71-24692	US-PATENT-3,304,718	c28 N70-41922
US-PATENT-3,274,304	c26 N71-17818	US-PATENT-3,304,724	c31 N70-41948
US-PATENT-3,276,251	c11 N71-15926	US-PATENT-3,304,729	c31 N70-41871
US-PATENT-3,276,376	c31 N71-17629	US-PATENT-3,304,768	c32 N70-42003
US-PATENT-3,276,602	c32 N71-17609	US-PATENT-3,304,773	c14 N70-41957
US-PATENT-3,276,679	c15 N71-16079	US-PATENT-3,304,799	c03 N70-41954
US-PATENT-3,276,722	c02 N71-16087	US-PATENT-3,304,865	c28 N70-41967
US-PATENT-3,276,726	c31 N71-16081	US-PATENT-3,305,415	c27 N70-41897
US-PATENT-3,276,865	c17 N71-16025	US-PATENT-3,305,636	c08 N70-41961
US-PATENT-3,276,866	c17 N71-16026	US-PATENT-3,305,801	c10 N70-41964
US-PATENT-3,276,946	c23 N71-15978	US-PATENT-3,305,810	c09 N70-41929
US-PATENT-3,277,314	c10 N71-16042	US-PATENT-3,305,861	c21 N70-41930
US-PATENT-3,277,366	c10 N71-16057	US-PATENT-3,305,870	c07 N71-15907
US-PATENT-3,277,373	c07 N71-16088	US-PATENT-3,308,848	c12 N71-16031
US-PATENT-3,277,375	c07 N71-11284	US-PATENT-3,309,012	c33 N71-17610
US-PATENT-3,277,458	c10 N71-16058	US-PATENT-3,309,961	c15 N71-16078

NUMBER INDEX

US-PATENT-3,310,054	c08 N71-15908	US-PATENT-3,340,397	c11 N71-23042
US-PATENT-3,310,138	c12 N71-16894	US-PATENT-3,340,430	c09 N71-22796
US-PATENT-3,310,256	c31 N71-17679	US-PATENT-3,340,532	c10 N71-21473
US-PATENT-3,310,258	c31 N71-17691	US-PATENT-3,340,599	c09 N71-23027
US-PATENT-3,310,261	c02 N71-11038	US-PATENT-3,340,713	c15 N71-22723
US-PATENT-3,310,262	c02 N71-12243	US-PATENT-3,340,732	c02 N71-23007
US-PATENT-3,310,443	c24 N71-10560	US-PATENT-3,341,151	c31 N71-23009
US-PATENT-3,310,699	c14 N73-32324	US-PATENT-3,341,169	c15 N71-23024
US-PATENT-3,310,978	c14 N71-10616	US-PATENT-3,341,708	c16 N71-22895
US-PATENT-3,310,980	c11 N71-10604	US-PATENT-3,341,778	c07 N71-23098
US-PATENT-3,311,315	c07 N71-10609	US-PATENT-3,341,977	c15 N71-22705
US-PATENT-3,311,502	c03 N71-10608	US-PATENT-3,342,055	c15 N71-22797
US-PATENT-3,311,510	c26 N71-10607	US-PATENT-3,342,066	c11 N71-23030
US-PATENT-3,311,748	c21 N71-10678	US-PATENT-3,342,653	c15 N71-22713
US-PATENT-3,311,772	c09 N71-10618	US-PATENT-3,343,180	c05 N71-23159
US-PATENT-3,311,832	c07 N71-10775	US-PATENT-3,343,189	c05 N71-22748
US-PATENT-3,312,101	c14 N71-10774	US-PATENT-3,344,340	c09 N71-21449
US-PATENT-3,316,716	c28 N71-10780	US-PATENT-3,344,425	c10 N71-21483
US-PATENT-3,316,752	c14 N71-10779	US-PATENT-3,345,820	c28 N71-21822
US-PATENT-3,316,991	c14 N71-10773	US-PATENT-3,345,822	c27 N71-21819
US-PATENT-3,317,180	c15 N71-10778	US-PATENT-3,345,840	c15 N71-21536
US-PATENT-3,317,341	c18 N71-10772	US-PATENT-3,345,866	c11 N71-21481
US-PATENT-3,317,352	c03 N71-10728	US-PATENT-3,346,419	c03 N71-20895
US-PATENT-3,317,641	c15 N71-10672	US-PATENT-3,346,442	c18 N71-21651
US-PATENT-3,317,731	c21 N71-10771	US-PATENT-3,346,515	c06 N71-20905
US-PATENT-3,317,751	c09 N71-10673	US-PATENT-3,346,724	c15 N71-21179
US-PATENT-3,317,797	c10 N71-28783	US-PATENT-3,346,806	c14 N71-21090
US-PATENT-3,317,832	c09 N71-10659	US-PATENT-3,346,929	c15 N71-21076
US-PATENT-3,318,093	c15 N71-10658	US-PATENT-3,347,046	c33 N71-21507
US-PATENT-3,318,096	c28 N71-28849	US-PATENT-3,347,309	c33 N71-29046
US-PATENT-3,318,343	c15 N71-10809	US-PATENT-3,347,465	c18 N71-21068
US-PATENT-3,318,622	c15 N71-10799	US-PATENT-3,347,466	c28 N71-21493
US-PATENT-3,319,175	c09 N71-10798	US-PATENT-3,347,531	c15 N71-21177
US-PATENT-3,319,979	c15 N71-10782	US-PATENT-3,347,665	c17 N71-20743
US-PATENT-3,320,669	c15 N70-42017	US-PATENT-3,348,048	c14 N71-21088
US-PATENT-3,321,034	c15 N70-42034	US-PATENT-3,348,053	c10 N71-20782
US-PATENT-3,321,154	c31 N70-42075	US-PATENT-3,348,152	c10 N71-20841
US-PATENT-3,321,157	c02 N70-42016	US-PATENT-3,348,218	c10 N71-29135
US-PATENT-3,321,159	c31 N70-42015	US-PATENT-3,349,814	c33 N71-20834
US-PATENT-3,321,570	c15 N70-41960	US-PATENT-3,350,033	c14 N71-21082
US-PATENT-3,321,628	c10 N70-41991	US-PATENT-3,350,034	c31 N71-21064
US-PATENT-3,321,645	c10 N70-42032	US-PATENT-3,350,214	c17 N71-20941
US-PATENT-3,321,922	c28 N70-41992	US-PATENT-3,350,643	c07 N71-20791
US-PATENT-3,323,356	c15 N70-41993	US-PATENT-3,350,671	c09 N71-20842
US-PATENT-3,323,362	c14 N70-41994	US-PATENT-3,350,926	c14 N71-21091
US-PATENT-3,323,370	c05 N70-42000	US-PATENT-3,352,157	c14 N71-21072
US-PATENT-3,323,386	c03 N70-42073	US-PATENT-3,352,192	c15 N71-21489
US-PATENT-3,323,408	c14 N70-41955	US-PATENT-3,353,359	c28 N71-20942
US-PATENT-3,323,484	c14 N70-42074	US-PATENT-3,354,098	c06 N71-20717
US-PATENT-3,323,967	c15 N70-42033	US-PATENT-3,354,320	c23 N71-21821
US-PATENT-3,324,370	c09 N71-10677	US-PATENT-3,354,462	c14 N71-21006
US-PATENT-3,324,388	c14 N71-10797	US-PATENT-3,355,861	c18 N71-20742
US-PATENT-3,324,423	c07 N71-10676	US-PATENT-3,355,948	c14 N71-21007
US-PATENT-3,324,659	c28 N71-10574	US-PATENT-3,356,320	c05 N71-20718
US-PATENT-3,325,229	c15 N71-10617	US-PATENT-3,356,549	c15 N71-21404
US-PATENT-3,325,723	c10 N71-10578	US-PATENT-3,356,885	c25 N71-20747
US-PATENT-3,325,749	c09 N71-28810	US-PATENT-3,357,024	c12 N71-20815
US-PATENT-3,326,043	c14 N71-10500	US-PATENT-3,357,093	c15 N71-21078
US-PATENT-3,326,407	c15 N71-10577	US-PATENT-3,357,237	c33 N71-21586
US-PATENT-3,327,298	c08 N71-21042	US-PATENT-3,357,862	c03 N71-20904
US-PATENT-3,327,991	c15 N71-21234	US-PATENT-3,358,145	c14 N71-21040
US-PATENT-3,328,624	c28 N71-28850	US-PATENT-3,358,264	c09 N71-20851
US-PATENT-3,329,375	c21 N71-21708	US-PATENT-3,359,046	c15 N71-20739
US-PATENT-3,329,918	c09 N71-21583	US-PATENT-3,359,132	c09 N71-20705
US-PATENT-3,330,052	c11 N71-21474	US-PATENT-3,359,409	c07 N71-21476
US-PATENT-3,330,082	c15 N71-21531	US-PATENT-3,359,435	c15 N71-21311
US-PATENT-3,330,510	c31 N71-28851	US-PATENT-3,359,555	c09 N71-20864
US-PATENT-3,330,549	c15 N71-21530	US-PATENT-3,359,819	c15 N71-21744
US-PATENT-3,331,071	c07 N71-28900	US-PATENT-3,359,855	c23 N71-21882
US-PATENT-3,331,246	c11 N71-21475	US-PATENT-3,360,798	c09 N71-20658
US-PATENT-3,331,255	c15 N71-21529	US-PATENT-3,360,864	c14 N71-24693
US-PATENT-3,331,404	c12 N71-21089	US-PATENT-3,360,972	c15 N71-24833
US-PATENT-3,331,951	c21 N71-21688	US-PATENT-3,360,980	c14 N71-20741
US-PATENT-3,333,152	c25 N71-21693	US-PATENT-3,360,988	c09 N71-20816
US-PATENT-3,333,788	c31 N71-21881	US-PATENT-3,361,045	c15 N71-21060
US-PATENT-3,334,225	c14 N73-32325	US-PATENT-3,361,067	c26 N71-21824
US-PATENT-3,336,725	c15 N71-21528	US-PATENT-3,361,400	c15 N71-20813
US-PATENT-3,336,748	c25 N71-21694	US-PATENT-3,361,666	c15 N71-21403
US-PATENT-3,336,754	c28 N71-22983	US-PATENT-3,361,985	c10 N71-20852
US-PATENT-3,337,004	c14 N71-23092	US-PATENT-3,364,311	c07 N71-20814
US-PATENT-3,337,279	c05 N71-23080	US-PATENT-3,364,366	c09 N71-28926
US-PATENT-3,337,315	c18 N71-23088	US-PATENT-3,364,578	c14 N71-21079
US-PATENT-3,337,337	c18 N71-22894	US-PATENT-3,364,631	c32 N71-21045
US-PATENT-3,337,790	c12 N71-20896	US-PATENT-3,364,777	c15 N71-20740
US-PATENT-3,337,812	c09 N71-23097	US-PATENT-3,364,813	c09 N71-22999
US-PATENT-3,339,404	c14 N71-22765	US-PATENT-3,365,657	c10 N71-22961
US-PATENT-3,339,863	c14 N71-23040	US-PATENT-3,365,665	c14 N71-23037
US-PATENT-3,340,099	c03 N71-23006	US-PATENT-3,365,897	c33 N71-28892
US-PATENT-3,340,395	c14 N71-23041	US-PATENT-3,365,930	c14 N71-22964

NUMBER INDEX

US-PATENT-3,365,941	c14 N71-22965	US-PATENT-3,394,359	c08 N71-28925
US-PATENT-3,366,886	c10 N71-22962	US-PATENT-3,394,975	c23 N71-30027
US-PATENT-3,366,894	c10 N71-23084	US-PATENT-3,395,053	c18 N71-23047
US-PATENT-3,367,114	c28 N71-23081	US-PATENT-3,395,565	c14 N73-30390
US-PATENT-3,367,121	c15 N71-23025	US-PATENT-3,396,057	c26 N71-23043
US-PATENT-3,367,182	c33 N71-23085	US-PATENT-3,396,184	c06 N71-28808
US-PATENT-3,367,224	c15 N71-22798	US-PATENT-3,396,303	c09 N71-22987
US-PATENT-3,367,271	c15 N71-24042	US-PATENT-3,396,584	c14 N71-30026
US-PATENT-3,367,308	c11 N71-22875	US-PATENT-3,396,920	c31 N71-29050
US-PATENT-3,367,445	c15 N71-23048	US-PATENT-3,397,094	c26 N71-29156
US-PATENT-3,368,486	c15 N71-22874	US-PATENT-3,397,117	c15 N71-23086
US-PATENT-3,369,222	c08 N71-22707	US-PATENT-3,397,318	c14 N71-22991
US-PATENT-3,369,223	c08 N71-22710	US-PATENT-3,397,512	c15 N71-23023
US-PATENT-3,369,564	c15 N71-23051	US-PATENT-3,397,932	c15 N71-22982
US-PATENT-3,370,039	c06 N71-28807	US-PATENT-3,399,299	c10 N71-23662
US-PATENT-3,372,588	c33 N71-29051	US-PATENT-3,399,574	c32 N71-24285
US-PATENT-3,373,069	c15 N71-23052	US-PATENT-3,402,265	c09 N73-28084
US-PATENT-3,373,404	c08 N71-22749	US-PATENT-3,404,289	c09 N71-23545
US-PATENT-3,373,430	c09 N71-22888	US-PATENT-3,405,406	c05 N71-23161
US-PATENT-3,373,431	c07 N71-22750	US-PATENT-3,405,887	c31 N71-24315
US-PATENT-3,373,640	c15 N71-22722	US-PATENT-3,406,336	c10 N71-24863
US-PATENT-3,373,914	c15 N71-23050	US-PATENT-3,406,742	c33 N71-24276
US-PATENT-3,374,339	c08 N71-22897	US-PATENT-3,407,304	c14 N71-23240
US-PATENT-3,374,366	c09 N71-23015	US-PATENT-3,408,816	c28 N71-24736
US-PATENT-3,374,830	c33 N71-22890	US-PATENT-3,408,870	c14 N71-23227
US-PATENT-3,375,451	c10 N71-22986	US-PATENT-3,409,247	c33 N71-28903
US-PATENT-3,375,479	c15 N71-23049	US-PATENT-3,409,252	c15 N71-23255
US-PATENT-3,375,885	c15 N73-32362	US-PATENT-3,409,554	c26 N71-23292
US-PATENT-3,376,730	c14 N71-22995	US-PATENT-3,409,730	c33 N71-24145
US-PATENT-3,377,208	c14 N71-23039	US-PATENT-3,411,356	c14 N71-23226
US-PATENT-3,377,845	c14 N71-22992	US-PATENT-3,412,559	c28 N71-23293
US-PATENT-3,378,315	c15 N71-22997	US-PATENT-3,412,598	c14 N71-23225
US-PATENT-3,378,851	c05 N71-23096	US-PATENT-3,412,729	c04 N71-23185
US-PATENT-3,378,892	c15 N71-22994	US-PATENT-3,412,961	c32 N71-23971
US-PATENT-3,379,052	c14 N73-32321	US-PATENT-3,413,115	c17 N71-23365
US-PATENT-3,379,064	c14 N71-23093	US-PATENT-3,413,393	c17 N71-29137
US-PATENT-3,379,330	c23 N71-22881	US-PATENT-3,413,510	c09 N71-23190
US-PATENT-3,379,885	c09 N71-22985	US-PATENT-3,413,536	c03 N71-24605
US-PATENT-3,379,974	c14 N71-22990	US-PATENT-3,414,012	c09 N71-23191
US-PATENT-3,380,042	c07 N71-23001	US-PATENT-3,414,358	c14 N71-23175
US-PATENT-3,380,049	c10 N71-23099	US-PATENT-3,415,032	c15 N71-23256
US-PATENT-3,381,339	c06 N71-22975	US-PATENT-3,415,069	c15 N71-24044
US-PATENT-3,381,517	c09 N71-22988	US-PATENT-3,415,116	c14 N71-23790
US-PATENT-3,381,527	c15 N71-22878	US-PATENT-3,415,126	c21 N71-23289
US-PATENT-3,381,569	c21 N71-22880	US-PATENT-3,415,156	c15 N71-24043
US-PATENT-3,381,778	c15 N71-22877	US-PATENT-3,415,643	c17 N71-23248
US-PATENT-3,382,082	c18 N71-22998	US-PATENT-3,416,106	c09 N71-24808
US-PATENT-3,382,105	c03 N71-29044	US-PATENT-3,416,274	c31 N71-24035
US-PATENT-3,382,107	c03 N71-22974	US-PATENT-3,416,939	c18 N71-24183
US-PATENT-3,382,714	c14 N71-22989	US-PATENT-3,416,975	c17 N71-23828
US-PATENT-3,383,461	c07 N71-23026	US-PATENT-3,416,988	c15 N71-24164
US-PATENT-3,383,524	c10 N71-23029	US-PATENT-3,417,247	c14 N71-23797
US-PATENT-3,383,903	c14 N71-23036	US-PATENT-3,417,266	c09 N71-23270
US-PATENT-3,383,922	c14 N71-22752	US-PATENT-3,417,298	c10 N71-23271
US-PATENT-3,384,016	c31 N71-23008	US-PATENT-3,417,316	c14 N71-23174
US-PATENT-3,384,075	c05 N71-22896	US-PATENT-3,417,321	c09 N71-23316
US-PATENT-3,384,111	c15 N71-22706	US-PATENT-3,417,332	c07 N71-23405
US-PATENT-3,384,324	c33 N71-22792	US-PATENT-3,417,399	c30 N71-23723
US-PATENT-3,384,820	c09 N71-23021	US-PATENT-3,417,400	c07 N71-28809
US-PATENT-3,384,895	c07 N71-22984	US-PATENT-3,419,329	c14 N71-23268
US-PATENT-3,385,036	c15 N71-22721	US-PATENT-3,419,363	c18 N71-23710
US-PATENT-3,386,337	c15 N71-22799	US-PATENT-3,419,384	c17 N73-28573
US-PATENT-3,386,685	c31 N71-22968	US-PATENT-3,419,433	c03 N71-23187
US-PATENT-3,386,686	c31 N71-22969	US-PATENT-3,419,537	c06 N71-23500
US-PATENT-3,387,149	c14 N71-22993	US-PATENT-3,419,827	c09 N71-23548
US-PATENT-3,388,258	c14 N71-22996	US-PATENT-3,419,964	c14 N69-21363
US-PATENT-3,388,387	c10 N71-23033	US-PATENT-3,419,992	c14 N71-23401
US-PATENT-3,388,590	c14 N71-23087	US-PATENT-3,420,069	c15 N69-21465
US-PATENT-3,389,017	c15 N71-23022	US-PATENT-3,420,223	c05 N69-21925
US-PATENT-3,389,260	c14 N71-23269	US-PATENT-3,420,225	c05 N69-21473
US-PATENT-3,389,346	c10 N71-28859	US-PATENT-3,420,253	c12 N69-21466
US-PATENT-3,389,877	c15 N71-28936	US-PATENT-3,420,338	c15 N71-26243
US-PATENT-3,390,017	c03 N71-23336	US-PATENT-3,420,471	c05 N69-21380
US-PATENT-3,390,020	c26 N71-23654	US-PATENT-3,420,704	c15 N69-21460
US-PATENT-3,390,282	c09 N71-23311	US-PATENT-3,420,945	c09 N69-21542
US-PATENT-3,390,378	c08 N71-23295	US-PATENT-3,420,978	c15 N69-21471
US-PATENT-3,391,080	c15 N71-24046	US-PATENT-3,421,004	c14 N71-19568
US-PATENT-3,392,403	c23 N71-23976	US-PATENT-3,421,053	c15 N69-21472
US-PATENT-3,392,586	c14 N71-24232	US-PATENT-3,421,056	c14 N69-23191
US-PATENT-3,392,864	c18 N71-23658	US-PATENT-3,421,105	c09 N69-21543
US-PATENT-3,392,865	c15 N71-23816	US-PATENT-3,421,134	c09 N69-21470
US-PATENT-3,392,936	c01 N71-23497	US-PATENT-3,421,331	c15 N69-23190
US-PATENT-3,393,059	c06 N71-23499	US-PATENT-3,421,363	c11 N69-21540
US-PATENT-3,393,330	c22 N71-23599	US-PATENT-3,421,596	c05 N69-23192
US-PATENT-3,393,332	c09 N71-23443	US-PATENT-3,421,541	c15 N69-21924
US-PATENT-3,393,347	c10 N71-23543	US-PATENT-3,421,549	c03 N69-21469
US-PATENT-3,393,380	c10 N71-23544	US-PATENT-3,421,591	c14 N69-21923
US-PATENT-3,393,384	c09 N71-23573	US-PATENT-3,421,700	c15 N69-23185
US-PATENT-3,394,286	c14 N73-30391	US-PATENT-3,421,768	c15 N69-21362

NUMBER INDEX

US-PATENT-3,421,864	c17 N71-23046	US-PATENT-3,439,886	c31 N69-27499
US-PATENT-3,421,948	c03 N69-21337	US-PATENT-3,440,419	c14 N73-28491
US-PATENT-3,422,213	c03 N69-21539	US-PATENT-3,443,128	c03 N69-39890
US-PATENT-3,422,278	c09 N69-21468	US-PATENT-3,443,208	c14 N71-20428
US-PATENT-3,422,291	c25 N69-21929	US-PATENT-3,443,384	c28 N71-24321
US-PATENT-3,422,324	c14 N69-21541	US-PATENT-3,443,390	c11 N71-24964
US-PATENT-3,422,352	c14 N71-19431	US-PATENT-3,443,412	c15 N71-23811
US-PATENT-3,422,354	c09 N69-21926	US-PATENT-3,443,416	c06 N69-39936
US-PATENT-3,422,354	c09 N69-21927	US-PATENT-3,443,472	c15 N71-23254
US-PATENT-3,422,390	c08 N69-21928	US-PATENT-3,443,583	c14 N71-18625
US-PATENT-3,422,403	c09 N69-21467	US-PATENT-3,443,584	c32 N71-16106
US-PATENT-3,422,440	c15 N69-21922	US-PATENT-3,443,732	c15 N71-15607
US-PATENT-3,423,179	c06 N71-17705	US-PATENT-3,443,773	c31 N71-23912
US-PATENT-3,423,290	c09 N71-19480	US-PATENT-3,443,779	c01 N69-39981
US-PATENT-3,423,579	c09 N69-21313	US-PATENT-3,444,051	c05 N71-11207
US-PATENT-3,423,608	c10 N71-20448	US-PATENT-3,444,127	c06 N71-11237
US-PATENT-3,424,966	c15 N71-19489	US-PATENT-3,444,375	c14 N71-15599
US-PATENT-3,425,131	c14 N69-39975	US-PATENT-3,444,380	c07 N69-39980
US-PATENT-3,425,268	c14 N71-20439	US-PATENT-3,446,075	c14 N73-30394
US-PATENT-3,425,272	c14 N69-24257	US-PATENT-3,446,387	c15 N69-39935
US-PATENT-3,425,276	c05 N71-24147	US-PATENT-3,446,558	c16 N71-24074
US-PATENT-3,425,486	c05 N71-19439	US-PATENT-3,446,642	c18 N69-39895
US-PATENT-3,425,487	c15 N69-24322	US-PATENT-3,446,676	c03 N71-11050
US-PATENT-3,425,885	c09 N69-24317	US-PATENT-3,446,960	c14 N69-39982
US-PATENT-3,426,219	c15 N69-24319	US-PATENT-3,446,992	c09 N69-39987
US-PATENT-3,426,230	c03 N71-19438	US-PATENT-3,446,997	c03 N69-39988
US-PATENT-3,426,263	c14 N69-39785	US-PATENT-3,446,998	c09 N69-39929
US-PATENT-3,426,272	c05 N71-26293	US-PATENT-3,447,003	c09 N71-20446
US-PATENT-3,426,746	c15 N71-19569	US-PATENT-3,447,015	c06 N69-39889
US-PATENT-3,426,791	c15 N69-27490	US-PATENT-3,447,071	c25 N69-39884
US-PATENT-3,427,047	c23 N69-24332	US-PATENT-3,447,154	c21 N71-11766
US-PATENT-3,427,089	c09 N71-19479	US-PATENT-3,447,155	c09 N71-18598
US-PATENT-3,427,093	c11 N69-24321	US-PATENT-3,447,233	c15 N69-39786
US-PATENT-3,427,097	c15 N69-24320	US-PATENT-3,447,774	c15 N71-19485
US-PATENT-3,427,205	c17 N69-25147	US-PATENT-3,447,850	c09 N71-18600
US-PATENT-3,427,435	c05 N71-19440	US-PATENT-3,448,273	c07 N69-39736
US-PATENT-3,427,454	c03 N69-21330	US-PATENT-3,448,290	c10 N71-23315
US-PATENT-3,427,525	c09 N69-24329	US-PATENT-3,448,341	c09 N71-12526
US-PATENT-3,428,761	c14 N69-27485	US-PATENT-3,448,346	c15 N71-18701
US-PATENT-3,428,812	c15 N69-24266	US-PATENT-3,450,842	c07 N69-39978
US-PATENT-3,428,847	c09 N69-24330	US-PATENT-3,450,878	c14 N71-20430
US-PATENT-3,428,910	c07 N69-24334	US-PATENT-3,450,946	c09 N69-39897
US-PATENT-3,428,919	c07 N69-27462	US-PATENT-3,452,103	c06 N73-30101
US-PATENT-3,428,923	c12 N69-39988	US-PATENT-3,452,423	c26 N71-16037
US-PATENT-3,429,058	c06 N69-39733	US-PATENT-3,452,872	c14 N69-39896
US-PATENT-3,429,177	c15 N69-27502	US-PATENT-3,453,172	c15 N69-39735
US-PATENT-3,429,477	c09 N69-27500	US-PATENT-3,453,462	c03 N69-39983
US-PATENT-3,430,063	c09 N69-24318	US-PATENT-3,453,546	c05 N71-12342
US-PATENT-3,430,115	c24 N71-20518	US-PATENT-3,454,410	c18 N69-39979
US-PATENT-3,430,131	c14 N69-27431	US-PATENT-3,455,121	c14 N71-20427
US-PATENT-3,430,182	c08 N71-19687	US-PATENT-3,455,171	c23 N71-16098
US-PATENT-3,430,227	c07 N69-39974	US-PATENT-3,456,112	c14 N69-39937
US-PATENT-3,430,237	c15 N69-27505	US-PATENT-3,456,193	c08 N71-19763
US-PATENT-3,430,460	c14 N69-27486	US-PATENT-3,456,201	c09 N69-39885
US-PATENT-3,430,902	c11 N69-27466	US-PATENT-3,458,104	c15 N71-20393
US-PATENT-3,430,909	c15 N69-27483	US-PATENT-3,458,313	c14 N71-17574
US-PATENT-3,430,937	c15 N69-27504	US-PATENT-3,458,651	c09 N71-19449
US-PATENT-3,430,942	c14 N69-27459	US-PATENT-3,458,702	c14 N71-18699
US-PATENT-3,431,149	c15 N69-27871	US-PATENT-3,458,726	c10 N69-39888
US-PATENT-3,431,397	c09 N71-23189	US-PATENT-3,458,833	c10 N71-19418
US-PATENT-3,431,460	c09 N69-24333	US-PATENT-3,458,851	c09 N69-39734
US-PATENT-3,431,559	c09 N69-27422	US-PATENT-3,459,391	c03 N71-11058
US-PATENT-3,432,730	c28 N71-20330	US-PATENT-3,460,378	c14 N71-24233
US-PATENT-3,433,015	c14 N69-27503	US-PATENT-3,460,379	c15 N71-24834
US-PATENT-3,433,079	c14 N71-20461	US-PATENT-3,460,381	c14 N71-23725
US-PATENT-3,433,662	c06 N71-23230	US-PATENT-3,460,397	c15 N71-24045
US-PATENT-3,433,818	c10 N71-23663	US-PATENT-3,460,759	c28 N71-23968
US-PATENT-3,433,909	c14 N69-27484	US-PATENT-3,460,781	c14 N71-23698
US-PATENT-3,433,953	c16 N69-27491	US-PATENT-3,460,995	c03 N71-20407
US-PATENT-3,433,960	c14 N69-27432	US-PATENT-3,461,290	c14 N71-26475
US-PATENT-3,433,961	c09 N69-39984	US-PATENT-3,461,393	c10 N71-26415
US-PATENT-3,434,033	c10 N71-26414	US-PATENT-3,461,437	c10 N71-26434
US-PATENT-3,434,037	c09 N71-20569	US-PATENT-3,461,700	c15 N71-26346
US-PATENT-3,434,050	c09 N69-39986	US-PATENT-3,461,721	c12 N71-20436
US-PATENT-3,434,064	c18 N71-24184	US-PATENT-3,461,855	c05 N71-20268
US-PATENT-3,434,855	c03 N71-20492	US-PATENT-3,463,001	c14 N71-20429
US-PATENT-3,434,885	c14 N69-24331	US-PATENT-3,463,563	c15 N71-23812
US-PATENT-3,435,246	c14 N69-27461	US-PATENT-3,463,673	c03 N71-20491
US-PATENT-3,437,394	c03 N69-24267	US-PATENT-3,463,679	c17 N71-24142
US-PATENT-3,437,527	c04 N69-27487	US-PATENT-3,463,761	c06 N73-30099
US-PATENT-3,437,560	c03 N71-23354	US-PATENT-3,463,762	c06 N73-30100
US-PATENT-3,437,818	c09 N69-27463	US-PATENT-3,463,939	c10 N71-19471
US-PATENT-3,437,832	c08 N71-20571	US-PATENT-3,464,012	c14 N71-26244
US-PATENT-3,437,874	c03 N69-25146	US-PATENT-3,464,016	c10 N71-19472
US-PATENT-3,437,903	c14 N69-27423	US-PATENT-3,464,018	c09 N71-23525
US-PATENT-3,437,919	c09 N69-24324	US-PATENT-3,464,049	c32 N71-15974
US-PATENT-3,437,935	c07 N69-24323	US-PATENT-3,464,051	c15 N71-17685
US-PATENT-3,437,959	c07 N69-27460	US-PATENT-3,465,482	c31 N71-16080
US-PATENT-3,438,044	c14 N71-20435	US-PATENT-3,465,567	c15 N71-18579
US-PATENT-3,438,263			

NUMBER INDEX

US-PATENT-3,465,569	c14 N71-17659	US-PATENT-3,490,205	c14 N71-17588
US-PATENT-3,465,584	c14 N71-23726	US-PATENT-3,490,235	c28 N71-14044
US-PATENT-3,465,638	c11 N71-18578	US-PATENT-3,490,238	c15 N70-22192
US-PATENT-3,465,986	c31 N71-20396	US-PATENT-3,490,405	c15 N71-15597
US-PATENT-3,466,052	c15 N71-19570	US-PATENT-3,490,440	c05 N71-12346
US-PATENT-3,466,085	c05 N71-12343	US-PATENT-3,490,718	c33 N71-14035
US-PATENT-3,466,198	c03 N71-19545	US-PATENT-3,490,719	c21 N71-14159
US-PATENT-3,466,243	c15 N71-23810	US-PATENT-3,490,721	c02 N71-11039
US-PATENT-3,466,418	c15 N71-18613	US-PATENT-3,490,939	c33 N71-14032
US-PATENT-3,466,424	c15 N71-20395	US-PATENT-3,490,965	c09 N71-12513
US-PATENT-3,466,459	c09 N71-26000	US-PATENT-3,491,202	c07 N71-12392
US-PATENT-3,466,484	c14 N71-18482	US-PATENT-3,491,255	c09 N71-12514
US-PATENT-3,466,560	c09 N71-19466	US-PATENT-3,491,335	c14 N71-15620
US-PATENT-3,466,570	c10 N71-25950	US-PATENT-3,491,857	c14 N71-17626
US-PATENT-3,467,837	c05 N71-23317	US-PATENT-3,492,176	c27 N71-14090
US-PATENT-3,468,303	c09 N71-26002	US-PATENT-3,492,672	c05 N71-12344
US-PATENT-3,468,548	c15 N71-26294	US-PATENT-3,492,739	c15 N71-15571
US-PATENT-3,468,609	c16 N71-24170	US-PATENT-3,492,862	c14 N71-15600
US-PATENT-3,468,727	c14 N71-25892	US-PATENT-3,492,947	c28 N71-14058
US-PATENT-3,468,765	c17 N71-25903	US-PATENT-3,493,003	c15 N71-15609
US-PATENT-3,469,068	c15 N71-23815	US-PATENT-3,493,004	c12 N71-17579
US-PATENT-3,469,069	c15 N71-23798	US-PATENT-3,493,012	c15 N71-15608
US-PATENT-3,469,087	c16 N71-25914	US-PATENT-3,493,027	c31 N71-18611
US-PATENT-3,469,289	c15 N71-25975	US-PATENT-3,493,153	c05 N71-12351
US-PATENT-3,469,375	c14 N71-18483	US-PATENT-3,493,155	c26 N71-14354
US-PATENT-3,469,436	c15 N71-23817	US-PATENT-3,493,194	c21 N71-14132
US-PATENT-3,469,437	c14 N71-24234	US-PATENT-3,493,197	c02 N71-11043
US-PATENT-3,469,734	c11 N71-17600	US-PATENT-3,493,291	c14 N71-15622
US-PATENT-3,470,043	c15 N71-24047	US-PATENT-3,493,294	c14 N71-15605
US-PATENT-3,470,304	c14 N71-23267	US-PATENT-3,493,401	c18 N71-14014
US-PATENT-3,470,313	c07 N71-26579	US-PATENT-3,493,415	c15 N71-15610
US-PATENT-3,470,318	c07 N71-24612	US-PATENT-3,493,437	c03 N71-11056
US-PATENT-3,470,342	c09 N71-19610	US-PATENT-3,493,522	c06 N71-11243
US-PATENT-3,470,443	c03 N71-23239	US-PATENT-3,493,524	c06 N71-11242
US-PATENT-3,470,446	c09 N71-23188	US-PATENT-3,493,665	c14 N71-15621
US-PATENT-3,470,466	c14 N71-23699	US-PATENT-3,493,677	c07 N71-11300
US-PATENT-3,470,475	c10 N71-19467	US-PATENT-3,493,711	c15 N71-14932
US-PATENT-3,470,489	c09 N71-23598	US-PATENT-3,493,746	c15 N71-15606
US-PATENT-3,470,495	c10 N71-23669	US-PATENT-3,493,797	c15 N71-17652
US-PATENT-3,470,496	c09 N71-19470	US-PATENT-3,493,805	c09 N71-12521
US-PATENT-3,471,856	c30 N71-16090	US-PATENT-3,493,901	c09 N71-12517
US-PATENT-3,471,858	c07 N71-12391	US-PATENT-3,493,929	c08 N71-12505
US-PATENT-3,472,019	c10 N71-26326	US-PATENT-3,493,942	c08 N71-12504
US-PATENT-3,472,059	c14 N71-23755	US-PATENT-3,495,260	c21 N71-13958
US-PATENT-3,472,060	c14 N71-26136	US-PATENT-3,495,262	c07 N71-12396
US-PATENT-3,472,069	c15 N71-20441	US-PATENT-3,500,020	c01 N71-13411
US-PATENT-3,472,080	c10 N71-26339	US-PATENT-3,500,525	c15 N71-17688
US-PATENT-3,472,086	c15 N71-23809	US-PATENT-3,500,677	c14 N71-17584
US-PATENT-3,472,140	c14 N71-26474	US-PATENT-3,500,686	c12 N71-17569
US-PATENT-3,472,202	c17 N71-24911	US-PATENT-3,500,688	c14 N71-17587
US-PATENT-3,472,372	c15 N71-20440	US-PATENT-3,500,747	c09 N71-18599
US-PATENT-3,472,470	c02 N71-20570	US-PATENT-3,500,827	c05 N71-11203
US-PATENT-3,472,577	c23 N71-24857	US-PATENT-3,501,112	c15 N71-17693
US-PATENT-3,472,625	c06 N71-23527	US-PATENT-3,501,337	c15 N71-17695
US-PATENT-3,472,629	c14 N71-20442	US-PATENT-3,501,632	c27 N71-16348
US-PATENT-3,472,698	c03 N71-23449	US-PATENT-3,501,641	c20 N71-16340
US-PATENT-3,472,709	c18 N71-26153	US-PATENT-3,501,648	c10 N71-24799
US-PATENT-3,472,742	c17 N71-24830	US-PATENT-3,501,649	c10 N71-18723
US-PATENT-3,472,998	c16 N71-20400	US-PATENT-3,501,664	c14 N71-17585
US-PATENT-3,473,050	c09 N71-20447	US-PATENT-3,501,683	c15 N71-17694
US-PATENT-3,473,116	c25 N71-20563	US-PATENT-3,501,684	c09 N71-26092
US-PATENT-3,473,165	c05 N71-26333	US-PATENT-3,501,701	c08 N71-18692
US-PATENT-3,473,216	c15 N71-20443	US-PATENT-3,501,704	c07 N71-11282
US-PATENT-3,473,379	c12 N71-26387	US-PATENT-3,501,712	c09 N71-19516
US-PATENT-3,473,758	c03 N71-20273	US-PATENT-3,501,743	c09 N71-18843
US-PATENT-3,474,192	c07 N71-26102	US-PATENT-3,501,750	c08 N71-19288
US-PATENT-3,474,220	c15 N71-19486	US-PATENT-3,501,752	c08 N71-18595
US-PATENT-3,474,328	c14 N71-26266	US-PATENT-3,501,764	c10 N71-18722
US-PATENT-3,474,357	c09 N71-20445	US-PATENT-3,502,051	c15 N71-17647
US-PATENT-3,474,413	c10 N71-26103	US-PATENT-3,502,074	c05 N71-11190
US-PATENT-3,474,441	c08 N71-19544	US-PATENT-3,502,141	c33 N71-16277
US-PATENT-3,475,384	c06 N73-30103	US-PATENT-3,503,251	c32 N71-16428
US-PATENT-3,480,789	c10 N71-26626	US-PATENT-3,504,258	c10 N71-18724
US-PATENT-3,481,638	c15 N71-26312	US-PATENT-3,504,983	c23 N71-16341
US-PATENT-3,481,887	c18 N71-26155	US-PATENT-3,507,034	c15 N71-17650
US-PATENT-3,482,179	c10 N71-26331	US-PATENT-3,507,114	c27 N71-16392
US-PATENT-3,483,535	c10 N71-26418	US-PATENT-3,507,146	c05 N71-11202
US-PATENT-3,484,712	c10 N71-26374	US-PATENT-3,507,150	c20 N71-16281
US-PATENT-3,486,123	c16 N71-24831	US-PATENT-3,507,425	c15 N71-17628
US-PATENT-3,487,216	c14 N71-24809	US-PATENT-3,507,436	c08 N71-19420
US-PATENT-3,487,281	c15 N71-24695	US-PATENT-3,507,704	c03 N71-11052
US-PATENT-3,487,288	c10 N71-25139	US-PATENT-3,507,706	c03 N71-18698
US-PATENT-3,487,680	c15 N71-17696	US-PATENT-3,508,036	c08 N71-18693
US-PATENT-3,488,103	c14 N71-15604	US-PATENT-3,508,039	c08 N71-19437
US-PATENT-3,488,123	c14 N71-17627	US-PATENT-3,508,053	c09 N71-18830
US-PATENT-3,488,414	c15 N71-17803	US-PATENT-3,508,070	c03 N71-11057
US-PATENT-3,488,461	c09 N71-12518	US-PATENT-3,508,152	c07 N71-11266
US-PATENT-3,488,504	c21 N71-15642	US-PATENT-3,508,156	c07 N71-11267
US-PATENT-3,490,130	c05 N71-12345	US-PATENT-3,508,347	c05 N71-24606

NUMBER INDEX

US-PATENT-3,508,402	c33 N71-16104	US-PATENT-3,532,979	c10 N71-12554
US-PATENT-3,508,541	c05 N71-11193	US-PATENT-3,532,985	c07 N71-19773
US-PATENT-3,508,578	c32 N71-16103	US-PATENT-3,533,001	c07 N71-24583
US-PATENT-3,508,723	c31 N71-16222	US-PATENT-3,533,006	c10 N72-28241
US-PATENT-3,508,724	c02 N71-11037	US-PATENT-3,533,074	c08 N71-12502
US-PATENT-3,508,739	c15 N71-17648	US-PATENT-3,533,093	c10 N71-19417
US-PATENT-3,508,779	c15 N71-24897	US-PATENT-3,533,098	c08 N71-18594
US-PATENT-3,508,940	c18 N71-16124	US-PATENT-3,534,365	c07 N71-19854
US-PATENT-3,508,955	c18 N71-16105	US-PATENT-3,534,367	c02 N71-19287
US-PATENT-3,508,999	c15 N71-17687	US-PATENT-3,534,375	c07 N71-11285
US-PATENT-3,509,034	c14 N71-17575	US-PATENT-3,534,376	c07 N71-26101
US-PATENT-3,509,386	c03 N71-11055	US-PATENT-3,534,406	c05 N71-11195
US-PATENT-3,509,419	c24 N71-16213	US-PATENT-3,534,407	c05 N71-11194
US-PATENT-3,509,469	c23 N71-16099	US-PATENT-3,534,479	c14 N71-17657
US-PATENT-3,509,475	c09 N71-24596	US-PATENT-3,534,480	c14 N71-17658
US-PATENT-3,509,491	c09 N71-18721	US-PATENT-3,534,485	c11 N71-18773
US-PATENT-3,509,551	c08 N71-18694	US-PATENT-3,534,555	c12 N71-17631
US-PATENT-3,509,558	c08 N71-19435	US-PATENT-3,534,584	c10 N71-13545
US-PATENT-3,509,570	c09 N71-18720	US-PATENT-3,534,585	c14 N71-17701
US-PATENT-3,509,578	c07 N71-19493	US-PATENT-3,534,592	c14 N71-17656
US-PATENT-3,512,009	c08 N71-18751	US-PATENT-3,534,596	c14 N71-17586
US-PATENT-3,516,091	c05 N71-24623	US-PATENT-3,534,597	c31 N71-15643
US-PATENT-3,516,179	c11 N71-19494	US-PATENT-3,534,650	c15 N71-17653
US-PATENT-3,516,185	c12 N71-18603	US-PATENT-3,534,686	c31 N71-15687
US-PATENT-3,516,284	c12 N71-17573	US-PATENT-3,534,727	c05 N71-11189
US-PATENT-3,516,404	c05 N71-17599	US-PATENT-3,534,765	c12 N71-17661
US-PATENT-3,516,711	c05 N71-12341	US-PATENT-3,534,826	c31 N71-15689
US-PATENT-3,516,879	c23 N71-16212	US-PATENT-3,534,836	c15 N71-17805
US-PATENT-3,516,964	c06 N71-11240	US-PATENT-3,534,909	c15 N71-17654
US-PATENT-3,516,970	c06 N71-11239	US-PATENT-3,534,924	c31 N71-15674
US-PATENT-3,516,971	c06 N71-24740	US-PATENT-3,534,925	c31 N71-15676
US-PATENT-3,517,109	c07 N71-19436	US-PATENT-3,534,926	c15 N71-19214
US-PATENT-3,517,162	c33 N71-16278	US-PATENT-3,534,930	c02 N71-13422
US-PATENT-3,517,171	c08 N71-24633	US-PATENT-3,535,012	c16 N71-15567
US-PATENT-3,517,221	c10 N71-19547	US-PATENT-3,535,013	c16 N71-15551
US-PATENT-3,517,268	c10 N71-19469	US-PATENT-3,535,014	c16 N71-15565
US-PATENT-3,517,302	c25 N71-16073	US-PATENT-3,535,024	c14 N71-17662
US-PATENT-3,517,318	c08 N71-19432	US-PATENT-3,535,041	c14 N71-17655
US-PATENT-3,517,328	c16 N71-18614	US-PATENT-3,535,110	c17 N71-15468
US-PATENT-3,518,232	c06 N71-11235	US-PATENT-3,535,130	c18 N71-15469
US-PATENT-3,520,190	c10 N71-13537	US-PATENT-3,535,165	c33 N71-15568
US-PATENT-3,520,238	c14 N71-18465	US-PATENT-3,535,179	c15 N71-17651
US-PATENT-3,520,317	c12 N71-17578	US-PATENT-3,535,352	c18 N71-15688
US-PATENT-3,520,496	c31 N71-16345	US-PATENT-3,535,446	c09 N71-12539
US-PATENT-3,520,503	c31 N71-16085	US-PATENT-3,535,451	c07 N71-11281
US-PATENT-3,520,617	c23 N71-16101	US-PATENT-3,535,497	c08 N71-24890
US-PATENT-3,520,660	c23 N71-16355	US-PATENT-3,535,543	c09 N71-13486
US-PATENT-3,521,054	c06 N71-13461	US-PATENT-3,535,547	c09 N71-12520
US-PATENT-3,521,143	c08 N71-18752	US-PATENT-3,535,554	c09 N71-12516
US-PATENT-3,521,290	c31 N71-16102	US-PATENT-3,535,560	c08 N71-12494
US-PATENT-3,523,228	c10 N71-24861	US-PATENT-3,535,562	c33 N71-27862
US-PATENT-3,526,030	c15 N71-17686	US-PATENT-3,535,570	c15 N71-24696
US-PATENT-3,526,134	c33 N71-16356	US-PATENT-3,535,586	c25 N71-15562
US-PATENT-3,526,139	c31 N71-16221	US-PATENT-3,535,602	c09 N71-13522
US-PATENT-3,526,140	c27 N71-16223	US-PATENT-3,535,642	c08 N71-12503
US-PATENT-3,526,359	c33 N71-16357	US-PATENT-3,535,644	c09 N71-12519
US-PATENT-3,526,365	c28 N71-16224	US-PATENT-3,535,657	c07 N71-12390
US-PATENT-3,526,372	c31 N71-16346	US-PATENT-3,535,658	c08 N71-12500
US-PATENT-3,526,382	c15 N71-17649	US-PATENT-3,535,683	c31 N71-15566
US-PATENT-3,526,460	c23 N71-16365	US-PATENT-3,535,696	c08 N71-12506
US-PATENT-3,526,473	c18 N71-15545	US-PATENT-3,535,702	c09 N71-12515
US-PATENT-3,526,580	c18 N71-16210	US-PATENT-3,536,103	c15 N71-19213
US-PATENT-3,526,611	c06 N71-11236	US-PATENT-3,537,096	c08 N71-12507
US-PATENT-3,526,845	c09 N71-13531	US-PATENT-3,537,103	c08 N71-24650
US-PATENT-3,526,897	c09 N71-13521	US-PATENT-3,537,107	c05 N71-24730
US-PATENT-3,529,480	c15 N71-17692	US-PATENT-3,537,305	c26 N71-25490
US-PATENT-3,529,928	c17 N71-16393	US-PATENT-3,537,515	c09 N71-24807
US-PATENT-3,530,336	c09 N71-13518	US-PATENT-3,537,668	c05 N71-24728
US-PATENT-3,531,964	c15 N71-18616	US-PATENT-3,537,672	c15 N71-24694
US-PATENT-3,531,978	c14 N71-18481	US-PATENT-3,539,905	c09 N71-24800
US-PATENT-3,531,982	c15 N71-18132	US-PATENT-3,540,045	c09 N71-24595
US-PATENT-3,531,989	c33 N71-15641	US-PATENT-3,540,048	c31 N71-24813
US-PATENT-3,532,118	c12 N71-18615	US-PATENT-3,540,050	c09 N71-24804
US-PATENT-3,532,128	c15 N71-18580	US-PATENT-3,540,054	c07 N71-24625
US-PATENT-3,532,427	c21 N71-19212	US-PATENT-3,540,056	c07 N71-24614
US-PATENT-3,532,428	c30 N71-15990	US-PATENT-3,540,250	c15 N71-24865
US-PATENT-3,532,538	c18 N71-16046	US-PATENT-3,540,449	c15 N71-24835
US-PATENT-3,532,551	c03 N71-11049	US-PATENT-3,540,615	c33 N71-25351
US-PATENT-3,532,568	c17 N71-16044	US-PATENT-3,540,676	c15 N71-24600
US-PATENT-3,532,673	c06 N71-11238	US-PATENT-3,540,790	c16 N71-26154
US-PATENT-3,532,807	c07 N71-19433	US-PATENT-3,540,802	c23 N71-24868
US-PATENT-3,532,819	c10 N71-19468	US-PATENT-3,540,942	c15 N71-24875
US-PATENT-3,532,866	c08 N71-18602	US-PATENT-3,540,989	c24 N71-25555
US-PATENT-3,532,880	c24 N71-16095	US-PATENT-3,541,250	c07 N71-24742
US-PATENT-3,532,894	c23 N71-16100	US-PATENT-3,541,312	c08 N71-24891
US-PATENT-3,532,948	c10 N71-18772	US-PATENT-3,541,314	c07 N71-24741
US-PATENT-3,532,960	c03 N71-12255	US-PATENT-3,541,346	c09 N71-24803
US-PATENT-3,532,973	c15 N71-17822	US-PATENT-3,541,361	c09 N71-24904
US-PATENT-3,532,975	c10 N71-19421	US-PATENT-3,541,422	c03 N71-24719

HUBBER INDEX

US-PATENT-3,541,428	c09 N71-24893	US-PATENT-3,564,906	c32 N71-26681
US-PATENT-3,541,439	c09 N71-24843	US-PATENT-3,565,530	c15 N71-26673
US-PATENT-3,541,450	c07 N71-24840	US-PATENT-3,565,584	c15 N71-27372
US-PATENT-3,541,459	c10 N71-24844	US-PATENT-3,565,607	c17 N71-26773
US-PATENT-3,541,479	c09 N71-24841	US-PATENT-3,565,719	c03 N71-26726
US-PATENT-3,541,486	c16 N71-28554	US-PATENT-3,566,027	c07 N71-27341
US-PATENT-3,541,679	c03 N71-24681	US-PATENT-3,566,045	c08 N71-27210
US-PATENT-3,541,825	c15 N71-24836	US-PATENT-3,566,122	c14 N71-27323
US-PATENT-3,541,875	c15 N71-24984	US-PATENT-3,566,143	c14 N71-27407
US-PATENT-3,543,050	c10 N71-24862	US-PATENT-3,566,158	c10 N71-27126
US-PATENT-3,543,159	c09 N71-24717	US-PATENT-3,566,268	c10 N71-26577
US-PATENT-3,545,208	c28 N71-25213	US-PATENT-3,566,396	c10 N71-26544
US-PATENT-3,545,226	c23 N71-24725	US-PATENT-3,566,459	c14 N71-27334
US-PATENT-3,545,252	c11 N71-24985	US-PATENT-3,566,676	c14 N71-26199
US-PATENT-3,545,275	c09 N71-24597	US-PATENT-3,566,993	c15 N71-27169
US-PATENT-3,545,725	c15 N71-24599	US-PATENT-3,567,155	c21 N71-27324
US-PATENT-3,545,792	c15 N71-24903	US-PATENT-3,567,339	c15 N71-27084
US-PATENT-3,546,386	c07 N71-24621	US-PATENT-3,567,651	c18 N71-27170
US-PATENT-3,546,471	c14 N71-24864	US-PATENT-3,567,677	c18 N71-25881
US-PATENT-3,546,552	c15 N71-24895	US-PATENT-3,567,861	c10 N71-25865
US-PATENT-3,546,553	c09 N71-24805	US-PATENT-3,567,913	c10 N71-27137
US-PATENT-3,546,684	c07 N71-24624	US-PATENT-3,567,927	c14 N71-28863
US-PATENT-3,546,694	c10 N71-24798	US-PATENT-3,568,010	c09 N71-27232
US-PATENT-3,546,705	c09 N71-24842	US-PATENT-3,568,028	c10 N71-27136
US-PATENT-3,546,917	c15 N71-24679	US-PATENT-3,568,103	c10 N71-25900
US-PATENT-3,546,920	c06 N71-24607	US-PATENT-3,568,197	c07 N71-27056
US-PATENT-3,546,931	c32 N71-25360	US-PATENT-3,568,447	c15 N71-27432
US-PATENT-3,547,105	c09 N71-24618	US-PATENT-3,568,572	c15 N71-27754
US-PATENT-3,547,376	c31 N71-25434	US-PATENT-3,568,702	c10 N71-25899
US-PATENT-3,547,540	c16 N71-24828	US-PATENT-3,568,748	c15 N71-27091
US-PATENT-3,547,801	c03 N71-24718	US-PATENT-3,568,795	c15 N71-27067
US-PATENT-3,548,107	c07 N71-24622	US-PATENT-3,568,805	c15 N71-27146
US-PATENT-3,548,633	c18 N71-24934	US-PATENT-3,568,874	c15 N71-27068
US-PATENT-3,548,636	c15 N71-24910	US-PATENT-3,568,885	c14 N71-27005
US-PATENT-3,548,812	c05 N71-24729	US-PATENT-3,569,710	c14 N71-25901
US-PATENT-3,548,930	c33 N71-25353	US-PATENT-3,569,744	c09 N71-27016
US-PATENT-3,549,435	c14 N72-28438	US-PATENT-3,569,804	c09 N71-25999
US-PATENT-3,549,564	c06 N71-24739	US-PATENT-3,569,827	c18 N71-27397
US-PATENT-3,549,799	c09 N71-25866	US-PATENT-3,569,828	c14 N71-27186
US-PATENT-3,549,882	c15 N71-24896	US-PATENT-3,569,866	c10 N71-27271
US-PATENT-3,549,955	c09 N71-24892	US-PATENT-3,569,875	c07 N71-27191
US-PATENT-3,550,023	c09 N71-24806	US-PATENT-3,569,956	c10 N71-25917
US-PATENT-3,550,034	c16 N71-24832	US-PATENT-3,569,976	c07 N71-27233
US-PATENT-3,550,129	c21 N71-24948	US-PATENT-3,570,143	c10 N71-27365
US-PATENT-3,550,585	c05 N71-24738	US-PATENT-3,570,364	c28 N71-26779
US-PATENT-3,551,266	c33 N71-24858	US-PATENT-3,570,513	c12 N71-27332
US-PATENT-3,551,816	c07 N71-24613	US-PATENT-3,570,785	c28 N71-27585
US-PATENT-3,552,124	c28 N71-26642	US-PATENT-3,570,789	c02 N71-27088
US-PATENT-3,552,125	c28 N71-26173	US-PATENT-3,571,555	c15 N71-27135
US-PATENT-3,553,002	c18 N71-26100	US-PATENT-3,571,656	c09 N71-27001
US-PATENT-3,553,586	c07 N71-26292	US-PATENT-3,571,662	c10 N71-27366
US-PATENT-3,553,704	c10 N71-26142	US-PATENT-3,571,693	c09 N71-27364
US-PATENT-3,553,904	c15 N71-26134	US-PATENT-3,571,699	c09 N71-27053
US-PATENT-3,554,466	c31 N71-26537	US-PATENT-3,571,700	c14 N71-27325
US-PATENT-3,554,647	c23 N71-26206	US-PATENT-3,571,707	c10 N71-27338
US-PATENT-3,554,806	c03 N71-26084	US-PATENT-3,571,800	c10 N71-27272
US-PATENT-3,555,192	c07 N71-26181	US-PATENT-3,571,801	c08 N71-27255
US-PATENT-3,555,361	c10 N71-26531	US-PATENT-3,572,089	c14 N71-27185
US-PATENT-3,555,455	c23 N71-26722	US-PATENT-3,572,104	c28 N71-27094
US-PATENT-3,555,867	c15 N71-26148	US-PATENT-3,572,112	c15 N71-27006
US-PATENT-3,555,898	c12 N71-26546	US-PATENT-3,572,610	c28 N71-27095
US-PATENT-3,556,048	c09 N71-26701	US-PATENT-3,572,935	c14 N71-27215
US-PATENT-3,556,634	c07 N71-26291	US-PATENT-3,573,583	c09 N71-28886
US-PATENT-3,557,027	c06 N71-25929	US-PATENT-3,573,797	c08 N71-27057
US-PATENT-3,557,534	c15 N71-26185	US-PATENT-3,573,977	c15 N71-28582
US-PATENT-3,559,031	c10 N71-26085	US-PATENT-3,573,986	c03 N71-28579
US-PATENT-3,559,096	c10 N71-25882	US-PATENT-3,573,996	c18 N71-29040
US-PATENT-3,559,460	c14 N71-26672	US-PATENT-3,574,057	c22 N71-28759
US-PATENT-3,559,937	c14 N71-26627	US-PATENT-3,574,084	c14 N71-28933
US-PATENT-3,560,081	c19 N71-26674	US-PATENT-3,574,277	c15 N71-28467
US-PATENT-3,560,161	c06 N71-26754	US-PATENT-3,574,286	c11 N71-27036
US-PATENT-3,561,828	c15 N71-26189	US-PATENT-3,574,438	c07 N71-29065
US-PATENT-3,562,575	c09 N71-26182	US-PATENT-3,574,448	c23 N71-29123
US-PATENT-3,562,631	c14 N71-26137	US-PATENT-3,574,462	c14 N71-29041
US-PATENT-3,562,857	c15 N71-26721	US-PATENT-3,574,467	c23 N71-29125
US-PATENT-3,562,881	c09 N71-26678	US-PATENT-3,574,470	c14 N71-28993
US-PATENT-3,562,919	c15 N71-26145	US-PATENT-3,574,770	c06 N71-27254
US-PATENT-3,563,135	c15 N71-27147	US-PATENT-3,575,336	c15 N71-27214
US-PATENT-3,563,198	c18 N71-26285	US-PATENT-3,575,585	c14 N71-27058
US-PATENT-3,563,232	c05 N71-27234	US-PATENT-3,575,597	c14 N71-27090
US-PATENT-3,563,307	c15 N71-26611	US-PATENT-3,575,602	c16 N71-27183
US-PATENT-3,563,668	c14 N71-26788	US-PATENT-3,575,638	c09 N71-26133
US-PATENT-3,563,727	c15 N71-27184	US-PATENT-3,575,641	c10 N71-26334
US-PATENT-3,563,918	c06 N71-27363	US-PATENT-3,576,107	c28 N71-26781
US-PATENT-3,564,234	c09 N71-26787	US-PATENT-3,576,127	c14 N71-26161
US-PATENT-3,564,401	c14 N71-26135	US-PATENT-3,576,135	c15 N71-26635
US-PATENT-3,564,420	c14 N71-26774	US-PATENT-3,576,301	c02 N71-26110
US-PATENT-3,564,564	c15 N71-26162	US-PATENT-3,576,656	c18 N71-26772
US-PATENT-3,564,866	c23 N71-26654	US-PATENT-3,576,669	c15 N71-29032

NUMBER INDEX

US-PATENT-3,576,723	c09 N71-28691	US-PATENT-3,603,433	c15 N72-17450
US-PATENT-3,576,786	c06 N71-28620	US-PATENT-3,603,532	c30 N72-17873
US-PATENT-3,577,014	c10 N71-28860	US-PATENT-3,603,683	c14 N72-17326
US-PATENT-3,577,092	c07 N71-28430	US-PATENT-3,603,686	c16 N72-13437
US-PATENT-3,577,356	c06 N73-30102	US-PATENT-3,603,690	c14 N72-17323
US-PATENT-3,578,755	c14 N71-29134	US-PATENT-3,603,722	c07 N72-17109
US-PATENT-3,578,756	c11 N71-28629	US-PATENT-3,603,772	c08 N72-22166
US-PATENT-3,578,758	c14 N71-28992	US-PATENT-3,603,798	c09 N72-17152
US-PATENT-3,578,758	c16 N71-29131	US-PATENT-3,603,864	c09 N72-17154
US-PATENT-3,578,838	c14 N71-28994	US-PATENT-3,603,892	c09 N72-17155
US-PATENT-3,578,867	c08 N71-29033	US-PATENT-3,603,946	c09 N72-17153
US-PATENT-3,578,957	c09 N71-29139	US-PATENT-3,603,974	c14 N72-18411
US-PATENT-3,578,988	c09 N71-28421	US-PATENT-3,603,976	c08 N72-18184
US-PATENT-3,578,992	c25 N71-29181	US-PATENT-3,605,032	c10 N72-17172
US-PATENT-3,579,028	c09 N71-29008	US-PATENT-3,605,424	c15 N72-17453
US-PATENT-3,579,041	c14 N71-28991	US-PATENT-3,605,482	c14 N72-16282
US-PATENT-3,579,103	c08 N71-29034	US-PATENT-3,605,495	c14 N72-17327
US-PATENT-3,579,122	c08 N71-29138	US-PATENT-3,605,519	c14 N72-17324
US-PATENT-3,579,146	c07 N71-28429	US-PATENT-3,606,212	c31 N72-18859
US-PATENT-3,579,147	c09 N71-29035	US-PATENT-3,606,522	c23 N72-23695
US-PATENT-3,579,168	c07 N71-28980	US-PATENT-3,606,979	c15 N72-17454
US-PATENT-3,579,242	c18 N71-28729	US-PATENT-3,607,015	c06 N72-17093
US-PATENT-3,579,390	c17 N71-28747	US-PATENT-3,607,076	c06 N72-17094
US-PATENT-3,579,412	c28 N71-28915	US-PATENT-3,607,080	c06 N72-17095
US-PATENT-3,581,492	c09 N71-28618	US-PATENT-3,607,338	c18 N72-17532
US-PATENT-3,582,960	c15 N71-29018	US-PATENT-3,607,401	c03 N72-15986
US-PATENT-3,583,058	c15 N71-29132	US-PATENT-3,607,495	c15 N72-16330
US-PATENT-3,583,239	c05 N71-28619	US-PATENT-3,608,046	c15 N72-16329
US-PATENT-3,583,322	c12 N71-28741	US-PATENT-3,608,365	c15 N72-17452
US-PATENT-3,583,419	c15 N71-29133	US-PATENT-3,608,409	c14 N72-16283
US-PATENT-3,583,744	c15 N71-28465	US-PATENT-3,608,844	c15 N72-18477
US-PATENT-3,583,777	c15 N71-28740	US-PATENT-3,609,230	c09 N72-17156
US-PATENT-3,583,815	c09 N71-28468	US-PATENT-3,609,271	c09 N72-22204
US-PATENT-3,584,311	c15 N72-12408	US-PATENT-3,609,327	c08 N72-22167
US-PATENT-3,584,660	c10 N71-33129	US-PATENT-3,609,353	c14 N72-17328
US-PATENT-3,585,514	c15 N71-33518	US-PATENT-3,609,364	c10 N72-17173
US-PATENT-3,585,882	c31 N71-33160	US-PATENT-3,609,387	c09 N72-17157
US-PATENT-3,586,261	c11 N71-33612	US-PATENT-3,609,535	c14 N72-17325
US-PATENT-3,587,306	c16 N71-33410	US-PATENT-3,609,567	c10 N72-17171
US-PATENT-3,587,424	c23 N71-33229	US-PATENT-3,609,740	c05 N72-16015
US-PATENT-3,588,220	c07 N72-12081	US-PATENT-3,610,365	c15 N72-17451
US-PATENT-3,588,331	c07 N71-33108	US-PATENT-3,611,274	c15 N72-17455
US-PATENT-3,588,359	c08 N71-33110	US-PATENT-3,611,330	c23 N72-17747
US-PATENT-3,588,483	c07 N71-33613	US-PATENT-3,611,798	c14 N72-22437
US-PATENT-3,588,648	c09 N71-33109	US-PATENT-3,611,801	c14 N72-17329
US-PATENT-3,588,671	c07 N71-33696	US-PATENT-3,612,391	c11 N72-22245
US-PATENT-3,588,705	c07 N71-33606	US-PATENT-3,612,442	c28 N72-22769
US-PATENT-3,588,751	c09 N71-33519	US-PATENT-3,612,645	c14 N72-22441
US-PATENT-3,588,874	c10 N71-33407	US-PATENT-3,612,743	c09 N72-22198
US-PATENT-3,588,883	c03 N71-33409	US-PATENT-3,612,895	c09 N72-22197
US-PATENT-3,591,420	c17 N71-33408	US-PATENT-3,613,110	c08 N72-21199
US-PATENT-3,591,426	c15 N72-11390	US-PATENT-3,613,111	c08 N72-21200
US-PATENT-3,591,885	c15 N72-12409	US-PATENT-3,613,370	c28 N72-22770
US-PATENT-3,591,960	c28 N72-11709	US-PATENT-3,613,457	c15 N72-22482
US-PATENT-3,591,967	c15 N72-11391	US-PATENT-3,613,794	c12 N72-21310
US-PATENT-3,592,422	c09 N72-11224	US-PATENT-3,614,228	c14 N72-21409
US-PATENT-3,592,478	c05 N72-11085	US-PATENT-3,614,327	c08 N72-22162
US-PATENT-3,592,505	c14 N72-11364	US-PATENT-3,614,343	c07 N72-21119
US-PATENT-3,592,545	c02 N72-11018	US-PATENT-3,614,431	c14 N72-21408
US-PATENT-3,592,559	c15 N72-11387	US-PATENT-3,614,475	c10 N72-16172
US-PATENT-3,592,628	c15 N72-11389	US-PATENT-3,614,557	c26 N72-21701
US-PATENT-3,592,768	c15 N72-11392	US-PATENT-3,614,587	c09 N72-22196
US-PATENT-3,593,001	c24 N72-11595	US-PATENT-3,614,648	c09 N72-21247
US-PATENT-3,593,024	c09 N72-11225	US-PATENT-3,614,772	c08 N72-22163
US-PATENT-3,593,132	c07 N72-11149	US-PATENT-3,614,898	c15 N72-21462
US-PATENT-3,593,138	c10 N72-11256	US-PATENT-3,614,899	c09 N72-22195
US-PATENT-3,593,175	c07 N72-11150	US-PATENT-3,615,021	c15 N72-22483
US-PATENT-3,593,180	c16 N72-12440	US-PATENT-3,615,241	c15 N72-21465
US-PATENT-3,593,194	c07 N72-12080	US-PATENT-3,615,465	c06 N72-21094
US-PATENT-3,594,790	c09 N72-12136	US-PATENT-3,615,853	c03 N72-22042
US-PATENT-3,594,803	c28 N72-11708	US-PATENT-3,616,338	c15 N72-21466
US-PATENT-3,596,465	c14 N72-11363	US-PATENT-3,616,528	c03 N72-22041
US-PATENT-3,596,510	c15 N72-11385	US-PATENT-3,617,804	c25 N72-24753
US-PATENT-3,596,554	c15 N72-11386	US-PATENT-3,619,896	c15 N72-22487
US-PATENT-3,596,863	c03 N72-11062	US-PATENT-3,619,924	c11 N72-22247
US-PATENT-3,597,281	c08 N72-11171	US-PATENT-3,620,018	c28 N72-22771
US-PATENT-3,598,921	c07 N72-11148	US-PATENT-3,620,069	c14 N72-22440
US-PATENT-3,599,216	c08 N72-11172	US-PATENT-3,620,076	c11 N72-22246
US-PATENT-3,599,335	c05 N72-11084	US-PATENT-3,620,083	c14 N72-22438
US-PATENT-3,599,443	c14 N72-11365	US-PATENT-3,620,095	c15 N72-21463
US-PATENT-3,599,489	c15 N72-11388	US-PATENT-3,620,585	c15 N72-22490
US-PATENT-3,600,046	c11 N72-17183	US-PATENT-3,620,595	c14 N72-22445
US-PATENT-3,602,920	c05 N72-22093	US-PATENT-3,620,606	c23 N72-22673
US-PATENT-3,602,923	c15 N72-22492	US-PATENT-3,620,718	c17 N72-22535
US-PATENT-3,602,979	c26 N72-17820	US-PATENT-3,620,784	c18 N72-23581
US-PATENT-3,602,984	c28 N72-17843	US-PATENT-3,620,791	c18 N72-22566
US-PATENT-3,603,092	c28 N72-18766	US-PATENT-3,620,846	c31 N72-22874
US-PATENT-3,603,093	c33 N72-17947	US-PATENT-3,621,130	c08 N72-22164
US-PATENT-3,603,260	c33 N72-17948	US-PATENT-3,621,193	c15 N72-23497
US-PATENT-3,603,382			

RUBBER INDEX

US-PATENT-3,621,194	c15 N72-22491	US-PATENT-3,649,935	c07 N72-25170
US-PATENT-3,621,228	c08 N72-22165	US-PATENT-3,650,095	c14 N72-23457
US-PATENT-3,621,277	c10 N72-22236	US-PATENT-3,650,474	c28 N72-23809
US-PATENT-3,621,285	c09 N72-22200	US-PATENT-3,653,052	c09 N72-25247
US-PATENT-3,621,287	c09 N72-22201	US-PATENT-3,653,882	c18 N72-25539
US-PATENT-3,621,290	c09 N72-22202	US-PATENT-3,653,970	c03 N72-24037
US-PATENT-3,621,294	c09 N72-23171	US-PATENT-3,654,036	c03 N72-25019
US-PATENT-3,621,362	c09 N72-22203	US-PATENT-3,656,313	c23 N72-25619
US-PATENT-3,621,372	c09 N72-25249	US-PATENT-3,656,317	c33 N72-25911
US-PATENT-3,621,406	c09 N72-33204	US-PATENT-3,656,352	c14 N72-25411
US-PATENT-3,621,407	c09 N72-21245	US-PATENT-3,656,781	c15 N72-25450
US-PATENT-3,621,565	c09 N72-22199	US-PATENT-3,657,549	c14 N72-25409
US-PATENT-3,623,030	c08 N72-21198	US-PATENT-3,657,644	c14 N72-24477
US-PATENT-3,623,094	c10 N72-22235	US-PATENT-3,657,928	c14 N72-25410
US-PATENT-3,623,107	c07 N72-21117	US-PATENT-3,658,295	c15 N72-25451
US-PATENT-3,623,114	c07 N72-22127	US-PATENT-3,658,569	c15 N72-25452
US-PATENT-3,623,360	c14 N72-21405	US-PATENT-3,658,608	c27 N72-25699
US-PATENT-3,623,361	c14 N72-21407	US-PATENT-3,658,974	c15 N72-24522
US-PATENT-3,623,394	c15 N72-22488	US-PATENT-3,659,043	c14 N72-25412
US-PATENT-3,623,828	c15 N72-22489	US-PATENT-3,659,053	c08 N72-25208
US-PATENT-3,623,861	c17 N72-22530	US-PATENT-3,659,148	c09 N72-25250
US-PATENT-3,624,241	c22 N72-21644	US-PATENT-3,659,184	c09 N72-25251
US-PATENT-3,624,496	c15 N72-21464	US-PATENT-3,659,225	c16 N72-25485
US-PATENT-3,624,598	c21 N72-22619	US-PATENT-3,659,292	c08 N72-25209
US-PATENT-3,624,650	c07 N72-21118	US-PATENT-3,660,240	c06 N72-25149
US-PATENT-3,624,659	c09 N72-21246	US-PATENT-3,660,434	c06 N72-25148
US-PATENT-3,624,839	c05 N72-20098	US-PATENT-3,660,704	c15 N72-25456
US-PATENT-3,625,018	c15 N72-22484	US-PATENT-3,660,851	c05 N72-25119
US-PATENT-3,625,084	c15 N72-22485	US-PATENT-3,662,337	c08 N72-25210
US-PATENT-3,625,766	c03 N72-20032	US-PATENT-3,662,441	c05 N72-25121
US-PATENT-3,626,189	c14 N72-20381	US-PATENT-3,662,547	c15 N72-25455
US-PATENT-3,626,218	c14 N72-22439	US-PATENT-3,662,604	c13 N72-25323
US-PATENT-3,626,298	c07 N72-20140	US-PATENT-3,662,661	c31 N72-25842
US-PATENT-3,626,308	c10 N72-20223	US-PATENT-3,662,744	c05 N72-25122
US-PATENT-3,626,828	c14 N72-20380	US-PATENT-3,662,973	c21 N72-25595
US-PATENT-3,629,068	c22 N72-20597	US-PATENT-3,663,346	c18 N72-25541
US-PATENT-3,629,161	c18 N72-22567	US-PATENT-3,663,347	c18 N72-25540
US-PATENT-3,630,276	c33 N72-20915	US-PATENT-3,663,464	c06 N72-25147
US-PATENT-3,630,304	c11 N72-20244	US-PATENT-3,663,521	c06 N72-25152
US-PATENT-3,630,627	c03 N72-20033	US-PATENT-3,663,753	c14 N72-25414
US-PATENT-3,631,339	c08 N72-20177	US-PATENT-3,663,828	c09 N72-25262
US-PATENT-3,631,351	c10 N72-20224	US-PATENT-3,663,839	c09 N72-25260
US-PATENT-3,631,382	c09 N72-20200	US-PATENT-3,663,843	c09 N72-25255
US-PATENT-3,631,737	c15 N72-28495	US-PATENT-3,663,885	c09 N72-25257
US-PATENT-3,632,081	c15 N72-20442	US-PATENT-3,663,886	c09 N72-25258
US-PATENT-3,632,140	c15 N72-20445	US-PATENT-3,663,929	c09 N72-25256
US-PATENT-3,632,242	c15 N72-20446	US-PATENT-3,663,938	c03 N72-25020
US-PATENT-3,632,923	c09 N72-20199	US-PATENT-3,663,940	c09 N72-25252
US-PATENT-3,632,996	c08 N72-20176	US-PATENT-3,663,941	c09 N72-25253
US-PATENT-3,633,048	c10 N72-20221	US-PATENT-3,663,944	c09 N72-25254
US-PATENT-3,633,110	c07 N72-20141	US-PATENT-3,664,185	c15 N72-26371
US-PATENT-3,634,383	c27 N73-22710	US-PATENT-3,664,874	c09 N72-25259
US-PATENT-3,635,216	c05 N72-20096	US-PATENT-3,665,064	c05 N72-25120
US-PATENT-3,635,765	c03 N72-20034	US-PATENT-3,665,307	c15 N72-25457
US-PATENT-3,636,539	c03 N72-20031	US-PATENT-3,665,313	c07 N72-25173
US-PATENT-3,636,564	c05 N72-22092	US-PATENT-3,665,417	c07 N72-25172
US-PATENT-3,636,623	c15 N72-20444	US-PATENT-3,665,467	c14 N72-28437
US-PATENT-3,636,711	c28 N72-20758	US-PATENT-3,665,481	c07 N72-25174
US-PATENT-3,636,966	c05 N72-20097	US-PATENT-3,665,589	c09 N72-25261
US-PATENT-3,637,051	c15 N72-20443	US-PATENT-3,665,669	c15 N72-25454
US-PATENT-3,637,170	c21 N72-21624	US-PATENT-3,665,670	c11 N72-25287
US-PATENT-3,637,312	c14 N72-20379	US-PATENT-3,665,750	c33 N72-25913
US-PATENT-3,637,842	c06 N72-20121	US-PATENT-3,665,751	c32 N72-25877
US-PATENT-3,638,002	c08 N72-21197	US-PATENT-3,665,758	c11 N72-25288
US-PATENT-3,638,066	c10 N72-20225	US-PATENT-3,666,051	c15 N72-25453
US-PATENT-3,638,103	c09 N72-21243	US-PATENT-3,666,120	c03 N72-25021
US-PATENT-3,638,114	c10 N72-20222	US-PATENT-3,666,566	c03 N72-26031
US-PATENT-3,638,224	c09 N72-21244	US-PATENT-3,666,631	c14 N72-25413
US-PATENT-3,639,250	c14 N72-22443	US-PATENT-3,666,718	c06 N72-25151
US-PATENT-3,639,510	c06 N72-22107	US-PATENT-3,666,741	c06 N72-25150
US-PATENT-3,639,809	c15 N72-22486	US-PATENT-3,666,942	c06 N72-25146
US-PATENT-3,639,835	c14 N72-22442	US-PATENT-3,667,010	c26 N72-25679
US-PATENT-3,640,256	c28 N72-22772	US-PATENT-3,667,039	c26 N72-25680
US-PATENT-3,647,276	c14 N72-22444	US-PATENT-3,667,044	c07 N72-25171
US-PATENT-3,647,924	c11 N72-23215	US-PATENT-3,668,956	c15 N72-27485
US-PATENT-3,648,043	c09 N72-23173	US-PATENT-3,669,110	c05 N72-27103
US-PATENT-3,648,083	c12 N72-25292	US-PATENT-3,669,393	c15 N72-27484
US-PATENT-3,648,152	c03 N72-23048	US-PATENT-3,670,097	c23 N72-27728
US-PATENT-3,648,209	c09 N72-27226	US-PATENT-3,670,168	c14 N72-27409
US-PATENT-3,648,250	c09 N72-25248	US-PATENT-3,670,202	c14 N72-27411
US-PATENT-3,648,256	c08 N72-25207	US-PATENT-3,670,241	c14 N72-27408
US-PATENT-3,648,275	c08 N72-25206	US-PATENT-3,670,290	c09 N72-28225
US-PATENT-3,648,461	c28 N72-23810	US-PATENT-3,670,559	c33 N72-27959
US-PATENT-3,649,242	c15 N72-25848	US-PATENT-3,670,563	c14 N72-27412
US-PATENT-3,649,353	c26 N72-28762	US-PATENT-3,670,564	c11 N72-27262
US-PATENT-3,649,356	c15 N72-25447	US-PATENT-3,670,890	c05 N72-27102
US-PATENT-3,649,462	c11 N72-25284	US-PATENT-3,671,105	c26 N72-27784
US-PATENT-3,649,907	c09 N72-23172	US-PATENT-3,671,329	c14 N72-27410
US-PATENT-3,649,921	c05 N72-23085	US-PATENT-3,671,497	c06 N72-27144

NUMBER INDEX

US-PATENT-3,671,798	c10 N72-27246	US-PATENT-3,702,979	c14 N73-13420
US-PATENT-3,672,999	c03 N72-27053	US-PATENT-3,704,659	c14 N73-14427
US-PATENT-3,673,424	c09 N72-27227	US-PATENT-3,705,255	c15 N73-14469
US-PATENT-3,673,440	c09 N72-27228	US-PATENT-3,705,316	c09 N73-14214
US-PATENT-3,675,332	c14 N72-28436	US-PATENT-3,705,406	c07 N73-14130
US-PATENT-3,675,376	c15 N72-28496	US-PATENT-3,706,221	c14 N73-14429
US-PATENT-3,675,712	c03 N72-28025	US-PATENT-3,706,230	c31 N73-14855
US-PATENT-3,675,910	c17 N72-28535	US-PATENT-3,706,281	c31 N73-14853
US-PATENT-3,675,935	c15 N72-29488	US-PATENT-3,706,583	c18 N73-14584
US-PATENT-3,676,084	c17 N72-28536	US-PATENT-3,706,970	c21 N73-14692
US-PATENT-3,676,674	c14 N72-29464	US-PATENT-3,708,359	c27 N73-16764
US-PATENT-3,676,754	c26 N72-28761	US-PATENT-3,708,419	c33 N73-16918
US-PATENT-3,676,772	c10 N72-28240	US-PATENT-3,708,671	c14 N73-16483
US-PATENT-3,676,787	c16 N72-28521	US-PATENT-3,708,674	c14 N73-16484
US-PATENT-3,676,809	c09 N72-29172	US-PATENT-3,709,663	c06 N73-16106
US-PATENT-3,678,191	c10 N72-31273	US-PATENT-3,710,122	c16 N73-16536
US-PATENT-3,678,654	c06 N72-31140	US-PATENT-3,710,257	c07 N73-16121
US-PATENT-3,678,685	c21 N72-31637	US-PATENT-3,710,261	c10 N73-16205
US-PATENT-3,679,360	c04 N72-33072	US-PATENT-3,710,329	c10 N73-16206
US-PATENT-3,679,899	c06 N72-31141	US-PATENT-3,711,042	c02 N73-19004
US-PATENT-3,680,142	c09 N72-31235	US-PATENT-3,712,120	c14 N73-19421
US-PATENT-3,680,144	c07 N72-32169	US-PATENT-3,712,121	c14 N73-19420
US-PATENT-3,680,830	c15 N72-31483	US-PATENT-3,712,132	c14 N73-20478
US-PATENT-3,681,581	c08 N72-31226	US-PATENT-3,712,195	c14 N73-19419
US-PATENT-3,686,542	c14 N72-31446	US-PATENT-3,712,591	c15 N73-19458
US-PATENT-3,690,291	c15 N72-32487	US-PATENT-3,713,163	c09 N73-19234
US-PATENT-3,692,533	c05 N72-33096	US-PATENT-3,713,290	c28 N73-19793
US-PATENT-3,693,002	c25 N72-32688	US-PATENT-3,713,480	c05 N73-20137
US-PATENT-3,693,105	c10 N72-33230	US-PATENT-3,713,987	c15 N73-20514
US-PATENT-3,693,346	c15 N72-33477	US-PATENT-3,714,332	c15 N73-19457
US-PATENT-3,693,418	c14 N72-33377	US-PATENT-3,714,405	c10 N73-20253
US-PATENT-3,694,041	c15 N72-33476	US-PATENT-3,714,432	c14 N73-20475
US-PATENT-3,694,094	c14 N72-32452	US-PATENT-3,714,526	c09 N73-19235
US-PATENT-3,694,313	c24 N72-33681	US-PATENT-3,714,588	c09 N73-20231
US-PATENT-3,694,581	c08 N72-33172	US-PATENT-3,714,624	c14 N73-20474
US-PATENT-3,694,655	c25 N72-33696	US-PATENT-3,714,645	c08 N73-20217
US-PATENT-3,694,700	c09 N72-33205	US-PATENT-3,714,821	c14 N73-20476
US-PATENT-3,694,753	c07 N72-33146	US-PATENT-3,714,833	c11 N73-20267
US-PATENT-3,694,771	c09 N73-15235	US-PATENT-3,715,092	c03 N73-20039
US-PATENT-3,695,101	c11 N73-12264	US-PATENT-3,715,152	c23 N73-20741
US-PATENT-3,696,418	c09 N73-12211	US-PATENT-3,715,590	c14 N73-20477
US-PATENT-3,696,833	c11 N73-12265	US-PATENT-3,715,600	c03 N73-20040
US-PATENT-3,697,021	c15 N73-12486	US-PATENT-3,715,660	c07 N73-20175
US-PATENT-3,697,630	c15 N73-12489	US-PATENT-3,715,663	c07 N73-20174
US-PATENT-3,697,733	c08 N73-12176	US-PATENT-3,715,693	c09 N73-20232
US-PATENT-3,697,950	c08 N73-12177	US-PATENT-3,715,723	c07 N73-20176
US-PATENT-3,697,968	c21 N73-13644	US-PATENT-3,715,915	c32 N73-20740
US-PATENT-3,698,385	c05 N73-13114	US-PATENT-3,718,863	c10 N73-20254
US-PATENT-3,698,412	c14 N73-13418	US-PATENT-3,719,891	c07 N73-25160
US-PATENT-3,698,659	c11 N73-13257	US-PATENT-3,720,075	c33 N73-25952
US-PATENT-3,698,667	c02 N73-13008	US-PATENT-3,720,208	c05 N73-25125
US-PATENT-3,698,848	c15 N73-13464	US-PATENT-3,723,475	c14 N73-25462
US-PATENT-3,699,511	c21 N73-13643	US-PATENT-3,728,861	c28 N73-24783
US-PATENT-3,699,645	c14 N73-13417	US-PATENT-3,729,068	c15 N73-25512
US-PATENT-3,699,799	c15 N73-13463	US-PATENT-3,729,129	c08 N73-25206
US-PATENT-3,699,807	c14 N73-13416	US-PATENT-3,729,260	c14 N73-25463
US-PATENT-3,699,811	c14 N73-13415	US-PATENT-3,729,343	c14 N73-24472
US-PATENT-3,700,005	c15 N73-13462	US-PATENT-3,729,676	c14 N73-24473
US-PATENT-3,700,192	c31 N73-13898	US-PATENT-3,729,736	c07 N73-25161
US-PATENT-3,700,193	c30 N73-12884	US-PATENT-3,729,743	c07 N73-24176
US-PATENT-3,700,291	c15 N73-12488	US-PATENT-3,729,935	c28 N73-24784
US-PATENT-3,700,334	c14 N73-12446	US-PATENT-3,730,287	c11 N73-26238
US-PATENT-3,700,503	c14 N73-12447	US-PATENT-3,730,891	c18 N73-26572
US-PATENT-3,700,538	c18 N73-12604	US-PATENT-3,731,528	c12 N73-25262
US-PATENT-3,700,575	c15 N73-12487	US-PATENT-3,731,531	c14 N73-25460
US-PATENT-3,700,603	c14 N73-14428	US-PATENT-3,732,040	c15 N73-25413
US-PATENT-3,700,812	c10 N73-12244	US-PATENT-3,732,158	c17 N73-24569
US-PATENT-3,700,868	c09 N73-13209	US-PATENT-3,732,397	c09 N74-14935
US-PATENT-3,700,869	c08 N73-12175	US-PATENT-3,732,405	c10 N73-25240
US-PATENT-3,700,893	c14 N73-12444	US-PATENT-3,732,409	c08 N73-26175
US-PATENT-3,700,897	c14 N73-12445	US-PATENT-3,732,567	c14 N73-25461
US-PATENT-3,700,961	c23 N73-13660	US-PATENT-3,733,350	c06 N73-26100
US-PATENT-3,701,631	c17 N73-12547	US-PATENT-3,733,424	c32 N73-26910
US-PATENT-3,701,894	c07 N73-13149	US-PATENT-3,733,463	c14 N73-26430
US-PATENT-3,702-791	c15 N73-13465	US-PATENT-3,734,432	c02 N73-26004
US-PATENT-3,702,463	c08 N73-13187	US-PATENT-3,735,206	c10 N73-25243
US-PATENT-3,702,520	c32 N73-13921	US-PATENT-3,735,591	c25 N73-25760
US-PATENT-3,702,532	c15 N73-13467	US-PATENT-3,736,607	c02 N73-26006
US-PATENT-3,702,536	c28 N73-13773	US-PATENT-3,736,764	c05 N73-26071
US-PATENT-3,702,575	c15 N73-13466	US-PATENT-3,736,849	c14 N73-26431
US-PATENT-3,702,688	c31 N73-14854	US-PATENT-3,736,938	c05 N73-27062
US-PATENT-3,702,735	c23 N73-13661	US-PATENT-3,736,956	c15 N73-26472
US-PATENT-3,702,762	c06 N73-13129	US-PATENT-3,737,117	c31 N73-26876
US-PATENT-3,702,775	c06 N73-13128	US-PATENT-3,737,118	c15 N73-25513
US-PATENT-3,702,841	c18 N73-13562	US-PATENT-3,737,121	c02 N73-26005
US-PATENT-3,702,898	c10 N73-13235	US-PATENT-3,737,181	c33 N73-26958
US-PATENT-3,702,933	c23 N73-13662	US-PATENT-3,737,217	c05 N73-26072
US-PATENT-3,702,951	c09 N73-13208	US-PATENT-3,737,231	c07 N73-26119
US-PATENT-3,702,972	c16 N73-13489	US-PATENT-3,737,237	c26 N73-26751

NUMBER INDEX

US-PATENT-3,737,639	c10 N73-26230	US-PATENT-3,759,588	c15 N73-32359
US-PATENT-3,737,676	c10 N73-26229	US-PATENT-3,759,672	c14 N73-32320
US-PATENT-3,737,757	c10 N73-26228	US-PATENT-3,759,746	c09 N73-32108
US-PATENT-3,737,762	c14 N73-28486	US-PATENT-3,759,747	c03 N74-19692
US-PATENT-3,737,776	c07 N73-26118	US-PATENT-3,759,787	c22 N73-32528
US-PATENT-3,737,781	c10 N73-25241	US-PATENT-3,760,239	c09 N73-32112
US-PATENT-3,737,815	c09 N73-26195	US-PATENT-3,760,248	c10 N73-32145
US-PATENT-3,737,824	c26 N73-26752	US-PATENT-3,760,257	c09 N73-32109
US-PATENT-3,737,905	c14 N73-26432	US-PATENT-3,760,268	c14 N73-32318
US-PATENT-3,737,912	c07 N73-26117	US-PATENT-3,760,394	c10 N73-32144
US-PATENT-3,740,671	c10 N73-27171	US-PATENT-3,762,884	c17 N73-32414
US-PATENT-3,740,725	c08 N73-26176	US-PATENT-3,762,918	c17 N73-32415
US-PATENT-3,741,001	c14 N73-27376	US-PATENT-3,763,204	c06 N73-32030
US-PATENT-3,742,316	c09 N73-27150	US-PATENT-3,763,552	c26 N73-32571
US-PATENT-3,744,128	c09 N73-28083	US-PATENT-3,763,691	c14 N73-32327
US-PATENT-3,744,148	c14 N73-28489	US-PATENT-3,763,708	c23 N74-18323
US-PATENT-3,744,247	c28 N73-27699	US-PATENT-3,763,740	c11 N73-32152
US-PATENT-3,744,294	c14 N73-27379	US-PATENT-3,763,928	c33 N73-32818
US-PATENT-3,744,305	c12 N73-28144	US-PATENT-3,764,097	c02 N74-10034
US-PATENT-3,744,320	c14 N73-28487	US-PATENT-3,764,209	c14 N73-33361
US-PATENT-3,744,480	c05 N73-27941	US-PATENT-3,764,220	c16 N73-33397
US-PATENT-3,744,510	c15 N73-27406	US-PATENT-3,764,790	c10 N74-10223
US-PATENT-3,744,738	c14 N73-27378	US-PATENT-3,764,850	c09 N74-10195
US-PATENT-3,744,794	c14 N73-27377	US-PATENT-3,764,933	c09 N74-10194
US-PATENT-3,744,912	c16 N73-30476	US-PATENT-3,765,229	c14 N74-10415
US-PATENT-3,744,913	c14 N73-28490	US-PATENT-3,765,958	c17 N74-10521
US-PATENT-3,744,972	c17 N73-27446	US-PATENT-3,766,315	c07 N74-10132
US-PATENT-3,745,082	c18 N73-30532	US-PATENT-3,766,380	c14 N74-11284
US-PATENT-3,745,089	c06 N73-27086	US-PATENT-3,767,212	c15 N74-10474
US-PATENT-3,745,090	c04 N73-27052	US-PATENT-3,769,623	c07 N74-11000
US-PATENT-3,745,149	c06 N73-27980	US-PATENT-3,769,689	c15 N74-11301
US-PATENT-3,745,255	c07 N73-28012	US-PATENT-3,769,834	c05 N74-10975
US-PATENT-3,745,300	c15 N73-28515	US-PATENT-3,770,021	c09 N74-11050
US-PATENT-3,745,352	c08 N73-30135	US-PATENT-3,770,903	c14 N74-11283
US-PATENT-3,745,357	c14 N73-28468	US-PATENT-3,770,933	c15 N74-11300
US-PATENT-3,745,410	c09 N73-30181	US-PATENT-3,771,037	c03 N74-10942
US-PATENT-3,745,475	c14 N73-30386	US-PATENT-3,771,040	c09 N74-11049
US-PATENT-3,745,739	c15 N73-27405	US-PATENT-3,771,074	c16 N74-11313
US-PATENT-3,745,816	c33 N73-27796	US-PATENT-3,771,959	c06 N74-12813
US-PATENT-3,746,998	c07 N73-30113	US-PATENT-3,772,174	c18 N74-13270
US-PATENT-3,747,111	c07 N73-28013	US-PATENT-3,772,216	c06 N74-12812
US-PATENT-3,748,722	c15 N73-33383	US-PATENT-3,772,220	c06 N74-12814
US-PATENT-3,748,853	c23 N73-30665	US-PATENT-3,772,272	c08 N74-12887
US-PATENT-3,748,905	c14 N73-30395	US-PATENT-3,772,418	c15 N74-13177
US-PATENT-3,749,123	c15 N73-30459	US-PATENT-3,772,691	c09 N74-12912
US-PATENT-3,749,156	c31 N73-30829	US-PATENT-3,773,038	c05 N74-12778
US-PATENT-3,749,205	c15 N73-30460	US-PATENT-3,773,913	c13 N74-13011
US-PATENT-3,749,332	c31 N73-32750	US-PATENT-3,775,101	c15 N74-13179
US-PATENT-3,749,362	c15 N73-30457	US-PATENT-3,776,028	c14 N74-13129
US-PATENT-3,749,831	c07 N73-30115	US-PATENT-3,776,432	c15 N74-13178
US-PATENT-3,749,911	c14 N73-30389	US-PATENT-3,776,455	c21 N74-13420
US-PATENT-3,750,016	c14 N73-30388	US-PATENT-3,776,546	c14 N74-13132
US-PATENT-3,750,067	c09 N73-30185	US-PATENT-3,777,200	c09 N74-12913
US-PATENT-3,750,131	c10 N73-30205	US-PATENT-3,777,490	c28 N74-13502
US-PATENT-3,750,168	c21 N73-30641	US-PATENT-3,777,552	c15 N74-15130
US-PATENT-3,750,479	c05 N73-30078	US-PATENT-3,777,605	c14 N74-13131
US-PATENT-3,751,123	c15 N73-30458	US-PATENT-3,777,942	c05 N74-12779
US-PATENT-3,751,727	c05 N73-32012	US-PATENT-3,778,685	c10 N74-12951
US-PATENT-3,751,733	c05 N73-32013	US-PATENT-3,778,786	c08 N74-12888
US-PATENT-3,751,913	c06 N73-30097	US-PATENT-3,778,791	c16 N74-13205
US-PATENT-3,751,980	c14 N73-32326	US-PATENT-3,779,788	c23 N74-13436
US-PATENT-3,752,556	c14 N74-17153	US-PATENT-3,780,151	c15 N74-14133
US-PATENT-3,752,559	c14 N73-30393	US-PATENT-3,780,424	c03 N74-14784
US-PATENT-3,752,564	c23 N73-30666	US-PATENT-3,780,563	c14 N74-15092
US-PATENT-3,752,665	c18 N73-32437	US-PATENT-3,780,827	c28 N74-15453
US-PATENT-3,752,847	c06 N73-30098	US-PATENT-3,780,966	c14 N74-15089
US-PATENT-3,752,986	c14 N73-30392	US-PATENT-3,781,111	c16 N74-15145
US-PATENT-3,752,993	c21 N73-30640	US-PATENT-3,781,549	c14 N74-15090
US-PATENT-3,752,996	c14 N74-13130	US-PATENT-3,781,562	c14 N74-15091
US-PATENT-3,753,148	c09 N73-32111	US-PATENT-3,781,902	c07 N74-15831
US-PATENT-3,754,236	c08 N73-32081	US-PATENT-3,781,933	c05 N74-14845
US-PATENT-3,754,263	c09 N73-32110	US-PATENT-3,781,958	c15 N74-15128
US-PATENT-3,754,976	c15 N73-32360	US-PATENT-3,782,177	c23 N74-15395
US-PATENT-3,755,265	c06 N73-33076	US-PATENT-3,782,181	c33 N74-15652
US-PATENT-3,755,283	c06 N73-32029	US-PATENT-3,782,205	c14 N74-15094
US-PATENT-3,755,686	c03 N73-31988	US-PATENT-3,782,334	c04 N74-15778
US-PATENT-3,756,920	c05 N73-32011	US-PATENT-3,782,698	c14 N74-15093
US-PATENT-3,757,183	c09 N73-32107	US-PATENT-3,782,699	c15 N74-15126
US-PATENT-3,757,476	c31 N73-32749	US-PATENT-3,782,737	c15 N74-15125
US-PATENT-3,757,568	c14 N73-32323	US-PATENT-3,782,825	c16 N74-15146
US-PATENT-3,757,659	c14 N73-32322	US-PATENT-3,782,835	c14 N74-15095
US-PATENT-3,758,112	c05 N73-32014	US-PATENT-3,782,904	c15 N74-15127
US-PATENT-3,758,718	c10 N73-32143	US-PATENT-3,783,250	c08 N74-14920
US-PATENT-3,758,741	c15 N73-32358	US-PATENT-3,783,354	c10 N74-14956
US-PATENT-3,758,781	c14 N73-32317	US-PATENT-3,783,399	c09 N74-14939
US-PATENT-3,758,877	c16 N73-32391	US-PATENT-3,783,443	c15 N74-16135
US-PATENT-3,759,152	c14 N73-32319	US-PATENT-3,784,499	c18 N74-17283
US-PATENT-3,759,249	c05 N73-32015	US-PATENT-3,787,959	c15 N74-18128
US-PATENT-3,759,443	c28 N73-32606	US-PATENT-3,788,163	c15 N74-18127

NUMBER INDEX

US-PATENT-3,789,654	c33 N74-18551
US-PATENT-3,789,920	c33 N74-18552
US-PATENT-3,789,947	c15 N74-18125
US-PATENT-3,790,037	c05 N74-17853
US-PATENT-3,790,347	c15 N74-18123
US-PATENT-3,790,409	c03 N74-19693
US-PATENT-3,790,432	c15 N74-18126
US-PATENT-3,790,650	c15 N74-18124
US-PATENT-3,790,795	c14 N74-18088
US-PATENT-3,790,906	c09 N74-17927
US-PATENT-3,791,207	c11 N74-17955
US-PATENT-3,792,399	c09 N74-17928
US-PATENT-3,793,109	c14 N74-18089
US-PATENT-3,795,134	c32 N74-19528
US-PATENT-3,795,448	c24 N74-19310
US-PATENT-3,795,840	c09 N74-17929
US-PATENT-3,795,858	c14 N74-18090
US-PATENT-3,795,862	c09 N74-17930
US-PATENT-3,795,900	c07 N74-17885
US-PATENT-3,795,910	c10 N74-19870
US-PATENT-3,796,473	c15 N74-20063
US-PATENT-3,796,592	c06 N74-19769
US-PATENT-3,797,098	c15 N74-21057
US-PATENT-3,797,919	c23 N74-21300
US-PATENT-3,798,741	c15 N74-21059
US-PATENT-3,798,748	c15 N74-21055
US-PATENT-3,798,778	c14 N74-21015
US-PATENT-3,798,896	c15 N74-21060
US-PATENT-3,799,149	c05 N74-20728
US-PATENT-3,799,475	c02 N74-20646
US-PATENT-3,799,793	c14 N74-20008
US-PATENT-3,799,813	c24 N74-20329
US-PATENT-3,800,074	c14 N74-20009
US-PATENT-3,800,082	c14 N74-21014
US-PATENT-3,800,224	c07 N74-19790
US-PATENT-3,800,227	c07 N74-20809
US-PATENT-3,800,237	c07 N74-19788
US-PATENT-3,800,253	c15 N74-21056
US-PATENT-3,801,617	c15 N74-21058
US-PATENT-3,802,249	c14 N74-21019
US-PATENT-3,802,253	c05 N74-20726
US-PATENT-3,802,262	c14 N74-21018
US-PATENT-3,802,660	c15 N74-21065
US-PATENT-3,802,753	c15 N74-21064
US-PATENT-3,802,779	c23 N74-21304
US-PATENT-3,803,090	c18 N74-21156
US-PATENT-3,803,393	c08 N74-20836
US-PATENT-3,803,445	c07 N74-20813
US-PATENT-3,803,617	c09 N74-20863
US-PATENT-3,804,472	c15 N74-21061
US-PATENT-3,804,506	c09 N74-20861
US-PATENT-3,804,525	c16 N74-21091
US-PATENT-3,804,703	c15 N74-21063
US-PATENT-3,805,266	c09 N74-20864
US-PATENT-3,805,303	c05 N74-20725
US-PATENT-3,805,622	c15 N74-21062
US-PATENT-3,806,802	c14 N74-21017
US-PATENT-3,806,815	c07 N74-20811
US-PATENT-3,806,816	c07 N74-20810
US-PATENT-3,806,831	c09 N74-20862
US-PATENT-3,806,835	c09 N74-20859
US-PATENT-3,806,932	c09 N74-20860
US-PATENT-313-204	c28 N73-24783


Accession Number Index

NASA PATENT ABSTRACTS BIBLIOGRAPHY

JULY 1974

Section 2

Typical Accession Number Index Listing



Listings in the index are arranged numerically by NASA accession number. The subject category number indicates the category in Section 1 (Abstracts) in which the citation is located. The NASA accession number denotes the number by which the citation is identified within the subject category. The "patent" numbers are the identification numbers that have been assigned to the item by the issuing body or other agency.

c09 N69-21313 NASA-CASE-XAR-03786
 US-PATENT-APPL-SN-476763
 US-PATENT-CLASS-310-4
 US-PATENT-3,423,608
 c03 N69-21330 NASA-CASE-KGS-03429
 US-PATENT-APPL-SN-591930
 US-PATENT-CLASS-321-2
 US-PATENT-3,427,525
 c03 N69-21337 NASA-CASE-KNP-04264
 US-PATENT-APPL-SN-447933
 US-PATENT-CLASS-136-146
 US-PATENT-3,421,948
 c15 N69-21362 NASA-CASE-XLE-05130
 US-PATENT-APPL-SN-545224
 US-PATENT-CLASS-277-25
 US-PATENT-3,421,768
 c14 N69-21363 NASA-CASE-XGS-03865
 US-PATENT-APPL-SN-478491
 US-PATENT-CLASS-33-174
 US-PATENT-3,419,964
 c05 N69-21380 NASA-CASE-XLA-08491
 US-PATENT-APPL-SN-619520
 US-PATENT-CLASS-244-4
 US-PATENT-3,420,471
 c15 N69-21460 NASA-CASE-XKS-04614
 US-PATENT-APPL-SN-574280
 US-PATENT-CLASS-117-201
 US-PATENT-3,420,704
 c15 N69-21465 NASA-CASE-XLA-08645
 US-PATENT-APPL-SN-635970
 US-PATENT-CLASS-62-93
 US-PATENT-3,420,069
 c12 N69-21466 NASA-CASE-XLE-03512
 US-PATENT-APPL-SN-462762
 US-PATENT-CLASS-137-81.5
 US-PATENT-3,420,253
 c09 N69-21467 NASA-CASE-XMS-06949
 US-PATENT-APPL-SN-635328
 US-PATENT-CLASS-346-44
 US-PATENT-3,422,440
 c09 N69-21468 NASA-CASE-KNP-05612
 US-PATENT-APPL-SN-562934
 US-PATENT-CLASS-307-106
 US-PATENT-3,422,278
 c03 N69-21469 NASA-CASE-XMS-04843
 US-PATENT-APPL-SN-545229
 US-PATENT-CLASS-137-624.14
 US-PATENT-3,421,549
 c09 N69-21470 NASA-CASE-XLA-01288
 US-PATENT-APPL-SN-460876
 US-PATENT-CLASS-339-150
 US-PATENT-3,421,134
 c15 N69-21471 NASA-CASE-XMS-03537
 US-PATENT-APPL-SN-468655
 US-PATENT-CLASS-279-121
 US-PATENT-3,420,978
 c15 N69-21472 NASA-CASE-XGS-02437

US-PATENT-APPL-SN-487344
 US-PATENT-CLASS-317-157.5
 US-PATENT-3,421,053
 NASA-CASE-XAR-01547
 US-PATENT-APPL-SN-391343
 US-PATENT-CLASS-128-2.08
 US-PATENT-3,420,225
 NASA-CASE-XGS-01395
 US-PATENT-APPL-SN-545535
 US-PATENT-CLASS-174-72
 US-PATENT-3,422,213
 NASA-CASE-XLA-02704
 US-PATENT-APPL-SN-469011
 US-PATENT-CLASS-73-67.2
 US-PATENT-3,421,363
 NASA-CASE-KNP-09752
 US-PATENT-APPL-SN-640460
 US-PATENT-CLASS-317-246
 US-PATENT-3,422,324
 NASA-CASE-XLE-03778
 US-PATENT-APPL-SN-628247
 US-PATENT-CLASS-174-18
 US-PATENT-3,420,945
 NASA-CASE-KGS-04994
 US-PATENT-APPL-SN-619907
 US-PATENT-CLASS-331-4
 US-PATENT-3,421,105
 NASA-CASE-KNP-09386
 US-PATENT-APPL-SN-768671
 NASA-CASE-KHQ-03903
 US-PATENT-APPL-SN-560967
 US-PATENT-CLASS-23-208
 US-PATENT-3,423,179
 NASA-CASE-KNP-07478
 US-PATENT-APPL-SN-605097
 US-PATENT-CLASS-175-323
 US-PATENT-3,421,591
 NASA-CASE-XMS-05894-1
 US-PATENT-APPL-SN-685766
 US-PATENT-CLASS-137-491
 US-PATENT-3,421,541
 NASA-CASE-XMS-02872
 US-PATENT-APPL-SN-422864
 US-PATENT-CLASS-128-2.06
 US-PATENT-3,420,223
 NASA-CASE-KNP-06032
 US-PATENT-APPL-SN-590146
 US-PATENT-CLASS-324-158
 US-PATENT-3,422,354
 NASA-CASE-XMS-07846-1
 US-PATENT-APPL-SN-694247
 US-PATENT-CLASS-339-91
 US-PATENT-3,422,390
 NASA-CASE-KNP-09785
 US-PATENT-APPL-SN-599975
 US-PATENT-CLASS-340-172.5
 US-PATENT-3,422,403
 NASA-CASE-KNP-07481
 US-PATENT-APPL-SN-563650
 US-PATENT-CLASS-310-11
 US-PATENT-3,422,291
 NASA-CASE-KNP-05975
 US-PATENT-APPL-SN-570097
 US-PATENT-CLASS-239-416
 US-PATENT-3,421,700
 NASA-CASE-NPO-10309
 US-PATENT-APPL-SN-574282
 US-PATENT-APPL-SN-700985
 US-PATENT-CLASS-62-6
 US-PATENT-3,421,331
 NASA-CASE-XLE-10529
 US-PATENT-APPL-SN-603396
 US-PATENT-CLASS-317-234
 US-PATENT-3,421,056
 NASA-CASE-XMS-06761
 US-PATENT-APPL-SN-575475
 US-PATENT-CLASS-128-283
 US-PATENT-3,421,506
 NASA-CASE-XMS-04917
 US-PATENT-APPL-SN-574283

ACCESSION NUMBER INDEX

	US-PATENT-CLASS-73-198		US-PATENT-3,433,961
	US-PATENT-3,425,276	c14 N69-27459	NASA-CASE-XMS-05909-1
c15 N69-24266	NASA-CASE-XMS-03700		US-PATENT-APPL-SN-685764
	US-PATENT-APPL-SN-617783		US-PATENT-CLASS-136-213
	US-PATENT-CLASS-314-129		US-PATENT-3,431,149
	US-PATENT-3,428,847	c07 N69-27460	NASA-CASE-XGS-05582
c03 N69-24267	NASA-CASE-XGS-04531		US-PATENT-APPL-SN-646424
	US-PATENT-APPL-SN-590141		US-PATENT-CLASS-343-854
	US-PATENT-CLASS-136-89		US-PATENT-3,438,044
	US-PATENT-3,437,527	c14 N69-27461	NASA-CASE-XLA-03724
c09 N69-24317	NASA-CASE-XGS-04999		US-PATENT-APPL-SN-568071
	US-PATENT-APPL-SN-519395		US-PATENT-CLASS-350-6
	US-PATENT-CLASS-307-268		US-PATENT-3,437,394
	US-PATENT-3,426,219	c07 N69-27462	NASA-CASE-XMS-05303
c09 N69-24318	NASA-CASE-XGS-05003		US-PATENT-APPL-SN-617022
	US-PATENT-APPL-SN-576797		US-PATENT-CLASS-333-97
	US-PATENT-CLASS-317-235		US-PATENT-3,428,923
	US-PATENT-3,430,115	c09 N69-27463	NASA-CASE-XGS-03095
c15 N69-24319	NASA-CASE-XNP-09227		US-PATENT-APPL-SN-552344
	US-PATENT-APPL-SN-632164		US-PATENT-CLASS-307-222
	US-PATENT-CLASS-313-44		US-PATENT-3,437,832
	US-PATENT-3,426,230	c11 N69-27466	NASA-CASE-XNP-04969
c15 N69-24320	NASA-CASE-XGS-03864		US-PATENT-APPL-SN-593604
	US-PATENT-APPL-SN-577114		US-PATENT-CLASS-248-317
	US-PATENT-CLASS-136-133		US-PATENT-3,430,909
	US-PATENT-3,427,205	c15 N69-27483	NASA-CASE-XLA-03105
c11 N69-24321	NASA-CASE-XLA-03271		US-PATENT-APPL-SN-529594
	US-PATENT-APPL-SN-482313		US-PATENT-CLASS-263-48
	US-PATENT-CLASS-350-310		US-PATENT-3,430,937
	US-PATENT-3,427,097	c14 N69-27484	NASA-CASE-XLA-04556
c15 N69-24322	NASA-CASE-XMS-01108		US-PATENT-APPL-SN-607608
	US-PATENT-APPL-SN-432032		US-PATENT-CLASS-250-83
	US-PATENT-CLASS-156-242		US-PATENT-3,433,953
	US-PATENT-3,425,885	c14 N69-27485	NASA-CASE-XGS-02401
c07 N69-24323	NASA-CASE-XGS-02816		US-PATENT-APPL-SN-502740
	US-PATENT-APPL-SN-521998		US-PATENT-CLASS-250-203
	US-PATENT-CLASS-333-73		US-PATENT-3,428,812
	US-PATENT-3,437,959	c14 N69-27486	NASA-CASE-XAC-11225
c09 N69-24324	NASA-CASE-XGS-02171		US-PATENT-APPL-SN-638707
	US-PATENT-APPL-SN-590159		US-PATENT-CLASS-248-18
	US-PATENT-CLASS-325-446		US-PATENT-3,430,902
	US-PATENT-3,437,935	c04 N69-27487	NASA-CASE-XGS-05533
c09 N69-24329	NASA-CASE-XNP-04183		US-PATENT-APPL-SN-568346
	US-PATENT-APPL-SN-546142		US-PATENT-CLASS-195-68
	US-PATENT-CLASS-179-100.2		US-PATENT-3,437,560
	US-PATENT-3,428,761	c15 N69-27490	NASA-CASE-XLA-02854
c09 N69-24330	NASA-CASE-XMS-05307		US-PATENT-APPL-SN-598118
	US-PATENT-APPL-SN-516154		US-PATENT-CLASS-285-3
	US-PATENT-CLASS-330-29		US-PATENT-3,427,047
	US-PATENT-3,428,910	c16 N69-27491	NASA-CASE-XGS-04480
c14 N69-24331	NASA-CASE-XNP-03930		US-PATENT-APPL-SN-591007
	US-PATENT-APPL-SN-526665		US-PATENT-CLASS-250-199
	US-PATENT-CLASS-250-237		US-PATENT-3,433,960
	US-PATENT-3,435,246	c31 N69-27499	NASA-CASE-XMS-12158-1
c23 N69-24332	NASA-CASE-XNP-02340		US-PATENT-APPL-SN-762936
	US-PATENT-APPL-SN-439490		US-PATENT-CLASS-244-1
	US-PATENT-CLASS-350-1		US-PATENT-3,439,886
	US-PATENT-3,427,089	c09 N69-27500	NASA-CASE-XNP-09228
c09 N69-24333	NASA-CASE-XNP-09225		US-PATENT-APPL-SN-584070
	US-PATENT-APPL-SN-640785		US-PATENT-CLASS-307-136
	US-PATENT-CLASS-340-172.5		US-PATENT-3,430,063
	US-PATENT-3,431,559	c15 N69-27502	NASA-CASE-XNP-04132
c07 N69-24334	NASA-CASE-XGS-01110		US-PATENT-APPL-SN-640788
	US-PATENT-APPL-SN-526664		US-PATENT-CLASS-220-55
	US-PATENT-CLASS-333-8		US-PATENT-3,429,477
	US-PATENT-3,428,919	c14 N69-27503	NASA-CASE-XFR-09479
c03 N69-25146	NASA-CASE-XGS-04808		US-PATENT-APPL-SN-653278
	US-PATENT-APPL-SN-640781		US-PATENT-CLASS-73-49.8
	US-PATENT-CLASS-321-2		US-PATENT-3,433,079
	US-PATENT-3,437,903	c15 N69-27504	NASA-CASE-XNP-09452
c17 N69-25147	NASA-CASE-XLE-10466		US-PATENT-APPL-SN-640789
	US-PATENT-APPL-SN-644448		US-PATENT-CLASS-267-1
	US-PATENT-CLASS-219-411		US-PATENT-3,430,942
	US-PATENT-3,427,435	c15 N69-27505	NASA-CASE-XLA-09122
c09 N69-27422	NASA-CASE-XLA-04980		US-PATENT-APPL-SN-619903
	US-PATENT-APPL-SN-577548		US-PATENT-CLASS-64-28
	US-PATENT-CLASS-317-234		US-PATENT-3,430,460
	US-PATENT-3,432,730	c15 N69-27871	NASA-CASE-XMS-04318
c14 N69-27423	NASA-CASE-XAC-02407		US-PATENT-APPL-SN-521996
	US-PATENT-APPL-SN-469013		US-PATENT-CLASS-219-347
	US-PATENT-CLASS-324-43		US-PATENT-3,431,397
	US-PATENT-3,437,919	c06 N69-31244	NASA-CASE-NPO-10714
c14 N69-27431	NASA-CASE-XNP-01483		US-PATENT-APPL-SN-817569
	US-PATENT-APPL-SN-635325	c16 N69-31343	NASA-CASE-ERC-10187
	US-PATENT-CLASS-339-17		US-PATENT-APPL-SN-825253
	US-PATENT-3,430,182	c26 N69-33482	NASA-CASE-ERC-10120
c14 N69-27432	NASA-CASE-XGS-08266		US-PATENT-APPL-SN-827597
	US-PATENT-APPL-SN-628248	c06 N69-39733	NASA-CASE-XNP-03873
	US-PATENT-CLASS-250-203		US-PATENT-APPL-SN-543774

ACCESSION NUMBER INDEX

	US-PATENT-CLASS-73-24		US-PATENT-3,454,410
	US-PATENT-3,429,177	c07 N69-39980	NASA-CASE-XGS-05211
c09 N69-39734	NASA-CASE-XMF-04238		US-PATENT-APPL-SN-590145
	US-PATENT-APPL-SN-562443		US-PATENT-CLASS-250-209
	US-PATENT-CLASS-339-95		US-PATENT-3,444,380
	US-PATENT-3,458,851	c01 N69-39981	NASA-CASE-XLA-06095
c15 N69-39735	NASA-CASE-XGS-00963		US-PATENT-APPL-SN-683612
	US-PATENT-APPL-SN-494282		US-PATENT-CLASS-244-138
	US-PATENT-CLASS-161-182		US-PATENT-3,443,779
	US-PATENT-3,453,172	c14 N69-39982	NASA-CASE-XGS-01725
	NASA-CASE-XNP-04180		US-PATENT-APPL-SN-483891
c07 N69-39736	US-PATENT-APPL-SN-545228		US-PATENT-CLASS-250-49.5
	US-PATENT-CLASS-250-203		US-PATENT-3,446,960
	US-PATENT-3,448,273	c03 N69-39983	NASA-CASE-XLE-02083
	NASA-CASE-XKS-03495		US-PATENT-APPL-SN-568362
c14 N69-39785	US-PATENT-APPL-SN-559351		US-PATENT-CLASS-310-11
	US-PATENT-CLASS-324-61		US-PATENT-3,453,462
	US-PATENT-3,426,272	c09 N69-39984	NASA-CASE-XLA-08507
	NASA-CASE-IGS-04554		US-PATENT-APPL-SN-632154
c15 N69-39786	US-PATENT-APPL-SN-584072		US-PATENT-CLASS-321-11
	US-PATENT-CLASS-29-472.9		US-PATENT-3,434,033
	US-PATENT-3,447,233	c09 N69-39986	NASA-CASE-XMS-05562-1
c25 N69-39884	NASA-CASE-XLE-00690		US-PATENT-APPL-SN-529609
	US-PATENT-APPL-SN-489442		US-PATENT-CLASS-330-2
	US-PATENT-CLASS-324-33		US-PATENT-3,434,064
	US-PATENT-3,447,071	c09 N69-39987	NASA-CASE-XMS-04215-1
c09 N69-39885	NASA-CASE-XMS-04061-1		US-PATENT-APPL-SN-605102
	US-PATENT-APPL-SN-511564		US-PATENT-CLASS-307-265
	US-PATENT-CLASS-328-116		US-PATENT-3,446,992
	US-PATENT-3,456,201	c12 N69-39988	NASA-CASE-XLE-02624
c10 N69-39888	NASA-CASE-XNP-02713		US-PATENT-APPL-SN-635327
	US-PATENT-APPL-SN-528031		US-PATENT-CLASS-35-49
	US-PATENT-CLASS-307-252		US-PATENT-3,429,058
	US-PATENT-3,458,726	c09 N70-11148	NASA-CASE-ERC-10072
c06 N69-39889	NASA-CASE-XLE-07087		US-PATENT-APPL-SN-845972
	US-PATENT-APPL-SN-619521		
	US-PATENT-CLASS-313-231	c06 N70-11251	NASA-CASE-NPO-10863
	US-PATENT-3,447,015		US-PATENT-APPL-SN-848325
c03 N69-39890	NASA-CASE-XLE-02824		
	US-PATENT-APPL-SN-487343	c06 N70-11252	NASA-CASE-NPO-10447
	US-PATENT-CLASS-310-10		US-PATENT-APPL-SN-848351
	US-PATENT-3,443,128	c07 N70-12616	NASA-CASE-MSC-12259-1
c18 N69-39895	NASA-CASE-XNP-06508		US-PATENT-APPL-SN-853763
	US-PATENT-APPL-SN-617776	c14 N70-12618	NASA-CASE-NPO-10617
	US-PATENT-CLASS-117-21		US-PATENT-APPL-SN-828920
	US-PATENT-3,446,642	c09 N70-12620	NASA-CASE-ARC-10268-1
c14 N69-39896	NASA-CASE-XAC-02970		US-PATENT-APPL-SN-856257
	US-PATENT-APPL-SN-447930	c05 N70-20717	NASA-CASE-FRC-10031
	US-PATENT-CLASS-250-217		US-PATENT-APPL-SN-856511
	US-PATENT-3,452,872	c09 N70-20737	NASA-CASE-MFS-14741
c09 N69-39897	NASA-CASE-XAC-08981		US-PATENT-APPL-SN-880247
	US-PATENT-APPL-SN-634060	c30 N70-22183	NASA-CASE-ERC-10323-1
	US-PATENT-CLASS-317-16		US-PATENT-APPL-SN-727207
	US-PATENT-3,450,946	c15 N70-22192	NASA-CASE-XMS-04890-1
c03 N69-39898	NASA-CASE-XLE-01045		US-PATENT-APPL-SN-797057
	US-PATENT-APPL-SN-502746		US-PATENT-CLASS-60-258
	US-PATENT-CLASS-310-4		US-PATENT-3,490,238
	US-PATENT-3,446,997	c11 N70-26813	NASA-CASE-LAB-10276-1
c09 N69-39929	NASA-CASE-XNP-09776		US-PATENT-APPL-SN-29979
	US-PATENT-APPL-SN-617779	c03 N70-26817	NASA-CASE-LAB-10367-1
	US-PATENT-CLASS-310-4		US-PATENT-APPL-SN-864710
	US-PATENT-3,446,998	c15 N70-26819	NASA-CASE-LAB-10590-1
c15 N69-39935	NASA-CASE-XNP-08882		US-PATENT-APPL-SN-21732
	US-PATENT-APPL-SN-640784	c14 N70-33179	NASA-CASE-XMF-00447
	US-PATENT-CLASS-220-14		US-PATENT-APPL-SN-134479
	US-PATENT-3,446,387		US-PATENT-CLASS-340-198
c06 N69-39936	NASA-CASE-XNP-04816		US-PATENT-3,041,587
	US-PATENT-APPL-SN-578926	c15 N70-33180	NASA-CASE-XLA-00137
	US-PATENT-CLASS-73-23.1		US-PATENT-APPL-SN-8203
	US-PATENT-3,443,416		US-PATENT-CLASS-93-1
c14 N69-39937	NASA-CASE-XNP-09750		US-PATENT-3,010,372
	US-PATENT-APPL-SN-632162	c21 N70-33181	NASA-CASE-XLA-00120
	US-PATENT-CLASS-250-83		US-PATENT-APPL-SN-853984
	US-PATENT-3,456,112		US-PATENT-CLASS-250-83.3
c07 N69-39974	NASA-CASE-XGS-05918		US-PATENT-3,038,077
	US-PATENT-APPL-SN-685497	c09 N70-33182	NASA-CASE-XAC-00086
	US-PATENT-CLASS-343-7.5		US-PATENT-APPL-SN-824755
	US-PATENT-3,430,237		US-PATENT-CLASS-340-147
c14 N69-39975	NASA-CASE-XLA-01781		US-PATENT-3,059,220
	US-PATENT-APPL-SN-441936	c15 N70-33226	NASA-CASE-XLE-00020
	US-PATENT-CLASS-73-86		US-PATENT-APPL-SN-387332
	US-PATENT-3,425,268		US-PATENT-CLASS-253-39.15
c07 N69-39978	NASA-CASE-XGS-02749		US-PATENT-3,011,760
	US-PATENT-APPL-SN-502753	c28 N70-33241	NASA-CASE-XLE-00103
	US-PATENT-CLASS-179-15		US-PATENT-APPL-SN-517100
	US-PATENT-3,450,842		US-PATENT-CLASS-60-39.74
c18 N69-39979	NASA-CASE-XGS-04119		US-PATENT-2,940,259
	US-PATENT-APPL-SN-452945	c31 N70-33242	NASA-CASE-XLA-00165
	US-PATENT-CLASS-106-74		US-PATENT-APPL-SN-47120

ACCESSION NUMBER INDEX

	US-PATENT-CLASS-244-117		US-PATENT-3,001,363
	US-PATENT-3,028,128	c02 N70-33332	NASA-CASE-XLA-00087
c14 N70-33254	NASA-CASE-XLA-00062		US-PATENT-APPL-SN-811509
	US-PATENT-APPL-SN-853983		US-PATENT-CLASS-244-12
	US-PATENT-CLASS-88-16		US-PATENT-2,991,961
	US-PATENT-3,041,924	c03 N70-33343	NASA-CASE-XLA-00115
c02 N70-33255	NASA-CASE-XLA-00230		US-PATENT-APPL-SN-847027
	US-PATENT-APPL-SN-81455		US-PATENT-CLASS-244-1
	US-PATENT-CLASS-244-43		US-PATENT-3,001,739
	US-PATENT-3,053,484	c33 N70-33344	NASA-CASE-XMS-00486
c15 N70-33264	NASA-CASE-XLE-00092		US-PATENT-APPL-SN-300113
	US-PATENT-APPL-SN-835146		US-PATENT-CLASS-244-1
	US-PATENT-CLASS-253-39.15		US-PATENT-3,130,940
	US-PATENT-3,057,597	c28 N70-33356	NASA-CASE-XLE-00267
c28 N70-33265	NASA-CASE-XLE-00817		US-PATENT-APPL-SN-58147
	US-PATENT-APPL-SN-264735		US-PATENT-CLASS-60-35.5
	US-PATENT-CLASS-60-35.3		US-PATENT-3,016,693
	US-PATENT-3,173,246	c28 N70-33372	NASA-CASE-XLE-00037
c02 N70-33266	NASA-CASE-XLA-00221		US-PATENT-APPL-SN-639589
	US-PATENT-APPL-SN-51473		US-PATENT-CLASS-253-39.15
	US-PATENT-CLASS-244-46		US-PATENT-2,974,925
	US-PATENT-3,064,928	c28 N70-33374	NASA-CASE-XLA-00154
c25 N70-33267	NASA-CASE-XLA-00675		US-PATENT-APPL-SN-31242
	US-PATENT-APPL-SN-178213		US-PATENT-CLASS-60-35.6
	US-PATENT-CLASS-315-111		US-PATENT-3,012,400
	US-PATENT-3,171,060	c28 N70-33375	NASA-CASE-XLE-00207
c11 N70-33278	NASA-CASE-XLE-00168		US-PATENT-APPL-SN-180370
	US-PATENT-APPL-SN-842170		US-PATENT-CLASS-60-35.6
	US-PATENT-CLASS-73-116		US-PATENT-3,173,251
	US-PATENT-3,063,291	c15 N70-33376	NASA-CASE-XLE-00101
c21 N70-33279	NASA-CASE-XPR-00181		US-PATENT-APPL-SN-551961
	US-PATENT-APPL-SN-28175		US-PATENT-CLASS-251-173
	US-PATENT-CLASS-244-83		US-PATENT-2,945,667
	US-PATENT-3,028,126	c15 N70-33382	NASA-CASE-XLE-00010
c17 N70-33283	NASA-CASE-XLE-00151		US-PATENT-APPL-SN-554899
	US-PATENT-APPL-SN-848481		US-PATENT-CLASS-266-19
	US-PATENT-CLASS-75-171		US-PATENT-2,934,331
	US-PATENT-2,971,837	c14 N70-33386	NASA-CASE-XLA-00113
c28 N70-33284	NASA-CASE-XLE-00078		US-PATENT-APPL-SN-2792
	US-PATENT-APPL-SN-18776		US-PATENT-CLASS-73-147
	US-PATENT-CLASS-60-35.6		US-PATENT-3,001,395
	US-PATENT-3,049,876	c03 N70-34134	NASA-CASE-XLE-00212
c05 N70-33285	NASA-CASE-XLA-00118		US-PATENT-APPL-SN-151598
	US-PATENT-APPL-SN-840983		US-PATENT-CLASS-310-4
	US-PATENT-CLASS-5-345		US-PATENT-3,202,844
	US-PATENT-3,038,175	c31 N70-34135	NASA-CASE-XLA-00686
c02 N70-33286	NASA-CASE-XLA-00142		US-PATENT-APPL-SN-195347
	US-PATENT-APPL-SN-26375		US-PATENT-CLASS-343-833
	US-PATENT-CLASS-244-46		US-PATENT-3,202,998
	US-PATENT-3,028,122	c14 N70-34156	NASA-CASE-XLE-00266
c11 N70-33287	NASA-CASE-XLA-00112		US-PATENT-APPL-SN-202024
	US-PATENT-APPL-SN-843022		US-PATENT-CLASS-73-15
	US-PATENT-CLASS-73-147		US-PATENT-3,204,447
	US-PATENT-3,005,339	c03 N70-34157	NASA-CASE-XMF-00517
c17 N70-33288	NASA-CASE-XLE-02428		US-PATENT-APPL-SN-216711
	US-PATENT-APPL-SN-339821		US-PATENT-CLASS-244-1
	US-PATENT-CLASS-29-198		US-PATENT-3,204,889
	US-PATENT-3,170,773	c14 N70-34158	NASA-CASE-XGS-00359
c12 N70-33305	NASA-CASE-XLA-00229		US-PATENT-APPL-SN-94952
	US-PATENT-APPL-SN-18780		US-PATENT-CLASS-250-203
	US-PATENT-CLASS-114-66.5		US-PATENT-3,205,361
	US-PATENT-3,016,863	c31 N70-34159	NASA-CASE-XMF-03856
c15 N70-33311	NASA-CASE-XLE-00046		US-PATENT-APPL-SN-416941
	US-PATENT-APPL-SN-686796		US-PATENT-CLASS-248-188.9
	US-PATENT-CLASS-29-488		US-PATENT-3,208,707
	US-PATENT-3,008,229	c02 N70-34160	NASA-CASE-XLA-01804
c09 N70-33312	NASA-CASE-XLA-00141		US-PATENT-APPL-SN-353637
	US-PATENT-APPL-SN-19971		US-PATENT-CLASS-244-50
	US-PATENT-CLASS-219-34		US-PATENT-3,208,694
	US-PATENT-3,005,081	c14 N70-34161	NASA-CASE-XLA-00203
c14 N70-33322	NASA-CASE-XLA-00135		US-PATENT-APPL-SN-227682
	US-PATENT-APPL-SN-861152		US-PATENT-CLASS-73-105
	US-PATENT-CLASS-244-14		US-PATENT-3,208,272
	US-PATENT-3,004,735	c28 N70-34162	NASA-CASE-XMF-01544
c15 N70-33323	NASA-CASE-XMF-00341		US-PATENT-APPL-SN-394638
	US-PATENT-APPL-SN-77256		US-PATENT-CLASS-60-35.55
	US-PATENT-CLASS-62-45		US-PATENT-3,208,215
	US-PATENT-3,012,407	c28 N70-34175	NASA-CASE-XLE-01783
c11 N70-33325	NASA-CASE-XLA-00119		US-PATENT-APPL-SN-313132
	US-PATENT-APPL-SN-842171		US-PATENT-CLASS-60-35.5
	US-PATENT-CLASS-240-1.2		US-PATENT-3,210,927
	US-PATENT-2,984,735	c31 N70-34176	NASA-CASE-XMF-00389
c15 N70-33330	NASA-CASE-XLE-00023		US-PATENT-APPL-SN-151114
	US-PATENT-APPL-SN-512352		US-PATENT-CLASS-244-1
	US-PATENT-CLASS-78-1		US-PATENT-3,202,381
	US-PATENT-2,991,671	c02 N70-34178	NASA-CASE-XLA-00166
c28 N70-33331	NASA-CASE-XLA-00105		US-PATENT-APPL-SN-84961
	US-PATENT-APPL-SN-719173		US-PATENT-CLASS-244-46
	US-PATENT-CLASS-60-35.6		US-PATENT-3,087,692

ACCESSION NUMBER INDEX

c15 N70-34247	NASA-CASE-XLE-00288	US-PATENT-APPL-SN-298800
	US-PATENT-APPL-SN-118200	US-PATENT-CLASS-73-88.5
	US-PATENT-CLASS-62-50	US-PATENT-3,212,325
	US-PATENT-3,068,658	NASA-CASE-XGS-00174
c22 N70-34248	NASA-CASE-XLE-00818	US-PATENT-APPL-SN-120803
	US-PATENT-APPL-SN-253006	US-PATENT-CLASS-307-88
	US-PATENT-CLASS-60-35.5	US-PATENT-3,198,955
	US-PATENT-3,184,915	NASA-CASE-XLA-00471
c15 N70-34249	NASA-CASE-XMF-00375	US-PATENT-APPL-SN-197553
	US-PATENT-APPL-SN-166969	US-PATENT-CLASS-235-154
	US-PATENT-CLASS-72-56	US-PATENT-3,194,951
	US-PATENT-3,188,844	NASA-CASE-XLA-00304
c28 N70-34294	NASA-CASE-XLE-00208	US-PATENT-APPL-SN-54552
	US-PATENT-APPL-SN-106135	US-PATENT-CLASS-18-39
	US-PATENT-CLASS-60-35.54	US-PATENT-3,193,883
	US-PATENT-3,132,476	NASA-CASE-XLA-00493
c21 N70-34295	NASA-CASE-XLA-01989	US-PATENT-APPL-SN-202029
	US-PATENT-APPL-SN-305020	US-PATENT-CLASS-73-432
	US-PATENT-CLASS-244-1	US-PATENT-3,196,690
	US-PATENT-3,189,299	NASA-CASE-XGS-00689
c31 N70-34296	NASA-CASE-XLA-00678	US-PATENT-APPL-SN-250451
	US-PATENT-APPL-SN-197551	US-PATENT-CLASS-235-176
	US-PATENT-CLASS-244-1	US-PATENT-3,196,261
	US-PATENT-3,169,725	NASA-CASE-XLE-00388
c21 N70-34297	NASA-CASE-XGS-00466	US-PATENT-APPL-SN-234568
	US-PATENT-APPL-SN-123597	US-PATENT-CLASS-55-306
	US-PATENT-CLASS-250-83.3	US-PATENT-3,196,598
	US-PATENT-3,188,472	NASA-CASE-XMF-00479
c14 N70-34298	NASA-CASE-XMF-00462	US-PATENT-APPL-SN-169977
	US-PATENT-APPL-SN-148001	US-PATENT-CLASS-73-71.2
	US-PATENT-CLASS-88-14	US-PATENT-3,194,060
	US-PATENT-3,185,023	NASA-CASE-XLA-00492
c22 N70-34501	NASA-CASE-XLE-00298	US-PATENT-APPL-SN-284265
	US-PATENT-APPL-SN-277402	US-PATENT-CLASS-73-88.5
	US-PATENT-CLASS-176-35	US-PATENT-3,199,340
	US-PATENT-3,198,709	NASA-CASE-XLE-00387
c09 N70-34502	NASA-CASE-XMF-00421	US-PATENT-APPL-SN-203411
	US-PATENT-APPL-SN-197548	US-PATENT-CLASS-219-19
	US-PATENT-CLASS-317-140	US-PATENT-3,108,171
	US-PATENT-3,189,794	NASA-CASE-XAC-00073
c21 N70-34539	NASA-CASE-XMF-00185	US-PATENT-APPL-SN-47122
	US-PATENT-APPL-SN-97112	US-PATENT-CLASS-73-147
	US-PATENT-CLASS-244-76	US-PATENT-3,100,990
	US-PATENT-3,070,330	NASA-CASE-XMF-00392
c33 N70-34540	NASA-CASE-XLA-00330	US-PATENT-APPL-SN-151112
	US-PATENT-APPL-SN-264729	US-PATENT-CLASS-219-137
	US-PATENT-CLASS-219-121	US-PATENT-3,102,948
	US-PATENT-3,201,560	NASA-CASE-XAC-00399
c33 N70-34545	NASA-CASE-XLE-00490	US-PATENT-APPL-SN-134481
	US-PATENT-APPL-SN-252259	US-PATENT-CLASS-35-12
	US-PATENT-CLASS-219-347	US-PATENT-3,196,557
	US-PATENT-3,189,726	NASA-CASE-XAC-00042
c09 N70-34559	NASA-CASE-LAR-10218-1	US-PATENT-APPL-SN-734805
	US-PATENT-APPL-SN-47441	US-PATENT-CLASS-73-398
	NASA-CASE-XLE-00321	US-PATENT-3,022,672
c22 N70-34572	US-PATENT-APPL-SN-134478	NASA-CASE-XAC-00074
	US-PATENT-CLASS-176-52	US-PATENT-APPL-SN-47123
	US-PATENT-3,202,582	US-PATENT-CLASS-137-340
	NASA-CASE-XMF-00324	US-PATENT-3,158,172
c09 N70-34596	US-PATENT-APPL-SN-109789	NASA-CASE-XLE-00503
	US-PATENT-CLASS-339-176	US-PATENT-APPL-SN-261912
	US-PATENT-3,189,864	US-PATENT-CLASS-73-136
c03 N70-34646	NASA-CASE-NPO-11138	US-PATENT-3,196,675
	US-PATENT-APPL-SN-9251	NASA-CASE-XGS-00381
c25 N70-34661	NASA-CASE-XLA-00147	US-PATENT-APPL-SN-104788
	US-PATENT-APPL-SN-178215	US-PATENT-CLASS-307-88.5
	US-PATENT-CLASS-313-156	US-PATENT-3,085,165
	US-PATENT-3,201,635	NASA-CASE-XAC-00030
c15 N70-34664	NASA-CASE-XMF-00515	US-PATENT-APPL-SN-760819
	US-PATENT-APPL-SN-278790	US-PATENT-CLASS-73-401
	US-PATENT-CLASS-308-9	US-PATENT-3,024,659
	US-PATENT-3,199,931	NASA-CASE-XLE-00252
c03 N70-34667	NASA-CASE-XLA-00326	US-PATENT-APPL-SN-144803
	US-PATENT-APPL-SN-318443	US-PATENT-CLASS-73-116
	US-PATENT-CLASS-89-1	US-PATENT-3,199,343
	US-PATENT-3,200,706	NASA-CASE-XLA-00754
c14 N70-34669	NASA-CASE-XLE-00724	US-PATENT-APPL-SN-209479
	US-PATENT-APPL-SN-284757	US-PATENT-CLASS-244-100
	US-PATENT-CLASS-176-19	US-PATENT-3,143,321
	US-PATENT-3,205,141	NASA-CASE-XAC-00139
c08 N70-34675	NASA-CASE-XMF-04162-1	US-PATENT-APPL-SN-168560
	US-PATENT-APPL-SN-872664	US-PATENT-CLASS-244-51
c18 N70-34695	NASA-CASE-ARC-10280-1	US-PATENT-3,144,999
	US-PATENT-APPL-SN-34553	NASA-CASE-XMS-00863
c14 N70-34697	NASA-CASE-NPO-11106	US-PATENT-APPL-SN-221634
	US-PATENT-APPL-SN-15020	US-PATENT-CLASS-9-11
c15 N70-34699	NASA-CASE-NPO-10682	US-PATENT-3,155,992
	US-PATENT-APPL-SN-15023	NASA-CASE-XLA-00806
c14 N70-34705	NASA-CASE-XMF-00456	US-PATENT-APPL-SN-26375
c08 N70-34743		
c08 N70-34778		
c27 N70-34783		
c11 N70-34786		
c08 N70-34787		
c28 N70-34788		
c14 N70-34794		
c14 N70-34799		
c33 N70-34812		
c14 N70-34813		
c15 N70-34814		
c11 N70-34815		
c14 N70-34816		
c15 N70-34817		
c14 N70-34818		
c09 N70-34819		
c14 N70-34820		
c11 N70-34844		
c15 N70-34850		
c02 N70-34856		
c05 N70-34857		
c02 N70-34858		

ACCESSION NUMBER INDEX

	US-PATENT-APPL-SN-181828	c09 N70-35425	NASA-CASE-XNP-00683
	US-PATENT-CLASS-244-46		US-PATENT-APPL-SN-251451
	US-PATENT-3,170,657		US-PATENT-CLASS-343-781
c15 N70-34859	NASA-CASE-XLE-00715		US-PATENT-3,209,361
	US-PATENT-APPL-SN-212174	c21 N70-35427	NASA-CASE-XGS-00809
	US-PATENT-CLASS-251-333		US-PATENT-APPL-SN-85585
	US-PATENT-3,191,907		US-PATENT-CLASS-88-1
c28 N70-34860	NASA-CASE-XLE-00144		US-PATENT-3,083,611
	US-PATENT-APPL-SN-177684	c09 N70-35440	NASA-CASE-XAC-00435
	US-PATENT-CLASS-60-35.6		US-PATENT-APPL-SN-164428
	US-PATENT-3,120,101		US-PATENT-CLASS-330-14
c15 N70-34861	NASA-CASE-XLE-00610		US-PATENT-3,196,362
	US-PATENT-APPL-SN-249540	c27 N70-35534	NASA-CASE-XGS-03556
	US-PATENT-CLASS-188-1		US-PATENT-APPL-SN-94259
	US-PATENT-3,164,222		US-PATENT-CLASS-60-35.6
c06 N70-34946	NASA-CASE-XNP-00733		US-PATENT-3,191,379
	US-PATENT-APPL-SN-256484	c03 N70-35584	NASA-CASE-GSC-11063-1
	US-PATENT-CLASS-62-15		US-PATENT-APPL-SN-41431
	US-PATENT-3,192,730	c14 N70-35666	NASA-CASE-XNP-00646
c31 N70-34966	NASA-CASE-XFR-00929		US-PATENT-APPL-SN-173981
	US-PATENT-APPL-SN-290868		US-PATENT-CLASS-324-33
	US-PATENT-CLASS-35-12		US-PATENT-3,171,081
	US-PATENT-3,191,316	c15 N70-35679	NASA-CASE-MS-12279-1
c15 N70-34967	NASA-CASE-XNP-00595		US-PATENT-APPL-SN-24154
	US-PATENT-APPL-SN-188554	c18 N70-36400	NASA-CASE-XMS-00259
	US-PATENT-CLASS-204-298		US-PATENT-APPL-SN-145007
	US-PATENT-3,189,535		US-PATENT-CLASS-117-69
c15 N70-35087	NASA-CASE-XGS-00587		US-PATENT-3,157,529
	US-PATENT-APPL-SN-313135	c15 N70-36409	NASA-CASE-XLA-00482
	US-PATENT-CLASS-137-340		US-PATENT-APPL-SN-166970
	US-PATENT-3,211,169		US-PATENT-CLASS-29-423
c21 N70-35089	NASA-CASE-XNP-00438		US-PATENT-3,160,950
	US-PATENT-APPL-SN-180381	c31 N70-36410	NASA-CASE-XMF-00641
	US-PATENT-CLASS-250-203		US-PATENT-APPL-SN-221945
	US-PATENT-3,205,362		US-PATENT-CLASS-244-1
c05 N70-35152	NASA-CASE-XMS-01240		US-PATENT-3,158,336
	US-PATENT-APPL-SN-331324	c15 N70-36411	NASA-CASE-XLE-00164
	US-PATENT-CLASS-297-216		US-PATENT-APPL-SN-107870
	US-PATENT-3,165,356		US-PATENT-CLASS-60-39.66
c09 N70-35219	NASA-CASE-XNP-00611		US-PATENT-3,162,012
	US-PATENT-APPL-SN-140443	c15 N70-36412	NASA-CASE-XLE-00170
	US-PATENT-CLASS-343-781		US-PATENT-APPL-SN-232914
	US-PATENT-3,209,360		US-PATENT-CLASS-253-66
c14 N70-35220	NASA-CASE-XNP-00449		US-PATENT-3,164,369
	US-PATENT-APPL-SN-118169	c15 N70-36492	NASA-CASE-XLE-00397
	US-PATENT-CLASS-330-49		US-PATENT-APPL-SN-195346
	US-PATENT-3,160,825		US-PATENT-CLASS-137-614
c14 N70-35368	NASA-CASE-XLE-00335		US-PATENT-3,170,486
	US-PATENT-APPL-SN-197554	c05 N70-36493	NASA-CASE-XMS-00864
	US-PATENT-CLASS-73-15.6		US-PATENT-APPL-SN-258932
	US-PATENT-3,176,499		US-PATENT-CLASS-9-316
c28 N70-35381	NASA-CASE-XHQ-01897		US-PATENT-3,152,344
	US-PATENT-APPL-SN-129579	c09 N70-36494	NASA-CASE-XNP-00369
	US-PATENT-CLASS-60-35.6		US-PATENT-APPL-SN-134782
	US-PATENT-3,121,309		US-PATENT-CLASS-339-176
c09 N70-35382	NASA-CASE-XNP-00540		US-PATENT-3,149,897
	US-PATENT-APPL-SN-140509	c15 N70-36535	NASA-CASE-XLE-00303
	US-PATENT-CLASS-343-781		US-PATENT-APPL-SN-182692
	US-PATENT-3,212,096		US-PATENT-CLASS-60-35.6
c11 N70-35383	NASA-CASE-XMF-00580		US-PATENT-3,170,286
	US-PATENT-APPL-SN-343425	c32 N70-36536	NASA-CASE-XLA-00204
	US-PATENT-CLASS-248-119		US-PATENT-APPL-SN-189648
	US-PATENT-3,194,525		US-PATENT-CLASS-135-1
c14 N70-35394	NASA-CASE-XNP-00708		US-PATENT-3,170,471
	US-PATENT-APPL-SN-281069	c17 N70-36616	NASA-CASE-XLE-00283
	US-PATENT-CLASS-35-45		US-PATENT-APPL-SN-107866
	US-PATENT-3,196,558		US-PATENT-CLASS-75-171
c21 N70-35395	NASA-CASE-XNP-00465		US-PATENT-3,167,426
	US-PATENT-APPL-SN-180379	c33 N70-36617	NASA-CASE-XLA-01291
	US-PATENT-CLASS-244-1		US-PATENT-APPL-SN-277961
	US-PATENT-3,206,141		US-PATENT-CLASS-244-1
c15 N70-35407	NASA-CASE-XLE-00815		US-PATENT-3,176,933
	US-PATENT-APPL-SN-300712	c14 N70-36618	NASA-CASE-XLE-00143
	US-PATENT-CLASS-251-11		US-PATENT-APPL-SN-104187
	US-PATENT-3,211,414		US-PATENT-CLASS-324-61
c03 N70-35408	NASA-CASE-XGS-01593		US-PATENT-3,176,222
	US-PATENT-APPL-SN-178721	c31 N70-36654	NASA-CASE-XMF-02853
	US-PATENT-CLASS-310-5		US-PATENT-APPL-SN-360182
	US-PATENT-3,205,381		US-PATENT-CLASS-244-100
c15 N70-35409	NASA-CASE-XHQ-01208		US-PATENT-3,175,789
	US-PATENT-APPL-SN-42022	c03 N70-36778	NASA-CASE-XLA-00838
	US-PATENT-CLASS-121-38		US-PATENT-APPL-SN-192016
	US-PATENT-3,088,441		US-PATENT-CLASS-9-8
c28 N70-35422	NASA-CASE-XLE-10814-1		US-PATENT-3,150,387
	US-PATENT-APPL-SN-38262	c28 N70-36802	NASA-CASE-XMF-00923
c08 N70-35423	NASA-CASE-XNP-00432		US-PATENT-APPL-SN-264736
	US-PATENT-APPL-SN-127234		US-PATENT-CLASS-60-35.5
	US-PATENT-CLASS-340-347		US-PATENT-3,159,967
	US-PATENT-3,172,097	c03 N70-36803	NASA-CASE-XNP-00644

ACCESSION NUMBER INDEX

US-PATENT-APPL-SN-212496
 US-PATENT-CLASS-310-11
 US-PATENT-3,158,764
 NASA-CASE-XLA-00898
 US-PATENT-APPL-SN-227683
 US-PATENT-CLASS-244-152
 US-PATENT-3,170,660
 NASA-CASE-XLA-00158
 US-PATENT-APPL-SN-221637
 US-PATENT-CLASS-23-208
 US-PATENT-3,174,827
 NASA-CASE-XLE-00145
 US-PATENT-APPL-SN-173081
 US-PATENT-CLASS-60-35.6
 US-PATENT-3,174,279
 NASA-CASE-XLA-00100
 US-PATENT-APPL-SN-534901
 US-PATENT-CLASS-73-178
 US-PATENT-3,168,827
 NASA-CASE-XLE-00301
 US-PATENT-APPL-SN-138540
 US-PATENT-CLASS-176-19
 US-PATENT-3,160,567
 NASA-CASE-XLA-00481
 US-PATENT-APPL-SN-120797
 US-PATENT-CLASS-73-212
 US-PATENT-3,170,324
 NASA-CASE-XLA-01583
 US-PATENT-APPL-SN-327565
 US-PATENT-CLASS-244-103
 US-PATENT-3,169,001
 NASA-CASE-XMF-02108
 US-PATENT-APPL-SN-372727
 US-PATENT-CLASS-244-100
 US-PATENT-3,181,821
 NASA-CASE-XLA-00189
 US-PATENT-APPL-SN-223003
 US-PATENT-CLASS-102-49
 US-PATENT-3,180,264
 NASA-CASE-XNP-00463
 US-PATENT-APPL-SN-259487
 US-PATENT-CLASS-165-96
 US-PATENT-3,177,933
 NASA-CASE-XFB-00811
 US-PATENT-APPL-SN-257346
 US-PATENT-CLASS-29-234
 US-PATENT-3,166,834
 NASA-CASE-XNP-00614
 US-PATENT-APPL-SN-247419
 US-PATENT-CLASS-33-1
 US-PATENT-3,163,935
 NASA-CASE-XNP-00214
 US-PATENT-APPL-SN-180377
 US-PATENT-CLASS-137-625.69
 US-PATENT-3,140,728
 NASA-CASE-XNP-00610
 US-PATENT-APPL-SN-211464
 US-PATENT-CLASS-60-35.6
 US-PATENT-3,170,290
 NASA-CASE-XNP-00748
 US-PATENT-APPL-SN-184649
 US-PATENT-CLASS-343-17.2
 US-PATENT-3,183,506
 NASA-CASE-XMF-00411
 US-PATENT-APPL-SN-158914
 US-PATENT-CLASS-73-147
 US-PATENT-3,182,496
 NASA-CASE-XNP-00294
 US-PATENT-APPL-SN-182696
 US-PATENT-CLASS-60-35.5
 US-PATENT-3,178,883
 NASA-CASE-XLA-00281
 US-PATENT-APPL-SN-84962
 US-PATENT-CLASS-244-1
 US-PATENT-3,180,587
 NASA-CASE-XLA-01354
 US-PATENT-APPL-SN-253774
 US-PATENT-CLASS-60-35.5
 US-PATENT-3,174,278
 NASA-CASE-XNP-00416
 US-PATENT-APPL-SN-180395
 US-PATENT-CLASS-189-36
 US-PATENT-3,169,613
 NASA-CASE-XLE-00376
 US-PATENT-APPL-SN-139007
 US-PATENT-CLASS-60-35.5
 US-PATENT-3,156,090
 NASA-CASE-XGS-00260
 US-PATENT-APPL-SN-187446

US-PATENT-CLASS-244-1
 US-PATENT-3,090,580
 NASA-CASE-XLA-00128
 US-PATENT-APPL-SN-32496
 US-PATENT-CLASS-73-384
 US-PATENT-3,093,000
 NASA-CASE-XLA-00149
 US-PATENT-APPL-SN-847023
 US-PATENT-CLASS-244-1
 US-PATENT-3,093,346
 NASA-CASE-XLE-00222
 US-PATENT-APPL-SN-77252
 US-PATENT-CLASS-244-113
 US-PATENT-3,098,630
 NASA-CASE-XLA-00349
 US-PATENT-APPL-SN-141220
 US-PATENT-CLASS-62-467
 US-PATENT-3,090,212
 NASA-CASE-XLE-00342
 US-PATENT-APPL-SN-60531
 US-PATENT-CLASS-60-35.5
 US-PATENT-3,119,232
 NASA-CASE-XLA-00138
 US-PATENT-APPL-SN-8204
 US-PATENT-CLASS-343-18
 US-PATENT-3,115,630
 NASA-CASE-XLA-00241
 US-PATENT-APPL-SN-61329
 US-PATENT-CLASS-244-1
 US-PATENT-3,104,079
 NASA-CASE-XLA-00195
 US-PATENT-APPL-SN-60536
 US-PATENT-CLASS-244-140
 US-PATENT-3,079,113
 NASA-CASE-XLA-00805
 US-PATENT-APPL-SN-181829
 US-PATENT-CLASS-244-46
 US-PATENT-3,120,361
 NASA-CASE-XLA-00350
 US-PATENT-APPL-SN-153266
 US-PATENT-CLASS-244-46
 US-PATENT-3,104,082
 NASA-CASE-XLE-00345
 US-PATENT-APPL-SN-183978
 US-PATENT-CLASS-62-55
 US-PATENT-3,122,000
 NASA-CASE-XNP-00217
 US-PATENT-APPL-SN-180374
 US-PATENT-CLASS-102-49
 US-PATENT-3,122,098
 NASA-CASE-XNP-00612
 US-PATENT-APPL-SN-228507
 US-PATENT-CLASS-220-63
 US-PATENT-3,123,248
 NASA-CASE-XNP-00424
 US-PATENT-APPL-SN-159804
 US-PATENT-CLASS-73-517
 US-PATENT-3,141,340
 NASA-CASE-XLE-00455
 US-PATENT-APPL-SN-203409
 US-PATENT-CLASS-75-222
 US-PATENT-3,141,769
 NASA-CASE-XLE-00231
 US-PATENT-APPL-SN-64226
 US-PATENT-CLASS-22-203
 US-PATENT-3,138,837
 NASA-CASE-XLE-00111
 US-PATENT-APPL-SN-835152
 US-PATENT-CLASS-60-39.48
 US-PATENT-3,136,123
 NASA-CASE-XLA-000414
 US-PATENT-APPL-SN-209478
 US-PATENT-CLASS-343-705
 US-PATENT-3,132,342
 NASA-CASE-XNP-00738
 US-PATENT-APPL-SN-204015
 US-PATENT-CLASS-174-115
 US-PATENT-3,106,603
 NASA-CASE-XNP-00425
 US-PATENT-APPL-SN-180396
 US-PATENT-CLASS-89-1.7
 US-PATENT-3,112,672
 NASA-CASE-XNP-00840
 US-PATENT-APPL-SN-269222
 US-PATENT-CLASS-267-1
 US-PATENT-3,127,157
 NASA-CASE-XNP-00249
 US-PATENT-APPL-SN-180391
 US-PATENT-CLASS-60-35.6

ACCESSION NUMBER INDEX

c17 N70-38490	US-PATENT-3,120,738 NASA-CASE-XLE-00228 US-PATENT-APPL-SN-64224 US-PATENT-CLASS-29-183.5 US-PATENT-3,084,421	c14 N70-39898	NASA-CASE-XMF-00480 US-PATENT-APPL-SN-144804 US-PATENT-CLASS-248-346 US-PATENT-3,069,123
c28 N70-38504	NASA-CASE-XMS-00583 US-PATENT-APPL-SN-182699 US-PATENT-CLASS-60-35.6 US-PATENT-3,135,089	c28 N70-39899	NASA-CASE-XLE-00005 US-PATENT-APPL-SN-718095 US-PATENT-CLASS-60-35.6 US-PATENT-3,067,573
c28 N70-38505	NASA-CASE-XLE-00323 US-PATENT-APPL-SN-183977 US-PATENT-CLASS-60-35.6 US-PATENT-3,135,090	c09 N70-39915	NASA-CASE-XAC-00060 US-PATENT-APPL-SN-47121 US-PATENT-CLASS-200-19 US-PATENT-3,076,065
c15 N70-38601	NASA-CASE-XLA-00679 US-PATENT-APPL-SN-213836 US-PATENT-CLASS-188-1 US-PATENT-3,128,845	c05 N70-39922	NASA-CASE-XMS-01115 US-PATENT-APPL-SN-277404 US-PATENT-CLASS-128-29 US-PATENT-3,229,689
c14 N70-38602	NASA-CASE-XLE-00243 US-PATENT-APPL-SN-118203 US-PATENT-CLASS-324-106 US-PATENT-3,202,915	c15 N70-39924	NASA-CASE-XMF-00640 US-PATENT-APPL-SN-341467 US-PATENT-CLASS-228-50 US-PATENT-3,229,884
c15 N70-38603	NASA-CASE-XNP-00450 US-PATENT-APPL-SN-180394 US-PATENT-CLASS-137-495 US-PATENT-3,105,515	c28 N70-39925	NASA-CASE-XLE-00660 US-PATENT-APPL-SN-231604 US-PATENT-CLASS-313-11.5 US-PATENT-3,229,139
c09 N70-38604	NASA-CASE-XGS-00458 US-PATENT-APPL-SN-139006 US-PATENT-CLASS-307-88 US-PATENT-3,128,389	c03 N70-39930	NASA-CASE-XLA-00791 US-PATENT-APPL-SN-347960 US-PATENT-CLASS-102-49 US-PATENT-3,229,636
c15 N70-38620	NASA-CASE-XNP-00476 US-PATENT-APPL-SN-182698 US-PATENT-CLASS-308-9 US-PATENT-3,132,903	c28 N70-39931	NASA-CASE-XNP-01104 US-PATENT-APPL-SN-290867 US-PATENT-CLASS-60-39.48 US-PATENT-3,229,463
c28 N70-38645	NASA-CASE-XNP-00234 US-PATENT-APPL-SN-180382 US-PATENT-CLASS-60-35.54 US-PATENT-3,139,725	c14 N70-40003	NASA-CASE-XGS-01036 US-PATENT-APPL-SN-227692 US-PATENT-CLASS-88-14 US-PATENT-3,229,568
c11 N70-38675	NASA-CASE-XNP-00459 US-PATENT-APPL-SN-180384 US-PATENT-CLASS-73-432 US-PATENT-3,187,583	c26 N70-40015	NASA-CASE-XLA-02057 US-PATENT-APPL-SN-320595 US-PATENT-CLASS-23-277 US-PATENT-3,230,053
c31 N70-38676	NASA-CASE-XLA-00258 US-PATENT-APPL-SN-101029 US-PATENT-CLASS-244-1 US-PATENT-3,144,219	c30 N70-40016	NASA-CASE-XGS-00619 US-PATENT-APPL-SN-264728 US-PATENT-CLASS-244-1 US-PATENT-3,229,930
c28 N70-38710	NASA-CASE-XMF-00148 US-PATENT-APPL-SN-118202 US-PATENT-CLASS-60-35.6 US-PATENT-3,122,885	c15 N70-40062	NASA-CASE-XMS-01624 US-PATENT-APPL-SN-422867 US-PATENT-CLASS-55-408 US-PATENT-3,224,173
c28 N70-38711	NASA-CASE-XLE-00057 US-PATENT-APPL-SN-0914 US-PATENT-CLASS-60-35.55 US-PATENT-3,080,711	c07 N70-40063	NASA-CASE-XMS-00893 US-PATENT-APPL-SN-251449 US-PATENT-CLASS-343-18 US-PATENT-3,224,001
c09 N70-38712	NASA-CASE-XMF-01129 US-PATENT-APPL-SN-273534 US-PATENT-CLASS-318-260 US-PATENT-3,147,422	c09 N70-40123	NASA-CASE-XGS-01881 US-PATENT-APPL-SN-155584 US-PATENT-CLASS-324-43 US-PATENT-3,218,547
c03 N70-38713	NASA-CASE-XGS-00473 US-PATENT-APPL-SN-139012 US-PATENT-CLASS-200-39 US-PATENT-3,141,932	c12 N70-40124	NASA-CASE-XLE-01512 US-PATENT-APPL-SN-315096 US-PATENT-CLASS-149-2 US-PATENT-3,215,572
c09 N70-38995	NASA-CASE-XGS-00131 US-PATENT-APPL-SN-14488 US-PATENT-CLASS-331-113 US-PATENT-3,150,329	c08 N70-40125	NASA-CASE-XAC-00404 US-PATENT-APPL-SN-209801 US-PATENT-CLASS-340-347 US-PATENT-3,216,007
c15 N70-38996	NASA-CASE-XNP-00676 US-PATENT-APPL-SN-290870 US-PATENT-CLASS-222-389 US-PATENT-3,170,605	c15 N70-40156	NASA-CASE-XLA-01019 US-PATENT-APPL-SN-282817 US-PATENT-CLASS-248-358 US-PATENT-3,223,374
c12 N70-39997	NASA-CASE-XMF-00658 US-PATENT-APPL-SN-216710 US-PATENT-CLASS-137-1 US-PATENT-3,110,318	c14 N70-40157	NASA-CASE-XLA-00487 US-PATENT-APPL-SN-236748 US-PATENT-CLASS-73-178 US-PATENT-3,221,549
c09 N70-38998	NASA-CASE-XNP-00431 US-PATENT-APPL-SN-180380 US-PATENT-CLASS-340-147 US-PATENT-3,100,294	c15 N70-40180	NASA-CASE-XAC-00472 US-PATENT-APPL-SN-236749 US-PATENT-CLASS-73-142 US-PATENT-3,224,263
c28 N70-39895	NASA-CASE-XLE-00085 US-PATENT-APPL-SN-25175 US-PATENT-CLASS-253-66 US-PATENT-3,070,349	c14 N70-40201	NASA-CASE-XLE-00720 US-PATENT-APPL-SN-302749 US-PATENT-CLASS-73-134 US-PATENT-3,221,547
c15 N70-39896	NASA-CASE-XMF-00339 US-PATENT-APPL-SN-110591 US-PATENT-CLASS-308-9 US-PATENT-3,070,407	c07 N70-40202	NASA-CASE-XMF-00437 US-PATENT-APPL-SN-120795 US-PATENT-CLASS-343-705 US-PATENT-3,077,599
c18 N70-39897	NASA-CASE-XLE-00353 US-PATENT-APPL-SN-65548 US-PATENT-CLASS-252-58 US-PATENT-3,072,574	c14 N70-40203	NASA-CASE-XLE-00702 US-PATENT-APPL-SN-258931 US-PATENT-CLASS-73-116 US-PATENT-3,201,980
		c15 N70-40204	NASA-CASE-XMF-00722

ACCESSION NUMBER INDEX

	US-PATENT-APPL-SN-347626		US-PATENT-CLASS-214-1
	US-PATENT-CLASS-228-50		US-PATENT-3,295,699
	US-PATENT-3,219,250	c32 N70-41370	NASA-CASE-XNP-01962
c14 N70-40233	NASA-CASE-XMS-01546		US-PATENT-APPL-SN-369640
	US-PATENT-APPL-SN-386467		US-PATENT-CLASS-92-94
	US-PATENT-CLASS-222-45		US-PATENT-3,298,285
	US-PATENT-3,228,558	c15 N70-41371	NASA-CASE-XNP-01452
c09 N70-40234	NASA-CASE-XLE-01716		US-PATENT-APPL-SN-356692
	US-PATENT-APPL-SN-349778		US-PATENT-CLASS-29-271
	US-PATENT-CLASS-126-270		US-PATENT-3,300,847
	US-PATENT-3,229,682	c07 N70-41372	NASA-CASE-XLA-01127
c14 N70-40238	NASA-CASE-XMF-00908		US-PATENT-APPL-SN-363654
	US-PATENT-APPL-SN-241085		US-PATENT-CLASS-325-65
	US-PATENT-CLASS-250-201		US-PATENT-3,300,731
	US-PATENT-3,229,099	c31 N70-41373	NASA-CASE-XMS-01906
c14 N70-40239	NASA-CASE-XLA-00183		US-PATENT-APPL-SN-339040
	US-PATENT-APPL-SN-199202		US-PATENT-CLASS-244-1
	US-PATENT-CLASS-250-203		US-PATENT-3,300,162
	US-PATENT-3,229,102	c28 N70-41447	NASA-CASE-XNP-00732
c14 N70-40240	NASA-CASE-XHQ-04106		US-PATENT-APPL-SN-261918
	US-PATENT-APPL-SN-91180		US-PATENT-CLASS-210-314
	US-PATENT-CLASS-250-105		US-PATENT-3,295,684
	US-PATENT-3,143,651	c28 N70-41576	NASA-CASE-XLE-00519
c09 N70-40272	NASA-CASE-XMF-00701		US-PATENT-APPL-SN-249542
	US-PATENT-APPL-SN-261917		US-PATENT-CLASS-313-63
	US-PATENT-CLASS-307-88.5		US-PATENT-3,287,582
	US-PATENT-3,218,479	c16 N70-41578	NASA-CASE-XGS-01504
c14 N70-40273	NASA-CASE-XNP-00637		US-PATENT-APPL-SN-340113
	US-PATENT-APPL-SN-280776		US-PATENT-CLASS-331-94
	US-PATENT-CLASS-95-58		US-PATENT-3,287,660
	US-PATENT-3,217,624	c32 N70-41579	NASA-CASE-XLE-00620
c30 N70-40309	NASA-CASE-XLA-00210		US-PATENT-APPL-SN-304698
	US-PATENT-APPL-SN-82658		US-PATENT-CLASS-138-119
	US-PATENT-CLASS-343-18		US-PATENT-3,295,556
	US-PATENT-3,220,004	c03 N70-41580	NASA-CASE-XLA-04622
c30 N70-40353	NASA-CASE-XMF-03198		US-PATENT-APPL-SN-277833
	US-PATENT-APPL-SN-370134		US-PATENT-CLASS-126-270
	US-PATENT-CLASS-89-1.7		US-PATENT-3,295,512
	US-PATENT-3,224,336	c05 N70-41581	NASA-CASE-XAC-01404
c15 N70-40354	NASA-CASE-XMF-01045		US-PATENT-APPL-SN-363348
	US-PATENT-APPL-SN-355130		US-PATENT-CLASS-74-471
	US-PATENT-CLASS-188-1		US-PATENT-3,295,386
	US-PATENT-3,228,492	c28 N70-41582	NASA-CASE-XMF-01813
c28 N70-40367	NASA-CASE-XLE-00177		US-PATENT-APPL-SN-375674
	US-PATENT-APPL-SN-10812		US-PATENT-CLASS-181-52
	US-PATENT-CLASS-60-35.3		US-PATENT-3,270,835
	US-PATENT-3,045,424	c18 N70-41583	NASA-CASE-XMF-01030
c14 N70-40400	NASA-CASE-XAC-00648		US-PATENT-APPL-SN-317389
	US-PATENT-APPL-SN-216939		US-PATENT-CLASS-161-115
	US-PATENT-CLASS-73-147		US-PATENT-3,296,060
	US-PATENT-3,218,850	c31 N70-41588	NASA-CASE-XMF-01973
c28 N70-41275	NASA-CASE-XNP-01390		US-PATENT-APPL-SN-375682
	US-PATENT-APPL-SN-424157		US-PATENT-CLASS-244-1
	US-PATENT-CLASS-60-259		US-PATENT-3,295,790
	US-PATENT-3,300,981	c02 N70-41589	NASA-CASE-XMF-01174
c05 N70-41297	NASA-CASE-XMS-01492		US-PATENT-APPL-SN-410331
	US-PATENT-APPL-SN-398131		US-PATENT-CLASS-244-100
	US-PATENT-CLASS-55-35		US-PATENT-3,295,798
	US-PATENT-3,300,949	c25 N70-41628	NASA-CASE-XAC-00319
c15 N70-41310	NASA-CASE-XNP-01567		US-PATENT-APPL-SN-77251
	US-PATENT-APPL-SN-448898		US-PATENT-CLASS-315-111
	US-PATENT-CLASS-248-178		US-PATENT-3,229,155
	US-PATENT-3,295,808	c15 N70-41629	NASA-CASE-XGS-02441
c28 N70-41311	NASA-CASE-XNP-00876		US-PATENT-APPL-SN-411944
	US-PATENT-APPL-SN-377784		US-PATENT-CLASS-285-331
	US-PATENT-CLASS-60-251		US-PATENT-3,301,578
	US-PATENT-3,298,182	c02 N70-41630	NASA-CASE-XMS-00907
c05 N70-41329	NASA-CASE-XMS-01615		US-PATENT-APPL-SN-428890
	US-PATENT-APPL-SN-329595		US-PATENT-CLASS-244-138
	US-PATENT-CLASS-128-2.05		US-PATENT-3,301,511
	US-PATENT-3,298,362	c31 N70-41631	NASA-CASE-XMS-04142
c14 N70-41330	NASA-CASE-XLE-00688		US-PATENT-APPL-SN-422865
	US-PATENT-APPL-SN-334672		US-PATENT-CLASS-244-1
	US-PATENT-CLASS-73-32		US-PATENT-3,301,507
	US-PATENT-3,298,221	c15 N70-41646	NASA-CASE-XLE-01449
c07 N70-41331	NASA-CASE-XLA-01400		US-PATENT-APPL-SN-330209
	US-PATENT-APPL-SN-363653		US-PATENT-CLASS-137-197
	US-PATENT-CLASS-325-65		US-PATENT-3,295,545
	US-PATENT-3,296,531	c14 N70-41647	NASA-CASE-XGS-00769
c14 N70-41332	NASA-CASE-XLA-00495		US-PATENT-APPL-SN-319893
	US-PATENT-APPL-SN-269215		US-PATENT-CLASS-242-55.19
	US-PATENT-CLASS-324-70		US-PATENT-3,295,782
	US-PATENT-3,296,526	c09 N70-41655	NASA-CASE-XMF-00906
c14 N70-41366	NASA-CASE-XLA-01353		US-PATENT-APPL-SN-264731
	US-PATENT-APPL-SN-403960		US-PATENT-CLASS-324-113
	US-PATENT-CLASS-73-147		US-PATENT-3,287,640
	US-PATENT-3,301,046	c09 N70-41675	NASA-CASE-XMS-01315
c32 N70-41367	NASA-CASE-XGS-00938		US-PATENT-APPL-SN-347101
	US-PATENT-APPL-SN-392970		US-PATENT-CLASS-307-88.5

ACCESSION NUMBER INDEX

c14 N70-41676	US-PATENT-3,302,040 NASA-CASE-XGS-01231 US-PATENT-APPL-SN-346356 US-PATENT-CLASS-250-71	c09 N70-41929	NASA-CASE-XNP-01951 US-PATENT-APPL-SN-413662 US-PATENT-CLASS-335-300
c11 N70-41677	US-PATENT-3,302,023 NASA-CASE-XNP-01772 US-PATENT-APPL-SN-370135 US-PATENT-CLASS-73-116	c21 N70-41930	US-PATENT-3,305,810 NASA-CASE-XNP-01501 US-PATENT-APPL-SN-432027 US-PATENT-CLASS-343-12
c07 N70-41678	US-PATENT-3,295,366 NASA-CASE-XGS-02608 US-PATENT-APPL-SN-456578 US-PATENT-CLASS-343-18	c14 N70-41946	US-PATENT-3,305,861 NASA-CASE-XLE-00011 US-PATENT-APPL-SN-735911 US-PATENT-CLASS-88-14
c15 N70-41679	US-PATENT-3,289,205 NASA-CASE-XLA-01441 US-PATENT-APPL-SN-516151 US-PATENT-CLASS-102-49	c31 N70-41948	US-PATENT-2,960,002 NASA-CASE-XNP-01999 US-PATENT-APPL-SN-428882 US-PATENT-CLASS-60-257
c07 N70-41680	US-PATENT-3,302,569 NASA-CASE-XNP-02723 US-PATENT-APPL-SN-371857 US-PATENT-CLASS-343-14	c03 N70-41954	US-PATENT-3,304,724 NASA-CASE-XAC-03392 US-PATENT-APPL-SN-430776 US-PATENT-CLASS-74-519
c14 N70-41681	US-PATENT-3,287,725 NASA-CASE-XAC-02877 US-PATENT-APPL-SN-449902 US-PATENT-CLASS-73-30	c14 N70-41955	US-PATENT-3,304,799 NASA-CASE-XNP-02029 US-PATENT-APPL-SN-221276 US-PATENT-CLASS-88-14
c14 N70-41682	US-PATENT-3,295,360 NASA-CASE-XMS-05936 US-PATENT-APPL-SN-557868 US-PATENT-CLASS-73-517	c14 N70-41957	US-PATENT-3,323,408 NASA-CASE-XAC-01101 US-PATENT-APPL-SN-355129 US-PATENT-CLASS-73-141
c09 N70-41717	US-PATENT-3,295,377 NASA-CASE-XMS-02087 US-PATENT-APPL-SN-439489 US-PATENT-CLASS-165-1	c15 N70-41960	US-PATENT-3,304,773 NASA-CASE-XNP-05082 US-PATENT-APPL-SN-521753 US-PATENT-CLASS-174-68.5
c14 N70-41807	US-PATENT-3,301,315 NASA-CASE-XNP-01472 US-PATENT-APPL-SN-321656 US-PATENT-CLASS-178-7.2	c08 N70-41961	US-PATENT-3,321,570 NASA-CASE-XNP-00911 US-PATENT-APPL-SN-280777 US-PATENT-CLASS-178-67
c15 N70-41808	US-PATENT-3,287,496 NASA-CASE-XMS-02532 US-PATENT-APPL-SN-398132 US-PATENT-CLASS-285-27	c10 N70-41964	US-PATENT-3,305,636 NASA-CASE-XGS-01983 US-PATENT-APPL-SN-388023 US-PATENT-CLASS-333-79
c15 N70-41811	US-PATENT-3,287,031 NASA-CASE-XNP-01152 US-PATENT-APPL-SN-369337 US-PATENT-CLASS-137-539	c28 N70-41967	US-PATENT-3,305,801 NASA-CASE-XLA-02651 US-PATENT-APPL-SN-449901 US-PATENT-CLASS-102-49
c14 N70-41812	US-PATENT-3,302,662 NASA-CASE-XMS-03792 US-PATENT-APPL-SN-516159 US-PATENT-CLASS-200-61.45	c12 N70-41976	US-PATENT-3,304,865 NASA-CASE-HFS-10354 US-PATENT-APPL-SN-64392
c28 N70-41818	US-PATENT-3,303,304 NASA-CASE-XLE-00150 US-PATENT-APPL-SN-843032 US-PATENT-CLASS-29-157.3	c10 N70-41991	US-PATENT-3,397,665 NASA-CASE-XNP-03128 US-PATENT-APPL-SN-397665 US-PATENT-CLASS-250-83.6
c05 N70-41819	US-PATENT-3,035,333 NASA-CASE-XAC-00405 US-PATENT-APPL-SN-158916 US-PATENT-CLASS-128-1	c28 N70-41992	US-PATENT-3,321,628 NASA-CASE-XLE-00685 US-PATENT-APPL-SN-407595 US-PATENT-CLASS-60-260
c15 N70-41829	US-PATENT-3,302,633 NASA-CASE-XNP-01371 US-PATENT-APPL-SN-353634 US-PATENT-CLASS-287-119	c15 N70-41993	US-PATENT-3,321,922 NASA-CASE-XLE-01300 US-PATENT-APPL-SN-380960 US-PATENT-CLASS-73-100
c31 N70-41855	US-PATENT-3,302,960 NASA-CASE-XNP-02982 US-PATENT-APPL-SN-388966 US-PATENT-CLASS-244-1	c14 N70-41994	US-PATENT-3,323,356 NASA-CASE-XNP-02822 US-PATENT-APPL-SN-403959 US-PATENT-CLASS-73-194
c21 N70-41856	US-PATENT-3,304,028 NASA-CASE-XNP-01307 US-PATENT-APPL-SN-390250 US-PATENT-CLASS-244-1	c05 N70-42000	US-PATENT-3,323,362 NASA-CASE-XMS-03371 US-PATENT-APPL-SN-418931 US-PATENT-CLASS-73-432
c02 N70-41863	US-PATENT-3,286,953 NASA-CASE-XLA-01220 US-PATENT-APPL-SN-379417 US-PATENT-CLASS-244-16	c32 N70-42003	US-PATENT-3,323,370 NASA-CASE-XLA-02131 US-PATENT-APPL-SN-377777 US-PATENT-CLASS-73-90
c03 N70-41864	US-PATENT-3,286,957 NASA-CASE-XGS-01419 US-PATENT-APPL-SN-323182 US-PATENT-CLASS-136-179	c31 N70-42015	US-PATENT-3,304,768 NASA-CASE-XLA-01967 US-PATENT-APPL-SN-457875 US-PATENT-CLASS-244-135
c31 N70-41871	US-PATENT-3,287,174 NASA-CASE-XMS-04390 US-PATENT-APPL-SN-502729 US-PATENT-CLASS-62-45	c02 N70-42016	US-PATENT-3,321,159 NASA-CASE-XLA-01290 US-PATENT-APPL-SN-393451 US-PATENT-CLASS-244-42
c27 N70-41897	US-PATENT-3,304,729 NASA-CASE-XNP-01749 US-PATENT-APPL-SN-440033 US-PATENT-CLASS-149-109	c15 N70-42017	US-PATENT-3,321,157 NASA-CASE-XMS-04072 US-PATENT-APPL-SN-485960 US-PATENT-CLASS-30-228
c28 N70-41922	US-PATENT-3,305,415 NASA-CASE-XNP-02839 US-PATENT-APPL-SN-477333 US-PATENT-CLASS-60-202	c10 N70-42032	US-PATENT-3,320,669 NASA-CASE-XNP-02654 US-PATENT-APPL-SN-435387 US-PATENT-CLASS-307-88.5
	US-PATENT-3,304,718	c15 N70-42033	US-PATENT-3,321,645 NASA-CASE-XNP-02092 US-PATENT-APPL-SN-371856 US-PATENT-CLASS-156-345

ACCESSION NUMBER INDEX

c15 N70-42034 US-PATENT-3,323,967
 NASA-CASE-XNP-01412
 US-PATENT-APPL-SN-426702
 US-PATENT-CLASS-175-310
 US-PATENT-3,321,034
 c03 N70-42073 NASA-CASE-XFR-04104
 US-PATENT-APPL-SN-476759
 US-PATENT-CLASS-74-471
 US-PATENT-3,323,386
 c14 N70-42074 NASA-CASE-XLE-02998
 US-PATENT-APPL-SN-516794
 US-PATENT-CLASS-116-117
 US-PATENT-3,323,484
 c31 N70-42075 NASA-CASE-XMS-02677
 US-PATENT-APPL-SN-472066
 US-PATENT-CLASS-244-1
 US-PATENT-3,321,154
 c14 N71-10500 NASA-CASE-XLE-01609
 US-PATENT-APPL-SN-438797
 US-PATENT-CLASS-73-290
 US-PATENT-3,326,043
 c24 N71-10560 NASA-CASE-XLE-00808
 US-PATENT-APPL-SN-307269
 US-PATENT-CLASS-148-188
 US-PATENT-3,310,443
 c28 N71-10574 NASA-CASE-XLE-01902
 US-PATENT-APPL-SN-485656
 US-PATENT-CLASS-60-202
 US-PATENT-3,324,659
 c15 N71-10577 NASA-CASE-XLE-04677
 US-PATENT-APPL-SN-447928
 US-PATENT-CLASS-220-67
 US-PATENT-3,326,407
 c10 N71-10578 NASA-CASE-XMS-01554
 US-PATENT-APPL-SN-414482
 US-PATENT-CLASS-323-8
 US-PATENT-3,325,723
 c31 N71-10582 NASA-CASE-XLA-02132
 US-PATENT-APPL-SN-453227
 US-PATENT-CLASS-102-49
 US-PATENT-3,286,630
 c11 N71-10604 NASA-CASE-XMF-03248
 US-PATENT-APPL-SN-377780
 US-PATENT-CLASS-73-116
 US-PATENT-3,310,980
 c26 N71-10607 NASA-CASE-XLE-02792
 US-PATENT-APPL-SN-352400
 US-PATENT-CLASS-148-1.5
 US-PATENT-3,311,510
 c03 N71-10608 NASA-CASE-XGS-03505
 US-PATENT-APPL-SN-498167
 US-PATENT-CLASS-136-28
 US-PATENT-3,311,502
 c07 N71-10609 NASA-CASE-XGS-01223
 US-PATENT-APPL-SN-319892
 US-PATENT-CLASS-242-55.19
 US-PATENT-3,311,315
 c14 N71-10616 NASA-CASE-XMF-02433
 US-PATENT-APPL-SN-405630
 US-PATENT-CLASS-73-70.2
 US-PATENT-3,310,978
 c15 N71-10617 NASA-CASE-XMF-01887
 US-PATENT-APPL-SN-422868
 US-PATENT-CLASS-308-5
 US-PATENT-3,325,229
 c09 N71-10618 NASA-CASE-XNP-03332
 US-PATENT-APPL-SN-368123
 US-PATENT-CLASS-313-63
 US-PATENT-3,311,772
 c15 N71-10658 NASA-CASE-XMS-03252
 US-PATENT-APPL-SN-425362
 US-PATENT-CLASS-60-54.5
 US-PATENT-3,318,093
 c09 N71-10659 NASA-CASE-XNP-01383
 US-PATENT-APPL-SN-369336
 US-PATENT-CLASS-324-77
 US-PATENT-3,317,832
 c15 N71-10672 NASA-CASE-XLA-01091
 US-PATENT-APPL-SN-351259
 US-PATENT-CLASS-264-102
 US-PATENT-3,317,641
 c09 N71-10673 NASA-CASE-XGS-01473
 US-PATENT-APPL-SN-364867
 US-PATENT-CLASS-307-88.5
 US-PATENT-3,317,751
 c07 N71-10676 NASA-CASE-XNP-03134
 US-PATENT-APPL-SN-422095
 US-PATENT-CLASS-333-21
 US-PATENT-3,324,423

c09 N71-10677 NASA-CASE-XGS-01451
 US-PATENT-APPL-SN-405629
 US-PATENT-CLASS-318-138
 US-PATENT-3,324,370
 c21 N71-10678 NASA-CASE-XGS-01159
 US-PATENT-APPL-SN-332313
 US-PATENT-CLASS-250-203
 US-PATENT-3,311,748
 c03 N71-10728 NASA-CASE-XNP-01464
 US-PATENT-APPL-SN-430778
 US-PATENT-CLASS-136-182
 US-PATENT-3,317,352
 c11 N71-10746 NASA-CASE-XMS-02977
 US-PATENT-APPL-SN-416938
 US-PATENT-CLASS-35-12
 US-PATENT-3,281,963
 c31 N71-10747 NASA-CASE-XMF-00442
 US-PATENT-APPL-SN-202030
 US-PATENT-CLASS-343-705
 US-PATENT-3,277,486
 c11 N71-10748 NASA-CASE-XPR-04147
 US-PATENT-APPL-SN-476761
 US-PATENT-CLASS-35-12
 US-PATENT-3,281,965
 c21 N71-10771 NASA-CASE-XNP-03914
 US-PATENT-APPL-SN-468647
 US-PATENT-CLASS-250-203
 US-PATENT-3,317,731
 c18 N71-10772 NASA-CASE-XLE-01765
 US-PATENT-APPL-SN-316477
 US-PATENT-CLASS-117-65.2
 US-PATENT-3,317,341
 c14 N71-10773 NASA-CASE-XLA-02605
 US-PATENT-APPL-SN-459138
 US-PATENT-CLASS-177-210
 US-PATENT-3,316,991
 c14 N71-10774 NASA-CASE-XLA-01131
 US-PATENT-APPL-SN-322545
 US-PATENT-CLASS-73-23
 US-PATENT-3,312,101
 c07 N71-10775 NASA-CASE-XLA-00901
 US-PATENT-APPL-SN-269212
 US-PATENT-CLASS-325-305
 US-PATENT-3,311,832
 c11 N71-10776 NASA-CASE-XLA-03127
 US-PATENT-APPL-SN-447927
 US-PATENT-CLASS-35-12
 US-PATENT-3,281,964
 c11 N71-10777 NASA-CASE-XLE-01533
 US-PATENT-APPL-SN-334678
 US-PATENT-CLASS-55-400
 US-PATENT-3,282,035
 c15 N71-10778 NASA-CASE-XNP-00710
 US-PATENT-APPL-SN-271821
 US-PATENT-CLASS-251-61
 US-PATENT-3,317,180
 c14 N71-10779 NASA-CASE-XMF-02307
 US-PATENT-APPL-SN-422869
 US-PATENT-CLASS-73-40.5
 US-PATENT-3,316,752
 c28 N71-10780 NASA-CASE-XLA-01043
 US-PATENT-APPL-SN-379768
 US-PATENT-CLASS-60-225
 US-PATENT-3,316,716
 c14 N71-10781 NASA-CASE-XLE-01481
 US-PATENT-APPL-SN-319905
 US-PATENT-CLASS-73-99
 US-PATENT-3,282,091
 c15 N71-10782 NASA-CASE-XKS-01985
 US-PATENT-APPL-SN-357337
 US-PATENT-CLASS-285-24
 US-PATENT-3,319,979
 c14 N71-10797 NASA-CASE-XLE-01246
 US-PATENT-APPL-SN-249537
 US-PATENT-CLASS-324-61
 US-PATENT-3,324,388
 c09 N71-10798 NASA-CASE-XMS-00945
 US-PATENT-APPL-SN-385530
 US-PATENT-CLASS-330-22
 US-PATENT-3,319,175
 c15 N71-10799 NASA-CASE-XLA-01807
 US-PATENT-APPL-SN-442558
 US-PATENT-CLASS-287-189.36
 US-PATENT-3,316,622
 c15 N71-10809 NASA-CASE-XMF-02107
 US-PATENT-APPL-SN-384811
 US-PATENT-CLASS-140-124
 US-PATENT-3,318,343
 c02 N71-11037 NASA-CASE-XLA-06824-2

ACCESSION NUMBER INDEX

	US-PATENT-APPL-SN-775966		US-PATENT-3,444,051
	US-PATENT-CLASS-244-31	c06 N71-11235	NASA-CASE-XLA-03104
	US-PATENT-3,508,724		US-PATENT-APPL-SN-510155
c02 N71-11038	NASA-CASE-XLA-06958		US-PATENT-CLASS-260-78
	US-PATENT-APPL-SN-551815		US-PATENT-3,518,232
	US-PATENT-CLASS-244-44	c06 N71-11236	NASA-CASE-XMP-08651
	US-PATENT-3,310,261		US-PATENT-APPL-SN-593594
c02 N71-11039	NASA-CASE-MSC-12111-1		US-PATENT-CLASS-260-72.5
	US-PATENT-APPL-SN-775877		US-PATENT-3,526,611
	US-PATENT-CLASS-244-23	c06 N71-11237	NASA-CASE-XMP-10753
	US-PATENT-3,490,721		US-PATENT-APPL-SN-668751
c02 N71-11041	NASA-CASE-XLA-03659		US-PATENT-CLASS-260-86.5
	US-PATENT-APPL-SN-444087		US-PATENT-3,444,127
	US-PATENT-CLASS-244-46	c06 N71-11238	NASA-CASE-XLA-08802
	US-PATENT-3,270,989		US-PATENT-APPL-SN-640454
c02 N71-11043	NASA-CASE-XLA-08801-1		US-PATENT-CLASS-260-78
	US-PATENT-APPL-SN-710533		US-PATENT-3,532,673
	US-PATENT-CLASS-244-43	c06 N71-11239	NASA-CASE-XMP-08655
	US-PATENT-3,493,197		US-PATENT-APPL-SN-593593
c03 N71-11049	NASA-CASE-NPO-10109		US-PATENT-CLASS-260-72.5
	US-PATENT-APPL-SN-701654		US-PATENT-3,516,970
	US-PATENT-CLASS-136-89	c06 N71-11240	NASA-CASE-MPS-13994-1
	US-PATENT-3,532,551		US-PATENT-APPL-SN-715975
c03 N71-11050	NASA-CASE-XMP-06506		US-PATENT-CLASS-260-46.5
	US-PATENT-APPL-SN-577778		US-PATENT-3,516,964
	US-PATENT-CLASS-136-89	c06 N71-11242	NASA-CASE-XMP-08656
	US-PATENT-3,446,676		US-PATENT-APPL-SN-593605
c03 N71-11051	NASA-CASE-XMP-03378		US-PATENT-CLASS-260-2.5
	US-PATENT-APPL-SN-360878		US-PATENT-3,493,524
	US-PATENT-CLASS-136-170	c06 N71-11243	NASA-CASE-XMP-08652
	US-PATENT-3,282,740		US-PATENT-APPL-SN-593606
c03 N71-11052	NASA-CASE-XLE-04526		US-PATENT-CLASS-260-2
	US-PATENT-APPL-SN-640457		US-PATENT-3,493,522
	US-PATENT-CLASS-136-86	c07 N71-11266	NASA-CASE-XLA-03076
	US-PATENT-3,507,704		US-PATENT-APPL-SN-591004
c03 N71-11053	NASA-CASE-XGS-00886		US-PATENT-CLASS-325-42
	US-PATENT-APPL-SN-319894		US-PATENT-3,508,152
	US-PATENT-CLASS-136-132	c07 N71-11267	NASA-CASE-XMP-10843
	US-PATENT-3,282,739		US-PATENT-APPL-SN-649358
c03 N71-11055	NASA-CASE-XMP-05843		US-PATENT-CLASS-325-363
	US-PATENT-APPL-SN-666553		US-PATENT-3,508,156
	US-PATENT-CLASS-310-4	c07 N71-11281	NASA-CASE-XMP-10830
	US-PATENT-3,509,386		US-PATENT-APPL-SN-692332
c03 N71-11056	NASA-CASE-XMP-05821		US-PATENT-CLASS-178-69.5
	US-PATENT-APPL-SN-545223		US-PATENT-3,535,451
	US-PATENT-CLASS-136-89	c07 N71-11282	NASA-CASE-XGS-02889
	US-PATENT-3,493,437		US-PATENT-APPL-SN-685748
c03 N71-11057	NASA-CASE-MSC-13112		US-PATENT-CLASS-329-104
	US-PATENT-APPL-SN-765738		US-PATENT-3,501,704
	US-PATENT-CLASS-290-40	c07 N71-11284	NASA-CASE-XLA-01552
	US-PATENT-3,508,070		US-PATENT-APPL-SN-332339
c03 N71-11058	NASA-CASE-XGS-01475		US-PATENT-CLASS-325-65
	US-PATENT-APPL-SN-344793		US-PATENT-3,277,375
	US-PATENT-CLASS-244-1	c07 N71-11285	NASA-CASE-NPO-10539
	US-PATENT-3,459,391		US-PATENT-APPL-SN-743429
c05 N71-11189	NASA-CASE-XPR-10856		US-PATENT-CLASS-343-779
	US-PATENT-APPL-SN-626376		US-PATENT-3,534,375
	US-PATENT-3,534,727	c07 N71-11298	NASA-CASE-XMP-01160
c05 N71-11190	NASA-CASE-XMS-04935		US-PATENT-APPL-SN-310507
	US-PATENT-APPL-SN-518487		US-PATENT-CLASS-340-198
	US-PATENT-CLASS-128-142.5		US-PATENT-3,243,791
	US-PATENT-3,502,074	c07 N71-11300	NASA-CASE-XMS-07168
c05 N71-11193	NASA-CASE-ARC-10043-1		US-PATENT-APPL-SN-769788
	US-PATENT-APPL-SN-676012		US-PATENT-CLASS-178-6.6
	US-PATENT-CLASS-128-2.1		US-PATENT-3,493,677
	US-PATENT-3,508,541	c21 N71-11766	NASA-CASE-LAR-10403
c05 N71-11194	NASA-CASE-XLA-05332		US-PATENT-APPL-SN-676391
	US-PATENT-APPL-SN-757861		US-PATENT-CLASS-343-6.5
	US-PATENT-CLASS-2-2.1		US-PATENT-3,447,154
	US-PATENT-3,534,407	c01 N71-12217	NASA-CASE-FBC-10063
c05 N71-11195	NASA-CASE-LAR-10007-1		US-PATENT-APPL-SN-21263
	US-PATENT-APPL-SN-770203		NASA-CASE-XLA-04451
	US-PATENT-CLASS-2-2.1	c02 N71-12243	US-PATENT-APPL-SN-457876
	US-PATENT-3,534,406		US-PATENT-CLASS-244-45
c05 N71-11199	NASA-CASE-XKS-02342		US-PATENT-3,310,262
	US-PATENT-APPL-SN-407603	c03 N71-12255	NASA-CASE-NPO-10404
	US-PATENT-CLASS-182-191		US-PATENT-APPL-SN-728234
	US-PATENT-3,262,518		US-PATENT-CLASS-321-2
c05 N71-11202	NASA-CASE-XPR-08403		US-PATENT-3,532,960
	US-PATENT-APPL-SN-704420	c03 N71-12258	NASA-CASE-XLA-00711
	US-PATENT-CLASS-73-23		US-PATENT-APPL-SN-357334
	US-PATENT-3,507,146		US-PATENT-CLASS-89-1.7
c05 N71-11203	NASA-CASE-XMS-09632-1		US-PATENT-3,249,012
	US-PATENT-APPL-SN-791693	c03 N71-12259	NASA-CASE-XLA-01396
	US-PATENT-CLASS-128-142.5		US-PATENT-APPL-SN-357336
	US-PATENT-3,500,827		US-PATENT-CLASS-89-1.7
c05 N71-11207	NASA-CASE-XLA-03213		US-PATENT-3,249,013
	US-PATENT-APPL-SN-621715	c03 N71-12260	NASA-CASE-XMP-01020
	US-PATENT-CLASS-202-182		US-PATENT-APPL-SN-430780

ACCESSION NUMBER INDEX

	US-PATENT-CLASS-60-97		US-PATENT-3,535,696
	US-PATENT-3,238,730	c08 N71-12507	NASA-CASE-XLA-01952
c05 N71-12335	NASA-CASE-XMS-00784		US-PATENT-APPL-SN-676386
	US-PATENT-APPL-SN-358127		US-PATENT-CLASS-340-324
	US-PATENT-CLASS-2-2.1		US-PATENT-3,537,096
	US-PATENT-3,286,274	c09 N71-12513	NASA-CASE-XGS-07801
c05 N71-12336	NASA-CASE-XMS-05304		US-PATENT-APPL-SN-640452
	US-PATENT-APPL-SN-511567		US-PATENT-CLASS-148-188
	US-PATENT-CLASS-244-4		US-PATENT-3,490,965
	US-PATENT-3,270,986	c09 N71-12514	NASA-CASE-XLA-07497
c05 N71-12341	NASA-CASE-MFS-14671		US-PATENT-APPL-SN-631848
	US-PATENT-APPL-SN-723476		US-PATENT-CLASS-307-252
	US-PATENT-CLASS-297-385		US-PATENT-3,491,255
	US-PATENT-3,516,711	c09 N71-12515	NASA-CASE-XNP-08836
c05 N71-12342	NASA-CASE-XAC-05706		US-PATENT-APPL-SN-668968
	US-PATENT-APPL-SN-592694		US-PATENT-CLASS-340-174
	US-PATENT-CLASS-325-143		US-PATENT-3,535,702
	US-PATENT-3,453,546	c09 N71-12516	NASA-CASE-XNP-09768
c05 N71-12343	NASA-CASE-MSC-11253		US-PATENT-APPL-SN-698629
	US-PATENT-APPL-SN-695973		US-PATENT-CLASS-307-243
	US-PATENT-CLASS-297-68		US-PATENT-3,535,554
	US-PATENT-3,466,085	c09 N71-12517	NASA-CASE-XAC-10608-1
c05 N71-12344	NASA-CASE-XMS-09636		US-PATENT-APPL-SN-710561
	US-PATENT-APPL-SN-586330		US-PATENT-CLASS-333-80
	US-PATENT-CLASS-2-2.1		US-PATENT-3,493,901
	US-PATENT-3,492,672	c09 N71-12518	NASA-CASE-XNP-09808
c05 N71-12345	NASA-CASE-MSC-12086-1		US-PATENT-APPL-SN-692471
	US-PATENT-APPL-SN-812999		US-PATENT-CLASS-200-61.42
	US-PATENT-CLASS-29-400		US-PATENT-3,488,461
	US-PATENT-3,490,130	c09 N71-12519	NASA-CASE-XMP-06519
c05 N71-12346	NASA-CASE-XMS-04212-1		US-PATENT-APPL-SN-656952
	US-PATENT-APPL-SN-607461		US-PATENT-CLASS-328-110
	US-PATENT-CLASS-128-2.1		US-PATENT-3,535,644
	US-PATENT-3,490,440	c09 N71-12520	NASA-CASE-NPO-10230
c05 N71-12351	NASA-CASE-LAE-10056		US-PATENT-APPL-SN-691735
	US-PATENT-APPL-SN-674357		US-PATENT-CLASS-307-229
	US-PATENT-CLASS-224-25		US-PATENT-3,535,547
	US-PATENT-3,493,153	c09 N71-12521	NASA-CASE-ARC-10030
c07 N71-12389	NASA-CASE-XLA-01090		US-PATENT-APPL-SN-679885
	US-PATENT-APPL-SN-741824		US-PATENT-CLASS-313-110
	US-PATENT-CLASS-250-199		US-PATENT-3,493,805
	US-PATENT-RE-26,548	c09 N71-12526	NASA-CASE-MSC-12135-1
c07 N71-12390	NASA-CASE-XER-09213		US-PATENT-APPL-SN-761404
	US-PATENT-APPL-SN-668302		US-PATENT-CLASS-317-31
	US-PATENT-CLASS-332-9		US-PATENT-3,448,341
	US-PATENT-3,535,657	c09 N71-12539	NASA-CASE-ERC-10552
c07 N71-12391	NASA-CASE-XMS-05454-1		US-PATENT-APPL-SN-720125
	US-PATENT-APPL-SN-771803		US-PATENT-CLASS-178-7.7
	US-PATENT-CLASS-343-17.7		US-PATENT-3,535,446
	US-PATENT-3,471,858	c09 N71-12540	NASA-CASE-XNP-01058
c07 N71-12392	NASA-CASE-XGS-01590		US-PATENT-APPL-SN-313136
	US-PATENT-APPL-SN-584067		US-PATENT-CLASS-315-160
	US-PATENT-CLASS-178-88		US-PATENT-3,271,620
	US-PATENT-3,491,202	c10 N71-12554	NASA-CASE-NPO-10348
c07 N71-12396	NASA-CASE-GSC-10452		US-PATENT-APPL-SN-704668
	US-PATENT-APPL-SN-797794		US-PATENT-CLASS-324-95
	US-PATENT-CLASS-343-776		US-PATENT-3,532,979
	US-PATENT-3,495,262	c01 N71-13410	NASA-CASE-XLA-00755
c08 N71-12494	NASA-CASE-XGS-04767		US-PATENT-APPL-SN-247423
	US-PATENT-APPL-SN-645584		US-PATENT-CLASS-244-35
	US-PATENT-CLASS-307-296		US-PATENT-3,270,988
	US-PATENT-3,535,560	c01 N71-13411	NASA-CASE-XLA-05828
c08 N71-12500	NASA-CASE-XNP-07040		US-PATENT-APPL-SN-509460
	US-PATENT-APPL-SN-649357		US-PATENT-CLASS-235-61.6
	US-PATENT-CLASS-332-31		US-PATENT-3,500,020
	US-PATENT-3,535,658	c02 N71-13421	NASA-CASE-XPR-00756
c08 N71-12501	NASA-CASE-XLA-00670		US-PATENT-APPL-SN-212173
	US-PATENT-APPL-SN-235162		US-PATENT-CLASS-235-150.22
	US-PATENT-CLASS-340-347		US-PATENT-3,258,582
	US-PATENT-3,251,053	c02 N71-13422	NASA-CASE-XLA-06339
c08 N71-12502	NASA-CASE-NPO-10112		US-PATENT-APPL-SN-801336
	US-PATENT-APPL-SN-673226		US-PATENT-CLASS-244-76
	US-PATENT-CLASS-340-172.5		US-PATENT-3,534,930
	US-PATENT-3,533,074	c06 N71-13461	NASA-CASE-LAR-10180-1
c08 N71-12503	NASA-CASE-NPO-10351		US-PATENT-APPL-SN-709398
	US-PATENT-APPL-SN-712065		US-PATENT-CLASS-250-41.9
	US-PATENT-CLASS-328-37		US-PATENT-3,521,054
	US-PATENT-3,535,642	c09 N71-13486	NASA-CASE-MFS-20333
c08 N71-12504	NASA-CASE-XNP-05835		US-PATENT-APPL-SN-820965
	US-PATENT-APPL-SN-627257		US-PATENT-CLASS-307-149
	US-PATENT-CLASS-340-174		US-PATENT-3,535,543
	US-PATENT-3,493,942	c09 N71-13518	NASA-CASE-MSC-12178-1
c08 N71-12505	NASA-CASE-XNP-05415		US-PATENT-APPL-SN-845365
	US-PATENT-APPL-SN-578932		US-PATENT-CLASS-315-241
	US-PATENT-CLASS-340-146.2		US-PATENT-3,530,336
	US-PATENT-3,493,929	c09 N71-13521	NASA-CASE-XKS-09348
c08 N71-12506	NASA-CASE-XNP-08832		US-PATENT-APPL-SN-677505
	US-PATENT-APPL-SN-681692		US-PATENT-CLASS-343-703
	US-PATENT-CLASS-340-172.5		US-PATENT-3,526,897

ACCESSION NUMBER INDEX

c09 N71-13522	NASA-CASE-LEW-10364-1 US-PATENT-APPL-SN-822518 US-PATENT-CLASS-317-258 US-PATENT-3,535,602	US-PATENT-APPL-SN-738119 US-PATENT-CLASS-6-94.12 US-PATENT-3,526,473
c09 N71-13530	NASA-CASE-XNP-00384 US-PATENT-APPL-SN-180392 US-PATENT-CLASS-324-132 US-PATENT-3,263,171	NASA-CASE-XNP-05219 US-PATENT-APPL-SN-336103 US-PATENT-CLASS-330-4 US-PATENT-3,299,364
c09 N71-13531	NASA-CASE-MSC-12033-1 US-PATENT-APPL-SN-602828 US-PATENT-CLASS-330-11 US-PATENT-3,526,845	NASA-CASE-ERC-10019 US-PATENT-APPL-SN-677508 US-PATENT-CLASS-350-3.5 US-PATENT-3,535,013
c10 N71-13537	NASA-CASE-XNP-08274 US-PATENT-APPL-SN-730703 US-PATENT-CLASS-73-382 US-PATENT-3,520,190	NASA-CASE-XLA-03374 US-PATENT-APPL-SN-793770 US-PATENT-CLASS-315-111 US-PATENT-3,535,586
c10 N71-13545	NASA-CASE-LAR-10774 US-PATENT-APPL-SN-802820 US-PATENT-CLASS-73-1 US-PATENT-3,534,584	NASA-CASE-XLA-02865 US-PATENT-APPL-SN-416946 US-PATENT-CLASS-244-53 US-PATENT-3,270,990
c15 N71-13789	NASA-CASE-XLA-01141 US-PATENT-APPL-SN-353632 US-PATENT-CLASS-102-49 US-PATENT-3,263,610	NASA-CASE-MFS-20074 US-PATENT-APPL-SN-801312 US-PATENT-CLASS-350-3.5 US-PATENT-3,535,014
c21 N71-13958	NASA-CASE-GSC-10087-2 US-PATENT-APPL-SN-701744 US-PATENT-CLASS-343-112 US-PATENT-3,495,260	NASA-CASE-XKS-08012-2 US-PATENT-APPL-SN-874958 US-PATENT-CLASS-340-172.5 US-PATENT-3,535,683
c18 N71-14014	NASA-CASE-GSC-10072 US-PATENT-APPL-SN-686296 US-PATENT-CLASS-106-15 US-PATENT-3,493,401	NASA-CASE-ERC-10017 US-PATENT-APPL-SN-677506 US-PATENT-CLASS-350-3.5 US-PATENT-3,535,012
c33 N71-14032	NASA-CASE-XLE-05913 US-PATENT-APPL-SN-551933 US-PATENT-CLASS-117-106 US-PATENT-3,490,939	NASA-CASE-XLE-09475-1 US-PATENT-APPL-SN-710945 US-PATENT-CLASS-136-228 US-PATENT-3,535,165
c33 N71-14035	NASA-CASE-XLE-03307 US-PATENT-APPL-SN-613979 US-PATENT-CLASS-244-1 US-PATENT-3,490,718	NASA-CASE-XLA-07911 US-PATENT-APPL-SN-660572 US-PATENT-CLASS-33-207 US-PATENT-3,492,739
c28 N71-14043	NASA-CASE-XLE-01124 US-PATENT-APPL-SN-312269 US-PATENT-CLASS-60-35.5 US-PATENT-3,238,715	NASA-CASE-XLA-01163 US-PATENT-APPL-SN-405632 US-PATENT-CLASS-60-35.55 US-PATENT-3,270,505
c28 N71-14044	NASA-CASE-XGS-08729 US-PATENT-APPL-SN-667637 US-PATENT-CLASS-60-200 US-PATENT-3,490,235	NASA-CASE-XMF-01598 US-PATENT-APPL-SN-333770 US-PATENT-CLASS-244-1 US-PATENT-3,270,985
c28 N71-14058	NASA-CASE-MSC-12139-1 US-PATENT-APPL-SN-797796 US-PATENT-CLASS-103-37 US-PATENT-3,492,947	NASA-CASE-XLE-08917 US-PATENT-APPL-SN-662829 US-PATENT-CLASS-113-116 US-PATENT-3,490,405
c27 N71-14090	NASA-CASE-LAR-10173-1 US-PATENT-APPL-SN-758942 US-PATENT-CLASS-149-19 US-PATENT-3,492,176	NASA-CASE-XAC-00812 US-PATENT-APPL-SN-255132 US-PATENT-CLASS-73-341 US-PATENT-3,238,777
c21 N71-14132	NASA-CASE-XLA-05464 US-PATENT-APPL-SN-656995 US-PATENT-CLASS-244-1 US-PATENT-3,493,194	NASA-CASE-XNP-04161 US-PATENT-APPL-SN-568356 US-PATENT-CLASS-250-83.3 US-PATENT-3,444,375
c21 N71-14159	NASA-CASE-XGS-04393 US-PATENT-APPL-SN-700142 US-PATENT-CLASS-244-1 US-PATENT-3,490,719	NASA-CASE-XKS-06250 US-PATENT-APPL-SN-649075 US-PATENT-CLASS-73-97 US-PATENT-3,492,862
c26 N71-14354	NASA-CASE-ERC-10138 US-PATENT-APPL-SN-821586 US-PATENT-CLASS-225-2 US-PATENT-3,493,155	NASA-CASE-WPO-10337 US-PATENT-APPL-SN-714296 US-PATENT-CLASS-350-58 US-PATENT-3,488,103
c15 N71-14932	NASA-CASE-LEW-11531 US-PATENT-APPL-SN-643332 US-PATENT-CLASS-219-72 US-PATENT-3,493,711	NASA-CASE-GSC-10062 US-PATENT-APPL-SN-658955 US-PATENT-CLASS-350-285 US-PATENT-3,493,294
c14 N71-14996	NASA-CASE-XLA-00936 US-PATENT-APPL-SN-282818 US-PATENT-CLASS-73-170 US-PATENT-3,238,774	NASA-CASE-XNP-06031 US-PATENT-APPL-SN-590144 US-PATENT-CLASS-250-52 US-PATENT-3,493,746
c23 N71-15467	NASA-CASE-XNP-03796 US-PATENT-APPL-SN-453231 US-PATENT-CLASS-62-6 US-PATENT-3,260,055	NASA-CASE-XMF-03287 US-PATENT-APPL-SN-658956 US-PATENT-CLASS-228-7 US-PATENT-3,443,732
c17 N71-15468	NASA-CASE-LEW-10393-1 US-PATENT-APPL-SN-644799 US-PATENT-CLASS-75-202 US-PATENT-3,535,110	NASA-CASE-WPO-10117 US-PATENT-APPL-SN-668238 US-PATENT-CLASS-138-42 US-PATENT-3,493,012
c18 N71-15469	NASA-CASE-ARC-10099-1 US-PATENT-APPL-SN-704224 US-PATENT-CLASS-106-15 US-PATENT-3,535,130	NASA-CASE-XMF-04709 US-PATENT-APPL-SN-683507 US-PATENT-CLASS-137-81.5 US-PATENT-3,493,003
c18 N71-15545	NASA-CASE-XMS-09691-1	NASA-CASE-XLE-01604-2 US-PATENT-APPL-SN-683613

ACCESSION NUMBER INDEX

	US-PATENT-CLASS-117-50		US-PATENT-3,534,924
	US-PATENT-3,493,415	c31 N71-15675	NASA-CASE-XMF-03169
c14 N71-15620	NASA-CASE-XLA-01926		US-PATENT-APPL-SN-375405
	US-PATENT-APPL-SN-784521		US-PATENT-CLASS-89-1.5
	US-PATENT-CLASS-340-57		US-PATENT-3,262,365
	US-PATENT-3,491,335	c31 N71-15676	NASA-CASE-XGS-05579
c14 N71-15621	NASA-CASE-XNP-09572		US-PATENT-APPL-SN-719869
	US-PATENT-APPL-SN-660841		US-PATENT-CLASS-244-1
	US-PATENT-CLASS-35-10.2		US-PATENT-3,534,925
	US-PATENT-3,493,665	c31 N71-15687	NASA-CASE-XLA-05369
c14 N71-15622	NASA-CASE-XNP-04111		US-PATENT-APPL-SN-765123
	US-PATENT-APPL-SN-560969		US-PATENT-CLASS-102-49.5
	US-PATENT-CLASS-350-213		US-PATENT-3,534,686
	US-PATENT-3,493,291	c18 N71-15688	NASA-CASE-XNP-03459-2
	NASA-CASE-XMS-01816		US-PATENT-APPL-SN-681942
c33 N71-15623	US-PATENT-APPL-SN-425364		US-PATENT-CLASS-260-404.5
	US-PATENT-CLASS-60-35.6		US-PATENT-3,535,352
	US-PATENT-3,270,503	c31 N71-15689	NASA-CASE-MPS-14685
c33 N71-15625	NASA-CASE-XLE-01399		US-PATENT-APPL-SN-752947
	US-PATENT-APPL-SN-320233		US-PATENT-CLASS-180-118
	US-PATENT-CLASS-13-26		US-PATENT-CLASS-180-121
	US-PATENT-3,263,016		US-PATENT-3,534,826
c27 N71-15634	NASA-CASE-XLE-01988	c31 N71-15692	NASA-CASE-XLA-01339
	US-PATENT-APPL-SN-308918		US-PATENT-APPL-SN-373591
	US-PATENT-CLASS-60-35.6		US-PATENT-CLASS-102-49
	US-PATENT-3,258,912		US-PATENT-3,260,204
c27 N71-15635	NASA-CASE-XLE-01182	c15 N71-15671	NASA-CASE-XMF-02039
	US-PATENT-APPL-SN-411949		US-PATENT-APPL-SN-434143
	US-PATENT-CLASS-60-39.46		US-PATENT-CLASS-219-131
	US-PATENT-3,258,918		US-PATENT-3,271,558
c31 N71-15637	NASA-CASE-XLE-01640	c15 N71-15906	NASA-CASE-XNP-00920
	US-PATENT-APPL-SN-473535		US-PATENT-APPL-SN-329331
	US-PATENT-CLASS-60-35.6		US-PATENT-CLASS-62-2
	US-PATENT-3,270,504		US-PATENT-3,270,512
c33 N71-15641	NASA-CASE-XNP-09802	c07 N71-15907	NASA-CASE-XNP-01057
	US-PATENT-APPL-SN-673229		US-PATENT-APPL-SN-301683
	US-PATENT-CLASS-73-190		US-PATENT-CLASS-343-786
	US-PATENT-3,531,989		US-PATENT-3,305,870
c21 N71-15642	NASA-CASE-XGS-03431	c08 N71-15908	NASA-CASE-XLA-02705
	US-PATENT-APPL-SN-588635		US-PATENT-APPL-SN-473537
	US-PATENT-CLASS-250-203		US-PATENT-CLASS-129-16.7
	US-PATENT-3,488,504		US-PATENT-3,310,054
c31 N71-15643	NASA-CASE-MPO-10311	c10 N71-15909	NASA-CASE-XAC-03777
	US-PATENT-APPL-SN-725475		US-PATENT-APPL-SN-484489
	US-PATENT-CLASS-73-116		US-PATENT-CLASS-200-6
	US-PATENT-3,534,597		US-PATENT-3,283,088
c17 N71-15644	NASA-CASE-XLE-00726	c10 N71-15910	NASA-CASE-XGS-00823
	US-PATENT-APPL-SN-355126		US-PATENT-APPL-SN-336607
	US-PATENT-CLASS-75-170		US-PATENT-CLASS-307-88.5
	US-PATENT-3,271,140		US-PATENT-3,283,175
c31 N71-15647	NASA-CASE-XGS-01143	c15 N71-15918	NASA-CASE-XMS-02383
	US-PATENT-APPL-SN-349781		US-PATENT-APPL-SN-299042
	US-PATENT-CLASS-60-35.6		US-PATENT-CLASS-140-123
	US-PATENT-3,270,501		US-PATENT-3,299,913
c25 N71-15650	NASA-CASE-XLE-00821	c15 N71-15922	NASA-CASE-XGS-01971
	US-PATENT-APPL-SN-228707		US-PATENT-APPL-SN-353645
	US-PATENT-CLASS-324-72		US-PATENT-CLASS-85-33
	US-PATENT-3,300,717		US-PATENT-3,262,351
c28 N71-15658	NASA-CASE-XLE-00409	c11 N71-15925	NASA-CASE-XLA-00378
	US-PATENT-APPL-SN-249539		US-PATENT-APPL-SN-266107
	US-PATENT-CLASS-29-157		US-PATENT-CLASS-219-10.49
	US-PATENT-3,254,395		US-PATENT-3,238,345
c28 N71-15659	NASA-CASE-XLE-05689	c11 N71-15926	NASA-CASE-XLA-00939
	US-PATENT-APPL-SN-491845		US-PATENT-APPL-SN-309354
	US-PATENT-CLASS-60-35.60		US-PATENT-CLASS-73-147
	US-PATENT-3,254,487		US-PATENT-3,276,251
c28 N71-15660	NASA-CASE-XMF-00968	c11 N71-15960	NASA-CASE-XAC-00731
	US-PATENT-APPL-SN-339825		US-PATENT-APPL-SN-232318
	US-PATENT-CLASS-60-35.6		US-PATENT-CLASS-220-89
	US-PATENT-3,270,499		US-PATENT-3,145,874
c28 N71-15661	NASA-CASE-XLE-02066	c14 N71-15962	NASA-CASE-XGS-01587
	US-PATENT-APPL-SN-426455		US-PATENT-APPL-SN-298799
	US-PATENT-CLASS-60-35.5		US-PATENT-CLASS-324-43
	US-PATENT-3,262,262		US-PATENT-3,258,687
c31 N71-15663	NASA-CASE-XLA-00256	c15 N71-15966	NASA-CASE-XLE-00953
	US-PATENT-APPL-SN-333766		US-PATENT-APPL-SN-336320
	US-PATENT-CLASS-244-1		US-PATENT-CLASS-22-200
	US-PATENT-3,262,655		US-PATENT-3,237,253
c31 N71-15664	NASA-CASE-XLA-01332	c15 N71-15967	NASA-CASE-XLE-00703
	US-PATENT-APPL-SN-250974		US-PATENT-APPL-SN-271822
	US-PATENT-CLASS-220-15		US-PATENT-CLASS-137-13
	US-PATENT-3,270,908		US-PATENT-3,270,756
c23 N71-15673	NASA-CASE-XMS-01620	c15 N71-15968	NASA-CASE-XLE-00586
	US-PATENT-APPL-SN-357340		US-PATENT-APPL-SN-317391
	US-PATENT-CLASS-248-358		US-PATENT-CLASS-55-160
	US-PATENT-3,243,154		US-PATENT-3,257,780
c31 N71-15674	NASA-CASE-XLA-03691	c14 N71-15969	NASA-CASE-XMF-01099
	US-PATENT-APPL-SN-667625		US-PATENT-APPL-SN-73367
	US-PATENT-CLASS-244-1		US-PATENT-CLASS-73-517

ACCESSION NUMBER INDEX

c32 N71-15974	US-PATENT-3,261,210 NASA-CASE-XMS-06782 US-PATENT-APPL-SN-691739 US-PATENT-CLASS-338-5 US-PATENT-3,464,049	c15 N71-16078	NASA-CASE-XGS-00824 US-PATENT-APPL-SN-379072 US-PATENT-CLASS-89-1 US-PATENT-3,309,961
c23 N71-15978	NASA-CASE-XGS-00373 US-PATENT-APPL-SN-105518 US-PATENT-CLASS-161-189 US-PATENT-3,276,946	c15 N71-16079	NASA-CASE-XLA-00415 US-PATENT-APPL-SN-314074 US-PATENT-CLASS-233-11 US-PATENT-3,276,679
c15 N71-15986	NASA-CASE-XMF-03498 US-PATENT-APPL-SN-396443 US-PATENT-CLASS-29-155,55 US-PATENT-3,258,831	c31 N71-16080	NASA-CASE-MSC-12049 US-PATENT-APPL-SN-693420 US-PATENT-CLASS-52-3 US-PATENT-3,465,482
c30 N71-15990	NASA-CASE-XAC-08494 US-PATENT-APPL-SN-690998 US-PATENT-CLASS-356-74 US-PATENT-3,532,428	c31 N71-16081	NASA-CASE-XGS-03351 US-PATENT-APPL-SN-472747 US-PATENT-CLASS-244-31 US-PATENT-3,276,726
c14 N71-15992	NASA-CASE-XGS-01052 US-PATENT-APPL-SN-314572 US-PATENT-CLASS-73-15 US-PATENT-3,242,716	c31 N71-16085	NASA-CASE-XLA-09881 US-PATENT-APPL-SN-710562 US-PATENT-CLASS-244-138 US-PATENT-3,520,503
c14 N71-16014	NASA-CASE-XLE-00820 US-PATENT-APPL-SN-228569 US-PATENT-CLASS-324-32 US-PATENT-3,283,241	c09 N71-16086	NASA-CASE-XLE-02038 US-PATENT-APPL-SN-349782 US-PATENT-CLASS-73-147 US-PATENT-3,273,388
c17 N71-16025	NASA-CASE-XLE-02991 US-PATENT-APPL-SN-375401 US-PATENT-CLASS-75-170 US-PATENT-3,276,865	c02 N71-16087	NASA-CASE-XAC-02058 US-PATENT-APPL-SN-342572 US-PATENT-CLASS-244-1 US-PATENT-3,276,722
c17 N71-16026	NASA-CASE-XLE-02082 US-PATENT-APPL-SN-360180 US-PATENT-CLASS-75-171 US-PATENT-3,276,866	c07 N71-16088	NASA-CASE-XGS-01022 US-PATENT-APPL-SN-331323 US-PATENT-CLASS-325-4 US-PATENT-3,277,373
c11 N71-16028	NASA-CASE-XLA-01787 US-PATENT-APPL-SN-304749 US-PATENT-CLASS-35-29 US-PATENT-3,270,441	c09 N71-16089	NASA-CASE-XAC-02405 US-PATENT-APPL-SN-433821 US-PATENT-CLASS-200-6 US-PATENT-3,271,532
c10 N71-16030	NASA-CASE-XMF-01096 US-PATENT-APPL-SN-307270 US-PATENT-CLASS-318-376 US-PATENT-3,271,649	c30 N71-16090	NASA-CASE-GSC-10083-1 US-PATENT-APPL-SN-641431 US-PATENT-CLASS-343-6 US-PATENT-3,471,856
c12 N71-16031	NASA-CASE-XMS-01445 US-PATENT-APPL-SN-385526 US-PATENT-CLASS-137-615 US-PATENT-3,308,848	c24 N71-16095	NASA-CASE-XAC-05506-1 US-PATENT-APPL-SN-701732 US-PATENT-CLASS-250-41.9 US-PATENT-3,532,880
c26 N71-16037	NASA-CASE-XGS-05718 US-PATENT-APPL-SN-584071 US-PATENT-CLASS-29-472.9 US-PATENT-3,452,423	c23 N71-16098	NASA-CASE-XAC-03107 US-PATENT-APPL-SN-538168 US-PATENT-CLASS-73-505 US-PATENT-3,455,171
c10 N71-16042	NASA-CASE-XAC-00942 US-PATENT-APPL-SN-310506 US-PATENT-CLASS-307-88.5 US-PATENT-3,277,314	c23 N71-16099	NASA-CASE-XGS-07514 US-PATENT-APPL-SN-640453 US-PATENT-CLASS-328-1 US-PATENT-3,509,469
c17 N71-16044	NASA-CASE-XGS-06306 US-PATENT-APPL-SN-685473 US-PATENT-CLASS-156-3 US-PATENT-3,532,568	c23 N71-16100	NASA-CASE-XGS-05715 US-PATENT-APPL-SN-668257 US-PATENT-CLASS-250-233 US-PATENT-3,532,894
c18 N71-16046	NASA-CASE-GSC-10007 US-PATENT-APPL-SN-627599 US-PATENT-CLASS-117-201 US-PATENT-3,532,538	c23 N71-16101	NASA-CASE-XNP-08883 US-PATENT-APPL-SN-617021 US-PATENT-CLASS-356-117 US-PATENT-3,520,617
c15 N71-16052	NASA-CASE-XLE-02999 US-PATENT-APPL-SN-431235 US-PATENT-CLASS-29-148.4 US-PATENT-3,262,186	c31 N71-16102	NASA-CASE-XGS-09190 US-PATENT-APPL-SN-647298 US-PATENT-CLASS-343-915 US-PATENT-3,521,290
c10 N71-16057	NASA-CASE-XNP-01193 US-PATENT-APPL-SN-366226 US-PATENT-CLASS-324-57 US-PATENT-3,277,366	c32 N71-16103	NASA-CASE-LAR-10317-1 US-PATENT-APPL-SN-739927 US-PATENT-CLASS-137-582 US-PATENT-3,508,578
c10 N71-16058	NASA-CASE-XMF-01097 US-PATENT-APPL-SN-290873 US-PATENT-CLASS-340-227 US-PATENT-3,277,458	c33 N71-16104	NASA-CASE-XLE-00785 US-PATENT-APPL-SN-666554 US-PATENT-CLASS-60-108 US-PATENT-3,508,402
c25 N71-16073	NASA-CASE-XAC-05695 US-PATENT-APPL-SN-634038 US-PATENT-CLASS-324-34 US-PATENT-3,517,302	c18 N71-16105	NASA-CASE-XLE-08511-2 US-PATENT-APPL-SN-711921 US-PATENT-CLASS-117-119 US-PATENT-3,508,955
c15 N71-16075	NASA-CASE-XLA-00284 US-PATENT-APPL-SN-240760 US-PATENT-CLASS-117-69 US-PATENT-3,264,135	c32 N71-16106	NASA-CASE-XLA-04605 US-PATENT-APPL-SN-619519 US-PATENT-CLASS-137-582 US-PATENT-3,443,584
c15 N71-16076	NASA-CASE-XLE-00106 US-PATENT-APPL-SN-629759 US-PATENT-CLASS-25-156 US-PATENT-2,944,316	c18 N71-16124	NASA-CASE-XMF-05279 US-PATENT-APPL-SN-617774 US-PATENT-CLASS-106-88 US-PATENT-3,508,940
c15 N71-16077	NASA-CASE-XLA-00302 US-PATENT-APPL-SN-284266 US-PATENT-CLASS-117-46 US-PATENT-3,271,181	c18 N71-16210	NASA-CASE-XNP-08837 US-PATENT-APPL-SN-691736 US-PATENT-CLASS-204-20 US-PATENT-3,526,580
		c23 N71-16212	NASA-CASE-NPO-10250

ACCESSION NUMBER INDEX

	US-PATENT-APPL-SN-736848		US-PATENT-CLASS-73-204
	US-PATENT-CLASS-149-1		US-PATENT-3,500,686
	US-PATENT-3,516,879	c12 N71-17573	NASA-CASE-LAR-10323-1
c24 N71-16213	NASA-CASE-XGS-06628		US-PATENT-APPL-SN-738314
	US-PATENT-APPL-SN-665680		US-PATENT-CLASS-73-45.5
	US-PATENT-CLASS-315-111		US-PATENT-3,516,284
	US-PATENT-3,509,419	c14 N71-17574	NASA-CASE-XGS-04993
c31 N71-16221	NASA-CASE-XLA-05906		US-PATENT-APPL-SN-577775
	US-PATENT-APPL-SN-777766		US-PATENT-CLASS-96-49
	US-PATENT-CLASS-73-432		US-PATENT-3,458,313
	US-PATENT-3,526,139	c14 N71-17575	NASA-CASE-XMF-06531
c31, N71-16222	NASA-CASE-MFS-11133		US-PATENT-APPL-SN-732917
	US-PATENT-APPL-SN-693419		US-PATENT-CLASS-204-195
	US-PATENT-CLASS-244-1		US-PATENT-3,509,034
	US-PATENT-3,508,723	c12 N71-17578	NASA-CASE-MFS-10412
c27 N71-16223	NASA-CASE-MFS-12750		US-PATENT-APPL-SN-701635
	US-PATENT-APPL-SN-806149		US-PATENT-CLASS-137-81.5
	US-PATENT-CLASS-73-432		US-PATENT-3,520,317
	US-PATENT-3,526,140	c12 N71-17579	NASA-CASE-XLA-07391
c28 N71-16224	NASA-CASE-MFS-11497		US-PATENT-APPL-SN-726898
	US-PATENT-APPL-SN-730733		US-PATENT-CLASS-137-81.5
	US-PATENT-CLASS-239-265.43		US-PATENT-3,493,004
	US-PATENT-3,526,365	c14 N71-17584	NASA-CASE-INP-09462
c33 N71-16277	NASA-CASE-XMS-04268		US-PATENT-APPL-SN-658957
	US-PATENT-APPL-SN-516160		US-PATENT-CLASS-73-57
	US-PATENT-CLASS-165-133		US-PATENT-3,500,677
	US-PATENT-3,502,141	c14 N71-17585	NASA-CASE-XGS-05680
c33 N71-16278	NASA-CASE-XMF-04237		US-PATENT-APPL-SN-656953
	US-PATENT-APPL-SN-539237		US-PATENT-CLASS-318-138
	US-PATENT-CLASS-219-364		US-PATENT-3,501,664
	US-PATENT-3,517,162	c14 N71-17586	NASA-CASE-XLA-08646
c20 N71-16281	NASA-CASE-XLA-02081		US-PATENT-APPL-SN-677476
	US-PATENT-APPL-SN-522795		US-PATENT-CLASS-73-105
	US-PATENT-CLASS-73-189		US-PATENT-3,534,596
	US-PATENT-3,507,150	c14 N71-17587	NASA-CASE-XMF-05844
c20 N71-16340	NASA-CASE-XMF-14032		US-PATENT-APPL-SN-706564
	US-PATENT-APPL-SN-679862		US-PATENT-CLASS-73-382
	US-PATENT-CLASS-250-209		US-PATENT-3,500,688
	US-PATENT-3,501,641	c14 N71-17588	NASA-CASE-MFS-12806
c23 N71-16341	NASA-CASE-XGS-05291		US-PATENT-APPL-SN-686933
	US-PATENT-APPL-SN-553891		US-PATENT-CLASS-55-179
	US-PATENT-CLASS-356-209		US-PATENT-3,490,205
	US-PATENT-3,504,983	c05 N71-17599	NASA-CASE-MSC-12206-1
c31 N71-16345	NASA-CASE-XMF-05344		US-PATENT-APPL-SN-856258
	US-PATENT-APPL-SN-702396		US-PATENT-CLASS-128-142.5
	US-PATENT-CLASS-244-1		US-PATENT-3,516,404
	US-PATENT-3,520,496	c11 N71-17600	NASA-CASE-MFS-12915
c31 N71-16346	NASA-CASE-XMS-03613		US-PATENT-APPL-SN-694340
	US-PATENT-APPL-SN-802816		US-PATENT-CLASS-220-89
	US-PATENT-CLASS-244-1		US-PATENT-3,469,734
	US-PATENT-3,526,372	c32 N71-17609	NASA-CASE-XLA-02332
c27 N71-16348	NASA-CASE-MSC-12280		US-PATENT-APPL-SN-388024
	US-PATENT-APPL-SN-372648		US-PATENT-CLASS-212-11
	US-PATENT-CLASS-250-43.5		US-PATENT-3,276,602
	US-PATENT-3,501,632	c33 N71-17610	NASA-CASE-XLA-00377
c23 N71-16355	NASA-CASE-XGS-05534		US-PATENT-APPL-SN-270118
	US-PATENT-APPL-SN-578925		US-PATENT-CLASS-230-162
	US-PATENT-CLASS-23-253		US-PATENT-3,309,012
	US-PATENT-3,520,660	c14 N71-17626	NASA-CASE-LAR-10274-1
c33 N71-16356	NASA-CASE-NPO-10158		US-PATENT-APPL-SN-717052
	US-PATENT-APPL-SN-730702		US-PATENT-CLASS-188-1
	US-PATENT-CLASS-73-343		US-PATENT-3,491,857
	US-PATENT-3,526,134	c14 N71-17627	NASA-CASE-XGS-03532
c33 N71-16357	NASA-CASE-NPO-10138		US-PATENT-APPL-SN-538913
	US-PATENT-APPL-SN-759457		US-PATENT-CLASS-356-106
	US-PATENT-CLASS-236-1		US-PATENT-3,488,123
	US-PATENT-3,526,359	c15 N71-17628	NASA-CASE-MFS-10340
c23 N71-16365	NASA-CASE-INP-08840		US-PATENT-APPL-SN-716734
	US-PATENT-APPL-SN-649360		US-PATENT-CLASS-225-1
	US-PATENT-CLASS-356-36		US-PATENT-3,507,425
	US-PATENT-3,526,460	c31 N71-17629	NASA-CASE-XLE-03583
c27 N71-16392	NASA-CASE-XNP-09744		US-PATENT-APPL-SN-400617
	US-PATENT-APPL-SN-685750		US-PATENT-CLASS-244-3.22
	US-PATENT-CLASS-60-39.47		US-PATENT-3,276,376
	US-PATENT-3,507,114	c12 N71-17631	NASA-CASE-NPO-10122
c17 N71-16393	NASA-CASE-NPO-10271		US-PATENT-APPL-SN-710949
	US-PATENT-APPL-SN-763869		US-PATENT-CLASS-60-217
	US-PATENT-CLASS-21-207		US-PATENT-3,534,555
	US-PATENT-3,529,928	c32 N71-17645	NASA-CASE-INP-01153
c32 N71-16428	NASA-CASE-XLA-03135		US-PATENT-APPL-SN-336608
	US-PATENT-APPL-SN-582171		US-PATENT-CLASS-73-88
	US-PATENT-CLASS-73-71.4		US-PATENT-3,273,381
	US-PATENT-3,503,251	c15 N71-17647	NASA-CASE-XMF-01667
c12 N71-16894	NASA-CASE-XLA-02079		US-PATENT-APPL-SN-577115
	US-PATENT-APPL-SN-435756		US-PATENT-CLASS-118-11
	US-PATENT-CLASS-188-87		US-PATENT-3,502,051
	US-PATENT-3,310,138	c15 N71-17648	NASA-CASE-MSC-12116-1
c12 N71-17569	NASA-CASE-MSC-12084-1		US-PATENT-APPL-SN-768336
	US-PATENT-APPL-SN-762438		US-PATENT-CLASS-251-358

ACCESSION NUMBER INDEX

c15 N71-17649	US-PATENT-3,508,739 NASA-CASE-MFS-11132 US-PATENT-APPL-SN-744910 US-PATENT-CLASS-248-360 US-PATENT-3,526,382	c15 N71-17694	US-PATENT-3,501,112 NASA-CASE-XNP-08897 US-PATENT-APPL-SN-640450 US-PATENT-CLASS-318-22 US-PATENT-3,501,683
c15 N71-17650	NASA-CASE-XMF-05114 US-PATENT-APPL-SN-637882 US-PATENT-CLASS-29-517 US-PATENT-3,507,034	c15 N71-17695	NASA-CASE-XNP-03704 US-PATENT-APPL-SN-605088 US-PATENT-CLASS-117-107.2 US-PATENT-3,501,337
c15 N71-17651	NASA-CASE-XLE-03803-2 US-PATENT-APPL-SN-669336 US-PATENT-CLASS-156-172 US-PATENT-3,535,179	c15 N71-17696	NASA-CASE-XLA-05100 US-PATENT-APPL-SN-724551 US-PATENT-CLASS-73-103 US-PATENT-3,487,680
c15 N71-17652	NASA-CASE-XLE-05079 US-PATENT-APPL-SN-601228 US-PATENT-CLASS-310-93 US-PATENT-3,493,797	c14 N71-17701	NASA-CASE-NPO-10144 US-PATENT-APPL-SN-688805 US-PATENT-CLASS-73-29 US-PATENT-3,534,585
c15 N71-17653	NASA-CASE-ABC-10140-1 US-PATENT-APPL-SN-783379 US-PATENT-CLASS-24-211 US-PATENT-CLASS-85-3	c06 N71-17705	NASA-CASE-XGS-05532 US-PATENT-APPL-SN-570093 US-PATENT-CLASS-195-99 US-PATENT-3,423,290
c15 N71-17654	US-PATENT-3,534,650 NASA-CASE-XNP-09702 US-PATENT-APPL-SN-730734 US-PATENT-CLASS-239-416	c31 N71-17729	NASA-CASE-XAC-01591 US-PATENT-APPL-SN-385527 US-PATENT-CLASS-244-1 US-PATENT-3,282,532
c14 N71-17655	US-PATENT-3,534,909 NASA-CASE-NPO-10320 US-PATENT-APPL-SN-718689 US-PATENT-CLASS-356-106	c31 N71-17730	NASA-CASE-XMF-01543 US-PATENT-APPL-SN-402365 US-PATENT-CLASS-102-49 US-PATENT-3,286,629
c14 N71-17656	US-PATENT-3,535,041 NASA-CASE-MFS-12827 US-PATENT-APPL-SN-742816 US-PATENT-CLASS-73-88.5	c30 N71-17788	NASA-CASE-XGS-00783 US-PATENT-APPL-SN-372438 US-PATENT-CLASS-73-432 US-PATENT-3,286,531
c14 N71-17657	US-PATENT-3,534,592 NASA-CASE-XNP-09205 US-PATENT-APPL-SN-768473 US-PATENT-CLASS-33-149	c23 N71-17802	NASA-CASE-XLE-00454 US-PATENT-APPL-SN-295855 US-PATENT-CLASS-73-295 US-PATENT-3,273,392
c14 N71-17658	US-PATENT-3,534,479 NASA-CASE-XMF-04966 US-PATENT-APPL-SN-727480 US-PATENT-CLASS-33-174	c15 N71-17803	NASA-CASE-XMS-05516 US-PATENT-APPL-SN-563648 US-PATENT-CLASS-264-92 US-PATENT-3,488,414
c14 N71-17659	US-PATENT-3,534,480 NASA-CASE-XMF-02964 US-PATENT-APPL-SN-493942 US-PATENT-CLASS-73-15.4	c15 N71-17805	NASA-CASE-MFS-12805 US-PATENT-APPL-SN-758082 US-PATENT-CLASS-81-63.1 US-PATENT-CLASS-192-43.1
c12 N71-17661	US-PATENT-3,465,569 NASA-CASE-NPO-10298 US-PATENT-APPL-SN-745852 US-PATENT-CLASS-137-341	c26 N71-17818	US-PATENT-3,534,836 NASA-CASE-XMF-01016 US-PATENT-APPL-SN-326299 US-PATENT-CLASS-264-27
c14 N71-17662	US-PATENT-3,534,765 NASA-CASE-NPO-10300 US-PATENT-APPL-SN-718769 US-PATENT-CLASS-350-285	c15 N71-17822	US-PATENT-3,274,304 NASA-CASE-ABC-10009-1 US-PATENT-APPL-SN-714595 US-PATENT-CLASS-324-58.5
c31 N71-17679	US-PATENT-3,535,024 NASA-CASE-XNP-02507 US-PATENT-APPL-SN-475299 US-PATENT-CLASS-244-1	c33 N71-17897	US-PATENT-3,532,973 NASA-CASE-XLA-00892 US-PATENT-APPL-SN-245941 US-PATENT-CLASS-62-467
c31 N71-17680	US-PATENT-3,310,256 NASA-CASE-XLA-00117 US-PATENT-APPL-SN-835153 US-PATENT-CLASS-220-1	c26 N71-18064	US-PATENT-3,273,355 NASA-CASE-XNP-01328 US-PATENT-APPL-SN-296879 US-PATENT-CLASS-317-234
c15 N71-17685	US-PATENT-2,996,212 NASA-CASE-NPO-10034 US-PATENT-APPL-SN-668241 US-PATENT-CLASS-339-17	c15 N71-18132	US-PATENT-3,271,637 NASA-CASE-MFS-13686 US-PATENT-APPL-SN-716183 US-PATENT-CLASS-73-67.2
c15 N71-17686	US-PATENT-3,464,051 NASA-CASE-MFS-20586 US-PATENT-APPL-SN-688868 US-PATENT-CLASS-29-428	c14 N71-18465	US-PATENT-3,531,982 NASA-CASE-NPO-10174 US-PATENT-APPL-SN-690163 US-PATENT-CLASS-95-11
c15 N71-17687	US-PATENT-3,526,030 NASA-CASE-XLA-04143 US-PATENT-APPL-SN-628246 US-PATENT-CLASS-156-510	c14 N71-18481	US-PATENT-3,520,238 NASA-CASE-XLA-02758 US-PATENT-APPL-SN-759665 US-PATENT-CLASS-73-4
c15 N71-17688	US-PATENT-3,508,999 NASA-CASE-XLE-09527 US-PATENT-APPL-SN-686344 US-PATENT-CLASS-29-148.4	c14 N71-18482	US-PATENT-3,531,978 NASA-CASE-XLA-07424 US-PATENT-APPL-SN-635326 US-PATENT-CLASS-313-7
c31 N71-17691	US-PATENT-3,500,525 NASA-CASE-XLA-00937 US-PATENT-APPL-SN-393461 US-PATENT-CLASS-244-3.14	c14 N71-18483	US-PATENT-3,466,484 NASA-CASE-XER-09519 US-PATENT-APPL-SN-676375 US-PATENT-CLASS-55-208
c15 N71-17692	US-PATENT-3,310,258 NASA-CASE-MFS-14772 US-PATENT-APPL-SN-774151 US-PATENT-CLASS-74-63	c11 N71-18578	US-PATENT-3,465,638 NASA-CASE-XAC-05902 US-PATENT-APPL-SN-662828 US-PATENT-CLASS-89-8
c15 N71-17693	US-PATENT-3,529,480 NASA-CASE-NPO-10064 US-PATENT-APPL-SN-668755 US-PATENT-CLASS-244-1	c15 N71-18579	US-PATENT-3,465,638 NASA-CASE-XGS-04175 US-PATENT-APPL-SN-606464 US-PATENT-CLASS-72-364

ACCESSION NUMBER INDEX

c15 N71-18580	US-PATENT-3,465,567 NASA-CASE-XNP-09698 US-PATENT-APPL-SN-698592 US-PATENT-CLASS-138-4 US-PATENT-CLASS-138-45 US-PATENT-CLASS-251-118 US-PATENT-CLASS-251-121 US-PATENT-3,532,128	c09 N71-18720	NASA-CASE-MSC-12101 US-PATENT-APPL-SN-763705 US-PATENT-CLASS-343-718 US-PATENT-3,509,570
c08 N71-18594	NASA-CASE-XAC-04031 US-PATENT-APPL-SN-538905 US-PATENT-CLASS-340-347 US-PATENT-3,533,098	c09 N71-18721	NASA-CASE-XER-07894 US-PATENT-APPL-SN-644444 US-PATENT-CLASS-331-107 US-PATENT-3,509,491
c08 N71-18595	NASA-CASE-XGS-03303 US-PATENT-APPL-SN-520838 US-PATENT-CLASS-340-174 US-PATENT-3,501,752	c10 N71-18722	NASA-CASE-ERC-10046 US-PATENT-APPL-SN-793772 US-PATENT-CLASS-343-100 US-PATENT-3,501,764
c09 N71-18598	NASA-CASE-NPO-10066 US-PATENT-APPL-SN-681693 US-PATENT-CLASS-343-13 US-PATENT-3,447,155	c10 N71-18723	NASA-CASE-XNP-09450 US-PATENT-APPL-SN-640459 US-PATENT-CLASS-307-273 US-PATENT-3,501,649
c09 N71-18599	NASA-CASE-LAR-10372 US-PATENT-APPL-SN-730162 US-PATENT-CLASS-102-70.2 US-PATENT-3,500,747	c10 N71-18724	NASA-CASE-XLA-09371 US-PATENT-APPL-SN-568160 US-PATENT-CLASS-318-257 US-PATENT-3,504,258
c09 N71-18600	NASA-CASE-MSC-12168-1 US-PATENT-APPL-SN-640154 US-PATENT-CLASS-312-296 US-PATENT-3,447,850	c08 N71-18751	NASA-CASE-XLA-07732 US-PATENT-APPL-SN-641441 US-PATENT-CLASS-307-216 US-PATENT-3,512,009
c08 N71-18602	NASA-CASE-XGS-04766 US-PATENT-APPL-SN-598120 US-PATENT-CLASS-235-175 US-PATENT-3,532,866	c08 N71-18752	NASA-CASE-XNP-00663 US-PATENT-APPL-SN-205470 US-PATENT-CLASS-321-5 US-PATENT-3,521,143
c12 N71-18603	NASA-CASE-ERC-10031 US-PATENT-APPL-SN-741461 US-PATENT-CLASS-40-28 US-PATENT-3,516,185	c10 N71-18772	NASA-CASE-GSC-10366-1 US-PATENT-APPL-SN-771523 US-PATENT-CLASS-318-138 US-PATENT-3,532,948
c31 N71-18611	NASA-CASE-MFS-20400 US-PATENT-APPL-SN-551694 US-PATENT-CLASS-152-11 US-PATENT-3,493,027	c11 N71-18773	NASA-CASE-XNP-07488 US-PATENT-APPL-SN-707495 US-PATENT-CLASS-35-12 US-PATENT-3,534,485
c15 N71-18613	NASA-CASE-XNP-02588 US-PATENT-APPL-SN-563644 US-PATENT-CLASS-219-91 US-PATENT-3,466,418	c09 N71-18830	NASA-CASE-XAC-10768 US-PATENT-APPL-SN-711970 US-PATENT-CLASS-250-83 US-PATENT-3,508,053
c16 N71-18614	NASA-CASE-XGS-03644 US-PATENT-APPL-SN-505320 US-PATENT-CLASS-331-94.5 US-PATENT-3,517,328	c09 N71-18843	NASA-CASE-XNP-03263 US-PATENT-APPL-SN-506908 US-PATENT-CLASS-340-146.1 US-PATENT-3,501,743
c12 N71-18615	NASA-CASE-XNP-09704 US-PATENT-APPL-SN-730701 US-PATENT-CLASS-137-594 US-PATENT-CLASS-138-46 US-PATENT-CLASS-251-61.1 US-PATENT-CLASS-251-127 US-PATENT-CLASS-251-333 US-PATENT-CLASS-251-342 US-PATENT-3,532,118	c21 N71-19212	NASA-CASE-MFS-20386 US-PATENT-APPL-SN-818349 US-PATENT-CLASS-356-28 US-PATENT-3,532,427
c15 N71-18616	NASA-CASE-XLA-07390 US-PATENT-APPL-SN-665681 US-PATENT-CLASS-72-53 US-PATENT-3,531,964	c15 N71-19213	NASA-CASE-MFS-14259 US-PATENT-APPL-SN-787410 US-PATENT-CLASS-138-43 US-PATENT-3,536,103
c14 N71-18625	NASA-CASE-NPO-10175 US-PATENT-APPL-SN-685787 US-PATENT-CLASS-137-505.12 US-PATENT-3,443,583	c15 N71-19214	NASA-CASE-MFS-20410 US-PATENT-APPL-SN-819599 US-PATENT-CLASS-244-1 US-PATENT-3,534,926
c08 N71-18692	NASA-CASE-MFS-14322 US-PATENT-APPL-SN-646934 US-PATENT-CLASS-328-134 US-PATENT-3,501,701	c02 N71-19287	NASA-CASE-GSC-10087-1 US-PATENT-APPL-SN-701679 US-PATENT-CLASS-343-112 US-PATENT-3,534,367
c08 N71-18693	NASA-CASE-XGS-04765 US-PATENT-APPL-SN-577545 US-PATENT-CLASS-235-156 US-PATENT-3,508,036	c08 N71-19288	NASA-CASE-NPO-10068 US-PATENT-APPL-SN-668969 US-PATENT-CLASS-340-172.5 US-PATENT-3,501,750
c08 N71-18694	NASA-CASE-NPO-10201 US-PATENT-APPL-SN-691738 US-PATENT-CLASS-340-174 US-PATENT-3,509,551	c10 N71-19417	NASA-CASE-XMS-10984-1 US-PATENT-APPL-SN-605095 US-PATENT-CLASS-340-213.1 US-PATENT-3,533,093
c03 N71-18698	NASA-CASE-NPO-10373 US-PATENT-APPL-SN-718752 US-PATENT-CLASS-136-89 US-PATENT-3,507,706	c10 N71-19418	NASA-CASE-GSC-10041-1 US-PATENT-APPL-SN-684209 US-PATENT-CLASS-331-113 US-PATENT-3,458,833
c14 N71-18699	NASA-CASE-XLA-03273 US-PATENT-APPL-SN-487352 US-PATENT-CLASS-250-83.3 US-PATENT-3,458,702	c08 N71-19420	NASA-CASE-XNP-09453 US-PATENT-APPL-SN-640448 US-PATENT-CLASS-226-190 US-PATENT-3,507,436
c15 N71-18701	NASA-CASE-XNP-07587 US-PATENT-APPL-SN-649359 US-PATENT-CLASS-317-122 US-PATENT-3,448,346	c10 N71-19421	NASA-CASE-XLA-08493 US-PATENT-APPL-SN-749148 US-PATENT-CLASS-320-72 US-PATENT-3,532,975
		c14 N71-19431	NASA-CASE-XGS-02439 US-PATENT-APPL-SN-487341 US-PATENT-CLASS-324-120 US-PATENT-3,422,352
		c08 N71-19432	NASA-CASE-XGS-02440 US-PATENT-APPL-SN-655677 US-PATENT-CLASS-328-42 US-PATENT-3,517,318
		c07 N71-19433	NASA-CASE-MFS-13046

ACCESSION NUMBER INDEX

	US-PATENT-APPL-SN-673228		US-PATENT-CLASS-330-30
	US-PATENT-CLASS-178-6		US-PATENT-3,501,712
	US-PATENT-3,532,807		NASA-CASE-XGS-01230
c08 N71-19435	NASA-CASE-XGS-02612	c08 N71-19544	US-PATENT-APPL-SN-356488
	US-PATENT-APPL-SN-502743		US-PATENT-CLASS-340-347
	US-PATENT-CLASS-340-347		US-PATENT-3,474,441
	US-PATENT-3,509,558		NASA-CASE-NPO-10821
c07 N71-19436	NASA-CASE-XMF-09422	c03 N71-19545	US-PATENT-APPL-SN-670814
	US-PATENT-APPL-SN-783378		US-PATENT-CLASS-136-89
	US-PATENT-CLASS-174-35		US-PATENT-3,466,198
	US-PATENT-3,517,109		NASA-CASE-XGS-03058
c08 N71-19437	NASA-CASE-XGS-04768	c10 N71-19547	US-PATENT-APPL-SN-568987
	US-PATENT-APPL-SN-598119		US-PATENT-CLASS-307-289
	US-PATENT-CLASS-235-158		US-PATENT-3,517,221
	US-PATENT-3,508,039		NASA-CASE-HSC-10966
c03 N71-19438	NASA-CASE-XGS-05432	c14 N71-19568	US-PATENT-APPL-SN-665676
	US-PATENT-APPL-SN-549860		US-PATENT-CLASS-250-203
	US-PATENT-CLASS-320-23		US-PATENT-3,421,004
	US-PATENT-3,426,263		NASA-CASE-XLA-05749
c05 N71-19439	NASA-CASE-XMS-09571	c15 N71-19569	US-PATENT-APPL-SN-621714
	US-PATENT-APPL-SN-678700		US-PATENT-CLASS-137-582
	US-PATENT-CLASS-165-46		US-PATENT-3,426,791
	US-PATENT-3,425,487		NASA-CASE-XLE-05130-2
c05 N71-19440	NASA-CASE-XMS-01177	c15 N71-19570	US-PATENT-APPL-SN-700586
	US-PATENT-APPL-SN-516150		US-PATENT-CLASS-277-25
	US-PATENT-CLASS-250-83		US-PATENT-3,466,052
	US-PATENT-3,427,454		NASA-CASE-NPO-10037
c09 N71-19449	NASA-CASE-IFR-03107	c09 N71-19610	US-PATENT-APPL-SN-700987
	US-PATENT-APPL-SN-507257		US-PATENT-CLASS-200-152
	US-PATENT-CLASS-178-6		US-PATENT-3,470,342
	US-PATENT-3,458,651		NASA-CASE-XMP-04780
c09 N71-19466	NASA-CASE-XGS-02812	c08 N71-19687	US-PATENT-APPL-SN-455477
	US-PATENT-APPL-SN-502750		US-PATENT-CLASS-340-347
	US-PATENT-CLASS-330-30		US-PATENT-3,430,227
	US-PATENT-3,466,560		NASA-CASE-XAC-06302
c10 N71-19467	NASA-CASE-XMF-08665	c08 N71-19763	US-PATENT-APPL-SN-574284
	US-PATENT-APPL-SN-582609		US-PATENT-CLASS-325-60
	US-PATENT-CLASS-325-63		US-PATENT-3,456,193
	US-PATENT-3,470,475		NASA-CASE-GSC-10373-1
c10 N71-19468	NASA-CASE-XMS-05605-1	c07 N71-19773	US-PATENT-APPL-SN-712658
	US-PATENT-APPL-SN-764812		US-PATENT-CLASS-325-4
	US-PATENT-CLASS-178-69.5		US-PATENT-3,532,985
	US-PATENT-3,532,819		NASA-CASE-GSC-10553-1
c10 N71-19469	NASA-CASE-XMP-00777	c07 N71-19854	US-PATENT-APPL-SN-820963
	US-PATENT-APPL-SN-486573		US-PATENT-CLASS-343-100
	US-PATENT-CLASS-329-122		US-PATENT-3,534,365
	US-PATENT-3,517,268		NASA-CASE-XLA-02898
c09 N71-19470	NASA-CASE-XGS-05289	c05 N71-20268	US-PATENT-APPL-SN-429932
	US-PATENT-APPL-SN-632104		US-PATENT-CLASS-128-1
	US-PATENT-CLASS-331-113		US-PATENT-3,461,855
	US-PATENT-3,470,496		NASA-CASE-NPO-10188
c10 N71-19471	NASA-CASE-XLE-03804	c03 N71-20273	US-PATENT-APPL-SN-681687
	US-PATENT-APPL-SN-526631		US-PATENT-CLASS-244-1
	US-PATENT-CLASS-307-235		US-PATENT-3,473,758
	US-PATENT-3,463,939		NASA-CASE-XLE-103477-1
c10 N71-19472	NASA-CASE-XAC-04030	c28 N71-20330	US-PATENT-APPL-SN-466390
	US-PATENT-APPL-SN-520839		US-PATENT-CLASS-60-39.36
	US-PATENT-CLASS-328-1		US-PATENT-3,433,015
	US-PATENT-3,464,016		NASA-CASE-MPS-06074
c09 N71-19479	NASA-CASE-XMS-04300	c15 N71-20393	US-PATENT-APPL-SN-688743
	US-PATENT-APPL-SN-516158		US-PATENT-CLASS-228-9
	US-PATENT-CLASS-350-275		US-PATENT-3,458,104
	US-PATENT-3,427,093		NASA-CASE-XMP-06065
c09 N71-19480	NASA-CASE-XPR-05637	c15 N71-20395	US-PATENT-APPL-SN-665679
	US-PATENT-APPL-SN-484855		US-PATENT-CLASS-219-275
	US-PATENT-CLASS-235-194		US-PATENT-3,466,424
	US-PATENT-3,423,579		NASA-CASE-XMP-08523
c15 N71-19485	NASA-CASE-HSC-11010	c31 N71-20396	US-PATENT-APPL-SN-645563
	US-PATENT-APPL-SN-605090		US-PATENT-CLASS-244-1
	US-PATENT-CLASS-251-31		US-PATENT-3,465,986
	US-PATENT-3,447,774		NASA-CASE-MPS-11279
c15 N71-19486	NASA-CASE-XMP-08522	c16 N71-20400	US-PATENT-APPL-SN-628094
	US-PATENT-APPL-SN-640447		US-PATENT-CLASS-219-121
	US-PATENT-CLASS-219-121		US-PATENT-3,472,998
	US-PATENT-3,474,220		NASA-CASE-NPO-10194
c15 N71-19489	NASA-CASE-XMF-04680	c03 N71-20407	US-PATENT-APPL-SN-668249
	US-PATENT-APPL-SN-634040		US-PATENT-CLASS-136-182
	US-PATENT-CLASS-33-147		US-PATENT-3,460,995
	US-PATENT-3,425,131		NASA-CASE-XMS-13052
c07 N71-19492	NASA-CASE-XKS-08485	c14 N71-20427	US-PATENT-APPL-SN-561223
	US-PATENT-APPL-SN-649078		US-PATENT-CLASS-62-268
	US-PATENT-CLASS-343-873		US-PATENT-3,455,121
	US-PATENT-3,509,578		NASA-CASE-XGS-04879
c11 N71-19494	NASA-CASE-MPS-10555	c14 N71-20428	US-PATENT-APPL-SN-541399
	US-PATENT-APPL-SN-700984		US-PATENT-CLASS-324-5
	US-PATENT-CLASS-35-12		US-PATENT-3,443,208
	US-PATENT-3,516,179		NASA-CASE-XLE-05260
c09 N71-19516	NASA-CASE-XMP-06937	c14 N71-20429	US-PATENT-APPL-SN-674355
	US-PATENT-APPL-SN-640449		US-PATENT-CLASS-73-117.4

ACCESSION NUMBER INDEX

c14 N71-20430 US-PATENT-3,463,001
NASA-CASE-XLA-03645
US-PATENT-APPL-SN-600266
US-PATENT-CLASS-250-83
US-PATENT-3,450,878

c14 N71-20435 NASA-CASE-XMS-06767-1
US-PATENT-APPL-SN-716795
US-PATENT-CLASS-73-422
US-PATENT-3,438,263

c12 N71-20436 NASA-CASE-LAR-11138
US-PATENT-APPL-SN-694317
US-PATENT-CLASS-73-147
US-PATENT-3,461,721

c14 N71-20439 NASA-CASE-XAC-04886-1
US-PATENT-APPL-SN-574290
US-PATENT-CLASS-73-142
US-PATENT-3,425,272

c15 N71-20440 NASA-CASE-XMP-09770
US-PATENT-APPL-SN-700120
US-PATENT-CLASS-209-10
US-PATENT-3,472,372

c15 N71-20441 NASA-CASE-XMS-06329-1
US-PATENT-APPL-SN-688742
US-PATENT-CLASS-73-141
US-PATENT-3,472,069

c14 N71-20442 NASA-CASE-MFS-11537
US-PATENT-APPL-SN-636878
US-PATENT-CLASS-23-254
US-PATENT-3,472,629

c15 N71-20443 NASA-CASE-MFS-07369
US-PATENT-APPL-SN-640462
US-PATENT-CLASS-29-492
US-PATENT-3,473,216

c09 N71-20445 NASA-CASE-XMP-09775
US-PATENT-APPL-SN-668247
US-PATENT-CLASS-333-96
US-PATENT-3,474,357

c09 N71-20446 NASA-CASE-XLB-04250
US-PATENT-APPL-SN-621098
US-PATENT-CLASS-310-54
US-PATENT-3,447,003

c09 N71-20447 NASA-CASE-XLA-02850
US-PATENT-APPL-SN-556784
US-PATENT-CLASS-307-267
US-PATENT-3,473,050

c10 N71-20448 NASA-CASE-XNP-03744
US-PATENT-APPL-SN-547677
US-PATENT-CLASS-318-314
US-PATENT-3,424,966

c14 N71-20461 NASA-CASE-XNP-09763
US-PATENT-APPL-SN-600682
US-PATENT-CLASS-117-6
US-PATENT-3,433,662

c03 N71-20491 NASA-CASE-XGS-05434
US-PATENT-APPL-SN-667636
US-PATENT-CLASS-136-182
US-PATENT-3,463,673

c03 N71-20492 NASA-CASE-XLE-04787
US-PATENT-APPL-SN-551846
US-PATENT-CLASS-136-89
US-PATENT-3,434,885

c24 N71-20518 NASA-CASE-XNP-02592
US-PATENT-APPL-SN-484490
US-PATENT-CLASS-324-33
US-PATENT-3,430,131

c25 N71-20563 NASA-CASE-XLA-06232
US-PATENT-APPL-SN-612740
US-PATENT-CLASS-324-58.5
US-PATENT-3,473,116

c09 N71-20569 NASA-CASE-XMS-08589-1
US-PATENT-APPL-SN-544899
US-PATENT-CLASS-324-57
US-PATENT-3,434,050

c02 N71-20570 NASA-CASE-XAC-08972
US-PATENT-APPL-SN-700174
US-PATENT-CLASS-244-76
US-PATENT-3,472,470

c08 N71-20571 NASA-CASE-XGS-04987
US-PATENT-APPL-SN-619908
US-PATENT-CLASS-315-24
US-PATENT-3,437,874

c09 N71-20658 NASA-CASE-XMS-03454
US-PATENT-APPL-SN-425363
US-PATENT-CLASS-343-915
US-PATENT-3,360,798

c09 N71-20705 NASA-CASE-XMF-01599
US-PATENT-APPL-SN-381940
US-PATENT-CLASS-117-212
US-PATENT-3,359,132

c06 N71-20717 NASA-CASE-XMP-04133
US-PATENT-APPL-SN-554949
US-PATENT-CLASS-260-2
US-PATENT-3,354,098

c05 N71-20718 NASA-CASE-XMS-04625
US-PATENT-APPL-SN-519161
US-PATENT-CLASS-244-122
US-PATENT-3,356,320

c15 N71-20739 NASA-CASE-XGS-02011
US-PATENT-APPL-SN-502693
US-PATENT-CLASS-308-9
US-PATENT-3,359,046

c15 N71-20740 NASA-CASE-XLA-01808
US-PATENT-APPL-SN-517159
US-PATENT-CLASS-74-471
US-PATENT-3,364,777

c14 N71-20741 NASA-CASE-XMS-01618
US-PATENT-APPL-SN-418362
US-PATENT-CLASS-73-29
US-PATENT-3,360,980

c18 N71-20742 NASA-CASE-XMS-02952
US-PATENT-APPL-SN-519160
US-PATENT-CLASS-55-158
US-PATENT-3,355,861

c17 N71-20743 NASA-CASE-XMF-02786
US-PATENT-APPL-SN-466873
US-PATENT-CLASS-75-142
US-PATENT-3,347,665

c25 N71-20747 NASA-CASE-XLE-02578
US-PATENT-APPL-SN-469012
US-PATENT-CLASS-313-271
US-PATENT-3,356,885

c10 N71-20782 NASA-CASE-XGS-01784
US-PATENT-APPL-SN-396444
US-PATENT-CLASS-250-206
US-PATENT-3,348,053

c07 N71-20791 NASA-CASE-XNP-05254
US-PATENT-APPL-SN-472372
US-PATENT-CLASS-325-31
US-PATENT-3,350,643

c15 N71-20813 NASA-CASE-XMS-02184
US-PATENT-APPL-SN-608247
US-PATENT-CLASS-248-27
US-PATENT-3,361,400

c07 N71-20814 NASA-CASE-XNP-01306
US-PATENT-APPL-SN-343426
US-PATENT-CLASS-179-15
US-PATENT-3,364,311

c12 N71-20815 NASA-CASE-XMF-01779
US-PATENT-APPL-SN-521999
US-PATENT-CLASS-346-1
US-PATENT-3,357,024

c09 N71-20816 NASA-CASE-XAC-01677
US-PATENT-APPL-SN-596338
US-PATENT-CLASS-73-147
US-PATENT-3,360,988

c33 N71-20834 NASA-CASE-XMS-02009
US-PATENT-APPL-SN-455352
US-PATENT-CLASS-141-5
US-PATENT-3,349,814

c10 N71-20841 NASA-CASE-XGS-01222
US-PATENT-APPL-SN-354182
US-PATENT-CLASS-325-305
US-PATENT-3,348,152

c09 N71-20842 NASA-CASE-XNP-05381
US-PATENT-APPL-SN-568352
US-PATENT-CLASS-338-82
US-PATENT-3,350,671

c09 N71-20851 NASA-CASE-XNP-04732
US-PATENT-APPL-SN-557584
US-PATENT-CLASS-339-177
US-PATENT-3,358,264

c10 N71-20852 NASA-CASE-XGS-03502
US-PATENT-APPL-SN-584066
US-PATENT-CLASS-331-17
US-PATENT-3,361,985

c09 N71-20864 NASA-CASE-XGS-03501
US-PATENT-APPL-SN-576521
US-PATENT-CLASS-343-16
US-PATENT-3,359,555

c03 N71-20895 NASA-CASE-XNP-00826
US-PATENT-APPL-SN-327163
US-PATENT-CLASS-136-89
US-PATENT-3,346,419

c12 N71-20896 NASA-CASE-XNP-02251
US-PATENT-APPL-SN-432030
US-PATENT-CLASS-321-48
US-PATENT-3,337,790

c03 N71-20904 NASA-CASE-XLE-01645

ACCESSION NUMBER INDEX

	US-PATENT-APPL-SN-342574		US-PATENT-CLASS-235-61.6
	US-PATENT-CLASS-136-86		US-PATENT-3,346,724
	US-PATENT-3,357,862		NASA-CASE-XKS-02582
c06 N71-20905	NASA-CASE-XNF-02584	c15 N71-21234	US-PATENT-APPL-SN-424153
	US-PATENT-APPL-SN-506135		US-PATENT-CLASS-251-172
	US-PATENT-CLASS-260-2		US-PATENT-3,327,991
	US-PATENT-3,346,515	c15 N71-21311	NASA-CASE-XNP-03637
c17 N71-20941	NASA-CASE-XMS-00370		US-PATENT-APPL-SN-453232
	US-PATENT-APPL-SN-71366		US-PATENT-CLASS-310-9.1
	US-PATENT-CLASS-106-55		US-PATENT-3,359,435
	US-PATENT-3,350,214	c15 N71-21403	NASA-CASE-XNF-03988
c28 N71-20942	NASA-CASE-XNP-04389		US-PATENT-APPL-SN-578923
	US-PATENT-APPL-SN-523511		US-PATENT-CLASS-252-26
	US-PATENT-CLASS-60-265		US-PATENT-3,361,666
	US-PATENT-3,353,359	c15 N71-21404	NASA-CASE-XLA-01262
c14 N71-21006	NASA-CASE-XLA-01832		US-PATENT-APPL-SN-386800
	US-PATENT-APPL-SN-517858		US-PATENT-CLASS-156-3
	US-PATENT-CLASS-346-50		US-PATENT-3,356,549
	US-PATENT-3,354,462	c09 N71-21449	NASA-CASE-XMS-01991
c14 N71-21007	NASA-CASE-XMS-06236		US-PATENT-APPL-SN-410326
	US-PATENT-APPL-SN-482670		US-PATENT-CLASS-323-22
	US-PATENT-CLASS-73-290		US-PATENT-3,344,340
	US-PATENT-3,355,948	c10 N71-21473	NASA-CASE-XGS-08679
c14 N71-21040	NASA-CASE-XMS-03478		US-PATENT-APPL-SN-312443
	US-PATENT-APPL-SN-422100		US-PATENT-CLASS-343-113
	US-PATENT-CLASS-250-207		US-PATENT-3,340,532
	US-PATENT-3,358,145	c11 N71-21474	NASA-CASE-XMS-04798
c08 N71-21042	NASA-CASE-XGS-01021		US-PATENT-APPL-SN-480210
	US-PATENT-APPL-SN-279646		US-PATENT-CLASS-35-12
	US-PATENT-CLASS-340-174.1		US-PATENT-3,330,052
	US-PATENT-3,327,298	c11 N71-21475	NASA-CASE-XLA-05378
c32 N71-21045	NASA-CASE-XLA-01731		US-PATENT-APPL-SN-484156
	US-PATENT-APPL-SN-425365		US-PATENT-CLASS-73-343
	US-PATENT-CLASS-52-2		US-PATENT-3,331,246
	US-PATENT-3,364,631	c07 N71-21476	NASA-CASE-XNP-00746
c15 N71-21060	NASA-CASE-XLA-03660		US-PATENT-APPL-SN-271824
	US-PATENT-APPL-SN-482307		US-PATENT-CLASS-235-181
	US-PATENT-CLASS-95-53		US-PATENT-3,359,409
	US-PATENT-3,361,045	c11 N71-21481	NASA-CASE-XLA-01326
c31 N71-21064	NASA-CASE-XGS-02554		US-PATENT-APPL-SN-422097
	US-PATENT-APPL-SN-504266		US-PATENT-CLASS-73-147
	US-PATENT-CLASS-244-1		US-PATENT-3,345,866
	US-PATENT-3,350,034	c10 N71-21483	NASA-CASE-XGS-01155
c18 N71-21068	NASA-CASE-XNP-02888		US-PATENT-APPL-SN-557871
	US-PATENT-APPL-SN-409126		US-PATENT-CLASS-343-16
	US-PATENT-CLASS-239-265.11		US-PATENT-3,344,425
	US-PATENT-3,347,465	c15 N71-21489	NASA-CASE-XNP-06914
c14 N71-21072	NASA-CASE-XAC-02981		US-PATENT-APPL-SN-590147
	US-PATENT-APPL-SN-464879		US-PATENT-CLASS-85-33
	US-PATENT-CLASS-73-398		US-PATENT-3,352,192
	US-PATENT-3,352,157	c28 N71-21493	NASA-CASE-XLA-10450
c15 N71-21076	NASA-CASE-XMS-03745		US-PATENT-APPL-SN-594567
	US-PATENT-APPL-SN-534295		US-PATENT-CLASS-239-265.19
	US-PATENT-CLASS-24-263		US-PATENT-3,347,466
	US-PATENT-3,346,929	c33 N71-21507	NASA-CASE-XLE-04603
c15 N71-21078	NASA-CASE-XNP-03459		US-PATENT-APPL-SN-638194
	US-PATENT-APPL-SN-457879		US-PATENT-CLASS-60-243
	US-PATENT-CLASS-29-495		US-PATENT-3,347,046
	US-PATENT-3,357,093	c15 N71-21528	NASA-CASE-XLA-01446
c14 N71-21079	NASA-CASE-XLA-03102		US-PATENT-APPL-SN-400613
	US-PATENT-APPL-SN-576195		US-PATENT-CLASS-53-102
	US-PATENT-CLASS-33-31		US-PATENT-3,336,725
	US-PATENT-3,364,578	c15 N71-21529	NASA-CASE-XGS-02422
c14 N71-21082	NASA-CASE-XGS-02629		US-PATENT-APPL-SN-493943
	US-PATENT-APPL-SN-500435		US-PATENT-CLASS-74-126
	US-PATENT-CLASS-244-1		US-PATENT-3,331,255
	US-PATENT-3,350,033	c15 N71-21530	NASA-CASE-XMS-03722
c14 N71-21088	NASA-CASE-XNP-06957		US-PATENT-APPL-SN-487934
	US-PATENT-APPL-SN-406097		US-PATENT-CLASS-267-64
	US-PATENT-CLASS-250-83.3		US-PATENT-3,330,549
	US-PATENT-3,348,048	c15 N71-21531	NASA-CASE-XNP-02341
c12 N71-21089	NASA-CASE-XMS-01905		US-PATENT-APPL-SN-432025
	US-PATENT-APPL-SN-280580		US-PATENT-CLASS-52-127
	US-PATENT-CLASS-141-91		US-PATENT-3,330,082
	US-PATENT-3,331,404	c15 N71-21536	NASA-CASE-XMS-06876
c14 N71-21090	NASA-CASE-XLE-00787		US-PATENT-APPL-SN-605100
	US-PATENT-APPL-SN-330210		US-PATENT-CLASS-72-34
	US-PATENT-CLASS-324-33		US-PATENT-3,345,840
	US-PATENT-3,346,806	c09 N71-21583	NASA-CASE-XLE-02008
c14 N71-21091	NASA-CASE-XNP-02983		US-PATENT-APPL-SN-487342
	US-PATENT-APPL-SN-407599		US-PATENT-CLASS-338-64
	US-PATENT-CLASS-73-88.5		US-PATENT-3,329,918
	US-PATENT-3,350,926	c33 N71-21586	NASA-CASE-XLA-01794
c15 N71-21177	NASA-CASE-XAC-06956		US-PATENT-APPL-SN-464880
	US-PATENT-APPL-SN-538166		US-PATENT-CLASS-73-86
	US-PATENT-CLASS-259-71		US-PATENT-3,357,237
	US-PATENT-3,347,531	c18 N71-21651	NASA-CASE-XNP-01402
c15 N71-21179	NASA-CASE-XLA-01401		US-PATENT-APPL-SN-328140
	US-PATENT-APPL-SN-382976		US-PATENT-CLASS-161-68

ACCESSION NUMBER INDEX

c21 N71-21688	US-PATENT-3,346,442 NASA-CASE-XMP-00684 US-PATENT-APPL-SN-260087 US-PATENT-CLASS-235-150.25 US-PATENT-3,331,951	c14 N71-22752	NASA-CASE-XMP-01974 US-PATENT-APPL-SN-568354 US-PATENT-CLASS-73-419 US-PATENT-3,383,922
c25 N71-21693	NASA-CASE-XLA-03103 US-PATENT-APPL-SN-531642 US-PATENT-CLASS-315-111 US-PATENT-3,333,152	c14 N71-22765	NASA-CASE-XLA-00934 US-PATENT-APPL-SN-326298 US-PATENT-CLASS-73-84 US-PATENT-3,339,404
c25 N71-21694	NASA-CASE-XLE-02902 US-PATENT-APPL-SN-485957 US-PATENT-CLASS-60-202 US-PATENT-3,336,748	c33 N71-22792	NASA-CASE-XLA-01243 US-PATENT-APPL-SN-538911 US-PATENT-CLASS-244-1 US-PATENT-3,384,324
c21 N71-21708	NASA-CASE-XLA-02551 US-PATENT-APPL-SN-416940 US-PATENT-CLASS-244-1 US-PATENT-3,329,375	c09 N71-22796	NASA-CASE-XKS-03381 US-PATENT-APPL-SN-437611 US-PATENT-CLASS-317-9 US-PATENT-3,340,430
c15 N71-21744	NASA-CASE-XGS-04227 US-PATENT-APPL-SN-545805 US-PATENT-CLASS-74-409 US-PATENT-3,359,819	c15 N71-22797	NASA-CASE-XLE-01092 US-PATENT-APPL-SN-422098 US-PATENT-CLASS-72-253 US-PATENT-3,342,055
c27 N71-21819	NASA-CASE-XLB-03494 US-PATENT-APPL-SN-529593 US-PATENT-CLASS-60-251 US-PATENT-3,345,822	c15 N71-22798	NASA-CASE-XMS-04178 US-PATENT-APPL-SN-511299 US-PATENT-CLASS-83-467 US-PATENT-3,367,224
c23 N71-21821	NASA-CASE-XNP-01059 US-PATENT-APPL-SN-393464 US-PATENT-CLASS-250-232 US-PATENT-3,354,320	c15 N71-22799	NASA-CASE-XMF-03511 US-PATENT-APPL-SN-540414 US-PATENT-CLASS-90-12 US-PATENT-3,386,337
c28 N71-21822	NASA-CASE-XNP-04124 US-PATENT-APPL-SN-498168 US-PATENT-CLASS-60-202 US-PATENT-3,345,820	c15 N71-22874	NASA-CASE-XLA-00188 US-PATENT-APPL-SN-254847 US-PATENT-CLASS-102-49.5 US-PATENT-3,368,486
c26 N71-21824	NASA-CASE-XNP-05429 US-PATENT-APPL-SN-578928 US-PATENT-CLASS-103-1 US-PATENT-3,361,067	c11 N71-22875	NASA-CASE-XAC-05333 US-PATENT-APPL-SN-546148 US-PATENT-CLASS-119-15 US-PATENT-3,367,308
c31 N71-21881	NASA-CASE-XNP-02595 US-PATENT-APPL-SN-502709 US-PATENT-CLASS-244-1 US-PATENT-3,333,788	c15 N71-22877	NASA-CASE-XMF-10040 US-PATENT-APPL-SN-592680 US-PATENT-CLASS-188-1 US-PATENT-3,381,778
c23 N71-21882	NASA-CASE-XNP-03853 US-PATENT-APPL-SN-578931 US-PATENT-CLASS-88-24 US-PATENT-3,359,855	c15 N71-22878	NASA-CASE-XMS-04545 US-PATENT-APPL-SN-508601 US-PATENT-CLASS-73-144 US-PATENT-3,381,527
c15 N71-22705	NASA-CASE-XGS-02884 US-PATENT-APPL-SN-432433 US-PATENT-CLASS-51-57 US-PATENT-3,341,977	c21 N71-22880	NASA-CASE-XLA-00793 US-PATENT-APPL-SN-369334 US-PATENT-CLASS-88-1 US-PATENT-3,381,569
c15 N71-22706	NASA-CASE-XMS-09310 US-PATENT-APPL-SN-655724 US-PATENT-CLASS-137-496 US-PATENT-3,384,111	c23 N71-22881	NASA-CASE-XLE-04222 US-PATENT-APPL-SN-512559 US-PATENT-CLASS-220-9 US-PATENT-3,379,330
c08 N71-22707	NASA-CASE-XNP-04067 US-PATENT-APPL-SN-466875 US-PATENT-CLASS-340-172.5 US-PATENT-3,369,222	c09 N71-22886	NASA-CASE-XLA-03114 US-PATENT-APPL-SN-440039 US-PATENT-CLASS-343-708 US-PATENT-3,373,430
c08 N71-22710	NASA-CASE-XNP-02778 US-PATENT-APPL-SN-508170 US-PATENT-CLASS-340-172.5 US-PATENT-3,369,223	c33 N71-22890	NASA-CASE-XLA-07728 US-PATENT-APPL-SN-538908 US-PATENT-CLASS-165-96 US-PATENT-3,374,830
c15 N71-22713	NASA-CASE-XLA-03492 US-PATENT-APPL-SN-395348 US-PATENT-CLASS-156-60 US-PATENT-3,342,653	c16 N71-22894	NASA-CASE-XLE-03925 US-PATENT-APPL-SN-514407 US-PATENT-CLASS-75-204 US-PATENT-3,337,337
c15 N71-22721	NASA-CASE-XMF-03212 US-PATENT-APPL-SN-577549 US-PATENT-CLASS-55-418 US-PATENT-3,385,036	c16 N71-22895	NASA-CASE-XMS-04269 US-PATENT-APPL-SN-516793 US-PATENT-CLASS-250-199 US-PATENT-3,341,708
c15 N71-22722	NASA-CASE-XMS-04292 US-PATENT-APPL-SN-517157 US-PATENT-CLASS-82-14 US-PATENT-3,373,640	c05 N71-22896	NASA-CASE-XMS-02399 US-PATENT-APPL-SN-492344 US-PATENT-CLASS-128-2.06 US-PATENT-3,384,075
c15 N71-22723	NASA-CASE-XMF-01083 US-PATENT-APPL-SN-432028 US-PATENT-CLASS-72-83 US-PATENT-3,340,713	c08 N71-22897	NASA-CASE-XNP-01753 US-PATENT-APPL-SN-423412 US-PATENT-CLASS-235-92 US-PATENT-3,374,339
c05 N71-22748	NASA-CASE-XMS-04170 US-PATENT-APPL-SN-482311 US-PATENT-CLASS-9-312 US-PATENT-3,343,189	c10 N71-22961	NASA-CASE-XMS-02159 US-PATENT-APPL-SN-534564 US-PATENT-CLASS-323-56 US-PATENT-3,365,657
c08 N71-22749	NASA-CASE-XNP-02748 US-PATENT-APPL-SN-420245 US-PATENT-CLASS-340-146.1 US-PATENT-3,373,404	c10 N71-22962	NASA-CASE-XGS-05441 US-PATENT-APPL-SN-505321 US-PATENT-CLASS-328-233 US-PATENT-3,366,886
c07 N71-22750	NASA-CASE-XNP-01735 US-PATENT-APPL-SN-408438 US-PATENT-CLASS-343-786 US-PATENT-3,373,431	c14 N71-22964	NASA-CASE-XLE-02024 US-PATENT-APPL-SN-422099 US-PATENT-CLASS-73-15 US-PATENT-3,365,930
		c14 N71-22965	NASA-CASE-XGS-02319

ACCESSION NUMBER INDEX

	US-PATENT-APPL-SN-496205		US-PATENT-CLASS-88-14
	US-PATENT-CLASS-73-117		US-PATENT-3,364,813
c31 N71-22568	US-PATENT-3,365,941	c07 N71-23001	NASA-CASE-XGS-01812
	NASA-CASE-XLA-02050		US-PATENT-APPL-SN-392973
	US-PATENT-APPL-SN-568067		US-PATENT-CLASS-340-174.1
	US-PATENT-CLASS-244-1		US-PATENT-3,380,042
	US-PATENT-3,386,695	c03 N71-23006	NASA-CASE-XGS-02631
c31 N71-22969	NASA-CASE-XLA-03132		US-PATENT-APPL-SN-425972
	US-PATENT-APPL-SN-610728		US-PATENT-CLASS-136-133
	US-PATENT-CLASS-244-1		US-PATENT-3,340,099
	US-PATENT-3,386,686	c02 N71-23007	NASA-CASE-XMF-04163
c03 N71-22574	NASA-CASE-XGS-02630		US-PATENT-APPL-SN-424156
	US-PATENT-APPL-SN-494287		US-PATENT-CLASS-73-189
	US-PATENT-CLASS-136-132		US-PATENT-3,340,732
	US-PATENT-3,382,107	c31 N71-23008	NASA-CASE-XLA-04804
c06 N71-22975	NASA-CASE-XNP-07659		US-PATENT-APPL-SN-577546
	US-PATENT-APPL-SN-567806		US-PATENT-CLASS-102-49.5
	US-PATENT-CLASS-18-26		US-PATENT-3,384,016
	US-PATENT-3,381,339	c31 N71-23009	NASA-CASE-XGS-02607
c15 N71-22982	NASA-CASE-XLA-02809		US-PATENT-APPL-SN-474531
	US-PATENT-APPL-SN-554897		US-PATENT-CLASS-244-1
	US-PATENT-CLASS-308-176		US-PATENT-3,341,151
	US-PATENT-3,397,932	c09 N71-23015	NASA-CASE-XGS-02751
c28 N71-22983	NASA-CASE-XMF-06926		US-PATENT-APPL-SN-491059
	US-PATENT-APPL-SN-537615		US-PATENT-CLASS-307-288
	US-PATENT-CLASS-60-258		US-PATENT-3,374,366
	US-PATENT-3,336,754	c09 N71-23021	NASA-CASE-XAC-02807
c07 N71-22984	NASA-CASE-XMS-04312		US-PATENT-APPL-SN-456581
	US-PATENT-APPL-SN-521754		US-PATENT-CLASS-324-120
	US-PATENT-CLASS-343-708		US-PATENT-3,384,820
	US-PATENT-3,384,895	c15 N71-23022	NASA-CASE-XMS-01625
c09 N71-22985	NASA-CASE-XMF-03934		US-PATENT-APPL-SN-418933
	US-PATENT-APPL-SN-530958		US-PATENT-CLASS-136-86
	US-PATENT-CLASS-250-83.3		US-PATENT-3,389,017
	US-PATENT-3,379,885	c15 N71-23023	NASA-CASE-XMF-04042
c10 N71-22986	NASA-CASE-XMF-01892		US-PATENT-APPL-SN-605518
	US-PATENT-APPL-SN-464878		US-PATENT-CLASS-55-204
	US-PATENT-CLASS-328-167		US-PATENT-3,397,512
	US-PATENT-3,375,451	c15 N71-23024	NASA-CASE-XMF-01747
c09 N71-22987	NASA-CASE-XLE-04788		US-PATENT-APPL-SN-413661
	US-PATENT-APPL-SN-537617		US-PATENT-CLASS-251-148
	US-PATENT-CLASS-313-352		US-PATENT-3,341,169
	US-PATENT-3,396,303	c15 N71-23025	NASA-CASE-XNP-08877
c09 N71-22988	NASA-CASE-XGS-03304		US-PATENT-APPL-SN-574282
	US-PATENT-APPL-SN-483886		US-PATENT-CLASS-62-6
	US-PATENT-CLASS-73-1		US-PATENT-3,367,121
	US-PATENT-3,381,517	c07 N71-23026	NASA-CASE-XNP-02791
c14 N71-22989	NASA-CASE-XLA-01551		US-PATENT-APPL-SN-390251
	US-PATENT-APPL-SN-422092		US-PATENT-CLASS-178-6
	US-PATENT-CLASS-73-190		US-PATENT-3,383,461
	US-PATENT-3,382,714	c09 N71-23027	NASA-CASE-XNP-01960
c14 N71-22990	NASA-CASE-XMS-04201		US-PATENT-APPL-SN-438135
	US-PATENT-APPL-SN-507254		US-PATENT-CLASS-29-572
	US-PATENT-CLASS-324-70		US-PATENT-3,340,599
	US-PATENT-3,379,974	c10 N71-23029	NASA-CASE-XGS-03427
c14 N71-22991	NASA-CASE-XLA-01791		US-PATENT-APPL-SN-500446
	US-PATENT-APPL-SN-462763		US-PATENT-CLASS-307-265
	US-PATENT-CLASS-250-227		US-PATENT-3,383,524
	US-PATENT-3,397,318	c11 N71-23030	NASA-CASE-XNP-03578
c14 N71-22992	NASA-CASE-XGS-01023		US-PATENT-APPL-SN-445292
	US-PATENT-APPL-SN-446131		US-PATENT-CLASS-73-147
	US-PATENT-CLASS-73-65		US-PATENT-3,342,066
	US-PATENT-3,377,845	c10 N71-23033	NASA-CASE-XNP-01318
c14 N71-22993	NASA-CASE-XMS-05365		US-PATENT-APPL-SN-380965
	US-PATENT-APPL-SN-515484		US-PATENT-CLASS-340-174
	US-PATENT-CLASS-310-8.5		US-PATENT-3,388,387
	US-PATENT-3,387,149	c14 N71-23036	NASA-CASE-XNP-01660
c15 N71-22994	NASA-CASE-XFR-05421		US-PATENT-APPL-SN-578916
	US-PATENT-APPL-SN-567686		US-PATENT-CLASS-73-4
	US-PATENT-CLASS-24-126		US-PATENT-3,383,903
	US-PATENT-3,378,892	c14 N71-23037	NASA-CASE-XAC-01662
c14 N71-22995	NASA-CASE-XNP-08680		US-PATENT-APPL-SN-385520
	US-PATENT-APPL-SN-562444		US-PATENT-CLASS-324-117
	US-PATENT-CLASS-73-9		US-PATENT-3,365,665
	US-PATENT-3,376,730	c14 N71-23039	NASA-CASE-XNP-01659
c14 N71-22996	NASA-CASE-XGS-01331		US-PATENT-APPL-SN-410332
	US-PATENT-APPL-SN-445807		US-PATENT-CLASS-136-230
	US-PATENT-CLASS-250-218		US-PATENT-3,377,208
	US-PATENT-3,388,258	c14 N71-23040	NASA-CASE-XNP-05535
c15 N71-22997	NASA-CASE-XNP-01641		US-PATENT-APPL-SN-487939
	US-PATENT-APPL-SN-464885		US-PATENT-CLASS-244-1
	US-PATENT-CLASS-308-10		US-PATENT-3,339,863
	US-PATENT-3,378,315	c14 N71-23041	NASA-CASE-XNP-01056
c18 N71-22998	NASA-CASE-XGS-02435		US-PATENT-APPL-SN-377146
	US-PATENT-APPL-SN-392965		US-PATENT-CLASS-250-41.9
	US-PATENT-CLASS-106-40		US-PATENT-3,340,395
	US-PATENT-3,382,082	c11 N71-23042	NASA-CASE-XMS-02930
c09 N71-22999	NASA-CASE-XLA-00781		US-PATENT-APPL-SN-417253
	US-PATENT-APPL-SN-307271		US-PATENT-CLASS-250-52

ACCESSION NUMBER INDEX

c26 N71-23043 US-PATENT-3,340,397
 NASA-CASE-XNP-01959
 US-PATENT-APPL-SN-410330
 US-PATENT-CLASS-136-89
 US-PATENT-3,396,057
 c17 N71-23046 NASA-CASE-XNP-04338
 US-PATENT-APPL-SN-461765
 US-PATENT-CLASS-29-182.2
 US-PATENT-3,421,864
 c18 N71-23047 NASA-CASE-XLA-01995
 US-PATENT-APPL-SN-411945
 US-PATENT-CLASS-148-6.16
 US-PATENT-3,395,053
 c15 N71-23048 NASA-CASE-XNP-03972
 US-PATENT-APPL-SN-502710
 US-PATENT-CLASS-184-1
 US-PATENT-3,367,445
 c15 N71-23049 NASA-CASE-XMF-01049
 US-PATENT-APPL-SN-506137
 US-PATENT-CLASS-339-5
 US-PATENT-3,375,479
 c15 N71-23050 NASA-CASE-XMF-01730
 US-PATENT-APPL-SN-517869
 US-PATENT-CLASS-228-8
 US-PATENT-3,373,914
 c15 N71-23051 NASA-CASE-XAC-01158
 US-PATENT-APPL-SN-420250
 US-PATENT-CLASS-137-625.5
 US-PATENT-3,369,564
 c15 N71-23052 NASA-CASE-XLA-03497
 US-PATENT-APPL-SN-392992
 US-PATENT-CLASS-156-285
 US-PATENT-3,373,069
 c05 N71-23080 NASA-CASE-XLE-02531
 US-PATENT-APPL-SN-425096
 US-PATENT-CLASS-312-1
 US-PATENT-3,337,279
 c28 N71-23081 NASA-CASE-XNP-02923
 US-PATENT-APPL-SN-494280
 US-PATENT-CLASS-60-202
 US-PATENT-3,367,114
 c10 N71-23084 NASA-CASE-XLA-01219
 US-PATENT-APPL-SN-402978
 US-PATENT-CLASS-332-1
 US-PATENT-3,366,894
 c33 N71-23085 NASA-CASE-XFR-03802
 US-PATENT-APPL-SN-460877
 US-PATENT-CLASS-73-190
 US-PATENT-3,367,182
 c15 N71-23086 NASA-CASE-XMS-04533
 US-PATENT-APPL-SN-557016
 US-PATENT-CLASS-202-234
 US-PATENT-3,397,117
 c14 N71-23087 NASA-CASE-XNP-03918
 US-PATENT-APPL-SN-510475
 US-PATENT-CLASS-73-88.5
 US-PATENT-3,388,590
 c18 N71-23088 NASA-CASE-XNP-00597
 US-PATENT-APPL-SN-410325
 US-PATENT-CLASS-65-7
 US-PATENT-3,337,315
 c14 N71-23092 NASA-CASE-XLA-01530
 US-PATENT-APPL-SN-420466
 US-PATENT-CLASS-188-1
 US-PATENT-3,337,004
 c14 N71-23093 NASA-CASE-XLE-03280
 US-PATENT-APPL-SN-517156
 US-PATENT-CLASS-73-400
 US-PATENT-3,379,064
 c05 N71-23096 NASA-CASE-XMS-06064
 US-PATENT-APPL-SN-563646
 US-PATENT-CLASS-2-14
 US-PATENT-3,378,851
 c09 N71-23097 NASA-CASE-XNP-02140
 US-PATENT-APPL-SN-440036
 US-PATENT-CLASS-330-61
 US-PATENT-3,337,812
 c07 N71-23098 NASA-CASE-XGS-00740
 US-PATENT-APPL-SN-353644
 US-PATENT-CLASS-325-305
 US-PATENT-3,341,778
 c10 N71-23099 NASA-CASE-XNP-08875
 US-PATENT-APPL-SN-640455
 US-PATENT-CLASS-343-6.5
 US-PATENT-3,380,049
 c05 N71-23159 NASA-CASE-XMF-06589
 US-PATENT-APPL-SN-543206
 US-PATENT-CLASS-5-82
 US-PATENT-3,343,180

c05 N71-23161 NASA-CASE-XAC-07043
 US-PATENT-APPL-SN-566397
 US-PATENT-CLASS-2-2.1
 US-PATENT-3,405,406
 c14 N71-23174 NASA-CASE-XGS-02610
 US-PATENT-APPL-SN-491054
 US-PATENT-CLASS-321-60
 US-PATENT-3,417,316
 c14 N71-23175 NASA-CASE-XKS-03509
 US-PATENT-APPL-SN-566392
 US-PATENT-CLASS-356-166
 US-PATENT-3,414,358
 c04 N71-23185 NASA-CASE-XAC-05422
 US-PATENT-APPL-SN-483885
 US-PATENT-CLASS-128-2.05
 US-PATENT-3,412,729
 c03 N71-23187 NASA-CASE-XGS-03390
 US-PATENT-APPL-SN-551182
 US-PATENT-CLASS-136-89
 US-PATENT-3,419,433
 c09 N71-23188 NASA-CASE-XMF-14301
 US-PATENT-APPL-SN-697341
 US-PATENT-CLASS-321-2
 US-PATENT-3,470,446
 c09 N71-23189 NASA-CASE-XNP-06028
 US-PATENT-APPL-SN-649356
 US-PATENT-CLASS-315-26
 US-PATENT-3,431,460
 c09 N71-23190 NASA-CASE-XLE-04501
 US-PATENT-APPL-SN-522794
 US-PATENT-CLASS-313-231
 US-PATENT-3,413,510
 c09 N71-23191 NASA-CASE-XMS-05890
 US-PATENT-APPL-SN-650166
 US-PATENT-CLASS-137-554
 US-PATENT-3,414,012
 c14 N71-23225 NASA-CASE-XNP-04817
 US-PATENT-APPL-SN-516152
 US-PATENT-CLASS-73-12
 US-PATENT-3,412,598
 c14 N71-23226 NASA-CASE-XNP-06509
 US-PATENT-APPL-SN-570095
 US-PATENT-CLASS-73-194
 US-PATENT-3,411,356
 c14 N71-23227 NASA-CASE-XMF-06515
 US-PATENT-APPL-SN-548808
 US-PATENT-CLASS-73-432
 US-PATENT-3,408,870
 c06 N71-23230 NASA-CASE-XMP-06409
 US-PATENT-APPL-SN-575930
 US-PATENT-CLASS-260-448.2
 US-PATENT-3,433,818
 c03 N71-23239 NASA-CASE-XMP-08217
 US-PATENT-APPL-SN-688807
 US-PATENT-CLASS-321-2
 US-PATENT-3,470,443
 c14 N71-23240 NASA-CASE-XLA-00941
 US-PATENT-APPL-SN-508873
 US-PATENT-CLASS-250-227
 US-PATENT-3,407,304
 c17 N71-23248 NASA-CASE-XLE-03629
 US-PATENT-APPL-SN-554950
 US-PATENT-CLASS-75-170
 US-PATENT-3,415,643
 c15 N71-23254 NASA-CASE-XFR-05302
 US-PATENT-APPL-SN-685463
 US-PATENT-CLASS-85-7
 US-PATENT-3,443,472
 c15 N71-23255 NASA-CASE-XMS-07487
 US-PATENT-APPL-SN-580365
 US-PATENT-CLASS-244-83
 US-PATENT-3,409,252
 c15 N71-23256 NASA-CASE-XMF-03290
 US-PATENT-APPL-SN-479353
 US-PATENT-CLASS-53-22
 US-PATENT-3,415,032
 c14 N71-23267 NASA-CASE-XLE-04026
 US-PATENT-APPL-SN-617770
 US-PATENT-CLASS-13-26
 US-PATENT-3,470,304
 c14 N71-23268 NASA-CASE-XLA-01907
 US-PATENT-APPL-SN-335441
 US-PATENT-CLASS-356-72
 US-PATENT-3,419,329
 c14 N71-23269 NASA-CASE-XLA-01584
 US-PATENT-APPL-SN-416943
 US-PATENT-CLASS-250-203
 US-PATENT-3,389,260
 c09 N71-23270 NASA-CASE-XMS-04919

ACCESSION NUMBER INDEX

	US-PATENT-APPL-SN-516155		US-PATENT-CLASS-317-31
	US-PATENT-CLASS-307-263		US-PATENT-3,393,347
	US-PATENT-3,417,266		NASA-CASE-XNP-05382
c10 N71-23271	NASA-CASE-XNP-00952	c10 N71-23544	US-PATENT-APPL-SN-536217
	US-PATENT-APPL-SN-388967		US-PATENT-CLASS-332-19
	US-PATENT-CLASS-317-148.5		US-PATENT-3,393,380
	US-PATENT-3,417,298		NASA-CASE-XNP-04367
c21 N71-23289	NASA-CASE-XNP-01669	c09 N71-23545	US-PATENT-APPL-SN-457874
	US-PATENT-APPL-SN-399419		US-PATENT-CLASS-307-235
	US-PATENT-CLASS-74-5.47		US-PATENT-3,404,289
	US-PATENT-3,415,126		NASA-CASE-XNP-06507
c26 N71-23292	NASA-CASE-XLE-10715	c09 N71-23548	US-PATENT-APPL-SN-605099
	US-PATENT-APPL-SN-603397		US-PATENT-CLASS-333-98
	US-PATENT-CLASS-252-62.3		US-PATENT-3,419,827
	US-PATENT-3,409,554		NASA-CASE-XGS-01418
c28 N71-23293	NASA-CASE-XNP-06942	c09 N71-23573	US-PATENT-APPL-SN-392969
	US-PATENT-APPL-SN-563651		US-PATENT-CLASS-333-73
	US-PATENT-CLASS-60-202		US-PATENT-3,393,384
	US-PATENT-3,412,559		NASA-CASE-XER-11019
c08 N71-23295	NASA-CASE-XNP-04819	c09 N71-23598	US-PATENT-APPL-SN-711971
	US-PATENT-APPL-SN-502701		US-PATENT-CLASS-331-78
	US-PATENT-CLASS-340-146.2		US-PATENT-3,470,489
	US-PATENT-3,390,378		NASA-CASE-XLE-01903
c09 N71-23311	NASA-CASE-XGS-03632	c22 N71-23599	US-PATENT-APPL-SN-466868
	US-PATENT-APPL-SN-502739		US-PATENT-CLASS-310-4
	US-PATENT-CLASS-307-260		US-PATENT-3,393,330
	US-PATENT-3,390,282		NASA-CASE-XLE-02798
c10 N71-23315	NASA-CASE-XLA-03356	c26 N71-23654	US-PATENT-APPL-SN-660571
	US-PATENT-APPL-SN-536216		US-PATENT-CLASS-148-1.5
	US-PATENT-CLASS-307-234		US-PATENT-3,390,020
	US-PATENT-3,448,290		NASA-CASE-XLE-02647
c09 N71-23316	NASA-CASE-XMS-09352	c18 N71-23658	US-PATENT-APPL-SN-430226
	US-PATENT-APPL-SN-564919		US-PATENT-CLASS-220-9
	US-PATENT-CLASS-323-22		US-PATENT-3,392,864
	US-PATENT-3,417,321		NASA-CASE-XGS-01118
c05 N71-23317	NASA-CASE-XMS-06061	c10 N71-23662	US-PATENT-APPL-SN-408442
	US-PATENT-APPL-SN-605092		US-PATENT-CLASS-235-154
	US-PATENT-CLASS-307-260		US-PATENT-3,399,299
	US-PATENT-3,467,837		NASA-CASE-XKS-04631
c03 N71-23336	NASA-CASE-XGS-01513	c10 N71-23663	US-PATENT-APPL-SN-663180
	US-PATENT-APPL-SN-502756		US-PATENT-CLASS-200-82
	US-PATENT-CLASS-136-166		US-PATENT-3,433,909
	US-PATENT-3,390,017		NASA-CASE-XAC-10607
c03 N71-23354	NASA-CASE-XLE-04535	c10 N71-23669	US-PATENT-APPL-SN-694345
	US-PATENT-APPL-SN-580671		US-PATENT-CLASS-331-111
	US-PATENT-CLASS-250-212		US-PATENT-3,470,495
	US-PATENT-3,437,818		NASA-CASE-XGS-08259
c17 N71-23365	NASA-CASE-XNP-03063	c14 N71-23698	US-PATENT-APPL-SN-666551
	US-PATENT-APPL-SN-521994		US-PATENT-CLASS-242-192
	US-PATENT-CLASS-75-172		US-PATENT-3,460,781
	US-PATENT-3,413,115		NASA-CASE-XNP-10289
c14 N71-23401	NASA-CASE-XGS-03230	c14 N71-23699	US-PATENT-APPL-SN-674356
	US-PATENT-APPL-SN-517158		US-PATENT-CLASS-324-72
	US-PATENT-CLASS-250-83		US-PATENT-3,470,466
	US-PATENT-3,419,992		NASA-CASE-XLE-08511
c07 N71-23405	NASA-CASE-XGS-01537	c18 N71-23710	US-PATENT-APPL-SN-635972
	US-PATENT-APPL-SN-432026		US-PATENT-CLASS-29-182.1
	US-PATENT-CLASS-325-163		US-PATENT-3,419,363
	US-PATENT-3,417,332		NASA-CASE-XNP-09832
c09 N71-23443	NASA-CASE-XLE-02823	c30 N71-23723	US-PATENT-APPL-SN-632163
	US-PATENT-APPL-SN-491058		US-PATENT-CLASS-343-100
	US-PATENT-CLASS-310-10		US-PATENT-3,417,399
	US-PATENT-3,393,332		NASA-CASE-XGS-01013
c03 N71-23449	NASA-CASE-XLE-08569	c14 N71-23725	US-PATENT-APPL-SN-665209
	US-PATENT-APPL-SN-641420		US-PATENT-CLASS-73-133
	US-PATENT-CLASS-136-89		US-PATENT-3,460,381
	US-PATENT-3,472,698		NASA-CASE-XNP-05224
c01 N71-23497	NASA-CASE-XLA-01486	c14 N71-23726	US-PATENT-APPL-SN-660842
	US-PATENT-APPL-SN-484485		US-PATENT-CLASS-73-189
	US-PATENT-CLASS-244-13		US-PATENT-3,465,584
	US-PATENT-3,392,936		NASA-CASE-XNP-04134
c06 N71-23499	NASA-CASE-XNP-03835	c14 N71-23755	US-PATENT-APPL-SN-610723
	US-PATENT-APPL-SN-456874		US-PATENT-CLASS-73-4
	US-PATENT-CLASS-44-77		US-PATENT-3,472,059
	US-PATENT-3,393,059		NASA-CASE-XAC-04885
c06 N71-23500	NASA-CASE-XNP-03250	c14 N71-23790	US-PATENT-APPL-SN-573432
	US-PATENT-APPL-SN-485058		US-PATENT-CLASS-73-141
	US-PATENT-CLASS-260-85.5		US-PATENT-3,415,116
	US-PATENT-3,419,537		NASA-CASE-XNP-06510
c09 N71-23525	NASA-CASE-XGS-02317	c14 N71-23797	US-PATENT-APPL-SN-562445
	US-PATENT-APPL-SN-576183		US-PATENT-CLASS-250-203
	US-PATENT-CLASS-328-61		US-PATENT-3,417,247
	US-PATENT-3,464,018		NASA-CASE-XNP-02330
c06 N71-23527	NASA-CASE-XLE-01997	c15 N71-23798	US-PATENT-APPL-SN-608944
	US-PATENT-APPL-SN-427990		US-PATENT-CLASS-219-130
	US-PATENT-CLASS-23-230		US-PATENT-3,469,069
	US-PATENT-3,472,625		NASA-CASE-XAC-10019
c10 N71-23543	NASA-CASE-XMS-00913	c15 N71-23809	US-PATENT-APPL-SN-686209
	US-PATENT-APPL-SN-416945		US-PATENT-CLASS-74-89.18

ACCESSION NUMBER INDEX

c15 N71-23810 US-PATENT-3,472,086
 NASA-CASE-XLE-05033
 US-PATENT-APPL-SN-510474
 US-PATENT-CLASS-252-12
 US-PATENT-3,466,243
 c15 N71-23811 NASA-CASE-XNP-05297
 US-PATENT-APPL-SN-640458
 US-PATENT-CLASS-72-354
 US-PATENT-3,443,412
 c15 N71-23812 NASA-CASE-XMF-07808
 US-PATENT-APPL-SN-684178
 US-PATENT-CLASS-308-2
 US-PATENT-3,463,563
 c15 N71-23815 NASA-CASE-XMF-07069
 US-PATENT-APPL-SN-672382
 US-PATENT-CLASS-219-125
 US-PATENT-3,469,068
 c15 N71-23816 NASA-CASE-XLE-03803
 US-PATENT-APPL-SN-505765
 US-PATENT-CLASS-220-9
 US-PATENT-3,392,865
 c15 N71-23817 NASA-CASE-XLE-06773
 US-PATENT-APPL-SN-646124
 US-PATENT-CLASS-72-467
 US-PATENT-3,469,436
 c17 N71-23828 NASA-CASE-XMF-02303
 US-PATENT-APPL-SN-453229
 US-PATENT-CLASS-148-6.20
 US-PATENT-3,416,975
 c31 N71-23912 NASA-CASE-XMF-05941
 US-PATENT-APPL-SN-653277
 US-PATENT-CLASS-244-1
 US-PATENT-3,443,773
 c28 N71-23968 NASA-CASE-XLE-04857
 US-PATENT-APPL-SN-621742
 US-PATENT-CLASS-239-127.1
 US-PATENT-3,460,759
 c32 N71-23971 NASA-CASE-XAC-05632
 US-PATENT-APPL-SN-568355
 US-PATENT-CLASS-244-77
 US-PATENT-3,412,961
 c23 N71-23976 NASA-CASE-XLA-01987
 US-PATENT-APPL-SN-542713
 US-PATENT-CLASS-346-107
 US-PATENT-3,392,403
 c31 N71-24035 NASA-CASE-XLA-01027
 US-PATENT-APPL-SN-494283
 US-PATENT-CLASS-52-272
 US-PATENT-3,416,274
 c15 N71-24042 NASA-CASE-XNP-04731
 US-PATENT-APPL-SN-534966
 US-PATENT-CLASS-103-48
 US-PATENT-3,367,271
 c15 N71-24043 NASA-CASE-XKS-03338
 US-PATENT-APPL-SN-547072
 US-PATENT-CLASS-89-1.806
 US-PATENT-3,415,156
 c15 N71-24044 NASA-CASE-XNP-06888
 US-PATENT-APPL-SN-591000
 US-PATENT-CLASS-62-40
 US-PATENT-3,415,069
 c15 N71-24045 NASA-CASE-XGS-04548
 US-PATENT-APPL-SN-672383
 US-PATENT-CLASS-74-100
 US-PATENT-3,460,397
 c15 N71-24046 NASA-CASE-XLE-10337
 US-PATENT-APPL-SN-594633
 US-PATENT-CLASS-252-26
 US-PATENT-3,391,080
 c15 N71-24047 NASA-CASE-XGS-03120
 US-PATENT-APPL-SN-485958
 US-PATENT-CLASS-156-3
 US-PATENT-3,470,043
 c16 N71-24074 NASA-CASE-XLA-03375
 US-PATENT-APPL-SN-512562
 US-PATENT-CLASS-356-104
 US-PATENT-3,446,558
 c17 N71-24142 NASA-CASE-XLE-06969
 US-PATENT-APPL-SN-655675
 US-PATENT-CLASS-148-126
 US-PATENT-3,463,679
 c33 N71-24145 NASA-CASE-XLE-03432
 US-PATENT-APPL-SN-559349
 US-PATENT-CLASS-13-35
 US-PATENT-3,409,730
 c05 N71-24147 NASA-CASE-XMS-10269
 US-PATENT-APPL-SN-590158
 US-PATENT-CLASS-165-46
 US-PATENT-3,425,486

c15 N71-24164 NASA-CASE-XLA-01494
 US-PATENT-APPL-SN-499122
 US-PATENT-CLASS-156-545
 US-PATENT-3,416,988
 c16 N71-24170 NASA-CASE-XLA-04295
 US-PATENT-APPL-SN-546149
 US-PATENT-CLASS-356-107
 US-PATENT-3,468,609
 c18 N71-24183 NASA-CASE-XGS-04799
 US-PATENT-APPL-SN-452944
 US-PATENT-CLASS-106-84
 US-PATENT-3,416,939
 c18 N71-24184 NASA-CASE-XNP-02139
 US-PATENT-APPL-SN-430777
 US-PATENT-CLASS-106-84
 US-PATENT-3,434,855
 c14 N71-24232 NASA-CASE-XAC-04458
 US-PATENT-APPL-SN-534975
 US-PATENT-CLASS-73-400
 US-PATENT-3,392,586
 c14 N71-24233 NASA-CASE-XGS-04478
 US-PATENT-APPL-SN-566717
 US-PATENT-CLASS-73-88.5
 US-PATENT-3,460,378
 c14 N71-24234 NASA-CASE-XMF-10968
 US-PATENT-APPL-SN-644447
 US-PATENT-CLASS-73-15.6
 US-PATENT-3,469,437
 c33 N71-24276 NASA-CASE-XLA-02059
 US-PATENT-APPL-SN-576182
 US-PATENT-CLASS-165-12
 US-PATENT-3,406,742
 c32 N71-24285 NASA-CASE-XMF-02392
 US-PATENT-APPL-SN-596735
 US-PATENT-CLASS-73-49.2
 US-PATENT-3,399,574
 c31 N71-24315 NASA-CASE-XLA-04901
 US-PATENT-APPL-SN-586325
 US-PATENT-CLASS-244-1
 US-PATENT-3,405,887
 c28 N71-24321 NASA-CASE-XNP-03692
 US-PATENT-APPL-SN-640787
 US-PATENT-CLASS-60-263
 US-PATENT-3,443,384
 c07 N71-24583 NASA-CASE-NPO-10096
 US-PATENT-APPL-SN-730700
 US-PATENT-CLASS-329-140
 US-PATENT-3,533,001
 c09 N71-24595 NASA-CASE-GSC-10021-1
 US-PATENT-APPL-SN-790420
 US-PATENT-CLASS-343-7.5
 US-PATENT-3,540,045
 c09 N71-24596 NASA-CASE-XNP-01306-2
 US-PATENT-APPL-SN-684083
 US-PATENT-CLASS-328-133
 US-PATENT-3,509,475
 c09 N71-24597 NASA-CASE-ARC-10132-1
 US-PATENT-APPL-SN-759460
 US-PATENT-CLASS-73-398
 US-PATENT-3,545,275
 c15 N71-24599 NASA-CASE-XAC-12052-1
 US-PATENT-APPL-SN-770371
 US-PATENT-CLASS-254-150
 US-PATENT-CLASS-254-173
 US-PATENT-CLASS-254-186
 US-PATENT-3,545,725
 c15 N71-24600 NASA-CASE-XGS-08718
 US-PATENT-APPL-SN-785611
 US-PATENT-CLASS-9-9
 US-PATENT-CLASS-74-2
 US-PATENT-CLASS-89-1.5
 US-PATENT-CLASS-244-1
 US-PATENT-CLASS-244-150
 US-PATENT-3,540,676
 c03 N71-24605 NASA-CASE-XNP-04758
 US-PATENT-APPL-SN-557861
 US-PATENT-CLASS-320-17
 US-PATENT-3,413,536
 c05 N71-24606 NASA-CASE-XKS-10804
 US-PATENT-APPL-SN-691909
 US-PATENT-CLASS-35-17
 US-PATENT-3,508,347
 c06 N71-24607 NASA-CASE-XNP-09699
 US-PATENT-APPL-SN-711972
 US-PATENT-CLASS-73-17
 US-PATENT-3,546,920
 c07 N71-24612 NASA-CASE-XMF-06092
 US-PATENT-APPL-SN-550088
 US-PATENT-CLASS-178-7.1

ACCESSION NUMBER INDEX

c07 N71-24613	US-PATENT-3,470,318 NASA-CASE-NPO-10851 US-PATENT-APPL-SN-805406 US-PATENT-CLASS-325-325 US-PATENT-3,551,816	US-PATENT-APPL-SN-857445 US-PATENT-CLASS-244-1 US-PATENT-3,537,668
c07 N71-24614	NASA-CASE-XKS-09340 US-PATENT-APPL-SN-666555 US-PATENT-CLASS-343-703 US-PATENT-3,540,056	NASA-CASE-MSC-13282-1 US-PATENT-APPL-SN-8498 US-PATENT-CLASS-128-2.1 US-PATENT-3,548,812
c09 N71-24618	NASA-CASE-FRC-10029 US-PATENT-APPL-SN-760389 US-PATENT-CLASS-128-2.06 US-PATENT-3,547,105	NASA-CASE-XMS-09637-1 US-PATENT-APPL-SN-785710 US-PATENT-CLASS-2-2.1 US-PATENT-3,537,107
c07 N71-24621	NASA-CASE-GSC-10118-1 US-PATENT-APPL-SN-783375 US-PATENT-CLASS-179-15 US-PATENT-CLASS-325-4 US-PATENT-CLASS-343-100 US-PATENT-3,546,386	NASA-CASE-XLB-03157 US-PATENT-APPL-SN-591014 US-PATENT-CLASS-60-240 US-PATENT-3,408,816
c07 N71-24622	NASA-CASE-NPO-10388 US-PATENT-APPL-SN-725432 US-PATENT-CLASS-179-15 US-PATENT-CLASS-324-77 US-PATENT-3,548,107	NASA-CASE-ARC-10100-1 US-PATENT-APPL-SN-797058 US-PATENT-CLASS-128-24 US-PATENT-CLASS-128-25 US-PATENT-3,550,585
c05 N71-24623	NASA-CASE-XMS-09635 US-PATENT-APPL-SN-586329 US-PATENT-CLASS-2-2.1 US-PATENT-3,516,091	NASA-CASE-ARC-10098-1 US-PATENT-APPL-SN-702967 US-PATENT-CLASS-260-2.5 US-PATENT-3,549,564
c07 N71-24624	NASA-CASE-GSC-10131-1 US-PATENT-APPL-SN-754055 US-PATENT-CLASS-340-172.5 US-PATENT-3,546,684	NASA-CASE-XMP-03074 US-PATENT-APPL-SN-593595 US-PATENT-CLASS-260-72.5 US-PATENT-3,516,971
c07 N71-24625	NASA-CASE-XMS-09610 US-PATENT-APPL-SN-766170 US-PATENT-CLASS-343-113 US-PATENT-3,540,054	NASA-CASE-NPO-10118 US-PATENT-APPL-SN-704465 US-PATENT-CLASS-235-152 US-PATENT-3,541,314
c08 N71-24633	NASA-CASE-NPO-10567 US-PATENT-APPL-SN-679055 US-PATENT-CLASS-235-153 US-PATENT-3,517,171	NASA-CASE-NPO-10140 US-PATENT-APPL-SN-691737 US-PATENT-CLASS-187-7.1 US-PATENT-3,541,250
c08 N71-24650	NASA-CASE-NPO-10150 US-PATENT-APPL-SN-660843 US-PATENT-CLASS-340-347 US-PATENT-3,537,103	NASA-CASE-XGS-01654 US-PATENT-APPL-SN-434148 US-PATENT-CLASS-102-50 US-PATENT-3,282,541
c15 N71-24679	NASA-CASE-XNP-10475 US-PATENT-APPL-SN-763868 US-PATENT-CLASS-72-369 US-PATENT-3,546,917	NASA-CASE-XLB-03061-1 US-PATENT-APPL-SN-632152 US-PATENT-CLASS-340-412 US-PATENT-3,546,694
c03 N71-24681	NASA-CASE-XLE-08569-2 US-PATENT-APPL-SN-829825 US-PATENT-CLASS-29-572 US-PATENT-3,541,679	NASA-CASE-XNP-06505 US-PATENT-APPL-SN-562933 US-PATENT-CLASS-307-254 US-PATENT-3,501,648
c12 N71-24692	NASA-CASE-XFR-02007 US-PATENT-APPL-SN-378080 US-PATENT-CLASS-73-389 US-PATENT-3,273,399	NASA-CASE-ERC-10075 US-PATENT-APPL-SN-775870 US-PATENT-CLASS-321-45 US-PATENT-3,539,905
c14 N71-24693	NASA-CASE-XMP-04415 US-PATENT-APPL-SN-644446 US-PATENT-CLASS-33-174 US-PATENT-3,360,864	NASA-CASE-NPO-10242 US-PATENT-APPL-SN-749181 US-PATENT-CLASS-307-88 US-PATENT-3,541,346
c15 N71-24694	NASA-CASE-GSC-10306-1 US-PATENT-APPL-SN-789278 US-PATENT-CLASS-248-358 US-PATENT-3,537,672	NASA-CASE-GSC-10299-1 US-PATENT-APPL-SN-836367 US-PATENT-CLASS-343-100 US-PATENT-3,540,050
c15 N71-24695	NASA-CASE-XNP-06936 US-PATENT-APPL-SN-640786 US-PATENT-CLASS-318-382 US-PATENT-3,487,281	NASA-CASE-XMP-06892 US-PATENT-APPL-SN-757875 US-PATENT-CLASS-318-318 US-PATENT-3,546,553
c15 N71-24696	NASA-CASE-NPO-10173 US-PATENT-APPL-SN-796360 US-PATENT-CLASS-310-101 US-PATENT-3,535,570	NASA-CASE-NPO-10198 US-PATENT-APPL-SN-723804 US-PATENT-CLASS-328-165 US-PATENT-3,550,023
c09 N71-24717	NASA-CASE-XMP-08804 US-PATENT-APPL-SN-683606 US-PATENT-CLASS-324-181 US-PATENT-3,543,159	NASA-CASE-MFS-14114-2 US-PATENT-APPL-SN-854815 US-PATENT-CLASS-165-105 US-PATENT-CLASS-165-107 US-PATENT-CLASS-165-138 US-PATENT-CLASS-310-4 US-PATENT-3,537,515
c03 N71-24718	NASA-CASE-MSC-10960-1 US-PATENT-APPL-SN-751198 US-PATENT-CLASS-204-305 US-PATENT-3,547,801	NASA-CASE-XMP-08880 US-PATENT-APPL-SN-605094 US-PATENT-CLASS-333-98 US-PATENT-3,416,106
c03 N71-24719	NASA-CASE-GSC-10487-1 US-PATENT-APPL-SN-828983 US-PATENT-CLASS-320-39 US-PATENT-3,541,422	NASA-CASE-XNP-08961 US-PATENT-APPL-SN-661170 US-PATENT-CLASS-250-84 US-PATENT-3,487,216
c23 N71-24725	NASA-CASE-GSC-10188-1 US-PATENT-APPL-SN-791888 US-PATENT-CLASS-62-384 US-PATENT-3,545,226	NASA-CASE-XAC-06029-1 US-PATENT-APPL-SN-588651 US-PATENT-CLASS-343-100 US-PATENT-3,540,048
c05 N71-24728	NASA-CASE-MSC-12243-1	NASA-CASE-XAC-10770-1 US-PATENT-APPL-SN-690997

ACCESSION NUMBER INDEX

c17 N71-24830 US-PATENT-CLASS-356-28
 US-PATENT-3,547,540
 NASA-CASE-XNP-04148
 US-PATENT-APPL-SN-536210
 US-PATENT-CLASS-204-38
 US-PATENT-3,472,742
 c16 N71-24831 NASA-CASE-NPO-10548
 US-PATENT-APPL-SN-775072
 US-PATENT-CLASS-330-4
 US-PATENT-3,486,123
 c16 N71-24832 NASA-CASE-ERC-10178
 US-PATENT-APPL-SN-800973
 US-PATENT-CLASS-331-94.5
 US-PATENT-3,550,034
 c15 N71-24833 NASA-CASE-XNP-03793
 US-PATENT-APPL-SN-453225
 US-PATENT-CLASS-72-56
 US-PATENT-3,360,972
 c15 N71-24834 NASA-CASE-XNP-05634
 US-PATENT-APPL-SN-605096
 US-PATENT-CLASS-73-95
 US-PATENT-3,460,379
 c15 N71-24835 NASA-CASE-NPO-10123
 US-PATENT-APPL-SN-731388
 US-PATENT-CLASS-128-272
 US-PATENT-CLASS-128-275
 US-PATENT-3,540,449
 c15 N71-24836 NASA-CASE-XLE-08917-2
 US-PATENT-APPL-SN-852131
 US-PATENT-CLASS-72-60
 US-PATENT-3,541,825
 c07 N71-24840 NASA-CASE-NPO-10649
 US-PATENT-APPL-SN-795182
 US-PATENT-CLASS-325-113
 US-PATENT-3,541,450
 c09 N71-24841 NASA-CASE-XNP-09771
 US-PATENT-APPL-SN-698630
 US-PATENT-CLASS-333-83
 US-PATENT-3,541,479
 c09 N71-24842 NASA-CASE-MSC-12209
 US-PATENT-APPL-SN-881039
 US-PATENT-CLASS-343-797
 US-PATENT-3,546,705
 c09 N71-24843 NASA-CASE-XNP-06617
 US-PATENT-APPL-SN-656993
 US-PATENT-CLASS-324-71
 US-PATENT-3,541,439
 c10 N71-24844 NASA-CASE-NPO-10169
 US-PATENT-APPL-SN-701733
 US-PATENT-CLASS-328-171
 US-PATENT-3,541,459
 c23 N71-24857 NASA-CASE-XMS-06056-1
 US-PATENT-APPL-SN-532006
 US-PATENT-CLASS-350-189
 US-PATENT-3,472,577
 c33 N71-24858 NASA-CASE-MPS-14253
 US-PATENT-APPL-SN-709622
 US-PATENT-CLASS-161-69
 US-PATENT-3,551,266
 c10 N71-24861 NASA-CASE-XNP-05195
 US-PATENT-APPL-SN-785595
 US-PATENT-CLASS-318-599
 US-PATENT-3,523,228
 c10 N71-24862 NASA-CASE-ERC-10010
 US-PATENT-APPL-SN-771937
 US-PATENT-CLASS-307-235
 US-PATENT-3,543,050
 c10 N71-24863 NASA-CASE-XNP-02966
 US-PATENT-APPL-SN-560968
 US-PATENT-CLASS-324-70
 US-PATENT-3,406,336
 c14 N71-24864 NASA-CASE-XLE-04503
 US-PATENT-APPL-SN-606463
 US-PATENT-CLASS-250-225
 US-PATENT-3,546,471
 c15 N71-24865 NASA-CASE-XNP-05114-3
 US-PATENT-APPL-SN-837378
 US-PATENT-CLASS-72-56
 US-PATENT-3,540,250
 c23 N71-24868 NASA-CASE-ERC-10001
 US-PATENT-APPL-SN-712099
 US-PATENT-CLASS-350-310
 US-PATENT-3,540,802
 c15 N71-24875 NASA-CASE-XLA-06199
 US-PATENT-APPL-SN-702911
 US-PATENT-CLASS-148-6.11
 US-PATENT-3,540,942
 c33 N71-24876 NASA-CASE-XNP-05524
 US-PATENT-APPL-SN-250567

US-PATENT-CLASS-165-2
 US-PATENT-3,270,802
 NASA-CASE-XKS-06167
 c08 N71-24890 US-PATENT-APPL-SN-649076
 US-PATENT-CLASS-235-155
 US-PATENT-3,535,497
 c08 N71-24891 NASA-CASE-XNP-09759
 US-PATENT-APPL-SN-606462
 US-PATENT-CLASS-235-92
 US-PATENT-3,541,312
 c09 N71-24892 NASA-CASE-NPO-10716
 US-PATENT-APPL-SN-851394
 US-PATENT-CLASS-307-104
 US-PATENT-CLASS-317-123
 US-PATENT-CLASS-317-148.5
 US-PATENT-3,549,955
 c09 N71-24893 NASA-CASE-ERC-10125
 US-PATENT-APPL-SN-773029
 US-PATENT-CLASS-323-56
 US-PATENT-3,541,428
 c15 N71-24895 NASA-CASE-XLA-07473
 US-PATENT-APPL-SN-839935
 US-PATENT-CLASS-318-265
 US-PATENT-3,546,552
 c15 N71-24896 NASA-CASE-ERC-10034
 US-PATENT-APPL-SN-763706
 US-PATENT-CLASS-250-43.5
 US-PATENT-3,549,882
 c15 N71-24897 NASA-CASE-XLA-03538
 US-PATENT-APPL-SN-749149
 US-PATENT-CLASS-294-83
 US-PATENT-3,508,779
 c15 N71-24903 NASA-CASE-MFS-20395
 US-PATENT-APPL-SN-830715
 US-PATENT-CLASS-285-38
 US-PATENT-CLASS-285-314
 US-PATENT-CLASS-285-317
 US-PATENT-CLASS-285-406
 US-PATENT-3,545,792
 c09 N71-24904 NASA-CASE-MFS-20385
 US-PATENT-APPL-SN-853716
 US-PATENT-CLASS-310-10
 US-PATENT-3,541,361
 c15 N71-24910 NASA-CASE-ERC-10045
 US-PATENT-APPL-SN-763685
 US-PATENT-CLASS-73-40.7
 US-PATENT-3,548,636
 c17 N71-24911 NASA-CASE-XLE-04946
 US-PATENT-APPL-SN-605093
 US-PATENT-CLASS-118-308
 US-PATENT-3,472,202
 c18 N71-24934 NASA-CASE-NPO-10051
 US-PATENT-APPL-SN-711898
 US-PATENT-CLASS-73-38
 US-PATENT-3,548,633
 c21 N71-24948 NASA-CASE-ERC-10090
 US-PATENT-APPL-SN-811542
 US-PATENT-CLASS-343-112
 US-PATENT-3,550,129
 c11 N71-24964 NASA-CASE-NPO-10141
 US-PATENT-APPL-SN-673227
 US-PATENT-CLASS-62-55.5
 US-PATENT-3,443,390
 c15 N71-24984 NASA-CASE-MFS-14971
 US-PATENT-APPL-SN-827579
 US-PATENT-CLASS-74-468
 US-PATENT-3,541,875
 c11 N71-24985 NASA-CASE-KSC-10126
 US-PATENT-APPL-SN-845973
 US-PATENT-CLASS-73-15
 US-PATENT-3,545,252
 c10 N71-25139 NASA-CASE-MFS-10068
 US-PATENT-APPL-SN-700541
 US-PATENT-CLASS-321-9
 US-PATENT-3,487,288
 c28 N71-25213 NASA-CASE-GSC-10709-1
 US-PATENT-APPL-SN-791288
 US-PATENT-CLASS-60-202
 US-PATENT-3,545,208
 c33 N71-25351 NASA-CASE-MFS-14023
 US-PATENT-APPL-SN-795217
 US-PATENT-CLASS-52-249
 US-PATENT-CLASS-52-404
 US-PATENT-CLASS-62-45
 US-PATENT-CLASS-161-161
 US-PATENT-CLASS-220-9
 US-PATENT-3,540,615
 c33 N71-25353 NASA-CASE-MFS-20355
 US-PATENT-APPL-SN-845974

ACCESSION NUMBER INDEX

	US-PATENT-CLASS-165-104		US-PATENT-CLASS-310-168
	US-PATENT-CLASS-165-105		US-PATENT-CLASS-310-254
	US-PATENT-CLASS-165-133		US-PATENT-CLASS-318-138
	US-PATENT-CLASS-219-378		US-PATENT-CLASS-318-254
	US-PATENT-CLASS-219-530		US-PATENT-3,569,804
	US-PATENT-CLASS-244-1	c09 N71-26000	NASA-CASE-XNP-08567
	US-PATENT-3,548,930		US-PATENT-APPL-SN-640783
c32 N71-25360	NASA-CASE-XLA-08530		US-PATENT-CLASS-307-88
	US-PATENT-APPL-SN-808577		US-PATENT-3,466,459
	US-PATENT-CLASS-73-90	c09 N71-26002	NASA-CASE-XMS-04213-1
	US-PATENT-3,546,931		US-PATENT-APPL-SN-607484
c31 N71-25434	NASA-CASE-MSC-13047-1		US-PATENT-CLASS-128-2.1
	US-PATENT-APPL-SN-850586		US-PATENT-3,468,303
	US-PATENT-CLASS-244-1	c03 N71-26084	NASA-CASE-LEW-11358
	US-PATENT-CLASS-244-113		US-PATENT-APPL-SN-787906
	US-PATENT-CLASS-244-138		US-PATENT-CLASS-136-6
	US-PATENT-3,547,376		US-PATENT-3,554,806
c26 N71-25490	NASA-CASE-ERC-10088	c10 N71-26085	NASA-CASE-GSC-10735-1
	US-PATENT-APPL-SN-760927		US-PATENT-APPL-SN-863963
	US-PATENT-CLASS-73-141		US-PATENT-CLASS-321-2
	US-PATENT-3,537,305		US-PATENT-3,559,031
c24 N71-25555	NASA-CASE-XNP-09469	c09 N71-26092	NASA-CASE-XNP-07477
	US-PATENT-APPL-SN-645573		US-PATENT-APPL-SN-605098
	US-PATENT-CLASS-204-168		US-PATENT-CLASS-318-258
	US-PATENT-3,540,989		US-PATENT-3,501,684
c10 N71-25865	NASA-CASE-KSC-10002	c18 N71-26100	NASA-CASE-XLA-04251
	US-PATENT-APPL-SN-782956		US-PATENT-APPL-SN-657742
	US-PATENT-CLASS-178-69.5		US-PATENT-CLASS-117-104
	US-PATENT-3,567,861		US-PATENT-3,553,002
c09 N71-25866	NASA-CASE-ARC-10003-1	c07 N71-26101	NASA-CASE-NPO-10231
	US-PATENT-APPL-SN-717822		US-PATENT-APPL-SN-701767
	US-PATENT-CLASS-178-66		US-PATENT-CLASS-343-786
	US-PATENT-CLASS-179-100.2		US-PATENT-3,534,376
	US-PATENT-3,549,799	c07 N71-26102	NASA-CASE-XNP-06611
c18 N71-25881	NASA-CASE-XGS-05180		NASA-CASE-XNP-09830
	US-PATENT-APPL-SN-721607		US-PATENT-APPL-SN-593607
	US-PATENT-CLASS-260-37		US-PATENT-CLASS-178-6.6
	US-PATENT-3,567,677		US-PATENT-3,474,192
c10 N71-25882	NASA-CASE-GSC-10022-1	c10 N71-26103	NASA-CASE-XNP-04623
	US-PATENT-APPL-SN-785546		US-PATENT-APPL-SN-510150
	US-PATENT-CLASS-331-113		US-PATENT-CLASS-340-146.1
	US-PATENT-3,559,096		US-PATENT-3,474,413
c14 N71-25892	NASA-CASE-XLA-04555-1	c02 N71-26110	NASA-CASE-LAR-10249-1
	US-PATENT-APPL-SN-594584		US-PATENT-APPL-SN-835060
	US-PATENT-CLASS-148-13		US-PATENT-CLASS-244-42
	US-PATENT-3,468,727		US-PATENT-3,576,301
c10 N71-25899	NASA-CASE-LEW-10345-1	c09 N71-26133	NASA-CASE-MFS-20075
	US-PATENT-APPL-SN-805298		US-PATENT-APPL-SN-835059
	US-PATENT-CLASS-137-81.5		US-PATENT-CLASS-317-101
	US-PATENT-CLASS-235-201		US-PATENT-CLASS-339-17
	US-PATENT-3,568,702		US-PATENT-3,575,638
c10 N71-25900	NASA-CASE-ERC-10032	c15 N71-26134	NASA-CASE-XKS-07953
	US-PATENT-APPL-SN-757857		US-PATENT-APPL-SN-725405
	US-PATENT-CLASS-333-30		US-PATENT-CLASS-51-170
	US-PATENT-CLASS-333-72		US-PATENT-3,553,904
	US-PATENT-3,568,103	c14 N71-26135	NASA-CASE-XAC-03740
c14 N71-25901	NASA-CASE-XLA-02810		US-PATENT-APPL-SN-480211
	US-PATENT-APPL-SN-764252		US-PATENT-CLASS-324-43
	US-PATENT-CLASS-250-43.5		US-PATENT-3,564,401
	US-PATENT-CLASS-250-83.3	c14 N71-26136	NASA-CASE-XLA-01782
	US-PATENT-CLASS-340-233		US-PATENT-APPL-SN-576792
	US-PATENT-CLASS-340-285		US-PATENT-CLASS-73-15.6
	US-PATENT-3,569,710		US-PATENT-3,472,060
c17 N71-25903	NASA-CASE-XLA-08966-1	c14 N71-26137	NASA-CASE-LAR-10305
	US-PATENT-APPL-SN-570678		US-PATENT-APPL-SN-811037
	US-PATENT-CLASS-204-33		US-PATENT-CLASS-324-0.5
	US-PATENT-3,468,765		US-PATENT-CLASS-324-58.5
c16 N71-25914	NASA-CASE-XLA-03410		US-PATENT-3,562,631
	US-PATENT-APPL-SN-512561	c10 N71-26142	NASA-CASE-NPO-10302
	US-PATENT-CLASS-250-199		US-PATENT-APPL-SN-848811
	US-PATENT-3,469,087		US-PATENT-CLASS-343-768
c10 N71-25917	NASA-CASE-NPO-10595		US-PATENT-3,553,704
	US-PATENT-APPL-SN-771760	c15 N71-26145	NASA-CASE-ERC-10005
	US-PATENT-CLASS-340-347		US-PATENT-APPL-SN-756266
	US-PATENT-3,569,956		US-PATENT-CLASS-33-189
c06 N71-25929	NASA-CASE-NPO-10596		US-PATENT-3,562,919
	US-PATENT-APPL-SN-756381	c15 N71-26148	NASA-CASE-XMF-05114-2
	US-PATENT-CLASS-260-2.5		US-PATENT-APPL-SN-837377
	US-PATENT-3,557,027		US-PATENT-CLASS-72-56
c10 N71-25950	NASA-CASE-XGS-06226		US-PATENT-3,555,867
	US-PATENT-APPL-SN-676387	c18 N71-26153	NASA-CASE-XLE-03940
	US-PATENT-CLASS-331-113		US-PATENT-APPL-SN-539255
	US-PATENT-3,466,570		US-PATENT-CLASS-148-126
c15 N71-25975	NASA-CASE-XMS-10660-1		US-PATENT-3,472,709
	US-PATENT-APPL-SN-797056	c16 N71-26154	NASA-CASE-ERC-10020
	US-PATENT-CLASS-24-205.17		US-PATENT-APPL-SN-709399
	US-PATENT-3,469,289		US-PATENT-CLASS-350-3.5
c09 N71-25999	NASA-CASE-XGS-05290		US-PATENT-3,540,790
	US-PATENT-APPL-SN-754019	c18 N71-26155	NASA-CASE-LAR-10373-1

ACCESSION NUMBER INDEX

	US-PATENT-APPL-SN-761007		US-PATENT-APPL-SN-618969
	US-PATENT-CLASS-260-2.5		US-PATENT-CLASS-2-6
	US-PATENT-3,481,887		US-PATENT-3,473,165
c14 N71-26161	NASA-CASE-XLA-08254	c10 N71-26334	NASA-CASE-XLA-02619
	US-PATENT-APPL-SN-867843		US-PATENT-APPL-SN-796691
	US-PATENT-CLASS-73-12		US-PATENT-CLASS-317-DIG.3
	US-PATENT-CLASS-73-79		US-PATENT-CLASS-317-153
	US-PATENT-3,576,127		US-PATENT-CLASS-340-235
c15 N71-26162	NASA-CASE-MSC-15474-1		US-PATENT-3,575,641
	US-PATENT-APPL-SN-878731	c10 N71-26339	NASA-CASE-NPO-10185
	US-PATENT-CLASS-24-263		US-PATENT-APPL-SN-723805
	US-PATENT-3,564,564		US-PATENT-CLASS-73-432
c28 N71-26173	NASA-CASE-LEW-10689-1		US-PATENT-3,472,080
	US-PATENT-APPL-SN-830978	c15 N71-26346	NASA-CASE-XLE-05641-1
	US-PATENT-CLASS-60-202		US-PATENT-APPL-SN-605091
	US-PATENT-3,552,125		US-PATENT-CLASS-72-61
c07 N71-26181	NASA-CASE-MSC-12223-1		US-PATENT-3,461,700
	US-PATENT-APPL-SN-839941	c10 N71-26374	NASA-CASE-GSC-11367
	US-PATENT-CLASS-179-1		US-PATENT-APPL-SN-675238
	US-PATENT-3,555,192		US-PATENT-CLASS-331-18
c09 N71-26182	NASA-CASE-NPO-10625		US-PATENT-3,484,712
	US-PATENT-APPL-SN-856415	c12 N71-26387	NASA-CASE-XLA-05541
	US-PATENT-CLASS-60-23		US-PATENT-APPL-SN-700986
	US-PATENT-CLASS-313-236		US-PATENT-CLASS-73-301
	US-PATENT-CLASS-313-237	c10 N71-26414	US-PATENT-3,473,379
	US-PATENT-3,562,575		NASA-CASE-XMF-04958-1
c15 N71-26185	NASA-CASE-MPS-14711		US-PATENT-APPL-SN-448365
	US-PATENT-APPL-SN-774266		US-PATENT-CLASS-321-69
	US-PATENT-CLASS-55-75		US-PATENT-3,434,037
	US-PATENT-3,557,534	c10 N71-26415	NASA-CASE-NPO-10003
c15 N71-26189	NASA-CASE-XLE-09527-2		US-PATENT-APPL-SN-638192
	US-PATENT-APPL-SN-840870		US-PATENT-CLASS-330-13
	US-PATENT-CLASS-308-187		US-PATENT-3,461,393
	US-PATENT-3,561,828	c10 N71-26418	NASA-CASE-XGS-04224
c14 N71-26199	NASA-CASE-NPO-10697		US-PATENT-APPL-SN-568364
	US-PATENT-APPL-SN-816988		US-PATENT-CLASS-340-174
	US-PATENT-CLASS-73-61		US-PATENT-3,483,535
	US-PATENT-3,566,676	c10 N71-26434	NASA-CASE-XNP-01466
c23 N71-26206	NASA-CASE-XGS-08269		US-PATENT-APPL-SN-487940
	US-PATENT-APPL-SN-787393		US-PATENT-CLASS-340-174
	US-PATENT-CLASS-356-76		US-PATENT-3,461,437
	US-PATENT-3,554,647	c14 N71-26474	NASA-CASE-XMF-03844-1
c15 N71-26243	NASA-CASE-MSC-10959		US-PATENT-APPL-SN-601229
	US-PATENT-APPL-SN-725719		US-PATENT-CLASS-95-44
	US-PATENT-CLASS-188-1		US-PATENT-3,472,140
	US-PATENT-3,420,338	c14 N71-26475	NASA-CASE-XNP-09701
c14 N71-26244	NASA-CASE-XMS-06497		US-PATENT-APPL-SN-584015
	US-PATENT-APPL-SN-617778		US-PATENT-CLASS-250-83.3
	US-PATENT-CLASS-324-115		US-PATENT-3,461,290
	US-PATENT-3,464,012	c10 N71-26531	NASA-CASE-GSC-10413
c14 N71-26266	NASA-CASE-XNP-09830		US-PATENT-APPL-SN-789043
	US-PATENT-APPL-SN-632165		US-PATENT-CLASS-317-20
	US-PATENT-CLASS-324-0.5		US-PATENT-CLASS-317-33
	US-PATENT-3,474,328		US-PATENT-3,555,361
c18 N71-26285	NASA-CASE-MSC-12109	c31 N71-26537	NASA-CASE-GSC-10556-1
	US-PATENT-APPL-SN-889376		NASA-CASE-GSC-10557-1
	US-PATENT-CLASS-2-81		US-PATENT-APPL-SN-808193
	US-PATENT-CLASS-2-275		US-PATENT-CLASS-74-5.12
	US-PATENT-CLASS-112-402		US-PATENT-CLASS-244-1
	US-PATENT-3,563,198		US-PATENT-CLASS-308-1
c07 N71-26291	NASA-CASE-HQN-10541-1		US-PATENT-3,554,466
	US-PATENT-APPL-SN-494739	c10 N71-26544	NASA-CASE-NPO-10344
	US-PATENT-CLASS-350-96		US-PATENT-APPL-SN-732921
	US-PATENT-3,556,634		US-PATENT-CLASS-340-347
c07 N71-26292	NASA-CASE-IKS-10543		US-PATENT-3,566,396
	US-PATENT-APPL-SN-719870	c12 N71-26546	NASA-CASE-FRC-10022
	US-PATENT-CLASS-325-67		US-PATENT-APPL-SN-763729
	US-PATENT-3,553,586		US-PATENT-CLASS-73-194
c05 N71-26293	NASA-CASE-XFR-07658-1		US-PATENT-3,555,898
	US-PATENT-APPL-SN-586324	c10 N71-26577	NASA-CASE-NPO-10214
	US-PATENT-CLASS-128-2.06		US-PATENT-APPL-SN-704299
	US-PATENT-3,426,746		US-PATENT-CLASS-325-41
c15 N71-26294	NASA-CASE-XNP-02862-1		US-PATENT-3,566,268
	US-PATENT-APPL-SN-556830	c07 N71-26579	NASA-CASE-XMS-06740-1
	US-PATENT-CLASS-277-13		US-PATENT-APPL-SN-554277
	US-PATENT-3,468,548		US-PATENT-CLASS-178-6
c15 N71-26312	NASA-CASE-XNP-01263-2		US-PATENT-3,470,313
	US-PATENT-APPL-SN-718279	c15 N71-26611	NASA-CASE-MSC-11817-1
	US-PATENT-CLASS-287-189.365		US-PATENT-APPL-SN-7668
	US-PATENT-3,481,638		US-PATENT-CLASS-165-44
c10 N71-26326	NASA-CASE-NPO-10143		US-PATENT-CLASS-165-86
	US-PATENT-APPL-SN-692331		US-PATENT-CLASS-188-88
	US-PATENT-CLASS-58-24		US-PATENT-CLASS-244-1
	US-PATENT-3,472,019		US-PATENT-CLASS-244-57
c10 N71-26331	NASA-CASE-XNP-10854		US-PATENT-3,563,307
	US-PATENT-APPL-SN-668248	c10 N71-26626	NASA-CASE-GSC-10891-1
	US-PATENT-CLASS-330-31		US-PATENT-APPL-SN-568620
	US-PATENT-3,482,179		US-PATENT-CLASS-307-53
c05 N71-26333	NASA-CASE-XMS-09652-1		US-PATENT-3,480,789

ACCESSION NUMBER INDEX

c14 N71-26627	NASA-CASE-MFS-14017 US-PATENT-APPL-SN-762956 US-PATENT-CLASS-248-183 US-PATENT-CLASS-308-9 US-PATENT-3,559,937			US-PATENT-CLASS-313-22 US-PATENT-3,564,234 NASA-CASE-MFS-20240 US-PATENT-APPL-SN-825259 US-PATENT-CLASS-356-203 US-PATENT-3,563,668
c15 N71-26635	NASA-CASE-ERC-10022 US-PATENT-APPL-SN-874733 US-PATENT-CLASS-74-89.15 US-PATENT-CLASS-74-424.8 US-PATENT-3,576,135	c14 N71-26788		NASA-CASE-XGS-11177 US-PATENT-APPL-SN-828921 US-PATENT-CLASS-317-9 US-PATENT-CLASS-317-33 US-PATENT-3,571,656
c28 N71-26642	NASA-CASE-LEW-10106-1 US-PATENT-APPL-SN-758390 US-PATENT-CLASS-60-202 US-PATENT-3,552,124	c09 N71-27001		NASA-CASE-MFS-20261 US-PATENT-APPL-SN-845990 US-PATENT-CLASS-1 US-PATENT-CLASS-141-258 US-PATENT-CLASS-222-49 US-PATENT-CLASS-222-137 US-PATENT-3,568,885
c23 N71-26654	NASA-CASE-NPO-10467 US-PATENT-APPL-SN-798277 US-PATENT-CLASS-62-514 US-PATENT-3,564,866	c14 N71-27005		NASA-CASE-LAR-10083-1 US-PATENT-APPL-SN-837825 US-PATENT-CLASS-73-147 US-PATENT-3,572,112 NASA-CASE-GSC-11139 US-PATENT-APPL-SN-756511 US-PATENT-CLASS-307-234 US-PATENT-CLASS-307-246 US-PATENT-CLASS-307-273 US-PATENT-CLASS-328-120 US-PATENT-CLASS-330-30 US-PATENT-3,569,744
c14 N71-26672	NASA-CASE-ERC-10033 US-PATENT-APPL-SN-804660 US-PATENT-CLASS-73-49.3 US-PATENT-3,559,460	c15 N71-27006		NASA-CASE-XNP-09770-3 US-PATENT-APPL-SN-863967 US-PATENT-CLASS-74-18.2 US-PATENT-3,574,286 NASA-CASE-ERC-10113 US-PATENT-APPL-SN-865811 US-PATENT-CLASS-323-48 US-PATENT-CLASS-323-60 US-PATENT-3,571,699
c15 N71-26673	NASA-CASE-XAC-09489-1 US-PATENT-APPL-SN-694246 US-PATENT-CLASS-356-154 US-PATENT-3,565,530	c09 N71-27016		NASA-CASE-MSC-12205-1 US-PATENT-APPL-SN-882577 US-PATENT-CLASS-325-16 US-PATENT-CLASS-325-23 US-PATENT-CLASS-325-369 US-PATENT-CLASS-343-100 US-PATENT-CLASS-343-117 US-PATENT-CLASS-343-176 US-PATENT-3,568,197
c19 N71-26674	NASA-CASE-XGS-04173 US-PATENT-APPL-SN-658964 US-PATENT-CLASS-350-285 US-PATENT-3,560,081	c11 N71-27036		NASA-CASE-XLA-07828 US-PATENT-APPL-SN-770209 US-PATENT-CLASS-318-20.105 US-PATENT-CLASS-325-151.11 US-PATENT-CLASS-340-347DA US-PATENT-3,573,797
c09 N71-26678	NASA-CASE-ERC-10013 US-PATENT-APPL-SN-802972 US-PATENT-CLASS-29-25.18 US-PATENT-3,562,881	c09 N71-27053		NASA-CASE-MSC-13276-1 US-PATENT-APPL-SN-880272 US-PATENT-CLASS-219-505 US-PATENT-3,575,585 NASA-CASE-XKS-07814 US-PATENT-APPL-SN-672384 US-PATENT-CLASS-182-10 US-PATENT-CLASS-188-65.5 US-PATENT-3,568,795
c32 N71-26681	NASA-CASE-LAR-10098 US-PATENT-APPL-SN-677475 US-PATENT-CLASS-73-71.4 US-PATENT-3,564,906	c07 N71-27056		NASA-CASE-MPO-10796 US-PATENT-APPL-SN-815760 US-PATENT-CLASS-220-46 US-PATENT-3,568,874 NASA-CASE-MPO-10755 US-PATENT-APPL-SN-816733 US-PATENT-CLASS-417-50 US-PATENT-3,567,339
c09 N71-26701	NASA-CASE-NPO-10331 US-PATENT-APPL-SN-757625 US-PATENT-CLASS-118-49.5 US-PATENT-CLASS-204-298 US-PATENT-3,556,048	c08 N71-27057		NASA-CASE-XLA-08967 US-PATENT-APPL-SN-837830 US-PATENT-CLASS-244-90 US-PATENT-3,570,789 NASA-CASE-ERC-10044-1 US-PATENT-APPL-SN-811892 US-PATENT-CLASS-250-43.5R US-PATENT-CLASS-250-83.6R US-PATENT-CLASS-324-33 US-PATENT-3,575,597
c15 N71-26721	NASA-CASE-LAR-10121-1 US-PATENT-APPL-SN-766244 US-PATENT-CLASS-18-6 US-PATENT-3,562,857	c14 N71-27058		NASA-CASE-MFS-13929 US-PATENT-APPL-SN-779847 US-PATENT-CLASS-152-225 US-PATENT-CLASS-152-250 US-PATENT-3,568,748 NASA-CASE-GSC-10710-1 US-PATENT-APPL-SN-828909 US-PATENT-CLASS-73-117.4
c23 N71-26722	NASA-CASE-GSC-10216-1 US-PATENT-APPL-SN-756260 US-PATENT-CLASS-331-94.5 US-PATENT-3,555,455	c15 N71-27067		
c03 N71-26726	NASA-CASE-XNP-03413 US-PATENT-APPL-SN-640456 US-PATENT-CLASS-156-212 US-PATENT-3,565,719	c15 N71-27068		
c06 N71-26754	NASA-CASE-XNP-09451 US-PATENT-APPL-SN-713162 US-PATENT-CLASS-23-253 US-PATENT-3,560,161	c15 N71-27084		
c18 N71-26772	NASA-CASE-XNP-07770-2 US-PATENT-APPL-SN-711903 US-PATENT-CLASS-106-296 US-PATENT-3,576,656	c02 N71-27088		
c17 N71-26773	NASA-CASE-XNP-04262-2 US-PATENT-APPL-SN-684894 US-PATENT-CLASS-75-66 US-PATENT-3,565,607	c14 N71-27090		
c14 N71-26774	NASA-CASE-ERC-11020 US-PATENT-APPL-SN-686248 US-PATENT-CLASS-325-363 US-PATENT-3,564,420	c15 N71-27091		
c28 N71-26779	NASA-CASE-XLA-04126 US-PATENT-APPL-SN-467820 US-PATENT-CLASS-86-1 US-PATENT-CLASS-86-20.2 US-PATENT-CLASS-102-101 US-PATENT-CLASS-264-3 US-PATENT-3,570,364	c28 N71-27094		
c28 N71-26781	NASA-CASE-LEW-10210-1 US-PATENT-APPL-SN-804172 US-PATENT-CLASS-60-202 US-PATENT-CLASS-313-63 US-PATENT-CLASS-315-111 US-PATENT-3,576,107			
c09 N71-26787	NASA-CASE-XKS-05932 US-PATENT-APPL-SN-752729 US-PATENT-CLASS-240-11.2 US-PATENT-CLASS-240-11.4 US-PATENT-CLASS-240-51.11			

ACCESSION NUMBER INDEX

c28 N71-27095 US-PATENT-3,572,104
 NASA-CASE-MFS-20325
 US-PATENT-APPL-SN-840176
 US-PATENT-CLASS-244-1
 US-PATENT-3,572,610
 c10 N71-27126 NASA-CASE-LEW-10233
 US-PATENT-APPL-SN-750787
 US-PATENT-CLASS-307-253
 US-PATENT-CLASS-307-300
 US-PATENT-3,566,158
 c15 N71-27135 NASA-CASE-HQN-10541-2
 US-PATENT-APPL-SN-822088
 US-PATENT-CLASS-219-121
 US-PATENT-CLASS-331-94.5
 US-PATENT-3,571,555
 c10 N71-27136 NASA-CASE-GSC-10065-1
 US-PATENT-APPL-SN-808462
 US-PATENT-CLASS-318-571
 US-PATENT-CLASS-318-653
 US-PATENT-3,568,028
 c10 N71-27137 NASA-CASE-KNP-06234
 US-PATENT-APPL-SN-723827
 US-PATENT-CLASS-235-92
 US-PATENT-CLASS-328-49
 US-PATENT-3,567,913
 c15 N71-27146 NASA-CASE-LAR-10193-1
 US-PATENT-APPL-SN-794968
 US-PATENT-CLASS-188-1
 US-PATENT-CLASS-188-103
 US-PATENT-3,568,805
 c15 N71-27147 NASA-CASE-MSC-12121-1
 US-PATENT-APPL-SN-783374
 US-PATENT-CLASS-91-390
 US-PATENT-CLASS-91-461
 US-PATENT-3,563,135
 c15 N71-27169 NASA-CASE-LAR-10106-1
 US-PATENT-APPL-SN-810575
 US-PATENT-CLASS-188-1
 US-PATENT-CLASS-310-51
 US-PATENT-3,566,993
 c18 N71-27170 NASA-CASE-KMF-02221
 US-PATENT-APPL-SN-430192
 US-PATENT-CLASS-252-301.2
 US-PATENT-3,567,651
 c16 N71-27183 NASA-CASE-HQN-10541-4
 US-PATENT-APPL-SN-822090
 US-PATENT-CLASS-250-199
 US-PATENT-3,575,602
 c15 N71-27184 NASA-CASE-KNP-08124
 US-PATENT-APPL-SN-697075
 US-PATENT-CLASS-75-63
 US-PATENT-3,563,727
 c14 N71-27185 NASA-CASE-NPO-10556
 US-PATENT-APPL-SN-796405
 US-PATENT-CLASS-73-71.6
 US-PATENT-3,572,089
 c14 N71-27186 NASA-CASE-KMF-03968
 US-PATENT-APPL-SN-719029
 US-PATENT-CLASS-60-35.6
 US-PATENT-CLASS-324-65
 US-PATENT-CLASS-340-227
 US-PATENT-3,569,828
 c07 N71-27191 NASA-CASE-MFS-20068
 US-PATENT-APPL-SN-797795
 US-PATENT-CLASS-174-28
 US-PATENT-CLASS-333-95
 US-PATENT-CLASS-333-96
 US-PATENT-CLASS-343-884
 US-PATENT-3,569,875
 c08 N71-27210 NASA-CASE-GSC-10097-1
 US-PATENT-APPL-SN-762957
 US-PATENT-CLASS-29-603
 US-PATENT-CLASS-179-100.2
 US-PATENT-CLASS-340-174.1
 US-PATENT-3,566,045
 c15 N71-27214 NASA-CASE-XLA-08911
 US-PATENT-APPL-SN-777764
 US-PATENT-CLASS-219-229
 US-PATENT-CLASS-228-53
 US-PATENT-3,575,336
 c14 N71-27215 NASA-CASE-LAR-10204
 US-PATENT-APPL-SN-766245
 US-PATENT-CLASS-235-92
 US-PATENT-CLASS-356-106
 US-PATENT-3,572,935
 c09 N71-27232 NASA-CASE-NPO-10607
 US-PATENT-APPL-SN-799353
 US-PATENT-CLASS-250-83

US-PATENT-CLASS-317-230
 US-PATENT-CLASS-317-231
 US-PATENT-CLASS-317-238
 US-PATENT-3,568,010
 c07 N71-27233 NASA-CASE-GSC-10220-1
 US-PATENT-APPL-SN-759256
 US-PATENT-CLASS-343-777
 US-PATENT-CLASS-343-786
 US-PATENT-CLASS-343-799
 US-PATENT-CLASS-343-840
 US-PATENT-CLASS-343-854
 US-PATENT-3,569,976
 c05 N71-27234 NASA-CASE-XPR-07172
 US-PATENT-APPL-SN-720041
 US-PATENT-CLASS-128-2.05
 US-PATENT-3,563,232
 c06 N71-27254 NASA-CASE-NPO-10768
 US-PATENT-APPL-SN-770398
 US-PATENT-CLASS-260-615
 US-PATENT-3,574,770
 c08 N71-27255 NASA-CASE-NPO-12107
 US-PATENT-APPL-SN-555189
 US-PATENT-CLASS-179-100.2
 US-PATENT-CLASS-340-146.1
 US-PATENT-CLASS-340-172.5
 US-PATENT-3,571,801
 c10 N71-27271 NASA-CASE-XLA-03893
 US-PATENT-APPL-SN-779024
 US-PATENT-CLASS-331-109
 US-PATENT-CLASS-331-117
 US-PATENT-CLASS-331-177
 US-PATENT-CLASS-332-30
 US-PATENT-3,569,866
 c10 N71-27272 NASA-CASE-XLA-08799
 US-PATENT-APPL-SN-668242
 US-PATENT-CLASS-340-150
 US-PATENT-CLASS-340-164
 US-PATENT-CLASS-340-166
 US-PATENT-CLASS-340-213
 US-PATENT-CLASS-340-403
 US-PATENT-3,571,800
 c14 N71-27323 NASA-CASE-NPO-10810
 US-PATENT-APPL-SN-805405
 US-PATENT-CLASS-73-355
 US-PATENT-CLASS-250-83.3
 US-PATENT-3,566,122
 c21 N71-27324 NASA-CASE-GSC-10555-1
 US-PATENT-APPL-SN-785620
 US-PATENT-CLASS-244-1
 US-PATENT-3,567,155
 c14 N71-27325 NASA-CASE-GSC-10441-1
 US-PATENT-APPL-SN-782544
 US-PATENT-CLASS-324-43
 US-PATENT-3,571,700
 c12 N71-27332 NASA-CASE-NPO-10416
 US-PATENT-APPL-SN-754020
 US-PATENT-CLASS-137-81.5
 US-PATENT-3,570,513
 c14 N71-27334 NASA-CASE-ERC-10087
 US-PATENT-APPL-SN-738315
 US-PATENT-CLASS-29-588
 US-PATENT-3,566,459
 c10 N71-27338 NASA-CASE-KSC-10020
 US-PATENT-APPL-SN-817482
 US-PATENT-CLASS-324-103
 US-PATENT-CLASS-324-107
 US-PATENT-CLASS-324-133
 US-PATENT-CLASS-340-248
 US-PATENT-3,571,707
 c07 N71-27341 NASA-CASE-NPO-10343
 US-PATENT-APPL-SN-750786
 US-PATENT-CLASS-178-7.1
 US-PATENT-CLASS-178-7.3
 US-PATENT-3,566,027
 c06 N71-27363 NASA-CASE-HQN-10364
 US-PATENT-APPL-SN-713616
 US-PATENT-CLASS-260-2
 US-PATENT-3,563,918
 c09 N71-27364 NASA-CASE-ERC-10065
 US-PATENT-APPL-SN-777818
 US-PATENT-CLASS-321-61
 US-PATENT-CLASS-321-64
 US-PATENT-CLASS-322-32
 US-PATENT-3,571,693
 c10 N71-27365 NASA-CASE-NPO-10251
 US-PATENT-APPL-SN-774265
 US-PATENT-CLASS-35-19
 US-PATENT-3,570,143
 c10 N71-27366 NASA-CASE-GSC-10114-1

ACCESSION NUMBER INDEX

	US-PATENT-APPL-SN-796370	c05 N71-28619	NASA-CASE-ARC-10153
	US-PATENT-CLASS-317-33		US-PATENT-APPL-SN-783377
	US-PATENT-CLASS-321-12		US-PATENT-CLASS-35-29
	US-PATENT-3,571,662		US-PATENT-CLASS-104-1
c15 N71-27372	NASA-CASE-NPO-10070		US-PATENT-CLASS-104-139
	US-PATENT-APPL-SN-780064		US-PATENT-CLASS-119-96
	US-PATENT-CLASS-23-259		US-PATENT-CLASS-238-1
	US-PATENT-3,565,584		US-PATENT-CLASS-248-361
c18 N71-27397	NASA-CASE-XNP-02500		US-PATENT-CLASS-272-70
	US-PATENT-APPL-SN-508169		US-PATENT-3,583,322
	US-PATENT-CLASS-324-58.5	c06 N71-28620	NASA-CASE-NPO-10701
	US-PATENT-CLASS-324-61		US-PATENT-APPL-SN-763355
	US-PATENT-3,569,827		US-PATENT-CLASS-260-47
c14 N71-27407	NASA-CASE-GSC-10376-1		US-PATENT-3,576,786
	US-PATENT-APPL-SN-806226	c11 N71-28629	NASA-CASE-KSC-10198
	US-PATENT-CLASS-307-126		US-PATENT-APPL-SN-845971
	US-PATENT-CLASS-323-20		US-PATENT-CLASS-73-15
	US-PATENT-3,566,143		US-PATENT-CLASS-73-432
c15 N71-27432	NASA-CASE-NPO-10808		US-PATENT-3,578,756
	US-PATENT-APPL-SN-808192	c09 N71-28691	NASA-CASE-MFS-13687
	US-PATENT-CLASS-60-243		US-PATENT-APPL-SN-723488
	US-PATENT-3,568,447		US-PATENT-CLASS-204-30
c28 N71-27585	NASA-CASE-MFS-20130		US-PATENT-3,576,723
	US-PATENT-APPL-SN-809822	c18 N71-28729	NASA-CASE-LEW-10219-1
	US-PATENT-CLASS-244-4		US-PATENT-APPL-SN-785780
	US-PATENT-3,570,785		US-PATENT-CLASS-148-126
c15 N71-27754	NASA-CASE-ARC-10131-1		US-PATENT-3,579,390
	US-PATENT-APPL-SN-808576	c10 N71-28739	NASA-CASE-XNP-01068
	US-PATENT-CLASS-60-51		US-PATENT-APPL-SN-375680
	US-PATENT-CLASS-91-361		US-PATENT-CLASS-307-88.5
	US-PATENT-CLASS-91-390		US-PATENT-3,271,594
	US-PATENT-CLASS-91-448	c15 N71-28740	NASA-CASE-XLA-09346
	US-PATENT-3,568,572		US-PATENT-APPL-SN-820964
c33 N71-27862	NASA-CASE-MFS-14114		US-PATENT-CLASS-73-147
	US-PATENT-APPL-SN-706013		US-PATENT-CLASS-356-150
	US-PATENT-CLASS-310-4		US-PATENT-CLASS-356-152
	US-PATENT-3,535,562		US-PATENT-CLASS-356-153
c09 N71-28421	NASA-CASE-NPO-10412	c12 N71-28741	US-PATENT-3,583,815
	US-PATENT-APPL-SN-768470		NASA-CASE-XLE-09341
	US-PATENT-CLASS-310-4		US-PATENT-APPL-SN-780065
	US-PATENT-3,578,992		US-PATENT-CLASS-137-81.5
c07 N71-28429	NASA-CASE-MSC-13201-1		US-PATENT-3,583,419
	US-PATENT-APPL-SN-789903	c17 N71-28747	NASA-CASE-XNP-08881
	US-PATENT-CLASS-332-29		US-PATENT-APPL-SN-732922
	US-PATENT-CLASS-332-30		US-PATENT-CLASS-161-89
	US-PATENT-3,579,147		US-PATENT-3,579,412
c07 N71-28430	NASA-CASE-GSC-10668-1	c22 N71-28759	NASA-CASE-LEW-10250-1
	US-PATENT-APPL-SN-743525		US-PATENT-APPL-SN-732455
	US-PATENT-CLASS-307-296		US-PATENT-CLASS-176-45
	US-PATENT-CLASS-325-185		US-PATENT-3,574,057
	US-PATENT-CLASS-330-40	c11 N71-28779	NASA-CASE-XNP-00250
	US-PATENT-CLASS-330-124		US-PATENT-APPL-SN-212497
	US-PATENT-CLASS-330-200		US-PATENT-CLASS-181-.5
	US-PATENT-3,577,092		US-PATENT-3,260,326
c21 N71-28461	NASA-CASE-GSC-11079-1	c10 N71-28783	NASA-CASE-XHS-02182
	US-PATENT-APPL-SN-100637		US-PATENT-APPL-SN-516153
c15 N71-28465	NASA-CASE-ERC-10097		US-PATENT-CLASS-317-100
	US-PATENT-APPL-SN-797059		US-PATENT-3,317,797
	US-PATENT-CLASS-308-170	c06 N71-28807	NASA-CASE-XMF-08674
	US-PATENT-3,583,777		US-PATENT-APPL-SN-617775
c15 N71-28467	NASA-CASE-NPO-10646		US-PATENT-CLASS-260-47
	US-PATENT-APPL-SN-813488		US-PATENT-3,370,039
	US-PATENT-CLASS-64-18	c06 N71-28808	NASA-CASE-XNP-04023
	US-PATENT-3,574,277		US-PATENT-APPL-SN-470902
c09 N71-28468	NASA-CASE-ARC-10137-1		US-PATENT-CLASS-260-429
	US-PATENT-APPL-SN-799013		US-PATENT-3,396,184
	US-PATENT-CLASS-307-265	c07 N71-28809	NASA-CASE-XGS-02290
	US-PATENT-CLASS-307-273		US-PATENT-APPL-SN-544895
	US-PATENT-CLASS-307-288		US-PATENT-CLASS-343-771
	US-PATENT-CLASS-328-207		US-PATENT-3,417,400
	US-PATENT-3,584,311	c09 N71-28810	NASA-CASE-XNP-03916
c16 N71-28554	NASA-CASE-XGS-10518		US-PATENT-APPL-SN-535304
	US-PATENT-APPL-SN-764470		US-PATENT-CLASS-331-113
	US-PATENT-CLASS-335-216		US-PATENT-3,325,749
	US-PATENT-3,541,486	c28 N71-28849	NASA-CASE-XHS-04826
c03 N71-28579	NASA-CASE-LEW-11359		US-PATENT-APPL-SN-521755
	US-PATENT-APPL-SN-787911		US-PATENT-CLASS-60-258
	US-PATENT-CLASS-136-83		US-PATENT-3,318,096
	US-PATENT-3,573,986	c28 N71-28850	NASA-CASE-XNP-01954
c15 N71-28582	NASA-CASE-LEW-10278-1		US-PATENT-APPL-SN-372730
	US-PATENT-APPL-SN-760928		US-PATENT-CLASS-313-230
	US-PATENT-CLASS-117-224		US-PATENT-3,328,624
	US-PATENT-3,573,977	c31 N71-28851	NASA-CASE-XHS-06162
c09 N71-28618	NASA-CASE-ERC-10098		US-PATENT-APPL-SN-610724
	US-PATENT-APPL-SN-779169		US-PATENT-CLASS-244-138
	US-PATENT-CLASS-178-5.2R		US-PATENT-3,330,510
	US-PATENT-CLASS-178-54CF	c33 N71-28852	NASA-CASE-XNP-01310
	US-PATENT-CLASS-178-54PE		US-PATENT-APPL-SN-379771
	US-PATENT-3,582,960		US-PATENT-CLASS-60-266

ACCESSION NUMBER INDEX

	US-PATENT-3,279,193
c10 N71-28859	NASA-CASE-XNP-01107
	US-PATENT-APPL-SN-384010
	US-PATENT-CLASS-330-51
	US-PATENT-3,389,346
c10 N71-28860	NASA-CASE-MSC-13492-1
	US-PATENT-APPL-SN-53156
	US-PATENT-CLASS-307-215
	US-PATENT-CLASS-307-265
	US-PATENT-CLASS-307-273
	US-PATENT-CLASS-328-92
	US-PATENT-CLASS-328-207
	US-PATENT-3,577,014
c14 N71-28863	NASA-CASE-ERC-10014
	US-PATENT-APPL-SN-815367
	US-PATENT-CLASS-250-41.9
	US-PATENT-CLASS-250-49.5
	US-PATENT-3,567,927
c09 N71-28886	NASA-CASE-MFS-14610
	US-PATENT-APPL-SN-885571
	US-PATENT-CLASS-318-317
	US-PATENT-CLASS-318-331
	US-PATENT-CLASS-318-345
	US-PATENT-CLASS-318-504
	US-PATENT-3,573,583
c33 N71-28892	NASA-CASE-XMF-05046
	US-PATENT-APPL-SN-559350
	US-PATENT-CLASS-62-45
	US-PATENT-3,365,897
c07 N71-28900	NASA-CASE-XNP-02389
	US-PATENT-APPL-SN-516162
	US-PATENT-CLASS-343-100
	US-PATENT-3,331,071
c33 N71-28903	NASA-CASE-XLA-01745
	US-PATENT-APPL-SN-538907
	US-PATENT-CLASS-244-1
	US-PATENT-3,409,247
c28 N71-28915	NASA-CASE-LEW-10286-1
	US-PATENT-APPL-SN-839994
	US-PATENT-CLASS-60-39.36
	US-PATENT-CLASS-60-39.65
	US-PATENT-CLASS-431-352
	US-PATENT-3,581,492
c08 N71-28925	NASA-CASE-XNP-01012
	US-PATENT-APPL-SN-369338
	US-PATENT-CLASS-340-174
	US-PATENT-3,394,359
c09 N71-28926	NASA-CASE-XMS-03542
	US-PATENT-APPL-SN-482952
	US-PATENT-CLASS-307-263
	US-PATENT-3,364,366
c28 N71-28928	NASA-CASE-XNP-00816
	US-PATENT-APPL-SN-235588
	US-PATENT-CLASS-253-77
	US-PATENT-3,202,398
c27 N71-28929	NASA-CASE-INE-00650
	US-PATENT-APPL-SN-271823
	US-PATENT-CLASS-60-39.48
	US-PATENT-3,170,295
c14 N71-28933	NASA-CASE-XLA-08913
	US-PATENT-APPL-SN-865109
	US-PATENT-CLASS-204-263
	US-PATENT-3,574,084
c14 N71-28935	NASA-CASE-LAR-10686
	US-PATENT-APPL-SN-280362
	US-PATENT-CLASS-226-58
	US-PATENT-3,298,582
c15 N71-28936	NASA-CASE-XMS-10993
	US-PATENT-APPL-SN-660573
	US-PATENT-CLASS-244-1
	US-PATENT-3,369,877
c15 N71-28937	NASA-CASE-XNP-01855
	US-PATENT-APPL-SN-408435
	US-PATENT-CLASS-285-45
	US-PATENT-3,219,365
c15 N71-28951	NASA-CASE-XNP-02278
	US-PATENT-APPL-SN-11853
	US-PATENT-CLASS-60-35.55
	US-PATENT-3,132,479
c15 N71-28952	NASA-CASE-XAC-00001
	US-PATENT-APPL-SN-612568
	US-PATENT-CLASS-318-31
	US-PATENT-2,837,706
c14 N71-28958	NASA-CASE-XNP-02792
	US-PATENT-APPL-SN-262596
	US-PATENT-CLASS-219-413
	US-PATENT-3,197,616
c15 N71-28959	NASA-CASE-XNP-01848
	US-PATENT-APPL-SN-359532

		US-PATENT-CLASS-64-27
		US-PATENT-3,236,066
c10 N71-28960	NASA-CASE-XNP-00745
		US-PATENT-APPL-SN-314570
		US-PATENT-CLASS-328-67
		US-PATENT-3,252,100
c16 N71-28963	NASA-CASE-XLA-01090
		US-PATENT-APPL-SN-274065
		US-PATENT-CLASS-250-199
		US-PATENT-3,215,842
c07 N71-28965	NASA-CASE-GSC-10949-1
		US-PATENT-APPL-SN-94369
c07 N71-28979	NASA-CASE-HQN-00937
		US-PATENT-APPL-SN-343760
		US-PATENT-CLASS-343-823
		US-PATENT-3,299,431
c07 N71-28980	NASA-CASE-XLA-10772
		US-PATENT-APPL-SN-887700
		US-PATENT-CLASS-343-708
		US-PATENT-CLASS-343-784
		US-PATENT-CLASS-343-872
		US-PATENT-3,579,242
c14 N71-28991	NASA-CASE-XLA-06713
		US-PATENT-APPL-SN-863913
		US-PATENT-CLASS-324-5
		US-PATENT-CLASS-324-73
		US-PATENT-CLASS-340-347AD
		US-PATENT-3,579,103
c14 N71-28992	NASA-CASE-ERC-10150
		US-PATENT-APPL-SN-822519
		US-PATENT-CLASS-73-40.7
		US-PATENT-CLASS-250-41.95
		US-PATENT-3,578,758
c14 N71-28993	NASA-CASE-MFS-20044
		US-PATENT-APPL-SN-838630
		US-PATENT-CLASS-250-219
		US-PATENT-CLASS-356-209
		US-PATENT-3,574,470
c14 N71-28994	NASA-CASE-XER-11203
		US-PATENT-APPL-SN-815366
		US-PATENT-CLASS-250-218
		US-PATENT-CLASS-356-103
		US-PATENT-3,578,867
c09 N71-29008	NASA-CASE-MSC-11277
		US-PATENT-APPL-SN-771759
		US-PATENT-CLASS-317-33
		US-PATENT-CLASS-317-54
		US-PATENT-CLASS-317-60
		US-PATENT-CLASS-317-155.5
		US-PATENT-3,579,041
c15 N71-29018	NASA-CASE-XLA-08916
		US-PATENT-APPL-SN-777765
		US-PATENT-CLASS-29-421
		US-PATENT-3,583,058
c15 N71-29032	NASA-CASE-XMF-05999
		US-PATENT-APPL-SN-752946
		US-PATENT-CLASS-117-212
		US-PATENT-3,576,669
c08 N71-29033	NASA-CASE-GSC-10554-1
		US-PATENT-APPL-SN-828984
		US-PATENT-CLASS-235-150.1
		US-PATENT-CLASS-235-150.2
		US-PATENT-CLASS-235-150.27
		US-PATENT-CLASS-235-151.1
		US-PATENT-3,578,957
c08 N71-29034	NASA-CASE-NPO-11088
		US-PATENT-APPL-SN-887701
		US-PATENT-CLASS-307-207
		US-PATENT-CLASS-307-222
		US-PATENT-CLASS-328-44
		US-PATENT-CLASS-328-167
		US-PATENT-3,579,122
c09 N71-29035	NASA-CASE-LBW-10155-1
		US-PATENT-APPL-SN-889387
		US-PATENT-CLASS-337-114
		US-PATENT-CLASS-337-121
		US-PATENT-3,579,168
c18 N71-29040	NASA-CASE-XLE-10910
		US-PATENT-APPL-SN-751061
		US-PATENT-CLASS-148-6
		US-PATENT-3,573,996
c14 N71-29041	NASA-CASE-XLA-10402
		US-PATENT-APPL-SN-762935
		US-PATENT-CLASS-356-76
		US-PATENT-3,574,462
c03 N71-29044	NASA-CASE-XMS-02063
		US-PATENT-APPL-SN-422096
		US-PATENT-CLASS-136-86
		US-PATENT-3,382,103

ACCESSION NUMBER INDEX

c33 N71-29046	NASA-CASE-XHQ-03673 US-PATENT-APPL-SN-559055 US-PATENT-CLASS-165-86 US-PATENT-3,347,309	c09 N71-29139	US-PATENT-3,579,146 NASA-CASE-XLA-07788 US-PATENT-APPL-SN-874732 US-PATENT-CLASS-307-215 US-PATENT-CLASS-307-247 US-PATENT-CLASS-307-265 US-PATENT-CLASS-307-273 US-PATENT-CLASS-307-294 US-PATENT-CLASS-328-207
c23 N71-29049	NASA-CASE-XNP-06503 US-PATENT-APPL-SN-370989 US-PATENT-CLASS-335-216 US-PATENT-3,273,094	c33 N71-29151	US-PATENT-3,578,988 NASA-CASE-XLE-00035 US-PATENT-APPL-SN-575291 US-PATENT-CLASS-204-37 US-PATENT-2,926,123
c31 N71-29050	NASA-CASE-HQN-00936 US-PATENT-APPL-SN-862921 US-PATENT-CLASS-244-1 US-PATENT-3,396,920	c33 N71-29152	NASA-CASE-XLE-00027 US-PATENT-APPL-SN-529594 US-PATENT-CLASS-253-39.1 US-PATENT-2,956,772
c33 N71-29051	NASA-CASE-XMF-04208 US-PATENT-APPL-SN-428887 US-PATENT-CLASS-73-190 US-PATENT-3,372,588	c28 N71-29153	NASA-CASE-MFS-20831 US-PATENT-APPL-SN-238421 US-PATENT-CLASS-60-35.54 US-PATENT-3,212,259
c33 N71-29052	NASA-CASE-MSC-12389 US-PATENT-APPL-SN-229286 US-PATENT-CLASS-165-47 US-PATENT-3,212,564	c28 N71-29154	NASA-CASE-XLE-00155 US-PATENT-APPL-SN-348600 US-PATENT-CLASS-253-77 US-PATENT-2,997,274
c33 N71-29053	NASA-CASE-HQN-00938 US-PATENT-APPL-SN-300957 US-PATENT-CLASS-60-267 US-PATENT-3,298,175	c27 N71-29155	NASA-CASE-MSC-12390 US-PATENT-APPL-SN-231520 US-PATENT-CLASS-222-61 US-PATENT-3,286,882
c07 N71-29065	NASA-CASE-ERC-10011 US-PATENT-APPL-SN-802818 US-PATENT-CLASS-333-81 US-PATENT-CLASS-350-1 US-PATENT-CLASS-350-286 US-PATENT-3,574,438	c26 N71-29156	NASA-CASE-XNP-01961 US-PATENT-APPL-SN-442835 US-PATENT-CLASS-148-174 US-PATENT-3,397,094
c23 N71-29123	NASA-CASE-XNP-08907 US-PATENT-APPL-SN-824042 US-PATENT-CLASS-350-102 US-PATENT-CLASS-350-288 US-PATENT-CLASS-350-310 US-PATENT-3,574,448	c25 N71-29181	NASA-CASE-ARC-10109 US-PATENT-APPL-SN-769998 US-PATENT-CLASS-313-155 US-PATENT-CLASS-313-161 US-PATENT-CLASS-313-231 US-PATENT-CLASS-315-111 US-PATENT-3,579,028
c23 N71-29125	NASA-CASE-NPO-11087 US-PATENT-APPL-SN-840359 US-PATENT-CLASS-331-94.5 US-PATENT-CLASS-356-153 US-PATENT-3,574,467	c25 N71-29184	NASA-CASE-XLA-00327 US-PATENT-APPL-SN-199199 US-PATENT-CLASS-315-111 US-PATENT-3,238,413
c02 N71-29128	NASA-CASE-IAC-00048 US-PATENT-APPL-SN-765264 US-PATENT-CLASS-121-38 US-PATENT-2,898,889	c14 N71-30026	NASA-CASE-MFS-20096 US-PATENT-APPL-SN-435433 US-PATENT-CLASS-73-432 US-PATENT-3,396,584
c03 N71-29129	NASA-CASE-IGS-01674 US-PATENT-APPL-SN-248985 US-PATENT-CLASS-320-13 US-PATENT-3,118,100	c23 N71-30027	NASA-CASE-GSC-10700 US-PATENT-APPL-SN-311387 US-PATENT-CLASS-350-2 US-PATENT-3,394,975
c16 N71-29131	NASA-CASE-ERC-10151 US-PATENT-APPL-SN-853856 US-PATENT-CLASS-350-3.5 US-PATENT-3,578,838	c15 N71-30028	NASA-CASE-MFS-20830 US-PATENT-APPL-SN-286620 US-PATENT-3,262,395
c15 N71-29132	NASA-CASE-NPO-10431 US-PATENT-APPL-SN-865329 US-PATENT-CLASS-73-49.8 US-PATENT-3,583,239	c14 N71-30265	NASA-CASE-HQN-10780 US-PATENT-APPL-SN-247136 US-PATENT-CLASS-73-497 US-PATENT-3,270,565
c15 N71-29133	NASA-CASE-MFS-20453 US-PATENT-APPL-SN-885594 US-PATENT-CLASS-29-278R US-PATENT-CLASS-81-3R US-PATENT-CLASS-294-15 US-PATENT-CLASS-339-17B US-PATENT-3,583,744	c23 N71-30292	NASA-CASE-HQN-10781 US-PATENT-APPL-SN-86018 US-PATENT-3,239,660
c14 N71-29134	NASA-CASE-MFS-11204 US-PATENT-APPL-SN-845991 US-PATENT-CLASS-73-1R US-PATENT-CLASS-73-304C US-PATENT-3,578,755	c18 N71-31140	NASA-CASE-NPO-11433 US-PATENT-APPL-SN-111123
c10 N71-29135	NASA-CASE-GSC-10564 US-PATENT-APPL-SN-292596 US-PATENT-CLASS-340-174 US-PATENT-3,348,218	c07 N71-33108	NASA-CASE-MSC-10164 US-PATENT-APPL-SN-782955 US-PATENT-CLASS-179-1B US-PATENT-CLASS-179-1VC US-PATENT-3,588,359
c15 N71-29136	NASA-CASE-XLA-00013 US-PATENT-APPL-SN-579121 US-PATENT-CLASS-308-177 US-PATENT-2,903,307	c09 N71-33109	NASA-CASE-ARC-10101-1 US-PATENT-APPL-SN-793823 US-PATENT-CLASS-307-251 US-PATENT-CLASS-307-261 US-PATENT-CLASS-321-47 US-PATENT-3,588,671
c17 N71-29137	NASA-CASE-XNP-04339 US-PATENT-APPL-SN-451596 US-PATENT-CLASS-264-111 US-PATENT-3,413,393	c08 N71-33110	NASA-CASE-GSC-10186 US-PATENT-APPL-SN-713188 US-PATENT-CLASS-235-164 US-PATENT-CLASS-235-175 US-PATENT-3,588,483
c08 N71-29138	NASA-CASE-ERC-10041 US-PATENT-APPL-SN-889478 US-PATENT-CLASS-307-234 US-PATENT-CLASS-307-265 US-PATENT-CLASS-324-106 US-PATENT-CLASS-328-58 US-PATENT-CLASS-332-9R US-PATENT-CLASS-332-10	c10 N71-33129	NASA-CASE-GSC-10667-1 US-PATENT-APPL-SN-749548 US-PATENT-CLASS-330-11 US-PATENT-CLASS-330-16 US-PATENT-CLASS-330-24 US-PATENT-3,585,514
		c31 N71-33160	NASA-CASE-XLA-04063 US-PATENT-APPL-SN-802948

ACCESSION NUMBER INDEX

US-PATENT-CLASS-179-1
 US-PATENT-CLASS-244-1
 US-PATENT-CLASS-244-83
 US-PATENT-3,586,261
 NASA-CASE-NPO-10468
 US-PATENT-APPL-SN-787886
 US-PATENT-CLASS-350-55
 US-PATENT-CLASS-350-310
 US-PATENT-3,588,220
 NASA-CASE-NPO-10342
 US-PATENT-APPL-SN-704486
 US-PATENT-CLASS-178-69.5
 US-PATENT-CLASS-179-1585
 US-PATENT-CLASS-340-347DD
 US-PATENT-3,588,883
 NASA-CASE-LEW-10327
 US-PATENT-APPL-SN-772006
 US-PATENT-CLASS-148-6.3
 US-PATENT-3,591,426
 NASA-CASE-ARC-10050
 US-PATENT-APPL-SN-797219
 US-PATENT-CLASS-136-89
 US-PATENT-3,591,420
 NASA-CASE-NPO-10417
 US-PATENT-APPL-SN-753974
 US-PATENT-CLASS-95-11
 US-PATENT-CLASS-331-94.5
 US-PATENT-CLASS-352-84
 US-PATENT-3,587,424
 NASA-CASE-XLA-03661
 US-PATENT-APPL-SN-751266
 US-PATENT-CLASS-90-11
 US-PATENT-CLASS-408-137
 US-PATENT-3,585,882
 NASA-CASE-ERC-10100
 US-PATENT-APPL-SN-766697
 US-PATENT-CLASS-313-109.5
 US-PATENT-CLASS-313-231
 US-PATENT-CLASS-315-108
 US-PATENT-CLASS-315-111
 US-PATENT-CLASS-340-324
 US-PATENT-CLASS-340-336
 US-PATENT-3,588,874
 NASA-CASE-NPO-11031
 US-PATENT-APPL-SN-864097
 US-PATENT-CLASS-333-6
 US-PATENT-CLASS-333-7
 US-PATENT-CLASS-333-21A
 US-PATENT-3,588,751
 NASA-CASE-XLA-09480
 US-PATENT-APPL-SN-874435
 US-PATENT-CLASS-73-147
 US-PATENT-3,587,306
 NASA-CASE-NPO-10700
 US-PATENT-APPL-SN-840308
 US-PATENT-CLASS-318-227
 US-PATENT-CLASS-318-230
 US-PATENT-3,588,648
 NASA-CASE-HSC-12165-1
 US-PATENT-APPL-SN-875849
 US-PATENT-CLASS-325-347
 US-PATENT-CLASS-325-348
 US-PATENT-CLASS-325-473
 US-PATENT-CLASS-325-478
 US-PATENT-CLASS-325-480
 US-PATENT-CLASS-325-482
 US-PATENT-CLASS-328-164
 US-PATENT-CLASS-328-165
 US-PATENT-CLASS-329-145
 US-PATENT-3,588,705
 NASA-CASE-NPO-11190
 US-PATENT-APPL-SN-115984
 NASA-CASE-HFS-20935
 US-PATENT-APPL-SN-136007
 NASA-CASE-GSC-10984-1
 US-PATENT-APPL-SN-127480
 NASA-CASE-HFS-21077
 US-PATENT-APPL-SN-127481
 NASA-CASE-LEW-11227-1
 US-PATENT-APPL-SN-146939
 NASA-CASE-LEW-11224-1
 US-PATENT-APPL-SN-154934
 NASA-CASE-ARC-10348-1
 US-PATENT-APPL-SN-140439
 NASA-CASE-GSC-11095-1
 US-PATENT-APPL-SN-147940
 NASA-CASE-ARC-10370-1
 US-PATENT-APPL-SN-137391
 NASA-CASE-LAR-10557

US-PATENT-APPL-SN-853746
 US-PATENT-CLASS-416-115
 US-PATENT-CLASS-416-121
 US-PATENT-CLASS-416-127
 US-PATENT-CLASS-416-130
 US-PATENT-CLASS-416-149
 US-PATENT-CLASS-416-200
 US-PATENT-3,592,559
 NASA-CASE-XGS-04047-2
 US-PATENT-APPL-SN-843251
 US-PATENT-CLASS-136-206
 US-PATENT-3,597,281
 NASA-CASE-LEW-11065-1
 US-PATENT-APPL-SN-154930
 NASA-CASE-NPO-10677
 US-PATENT-APPL-SN-868530
 US-PATENT-CLASS-62-56
 US-PATENT-CLASS-62-467
 US-PATENT-3,599,443
 NASA-CASE-HSC-13140
 US-PATENT-APPL-SN-796358
 US-PATENT-CLASS-5-69
 US-PATENT-CLASS-285-410
 US-PATENT-CLASS-297-68
 US-PATENT-CLASS-297-232
 US-PATENT-3,592,505
 NASA-CASE-HSC-13601-1
 US-PATENT-APPL-SN-160371
 NASA-CASE-NPO-10301
 US-PATENT-APPL-SN-848810
 US-PATENT-CLASS-343-771
 US-PATENT-CLASS-343-853
 US-PATENT-3,599,216
 NASA-CASE-GSC-10390-1
 US-PATENT-APPL-SN-749121
 US-PATENT-CLASS-325-4
 US-PATENT-CLASS-325-39
 US-PATENT-CLASS-325-58
 US-PATENT-CLASS-343-5DP
 US-PATENT-CLASS-343-7.5
 US-PATENT-CLASS-343-179
 US-PATENT-3,593,138
 NASA-CASE-NPO-11064
 US-PATENT-APPL-SN-880248
 US-PATENT-CLASS-331-7
 US-PATENT-CLASS-331-10
 US-PATENT-CLASS-331-34
 US-PATENT-CLASS-331-66
 US-PATENT-3,593,180
 NASA-CASE-NPO-10769
 US-PATENT-APPL-SN-813494
 US-PATENT-CLASS-179-15.55R
 US-PATENT-3,598,921
 NASA-CASE-GSC-10880-1
 US-PATENT-APPL-SN-831118
 US-PATENT-CLASS-33-15A
 US-PATENT-CLASS-33-204C
 US-PATENT-CLASS-235-61NV
 US-PATENT-3,599,335
 NASA-CASE-GSC-10614-1
 US-PATENT-APPL-SN-822534
 US-PATENT-CLASS-179-100-2CA
 US-PATENT-CLASS-179-100-2HD
 US-PATENT-CLASS-274-4R
 US-PATENT-3,592,478
 NASA-CASE-KSC-10162
 US-PATENT-APPL-SN-817481
 US-PATENT-CLASS-324-102
 US-PATENT-CLASS-324-119
 US-PATENT-CLASS-324-123R
 US-PATENT-3,593,132
 NASA-CASE-ARC-10042-2
 US-PATENT-APPL-SN-33159
 US-PATENT-CLASS-330-107
 US-PATENT-CLASS-330-109
 US-PATENT-3,593,175
 NASA-CASE-LAR-10194-1
 US-PATENT-APPL-SN-169962
 NASA-CASE-HSC-11847-1
 US-PATENT-APPL-SN-8497
 US-PATENT-CLASS-73-149
 US-PATENT-CLASS-73-290B
 US-PATENT-3,596,510
 NASA-CASE-NPO-10778
 US-PATENT-APPL-SN-865909
 US-PATENT-CLASS-33-125
 US-PATENT-CLASS-73-95
 US-PATENT-CLASS-250-235
 US-PATENT-CLASS-356-32

ACCESSION NUMBER INDEX

	US-PATENT-CLASS-356-167		US-PATENT-CLASS-136-206
	US-PATENT-3,592,545		US-PATENT-CLASS-136-227
c14 N72-11365	NASA-CASE-MFS-20485		US-PATENT-CLASS-343-DIG.3
	US-PATENT-APPL-SN-22320		US-PATENT-CLASS-343-720
	US-PATENT-CLASS-73-194F		US-PATENT-CLASS-343-840
	US-PATENT-CLASS-250-43.5PC		US-PATENT-3,594,803
	US-PATENT-3,599,489	c15 N72-12408	NASA-CASE-XLA-05966
c15 N72-11385	NASA-CASE-MFS-18495		US-PATENT-APPL-SN-784544
	US-PATENT-APPL-SN-38814		US-PATENT-CLASS-72-307
	US-PATENT-CLASS-24-211N		US-PATENT-CLASS-140-105
	US-PATENT-CLASS-85-5B		US-PATENT-3,584,660
	US-PATENT-3,596,554	c15 N72-12409	NASA-CASE-NPO-10637
c15 N72-11386	NASA-CASE-MFS-20249		US-PATENT-APPL-SN-851298
	US-PATENT-APPL-SN-794530		US-PATENT-CLASS-60-23
	US-PATENT-CLASS-33-72		US-PATENT-CLASS-236-68
	US-PATENT-CLASS-248-183		US-PATENT-CLASS-337-75
	US-PATENT-CLASS-248-278		US-PATENT-CLASS-337-354
	US-PATENT-CLASS-248-487		US-PATENT-CLASS-337-359
	US-PATENT-CLASS-350-285		US-PATENT-3,591,960
	US-PATENT-CLASS-350-287	c16 N72-12440	NASA-CASE-MFS-20180
	US-PATENT-3,596,863		US-PATENT-APPL-SN-863276
c15 N72-11387	NASA-CASE-XMF-09902		US-PATENT-CLASS-331-94.5
	US-PATENT-APPL-SN-769665		US-PATENT-CLASS-350-1
	US-PATENT-CLASS-75-20F		US-PATENT-CLASS-350-312
	US-PATENT-3,592,628		US-PATENT-3,593,194
c15 N72-11388	NASA-CASE-MFS-20423	c16 N72-13437	NASA-CASE-MFS-20125
	US-PATENT-APPL-SN-865298		US-PATENT-APPL-SN-830366
	US-PATENT-CLASS-212-134		US-PATENT-CLASS-178-DIG.21
	US-PATENT-CLASS-308-5		US-PATENT-CLASS-178-6
	US-PATENT-3,600,046		US-PATENT-CLASS-250-203X
c15 N72-11389	NASA-CASE-XLA-05056		US-PATENT-CLASS-356-152
	US-PATENT-APPL-SN-596733		US-PATENT-3,603,686
	US-PATENT-CLASS-210-445	c05 N72-15098	NASA-CASE-MSC-13917-1
	US-PATENT-3,592,768		US-PATENT-APPL-SN-198355
c15 N72-11390	NASA-CASE-MFS-18100	c15 N72-15476	NASA-CASE-MSC-12332-1
	US-PATENT-APPL-SN-784055		US-PATENT-APPL-SN-87223
	US-PATENT-CLASS-15-143	c31 N72-15781	NASA-CASE-MFS-21527
	US-PATENT-CLASS-15-210		US-PATENT-APPL-SN-198380
	US-PATENT-3,591,885	c03 N72-15986	NASA-CASE-XGS-10010
c15 N72-11391	NASA-CASE-NPO-11012		US-PATENT-APPL-SN-729299
	US-PATENT-APPL-SN-845807		US-PATENT-CLASS-136-6
	US-PATENT-CLASS-248-18		US-PATENT-CLASS-136-133
	US-PATENT-CLASS-248-20		US-PATENT-CLASS-136-135
	US-PATENT-3,592,422		US-PATENT-3,607,401
c15 N72-11392	NASA-CASE-MFS-20299	c05 N72-16015	NASA-CASE-KSC-10278
	US-PATENT-APPL-SN-889437		US-PATENT-APPL-SN-856327
	US-PATENT-CLASS-156-66		US-PATENT-CLASS-35-8
	US-PATENT-CLASS-156-320		US-PATENT-CLASS-324-66
	US-PATENT-CLASS-219-221		US-PATENT-CLASS-340-279
	US-PATENT-CLASS-219-243		US-PATENT-3,609,740
	US-PATENT-3,593,001	c10 N72-16172	NASA-CASE-ABC-10269-1
c23 N72-11568	NASA-CASE-GSC-11133-1		US-PATENT-APPL-SN-56791
	US-PATENT-APPL-SN-121328		US-PATENT-CLASS-307-230
c24 N72-11555	NASA-CASE-MFS-20095		US-PATENT-CLASS-307-262
	US-PATENT-APPL-SN-855004		US-PATENT-CLASS-328-155
	US-PATENT-CLASS-250-49.5B		US-PATENT-3,614,475
	US-PATENT-CLASS-250-51	c14 N72-16282	NASA-CASE-LAR-10913
	US-PATENT-CLASS-250-52		US-PATENT-APPL-SN-779160
	US-PATENT-3,593,024		US-PATENT-CLASS-73-12
c28 N72-11708	NASA-CASE-MFS-20619		US-PATENT-3,605,482
	US-PATENT-APPL-SN-18982	c14 N72-16283	NASA-CASE-GSC-10780-1
	US-PATENT-CLASS-60-271		US-PATENT-APPL-SN-860493
	US-PATENT-CLASS-139-425R		US-PATENT-CLASS-82-24R
	US-PATENT-CLASS-239-265.19		US-PATENT-3,608,409
	US-PATENT-CLASS-239-265.43	c15 N72-16329	NASA-CASE-XLA-07829
	US-PATENT-3,596,465		US-PATENT-APPL-SN-763684
c28 N72-11709	NASA-CASE-NPO-10737		US-PATENT-CLASS-264-DIG.44
	US-PATENT-APPL-SN-760114		US-PATENT-CLASS-264-221
	US-PATENT-CLASS-60-39-48		US-PATENT-CLASS-264-225
	US-PATENT-CLASS-60-202		US-PATENT-CLASS-264-227
	US-PATENT-3,591,967		US-PATENT-3,608,046
c07 N72-12080	NASA-CASE-GSC-10087-3	c15 N72-16330	NASA-CASE-LAR-10203-1
	US-PATENT-APPL-SN-880885		US-PATENT-APPL-SN-769592
	US-PATENT-CLASS-325-4		US-PATENT-CLASS-156-84
	US-PATENT-CLASS-343-6.5R		US-PATENT-CLASS-156-86
	US-PATENT-CLASS-343-6.8R		US-PATENT-3,607,495
	US-PATENT-3,594,790	c06 N72-17093	NASA-CASE-LBW-10794-1
c07 N72-12081	NASA-CASE-GSC-10185-1		US-PATENT-APPL-SN-33535
	US-PATENT-APPL-SN-733039		US-PATENT-CLASS-23-55
	US-PATENT-CLASS-178-DIG.12		US-PATENT-CLASS-23-88
	US-PATENT-CLASS-178-6		US-PATENT-CLASS-23-97
	US-PATENT-CLASS-178-7.3		US-PATENT-3,607,015
	US-PATENT-CLASS-325-10	c06 N72-17094	NASA-CASE-NPO-10234
	US-PATENT-CLASS-325-13		US-PATENT-APPL-SN-800204
	US-PATENT-3,588,331		US-PATENT-CLASS-23-230R
c09 N72-12136	NASA-CASE-XER-09521		US-PATENT-CLASS-23-232C
	US-PATENT-APPL-SN-771530		US-PATENT-CLASS-23-253PC
	US-PATENT-CLASS-136-202		US-PATENT-CLASS-73-23.1
			US-PATENT-3,607,076

ACCESSION NUMBER INDEX

c06 N72-17095 NASA-CASE-NPO-10774
 US-PATENT-APPL-SN-848805
 US-PATENT-CLASS-23-201
 US-PATENT-CLASS-23-230
 US-PATENT-CLASS-23-253
 US-PATENT-CLASS-73-76
 US-PATENT-3,607,080

c07 N72-17109 NASA-CASE-MSC-12146-1
 US-PATENT-APPL-SN-50206
 US-PATENT-CLASS-178-5.2R
 US-PATENT-CLASS-178-5.4
 US-PATENT-CLASS-178-6.7
 US-PATENT-3,603,722

c09 N72-17152 NASA-CASE-ARC-10178-1
 US-PATENT-APPL-SN-47443
 US-PATENT-CLASS-250-211J
 US-PATENT-3,603,798

c09 N72-17153 NASA-CASE-ARC-10105
 US-PATENT-APPL-SN-887698
 US-PATENT-CLASS-128-2.1A
 US-PATENT-CLASS-307-252F
 US-PATENT-CLASS-307-252J
 US-PATENT-CLASS-325-492
 US-PATENT-CLASS-340-177
 US-PATENT-3,603,946

c09 N72-17154 NASA-CASE-ERC-10139
 US-PATENT-APPL-SN-889555
 US-PATENT-CLASS-321-10
 US-PATENT-CLASS-336-178
 US-PATENT-3,603,864

c09 N72-17155 NASA-CASE-NPO-11023
 US-PATENT-APPL-SN-865274
 US-PATENT-CLASS-330-18
 US-PATENT-CLASS-330-40
 US-PATENT-3,603,892

c09 N72-17156 NASA-CASE-NPO-10199
 US-PATENT-APPL-SN-739391
 US-PATENT-CLASS-178-7.1
 US-PATENT-CLASS-330-11
 US-PATENT-CLASS-330-35
 US-PATENT-3,609,230

c09 N72-17157 NASA-CASE-NPO-11253
 US-PATENT-APPL-SN-21906
 US-PATENT-CLASS-307-81
 US-PATENT-CLASS-307-223
 US-PATENT-CLASS-307-227
 US-PATENT-CLASS-328-186
 US-PATENT-3,609,387

c10 N72-17171 NASA-CASE-XAC-05462-2
 US-PATENT-APPL-SN-28235
 US-PATENT-CLASS-307-295
 US-PATENT-CLASS-328-167
 US-PATENT-CLASS-330-109
 US-PATENT-CLASS-330-176
 US-PATENT-CLASS-333-70CR
 US-PATENT-3,609,567

c10 N72-17172 NASA-CASE-ARC-10020
 US-PATENT-APPL-SN-31885
 US-PATENT-CLASS-330-26
 US-PATENT-CLASS-330-31
 US-PATENT-CLASS-330-94
 US-PATENT-CLASS-330-107
 US-PATENT-CLASS-330-109
 US-PATENT-3,605,032

c10 N72-17173 NASA-CASE-MFS-13130
 US-PATENT-APPL-SN-78868
 US-PATENT-CLASS-250-83.3UV
 US-PATENT-CLASS-250-209
 US-PATENT-CLASS-340-228.2
 US-PATENT-3,609,364

c11 N72-17183 NASA-CASE-MFS-20509
 US-PATENT-APPL-SN-889557
 US-PATENT-CLASS-73-147
 US-PATENT-3,602,920

c14 N72-17323 NASA-CASE-ERC-10248
 US-PATENT-APPL-SN-868445
 US-PATENT-CLASS-350-162
 US-PATENT-CLASS-356-113
 US-PATENT-CLASS-356-209
 US-PATENT-CLASS-356-244
 US-PATENT-3,603,690

c14 N72-17324 NASA-CASE-MFS-20596
 US-PATENT-APPL-SN-7867
 US-PATENT-CLASS-350-3.5
 US-PATENT-3,605,519

c14 N72-17325 NASA-CASE-MSC-15158-1
 US-PATENT-APPL-SN-889479
 US-PATENT-CLASS-324-52
 US-PATENT-3,609,535

c14 N72-17326 NASA-CASE-XMS-01994-1
 US-PATENT-APPL-SN-814212
 US-PATENT-CLASS-356-4
 US-PATENT-3,603,683

c14 N72-17327 NASA-CASE-LEW-10281-1
 US-PATENT-APPL-SN-861649
 US-PATENT-CLASS-73-198
 US-PATENT-3,605,495

c14 N72-17328 NASA-CASE-XLA-07813
 US-PATENT-APPL-SN-791364
 US-PATENT-CLASS-250-41.9
 US-PATENT-CLASS-250-49.5
 US-PATENT-CLASS-250-71.5
 US-PATENT-CLASS-250-83.3
 US-PATENT-CLASS-250-207
 US-PATENT-3,609,353

c14 N72-17329 NASA-CASE-FRC-10012
 US-PATENT-APPL-SN-771216
 US-PATENT-CLASS-73-194A
 US-PATENT-3,611,801

c15 N72-17450 NASA-CASE-MSC-12279
 US-PATENT-APPL-SN-24154
 US-PATENT-CLASS-188-1C
 US-PATENT-CLASS-188-129
 US-PATENT-3,603,433

c15 N72-17451 NASA-CASE-WLP-10002
 US-PATENT-APPL-SN-47062
 US-PATENT-CLASS-180-125
 US-PATENT-CLASS-180-127
 US-PATENT-CLASS-308-DIG.1
 US-PATENT-CLASS-308-5
 US-PATENT-CLASS-308-9
 US-PATENT-3,610,365

c15 N72-17452 NASA-CASE-XLA-10322
 US-PATENT-APPL-SN-887699
 US-PATENT-CLASS-73-88.5B
 US-PATENT-3,608,365

c15 N72-17453 NASA-CASE-NPO-11177
 US-PATENT-APPL-SN-20960
 US-PATENT-CLASS-62-51
 US-PATENT-3,605,424

c15 N72-17454 NASA-CASE-NPO-11059
 US-PATENT-APPL-SN-864020
 US-PATENT-CLASS-248-14
 US-PATENT-3,606,979

c15 N72-17455 NASA-CASE-NPO-11140
 US-PATENT-APPL-SN-15019
 US-PATENT-CLASS-89-1.811
 US-PATENT-CLASS-174-84
 US-PATENT-CLASS-200-64
 US-PATENT-CLASS-339-46
 US-PATENT-CLASS-339-176M
 US-PATENT-CLASS-339-278M
 US-PATENT-3,611,274

c18 N72-17532 NASA-CASE-MFS-13532
 US-PATENT-APPL-SN-720546
 US-PATENT-CLASS-106-292
 US-PATENT-CLASS-106-299
 US-PATENT-3,607,338

c23 N72-17747 NASA-CASE-ERC-10089
 US-PATENT-APPL-SN-791267
 US-PATENT-CLASS-340-174AG
 US-PATENT-CLASS-340-174CT
 US-PATENT-CLASS-340-174GA
 US-PATENT-CLASS-340-174SC
 US-PATENT-3,611,330

c26 N72-17820 NASA-CASE-XER-08476-1
 US-PATENT-APPL-SN-672388
 US-PATENT-CLASS-29-578
 US-PATENT-CLASS-29-589
 US-PATENT-CLASS-148-187
 US-PATENT-3,602,984

c28 N72-17843 NASA-CASE-NPO-10046
 US-PATENT-APPL-SN-860632
 US-PATENT-CLASS-60-39.74
 US-PATENT-CLASS-60-258
 US-PATENT-3,603,092

c30 N72-17873 NASA-CASE-ARC-10134
 US-PATENT-APPL-SN-819898
 US-PATENT-CLASS-244-3.21
 US-PATENT-3,603,532

c33 N72-17947 NASA-CASE-MSC-12143-1
 US-PATENT-APPL-SN-791268
 US-PATENT-CLASS-102-105
 US-PATENT-CLASS-161-67
 US-PATENT-CLASS-244-117
 US-PATENT-3,603,260

c33 N72-17948 NASA-CASE-NPO-10628
 US-PATENT-APPL-SN-873260

ACCESSION NUMBER INDEX

	US-PATENT-CLASS-165-105		US-PATENT-CLASS-332-51W
	US-PATENT-3,603,382		US-PATENT-CLASS-333-73W
c08 N72-18184	NASA-CASE-NPO-10629		US-PATENT-CLASS-343-772
	US-PATENT-APPL-SN-860751		US-PATENT-CLASS-343-773
	US-PATENT-CLASS-178-50		US-PATENT-CLASS-343-786
	US-PATENT-CLASS-178-66		US-PATENT-3,633,110
	US-PATENT-CLASS-179-15	c07 N72-20154	NASA-CASE-NPO-11243
	US-PATENT-CLASS-235-154		US-PATENT-APPL-SN-177753
	US-PATENT-CLASS-340-347DD	c08 N72-20176	NASA-CASE-NPO-11130
	US-PATENT-3,603,976		US-PATENT-APPL-SN-21508
c14 N72-18411	NASA-CASE-KSC-10294		US-PATENT-CLASS-235-92CC
	US-PATENT-APPL-SN-889556		US-PATENT-CLASS-235-92DE
	US-PATENT-CLASS-95-1.1		US-PATENT-CLASS-235-92DM
	US-PATENT-CLASS-307-311		US-PATENT-CLASS-235-92LG
	US-PATENT-CLASS-346-23		US-PATENT-CLASS-235-92R
	US-PATENT-CLASS-346-107A		US-PATENT-CLASS-235-152
	US-PATENT-CLASS-352-84		US-PATENT-CLASS-340-347DA
	US-PATENT-3,603,974		US-PATENT-CLASS-340-347DD
c15 N72-18477	NASA-CASE-GSC-10566-1		US-PATENT-3,632,996
	US-PATENT-APPL-SN-889438	c08 N72-20177	NASA-CASE-NPO-10748
	US-PATENT-CLASS-52-108		US-PATENT-APPL-SN-63383
	US-PATENT-CLASS-242-54		US-PATENT-CLASS-324-77G
	US-PATENT-3,608,844		US-PATENT-3,631,339
c28 N72-18766	NASA-CASE-GSC-10640-1	c09 N72-20199	NASA-CASE-NPO-10722
	US-PATENT-APPL-SN-17101		US-PATENT-APPL-SN-860492
	US-PATENT-CLASS-23-281		US-PATENT-CLASS-200-81.9M
	US-PATENT-CLASS-23-288		US-PATENT-CLASS-335-205
	US-PATENT-CLASS-60-260		US-PATENT-3,632,923
	US-PATENT-3,603,093	c09 N72-20200	NASA-CASE-NPO-10694
c31 N72-18859	NASA-CASE-MSC-13281		US-PATENT-APPL-SN-24224
	US-PATENT-APPL-SN-7669		US-PATENT-CLASS-339-275T
	US-PATENT-CLASS-244-15.5		US-PATENT-CLASS-339-276T
	US-PATENT-3,606,212		US-PATENT-3,631,382
c03 N72-20031	NASA-CASE-GSC-10669-1	c09 N72-20205	NASA-CASE-XLE-03155-2
	US-PATENT-APPL-SN-90595		US-PATENT-APPL-SN-17102
	US-PATENT-CLASS-136-89	c09 N72-20209	NASA-CASE-XAC-05462
	US-PATENT-CLASS-244-1SS		US-PATENT-APPL-SN-624611
	US-PATENT-CLASS-340-210	c10 N72-20221	NASA-CASE-GSC-10082-1
	US-PATENT-3,636,539		US-PATENT-APPL-SN-41430
c03 N72-20032	NASA-CASE-NPO-11021		US-PATENT-CLASS-307-273
	US-PATENT-APPL-SN-880250		US-PATENT-CLASS-307-288
	US-PATENT-CLASS-136-79		US-PATENT-CLASS-307-313
	US-PATENT-CLASS-136-81		US-PATENT-CLASS-328-207
	US-PATENT-CLASS-136-166		US-PATENT-CLASS-330-30D
	US-PATENT-3,625,766		US-PATENT-3,633,048
c03 N72-20033	NASA-CASE-NPO-10401	c10 N72-20222	NASA-CASE-XLA-11189
	US-PATENT-APPL-SN-15025		US-PATENT-APPL-SN-889375
	US-PATENT-CLASS-210-212		US-PATENT-CLASS-324-115
	US-PATENT-CLASS-356-222		US-PATENT-CLASS-324-132
	US-PATENT-3,630,627		US-PATENT-3,638,114
c03 N72-20034	NASA-CASE-LEW-11359-2	c10 N72-20223	NASA-CASE-NPO-11133
	US-PATENT-APPL-SN-57399		US-PATENT-APPL-SN-887685
	US-PATENT-CLASS-136-83R		US-PATENT-CLASS-307-295
	US-PATENT-CLASS-136-100R		US-PATENT-CLASS-328-16
	US-PATENT-CLASS-136-175		US-PATENT-CLASS-328-20
	US-PATENT-3,635,765		US-PATENT-CLASS-328-38
c05 N72-20096	NASA-CASE-MSC-12411-1		US-PATENT-CLASS-328-166
	US-PATENT-APPL-SN-701244		US-PATENT-3,626,308
	US-PATENT-CLASS-2-2.1	c10 N72-20224	NASA-CASE-NPO-11203
	US-PATENT-CLASS-128-142.5		US-PATENT-APPL-SN-3696
	US-PATENT-CLASS-128-402		US-PATENT-CLASS-324-83A
	US-PATENT-3,635,216		US-PATENT-CLASS-324-85
c05 N72-20097	NASA-CASE-MFS-20332		US-PATENT-CLASS-328-133
	US-PATENT-APPL-SN-869260		US-PATENT-CLASS-343-12
	US-PATENT-CLASS-137-81		US-PATENT-3,631,351
	US-PATENT-CLASS-137-469	c10 N72-20225	NASA-CASE-MSC-13407-1
	US-PATENT-3,636,966		US-PATENT-APPL-SN-65840
c05 N72-20098	NASA-CASE-MSC-12398		US-PATENT-CLASS-315-22
	US-PATENT-APPL-SN-785615		US-PATENT-CLASS-315-25
	US-PATENT-CLASS-2-2.1		US-PATENT-3,638,066
	US-PATENT-3,624,839	c11 N72-20244	NASA-CASE-NPO-11210
c06 N72-20121	NASA-CASE-NPO-10765		US-PATENT-APPL-SN-880831
	US-PATENT-APPL-SN-770425		US-PATENT-CLASS-123-102
	US-PATENT-CLASS-260-544P		US-PATENT-CLASS-180-105E
	US-PATENT-3,637,842		US-PATENT-CLASS-318-308
c07 N72-20140	NASA-CASE-NPO-10844		US-PATENT-CLASS-318-327
	US-PATENT-APPL-SN-839934		US-PATENT-CLASS-318-376
	US-PATENT-CLASS-178-69.5R		US-PATENT-3,630,304
	US-PATENT-CLASS-179-15BS		
	US-PATENT-CLASS-325-4	c11 N72-20253	NASA-CASE-LAR-10256-1
	US-PATENT-CLASS-325-38		US-PATENT-APPL-SN-220785
	US-PATENT-CLASS-325-58		
	US-PATENT-CLASS-325-321	c14 N72-20379	NASA-CASE-GSC-10514-1
	US-PATENT-3,626,298		US-PATENT-APPL-SN-873045
c07 N72-20141	NASA-CASE-ERC-10179		US-PATENT-CLASS-250-208
	US-PATENT-APPL-SN-50207		US-PATENT-CLASS-356-138
	US-PATENT-CLASS-325-445		US-PATENT-CLASS-356-152
	US-PATENT-CLASS-329-161		US-PATENT-3,637,312
	US-PATENT-CLASS-329-162	c14 N72-20380	NASA-CASE-LAR-10176-1

ACCESSION NUMBER INDEX

	US-PATENT-APPL-SN-811038		US-PATENT-CLASS-343-6.5R
	US-PATENT-CLASS-95-18		US-PATENT-CLASS-343-100ST
	US-PATENT-3,626,828		US-PATENT-3,624,650
c14 N72-20381	NASA-CASE-GSC-10503-1	c07 N72-21119	NASA-CASE-ERC-10112
	US-PATENT-APPL-SN-789044		US-PATENT-APPL-SN-796690
	US-PATENT-CLASS-250-83.6R		US-PATENT-CLASS-179-100.2K
	US-PATENT-3,626,189		US-PATENT-3,614,343
c14 N72-20394	NASA-CASE-MSC-12448-1	c08 N72-21197	NASA-CASE-KSC-10326
	US-PATENT-APPL-SN-212010		US-PATENT-APPL-SN-25487
c14 N72-20397	NASA-CASE-MFS-21372		US-PATENT-CLASS-235-155
	US-PATENT-APPL-SN-226477		US-PATENT-CLASS-340-347DD
c15 N72-20442	NASA-CASE-GSC-10607-1		US-PATENT-3,638,002
	US-PATENT-APPL-SN-27340	c08 N72-21198	NASA-CASE-ERC-10307
	US-PATENT-CLASS-251-129		US-PATENT-APPL-SN-39755
	US-PATENT-CLASS-251-333		US-PATENT-CLASS-307-299
	US-PATENT-3,632,081		US-PATENT-CLASS-307-303
c15 N72-20443	NASA-CASE-NPO-10671		US-PATENT-CLASS-307-311
	US-PATENT-APPL-SN-857967		US-PATENT-CLASS-340-173.2
	US-PATENT-CLASS-188-1B		US-PATENT-CLASS-340-173LS
	US-PATENT-CLASS-188-1C		US-PATENT-3,623,030
	US-PATENT-CLASS-188-268	c08 N72-21199	NASA-CASE-NPO-10743
	US-PATENT-3,637,051		US-PATENT-APPL-SN-850587
c15 N72-20444	NASA-CASE-FRC-10038		US-PATENT-CLASS-340-174CS
	US-PATENT-APPL-SN-889554		US-PATENT-CLASS-340-174LC
	US-PATENT-CLASS-29-412		US-PATENT-CLASS-340-174M
	US-PATENT-CLASS-29-426		US-PATENT-CLASS-340-174SR
	US-PATENT-CLASS-29-527.2		US-PATENT-3,613,110
	US-PATENT-CLASS-29-624	c08 N72-21200	NASA-CASE-NPO-11018
	US-PATENT-CLASS-51-216		US-PATENT-APPL-SN-873259
	US-PATENT-CLASS-51-320		US-PATENT-CLASS-340-347AD
	US-PATENT-CLASS-51-323		US-PATENT-3,613,111
	US-PATENT-3,636,623	c09 N72-21243	NASA-CASE-LEW-11005-1
c15 N72-20445	NASA-CASE-NPO-10704		US-PATENT-APPL-SN-86548
	US-PATENT-APPL-SN-59895		US-PATENT-CLASS-323-DIG.1
	US-PATENT-CLASS-138-178		US-PATENT-CLASS-323-22T
	US-PATENT-CLASS-285-18		US-PATENT-CLASS-323-38
	US-PATENT-CLASS-285-345		US-PATENT-3,638,103
	US-PATENT-3,632,140	c09 N72-21244	NASA-CASE-LAB-10545-1
c15 N72-20446	NASA-CASE-MFS-20698		US-PATENT-APPL-SN-31703
	US-PATENT-APPL-SN-3418		US-PATENT-CLASS-343-771
	US-PATENT-CLASS-23-209.1		US-PATENT-CLASS-343-893
	US-PATENT-CLASS-100-299		US-PATENT-3,638,224
	US-PATENT-CLASS-264-22	c09 N72-21245	NASA-CASE-ARC-10192
	US-PATENT-CLASS-425-77		US-PATENT-APPL-SN-15024
	US-PATENT-3,632,242		US-PATENT-CLASS-307-230
c15 N72-20463	NASA-CASE-MFS-20645		US-PATENT-CLASS-307-295
	US-PATENT-APPL-SN-103091		US-PATENT-CLASS-328-142
c22 N72-20597	NASA-CASE-XLE-04599		US-PATENT-CLASS-328-167
	US-PATENT-APPL-SN-751215		US-PATENT-CLASS-330-70R
	US-PATENT-CLASS-176-866		US-PATENT-CLASS-330-85
	US-PATENT-3,629,068		US-PATENT-CLASS-333-80
c28 N72-20758	NASA-CASE-KNP-03282		US-PATENT-3,621,407
	US-PATENT-APPL-SN-745337	c09 N72-21246	NASA-CASE-NPO-11134
	US-PATENT-CLASS-60-254		US-PATENT-APPL-SN-883524
	US-PATENT-3,636,711		US-PATENT-CLASS-318-576
c28 N72-20767	NASA-CASE-ARC-10180-1		US-PATENT-CLASS-324-71R
	US-PATENT-APPL-SN-136253		US-PATENT-CLASS-346-1
c28 N72-20770	NASA-CASE-LEW-11402-1		US-PATENT-CLASS-346-29
	US-PATENT-APPL-SN-219806		US-PATENT-3,624,659
c30 N72-20805	NASA-CASE-MSC-13802-1	c09 N72-21247	NASA-CASE-KSC-10393
	US-PATENT-APPL-SN-189438		US-PATENT-APPL-SN-71047
c31 N72-20840	NASA-CASE-MFS-20922		US-PATENT-CLASS-307-257
	US-PATENT-APPL-SN-220274		US-PATENT-CLASS-307-259
c33 N72-20915	NASA-CASE-NPO-10831		US-PATENT-CLASS-331-14
	US-PATENT-APPL-SN-10161		US-PATENT-CLASS-331-23
	US-PATENT-CLASS-122-32		US-PATENT-CLASS-331-30
	US-PATENT-CLASS-165-133		US-PATENT-CLASS-331-111
	US-PATENT-CLASS-165-155		US-PATENT-3,614,648
	US-PATENT-CLASS-165-158	c09 N72-21248	NASA-CASE-LAB-10503-1
	US-PATENT-CLASS-165-161		US-PATENT-APPL-SN-229143
	US-PATENT-CLASS-165-174	c09 N72-21251	NASA-CASE-XER-11046-2
	US-PATENT-3,630,276		US-PATENT-APPL-SN-87597
c06 N72-21094	NASA-CASE-ERC-10108	c12 N72-21310	NASA-CASE-MFS-20829
	US-PATENT-APPL-SN-833049		US-PATENT-APPL-SN-61894
	US-PATENT-CLASS-96-36.2		US-PATENT-CLASS-169-28
	US-PATENT-CLASS-156-3		US-PATENT-CLASS-169-36
	US-PATENT-3,615,465		US-PATENT-3,613,794
c06 N72-21100	NASA-CASE-NPO-12061-1	c14 N72-21405	NASA-CASE-NPO-10832
	US-PATENT-APPL-SN-45549		US-PATENT-APPL-SN-22265
c06 N72-21105	NASA-CASE-GSC-11304-1		US-PATENT-CLASS-73-141A
	US-PATENT-APPL-SN-137912		US-PATENT-3,623,360
c07 N72-21117	NASA-CASE-XLA-11154	c14 N72-21407	NASA-CASE-MFS-20642
	US-PATENT-APPL-SN-23532		US-PATENT-APPL-SN-873793
	US-PATENT-CLASS-343-706		US-PATENT-CLASS-73-147
	US-PATENT-CLASS-343-912		US-PATENT-3,623,361
	US-PATENT-3,623,107	c14 N72-21408	NASA-CASE-MSC-13332-1
c07 N72-21118	NASA-CASE-NPO-11007		US-PATENT-APPL-SN-77169
	US-PATENT-APPL-SN-856279		US-PATENT-CLASS-250-43.5R
	US-PATENT-CLASS-343-5CM		US-PATENT-CLASS-250-83.3H

ACCESSION NUMBER INDEX

c14 N72-21409	US-PATENT-3,614,431 NASA-CASE-MSC-12105-1 US-PATENT-APPL-SN-763743 US-PATENT-CLASS-356-17 US-PATENT-CLASS-356-18 US-PATENT-3,614,228	c06 N72-22114	US-PATENT-3,639,510 NASA-CASE-NPO-11609-1 US-PATENT-APPL-SN-228229
c14 N72-21421	NASA-CASE-ARC-10448-1 US-PATENT-APPL-SN-221670	c07 N72-22127	NASA-CASE-NPO-10303 US-PATENT-APPL-SN-848776 US-PATENT-CLASS-343-771 US-PATENT-CLASS-343-797 US-PATENT-CLASS-343-853 US-PATENT-CLASS-343-912
c14 N72-21432	NASA-CASE-LAR-10766-1 US-PATENT-APPL-SN-188836	c08 N72-22162	US-PATENT-3,623,114 NASA-CASE-NPO-11333 US-PATENT-APPL-SN-76065 US-PATENT-CLASS-178-52 US-PATENT-CLASS-179-15A US-PATENT-CLASS-179-15BL US-PATENT-CLASS-307-243 US-PATENT-CLASS-307-251 US-PATENT-CLASS-328-104 US-PATENT-CLASS-328-154
c14 N72-21433	NASA-CASE-ARC-10344-1 US-PATENT-APPL-SN-180962	c08 N72-22163	US-PATENT-3,614,327 NASA-CASE-MSC-13110-1 US-PATENT-APPL-SN-23132 US-PATENT-CLASS-340-347AD US-PATENT-3,614,772
c15 N72-21462	NASA-CASE-NPO-10679 US-PATENT-APPL-SN-848282 US-PATENT-CLASS-74-89.15 US-PATENT-3,614,898 NASA-CASE-MFS-20413 US-PATENT-APPL-SN-69209 US-PATENT-CLASS-74-469 US-PATENT-3,620,095	c08 N72-22164	NASA-CASE-NPO-10745 US-PATENT-APPL-SN-878730 US-PATENT-CLASS-178-DIG. 28 US-PATENT-CLASS-178-DIG. 36 US-PATENT-CLASS-178-6.8 US-PATENT-CLASS-178-7.2R US-PATENT-3,621,130
c15 N72-21463	NASA-CASE-ARC-10176-1 US-PATENT-APPL-SN-889583 US-PATENT-CLASS-324-57R US-PATENT-CLASS-324-64 US-PATENT-CLASS-324-71R US-PATENT-3,624,496 NASA-CASE-GSC-10218-1 US-PATENT-APPL-SN-15022 US-PATENT-CLASS-23-253R US-PATENT-CLASS-23-259 US-PATENT-CLASS-73-425.6 US-PATENT-CLASS-141-23 US-PATENT-CLASS-195-127 US-PATENT-CLASS-222-71 US-PATENT-CLASS-222-135 US-PATENT-CLASS-222-309 US-PATENT-3,615,241	c08 N72-22165	NASA-CASE-NPO-11104 US-PATENT-APPL-SN-860750 US-PATENT-CLASS-235-150.52 US-PATENT-CLASS-235-150.53 US-PATENT-CLASS-235-183 US-PATENT-CLASS-235-194 US-PATENT-CLASS-235-197 US-PATENT-CLASS-340-347R US-PATENT-3,621,228
c15 N72-21464	NASA-CASE-ARC-10176-1 US-PATENT-APPL-SN-889583 US-PATENT-CLASS-324-57R US-PATENT-CLASS-324-64 US-PATENT-CLASS-324-71R US-PATENT-3,624,496 NASA-CASE-GSC-10218-1 US-PATENT-APPL-SN-15022 US-PATENT-CLASS-23-253R US-PATENT-CLASS-23-259 US-PATENT-CLASS-73-425.6 US-PATENT-CLASS-141-23 US-PATENT-CLASS-195-127 US-PATENT-CLASS-222-71 US-PATENT-CLASS-222-135 US-PATENT-CLASS-222-309 US-PATENT-3,615,241	c08 N72-22166	NASA-CASE-NPO-10560 US-PATENT-APPL-SN-856282 US-PATENT-CLASS-235-153 US-PATENT-CLASS-324-73AT US-PATENT-CLASS-340-347AD US-PATENT-3,603,772 NASA-CASE-NPO-11082 US-PATENT-APPL-SN-868529 US-PATENT-CLASS-235-152 US-PATENT-CLASS-340-146.1 US-PATENT-CLASS-340-348 US-PATENT-3,609,327
c15 N72-21465	NASA-CASE-NPO-10440 US-PATENT-APPL-SN-756834 US-PATENT-CLASS-204-59 US-PATENT-CLASS-204-130 US-PATENT-3,616,338 NASA-CASE-XLA-11028 US-PATENT-APPL-SN-219435 NASA-CASE-XLA-10470 US-PATENT-APPL-SN-219436 NASA-CASE-HQN-10439 US-PATENT-APPL-SN-889551 US-PATENT-CLASS-244-15A US-PATENT-3,637,170	c09 N72-22195	NASA-CASE-MFS-14710 US-PATENT-APPL-SN-852843 US-PATENT-CLASS-74-105 US-PATENT-3,614,899
c15 N72-21486	US-PATENT-3,616,338 NASA-CASE-XLA-11028 US-PATENT-APPL-SN-219435 NASA-CASE-XLA-10470 US-PATENT-APPL-SN-219436 NASA-CASE-HQN-10439 US-PATENT-APPL-SN-889551 US-PATENT-CLASS-244-15A US-PATENT-3,637,170	c09 N72-22196	NASA-CASE-ERC-10075-2 US-PATENT-APPL-SN-775870 US-PATENT-CLASS-321-2 US-PATENT-CLASS-321-14 US-PATENT-CLASS-321-19 US-PATENT-CLASS-321-25 US-PATENT-CLASS-323-56 US-PATENT-CLASS-323-89C US-PATENT-3,614,587
c15 N72-21489	US-PATENT-3,616,338 NASA-CASE-XLA-11028 US-PATENT-APPL-SN-219435 NASA-CASE-XLA-10470 US-PATENT-APPL-SN-219436 NASA-CASE-HQN-10439 US-PATENT-APPL-SN-889551 US-PATENT-CLASS-244-15A US-PATENT-3,637,170	c09 N72-22197	NASA-CASE-LEW-10433-1 US-PATENT-APPL-SN-849106 US-PATENT-CLASS-307-88MP US-PATENT-CLASS-307-262 US-PATENT-3,612,895
c21 N72-21624	US-PATENT-3,616,338 NASA-CASE-XLA-11028 US-PATENT-APPL-SN-219435 NASA-CASE-XLA-10470 US-PATENT-APPL-SN-219436 NASA-CASE-HQN-10439 US-PATENT-APPL-SN-889551 US-PATENT-CLASS-244-15A US-PATENT-3,637,170	c09 N72-22198	NASA-CASE-MFS-13687-2 US-PATENT-APPL-SN-80369 US-PATENT-CLASS-174-36 US-PATENT-CLASS-174-106R US-PATENT-CLASS-174-117FP US-PATENT-3,612,743
c21 N72-21631	US-PATENT-3,616,338 NASA-CASE-XLA-11028 US-PATENT-APPL-SN-219435 NASA-CASE-XLA-10470 US-PATENT-APPL-SN-219436 NASA-CASE-HQN-10439 US-PATENT-APPL-SN-889551 US-PATENT-CLASS-244-15A US-PATENT-3,637,170	c09 N72-22199	NASA-CASE-ERC-10222 US-PATENT-APPL-SN-832603 US-PATENT-CLASS-29-590 US-PATENT-3,621,565
c22 N72-21644	US-PATENT-3,616,338 NASA-CASE-XLA-11028 US-PATENT-APPL-SN-219435 NASA-CASE-XLA-10470 US-PATENT-APPL-SN-219436 NASA-CASE-HQN-10439 US-PATENT-APPL-SN-889551 US-PATENT-CLASS-244-15A US-PATENT-3,637,170	c09 N72-22200	NASA-CASE-FRC-10036 US-PATENT-APPL-SN-872602 US-PATENT-CLASS-73-88.5 US-PATENT-CLASS-307-237 US-PATENT-CLASS-307-254 US-PATENT-CLASS-307-317 US-PATENT-CLASS-328-1 US-PATENT-CLASS-328-151 US-PATENT-3,621,285
c23 N72-21663	US-PATENT-3,616,338 NASA-CASE-XLA-11028 US-PATENT-APPL-SN-219435 NASA-CASE-XLA-10470 US-PATENT-APPL-SN-219436 NASA-CASE-HQN-10439 US-PATENT-APPL-SN-889551 US-PATENT-CLASS-244-15A US-PATENT-3,637,170		
c25 N72-21693	US-PATENT-3,616,338 NASA-CASE-XLA-11028 US-PATENT-APPL-SN-219435 NASA-CASE-XLA-10470 US-PATENT-APPL-SN-219436 NASA-CASE-HQN-10439 US-PATENT-APPL-SN-889551 US-PATENT-CLASS-244-15A US-PATENT-3,637,170		
c26 N72-21701	US-PATENT-3,616,338 NASA-CASE-XLA-11028 US-PATENT-APPL-SN-219435 NASA-CASE-XLA-10470 US-PATENT-APPL-SN-219436 NASA-CASE-HQN-10439 US-PATENT-APPL-SN-889551 US-PATENT-CLASS-244-15A US-PATENT-3,637,170		
c03 N72-22041	US-PATENT-3,616,338 NASA-CASE-XLA-11028 US-PATENT-APPL-SN-219435 NASA-CASE-XLA-10470 US-PATENT-APPL-SN-219436 NASA-CASE-HQN-10439 US-PATENT-APPL-SN-889551 US-PATENT-CLASS-244-15A US-PATENT-3,637,170		
c03 N72-22042	US-PATENT-3,616,338 NASA-CASE-XLA-11028 US-PATENT-APPL-SN-219435 NASA-CASE-XLA-10470 US-PATENT-APPL-SN-219436 NASA-CASE-HQN-10439 US-PATENT-APPL-SN-889551 US-PATENT-CLASS-244-15A US-PATENT-3,637,170		
c05 N72-22092	US-PATENT-3,616,338 NASA-CASE-XLA-11028 US-PATENT-APPL-SN-219435 NASA-CASE-XLA-10470 US-PATENT-APPL-SN-219436 NASA-CASE-HQN-10439 US-PATENT-APPL-SN-889551 US-PATENT-CLASS-244-15A US-PATENT-3,637,170		
c05 N72-22093	US-PATENT-3,616,338 NASA-CASE-XLA-11028 US-PATENT-APPL-SN-219435 NASA-CASE-XLA-10470 US-PATENT-APPL-SN-219436 NASA-CASE-HQN-10439 US-PATENT-APPL-SN-889551 US-PATENT-CLASS-244-15A US-PATENT-3,637,170		
c06 N72-22107	US-PATENT-3,616,338 NASA-CASE-XLA-11028 US-PATENT-APPL-SN-219435 NASA-CASE-XLA-10470 US-PATENT-APPL-SN-219436 NASA-CASE-HQN-10439 US-PATENT-APPL-SN-889551 US-PATENT-CLASS-244-15A US-PATENT-3,637,170		

ACCESSION NUMBER INDEX

c09 N72-22201	NASA-CASE-LEW-10387 US-PATENT-APPL-SN-76899 US-PATENT-CLASS-307-223B US-PATENT-CLASS-307-241 US-PATENT-CLASS-307-252J US-PATENT-CLASS-307-252K US-PATENT-CLASS-307-284 US-PATENT-CLASS-307-304 US-PATENT-CLASS-307-317 US-PATENT-CLASS-328-106 US-PATENT-3,621,287	US-PATENT-CLASS-350-49 US-PATENT-CLASS-350-52 US-PATENT-3,612,645
c09 N72-22202	NASA-CASE-ARC-10136-1 US-PATENT-APPL-SN-865106 US-PATENT-CLASS-128-2.1A US-PATENT-CLASS-128-2R US-PATENT-CLASS-307-231 US-PATENT-CLASS-307-247 US-PATENT-CLASS-307-288 US-PATENT-CLASS-325-29 US-PATENT-CLASS-325-492 US-PATENT-CLASS-340-171 US-PATENT-CLASS-340-203 US-PATENT-3,621,290	NASA-CASE-MFS-21629 US-PATENT-APPL-SN-612265 US-PATENT-CLASS-73-304 US-PATENT-CLASS-324-61 US-PATENT-3,639,835
c09 N72-22203	NASA-CASE-XBR-11046 US-PATENT-APPL-SN-810579 US-PATENT-CLASS-321-2 US-PATENT-CLASS-321-15 US-PATENT-CLASS-321-18 US-PATENT-CLASS-321-45 US-PATENT-CLASS-331-117 US-PATENT-3,621,362	NASA-CASE-XGS-03736 US-PATENT-APPL-SN-749320 US-PATENT-CLASS-96-90PC US-PATENT-CLASS-252-300 US-PATENT-3,639,250
c09 N72-22204	NASA-CASE-LAR-10137-1 US-PATENT-APPL-SN-881041 US-PATENT-CLASS-200-81R US-PATENT-CLASS-200-82C US-PATENT-3,609,271	NASA-CASE-LAR-10523-1 US-PATENT-APPL-SN-32665 US-PATENT-CLASS-250-203 US-PATENT-CLASS-350-16 US-PATENT-CLASS-350-52 US-PATENT-CLASS-356-248 US-PATENT-3,647,276
c10 N72-22235	NASA-CASE-GSC-10064-1 US-PATENT-APPL-SN-802812 US-PATENT-CLASS-343-7.4 US-PATENT-CLASS-343-16M US-PATENT-CLASS-343-779 US-PATENT-CLASS-343-786 US-PATENT-3,623,094	NASA-CASE-LAR-10184 US-PATENT-APPL-SN-16808 US-PATENT-CLASS-33-174S US-PATENT-CLASS-350-86 US-PATENT-3,620,595
c10 N72-22236	NASA-CASE-GSC-10878-1 US-PATENT-APPL-SN-889423 US-PATENT-CLASS-307-206 US-PATENT-CLASS-307-215 US-PATENT-CLASS-307-322 US-PATENT-CLASS-307-323 US-PATENT-3,621,277	NASA-CASE-XLA-04897 US-PATENT-APPL-SN-880249 US-PATENT-CLASS-73-133 US-PATENT-3,613,457
c11 N72-22245	NASA-CASE-NPO-12109 US-PATENT-APPL-SN-690172 US-PATENT-CLASS-230-54 US-PATENT-CLASS-230-221 US-PATENT-3,612,391	NASA-CASE-XNP-09770-2 US-PATENT-APPL-SN-864039 US-PATENT-CLASS-209-349 US-PATENT-3,615,021
c11 N72-22246	NASA-CASE-XLA-07430 US-PATENT-APPL-SN-867841 US-PATENT-CLASS-73-147 US-PATENT-3,620,076	NASA-CASE-LAR-10031 US-PATENT-APPL-SN-867851 US-PATENT-CLASS-62-55.5 US-PATENT-3,625,018
c11 N72-22247	NASA-CASE-NPO-11013 US-PATENT-APPL-SN-858695 US-PATENT-CLASS-42-1F US-PATENT-3,619,924	NASA-CASE-MSC-13512-1 US-PATENT-APPL-SN-73932 US-PATENT-CLASS-74-501R US-PATENT-3,625,084
c14 N72-22437	NASA-CASE-LAR-10496-1 US-PATENT-APPL-SN-12661 US-PATENT-CLASS-73-147A US-PATENT-3,611,798	NASA-CASE-KSC-10031 US-PATENT-APPL-SN-98773 US-PATENT-CLASS-220-5R US-PATENT-CLASS-317-101DR US-PATENT-CLASS-317-117 US-PATENT-CLASS-317-120 US-PATENT-3,639,809
c14 N72-22438	NASA-CASE-ARC-10263-1 US-PATENT-APPL-SN-882122 US-PATENT-CLASS-73-398C US-PATENT-3,620,083	NASA-CASE-GSC-10303 US-PATENT-APPL-SN-802813 US-PATENT-CLASS-29-473.1 US-PATENT-3,619,896
c14 N72-22439	NASA-CASE-MFS-20890 US-PATENT-APPL-SN-103229 US-PATENT-CLASS-29-421 US-PATENT-CLASS-264-22 US-PATENT-CLASS-310-11 US-PATENT-CLASS-310-42 US-PATENT-3,626,218	NASA-CASE-MSC-11849-1 US-PATENT-APPL-SN-6617 US-PATENT-CLASS-85-1 US-PATENT-3,623,394
c14 N72-22440	NASA-CASE-ARC-10154-1 US-PATENT-APPL-SN-793771 US-PATENT-CLASS-73-67.2 US-PATENT-3,620,069	NASA-CASE-GSC-10518-1 US-PATENT-APPL-SN-789045 US-PATENT-CLASS-55-446 US-PATENT-CLASS-55-464 US-PATENT-CLASS-417-152 US-PATENT-3,623,828
c14 N72-22441	NASA-CASE-NPO-11002 US-PATENT-APPL-SN-856328 US-PATENT-CLASS-350-19 US-PATENT-CLASS-350-23 US-PATENT-CLASS-350-26 US-PATENT-CLASS-350-35 US-PATENT-CLASS-350-36	NASA-CASE-LEW-10856-1 US-PATENT-APPL-SN-3417 US-PATENT-CLASS-308-195 US-PATENT-3,620,585
		US-PATENT-CLASS-10913 US-PATENT-APPL-SN-889558 US-PATENT-CLASS-29-628 US-PATENT-CLASS-219-85 US-PATENT-CLASS-219-158 US-PATENT-CLASS-219-234 US-PATENT-CLASS-228-57 US-PATENT-3,621,194
		NASA-CASE-MFS-20482 US-PATENT-APPL-SN-6610 US-PATENT-CLASS-29-472.9 US-PATENT-CLASS-29-473.1 US-PATENT-3,602,979
		NASA-CASE-LAR-10815-1 US-PATENT-APPL-SN-233587
		NASA-CASE-XLE-06461 US-PATENT-APPL-SN-853855 US-PATENT-CLASS-75-5B US-PATENT-3,623,861
		NASA-CASE-LEW-10874-1 US-PATENT-APPL-SN-68024 US-PATENT-CLASS-75-170 US-PATENT-CLASS-148-32.5

ACCESSION NUMBER INDEX

c18 N72-22566 US-PATENT-3,620,718
NASA-CASE-NFS-20011
US-PATENT-APPL-SN-813338
US-PATENT-CLASS-106-84
US-PATENT-CLASS-106-286
US-PATENT-CLASS-106-288B
US-PATENT-3,620,791
c18 N72-22567 NASA-CASE-NPO-11091
US-PATENT-APPL-SN-860781
US-PATENT-CLASS-260-2.1E
US-PATENT-3,629,161
c21 N72-22619 NASA-CASE-ARC-10179-1
US-PATENT-APPL-SN-835058
US-PATENT-CLASS-244-114
US-PATENT-CLASS-340-26
US-PATENT-3,624,598
c23 N72-22673 NASA-CASE-XER-07896-2
US-PATENT-APPL-SN-36819
US-PATENT-CLASS-350-310
US-PATENT-3,620,606
c28 N72-22769 NASA-CASE-ARC-10106-1
US-PATENT-APPL-SN-812998
US-PATENT-CLASS-244-3.22
US-PATENT-3,612,442
c28 N72-22770 NASA-CASE-LEW-10770-1
US-PATENT-APPL-SN-880246
US-PATENT-CLASS-60-202
US-PATENT-3,613,370
c28 N72-22771 NASA-CASE-LEW-10835-1
US-PATENT-APPL-SN-67815
US-PATENT-CLASS-60-202
US-PATENT-3,620,018
c28 N72-22772 NASA-CASE-NPO-12072
US-PATENT-APPL-SN-82647
US-PATENT-CLASS-123-122AB
US-PATENT-CLASS-137-81.5
US-PATENT-CLASS-261-145
US-PATENT-3,640,256
c31 N72-22874 NASA-CASE-NPO-10883
US-PATENT-APPL-SN-26573
US-PATENT-CLASS-136-89
US-PATENT-CLASS-312-257
US-PATENT-3,620,846
c03 N72-23048 NASA-CASE-NPO-11388
US-PATENT-APPL-SN-119282
US-PATENT-CLASS-310-2
US-PATENT-CLASS-321-2
US-PATENT-CLASS-322-2
US-PATENT-3,648,152
c05 N72-23085 NASA-CASE-LAR-10102-1
US-PATENT-APPL-SN-13266
US-PATENT-CLASS-224-25A
US-PATENT-3,649,921
c09 N72-23171 NASA-CASE-GSC-10221-1
US-PATENT-APPL-SN-779025
US-PATENT-CLASS-307-252M
US-PATENT-CLASS-307-252R
US-PATENT-CLASS-307-259
US-PATENT-CLASS-307-305
US-PATENT-3,621,294
c09 N72-23172 NASA-CASE-LAR-10320-1
US-PATENT-APPL-SN-18427
US-PATENT-CLASS-324-20R
US-PATENT-3,649,907
c09 N72-23173 NASA-CASE-ERC-10267
US-PATENT-APPL-SN-41348
US-PATENT-CLASS-235-197
US-PATENT-CLASS-307-229
US-PATENT-CLASS-328-145
US-PATENT-3,648,043
c11 N72-23215 NASA-CASE-NFS-20710
US-PATENT-APPL-SN-114848
US-PATENT-CLASS-13-20
US-PATENT-CLASS-13-31
US-PATENT-3,647,924
c14 N72-23457 NASA-CASE-HSC-12297
US-PATENT-APPL-SN-792623
US-PATENT-CLASS-55-493
US-PATENT-CLASS-55-498
US-PATENT-CLASS-55-502
US-PATENT-CLASS-55-521
US-PATENT-3,650,095
c15 N72-23497 NASA-CASE-KSC-10242
US-PATENT-APPL-SN-73834
US-PATENT-CLASS-219-85
US-PATENT-CLASS-219-109
US-PATENT-CLASS-219-234
US-PATENT-CLASS-324-65R
US-PATENT-3,621,193

c18 N72-23581 NASA-CASE-GSC-10361-1
US-PATENT-APPL-SN-700040
US-PATENT-CLASS-106-84
US-PATENT-3,620,784
c23 N72-23695 NASA-CASE-HQN-10541-3
US-PATENT-APPL-SN-822089
US-PATENT-CLASS-350-171
US-PATENT-3,606,522
c28 N72-23809 NASA-CASE-XNP-09461
US-PATENT-APPL-SN-670829
US-PATENT-CLASS-239-418
US-PATENT-CLASS-239-433
US-PATENT-CLASS-239-543
US-PATENT-3,650,474
c28 N72-23810 NASA-CASE-NPO-11458
US-PATENT-APPL-SN-36926
US-PATENT-CLASS-60-266
US-PATENT-CLASS-60-271
US-PATENT-3,648,461
c03 N72-24037 NASA-CASE-GSC-11514-1
US-PATENT-APPL-SN-820453
US-PATENT-CLASS-117-201
US-PATENT-CLASS-136-89
US-PATENT-3,653,970
c14 N72-24477 NASA-CASE-ARC-10138-1
US-PATENT-APPL-SN-774733
US-PATENT-CLASS-73-355R
US-PATENT-CLASS-250-83.3H
US-PATENT-CLASS-317-247
US-PATENT-CLASS-324-61R
US-PATENT-3,657,644
c15 N72-24522 NASA-CASE-NPO-11036
US-PATENT-APPL-SN-41346
US-PATENT-CLASS-264-92
US-PATENT-3,658,974
c25 N72-24753 NASA-CASE-XNP-04167-2
US-PATENT-APPL-SN-866442
US-PATENT-CLASS-313-186
US-PATENT-CLASS-313-212
US-PATENT-CLASS-313-224
US-PATENT-CLASS-313-231
US-PATENT-CLASS-315-111
US-PATENT-CLASS-315-326
US-PATENT-CLASS-315-358
US-PATENT-CLASS-331-94.5
US-PATENT-3,617,804
c03 N72-25019 NASA-CASE-NPO-10575
US-PATENT-APPL-SN-6615
US-PATENT-CLASS-156-250
US-PATENT-CLASS-156-510
US-PATENT-3,654,036
c03 N72-25020 NASA-CASE-GSC-11211-1
US-PATENT-APPL-SN-139528
US-PATENT-CLASS-235-92T
US-PATENT-CLASS-307-141.8
US-PATENT-CLASS-320-48
US-PATENT-CLASS-324-29.5
US-PATENT-3,663,938
c03 N72-25021 NASA-CASE-NPO-11118
US-PATENT-APPL-SN-8650
US-PATENT-CLASS-214-90R
US-PATENT-3,666,120
c05 N72-25119 NASA-CASE-HSC-12397-1
US-PATENT-APPL-SN-785613
US-PATENT-CLASS-2-2.1
US-PATENT-CLASS-2-115
US-PATENT-3,660,851
c05 N72-25120 NASA-CASE-HSC-90153-2
US-PATENT-APPL-SN-844225
US-PATENT-CLASS-106-209
US-PATENT-CLASS-128-2.1
US-PATENT-CLASS-128-417
US-PATENT-CLASS-252-514
US-PATENT-CLASS-264-104
US-PATENT-3,665,064
c05 N72-25121 NASA-CASE-FRC-10029-2
US-PATENT-APPL-SN-78704
US-PATENT-CLASS-29-25.14
US-PATENT-CLASS-29-25.18
US-PATENT-CLASS-29-482
US-PATENT-CLASS-29-630A
US-PATENT-CLASS-156-264
US-PATENT-CLASS-156-308
US-PATENT-3,662,441
c05 N72-25122 NASA-CASE-HSC-13609-1
US-PATENT-APPL-SN-94347
US-PATENT-CLASS-128-2W
US-PATENT-3,662,744
c05 N72-25142 NASA-CASE-HSC-13999-1

ACCESSION NUMBER INDEX

c06 N72-25146	US-PATENT-APPL-SN-256317 NASA-CASE-NPO-11322 US-PATENT-APPL-SN-87550 US-PATENT-CLASS-73-23.1 US-PATENT-CLASS-250-43.5R US-PATENT-3,666,942	US-PATENT-CLASS-340-146.1 US-PATENT-CLASS-340-172.5 US-PATENT-3,648,256 NASA-CASE-NPO-11338 US-PATENT-APPL-SN-89212 US-PATENT-CLASS-178-50 US-PATENT-CLASS-179-15BC US-PATENT-CLASS-179-15PD US-PATENT-CLASS-325-62 US-PATENT-CLASS-332-21 US-PATENT-3,659,053	
c06 N72-25147	NASA-CASE-ARC-10325 US-PATENT-APPL-SN-63610 US-PATENT-CLASS-260-2.5FP US-PATENT-3,663,464	NASA-CASE-NPO-11194 US-PATENT-APPL-SN-63532 US-PATENT-CLASS-343-6.5R US-PATENT-CLASS-343-12R US-PATENT-CLASS-343-14 US-PATENT-3,659,292	
c06 N72-25148	NASA-CASE-NFS-13994-2 US-PATENT-APPL-SN-870689 US-PATENT-CLASS-260-348SC US-PATENT-3,660,434	NASA-CASE-NPO-10636 US-PATENT-APPL-SN-77221 US-PATENT-CLASS-235-152 US-PATENT-CLASS-340-146.1AL US-PATENT-3,662,337	
c06 N72-25149	NASA-CASE-GSC-10565-1 US-PATENT-APPL-SN-822039 US-PATENT-CLASS-195-28W US-PATENT-CLASS-195-103.5R US-PATENT-CLASS-260-211.5 US-PATENT-3,660,240	c08 N72-25208	US-PATENT-CLASS-343-12R US-PATENT-3,659,292 NASA-CASE-NPO-10636 US-PATENT-APPL-SN-77221 US-PATENT-CLASS-235-152 US-PATENT-CLASS-340-146.1AL US-PATENT-3,662,337
c06 N72-25150	NASA-CASE-XLE-06774-2 US-PATENT-APPL-SN-5114 US-PATENT-CLASS-117-132 US-PATENT-CLASS-117-161 US-PATENT-CLASS-260-2.5 US-PATENT-CLASS-260-92.1 US-PATENT-3,666,741	c09 N72-25247	NASA-CASE-LAR-10163-1 US-PATENT-APPL-SN-73310 US-PATENT-CLASS-343-708 US-PATENT-CLASS-343-771 US-PATENT-CLASS-343-873 US-PATENT-3,653,052
c06 N72-25151	NASA-CASE-NFS-20979 US-PATENT-APPL-SN-100774 US-PATENT-CLASS-260-18S US-PATENT-CLASS-260-46.5E US-PATENT-CLASS-260-46.5G US-PATENT-CLASS-260-46.5P US-PATENT-CLASS-260-448.2D US-PATENT-3,666,718	c09 N72-25248	NASA-CASE-NPO-11342 US-PATENT-APPL-SN-89209 US-PATENT-CLASS-340-172.5 US-PATENT-CLASS-340-324A US-PATENT-3,648,250
c06 N72-25152	NASA-CASE-NPO-10863-2 US-PATENT-APPL-SN-145026 US-PATENT-CLASS-260-92.1 US-PATENT-3,663,521	c09 N72-25249	NASA-CASE-GSC-10656-1 US-PATENT-APPL-SN-59969 US-PATENT-CLASS-321-2 US-PATENT-CLASS-323-DIG.1 US-PATENT-CLASS-323-17 US-PATENT-CLASS-323-22T US-PATENT-3,621,372
c06 N72-25164	NASA-CASE-LEW-10906-1 US-PATENT-APPL-SN-254279	c09 N72-25250	NASA-CASE-KSC-10565 US-PATENT-APPL-SN-98517 US-PATENT-CLASS-315-135 US-PATENT-CLASS-315-349 US-PATENT-CLASS-330-2 US-PATENT-CLASS-330-59 US-PATENT-CLASS-340-332 US-PATENT-3,659,148
c07 N72-25170	NASA-CASE-LAR-10513-1 US-PATENT-APPL-SN-64723 US-PATENT-CLASS-333-7 US-PATENT-CLASS-333-81R US-PATENT-CLASS-333-98P US-PATENT-CLASS-333-98R US-PATENT-CLASS-333-98S US-PATENT-3,649,935	c09 N72-25251	NASA-CASE-ERC-10048 US-PATENT-APPL-SN-10329 US-PATENT-CLASS-307-261 US-PATENT-CLASS-321-2 US-PATENT-CLASS-321-18 US-PATENT-3,659,184
c07 N72-25171	NASA-CASE-NFS-21042 US-PATENT-APPL-SN-86417 US-PATENT-CLASS-102-34.4 US-PATENT-CLASS-325-4 US-PATENT-CLASS-325-114 US-PATENT-CLASS-343-6.5R US-PATENT-3,667,044	c09 N72-25252	NASA-CASE-ERC-10268 US-PATENT-APPL-SN-39342 US-PATENT-CLASS-321-2 US-PATENT-CLASS-321-11 US-PATENT-CLASS-321-18 US-PATENT-CLASS-321-19 US-PATENT-CLASS-321-45ER US-PATENT-CLASS-321-45R US-PATENT-3,663,940
c07 N72-25172	NASA-CASE-NPO-11358 US-PATENT-APPL-SN-116786 US-PATENT-CLASS-179-15BR US-PATENT-CLASS-340-172.5 US-PATENT-3,665,417	c09 N72-25253	NASA-CASE-GSC-11126-1 US-PATENT-APPL-SN-98640 US-PATENT-CLASS-321-2 US-PATENT-CLASS-321-47 US-PATENT-CLASS-331-113A US-PATENT-3,663,941
c07 N72-25173	NASA-CASE-ERC-10324 US-PATENT-APPL-SN-54270 US-PATENT-CLASS-178-69.5 US-PATENT-CLASS-325-38 US-PATENT-CLASS-325-51 US-PATENT-CLASS-325-55 US-PATENT-CLASS-325-58 US-PATENT-CLASS-325-64 US-PATENT-CLASS-325-141 US-PATENT-CLASS-325-302 US-PATENT-CLASS-325-325 US-PATENT-CLASS-340-167 US-PATENT-3,665,313	c09 N72-25254	NASA-CASE-NPO-10760 US-PATENT-APPL-SN-129071 US-PATENT-CLASS-321-2 US-PATENT-CLASS-321-45R US-PATENT-CLASS-331-113A US-PATENT-3,663,944
c07 N72-25174	NASA-CASE-NPO-11264 US-PATENT-APPL-SN-36531 US-PATENT-CLASS-343-762 US-PATENT-CLASS-343-777 US-PATENT-CLASS-343-779 US-PATENT-CLASS-343-786 US-PATENT-CLASS-343-853 US-PATENT-3,665,481	c09 N72-25255	NASA-CASE-LAR-10620-1 US-PATENT-APPL-SN-125979 US-PATENT-CLASS-310-10 US-PATENT-CLASS-310-15 US-PATENT-3,663,843
c08 N72-25206	NASA-CASE-KSC-10397 US-PATENT-APPL-SN-25488 US-PATENT-CLASS-235-154 US-PATENT-CLASS-340-347DA US-PATENT-3,648,275	c09 N72-25256	NASA-CASE-XLA-02609 US-PATENT-APPL-SN-41347 US-PATENT-CLASS-333-79 US-PATENT-CLASS-339-143R US-PATENT-CLASS-339-147R US-PATENT-3,663,929
c08 N72-25207	NASA-CASE-NPO-11161 US-PATENT-APPL-SN-889374	c09 N72-25257	NASA-CASE-MSC-12395 US-PATENT-APPL-SN-134573 US-PATENT-CLASS-307-233

ACCESSION NUMBER INDEX

	US-PATENT-CLASS-324-78D	c14 N72-25413	NASA-CASE-GSC-10879-1
	US-PATENT-CLASS-324-186		US-PATENT-APPL-SN-889420
	US-PATENT-CLASS-328-136		US-PATENT-CLASS-195-127
	US-PATENT-CLASS-328-140		US-PATENT-3,666,631
	US-PATENT-3,663,885	c14 N72-25414	NASA-CASE-NPO-11311
c09 N72-25258	NASA-CASE-LAR-10253-1		US-PATENT-APPL-SN-57252
	US-PATENT-APPL-SN-99175		US-PATENT-CLASS-178-7.92
	US-PATENT-CLASS-307-88.3		US-PATENT-CLASS-350-175FS
	US-PATENT-CLASS-330-4.5		US-PATENT-3,663,753
	US-PATENT-3,663,886	c14 N72-25428	NASA-CASE-HQN-10756-1
c09 N72-25259	NASA-CASE-GSC-10695-1		US-PATENT-APPL-SN-236052
	US-PATENT-APPL-SN-889422	c14 N72-25440	NASA-CASE-LEW-11632-1
	US-PATENT-CLASS-29-198		US-PATENT-APPL-SN-254173
	US-PATENT-CLASS-117-200	c15 N72-25447	NASA-CASE-LEW-10489-1
	US-PATENT-CLASS-136-89		US-PATENT-APPL-SN-889682
	US-PATENT-3,664,874		US-PATENT-CLASS-29-599
c09 N72-25260	NASA-CASE-NPO-11283		US-PATENT-CLASS-117-62
	US-PATENT-APPL-SN-118270		US-PATENT-CLASS-117-93.16D
	US-PATENT-CLASS-310-4		US-PATENT-CLASS-117-107
	US-PATENT-3,663,839		US-PATENT-CLASS-117-211
c09 N72-25261	NASA-CASE-ERC-10224		US-PATENT-CLASS-117-217
	US-PATENT-APPL-SN-860775		US-PATENT-3,649,356
	US-PATENT-CLASS-29-492	c15 N72-25448	NASA-CASE-LEW-10450-1
	US-PATENT-CLASS-29-497		US-PATENT-APPL-SN-880271
	US-PATENT-CLASS-29-498		US-PATENT-CLASS-75-0.5BB
	US-PATENT-CLASS-29-502		US-PATENT-CLASS-75-206
	US-PATENT-CLASS-29-589		US-PATENT-CLASS-75-213
	US-PATENT-CLASS-29-628		US-PATENT-3,649,242
c09 N72-25262	US-PATENT-3,665,589	c15 N72-25450	NASA-CASE-NPO-11202
	NASA-CASE-NPO-11078		US-PATENT-APPL-SN-66004
	US-PATENT-APPL-SN-82280		US-PATENT-CLASS-285-DIG.21
	US-PATENT-CLASS-307-83		US-PATENT-CLASS-285-3
	US-PATENT-CLASS-307-103		US-PATENT-CLASS-285-33
	US-PATENT-CLASS-323-48		US-PATENT-CLASS-285-316
	US-PATENT-CLASS-323-82		US-PATENT-CLASS-339-45M
	US-PATENT-3,663,828		US-PATENT-CLASS-339-91B
c11 N72-25284	NASA-CASE-LAR-10507-1	c15 N72-25451	US-PATENT-3,656,781
	US-PATENT-APPL-SN-874177		NASA-CASE-NPO-10606
	US-PATENT-CLASS-195-127		US-PATENT-APPL-SN-8636
	US-PATENT-3,649,462		US-PATENT-CLASS-251-360
c11 N72-25287	NASA-CASE-LAR-10546-1		US-PATENT-3,658,295
	US-PATENT-APPL-SN-32664	c15 N72-25452	NASA-CASE-LEW-10965-1
	US-PATENT-CLASS-52-648		US-PATENT-APPL-SN-876588
	US-PATENT-CLASS-52-655		US-PATENT-CLASS-96-36.2
	US-PATENT-CLASS-287-54A		US-PATENT-CLASS-117-16R
	US-PATENT-3,665,670		US-PATENT-CLASS-117-37
c11 N72-25288	NASA-CASE-MFS-20434		US-PATENT-CLASS-117-47R
	US-PATENT-APPL-SN-55534		US-PATENT-CLASS-117-62
	US-PATENT-CLASS-73-140		US-PATENT-CLASS-117-93.3
	US-PATENT-CLASS-73-161		US-PATENT-CLASS-117-124C
	US-PATENT-3,665,758		US-PATENT-CLASS-117-152
c12 N72-25292	NASA-CASE-NPO-11556		US-PATENT-CLASS-204-49
	US-PATENT-APPL-SN-82648		US-PATENT-CLASS-204-157.18AG
	US-PATENT-CLASS-210-188		US-PATENT-CLASS-250-65F
	US-PATENT-CLASS-310-11		US-PATENT-3,658,569
	US-PATENT-3,648,083	c15 N72-25453	NASA-CASE-KSC-10513
c12 N72-25306	NASA-CASE-MFS-10354-2		US-PATENT-APPL-SN-61535
	US-PATENT-APPL-SN-250335		US-PATENT-CLASS-187-1
c13 N72-25323	NASA-CASE-NPO-11373		US-PATENT-CLASS-187-20
	US-PATENT-APPL-SN-81095		US-PATENT-CLASS-187-95
	US-PATENT-CLASS-73-421.5R		US-PATENT-CLASS-254-190
	US-PATENT-CLASS-73-4226C		US-PATENT-3,666,051
	US-PATENT-3,662,604	c15 N72-25454	NASA-CASE-MSC-12233-1
c14 N72-25409	NASA-CASE-ERC-10174		US-PATENT-APPL-SN-73422
	US-PATENT-APPL-SN-39344		US-PATENT-CLASS-52-169
	US-PATENT-CLASS-250-83.30V		US-PATENT-CLASS-52-173
	US-PATENT-CLASS-250-209		US-PATENT-CLASS-52-594
	US-PATENT-CLASS-250-226		US-PATENT-3,665,669
	US-PATENT-CLASS-350-203	c15 N72-25455	NASA-CASE-NPO-11095
	US-PATENT-3,657,549		US-PATENT-APPL-SN-19585
c14 N72-25410	NASA-CASE-ERC-10292		US-PATENT-CLASS-60-35.74A
	US-PATENT-APPL-SN-45519		US-PATENT-CLASS-60-258
	US-PATENT-CLASS-73-515		US-PATENT-CLASS-239-424
	US-PATENT-CLASS-73-521		US-PATENT-3,662,547
	US-PATENT-CLASS-350-160R	c15 N72-25456	NASA-CASE-NPO-11222
	US-PATENT-3,657,928		US-PATENT-APPL-SN-59893
c14 N72-25411	NASA-CASE-MSC-15626-1		US-PATENT-CLASS-310-68
	US-PATENT-APPL-SN-94374		US-PATENT-CLASS-310-80
	US-PATENT-CLASS-73-12		US-PATENT-CLASS-310-83
	US-PATENT-CLASS-116-114AH		US-PATENT-3,660,704
	US-PATENT-3,656,352	c15 N72-25457	NASA-CASE-ERC-10325
c14 N72-25412	NASA-CASE-MFS-15063		US-PATENT-APPL-SN-43884
	US-PATENT-APPL-SN-51477		US-PATENT-CLASS-324-158D
	US-PATENT-CLASS-178-DIG.8		US-PATENT-CLASS-324-158I
	US-PATENT-CLASS-178-6.8		US-PATENT-3,665,307
	US-PATENT-CLASS-340-227R	c16 N72-25485	NASA-CASE-ERC-10283
	US-PATENT-3,659,043		US-PATENT-APPL-SN-39185
			US-PATENT-CLASS-331-94.5
			US-PATENT-CLASS-332-7.51

ACCESSION NUMBER INDEX

c17 N72-25517 US-PATENT-3,659,225
 NASA-CASE-LRW-11348-1
 US-PATENT-APPL-SN-247482
 c18 N72-25539 NASA-CASE-LEW-10424-2-2
 US-PATENT-APPL-SN-15222
 US-PATENT-CLASS-75-DIG.1
 US-PATENT-CLASS-75-208
 US-PATENT-CLASS-75-211
 US-PATENT-CLASS-75-226
 US-PATENT-3,653,882
 c18 N72-25540 NASA-CASE-ERC-10364
 US-PATENT-APPL-SN-55537
 US-PATENT-CLASS-52-DIG.10
 US-PATENT-CLASS-52-80
 US-PATENT-CLASS-161-7
 US-PATENT-CLASS-161-68
 US-PATENT-CLASS-161-127
 US-PATENT-3,663,347
 c18 N72-25541 NASA-CASE-ERC-10363
 US-PATENT-APPL-SN-57253
 US-PATENT-CLASS-52-DIG.10
 US-PATENT-CLASS-52-80
 US-PATENT-CLASS-161-7
 US-PATENT-CLASS-161-68
 US-PATENT-CLASS-161-127
 US-PATENT-3,663,346
 c21 N72-25595 NASA-CASE-MSC-13397-1
 US-PATENT-APPL-SN-59966
 US-PATENT-CLASS-244-1SA
 US-PATENT-CLASS-244-23A
 US-PATENT-3,662,973
 c23 N72-25619 NASA-CASE-NPO-10634
 US-PATENT-APPL-SN-112999
 US-PATENT-CLASS-62-6
 US-PATENT-CLASS-62-80
 US-PATENT-CLASS-62-85
 US-PATENT-CLASS-62-475
 US-PATENT-3,656,313
 c23 N72-25628 NASA-CASE-NPO-11623-1
 US-PATENT-APPL-SN-235338
 c26 N72-25679 NASA-CASE-XER-07895
 US-PATENT-APPL-SN-651627
 US-PATENT-CLASS-317-234J
 US-PATENT-CLASS-317-235A
 US-PATENT-CLASS-317-235AJ
 US-PATENT-CLASS-317-235R
 US-PATENT-CLASS-331-107G
 US-PATENT-3,667,010
 c26 N72-25680 NASA-CASE-ERC-10275
 US-PATENT-APPL-SN-47061
 US-PATENT-CLASS-324-92
 US-PATENT-CLASS-324-96
 US-PATENT-CLASS-340-324R
 US-PATENT-CLASS-350-150
 US-PATENT-CLASS-350-160R
 US-PATENT-3,667,039
 c27 N72-25699 NASA-CASE-NPO-12000
 US-PATENT-APPL-SN-74861
 US-PATENT-CLASS-149-19
 US-PATENT-CLASS-149-20
 US-PATENT-CLASS-149-36
 US-PATENT-CLASS-149-92
 US-PATENT-3,658,608
 c31 N72-25842 NASA-CASE-MSC-12372-1
 US-PATENT-APPL-SN-64391
 US-PATENT-CLASS-95-12.5
 US-PATENT-3,662,661
 c31 N72-25853 NASA-CASE-MPS-20855-1
 US-PATENT-APPL-SN-243374
 c32 N72-25877 NASA-CASE-LAR-10270-1
 US-PATENT-APPL-SN-60881
 US-PATENT-CLASS-73-15.6
 US-PATENT-CLASS-73-100
 US-PATENT-3,665,751
 c33 N72-25911 NASA-CASE-LEW-10359
 US-PATENT-APPL-SN-47063
 US-PATENT-CLASS-60-200A
 US-PATENT-CLASS-60-265
 US-PATENT-CLASS-60-267
 US-PATENT-CLASS-62-467
 US-PATENT-CLASS-102-105
 US-PATENT-3,656,317
 c33 N72-25913 NASA-CASE-XMS-09690
 US-PATENT-APPL-SN-853641
 US-PATENT-CLASS-73-15R
 US-PATENT-3,665,750
 c03 N72-26031 NASA-CASE-NPO-10753
 US-PATENT-APPL-SN-844355
 US-PATENT-CLASS-136-202

US-PATENT-3,666,566
 NASA-CASE-NPO-10244
 US-PATENT-APPL-SN-43327
 US-PATENT-CLASS-73-136R
 US-PATENT-CLASS-308-2A
 US-PATENT-3,664,185
 c03 N72-27053 NASA-CASE-GSC-10344-1
 US-PATENT-APPL-SN-785078
 US-PATENT-CLASS-136-89
 US-PATENT-3,672,999
 c05 N72-27102 NASA-CASE-LAR-10365-1
 US-PATENT-APPL-SN-3151
 US-PATENT-CLASS-210-103
 US-PATENT-CLASS-210-104
 US-PATENT-CLASS-210-110
 US-PATENT-CLASS-210-137
 US-PATENT-3,670,890
 c05 N72-27103 NASA-CASE-MSC-13648
 US-PATENT-APPL-SN-87222
 US-PATENT-CLASS-128-DIG.4
 US-PATENT-CLASS-128-2.1E
 US-PATENT-CLASS-128-417
 US-PATENT-3,669,110
 c06 N72-27144 NASA-CASE-NPO-10768-2
 US-PATENT-APPL-SN-99524
 US-PATENT-APPL-SN-770398
 US-PATENT-CLASS-260-77.5AP
 US-PATENT-CLASS-260-535H
 US-PATENT-3,671,497
 c06 N72-27151 NASA-CASE-NPO-10767-2
 US-PATENT-APPL-SN-241061
 c07 N72-27178 NASA-CASE-MSC-14070-1
 US-PATENT-APPL-SN-266940
 c09 N72-27226 NASA-CASE-LEW-10330-1
 US-PATENT-APPL-SN-110402
 US-PATENT-CLASS-336-60
 US-PATENT-CLASS-336-198
 US-PATENT-CLASS-336-220
 US-PATENT-3,648,209
 c09 N72-27227 NASA-CASE-KSC-10644
 US-PATENT-APPL-SN-114849
 US-PATENT-CLASS-307-92
 US-PATENT-CLASS-307-118
 US-PATENT-CLASS-340-240
 US-PATENT-3,673,424
 c09 N72-27228 NASA-CASE-NPO-10542
 US-PATENT-APPL-SN-767741
 US-PATENT-CLASS-310-4
 US-PATENT-3,673,440
 c09 N72-27233 NASA-CASE-ARC-10596-1
 US-PATENT-APPL-SN-267862
 c10 N72-27246 NASA-CASE-ERC-10015-2
 US-PATENT-APPL-SN-97343
 US-PATENT-APPL-SN-763744
 US-PATENT-CLASS-313-309
 US-PATENT-CLASS-313-336
 US-PATENT-CLASS-313-351
 US-PATENT-CLASS-315-36
 US-PATENT-3,671,798
 c11 N72-27262 NASA-CASE-MPS-20620
 US-PATENT-APPL-SN-154935
 US-PATENT-CLASS-73-117.1
 US-PATENT-CLASS-73-432SD
 US-PATENT-3,670,564
 c11 N72-27271 NASA-CASE-LAR-10550-1
 US-PATENT-APPL-SN-261183
 c12 N72-27310 NASA-CASE-MPS-21394-1
 US-PATENT-APPL-SN-258171
 c14 N72-27408 NASA-CASE-NPO-11147
 US-PATENT-APPL-SN-63195
 US-PATENT-CLASS-324-79R
 US-PATENT-CLASS-328-189
 US-PATENT-CLASS-331-44
 US-PATENT-3,670,241
 c14 N72-27409 NASA-CASE-NPO-11201
 US-PATENT-APPL-SN-77220
 US-PATENT-CLASS-250-203R
 US-PATENT-CLASS-250-225
 US-PATENT-CLASS-350-147
 US-PATENT-CLASS-356-141
 US-PATENT-CLASS-356-152
 US-PATENT-3,670,168
 c14 N72-27410 NASA-CASE-XLE-05230
 US-PATENT-APPL-SN-877717
 US-PATENT-CLASS-136-233
 US-PATENT-3,671,329
 c14 N72-27411 NASA-CASE-MSC-12293-1
 US-PATENT-APPL-SN-59956
 US-PATENT-CLASS-250-205

ACCESSION NUMBER INDEX

	US-PATENT-CLASS-315-151		US-PATENT-3,549,435
	US-PATENT-CLASS-315-156	c14 N72-28443	NASA-CASE-LEW-11072-2
	US-PATENT-CLASS-315-158		US-PATENT-APPL-SN-254323
	US-PATENT-CLASS-315-297	c15 N72-28495	NASA-CASE-MFS-14405
	US-PATENT-CLASS-315-307		US-PATENT-APPL-SN-73283
	US-PATENT-CLASS-315-310		US-PATENT-CLASS-74-469
	US-PATENT-CLASS-315-311		US-PATENT-CLASS-214-1CM
	US-PATENT-3,670,202		US-PATENT-3,631,737
c14 N72-27412	NASA-CASE-MFS-20523	c15 N72-28496	NASA-CASE-MFS-20433
	US-PATENT-APPL-SN-77786		US-PATENT-APPL-SN-114847
	US-PATENT-CLASS-73-71.6		US-PATENT-CLASS-52-1
	US-PATENT-CLASS-73-103		US-PATENT-CLASS-52-573
	US-PATENT-3,670,563		US-PATENT-3,675,376
c14 N72-27425	NASA-CASE-MFS-21395-1	c15 N72-28503	NASA-CASE-GSC-11445-1
	US-PATENT-APPL-SN-260093		US-PATENT-APPL-SN-248471
c14 N72-27430	NASA-CASE-GSC-11434-1	c15 N72-28507	NASA-CASE-NPO-11758-1
	US-PATENT-APPL-SN-263498		US-PATENT-APPL-SN-266913
c15 N72-27484	NASA-CASE-NPO-10721	c16 N72-28521	NASA-CASE-WPO-11437
	US-PATENT-APPL-SN-59968		US-PATENT-APPL-SN-63144
	US-PATENT-CLASS-248-188.4		US-PATENT-CLASS-330-4
	US-PATENT-3,669,393		US-PATENT-CLASS-331-94
c15 N72-27485	NASA-CASE-XLA-09843		US-PATENT-3,676,787
	US-PATENT-APPL-SN-60876	c17 N72-28535	NASA-CASE-XLE-06461-2
	US-PATENT-CLASS-83-8		US-PATENT-APPL-SN-156778
	US-PATENT-CLASS-83-522		US-PATENT-APPL-SN-853855
	US-PATENT-CLASS-83-562		US-PATENT-CLASS-266-24
	US-PATENT-CLASS-83-563		US-PATENT-3,675,910
	US-PATENT-CLASS-83-588	c17 N72-28536	NASA-CASE-XLE-03940-2
	US-PATENT-3,668,956		US-PATENT-APPL-SN-539255
c15 N72-27436	NASA-CASE-LAR-10362-1		US-PATENT-APPL-SN-793657
	US-PATENT-APPL-SN-266772		US-PATENT-CLASS-29-182.5
c15 N72-27527	NASA-CASE-LAR-10416-1		US-PATENT-3,676,084
	US-PATENT-APPL-SN-251752	c23 N72-28696	NASA-CASE-NPO-11106-2
c23 N72-27728	NASA-CASE-ARC-10160-1		US-PATENT-APPL-SN-235225
	US-PATENT-APPL-SN-867842	c24 N72-28714	NASA-CASE-LEW-10518-2
	US-PATENT-CLASS-178-DIG.20		US-PATENT-APPL-SN-266927
	US-PATENT-CLASS-178-6.5	c24 N72-28719	NASA-CASE-HQN-10740-1
	US-PATENT-CLASS-350-138		US-PATENT-APPL-SN-266943
	US-PATENT-3,670,097	c26 N72-28761	NASA-CASE-NPO-11775
c26 N72-27784	NASA-CASE-LAR-10836-1		US-PATENT-APPL-SN-162230
	US-PATENT-APPL-SN-138227		US-PATENT-CLASS-29-570
	US-PATENT-CLASS-350-161		US-PATENT-CLASS-317-230
	US-PATENT-3,671,105		US-PATENT-CLASS-317-261
c28 N72-27820	NASA-CASE-LAR-10642-1		US-PATENT-3,676,754
	US-PATENT-APPL-SN-266820	c26 N72-28762	NASA-CASE-LAR-10294-1
c32 N72-27947	NASA-CASE-LAR-10426-1		US-PATENT-APPL-SN-796685
	US-PATENT-APPL-SN-239575		US-PATENT-CLASS-29-25.42
c33 N72-27959	NASA-CASE-LAR-10800-1		US-PATENT-CLASS-106-39
	US-PATENT-APPL-SN-154094		US-PATENT-CLASS-106-46
	US-PATENT-CLASS-73-35		US-PATENT-CLASS-117-212
	US-PATENT-3,670,559		US-PATENT-CLASS-117-217
c03 N72-28025	NASA-CASE-NPO-10633		US-PATENT-3,649,353
	US-PATENT-APPL-SN-885521	c09 N72-29172	NASA-CASE-LAR-10511-1
	US-PATENT-CLASS-62-93		US-PATENT-APPL-SN-41345
	US-PATENT-CLASS-165-3		US-PATENT-CLASS-333-24R
	US-PATENT-CLASS-165-20		US-PATENT-CLASS-333-98P
	US-PATENT-3,675,712		US-PATENT-CLASS-333-98R
c09 N72-28225	NASA-CASE-MFS-20757		US-PATENT-3,676,809
	US-PATENT-APPL-SN-136006	c13 N72-29425	NASA-CASE-LAR-10670-2
	US-PATENT-CLASS-339-75MP		US-PATENT-APPL-SN-248761
	US-PATENT-CLASS-339-94M	c14 N72-29464	NASA-CASE-ARC-10017-1
	US-PATENT-CLASS-339-176MF		US-PATENT-APPL-SN-55536
	US-PATENT-CLASS-339-218M		US-PATENT-CLASS-250-41.9D
	US-PATENT-3,670,290		US-PATENT-CLASS-250-71.5R
c10 N72-28240	NASA-CASE-ARC-10265-1		US-PATENT-CLASS-313-356
	US-PATENT-APPL-SN-64709		US-PATENT-3,676,674
	US-PATENT-CLASS-324-41	c15 N72-29488	NASA-CASE-XLE-10326-2
	US-PATENT-CLASS-340-258		US-PATENT-APPL-SN-54540
	US-PATENT-3,676,772		US-PATENT-APPL-SN-723465
c10 N72-28241	NASA-CASE-GSC-10786-1		US-PATENT-CLASS-277-25
	US-PATENT-APPL-SN-773072		US-PATENT-CLASS-277-27
	US-PATENT-CLASS-330-29		US-PATENT-CLASS-277-74
	US-PATENT-3,533,006		US-PATENT-3,675,935
c14 N72-28436	NASA-CASE-XLA-06683	c05 N72-31117	NASA-CASE-ARC-10519-1
	US-PATENT-APPL-SN-10827		US-PATENT-APPL-SN-282738
	US-PATENT-CLASS-33-15A	c06 N72-31140	NASA-CASE-MSC-13335-1
	US-PATENT-CLASS-33-75R		US-PATENT-APPL-SN-55806
	US-PATENT-3,675,332		US-PATENT-CLASS-55-16
c14 N72-28437	NASA-CASE-ERC-10081		US-PATENT-CLASS-55-55
	US-PATENT-APPL-SN-877990		US-PATENT-3,678,654
	US-PATENT-CLASS-73-355	c06 N72-31141	NASA-CASE-ARC-10308-1
	US-PATENT-CLASS-325-363		US-PATENT-APPL-SN-134568
	US-PATENT-CLASS-343-100ME		US-PATENT-CLASS-250-43.5R
	US-PATENT-CLASS-343-112D		US-PATENT-CLASS-356-51
	US-PATENT-3,665,467		US-PATENT-3,679,899
c14 N72-28438	NASA-CASE-XLA-04980-2	c06 N72-31145	NASA-CASE-ARC-10469-1
	US-PATENT-APPL-SN-577548		US-PATENT-APPL-SN-281908
	US-PATENT-APPL-SN-763040	c08 N72-31226	NASA-CASE-NPO-11016
	US-PATENT-CLASS-148-187		US-PATENT-APPL-SN-889584

ACCESSION NUMBER INDEX

	US-PATENT-CLASS-235-92MT	c09 N72-33204	NASA-CASE-NPO-11129
	US-PATENT-CLASS-235-150.1		US-PATENT-APPL-SN-883523
	US-PATENT-CLASS-235-151.1		US-PATENT-CLASS-307-262
	US-PATENT-CLASS-323-19		US-PATENT-CLASS-307-295
	US-PATENT-CLASS-340-347AD		US-PATENT-CLASS-328-24
	US-PATENT-3,681,581		US-PATENT-CLASS-328-155
c09 N72-31235	NASA-CASE-ERC-10214	c09 N72-33205	US-PATENT-3,621,406
	US-PATENT-APPL-SN-863914		NASA-CASE-GSC-10835-1
	US-PATENT-CLASS-343-770		US-PATENT-APPL-SN-116778
	US-PATENT-CLASS-343-771		US-PATENT-CLASS-317-101A
	US-PATENT-CLASS-343-786		US-PATENT-CLASS-317-235
	US-PATENT-CLASS-343-797		US-PATENT-CLASS-317-235A
	US-PATENT-CLASS-343-853		US-PATENT-CLASS-317-235AJ
	US-PATENT-3,680,142		US-PATENT-3,694,700
c09 N72-31235	NASA-CASE-LEW-10950-1	c10 N72-33230	NASA-CASE-GSC-11340-1
	US-PATENT-APPL-SN-273222		US-PATENT-APPL-SN-107379
c10 N72-31273	NASA-CASE-KSC-10647-1		US-PATENT-CLASS-330-12
	US-PATENT-APPL-SN-774691		US-PATENT-CLASS-331-115
	US-PATENT-CLASS-178-7.5E		US-PATENT-CLASS-331-116H
	US-PATENT-CLASS-315-22R		US-PATENT-CLASS-333-80T
	US-PATENT-CLASS-315-30R		US-PATENT-3,693,105
	US-PATENT-CLASS-330-27R	c14 N72-33377	NASA-CASE-MFS-20760
	US-PATENT-3,678,191		US-PATENT-APPL-SN-99174
c14 N72-31446	NASA-CASE-ERC-10087-2		US-PATENT-CLASS-73-85
	US-PATENT-APPL-SN-91642		US-PATENT-CLASS-73-141AB
	US-PATENT-APPL-SN-738315		US-PATENT-3,693,418
	US-PATENT-CLASS-29-588	c14 N72-33379	NASA-CASE-GSC-11620-1
	US-PATENT-CLASS-317-234D		US-PATENT-APPL-SN-280305
	US-PATENT-CLASS-317-234G	c15 N72-33476	NASA-CASE-XGS-07805
	US-PATENT-CLASS-317-235M		US-PATENT-APPL-SN-104884
	US-PATENT-CLASS-317-235R		US-PATENT-CLASS-308-10
	US-PATENT-3,686,542		US-PATENT-3,694,041
c15 N72-31483	NASA-CASE-LAR-10061-1	c15 N72-33477	NASA-CASE-NPO-11340
	US-PATENT-APPL-SN-104047		US-PATENT-APPL-SN-147997
	US-PATENT-CLASS-251-86		US-PATENT-CLASS-60-1
	US-PATENT-CLASS-251-331		US-PATENT-CLASS-60-36
	US-PATENT-3,680,830		US-PATENT-CLASS-137-13
c15 N72-31490	NASA-CASE-MFS-21485-1		US-PATENT-CLASS-137-81.5
	US-PATENT-APPL-SN-277436		US-PATENT-3,693,346
c21 N72-31637	NASA-CASE-GSC-10945-1	c24 N72-33681	NASA-CASE-LEW-10518-1
	US-PATENT-APPL-SN-75431		US-PATENT-APPL-SN-863280
	US-PATENT-CLASS-60-23		US-PATENT-CLASS-176-11
	US-PATENT-CLASS-60-26		US-PATENT-3,694,313
	US-PATENT-3,678,685	c25 N72-33696	NASA-CASE-GSC-11291-1
c07 N72-32169	NASA-CASE-NPO-11361		US-PATENT-APPL-SN-102412
	US-PATENT-APPL-SN-112988		US-PATENT-CLASS-250-83.6R
	US-PATENT-CLASS-343-781		US-PATENT-3,694,655
	US-PATENT-CLASS-343-837	c02 N73-10031	NASA-CASE-LAR-10753-1
	US-PATENT-CLASS-343-840		US-PATENT-APPL-SN-289018
	US-PATENT-CLASS-343-915	c07 N73-10215	NASA-CASE-MSC-14065-1
	US-PATENT-3,680,144		US-PATENT-APPL-SN-297128
c14 N72-32452	NASA-CASE-MFS-15162	c10 N73-10269	NASA-CASE-MSC-14066-1
	US-PATENT-APPL-SN-100639		US-PATENT-APPL-SN-297127
	US-PATENT-CLASS-350-79	c14 N73-10461	NASA-CASE-KSC-10731-1
	US-PATENT-CLASS-356-241		US-PATENT-APPL-SN-288847
	US-PATENT-3,694,094	c15 N73-10499	NASA-CASE-LAR-10900-1
c15 N72-32487	NASA-CASE-LAR-10541-1		US-PATENT-APPL-SN-290021
	US-PATENT-APPL-SN-138229	c15 N73-10502	NASA-CASE-LEW-11696-1
	US-PATENT-CLASS-118-49.1		US-PATENT-APPL-SN-298156
	US-PATENT-CLASS-204-298	c15 N73-10504	NASA-CASE-LAR-10450-1
	US-PATENT-CLASS-219-121P		US-PATENT-APPL-SN-289017
	US-PATENT-CLASS-219-273	c05 N73-11097	NASA-CASE-GSC-11531-1
	US-PATENT-3,690,291		US-PATENT-APPL-SN-291845
c15 N72-32501	NASA-CASE-LEW-11118-1	c06 N73-11107	NASA-CASE-MSC-13530-2
	US-PATENT-APPL-SN-289050		US-PATENT-APPL-SN-178771
c25 N72-32688	NASA-CASE-MFS-20589	c14 N73-11404	NASA-CASE-GSC-11569-1
	US-PATENT-APPL-SN-103077		US-PATENT-APPL-SN-293725
	US-PATENT-CLASS-313-231	c14 N73-11405	NASA-CASE-MFS-21049-1
	US-PATENT-CLASS-315-111		US-PATENT-APPL-SN-304430
	US-PATENT-3,693,002	c15 N73-11443	NASA-CASE-MSC-12549-1
c28 N72-32760	NASA-CASE-LEW-11646-1		US-PATENT-APPL-SN-301039
	US-PATENT-APPL-SN-292686	c21 N73-11680	NASA-CASE-GSC-11479-1
c04 N72-33072	NASA-CASE-ERC-10338		US-PATENT-APPL-SN-293739
	US-PATENT-APPL-SN-50339	c07 N73-12151	NASA-CASE-MSC-13912-1
	US-PATENT-CLASS-23-109		US-PATENT-APPL-SN-310034
	US-PATENT-3,679,360	c08 N73-12175	NASA-CASE-NPO-11406
c05 N72-33096	NASA-CASE-MSC-13540-1		US-PATENT-APPL-SN-95183
	US-PATENT-APPL-SN-68023		US-PATENT-CLASS-235-152
	US-PATENT-CLASS-99-80PS		US-PATENT-CLASS-331-78
	US-PATENT-3,692,533		US-PATENT-CLASS-340-146.1AL
c07 N72-33146	NASA-CASE-MSC-12259-2		US-PATENT-3,700,869
	US-PATENT-APPL-SN-61895	c08 N73-12176	NASA-CASE-KSC-10595
	US-PATENT-APPL-SN-853763		US-PATENT-APPL-SN-98772
	US-PATENT-CLASS-325-373		US-PATENT-CLASS-235-155
	US-PATENT-3,694,753		US-PATENT-CLASS-340-347DD
c08 N72-33172	NASA-CASE-NPO-11630		US-PATENT-3,697,733
	US-PATENT-APPL-SN-143078	c08 N73-12177	NASA-CASE-NPO-11371
	US-PATENT-CLASS-179-15.55R		US-PATENT-APPL-SN-117575
	US-PATENT-3,694,581		US-PATENT-CLASS-340-146.1AQ

ACCESSION NUMBER INDEX

	US-PATENT-CLASS-340-146.1A		US-PATENT-3,701,631
	US-PATENT-3,697,950	c18 N73-12604	NASA-CASE-MFS-20408
c09 N73-12211	NASA-CASE-ERC-10412-1		US-PATENT-APPL-SN-71048
	US-PATENT-APPL-SN-72024		US-PATENT-CLASS-161-93
	US-PATENT-CLASS-343-5DP		US-PATENT-3,700,538
	US-PATENT-CLASS-343-11R	c22 N73-12702	NASA-CASE-NPO-13121-1
	US-PATENT-CLASS-343-11VB		US-PATENT-APPL-SN-294727
	US-PATENT-3,696,418	c30 N73-12884	NASA-CASE-MSC-12391
c09 N73-12214	NASA-CASE-NPO-13091-1		US-PATENT-APPL-SN-106465
	US-PATENT-APPL-SN-290022		US-PATENT-CLASS-244-155
c09 N73-12216	NASA-CASE-LAR-11084-1		US-PATENT-3,700,193
	US-PATENT-APPL-SN-308362	c02 N73-13008	NASA-CASE-GSC-11077-1
c10 N73-12244	NASA-CASE-NPO-11631		US-PATENT-APPL-SN-127618
	US-PATENT-APPL-SN-123253		US-PATENT-CLASS-244-32
	US-PATENT-CLASS-179-1P		US-PATENT-3,698,667
	US-PATENT-CLASS-325-473	c02 N73-13023	NASA-CASE-LAR-10531-1
	US-PATENT-CLASS-325-480		US-PATENT-APPL-SN-302720
	US-PATENT-3,700,812	c05 N73-13114	NASA-CASE-MSC-13604-1
c11 N73-12264	NASA-CASE-LAR-10348-1		US-PATENT-APPL-SN-78717
	US-PATENT-APPL-SN-70032		US-PATENT-CLASS-35-22R
	US-PATENT-CLASS-73-147		US-PATENT-CLASS-128-2N
	US-PATENT-3,695,101		US-PATENT-CLASS-273-1E
c11 N73-12265	NASA-CASE-NPO-10890		US-PATENT-3,698,385
	US-PATENT-APPL-SN-99903	c06 N73-13128	NASA-CASE-GSC-11214-1
	US-PATENT-CLASS-52-171		US-PATENT-APPL-SN-115134
	US-PATENT-CLASS-137-559		US-PATENT-CLASS-117-35R
	US-PATENT-CLASS-219-203		US-PATENT-3,702,775
	US-PATENT-CLASS-219-522	c06 N73-13129	NASA-CASE-INP-08124-2
	US-PATENT-3,696,833		US-PATENT-APPL-SN-97829
c12 N73-12295	NASA-CASE-LAR-10799-1		US-PATENT-CLASS-75-66
	US-PATENT-APPL-SN-301419		US-PATENT-3,702,762
c14 N73-12444	NASA-CASE-GSC-10903-1	c07 N73-13149	NASA-CASE-NPO-11302-1
	US-PATENT-APPL-SN-114846		US-PATENT-APPL-SN-70967
	US-PATENT-CLASS-73-421.5		US-PATENT-CLASS-178-69.5
	US-PATENT-CLASS-250-41.9G		US-PATENT-CLASS-235-150.53
	US-PATENT-CLASS-250-41.9S		US-PATENT-CLASS-235-181
	US-PATENT-3,700,893		US-PATENT-CLASS-325-325
c14 N73-12445	NASA-CASE-LAR-10728-1		US-PATENT-CLASS-340-146.1
	US-PATENT-APPL-SN-112998		US-PATENT-3,701,894
	US-PATENT-CLASS-250-83.3H	c08 N73-13137	NASA-CASE-GSC-10975-1
	US-PATENT-CLASS-250-83.3R		US-PATENT-APPL-SN-100996
	US-PATENT-CLASS-250-83R		US-PATENT-CLASS-340-172.5
	US-PATENT-3,700,897		US-PATENT-3,702,463
c14 N73-12446	NASA-CASE-NPO-11239	c09 N73-13208	NASA-CASE-LFW-11192-1
	US-PATENT-APPL-SN-89211		US-PATENT-APPL-SN-198285
	US-PATENT-CLASS-356-106		US-PATENT-CLASS-315-3.5
	US-PATENT-CLASS-356-114		US-PATENT-CLASS-315-5.38
	US-PATENT-3,700,334		US-PATENT-3,702,951
c14 N73-12447	NASA-CASE-NPO-11493	c09 N73-13209	NASA-CASE-XLA-05099
	US-PATENT-APPL-SN-151413		US-PATENT-APPL-SN-98798
	US-PATENT-CLASS-136-224		US-PATENT-CLASS-235-152
	US-PATENT-3,700,503		US-PATENT-CLASS-307-207
c14 N73-12455	NASA-CASE-MFS-21108-1		US-PATENT-CLASS-307-215
	US-PATENT-APPL-SN-307728		US-PATENT-3,700,868
c15 N73-12486	NASA-CASE-KSC-10615	c09 N73-13214	NASA-CASE-GSC-11602-1
	US-PATENT-APPL-SN-103078		US-PATENT-APPL-SN-298157
	US-PATENT-CLASS-62-7	c10 N73-13235	NASA-CASE-KSC-10003
	US-PATENT-CLASS-62-45		US-PATENT-CLASS-178-DIG.6
	US-PATENT-CLASS-244-15B		US-PATENT-CLASS-178-6
	US-PATENT-CLASS-244-135		US-PATENT-CLASS-307-242
	US-PATENT-3,697,021		US-PATENT-CLASS-307-259
c15 N73-12487	NASA-CASE-FRC-10019		US-PATENT-CLASS-328-104
	US-PATENT-APPL-SN-880398		US-PATENT-CLASS-328-154
	US-PATENT-CLASS-204-192		US-PATENT-3,702,898
	US-PATENT-3,700,575	c11 N73-13257	NASA-CASE-LAR-10574-1
c15 N73-12488	NASA-CASE-ARC-10345-1		US-PATENT-APPL-SN-66206
	US-PATENT-APPL-SN-193671		US-PATENT-CLASS-244-15S
	US-PATENT-CLASS-74-5F		US-PATENT-3,698,659
	US-PATENT-CLASS-287-85R	c14 N73-13415	NASA-CASE-LAR-10855-1
	US-PATENT-CLASS-308-2A		US-PATENT-APPL-SN-166541
	US-PATENT-3,700,291		US-PATENT-CLASS-73-147
c15 N73-12489	NASA-CASE-MSC-12357		US-PATENT-CLASS-73-182
	US-PATENT-APPL-SN-662763		US-PATENT-CLASS-73-189
	US-PATENT-CLASS-264-28		US-PATENT-CLASS-73-212
	US-PATENT-CLASS-264-36		US-PATENT-3,699,811
	US-PATENT-CLASS-264-40	c14 N73-13416	NASA-CASE-GSC-11302-1
	US-PATENT-CLASS-264-102		US-PATENT-APPL-SN-168650
	US-PATENT-3,697,630		US-PATENT-CLASS-73-71.6
c15 N73-12492	NASA-CASE-XLA-8914		US-PATENT-3,699,807
	US-PATENT-APPL-SN-810576	c14 N73-13417	NASA-CASE-XLB-05230-2
c15 N73-12494	NASA-CASE-LAR-10841-1		US-PATENT-APPL-SN-147099
	US-PATENT-APPL-SN-307729		US-PATENT-APPL-SN-877717
c15 N73-12495	NASA-CASE-NPO-13086-1		US-PATENT-CLASS-29-573
	US-PATENT-APPL-SN-292477		US-PATENT-CLASS-29-624
c15 N73-12496	NASA-CASE-LAR-10961-1		US-PATENT-CLASS-136-233
	US-PATENT-APPL-SN-308363		US-PATENT-3,699,645
c17 N73-12547	NASA-CASE-LAR-10539-1	c14 N73-13418	NASA-CASE-MFS-14216
	US-PATENT-APPL-SN-136085		US-PATENT-APPL-SN-50208
	US-PATENT-CLASS-23-230R		

ACCESSION NUMBER INDEX

	US-PATENT-CLASS-92-49	c28 N73-13773	NASA-CASE-LEW-10374-1
	US-PATENT-CLASS-137-81		US-PATENT-APPL-SN-107380
	US-PATENT-CLASS-137-487.5		US-PATENT-CLASS-60-211
	US-PATENT-3,698,412		US-PATENT-CLASS-60-240
c14 N73-13420	NASA-CASE-NPO-11418-1		US-PATENT-CLASS-60-243
	US-PATENT-APPL-SN-193947		US-PATENT-CLASS-137-81.5
	US-PATENT-CLASS-333-81B		US-PATENT-3,702,536
	US-PATENT-CLASS-333-98R	c31 N73-13698	NASA-CASE-LAR-10549-1
	US-PATENT-3,702,979		US-PATENT-APPL-SN-108824
c14 N73-13435	NASA-CASE-GSC-11533-1		US-PATENT-CLASS-60-291
	US-PATENT-APPL-SN-305013		US-PATENT-CLASS-244-139
c15 N73-13462	NASA-CASE-NPO-11479		US-PATENT-3,700,192
	US-PATENT-APPL-SN-170440	c32 N73-13921	NASA-CASE-MS-C-12233-2
	US-PATENT-CLASS-137-81.5		US-PATENT-APPL-SN-107298
	US-PATENT-CLASS-137-608		US-PATENT-CLASS-52-284
	US-PATENT-CLASS-138-45		US-PATENT-CLASS-52-594
	US-PATENT-CLASS-251-122		US-PATENT-CLASS-229-DIG.11
	US-PATENT-3,700,005		US-PATENT-3,702,520
c15 N73-13463	NASA-CASE-MFS-20317	c32 N73-13929	NASA-CASE-LAR-11052-1
	US-PATENT-APPL-SN-67730		US-PATENT-APPL-SN-310611
	US-PATENT-CLASS-72-447	c05 N73-14092	NASA-CASE-ARC-10447-1
	US-PATENT-CLASS-72-476		US-PATENT-APPL-SN-311175
	US-PATENT-CLASS-173-131	c05 N73-14093	NASA-CASE-ARC-10583-1
	US-PATENT-3,699,799		US-PATENT-APPL-SN-301418
c15 N73-13464	NASA-CASE-NPO-10812	c07 N73-14130	NASA-CASE-NPO-11661
	US-PATENT-APPL-SN-129073		US-PATENT-APPL-SN-200682
	US-PATENT-CLASS-72-258		US-PATENT-CLASS-343-782
	US-PATENT-CLASS-425-113		US-PATENT-CLASS-343-837
	US-PATENT-CLASS-425-133		US-PATENT-CLASS-343-915
	US-PATENT-CLASS-425-176		US-PATENT-3,705,406
	US-PATENT-3,698,848	c09 N73-14214	NASA-CASE-ARC-10467-1
c15 N73-13465	NASA-CASE-LEW-10805-1		US-PATENT-APPL-SN-212028
	US-PATENT-APPL-SN-29917		US-PATENT-CLASS-250-205
	US-PATENT-CLASS-148-11.5R		US-PATENT-CLASS-250-211J
	US-PATENT-3,702-791		US-PATENT-CLASS-250-217SS
c15 N73-13466	NASA-CASE-MFS-20944		US-PATENT-CLASS-307-310
	US-PATENT-APPL-SN-148756		US-PATENT-CLASS-307-311
	US-PATENT-CLASS-91-363A		US-PATENT-3,705,316
	US-PATENT-CLASS-91-448	c09 N73-14215	NASA-CASE-XKS-00348
	US-PATENT-3,702,575		US-PATENT-APPL-SN-209802
c15 N73-13467	NASA-CASE-NPO-11369		US-PATENT-CLASS-40-130
	US-PATENT-APPL-SN-129072		US-PATENT-3,137,082
	US-PATENT-CLASS-60-1	c14 N73-14427	NASA-CASE-NPO-10758
	US-PATENT-CLASS-60-23		US-PATENT-APPL-SN-81096
	US-PATENT-CLASS-60-37		US-PATENT-CLASS-95-12.5
	US-PATENT-3,702,532		US-PATENT-CLASS-95-59
c15 N73-13474	NASA-CASE-LAR-10089-1		US-PATENT-CLASS-352-169
	US-PATENT-APPL-SN-305638		US-PATENT-3,704,659
c16 N73-13489	NASA-CASE-HQN-10654-1	c14 N73-14428	NASA-CASE-NPO-10764-1
	US-PATENT-APPL-SN-182978		US-PATENT-APPL-SN-836280
	US-PATENT-CLASS-324-.5R		US-PATENT-CLASS-252-408
	US-PATENT-CLASS-331-94		US-PATENT-3,700,603
	US-PATENT-3,702,972	c14 N73-14429	NASA-CASE-NPO-11387
c18 N73-13562	NASA-CASE-ARC-10196-1		US-PATENT-APPL-SN-142719
	US-PATENT-APPL-SN-115082		US-PATENT-CLASS-73-57
	US-PATENT-CLASS-260-2.5F		US-PATENT-CLASS-73-60
	US-PATENT-3,702,841		US-PATENT-3,706,221
c21 N73-13643	NASA-CASE-HQN-10703	c15 N73-14469	NASA-CASE-GSC-10791-1
	US-PATENT-APPL-SN-156724		US-PATENT-APPL-SN-84289
	US-PATENT-CLASS-340-27NA		US-PATENT-CLASS-29-589
	US-PATENT-CLASS-340-33		US-PATENT-CLASS-29-591
	US-PATENT-CLASS-340-97		US-PATENT-CLASS-174-52S
	US-PATENT-CLASS-343-112CA		US-PATENT-CLASS-317-234A
	US-PATENT-3,699,511		US-PATENT-CLASS-317-234G
c21 N73-13644	NASA-CASE-NPO-11481		US-PATENT-3,705,255
	US-PATENT-APPL-SN-134571	c15 N73-14479	NASA-CASE-LEW-11672-1
	US-PATENT-CLASS-74-5.22		US-PATENT-APPL-SN-305639
	US-PATENT-CLASS-179-100.2A	c15 N73-14480	NASA-CASE-LAR-11211-1
	US-PATENT-CLASS-340-174.1R		US-PATENT-APPL-SN-302681
	US-PATENT-CLASS-346-74MD	c18 N73-14584	NASA-CASE-LAR-10894-1
	US-PATENT-CLASS-346-138		US-PATENT-APPL-SN-189375
	US-PATENT-3,697,968		US-PATENT-CLASS-106-39R
c22 N73-13656	NASA-CASE-NPO-13114-1		US-PATENT-CLASS-106-55
	US-PATENT-APPL-SN-294738		US-PATENT-CLASS-106-58
c23 N73-13650	NASA-CASE-MFS-20809		US-PATENT-CLASS-106-63
	US-PATENT-APPL-SN-173185		US-PATENT-CLASS-264-DIG.36
	US-PATENT-CLASS-315-169R		US-PATENT-CLASS-264-65
	US-PATENT-CLASS-315-169TV		US-PATENT-3,706,583
	US-PATENT-CLASS-317-101A	c21 N73-14692	NASA-CASE-EHC-10392
	US-PATENT-3,700,961		US-PATENT-APPL-SN-36534
c23 N73-13661	NASA-CASE-MS-C-12404-1		US-PATENT-CLASS-340-27AT
	US-PATENT-APPL-SN-142662		US-PATENT-3,706,970
	US-PATENT-CLASS-356-106S	c31 N73-14853	NASA-CASE-GSC-10590-1
	US-PATENT-3,702,735		US-PATENT-APPL-SN-130353
c23 N73-13662	NASA-CASE-MFS-20243		US-PATENT-CLASS-102-49.5
	US-PATENT-APPL-SN-59894		US-PATENT-3,706,281
	US-PATENT-CLASS-250-51.5	c31 N73-14854	NASA-CASE-MS-C-12433
	US-PATENT-CLASS-250-52		US-PATENT-APPL-SN-103551
	US-PATENT-3,702,933		US-PATENT-CLASS-244-155

ACCESSION NUMBER INDEX

c31 N73-14855	US-PATENT-3,702,688	US-PATENT-CLASS-204-324
	NASA-CASE-NPO-10680	US-PATENT-CLASS-204-325
	US-PATENT-APPL-SN-104048	US-PATENT-CLASS-204-328
	US-PATENT-CLASS-74-2	US-PATENT-3,708,419
c01 N73-14981	US-PATENT-3,706,230	NASA-CASE-MFS-20761-1
	NASA-CASE-LAR-10585-1	US-PATENT-APPL-SN-326327
c09 N73-15235	US-PATENT-APPL-SN-197183	NASA-CASE-NPO-12115-1
	NASA-CASE-NPO-12106	US-PATENT-APPL-SN-327982
	US-PATENT-APPL-SN-175881	NASA-CASE-MFS-21671-1
	US-PATENT-CLASS-317-234V	US-PATENT-APPL-SN-329958
c14 N73-15474	US-PATENT-CLASS-317-235AG	NASA-CASE-MFS-20506-1
	US-PATENT-CLASS-317-235K	US-PATENT-APPL-SN-328792
	US-PATENT-CLASS-331-90	NASA-CASE-MSC-14187-1
	US-PATENT-CLASS-331-107G	US-PATENT-APPL-SN-326326
c10 N73-15255	US-PATENT-CLASS-331-177R	NASA-CASE-NPO-11975-1
	US-PATENT-3,694,771	US-PATENT-APPL-SN-329243
	NASA-CASE-NPO-11948-1	NASA-CASE-NPO-13172-1
	US-PATENT-APPL-SN-306652	US-PATENT-APPL-SN-328795
c14 N73-15474	NASA-CASE-LAR-10806-1	NASA-CASE-LEW-11581-1
	US-PATENT-APPL-SN-322998	US-PATENT-APPL-SN-327921
c04 N73-16061	NASA-CASE-LAR-11069-1	NASA-CASE-MFS-22343-1
	US-PATENT-APPL-SN-326198	US-PATENT-APPL-SN-329237
c05 N73-16096	NASA-CASE-LAR-11074-1	NASA-CASE-NPO-13125-1
	US-PATENT-APPL-SN-326364	US-PATENT-APPL-SN-319150
c06 N73-16106	NASA-CASE-LAR-10668-1	NASA-CASE-MSC-14081-1
	US-PATENT-APPL-SN-172459	US-PATENT-APPL-SN-331760
	US-PATENT-CLASS-23-232E	NASA-CASE-MFS-21761-1
	US-PATENT-CLASS-23-232R	US-PATENT-APPL-SN-337816
c07 N73-16121	US-PATENT-CLASS-23-254E	NASA-CASE-MFS-22133-1
	US-PATENT-CLASS-23-254R	US-PATENT-APPL-SN-337487
	US-PATENT-CLASS-250-71R	NASA-CASE-LAR-11071-1
	US-PATENT-CLASS-250-83.30V	US-PATENT-APPL-SN-334349
c07 N73-16121	US-PATENT-3,709,663	NASA-CASE-NPO-13050-1
	NASA-CASE-NPO-11572	US-PATENT-APPL-SN-317567
	US-PATENT-APPL-SN-125234	NASA-CASE-ERC-10439
	US-PATENT-CLASS-179-15AN	US-PATENT-APPL-SN-54271
c07 N73-16132	US-PATENT-CLASS-179-15BC	US-PATENT-CLASS-244-17.13
	US-PATENT-CLASS-325-60	US-PATENT-CLASS-244-77D
	US-PATENT-CLASS-343-200	US-PATENT-CLASS-318-489
	US-PATENT-3,710,257	US-PATENT-3,711,042
c08 N73-16163	NASA-CASE-MSC-14219-1	NASA-CASE-GSC-11013-1
	US-PATENT-APPL-SN-324029	US-PATENT-APPL-SN-200717
c10 N73-16205	NASA-CASE-MSC-14082-1	US-PATENT-CLASS-343-75A
	US-PATENT-APPL-SN-315070	US-PATENT-CLASS-343-839
	NASA-CASE-NPO-11282	US-PATENT-CLASS-343-85A
	US-PATENT-APPL-SN-101354	US-PATENT-CLASS-343-895
c10 N73-16206	US-PATENT-CLASS-325-346	US-PATENT-3,713,163
	US-PATENT-CLASS-325-419	NASA-CASE-MFS-20407
	US-PATENT-3,710,261	US-PATENT-APPL-SN-116777
	NASA-CASE-ERC-10285	US-PATENT-CLASS-317-235AN
c12 N73-16248	US-PATENT-APPL-SN-55333	US-PATENT-CLASS-317-235N
	US-PATENT-CLASS-331-45	US-PATENT-CLASS-317-235R
	US-PATENT-CLASS-343-100R	US-PATENT-CLASS-317-235F
	US-PATENT-CLASS-343-100SA	US-PATENT-CLASS-317-235OA
c14 N73-16483	US-PATENT-CLASS-343-853	US-PATENT-3,714,526
	US-PATENT-3,710,329	NASA-CASE-LAR-10226-1
	NASA-CASE-MFS-21424-1	US-PATENT-APPL-SN-98774
	US-PATENT-APPL-SN-315048	US-PATENT-CLASS-95-11.5R
c14 N73-16484	NASA-CASE-ERC-10226-1	US-PATENT-CLASS-95-11R
	US-PATENT-APPL-SN-124909	US-PATENT-CLASS-250-217R
	US-PATENT-APPL-SN-808822	US-PATENT-3,712,195
	US-PATENT-CLASS-250-209	NASA-CASE-MFS-20774
c16 N73-16536	US-PATENT-CLASS-250-215	US-PATENT-APPL-SN-161028
	US-PATENT-CLASS-250-217	US-PATENT-CLASS-73-84
	US-PATENT-CLASS-315-153	US-PATENT-3,712,121
	US-PATENT-CLASS-340-25	NASA-CASE-MFS-20242
c14 N73-16484	US-PATENT-CLASS-340-27R	US-PATENT-APPL-SN-213004
	US-PATENT-3,708,671	US-PATENT-CLASS-73-71.6
	NASA-CASE-LAR-10739-1	US-PATENT-3,712,120
	US-PATENT-APPL-SN-134567	NASA-CASE-MFS-20698-2
c18 N73-16577	US-PATENT-CLASS-250-217F	US-PATENT-APPL-SN-3418
	US-PATENT-CLASS-340-228S	US-PATENT-APPL-SN-136086
	US-PATENT-CLASS-340-418	US-PATENT-CLASS-423-446
	US-PATENT-3,708,674	US-PATENT-CLASS-423-625
c27 N73-16764	NASA-CASE-LAR-10311-1	US-PATENT-3,714,332
	US-PATENT-APPL-SN-31702	NASA-CASE-LAR-10195-1
	US-PATENT-CLASS-250-199	US-PATENT-APPL-SN-201782
	US-PATENT-CLASS-340-171	US-PATENT-CLASS-259-4
c33 N73-16918	US-PATENT-CLASS-350-293	US-PATENT-3,712,591
	US-PATENT-3,710,122	NASA-CASE-GSC-11577-1
	NASA-CASE-MSC-12568-1	US-PATENT-APPL-SN-322997
	US-PATENT-APPL-SN-325784	NASA-CASE-GSC-11188-2
c28 N73-19793	NASA-CASE-NPO-12015	US-PATENT-APPL-SN-244440
	US-PATENT-APPL-SN-74862	NASA-CASE-LEW-11187-1
	US-PATENT-CLASS-149-19	US-PATENT-APPL-SN-147922
	US-PATENT-CLASS-149-36	US-PATENT-CLASS-60-39.28R
c03 N73-17037	US-PATENT-3,708,359	US-PATENT-3,713,290
	NASA-CASE-MSC-15567-1	NASA-CASE-LAR-10951-1
c06 N73-17153	US-PATENT-APPL-SN-87551	US-PATENT-APPL-SN-331759
c10 N73-17211		
c14 N73-17563		
c14 N73-17564		
c27 N73-17802		
c33 N73-17917		
c05 N73-18139		
c09 N73-18224		
c09 N73-18225		
c14 N73-18443		
c14 N73-18444		
c15 N73-18473		
c15 N73-18474		
c16 N73-18508		
c02 N73-19004		
c09 N73-19234		
c09 N73-19235		
c14 N73-19419		
c14 N73-19420		
c14 N73-19421		
c15 N73-19457		
c15 N73-19458		
c15 N73-19467		
c21 N73-19630		
c28 N73-19793		
c28 N73-19819		

ACCESSION NUMBER INDEX

c02 N73-20008	NASA-CASE-LAR-11140-1	US-PATENT-CLASS-340-27R
	US-PATENT-APPL-SN-315068	US-PATENT-3,714,624
c03 N73-20039	NASA-CASE-GSC-10814-1	NASA-CASE-LAR-10726-1
	US-PATENT-APPL-SN-41404	US-PATENT-APPL-SN-146935
	US-PATENT-CLASS-244-1SA	US-PATENT-CLASS-250-83.3H
	US-PATENT-CLASS-244-1SS	US-PATENT-CLASS-250-231
	US-PATENT-3,715,092	US-PATENT-3,714,432
c03 N73-20040	NASA-CASE-NPO-11771	NASA-CASE-MFS-20673
	US-PATENT-APPL-SN-200762	US-PATENT-APPL-SN-94049
	US-PATENT-CLASS-60-26	US-PATENT-CLASS-73-90
	US-PATENT-CLASS-244-1.55	US-PATENT-CLASS-73-91
	US-PATENT-CLASS-250-212	US-PATENT-3,714,821
	US-PATENT-CLASS-250-234	NASA-CASE-ARC-10443-1
	US-PATENT-3,715,600	US-PATENT-APPL-SN-128419
c03 N73-20042	NASA-CASE-MFS-21577-1	US-PATENT-CLASS-250-83.3R
	US-PATENT-APPL-SN-343308	US-PATENT-CLASS-250-83R
c05 N73-20137	NASA-CASE-LAR-10076-1	US-PATENT-3,715,590
	US-PATENT-APPL-SN-84290	NASA-CASE-NPO-10985
	US-PATENT-CLASS-62-259	US-PATENT-APPL-SN-74759
	US-PATENT-CLASS-165-46	US-PATENT-CLASS-73-194E
	US-PATENT-CLASS-312-1	US-PATENT-CLASS-324-30R
	US-PATENT-3,713,480	US-PATENT-CLASS-324-65P
c07 N73-20174	NASA-CASE-GSC-10087-4	US-PATENT-3,712,132
	US-PATENT-APPL-SN-47440	NASA-CASE-LAR-11139-1
	US-PATENT-APPL-SN-701679	US-PATENT-APPL-SN-287149
	US-PATENT-CLASS-325-4	NASA-CASE-MFS-21556-1
	US-PATENT-CLASS-325-5	US-PATENT-APPL-SN-340791
	US-PATENT-CLASS-325-7	NASA-CASE-NPO-11213
	US-PATENT-CLASS-325-8	US-PATENT-APPL-SN-78703
	US-PATENT-CLASS-325-9	US-PATENT-CLASS-195-127
	US-PATENT-CLASS-325-12	US-PATENT-3,713,987
	US-PATENT-CLASS-325-17	NASA-CASE-MFS-21680-1
	US-PATENT-CLASS-325-63	NASA-CASE-MFS-21681-1
	US-PATENT-CLASS-343-179	US-PATENT-APPL-SN-343607
	US-PATENT-3,715,663	NASA-CASE-LEW-11076-2
c07 N73-20175	NASA-CASE-KSC-10698	US-PATENT-APPL-SN-346483
	US-PATENT-APPL-SN-213949	NASA-CASE-LAR-11072-1
	US-PATENT-CLASS-73-170R	US-PATENT-APPL-SN-280030
	US-PATENT-CLASS-324-72	NASA-CASE-LAR-10765-1
	US-PATENT-3,715,660	US-PATENT-APPL-SN-138230
c07 N73-20176	NASA-CASE-KSC-10521	US-PATENT-CLASS-73-88A
	US-PATENT-APPL-SN-212921	US-PATENT-CLASS-356-32
	US-PATENT-CLASS-340-146.1C	US-PATENT-3,715,915
	US-PATENT-CLASS-340-147R	NASA-CASE-ARC-10194-1
	US-PATENT-CLASS-340-163	US-PATENT-APPL-SN-107659
	US-PATENT-3,715,723	US-PATENT-CLASS-350-202
c08 N73-20217	NASA-CASE-LAR-10128-1	US-PATENT-3,715,152
	US-PATENT-APPL-SN-84002	NASA-CASE-LEW-11390-2
	US-PATENT-CLASS-235-92FQ	US-PATENT-APPL-SN-340863
	US-PATENT-CLASS-235-92R	NASA-CASE-ARC-10712-1
	US-PATENT-CLASS-235-92T	US-PATENT-APPL-SN-344410
	US-PATENT-CLASS-340-347AD	NASA-CASE-LAR-10788-1
	US-PATENT-3,714,645	US-PATENT-APPL-SN-340865
c09 N73-20231	NASA-CASE-ARC-10264-1	NASA-CASE-ARC-10461-1
	US-PATENT-APPL-SN-80368	US-PATENT-APPL-SN-336319
	US-PATENT-CLASS-328-167	NASA-CASE-LEW-11286-1
	US-PATENT-CLASS-330-86	US-PATENT-APPL-SN-339806
	US-PATENT-CLASS-330-109	NASA-CASE-MSC-14339-1
	US-PATENT-3,714,588	US-PATENT-APPL-SN-347953
c09 N73-20232	NASA-CASE-MFS-21433	NASA-CASE-ARC-10466-1
	US-PATENT-APPL-SN-236281	US-PATENT-APPL-SN-352382
	US-PATENT-CLASS-307-230	NASA-CASE-MSC-14240-1
	US-PATENT-CLASS-307-304	US-PATENT-APPL-SN-351929
	US-PATENT-CLASS-330-20	NASA-CASE-ARC-10637-1
	US-PATENT-CLASS-330-22	US-PATENT-APPL-SN-352383
	US-PATENT-CLASS-330-30D	NASA-CASE-MFS-22324-1
	US-PATENT-CLASS-330-35	US-PATENT-APPL-SN-350250
	US-PATENT-CLASS-330-40	NASA-CASE-MFS-21244-1
	US-PATENT-CLASS-330-80T	US-PATENT-APPL-SN-350249
	US-PATENT-3,715,693	NASA-CASE-MSC-14180-1
c10 N73-20253	NASA-CASE-LAR-10310-1	US-PATENT-APPL-SN-354406
	US-PATENT-APPL-SN-147103	NASA-CASE-ARC-10633-1
	US-PATENT-CLASS-235-197	US-PATENT-APPL-SN-354611
	US-PATENT-3,714,405	NASA-CASE-NPO-10166-1
c10 N73-20254	NASA-CASE-NPO-11868	US-PATENT-APPL-SN-192803
	US-PATENT-APPL-SN-192101	NASA-CASE-LAR-10168-1
	US-PATENT-CLASS-307-221R	US-PATENT-APPL-SN-354407
	US-PATENT-CLASS-328-37	NASA-CASE-MSC-12531-1
	US-PATENT-CLASS-328-61	US-PATENT-APPL-SN-354612
	US-PATENT-CLASS-328-187	NASA-CASE-LAR-11173-1
	US-PATENT-3,718,863	US-PATENT-APPL-SN-354408
c10 N73-20259	NASA-CASE-NPO-10764-2	NASA-CASE-LEW-11484-1
	US-PATENT-APPL-SN-836280	US-PATENT-APPL-SN-356554
c11 N73-20267	NASA-CASE-MFS-21362	NASA-CASE-MFS-21506-1
	US-PATENT-APPL-SN-211411	US-PATENT-APPL-SN-356555
	US-PATENT-CLASS-73-432SD	NASA-CASE-LEW-11179-1
	US-PATENT-3,714,833	US-PATENT-APPL-SN-357312
c14 N73-20474	NASA-CASE-ERC-10350	NASA-CASE-MFS-21672-1
	US-PATENT-APPL-SN-55535	US-PATENT-APPL-SN-354060
c14 N73-20475		
c14 N73-20476		
c14 N73-20477		
c14 N73-20478		
c14 N73-20483		
c14 N73-20487		
c15 N73-20514		
c15 N73-20525		
c15 N73-20533		
c15 N73-20535		
c32 N73-20740		
c23 N73-20741		
c24 N73-20763		
c28 N73-20826		
c31 N73-20880		
c33 N73-20931		
c02 N73-21066		
c05 N73-21151		
c08 N73-21199		
c10 N73-21240		
c14 N73-21390		
c18 N73-21471		
c20 N73-21523		
c05 N73-22045		
c05 N73-22048		
c07 N73-22076		
c09 N73-22151		
c14 N73-22386		
c14 N73-22387		
c15 N73-22415		
c15 N73-22417		
c17 N73-22474		
c23 N73-22630		

ACCESSION NUMBER INDEX

c27 N73-22710	NASA-CASE-NPO-10893 US-PATENT-APPL-SN-845584 US-PATENT-CLASS-260-94.8 US-PATENT-3,634,383	US-PATENT-CLASS-343-6.5R US-PATENT-CLASS-343-6.8R US-PATENT-3,729,736
c28 N73-22721	NASA-CASE-LEW-11694-1 US-PATENT-APPL-SN-352381	c08 N73-25206 NASA-CASE-NPO-11497 US-PATENT-APPL-SN-155565 US-PATENT-CLASS-235-10.2 US-PATENT-CLASS-235-92CV US-PATENT-CLASS-235-92DN US-PATENT-CLASS-235-92EA US-PATENT-CLASS-235-92EV US-PATENT-CLASS-235-92R US-PATENT-CLASS-235-151.27 US-PATENT-3,729,129
c02 N73-22575	NASA-CASE-LAR-11141-1 US-PATENT-APPL-SN-359957	c10 N73-25240 NASA-CASE-MSC-12428-1 US-PATENT-APPL-SN-170681 US-PATENT-CLASS-179-1SA US-PATENT-CLASS-235-151.31 US-PATENT-CLASS-324-77R US-PATENT-CLASS-324-78J US-PATENT-3,732,405
c07 N73-23106	NASA-CASE-NPO-13081-1 US-PATENT-APPL-SN-345372	c10 N73-25241 NASA-CASE-GSC-11239-1 US-PATENT-APPL-SN-180583 US-PATENT-CLASS-325-67 US-PATENT-CLASS-325-363 US-PATENT-3,737,781
c07 N73-23118	NASA-CASE-NPO-11921-1 US-PATENT-APPL-SN-359039	c10 N73-25243 NASA-CASE-MFS-21919-1 US-PATENT-APPL-SN-193456 US-PATENT-CLASS-317-100 US-PATENT-CLASS-317-101DH US-PATENT-3,735,206
c09 N73-23290	NASA-CASE-KSC-10736-1 US-PATENT-APPL-SN-348787	c12 N73-25262 NASA-CASE-LAR-10578-1 US-PATENT-APPL-SN-233098 US-PATENT-CLASS-73-147 US-PATENT-3,731,528
c09 N73-23291	NASA-CASE-GSC-11744-1 US-PATENT-APPL-SN-353162	c14 N73-25460 NASA-CASE-MFS-20916 US-PATENT-APPL-SN-212165 US-PATENT-CLASS-73-189 US-PATENT-3,731,531
c14 N73-23526	NASA-CASE-MFS-21488-1 US-PATENT-APPL-SN-359156	c14 N73-25461 NASA-CASE-KSC-10108 US-PATENT-APPL-SN-73922 US-PATENT-CLASS-343-6.8R US-PATENT-CLASS-343-14 US-PATENT-CLASS-343-17.5 US-PATENT-3,732,567
c14 N73-23527	NASA-CASE-KSC-10750-1 US-PATENT-APPL-SN-346372	c14 N73-25462 NASA-CASE-NPO-11686 US-PATENT-APPL-SN-212900 US-PATENT-CLASS-250-83.3H US-PATENT-CLASS-250-203R US-PATENT-CLASS-250-214 US-PATENT-CLASS-250-214 US-PATENT-CLASS-356-152 US-PATENT-3,723,475
c15 N73-23552	NASA-CASE-MFS-21846-1 US-PATENT-APPL-SN-359958	c14 N73-25463 NASA-CASE-ARC-10278-1 US-PATENT-APPL-SN-154933 US-PATENT-CLASS-356-110 US-PATENT-3,729,260
c15 N73-23553	NASA-CASE-KSC-10723-1 US-PATENT-APPL-SN-347952	c14 N73-25467 NASA-CASE-MFS-21728-1 US-PATENT-APPL-SN-361907
c18 N73-23629	NASA-CASE-NPO-13120-1 US-PATENT-APPL-SN-348422	c15 N73-25512 NASA-CASE-LAR-10129-1 US-PATENT-APPL-SN-99201 US-PATENT-CLASS-24-134R US-PATENT-CLASS-182-5 US-PATENT-CLASS-188-65.1 US-PATENT-CLASS-254-156 US-PATENT-3,729,068
c26 N73-23770	NASA-CASE-MFS-20775-1 US-PATENT-APPL-SN-356664	c15 N73-25513 NASA-CASE-GSC-11205-1 US-PATENT-APPL-SN-107376 US-PATENT-CLASS-188-266 US-PATENT-CLASS-244-1SA US-PATENT-3,737,118
c07 N73-24176	NASA-CASE-NPO-11751 US-PATENT-APPL-SN-192141 US-PATENT-CLASS-343-DIG.2 US-PATENT-CLASS-343-915 US-PATENT-3,729,743	c16 N73-25564 NASA-CASE-LAR-11341-1 US-PATENT-APPL-SN-367293
c07 N73-24187	NASA-CASE-GSC-11388-1 US-PATENT-APPL-SN-306980	c25 N73-25760 NASA-CASE-LEW-11180-1 US-PATENT-APPL-SN-175852 US-PATENT-CLASS-60-202 US-PATENT-CLASS-313-161 US-PATENT-CLASS-313-231 US-PATENT-3,735,591
c09 N73-24236	NASA-CASE-MFS-22342-1 US-PATENT-APPL-SN-361666	c28 N73-25816 NASA-CASE-LEW-11593-1 US-PATENT-APPL-SN-363691
c14 N73-24472	NASA-CASE-LEW-11072-1 US-PATENT-APPL-SN-104885 US-PATENT-CLASS-136-225 US-PATENT-3,729,343	c33 N73-25952 NASA-CASE-LEW-10359-2 US-PATENT-APPL-SN-47063 US-PATENT-APPL-SN-150215 US-PATENT-CLASS-60-200A US-PATENT-CLASS-60-265 US-PATENT-CLASS-60-267 US-PATENT-CLASS-62-467 US-PATENT-CLASS-102-105 US-PATENT-CLASS-244-117A
c14 N73-24473	NASA-CASE-MFS-20418 US-PATENT-APPL-SN-162101 US-PATENT-CLASS-128-206F US-PATENT-CLASS-324-78E US-PATENT-3,729,676	
c15 N73-24513	NASA-CASE-NPO-11417 US-PATENT-APPL-SN-120241 US-PATENT-CLASS-60-25 US-PATENT-CLASS-417-391 US-PATENT-3,732,040	
c17 N73-24569	NASA-CASE-LEW-10920-1 US-PATENT-APPL-SN-106424 US-PATENT-CLASS-204-192 US-PATENT-3,732,158	
c28 N73-24783	NASA-CASE-NPO-11880 US-PATENT-APPL-SN-209535 US-PATENT-CLASS-60-202 US-PATENT-CLASS-313-DIG.8 US-PATENT-CLASS-313-63 US-PATENT-CLASS-313-231 US-PATENT-3,728,861 US-PATENT-313-204	
c28 N73-24784	NASA-CASE-NPO-11559 US-PATENT-APPL-SN-147996 US-PATENT-CLASS-60-254 US-PATENT-CLASS-60-256 US-PATENT-CLASS-102-49.7 US-PATENT-CLASS-102-49.8 US-PATENT-3,729,935	
c05 N73-25125	NASA-CASE-MFS-20332-2 US-PATENT-APPL-SN-195061 US-PATENT-APPL-SN-869260 US-PATENT-CLASS-2-2.1A US-PATENT-CLASS-128-142.5 US-PATENT-CLASS-137-538 US-PATENT-3,720,208	
c07 N73-25160	NASA-CASE-ARC-10097-2 US-PATENT-APPL-SN-115083 US-PATENT-APPL-SN-768662 US-PATENT-CLASS-325-45 US-PATENT-CLASS-325-61 US-PATENT-CLASS-325-113 US-PATENT-CLASS-325-139 US-PATENT-CLASS-340-207 US-PATENT-CLASS-340-258R US-PATENT-3,719,891	
c07 N73-25161	NASA-CASE-NPO-11707 US-PATENT-APPL-SN-196399	

ACCESSION NUMBER INDEX

c02 N73-26004	US-PATENT-3,720,075 NASA-CASE-LAR-10682-1 US-PATENT-APPL-SN-127915 US-PATENT-CLASS-244-75A US-PATENT-CLASS-244-76C US-PATENT-CLASS-244-77F US-PATENT-CLASS-244-77G US-PATENT-3,734,432	c09 N73-26196	US-PATENT-CLASS-333-84H US-PATENT-3,737,815 NASA-CASE-MFS-21698-1 US-PATENT-APPL-SN-370505
c02 N73-26005	NASA-CASE-ARC-10470-1 US-PATENT-APPL-SN-206279 US-PATENT-CLASS-244-13 US-PATENT-CLASS-244-46 US-PATENT-CLASS-244-55 US-PATENT-3,737,121	c09 N73-26197	NASA-CASE-MFS-22129-1 US-PATENT-APPL-SN-370255
c02 N73-26006	NASA-CASE-MSC-12393-1 US-PATENT-APPL-SN-203405 US-PATENT-CLASS-9-2A US-PATENT-CLASS-9-3 US-PATENT-CLASS-9-11A US-PATENT-CLASS-114-122 US-PATENT-3,736,607	c09 N73-26199	NASA-CASE-MSC-14131-1 US-PATENT-APPL-SN-373588
c02 N73-26007	NASA-CASE-LAR-11252-1 US-PATENT-APPL-SN-367268	c10 N73-26228	NASA-CASE-ERC-10403-1 US-PATENT-APPL-SN-253405 US-PATENT-CLASS-317-DIG.6 US-PATENT-CLASS-321-11 US-PATENT-CLASS-321-45C US-PATENT-3,737,757
c02 N73-26008	NASA-CASE-LAR-11087-1 US-PATENT-APPL-SN-367267	c10 N73-26229	NASA-CASE-NPO-11569 US-PATENT-APPL-SN-199957 US-PATENT-CLASS-307-220 US-PATENT-CLASS-307-233 US-PATENT-3,737,676
c03 N73-26047	NASA-CASE-LAR-11174-1 US-PATENT-APPL-SN-372142	c10 N73-26230	NASA-CASE-MSC-13907-1 US-PATENT-APPL-SN-254177 US-PATENT-CLASS-235-186 US-PATENT-CLASS-235-194 US-PATENT-CLASS-235-197 US-PATENT-3,737,639
c03 N73-26048	NASA-CASE-LEW-11065-2 US-PATENT-APPL-SN-371322	c10 N73-26231	NASA-CASE-MSC-14129-1 US-PATENT-APPL-SN-362146
c05 N73-26071	NASA-CASE-ARC-10599-1 US-PATENT-APPL-SN-247481 US-PATENT-CLASS-2-2.1 US-PATENT-CLASS-62-89 US-PATENT-CLASS-62-176 US-PATENT-CLASS-62-207 US-PATENT-CLASS-62-209 US-PATENT-CLASS-62-259 US-PATENT-CLASS-165-46 US-PATENT-3,736,764	c10 N73-26232	NASA-CASE-MSC-14130-1 US-PATENT-APPL-SN-373587
c05 N73-26072	NASA-CASE-ARC-10329-1 US-PATENT-APPL-SN-159857 US-PATENT-CLASS-128-2.1B US-PATENT-CLASS-351-23 US-PATENT-CLASS-351-30 US-PATENT-CLASS-351-36 US-PATENT-3,737,217	c11 N73-26238	NASA-CASE-NPO-11366 US-PATENT-APPL-SN-144139 US-PATENT-CLASS-180-6.5 US-PATENT-CLASS-180-7R US-PATENT-CLASS-180-8A US-PATENT-CLASS-180-9.2R US-PATENT-CLASS-180-9.5 US-PATENT-CLASS-180-41 US-PATENT-CLASS-305-35EB US-PATENT-CLASS-305-39 US-PATENT-3,730,287
c06 N73-26100	NASA-CASE-GSC-11358-1 US-PATENT-APPL-SN-226551 US-PATENT-CLASS-260-46.5R US-PATENT-3,733,350	c14 N73-26430	NASA-CASE-NPO-11304 US-PATENT-APPL-SN-101214 US-PATENT-CLASS-219-50 US-PATENT-CLASS-219-499 US-PATENT-3,733,463
c07 N73-26117	NASA-CASE-RSC-10392 US-PATENT-APPL-SN-181024 US-PATENT-CLASS-343-880 US-PATENT-CLASS-343-883 US-PATENT-CLASS-343-889 US-PATENT-CLASS-343-895 US-PATENT-3,737,912	c14 N73-26431	NASA-CASE-MSC-12363-1 US-PATENT-APPL-SN-125236 US-PATENT-CLASS-95-1.1 US-PATENT-3,736,849
c07 N73-26118	NASA-CASE-NPO-11548 US-PATENT-APPL-SN-151411 US-PATENT-CLASS-179-15A US-PATENT-CLASS-179-15BH US-PATENT-CLASS-325-40 US-PATENT-CLASS-343-204 US-PATENT-3,737,776	c14 N73-26432	NASA-CASE-ERC-10276 US-PATENT-APPL-SN-24155 US-PATENT-CLASS-250-209 US-PATENT-CLASS-340-15.56C US-PATENT-CLASS-343-100ME US-PATENT-3,737,905
c07 N73-26119	NASA-CASE-NPO-11426 US-PATENT-APPL-SN-89210 US-PATENT-CLASS-250-199 US-PATENT-CLASS-331-94.5 US-PATENT-CLASS-332-7.51 US-PATENT-CLASS-356-4 US-PATENT-CLASS-356-5 US-PATENT-3,737,231	c15 N73-26472	NASA-CASE-RSC-10639 US-PATENT-APPL-SN-181023 US-PATENT-CLASS-137-397 US-PATENT-CLASS-137-582 US-PATENT-3,736,956
c07 N73-26144	NASA-CASE-NPO-13217-1 US-PATENT-APPL-SN-362145	c15 N73-26474	NASA-CASE-NPO-13201-1 US-PATENT-APPL-SN-372149
c08 N73-26175	NASA-CASE-NPO-11821-1 US-PATENT-APPL-SN-236285 US-PATENT-CLASS-235-152 US-PATENT-CLASS-235-164 US-PATENT-CLASS-328-167 US-PATENT-3,732,409	c15 N73-26475	NASA-CASE-NPO-13157-1 US-PATENT-APPL-SN-370872
c08 N73-26176	NASA-CASE-NPO-11456 US-PATENT-APPL-SN-153543 US-PATENT-CLASS-340-172.5 US-PATENT-3,740,725	c16 N73-26500	NASA-CASE-MFS-22040-1 US-PATENT-APPL-SN-365644
c09 N73-26195	NASA-CASE-GSC-10990-1 US-PATENT-APPL-SN-93329 US-PATENT-CLASS-333-73R US-PATENT-CLASS-333-73S US-PATENT-CLASS-333-82A	c18 N73-26572	NASA-CASE-ARC-10304-1 US-PATENT-APPL-SN-140946 US-PATENT-CLASS-252-8.1 US-PATENT-3,730,891
		c25 N73-26721	NASA-CASE-MFS-22145-1 US-PATENT-APPL-SN-367606
		c26 N73-26751	NASA-CASE-MFS-20675 US-PATENT-APPL-SN-200085 US-PATENT-CLASS-250-219TH US-PATENT-CLASS-356-108 US-PATENT-CLASS-356-161 US-PATENT-CLASS-356-202 US-PATENT-3,737,237
		c26 N73-26752	NASA-CASE-LEW-11726-1 US-PATENT-APPL-SN-280031 US-PATENT-CLASS-29-599 US-PATENT-CLASS-156-18 US-PATENT-CLASS-174-DIG.6 US-PATENT-CLASS-336-DIG.1 US-PATENT-CLASS-336-200 US-PATENT-3,737,824
		c30 N73-26838	NASA-CASE-LAR-11059-1 US-PATENT-APPL-SN-367294

ACCESSION NUMBER INDEX

c31 N73-26876	NASA-CASE-MFS-20863 US-PATENT-APPL-SN-159966 US-PATENT-CLASS-244-1SD US-PATENT-CLASS-244-137P US-PATENT-3,737,117	c15 N73-27406	NASA-CASE-NPO-11377 US-PATENT-APPL-SN-187262 US-PATENT-CLASS-137-1 US-PATENT-CLASS-137-154 US-PATENT-CLASS-137-604 US-PATENT-3,744,510
c31 N73-26875	NASA-CASE-MSC-12559-1 US-PATENT-APPL-SN-370582	c15 N73-27407	NASA-CASE-KSC-10752-1 US-PATENT-APPL-SN-372143
c32 N73-26910	NASA-CASE-LAR-10756-1 US-PATENT-APPL-SN-160859 US-PATENT-CLASS-73-67.3 US-PATENT-CLASS-73-88.5R US-PATENT-CLASS-73-91 US-PATENT-CLASS-235-92MT US-PATENT-3,733,424	c16 N73-27431	NASA-CASE-NPO-13175-1 US-PATENT-APPL-SN-374423
c33 N73-26958	NASA-CASE-NPO-11330 US-PATENT-APPL-SN-118269 US-PATENT-CLASS-285-DIG.21 US-PATENT-CLASS-285-316 US-PATENT-3,737,181	c17 N73-27446	NASA-CASE-LAR-10953-1 US-PATENT-APPL-SN-163152 US-PATENT-CLASS-23-230R US-PATENT-3,744,972
c04 N73-27052	NASA-CASE-GSC-11092-2 US-PATENT-APPL-SN-60950 US-PATENT-APPL-SN-139250 US-PATENT-CLASS-103.5R US-PATENT-3,745,090	c18 N73-27501	NASA-CASE-MSC-14331-1 US-PATENT-APPL-SN-374421
c05 N73-27062	NASA-CASE-LEW-11669-1 US-PATENT-APPL-SN-198885 US-PATENT-CLASS-32-28 US-PATENT-CLASS-32-58 US-PATENT-CLASS-128-2 US-PATENT-CLASS-128-24A US-PATENT-CLASS-128-305 US-PATENT-3,736,938	c27 N73-27695	NASA-CASE-LEW-11071-1 US-PATENT-APPL-SN-370581
c06 N73-27086	NASA-CASE-GSC-10225-1 US-PATENT-APPL-SN-710621 US-PATENT-CLASS-195-66R US-PATENT-3,745,089	c28 N73-27699	NASA-CASE-XLE-10453-2 US-PATENT-APPL-SN-180473 US-PATENT-APPL-SN-758540 US-PATENT-CLASS-60-202 US-PATENT-CLASS-313-63 US-PATENT-CLASS-313-217 US-PATENT-CLASS-313-218 US-PATENT-CLASS-313-230 US-PATENT-CLASS-313-355 US-PATENT-3,744,247
c07 N73-27106	NASA-CASE-NPO-13140-1 US-PATENT-APPL-SN-374422	c33 N73-27796	NASA-CASE-LAR-10439-1 US-PATENT-APPL-SN-182033 US-PATENT-CLASS-73-86 US-PATENT-CLASS-73-339 US-PATENT-CLASS-73-432R US-PATENT-CLASS-356-72 US-PATENT-3,745,816
c07 N73-27107	NASA-CASE-GSC-11743-1 US-PATENT-APPL-SN-370271	c05 N73-27941	NASA-CASE-MFS-21109-1 US-PATENT-APPL-SN-202769 US-PATENT-CLASS-73-379 US-PATENT-CLASS-128-2.05R US-PATENT-CLASS-128-2.06R US-PATENT-CLASS-272-73 US-PATENT-3,744,480
c09 N73-27150	NASA-CASE-BRC-10224-2 US-PATENT-APPL-SN-221893 US-PATENT-APPL-SN-868775 US-PATENT-CLASS-29-580 US-PATENT-CLASS-317-234G US-PATENT-CLASS-317-234L US-PATENT-CLASS-317-234M US-PATENT-CLASS-317-234N US-PATENT-CLASS-317-234R US-PATENT-3,742,316	c06 N73-27980	NASA-CASE-LEW-11325-1 US-PATENT-APPL-SN-184960 US-PATENT-CLASS-117-161F US-PATENT-CLASS-117-161UW US-PATENT-CLASS-117-228 US-PATENT-CLASS-161-214 US-PATENT-CLASS-161-227 US-PATENT-CLASS-260-30.2 US-PATENT-CLASS-260-30.8DS US-PATENT-CLASS-260-32.6N US-PATENT-CLASS-260-33.4B US-PATENT-CLASS-260-33.6R US-PATENT-CLASS-260-47CP US-PATENT-CLASS-260-65 US-PATENT-CLASS-260-78TF US-PATENT-CLASS-260-78VA US-PATENT-3,745,149
c09 N73-27153	NASA-CASE-KSC-10769-1 US-PATENT-APPL-SN-374583	c07 N73-28012	NASA-CASE-NPO-11593-1 US-PATENT-APPL-SN-172807 US-PATENT-CLASS-179-15FS US-PATENT-CLASS-325-419 US-PATENT-CLASS-329-122 US-PATENT-3,745,255
c10 N73-27171	NASA-CASE-NPO-11941-1 US-PATENT-APPL-SN-241614 US-PATENT-CLASS-330-70CR US-PATENT-CLASS-331-17 US-PATENT-CLASS-331-25 US-PATENT-3,740,671	c07 N73-28013	NASA-CASE-GSC-11046-1 US-PATENT-APPL-SN-182399 US-PATENT-CLASS-343-725 US-PATENT-CLASS-343-729 US-PATENT-CLASS-343-797 US-PATENT-CLASS-343-803 US-PATENT-CLASS-343-893 US-PATENT-3,747,111
c11 N73-27175	NASA-CASE-ARC-10710-1 US-PATENT-APPL-SN-379019	c08 N73-28045	NASA-CASE-XNP-00477 US-PATENT-APPL-SN-175497 US-PATENT-CLASS-340-347 US-PATENT-3,219,997
c14 N73-27376	NASA-CASE-HQN-10037-1 US-PATENT-APPL-SN-235957 US-PATENT-CLASS-73-28 US-PATENT-3,741,001	c09 N73-28083	NASA-CASE-GSC-11215-1 US-PATENT-APPL-SN-114873 US-PATENT-CLASS-29-628 US-PATENT-CLASS-29-629 US-PATENT-CLASS-29-630 US-PATENT-CLASS-29-630A US-PATENT-3,744,128
c14 N73-27377	NASA-CASE-MFS-21046-1 US-PATENT-APPL-SN-156725 US-PATENT-CLASS-35-12C US-PATENT-CLASS-272-73 US-PATENT-3,744,794	c09 N73-28084	NASA-CASE-XNP-03623 US-PATENT-APPL-SN-471154 US-PATENT-CLASS-178-69.5 US-PATENT-3,402,265
c14 N73-27378	NASA-CASE-KSC-10626 US-PATENT-APPL-SN-180963 US-PATENT-CLASS-222-414 US-PATENT-CLASS-244-15S US-PATENT-CLASS-244-135 US-PATENT-3,744,738	c11 N73-28128	NASA-CASE-LEW-11390-3
c14 N73-27379	NASA-CASE-FRC-10060-1 US-PATENT-APPL-SN-189290 US-PATENT-CLASS-73-1DV US-PATENT-CLASS-179-175.1A US-PATENT-CLASS-340-5C US-PATENT-3,744,294		
c14 N73-27380	NASA-CASE-MFS-20932-1 US-PATENT-APPL-SN-374441		
c15 N73-27405	NASA-CASE-MFS-20855 US-PATENT-APPL-SN-127647 US-PATENT-CLASS-53-22A US-PATENT-CLASS-53-112A US-PATENT-CLASS-219-348 US-PATENT-3,745,739		

ACCESSION NUMBER INDEX

c12 N73-28144	US-PATENT-APPL-SN-380046 NASA-CASE-LAR-10612-1 US-PATENT-APPL-SN-233173 US-PATENT-CLASS-73-147 US-PATENT-3,744,305	c05 N73-30078	US-PATENT-APPL-SN-321180 NASA-CASE-MFS-21010-1 US-PATENT-APPL-SN-251609 US-PATENT-CLASS-73-379 US-PATENT-3,750,479
c12 N73-28179	NASA-CASE-MSC-14273-1 US-PATENT-APPL-SN-385522	c05 N73-30090	NASA-CASE-MFS-20994-1 US-PATENT-APPL-SN-386789
c14 N73-28486	NASA-CASE-NPO-11749 US-PATENT-APPL-SN-175267 US-PATENT-CLASS-73-15R US-PATENT-CLASS-324-52 US-PATENT-3,737,762	c06 N73-30097	NASA-CASE-LAR-10670-1 US-PATENT-APPL-SN-59892 US-PATENT-CLASS-60-215 US-PATENT-CLASS-149-1 US-PATENT-CLASS-149-36 US-PATENT-CLASS-252-301.4 US-PATENT-CLASS-252-305 US-PATENT-3,751,913
c14 N73-28487	NASA-CASE-ILA-08916-2 US-PATENT-APPL-SN-97472 US-PATENT-APPL-SN-777765 US-PATENT-CLASS-73-170R US-PATENT-CLASS-73-432R US-PATENT-3,744,320	c06 N73-30098	NASA-CASE-MFS-21040-1 US-PATENT-APPL-SN-183240 US-PATENT-CLASS-260-485F US-PATENT-3,752,847 NASA-CASE-MPS-10512 US-PATENT-APPL-SN-606027 US-PATENT-CLASS-260-77.5 US-PATENT-3,463,761
c14 N73-28488	NASA-CASE-LEW-11159-1 US-PATENT-APPL-SN-104346 US-PATENT-CLASS-250-336 US-PATENT-CLASS-307-308 US-PATENT-3,745,357	c06 N73-30099	NASA-CASE-MFS-10506 US-PATENT-APPL-SN-606036 US-PATENT-CLASS-260-77.5 US-PATENT-3,463,762 NASA-CASE-MPS-10507 US-PATENT-APPL-SN-605994 US-PATENT-CLASS-260-615 US-PATENT-3,452,103
c14 N73-28489	NASA-CASE-GSC-11074-1 US-PATENT-APPL-SN-198362 US-PATENT-CLASS-34-155 US-PATENT-CLASS-34-160 US-PATENT-CLASS-34-162 US-PATENT-3,744,148	c06 N73-30100	NASA-CASE-MFS-11492 US-PATENT-APPL-SN-707440 US-PATENT-CLASS-260-2 US-PATENT-3,577,356 NASA-CASE-MFS-10509 US-PATENT-APPL-SN-605964 US-PATENT-CLASS-260-77.5 US-PATENT-3,475,384
c14 N73-28490	NASA-CASE-GSC-11444-1 US-PATENT-APPL-SN-229128 US-PATENT-CLASS-250-203R US-PATENT-CLASS-250-209 US-PATENT-CLASS-250-214R US-PATENT-CLASS-356-141 US-PATENT-3,744,913	c06 N73-30102	NASA-CASE-MFS-10509 US-PATENT-APPL-SN-605964 US-PATENT-CLASS-260-77.5 US-PATENT-3,475,384 NASA-CASE-NPO-11628-1 US-PATENT-APPL-SN-207211 US-PATENT-CLASS-325-420 US-PATENT-CLASS-325-422 US-PATENT-CLASS-329-120 US-PATENT-3,746,998
c14 N73-28491	NASA-CASE-XNP-05231 US-PATENT-APPL-SN-524746 US-PATENT-CLASS-250-51.5 US-PATENT-3,440,419	c06 N73-30103	NASA-CASE-MFS-10509 US-PATENT-APPL-SN-605964 US-PATENT-CLASS-260-77.5 US-PATENT-3,475,384 NASA-CASE-NPO-11628-1 US-PATENT-APPL-SN-207211 US-PATENT-CLASS-325-420 US-PATENT-CLASS-325-422 US-PATENT-CLASS-329-120 US-PATENT-3,746,998
c14 N73-28495	NASA-CASE-NPO-13170-1 US-PATENT-APPL-SN-382267	c07 N73-30113	NASA-CASE-MFS-10509 US-PATENT-APPL-SN-605964 US-PATENT-CLASS-260-77.5 US-PATENT-3,475,384 NASA-CASE-NPO-11628-1 US-PATENT-APPL-SN-207211 US-PATENT-CLASS-325-420 US-PATENT-CLASS-325-422 US-PATENT-CLASS-329-120 US-PATENT-3,746,998
c14 N73-28496	NASA-CASE-LAR-11207-1 US-PATENT-APPL-SN-385013	c07 N73-30115	NASA-CASE-MFS-10509 US-PATENT-APPL-SN-605964 US-PATENT-CLASS-260-77.5 US-PATENT-3,475,384 NASA-CASE-NPO-11628-1 US-PATENT-APPL-SN-207211 US-PATENT-CLASS-325-420 US-PATENT-CLASS-325-422 US-PATENT-CLASS-329-120 US-PATENT-3,746,998
c14 N73-28497	NASA-CASE-GSC-11492-1 US-PATENT-APPL-SN-372148	c07 N73-30115	NASA-CASE-MFS-10509 US-PATENT-APPL-SN-605964 US-PATENT-CLASS-260-77.5 US-PATENT-3,475,384 NASA-CASE-NPO-11628-1 US-PATENT-APPL-SN-207211 US-PATENT-CLASS-325-420 US-PATENT-CLASS-325-422 US-PATENT-CLASS-329-120 US-PATENT-3,746,998
c14 N73-28499	NASA-CASE-GSC-11690-1 US-PATENT-APPL-SN-379290	c08 N73-30135	NASA-CASE-MFS-10509 US-PATENT-APPL-SN-605964 US-PATENT-CLASS-260-77.5 US-PATENT-3,475,384 NASA-CASE-NPO-11628-1 US-PATENT-APPL-SN-207211 US-PATENT-CLASS-325-420 US-PATENT-CLASS-325-422 US-PATENT-CLASS-329-120 US-PATENT-3,746,998
c15 N73-28515	NASA-CASE-LEW-10533-1 US-PATENT-APPL-SN-134658 US-PATENT-CLASS-27-498 US-PATENT-CLASS-29-497.5 US-PATENT-CLASS-219-62 US-PATENT-CLASS-219-107 US-PATENT-3,745,300	c09 N73-30181	NASA-CASE-MFS-10509 US-PATENT-APPL-SN-605964 US-PATENT-CLASS-260-77.5 US-PATENT-3,475,384 NASA-CASE-NPO-11628-1 US-PATENT-APPL-SN-207211 US-PATENT-CLASS-325-420 US-PATENT-CLASS-325-422 US-PATENT-CLASS-329-120 US-PATENT-3,746,998
c15 N73-28516	NASA-CASE-XNP-01187 US-PATENT-APPL-SN-155598 US-PATENT-CLASS-317-158 US-PATENT-3,244,943	c09 N73-30185	NASA-CASE-MFS-10509 US-PATENT-APPL-SN-605964 US-PATENT-CLASS-260-77.5 US-PATENT-3,475,384 NASA-CASE-NPO-11628-1 US-PATENT-APPL-SN-207211 US-PATENT-CLASS-325-420 US-PATENT-CLASS-325-422 US-PATENT-CLASS-329-120 US-PATENT-3,746,998
c17 N73-28573	NASA-CASE-XNP-08876 US-PATENT-APPL-SN-527331 US-PATENT-CLASS-75-66 US-PATENT-3,419,384	c09 N73-30187	NASA-CASE-MFS-10509 US-PATENT-APPL-SN-605964 US-PATENT-CLASS-260-77.5 US-PATENT-3,475,384 NASA-CASE-NPO-11628-1 US-PATENT-APPL-SN-207211 US-PATENT-CLASS-325-420 US-PATENT-CLASS-325-422 US-PATENT-CLASS-329-120 US-PATENT-3,746,998
c21 N73-28646	NASA-CASE-LAR-11051-1 US-PATENT-APPL-SN-384773	c10 N73-30205	NASA-CASE-MFS-10509 US-PATENT-APPL-SN-605964 US-PATENT-CLASS-260-77.5 US-PATENT-3,475,384 NASA-CASE-NPO-11628-1 US-PATENT-APPL-SN-207211 US-PATENT-CLASS-325-420 US-PATENT-CLASS-325-422 US-PATENT-CLASS-329-120 US-PATENT-3,746,998
c22 N73-28660	NASA-CASE-LEW-11645-2 US-PATENT-APPL-SN-376258	c14 N73-30386	NASA-CASE-MFS-10509 US-PATENT-APPL-SN-605964 US-PATENT-CLASS-260-77.5 US-PATENT-3,475,384 NASA-CASE-NPO-11628-1 US-PATENT-APPL-SN-207211 US-PATENT-CLASS-325-420 US-PATENT-CLASS-325-422 US-PATENT-CLASS-329-120 US-PATENT-3,746,998
c26 N73-28710	NASA-CASE-XNP-01185 US-PATENT-APPL-SN-155595 US-PATENT-CLASS-317-158 US-PATENT-3,198,994	c14 N73-30388	NASA-CASE-MFS-10509 US-PATENT-APPL-SN-605964 US-PATENT-CLASS-260-77.5 US-PATENT-3,475,384 NASA-CASE-NPO-11628-1 US-PATENT-APPL-SN-207211 US-PATENT-CLASS-325-420 US-PATENT-CLASS-325-422 US-PATENT-CLASS-329-120 US-PATENT-3,746,998
c06 N73-29074	NASA-CASE-ARC-10643-1 US-PATENT-APPL-SN-313389		
c11 N73-29138	NASA-CASE-NPO-13112-1 US-PATENT-APPL-SN-267572		
c14 N73-29437	NASA-CASE-LEW-11632-2 US-PATENT-APPL-SN-327969		
c14 N73-29438	NASA-CASE-NPO-11932-1 NASA-CASE-NPO-13127-1 US-PATENT-APPL-SN-311234 NASA-CASE-LEW-11274-1 US-PATENT-APPL-SN-380630		
c15 N73-29457	NASA-CASE-ARC-10462-1 US-PATENT-APPL-SN-310615		
c25 N73-29750	NASA-CASE-ARC-10598-1 US-PATENT-APPL-SN-318151		
c33 N73-29959	NASA-CASE-NPO-11743-1 US-PATENT-APPL-SN-277904		
c02 N73-30C18	NASA-CASE-ARC-10470-2		

ACCESSION NUMBER INDEX

c14 N73-30389	US-PATENT-3,750,016 NASA-CASE-MFS-20546-2 US-PATENT-APPL-SN-11220 US-PATENT-APPL-SN-51317 US-PATENT-CLASS-250-65R US-PATENT-CLASS-250-105 US-PATENT-3,749,911 NASA-CASE-XGS-07752 US-PATENT-APPL-SN-533659 US-PATENT-CLASS-73-4 US-PATENT-3,395,565 NASA-CASE-XLA-05087 US-PATENT-APPL-SN-459407 US-PATENT-CLASS-315-111 US-PATENT-3,394,286 NASA-CASE-MFS-21441-1 US-PATENT-APPL-SN-231662 US-PATENT-CLASS-250-394 US-PATENT-CLASS-250-518 US-PATENT-3,752,986 NASA-CASE-GSC-11487-1 US-PATENT-APPL-SN-193814 US-PATENT-CLASS-250-203 US-PATENT-CLASS-350-55 US-PATENT-CLASS-350-199 US-PATENT-CLASS-350-204 US-PATENT-3,752,559 NASA-CASE-LAR-10000 US-PATENT-APPL-SN-613235 US-PATENT-CLASS-73-398 US-PATENT-3,446,075 NASA-CASE-LAR-10623-1 US-PATENT-APPL-SN-214086 US-PATENT-CLASS-15-415 US-PATENT-CLASS-73-28 US-PATENT-CLASS-73-421.5R US-PATENT-3,748,905 NASA-CASE-MFS-22039-1 US-PATENT-APPL-SN-386790 NASA-CASE-GSC-11149-1 US-PATENT-APPL-SN-152849 US-PATENT-CLASS-29-452 US-PATENT-CLASS-81-57.38 US-PATENT-CLASS-254-29A US-PATENT-3,749,362 NASA-CASE-LEW-11087-1 US-PATENT-APPL-SN-201904 US-PATENT-CLASS-308-188 US-PATENT-CLASS-308-193 US-PATENT-3,751,123 NASA-CASE-MSC-13587-1 US-PATENT-APPL-SN-206698 US-PATENT-CLASS-137-516.27 US-PATENT-CLASS-137-535 US-PATENT-3,749,123 NASA-CASE-HQN-10638-1 US-PATENT-APPL-SN-212977 US-PATENT-CLASS-188-1C US-PATENT-CLASS-297-386 US-PATENT-3,749,205 NASA-CASE-MFS-22283-1 US-PATENT-APPL-SN-387095 NASA-CASE-MFS-20823-1 US-PATENT-APPL-SN-175981 US-PATENT-CLASS-350-3.5 US-PATENT-CLASS-356-108 US-PATENT-CLASS-356-109 US-PATENT-3,744,912 NASA-CASE-MFS-21704-1 US-PATENT-APPL-SN-386793 NASA-CASE-ERC-10339-1 US-PATENT-APPL-SN-43883 US-PATENT-CLASS-156-285 US-PATENT-3,745,082 NASA-CASE-LAR-10994-1 US-PATENT-APPL-SN-390466 NASA-CASE-GSC-10690-1 US-PATENT-APPL-SN-111998 US-PATENT-CLASS-244-1SA US-PATENT-CLASS-250-203R US-PATENT-CLASS-250-209 US-PATENT-CLASS-250-236 US-PATENT-3,752,993 NASA-CASE-LAR-10717-1 US-PATENT-APPL-SN-242028 US-PATENT-CLASS-343-6.5R US-PATENT-CLASS-343-112CA US-PATENT-3,750,168 NASA-CASE-LEW-11326-1	US-PATENT-APPL-SN-192970 US-PATENT-CLASS-60-39.65 US-PATENT-CLASS-60-39.66 US-PATENT-CLASS-60-39.72 US-PATENT-CLASS-60-39.74R US-PATENT-CLASS-431-9 US-PATENT-CLASS-431-173 US-PATENT-3,748,853 NASA-CASE-GSC-11296-1 US-PATENT-APPL-SN-228190 US-PATENT-CLASS-350-55 US-PATENT-CLASS-350-162SP US-PATENT-3,752,564 NASA-CASE-GSC-11018-1 US-PATENT-APPL-SN-244523 US-PATENT-CLASS-165-32 US-PATENT-CLASS-165-47 US-PATENT-CLASS-165-96 US-PATENT-CLASS-165-105 US-PATENT-CLASS-244-1SS US-PATENT-3,749,156 NASA-CASE-MSC-14245-1 US-PATENT-APPL-SN-389916 NASA-CASE-ARC-10456-1 US-PATENT-APPL-SN-237491 NASA-CASE-NPO-11156-2 US-PATENT-APPL-SN-174684 NASA-CASE-NPO-13224-1 US-PATENT-APPL-SN-390467 NASA-CASE-MFS-16609-2 US-PATENT-APPL-SN-307714 NASA-CASE-GSC-11623-1 US-PATENT-APPL-SN-389929 NASA-CASE-MFS-15218-1 US-PATENT-APPL-SN-387094 NASA-CASE-NPO-13205-1 US-PATENT-APPL-SN-393525 NASA-CASE-NPO-13263-1 US-PATENT-APPL-SN-393523 NASA-CASE-LAR-10782-2 US-PATENT-APPL-SN-379049 NASA-CASE-NPO-13253-1 US-PATENT-APPL-SN-395687 NASA-CASE-LAR-10489-2 US-PATENT-APPL-SN-350300 NASA-CASE-NPO-13131-1 US-PATENT-APPL-SN-390468 NASA-CASE-LAR-11310-1 US-PATENT-APPL-SN-394898 NASA-CASE-MFS-21675-1 US-PATENT-APPL-SN-392823 NASA-CASE-MSC-12396-1 US-PATENT-APPL-SN-258331 US-PATENT-CLASS-307-18 US-PATENT-CLASS-307-28 US-PATENT-CLASS-307-29 US-PATENT-CLASS-307-38 US-PATENT-3,755,686 NASA-CASE-LEW-12051-1 US-PATENT-APPL-SN-397478 NASA-CASE-GSC-11169-2 US-PATENT-APPL-SN-60882 US-PATENT-APPL-SN-139094 US-PATENT-CLASS-195-127 US-PATENT-3,756,920 NASA-CASE-MSC-12609-1 US-PATENT-APPL-SN-750031 US-PATENT-CLASS-2-2.1A US-PATENT-CLASS-2-81 US-PATENT-CLASS-128-1A US-PATENT-3,751,727 NASA-CASE-MFS-16570-1 US-PATENT-APPL-SN-228150 US-PATENT-CLASS-3-1.1 US-PATENT-CLASS-3-2 US-PATENT-CLASS-3-6 US-PATENT-CLASS-3-12 US-PATENT-3,751,733 NASA-CASE-MSC-11561-1 US-PATENT-APPL-SN-146940 US-PATENT-CLASS-91-186 US-PATENT-CLASS-137-535 US-PATENT-CLASS-272-DIG.1 US-PATENT-CLASS-272-DIG.4 US-PATENT-CLASS-272-DIG.5 US-PATENT-CLASS-272-79C US-PATENT-3,758,112 NASA-CASE-MSC-13436-1 US-PATENT-APPL-SN-173190	c23 N73-30666	c31 N73-30829	c31 N73-30832	c02 N73-30938	c03 N73-30974	c05 N73-31011	c07 N73-31084	c10 N73-31202	c15 N73-31438	c15 N73-31442	c15 N73-31443	c15 N73-31444	c15 N73-31445	c15 N73-31446	c16 N73-31467	c28 N73-31699	c33 N73-31826	c03 N73-31988	c04 N73-32000	c05 N73-32011	c05 N73-32012	c05 N73-32013	c05 N73-32014	c05 N73-32015
---------------	--	--	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------

ACCESSION NUMBER INDEX

	US-PATENT-CLASS-73-194E		US-PATENT-CLASS-89-8
	US-PATENT-CLASS-73-194M		US-PATENT-CLASS-102-95
	US-PATENT-CLASS-128-2.07		US-PATENT-CLASS-188-1C
	US-PATENT-CLASS-128-2.08		US-PATENT-3,763,740
	US-PATENT-3,759,249		NASA-CASE-NPO-12128-1
c06 N73-32029	NASA-CASE-NPO-10998-1	c14 N73-32317	US-PATENT-APPL-SN-841845
	NASA-CASE-NPO-10999-1		US-PATENT-CLASS-250-83.3R
	US-PATENT-APPL-SN-145027		US-PATENT-CLASS-250-207
	US-PATENT-CLASS-252-431N		US-PATENT-CLASS-313-104
	US-PATENT-CLASS-252-431R		US-PATENT-3,758,781
	US-PATENT-CLASS-260-470P	c14 N73-32318	NASA-CASE-KSC-10730-1
	US-PATENT-CLASS-260-93.5A		US-PATENT-APPL-SN-248469
	US-PATENT-CLASS-260-93.5S		US-PATENT-CLASS-324-72
	US-PATENT-CLASS-260-94.2M		US-PATENT-3,760,268
	US-PATENT-CLASS-260-94.2R	c14 N73-32319	NASA-CASE-KSC-10728-1
	US-PATENT-CLASS-260-94.7R		US-PATENT-APPL-SN-292682
	US-PATENT-CLASS-260-567.6M		US-PATENT-CLASS-95-11
	US-PATENT-3,755,283		US-PATENT-CLASS-95-11.5
c06 N73-32030	NASA-CASE-MFS-20979-2	c14 N73-32320	US-PATENT-3,759,152
	US-PATENT-APPL-SN-100774		NASA-CASE-GSC-11188-1
	US-PATENT-APPL-SN-219590		US-PATENT-APPL-SN-80029
	US-PATENT-CLASS-260-448.2D		US-PATENT-APPL-SN-244440
	US-PATENT-3,763,204		US-PATENT-CLASS-29-195Y
c07 N73-32063	NASA-CASE-KSC-10782-1	c14 N73-32321	US-PATENT-3,759,672
	US-PATENT-APPL-SN-400467		NASA-CASE-XNP-05530
c08 N73-32081	NASA-CASE-MSC-12458-1		NASA-CASE-XNP-06933
	US-PATENT-APPL-SN-188927		US-PATENT-APPL-SN-488381
	US-PATENT-CLASS-235-152IE		US-PATENT-CLASS-73-81
	US-PATENT-CLASS-340-347DA		US-PATENT-3,379,052
	US-PATENT-3,754,236	c14 N73-32322	NASA-CASE-LAR-10319-1
c09 N73-32107	NASA-CASE-MFS-20207-1		US-PATENT-APPL-SN-197870
	US-PATENT-APPL-SN-239574		US-PATENT-CLASS-95-42
	US-PATENT-CLASS-318-254		US-PATENT-CLASS-346-110
	US-PATENT-CLASS-318-328		US-PATENT-3,757,659
	US-PATENT-3,757,183	c14 N73-32323	NASA-CASE-LAR-10440-1
c09 N73-32108	NASA-CASE-GSC-11368-1		US-PATENT-APPL-SN-229413
	US-PATENT-APPL-SN-237029		US-PATENT-CLASS-73-94
	US-PATENT-CLASS-136-24		US-PATENT-CLASS-73-103
	US-PATENT-3,759,746		US-PATENT-3,757,568
c09 N73-32109	NASA-CASE-GSC-11394-1	c14 N73-32324	NASA-CASE-LAR-02743
	US-PATENT-APPL-SN-292698		US-PATENT-APPL-SN-404212
	US-PATENT-CLASS-136-89		US-PATENT-CLASS-313-7
	US-PATENT-CLASS-250-212		US-PATENT-3,310,699
	US-PATENT-CLASS-321-1.5	c14 N73-32325	NASA-CASE-XNP-04231
	US-PATENT-3,760,257		US-PATENT-APPL-SN-362261
c09 N73-32110	NASA-CASE-KSC-10729-1		US-PATENT-CLASS-250-41.9
	US-PATENT-APPL-SN-221714		US-PATENT-3,330,225
	US-PATENT-CLASS-343-112R	c14 N73-32326	NASA-CASE-ARC-10362-1
	US-PATENT-CLASS-343-113R		US-PATENT-APPL-SN-198289
	US-PATENT-3,754,263		US-PATENT-CLASS-73-194EM
c09 N73-32111	NASA-CASE-ARC-10463-1		US-PATENT-CLASS-128-2.05F
	US-PATENT-APPL-SN-241615		US-PATENT-3,751,980
	US-PATENT-CLASS-331-94.5	c14 N73-32327	NASA-CASE-LAR-10483-1
	US-PATENT-3,753,148		US-PATENT-APPL-SN-184090
c09 N73-32112	NASA-CASE-ARC-10330-1		US-PATENT-CLASS-73-12
	US-PATENT-APPL-SN-151412		US-PATENT-CLASS-73-170R
	US-PATENT-CLASS-317-235R		US-PATENT-3,763,691
	US-PATENT-CLASS-317-235WW	c14 N73-32344	NASA-CASE-LAR-11237-1
	US-PATENT-3,760,239		US-PATENT-APPL-SN-402868
c09 N73-32114	NASA-CASE-GSC-11425-2	c14 N73-32348	NASA-CASE-LAR-10629-1
	US-PATENT-APPL-SN-394206		US-PATENT-APPL-SN-402867
c09 N73-32116	NASA-CASE-GSC-11760-1	c15 N73-32358	NASA-CASE-LEW-11388-1
	NASA-CASE-GSC-11783-1		US-PATENT-APPL-SN-289033
	US-PATENT-APPL-SN-395868		US-PATENT-CLASS-29-497
c09 N73-32120	NASA-CASE-GSC-11582-1		US-PATENT-CLASS-219-91
	US-PATENT-APPL-SN-397477		US-PATENT-CLASS-219-117
c09 N73-32121	NASA-CASE-LAR-11389-1		US-PATENT-3,758,741
	US-PATENT-APPL-SN-340862	c15 N73-32359	NASA-CASE-LEW-11152-1
c10 N73-32143	NASA-CASE-MSC-13746-1		US-PATENT-APPL-SN-198379
	US-PATENT-APPL-SN-226476		US-PATENT-CLASS-308-9
	US-PATENT-CLASS-178-18		US-PATENT-CLASS-308-35
	US-PATENT-3,758,718		US-PATENT-3,759,588
c10 N73-32144	NASA-CASE-NPO-11703-1	c15 N73-32360	NASA-CASE-GSC-11163-1
	US-PATENT-APPL-SN-223560		US-PATENT-APPL-SN-205047
	US-PATENT-CLASS-340-166		US-PATENT-CLASS-29-527.2
	US-PATENT-CLASS-340-173		US-PATENT-CLASS-72-53
	US-PATENT-CLASS-340-223		US-PATENT-CLASS-117-66
	US-PATENT-CLASS-340-415		US-PATENT-CLASS-117-105
	US-PATENT-3,760,394		US-PATENT-CLASS-117-105.5
c10 N73-32145	NASA-CASE-MFS-21465-1		US-PATENT-CLASS-117-130R
	US-PATENT-APPL-SN-218965		US-PATENT-CLASS-117-138.8R
	US-PATENT-CLASS-307-271		US-PATENT-CLASS-117-151
	US-PATENT-CLASS-318-230		US-PATENT-CLASS-117-160R
	US-PATENT-CLASS-318-231		US-PATENT-3,754,976
	US-PATENT-CLASS-318-341	c15 N73-32361	NASA-CASE-XNP-01188
	US-PATENT-CLASS-331-135		US-PATENT-APPL-SN-155596
	US-PATENT-3,760,248		US-PATENT-CLASS-317-158
c11 N73-32152	NASA-CASE-MSC-13789-1		US-PATENT-3,262,025
	US-PATENT-APPL-SN-166487	c15 N73-32362	NASA-CASE-XNP-07169

ACCESSION NUMBER INDEX

	US-PATENT-APPL-SN-486884	c06 N73-33076	NASA-CASE-NPO-10767-1
	US-PATENT-CLASS-175-26		US-PATENT-APPL-SN-241061
	US-PATENT-3,375,885		US-PATENT-APPL-SN-770417
c15 N73-32371	NASA-CASE-LAR-10941-2		US-PATENT-CLASS-260-77.5A
	US-PATENT-APPL-SN-395493		US-PATENT-3,755,265
c15 N73-32376	NASA-CASE-MPS-22649-1	c14 N73-33361	NASA-CASE-ARC-10468-1
	US-PATENT-APPL-SN-398901		US-PATENT-APPL-SN-288857
c16 N73-32391	NASA-CASE-GSC-11222-1		US-PATENT-CLASS-95-12
	US-PATENT-APPL-SN-251621		US-PATENT-CLASS-355-18
	US-PATENT-CLASS-307-157		US-PATENT-3,764,209
	US-PATENT-CLASS-315-DIG.2	c15 N73-33383	NASA-CASE-LEW-11026-1
	US-PATENT-CLASS-315-101		US-PATENT-APPL-SN-196970
	US-PATENT-CLASS-315-258		US-PATENT-CLASS-29-487
	US-PATENT-CLASS-315-356		US-PATENT-CLASS-29-494
	US-PATENT-CLASS-330-4.3		US-PATENT-CLASS-29-497.5
	US-PATENT-CLASS-331-94.5		US-PATENT-CLASS-29-498
	US-PATENT-3,758,877		US-PATENT-3,748,722
c16 N73-32398	NASA-CASE-GSC-11746-1	c16 N73-33397	NASA-CASE-ARC-10444-1
	US-PATENT-APPL-SN-393528		US-PATENT-APPL-SN-167719
c17 N73-32414	NASA-CASE-LEW-11267-1		US-PATENT-CLASS-331-94.5A
	US-PATENT-APPL-SN-190316		US-PATENT-CLASS-350-285
	US-PATENT-CLASS-29-196.2		US-PATENT-CLASS-356-138
	US-PATENT-CLASS-29-196.6		US-PATENT-CLASS-356-148
	US-PATENT-CLASS-29-197		US-PATENT-CLASS-356-153
	US-PATENT-3,762,884		US-PATENT-CLASS-356-172
c17 N73-32415	NASA-CASE-LEW-10436-1		US-PATENT-3,764,220
	US-PATENT-APPL-SN-221093	c02 N74-10034	NASA-CASE-LAR-10776-1
	US-PATENT-CLASS-73-170		US-PATENT-APPL-SN-211332
	US-PATENT-CLASS-75-171		US-PATENT-CLASS-244-145
	US-PATENT-3,762,918		US-PATENT-3,764,097
c18 N73-32437	NASA-CASE-MPS-20861-1	c05 N74-10099	NASA-CASE-MPS-22022-1
	US-PATENT-APPL-SN-160860		US-PATENT-APPL-SN-405341
	US-PATENT-CLASS-75-135	c05 N74-10100	NASA-CASE-MPS-21611-1
	US-PATENT-3,752,665		US-PATENT-APPL-SN-403694
c22 N73-32528	NASA-CASE-XLE-00209	c07 N74-10132	NASA-CASE-NPO-11302-2
	US-PATENT-APPL-SN-60276		US-PATENT-APPL-SN-70967
	US-PATENT-CLASS-176-169		US-PATENT-APPL-SN-266822
	US-PATENT-3,759,787		US-PATENT-CLASS-178-69.4R
c23 N73-32538	NASA-CASE-LAR-10385-3		US-PATENT-3,766,315
	US-PATENT-APPL-SN-370999	c09 N74-10194	NASA-CASE-NPO-11962-1
c23 N73-32542	NASA-CASE-ARC-10749-1		US-PATENT-APPL-SN-292681
	US-PATENT-APPL-SN-402866		US-PATENT-CLASS-331-1A
c26 N73-32571	NASA-CASE-LEW-11015		US-PATENT-CLASS-331-4
	US-PATENT-APPL-SN-235266		US-PATENT-CLASS-331-14
	US-PATENT-CLASS-29-599		US-PATENT-CLASS-331-17
	US-PATENT-CLASS-174-DIG.6		US-PATENT-CLASS-331-18
	US-PATENT-CLASS-174-126CP		US-PATENT-CLASS-331-178
	US-PATENT-CLASS-335-216		US-PATENT-3,764,933
c28 N73-32606	US-PATENT-3,763,552	c09 N74-10195	NASA-CASE-LEW-11617-1
	NASA-CASE-NPO-12070-1		US-PATENT-APPL-SN-266832
	US-PATENT-APPL-SN-153542		US-PATENT-CLASS-315-5.35
	US-PATENT-CLASS-60-267		US-PATENT-CLASS-315-5.38
	US-PATENT-CLASS-165-105		US-PATENT-3,764,850
	US-PATENT-CLASS-165-141	c09 N74-10200	NASA-CASE-GSC-11617-1
	US-PATENT-CLASS-165-185		US-PATENT-APPL-SN-402865
	US-PATENT-CLASS-239-127.1	c09 N74-10202	NASA-CASE-GSC-11127-1
	US-PATENT-3,759,443		US-PATENT-APPL-SN-401466
c28 N73-32624	NASA-CASE-ARC-10754-1	c10 N74-10223	NASA-CASE-LAR-10730-1
	US-PATENT-APPL-SN-398886		US-PATENT-APPL-SN-239573
c31 N73-32749	NASA-CASE-ERC-10365-1		US-PATENT-CLASS-235-92CA
	US-PATENT-APPL-SN-99198		US-PATENT-CLASS-235-92DM
	US-PATENT-CLASS-52-64		US-PATENT-CLASS-235-150.3
	US-PATENT-CLASS-52-80		US-PATENT-CLASS-307-225R
	US-PATENT-CLASS-52-109		US-PATENT-CLASS-328-48
	US-PATENT-CLASS-52-646		US-PATENT-3,764,790
	US-PATENT-CLASS-287-92	c14 N74-10415	NASA-CASE-MPS-20335-1
	US-PATENT-3,757,476		US-PATENT-APPL-SN-238263
c31 N73-32750	NASA-CASE-LEW-11101-1		US-PATENT-CLASS-73-67.85
	US-PATENT-APPL-SN-175983		US-PATENT-3,765,229
	US-PATENT-CLASS-47-1.4	c14 N74-10420	NASA-CASE-LAR-11213-1
	US-PATENT-CLASS-47-17		US-PATENT-APPL-SN-406715
	US-PATENT-CLASS-244-1SC	c14 N74-10421	NASA-CASE-MPS-22189-1
	US-PATENT-CLASS-244-1SS		US-PATENT-APPL-SN-405342
	US-PATENT-3,749,332	c14 N74-10422	NASA-CASE-LAR-11354-1
c31 N73-32769	NASA-CASE-GSC-11182-1		US-PATENT-APPL-SN-409990
	US-PATENT-APPL-SN-393527	c15 N74-10474	NASA-CASE-LEW-10326-3
c31 N73-32784	NASA-CASE-ARC-10716-1		US-PATENT-APPL-SN-99901
	US-PATENT-APPL-SN-403695		US-PATENT-CLASS-277-25
c33 N73-32818	NASA-CASE-NPO-11942-1		US-PATENT-CLASS-277-27
	US-PATENT-APPL-SN-266866		US-PATENT-CLASS-277-96
	US-PATENT-CLASS-165-32		US-PATENT-3,767,212
	US-PATENT-CLASS-165-96	c15 N74-10475	NASA-CASE-LEW-11076-3
	US-PATENT-CLASS-165-106		US-PATENT-APPL-SN-405346
	US-PATENT-CLASS-244-1SS	c15 N74-10476	NASA-CASE-LEW-10518-3
	US-PATENT-3,763,928		US-PATENT-APPL-SN-394207
c33 N73-32823	NASA-CASE-MSC-14143-1	c17 N74-10521	NASA-CASE-LEW-10805-3
	US-PATENT-APPL-SN-393526		US-PATENT-APPL-SN-29917
c33 N73-32828	NASA-CASE-GSC-11619-1		US-PATENT-APPL-SN-266928
	US-PATENT-APPL-SN-397476		US-PATENT-CLASS-29-420.5

ACCESSION NUMBER INDEX

	US-PATENT-CLASS-75-200				US-PATENT-APPL-SN-381848
	US-PATENT-CLASS-75-226				NASA-CASE-MFS-20284-1
	US-PATENT-CLASS-148-126	c05 N74-12778		US-PATENT-APPL-SN-242027
	US-PATENT-3,765,958				US-PATENT-CLASS-128-2.05T
c18 N74-10542	NASA-CASE-GSC-11786-1				US-PATENT-CLASS-128-2.06F
	US-PATENT-APPL-SN-401919				US-PATENT-CLASS-324-78D
c02 N74-10907	NASA-CASE-XMF-02263				US-PATENT-CLASS-324-186
	US-PATENT-APPL-SN-78766	c05 N74-12779		US-PATENT-3,773,038
	US-PATENT-CLASS-D71-1				NASA-CASE-MFS-21115-1
	US-PATENT-DES-228,688				US-PATENT-APPL-SN-266930
c03 N74-10942	NASA-CASE-MSC-12394-1				US-PATENT-CLASS-222-309
	US-PATENT-APPL-SN-341662				US-PATENT-CLASS-222-340
	US-PATENT-CLASS-244-83				US-PATENT-CLASS-222-387
	US-PATENT-CLASS-318-580				US-PATENT-CLASS-222-514
	US-PATENT-CLASS-318-628				US-PATENT-3,777,942
	US-PATENT-3,771,037	c06 N74-12812		NASA-CASE-ARC-10464-1
c05 N74-10975	NASA-CASE-MSC-13972-1				US-PATENT-APPL-SN-198472
	US-PATENT-APPL-SN-200040				US-PATENT-CLASS-260-2.5AM
	US-PATENT-CLASS-73-149				US-PATENT-3,772,216
	US-PATENT-CLASS-128-2S	c06 N74-12813		NASA-CASE-LAR-10551-1
	US-PATENT-3,769,834				US-PATENT-APPL-SN-191301
c07 N74-11000	NASA-CASE-NPO-13171-1				US-PATENT-CLASS-23-252R
	US-PATENT-APPL-SN-290915				US-PATENT-CLASS-23-281
	US-PATENT-CLASS-343-781				US-PATENT-CLASS-23-288F
	US-PATENT-CLASS-343-909				US-PATENT-CLASS-23-288J
	US-PATENT-3,769,623				US-PATENT-CLASS-55-510
c07 N74-11005	NASA-CASE-LAR-11379-1				US-PATENT-CLASS-55-518
	US-PATENT-APPL-SN-412379				US-PATENT-CLASS-128-191R
c09 N74-11049	NASA-CASE-HQN-10792-1				US-PATENT-CLASS-423-231
	US-PATENT-APPL-SN-245063				US-PATENT-3,771,959
	US-PATENT-CLASS-321-2	c06 N74-12814		NASA-CASE-ARC-10180-1
	US-PATENT-CLASS-321-18				US-PATENT-APPL-SN-136253
	US-PATENT-CLASS-321-45S				US-PATENT-CLASS-260-2.5L
	US-PATENT-CLASS-323-DIG.1				US-PATENT-3,772,220
	US-PATENT-CLASS-331-62	c07 N74-12843		NASA-CASE-LAR-11170-1
	US-PATENT-CLASS-331-113A				US-PATENT-APPL-SN-418010
	US-PATENT-3,771,040	c08 N74-12887		NASA-CASE-NPO-11905-1
c09 N74-11050	NASA-CASE-LAR-10868-1				US-PATENT-APPL-SN-290030
	US-PATENT-APPL-SN-253249				US-PATENT-CLASS-178-88
	US-PATENT-CLASS-137-819				US-PATENT-CLASS-325-320
	US-PATENT-CLASS-137-833				US-PATENT-CLASS-329-104
	US-PATENT-CLASS-137-840				US-PATENT-CLASS-329-122
	US-PATENT-3,770,021				US-PATENT-CLASS-329-126
c09 N74-11058	NASA-CASE-MFS-22073-1	c08 N74-12888		US-PATENT-3,772,272
	US-PATENT-APPL-SN-409991				NASA-CASE-MSC-14053-1
c14 N74-11283	NASA-CASE-NPO-11659-1				US-PATENT-APPL-SN-266899
	US-PATENT-APPL-SN-228189				US-PATENT-CLASS-328-123
	US-PATENT-CLASS-178-6.6DD				US-PATENT-CLASS-340-173CR
	US-PATENT-CLASS-179-100.2MD				US-PATENT-CLASS-340-173LM
	US-PATENT-CLASS-179-100.2T				US-PATENT-3,778,786
	US-PATENT-CLASS-340-174.1L	c09 N74-12912		NASA-CASE-NPO-11850-1
	US-PATENT-3,770,903				US-PATENT-APPL-SN-186700
c14 N74-11284	NASA-CASE-NPO-11919-1				US-PATENT-CLASS-343-6.5R
	US-PATENT-APPL-SN-237694				US-PATENT-CLASS-343-6.5SS
	US-PATENT-CLASS-250-343				US-PATENT-CLASS-343-18B
	US-PATENT-3,766,380				US-PATENT-3,772,691
c14 N74-11288	NASA-CASE-MFS-21045-1	c09 N74-12913		NASA-CASE-LEW-11162-1
	US-PATENT-APPL-SN-411572				US-PATENT-APPL-SN-143508
c15 N74-11300	NASA-CASE-LEW-10533-2				US-PATENT-CLASS-313-32
	US-PATENT-APPL-SN-247055				US-PATENT-CLASS-313-153
	US-PATENT-CLASS-29-497.5				US-PATENT-CLASS-313-209
	US-PATENT-CLASS-219-78				US-PATENT-CLASS-313-217
	US-PATENT-CLASS-219-101				US-PATENT-CLASS-313-224
	US-PATENT-CLASS-219-107				US-PATENT-3,777,200
c15 N74-11301	US-PATENT-3,770,933	c10 N74-12951		NASA-CASE-MFS-21374-1
	NASA-CASE-LAR-10170-1				US-PATENT-APPL-SN-238047
	US-PATENT-APPL-SN-217213				US-PATENT-CLASS-317-234E
	US-PATENT-CLASS-29-460				US-PATENT-CLASS-317-234F
	US-PATENT-CLASS-29-498				US-PATENT-CLASS-317-234M
	US-PATENT-CLASS-29-503				US-PATENT-CLASS-317-234N
	US-PATENT-CLASS-29-527.2				US-PATENT-CLASS-317-234R
	US-PATENT-CLASS-117-105.2				US-PATENT-3,778,685
	US-PATENT-3,769,689	c13 N74-13011		NASA-CASE-MSC-12408-1
c16 N74-11313	NASA-CASE-HQN-10790-1				US-PATENT-APPL-SN-229916
	US-PATENT-APPL-SN-235962				US-PATENT-CLASS-423-579
	US-PATENT-CLASS-333-83R				US-PATENT-3,773,913
	US-PATENT-CLASS-333-97R	c14 N74-13129		NASA-CASE-FRC-10051-1
	US-PATENT-3,771,074				US-PATENT-APPL-SN-253725
c18 N74-11366	NASA-CASE-ARC-10714-1				US-PATENT-CLASS-73-88R
	US-PATENT-APPL-SN-398885				US-PATENT-CLASS-254-93R
c05 N74-11900	NASA-CASE-ARC-10268-2				US-PATENT-3,776,028
	US-PATENT-APPL-SN-379048	c14 N74-13130		NASA-CASE-NPO-12127-1
c05 N74-11901	NASA-CASE-ARC-10268-3				US-PATENT-APPL-SN-106106
	US-PATENT-APPL-SN-379018				US-PATENT-CLASS-250-83CD
c06 N74-11926	NASA-CASE-ARC-10592-2				US-PATENT-CLASS-250-219DF
	US-PATENT-APPL-SN-414043				US-PATENT-3,752,996
c14 N74-12190	NASA-CASE-MFS-10448-2	c14 N74-13131		NASA-CASE-MFS-20730-1
	US-PATENT-APPL-SN-374424				US-PATENT-APPL-SN-182977
c14 N74-12191	NASA-CASE-ARC-10448-3				US-PATENT-CLASS-83-452

ACCESSION NUMBER INDEX

	US-PATENT-CLASS-83-602	c05 N74-14845	NASA-CASE-LAR-10241-1
	US-PATENT-CLASS-83-917		US-PATENT-APPL-SN-193672
	US-PATENT-CLASS-269-48.1		US-PATENT-CLASS-9-11A
	US-PATENT-3,777,605		US-PATENT-3,781,933
c14 N74-13132	NASA-CASE-LAR-10910-1	c08 N74-14920	NASA-CASE-MSC-13932-1
	US-PATENT-APPL-SN-239577		US-PATENT-APPL-SN-229354
	US-PATENT-CLASS-73-4R		US-PATENT-CLASS-235-153AR
	US-PATENT-CLASS-73-420		US-PATENT-3,783,250
	US-PATENT-3,776,546	c09 N74-14935	NASA-CASE-MFS-21462-1
c14 N74-13146	NASA-CASE-MFS-22671-1		US-PATENT-APPL-SN-239576
	US-PATENT-APPL-SN-419831		US-PATENT-CLASS-219-477
c15 N74-13177	NASA-CASE-LAR-10547-1		US-PATENT-CLASS-219-539
	US-PATENT-APPL-SN-193980		US-PATENT-CLASS-338-320
	US-PATENT-CLASS-264-294		US-PATENT-3,732,397
	US-PATENT-3,772,418	c09 N74-14939	NASA-CASE-FRC-10072-1
c15 N74-13178	NASA-CASE-LAR-10544-1		US-PATENT-APPL-SN-162100
	US-PATENT-APPL-SN-188928		US-PATENT-CLASS-330-9
	US-PATENT-CLASS-222-193		US-PATENT-CLASS-330-10
	US-PATENT-3,776,432		US-PATENT-CLASS-330-35
c15 N74-13179	NASA-CASE-LEW-10805-2		US-PATENT-3,783,399
	US-PATENT-APPL-SN-29917	c09 N74-14941	NASA-CASE-ARC-10364-2(B)
	US-PATENT-APPL-SN-233743		US-PATENT-APPL-SN-433968
	US-PATENT-CLASS-29-182	c09 N74-14942	NASA-CASE-MSC-12593-1
	US-PATENT-CLASS-29-420.5		US-PATENT-APPL-SN-419747
	US-PATENT-CLASS-75-200	c10 N74-14956	NASA-CASE-MSC-17832-1
	US-PATENT-CLASS-75-213		US-PATENT-APPL-SN-293727
	US-PATENT-CLASS-75-214		US-PATENT-CLASS-307-127
	US-PATENT-CLASS-75-226		US-PATENT-CLASS-317-335C
	US-PATENT-3,775,101		US-PATENT-CLASS-317-43
c15 N74-13199	NASA-CASE-LEW-11583-1		US-PATENT-CLASS-317-46
	US-PATENT-APPL-SN-414042		US-PATENT-CLASS-317-47
c16 N74-13205	NASA-CASE-NPO-11317-2		US-PATENT-CLASS-317-48
	US-PATENT-APPL-SN-34989		US-PATENT-3,783,354
	US-PATENT-APPL-SN-187143	c14 N74-15089	NASA-CASE-LAR-10586-1
	US-PATENT-CLASS-179-100.2CH		US-PATENT-APPL-SN-289049
	US-PATENT-CLASS-250-205		US-PATENT-CLASS-102-70.2R
	US-PATENT-CLASS-250-217		US-PATENT-CLASS-244-15A
	US-PATENT-CLASS-340-174.1M		US-PATENT-CLASS-244-3.16
	US-PATENT-CLASS-340-174YC		US-PATENT-CLASS-250-203R
	US-PATENT-CLASS-350-151		US-PATENT-CLASS-250-237R
	US-PATENT-3,778,791	c14 N74-15090	US-PATENT-3,780,966
c18 N74-13270	NASA-CASE-LRW-11262-1		NASA-CASE-NPO-11432-2
	US-PATENT-APPL-SN-136008		US-PATENT-APPL-SN-88435
	US-PATENT-CLASS-204-192		US-PATENT-APPL-SN-258152
	US-PATENT-3,772,174		US-PATENT-CLASS-250-211J
c21 N74-13420	NASA-CASE-FRC-10049-1		US-PATENT-CLASS-250-214
	US-PATENT-APPL-SN-232021		US-PATENT-CLASS-317-235N
	US-PATENT-CLASS-235.150.27		US-PATENT-3,781,549
	US-PATENT-CLASS-235-150.22	c14 N74-15091	NASA-CASE-LAR-11155-1
	US-PATENT-CLASS-235-150.26		US-PATENT-APPL-SN-313381
	US-PATENT-CLASS-244-77A		US-PATENT-CLASS-250-360
	US-PATENT-CLASS-244-77B		US-PATENT-CLASS-250-361
	US-PATENT-CLASS-343-108R		US-PATENT-CLASS-250-369
	US-PATENT-3,776,455		US-PATENT-CLASS-250-492
c23 N74-13436	NASA-CASE-LAR-10385-2		US-PATENT-3,781,562
	US-PATENT-APPL-SN-38816	c14 N74-15092	NASA-CASE-LAR-10862-1
	US-PATENT-APPL-SN-239803		US-PATENT-APPL-SN-271951
	US-PATENT-CLASS-117-33.3		US-PATENT-CLASS-73-4V
	US-PATENT-CLASS-117-106A		US-PATENT-3,780,563
	US-PATENT-3,779,788	c14 N74-15093	NASA-CASE-ARC-10442-1
c28 N74-13502	NASA-CASE-LEW-11058-1		US-PATENT-APPL-SN-280032
	US-PATENT-APPL-SN-233519		US-PATENT-CLASS-62-45
	US-PATENT-CLASS-60-258		US-PATENT-CLASS-165-2
	US-PATENT-CLASS-60-259		US-PATENT-CLASS-165-109
	US-PATENT-3,777,490		US-PATENT-CLASS-259-DIG.18
c04 N74-13807	NASA-CASE-ARC-10722-1		US-PATENT-CLASS-259-60
	US-PATENT-APPL-SN-428995		US-PATENT-3,782,698
c05 N74-13818	NASA-CASE-ARC-10753-1	c14 N74-15094	NASA-CASE-NPO-13044-1
	US-PATENT-APPL-SN-427395		US-PATENT-APPL-SN-305012
c09 N74-13894	NASA-CASE-MFS-22088-1		US-PATENT-CLASS-73-497
	US-PATENT-APPL-SN-426155		US-PATENT-CLASS-73-517B
c14 N74-14115	NASA-CASE-ARC-10755-1		US-PATENT-CLASS-74-5.6
	US-PATENT-APPL-SN-424013		US-PATENT-3,782,205
c15 N74-14133	NASA-CASE-LAR-10782-1	c14 N74-15095	NASA-CASE-MSC-14096-1
	US-PATENT-APPL-SN-197689		US-PATENT-APPL-SN-242662
	US-PATENT-CLASS-264-102		US-PATENT-CLASS-350-7
	US-PATENT-3,780,151		US-PATENT-CLASS-350-236
c15 N74-14141	NASA-CASE-LAR-10337-1		US-PATENT-CLASS-350-285
	US-PATENT-APPL-SN-424038		US-PATENT-CLASS-356-43
c18 N74-14230	NASA-CASE-ARC-10721-1		US-PATENT-CLASS-356-216
	US-PATENT-APPL-SN-427775		US-PATENT-3,782,835
c29 N74-14496	NASA-CASE-MFS-21628-1	c15 N74-15125	NASA-CASE-XLE-10326-4
	US-PATENT-APPL-SN-421702		US-PATENT-APPL-SN-54540
c03 N74-14784	NASA-CASE-LEW-11069-1		US-PATENT-APPL-SN-220251
	US-PATENT-APPL-SN-83816		US-PATENT-APPL-SN-723465
	US-PATENT-CLASS-29-572		US-PATENT-CLASS-277-27
	US-PATENT-CLASS-29-588		US-PATENT-CLASS-277-91
	US-PATENT-CLASS-136-89		US-PATENT-3,782,737
	US-PATENT-3,780,424	c15 N74-15126	NASA-CASE-ARC-10441-1

ACCESSION NUMBER INDEX

	US-PATENT-APPL-SN-280029		US-PATENT-CLASS-350-3.5
	US-PATENT-CLASS-259-98		US-PATENT-3,752,556
	US-PATENT-CLASS-417-470	c18 N74-17203	NASA-CASE-MFS-20486-2
	US-PATENT-CLASS-417-471		US-PATENT-APPL-SN-84212
	US-PATENT-3,782,699		US-PATENT-APPL-SN-292382
c15 N74-15127	NASA-CASE-NPO-11682-1		US-PATENT-CLASS-260-29.6S
	US-PATENT-APPL-SN-187365		US-PATENT-3,784,499
	US-PATENT-CLASS-23-284	c05 N74-17853	NASA-CASE-MFS-21163-1
	US-PATENT-3,782,904		US-PATENT-APPL-SN-266925
c15 N74-15128	NASA-CASE-LEW-11087-2		US-PATENT-CLASS-222-324
	US-PATENT-APPL-SN-201904		US-PATENT-CLASS-224-444
	US-PATENT-APPL-SN-280390		US-PATENT-3,790,037
	US-PATENT-CLASS-29-148.4A	c05 N74-17858	NASA-CASE-NPO-13313-1
	US-PATENT-CLASS-29-148.4B		US-PATENT-APPL-SN-449153
	US-PATENT-3,781,958	c07 N74-17885	NASA-CASE-HSC-13855-1
c15 N74-15130	NASA-CASE-MFS-20767-1		US-PATENT-APPL-SN-196931
	US-PATENT-APPL-SN-196898		US-PATENT-CLASS-325-38B
	US-PATENT-CLASS-73-67.8S		US-PATENT-CLASS-332-11D
	US-PATENT-3,777,552		US-PATENT-CLASS-340-347AD
c16 N74-15145	NASA-CASE-NPO-11856-1		US-PATENT-3,795,900
	US-PATENT-APPL-SN-235268	c07 N74-17888	NASA-CASE-HSC-14558-1
	US-PATENT-CLASS-250-217SS		US-PATENT-APPL-SN-428994
	US-PATENT-CLASS-331-94.5K	c08 N74-17911	NASA-CASE-NPO-13139-1
	US-PATENT-CLASS-331-94.5S		US-PATENT-APPL-SN-393524
	US-PATENT-CLASS-350-6	c09 N74-17927	NASA-CASE-NPO-13138-1
	US-PATENT-CLASS-356-4		US-PATENT-APPL-SN-335201
	US-PATENT-CLASS-356-5		US-PATENT-CLASS-328-155
	US-PATENT-CLASS-356-152		US-PATENT-CLASS-333-16
	US-PATENT-3,781,111		US-PATENT-CLASS-333-18
c16 N74-15146	NASA-CASE-MFS-21455-1		US-PATENT-3,790,906
	US-PATENT-APPL-SN-281877	c09 N74-17928	NASA-CASE-NPO-11966-1
	US-PATENT-CLASS-73-71.3		NASA-CASE-NPO-13159-1
	US-PATENT-CLASS-350-3.5		US-PATENT-APPL-SN-284245
	US-PATENT-CLASS-356-106		US-PATENT-CLASS-100-8
	US-PATENT-3,782,825		US-PATENT-CLASS-336-210
c18 N74-15213	NASA-CASE-HSC-14182-1		US-PATENT-3,792,399
	US-PATENT-APPL-SN-419748	c09 N74-17929	NASA-CASE-ARC-10197-1
c23 N74-15395	NASA-CASE-MFS-21233-1		US-PATENT-APPL-SN-310624
	US-PATENT-APPL-SN-246056		US-PATENT-CLASS-317-16
	US-PATENT-CLASS-73-67.5R		US-PATENT-CLASS-317-31
	US-PATENT-CLASS-73-71.5U		US-PATENT-3,795,840
	US-PATENT-CLASS-324-40	c09 N74-17930	NASA-CASE-MUC-10107-1
	US-PATENT-3,782,177		US-PATENT-APPL-SN-201700
c28 N74-15453	NASA-CASE-LEW-11569-1		US-PATENT-CLASS-324-102
	US-PATENT-APPL-SN-316618		US-PATENT-CLASS-324-118
	US-PATENT-CLASS-181-43		US-PATENT-CLASS-329-50
	US-PATENT-3,780,827		US-PATENT-3,795,862
c33 N74-15652	NASA-CASE-LAR-10105-1	c10 N74-17949	NASA-CASE-NPO-13374-1
	US-PATENT-APPL-SN-170680		US-PATENT-APPL-SN-449118
	US-PATENT-CLASS-73-86	c11 N74-17955	NASA-CASE-LAR-10812-1
	US-PATENT-3,782,181		US-PATENT-APPL-SN-263815
c04 N74-15774	NASA-CASE-ARC-10302-1		US-PATENT-CLASS-73-147
	US-PATENT-APPL-SN-203271		US-PATENT-3,791,207
	US-PATENT-CLASS-119-51.5	c14 N74-18088	NASA-CASE-LAR-11027-1
	US-PATENT-CLASS-119-51.13		US-PATENT-APPL-SN-275118
	US-PATENT-CLASS-119-51R		US-PATENT-CLASS-250-338
	US-PATENT-CLASS-119-52AF		US-PATENT-CLASS-250-370
	US-PATENT-CLASS-119-54		US-PATENT-CLASS-250-371
	US-PATENT-CLASS-221-265		US-PATENT-3,790,795
	US-PATENT-3,782,334	c14 N74-18089	NASA-CASE-LAR-10318-1
c07 N74-15831	NASA-CASE-GSC-11553-1		US-PATENT-APPL-SN-224489
	US-PATENT-APPL-SN-177985		US-PATENT-CLASS-156-245
	US-PATENT-CLASS-34-162		US-PATENT-CLASS-156-247
	US-PATENT-CLASS-95-89R		US-PATENT-CLASS-156-285
	US-PATENT-CLASS-178-6.7R		US-PATENT-CLASS-156-309
	US-PATENT-CLASS-219-216		US-PATENT-3,793,109
	US-PATENT-CLASS-219-388	c14 N74-18090	NASA-CASE-NPO-13160-1
	US-PATENT-CLASS-346-24		US-PATENT-APPL-SN-359157
	US-PATENT-CLASS-346-108		US-PATENT-CLASS-321-8R
	US-PATENT-CLASS-346-138		US-PATENT-CLASS-324-57R
	US-PATENT-3,781,902		US-PATENT-3,795,858
c07 N74-15838	NASA-CASE-NPO-13292-1	c14 N74-18093	NASA-CASE-NPO-13327-1
	US-PATENT-APPL-SN-416135		US-PATENT-APPL-SN-429437
c15 N74-16135	NASA-CASE-LAR-10595-1		NASA-CASE-MFS-22128-2
	US-PATENT-APPL-SN-273240	c14 N74-18098	US-PATENT-APPL-SN-450536
	US-PATENT-CLASS-340-5R		NASA-CASE-ARC-10642-1
	US-PATENT-CLASS-340-8R	c14 N74-18099	US-PATENT-APPL-SN-446562
	US-PATENT-CLASS-340-12R		NASA-CASE-MFS-22208-1
	US-PATENT-3,783,443	c14 N74-18100	US-PATENT-APPL-SN-448325
c15 N74-16139	NASA-CASE-ARC-10756-1		NASA-CASE-LEW-12078-1
	US-PATENT-APPL-SN-436313	c14 N74-18101	US-PATENT-APPL-SN-447124
c16 N74-16187	NASA-CASE-NPO-13449-1		NASA-CASE-LAR-10634-1
	US-PATENT-APPL-SN-420813	c15 N74-18123	US-PATENT-APPL-SN-214084
c18 N74-16246	NASA-CASE-LAR-10805-1		US-PATENT-CLASS-23-253PC
	US-PATENT-APPL-SN-428992		US-PATENT-CLASS-23-259
c18 N74-16249	NASA-CASE-ARC-10813-1		US-PATENT-CLASS-259-72
	US-PATENT-APPL-SN-437556		US-PATENT-CLASS-312-209
c14 N74-17153	NASA-CASE-MFS-21087-1		US-PATENT-CLASS-356-85
	US-PATENT-APPL-SN-149283		US-PATENT-CLASS-356-197

ACCESSION NUMBER INDEX

c15 N74-18124	US-PATENT-3,790,347 NASA-CASE-LAR-10489-1 US-PATENT-APPL-SN-198763 US-PATENT-CLASS-264-102 US-PATENT-3,790,650	c33 N74-19584	NASA-CASE-NPO-13391-1 US-PATENT-APPL-SN-446567
c15 N74-18125	NASA-CASE-MFS-21309-1 US-PATENT-APPL-SN-244519 US-PATENT-CLASS-180-79.3 US-PATENT-CLASS-301-5P US-PATENT-3,789,947	c03 N74-19692	NASA-CASE-GSC-11367-1 US-PATENT-APPL-SN-236985 US-PATENT-CLASS-136-36 US-PATENT-3,759,747
c15 N74-18126	NASA-CASE-MFS-21364-1 US-PATENT-APPL-SN-214006 US-PATENT-CLASS-156-331 US-PATENT-CLASS-161-42 US-PATENT-CLASS-161-43 US-PATENT-CLASS-161-93 US-PATENT-CLASS-161-182 US-PATENT-CLASS-161-192 US-PATENT-CLASS-260-2R US-PATENT-CLASS-264-135 US-PATENT-CLASS-264-136 US-PATENT-CLASS-264-257 US-PATENT-3,790,432	c03 N74-19693	NASA-CASE-NPO-11806-1 US-PATENT-APPL-SN-228163 US-PATENT-CLASS-136-20 US-PATENT-CLASS-136-30 US-PATENT-3,790,409
c15 N74-18127	NASA-CASE-MFS-21481-1 US-PATENT-APPL-SN-266771 US-PATENT-CLASS-74-594.6 US-PATENT-CLASS-74-594.7 US-PATENT-CLASS-128-25R US-PATENT-CLASS-272-73 US-PATENT-CLASS-272-80 US-PATENT-3,788,163	c03 N74-19700	NASA-CASE-MFS-22562-1 US-PATENT-APPL-SN-458484
c15 N74-18128	NASA-CASE-LEW-11387-1 US-PATENT-APPL-SN-247090 US-PATENT-CLASS-29-482 US-PATENT-CLASS-29-488 US-PATENT-CLASS-29-497 US-PATENT-CLASS-29-498 US-PATENT-3,787,959	c03 N74-19701	NASA-CASE-NPO-13303-1 US-PATENT-APPL-SN-457295
c15 N74-18131	NASA-CASE-LEW-11169-1 US-PATENT-APPL-SN-446568	c03 N74-19702	NASA-CASE-NPO-13308-1 US-PATENT-APPL-SN-455164
c15 N74-18132	NASA-CASE-GSC-11551-1 US-PATENT-APPL-SN-440917	c05 N74-19761	NASA-CASE-ARC-10329-2 US-PATENT-APPL-SN-452768
c15 N74-18133	NASA-CASE-LEW-11925-1 US-PATENT-APPL-SN-450505	c06 N74-19769	NASA-CASE-ERC-10073-1 US-PATENT-APPL-SN-856253 US-PATENT-CLASS-117-95 US-PATENT-3,796,592
c15 N74-18134	NASA-CASE-LEW-11076-4 US-PATENT-APPL-SN-445178	c06 N74-19772	NASA-CASE-LAR-11372-1 US-PATENT-APPL-SN-448321
c16 N74-18153	NASA-CASE-MFS-22409-1 US-PATENT-APPL-SN-445398	c06 N74-19776	NASA-CASE-MSC-14428-1 US-PATENT-APPL-SN-450500
c18 N74-18197	NASA-CASE-LEW-11696-2 US-PATENT-APPL-SN-436315	c07 N74-19788	NASA-CASE-NPO-11820-1 US-PATENT-APPL-SN-266912 US-PATENT-CLASS-307-237 US-PATENT-CLASS-328-160 US-PATENT-CLASS-328-168 US-PATENT-CLASS-328-172 US-PATENT-CLASS-333-14 US-PATENT-3,800,237
c23 N74-18323	NASA-CASE-MFS-21136-1 US-PATENT-APPL-SN-262430 US-PATENT-CLASS-74-5.7 US-PATENT-CLASS-308-10 US-PATENT-3,763,708	c07 N74-19790	NASA-CASE-MFS-21540-1 US-PATENT-APPL-SN-333912 US-PATENT-CLASS-178-7.1 US-PATENT-CLASS-325-148 US-PATENT-3,800,224
c33 N74-18551	NASA-CASE-LAR-11053-1 US-PATENT-APPL-SN-281875 US-PATENT-CLASS-73-15R US-PATENT-3,789,654	c07 N74-19806	NASA-CASE-NPO-13321-1 US-PATENT-APPL-SN-455163
c33 N74-18552	NASA-CASE-NPO-11120-1 US-PATENT-APPL-SN-39343 US-PATENT-CLASS-29-157.3R US-PATENT-CLASS-165-105 US-PATENT-CLASS-267-166 US-PATENT-3,789,920	c09 N74-19852	NASA-CASE-GSC-11627-1 US-PATENT-APPL-SN-450501
c03 N74-18726	NASA-CASE-MFS-22002-1 US-PATENT-APPL-SN-452769	c09 N74-19853	NASA-CASE-GSC-11844-1 US-PATENT-APPL-SN-452761
c05 N74-18805	NASA-CASE-ARC-10519-2 US-PATENT-APPL-SN-452767	c09 N74-19854	NASA-CASE-LAR-11352-1 US-PATENT-APPL-SN-459736
c09 N74-18869	NASA-CASE-NPO-13426-1 US-PATENT-APPL-SN-450503	c10 N74-19870	NASA-CASE-MFS-21470-1 US-PATENT-APPL-SN-340871 US-PATENT-CLASS-325-62 US-PATENT-CLASS-333-17 US-PATENT-CLASS-343-7.5 US-PATENT-CLASS-343-17.7 US-PATENT-3,795,910
c11 N74-18891	NASA-CASE-MFS-22287-1 US-PATENT-APPL-SN-438147	c14 N74-20008	NASA-CASE-GSC-11188-3 US-PATENT-APPL-SN-80029 US-PATENT-APPL-SN-244566 US-PATENT-CLASS-117-45 US-PATENT-3,799,793
c14 N74-19093	NASA-CASE-NPO-13214-1 NASA-CASE-NPO-13215-1 US-PATENT-APPL-SN-394149	c14 N74-20009	NASA-CASE-NPO-11861-1 US-PATENT-APPL-SN-266911 US-PATENT-CLASS-178-DIG.1 US-PATENT-CLASS-178-6 US-PATENT-CLASS-178-7.6 US-PATENT-3,800,074
c24 N74-19310	NASA-CASE-HQN-10740-1 US-PATENT-APPL-SN-266943 US-PATENT-CLASS-356-28 US-PATENT-CLASS-356-106R US-PATENT-CLASS-356-112 US-PATENT-3,795,448	c14 N74-20019	NASA-CASE-LAR-11021-1 US-PATENT-APPL-SN-453115
c32 N74-19528	NASA-CASE-LAR-10426-1 US-PATENT-APPL-SN-239575 US-PATENT-CLASS-73-15.6 US-PATENT-CLASS-73-91 US-PATENT-3,795,134	c14 N74-20020	NASA-CASE-LAR-11353-1 US-PATENT-APPL-SN-446561
c33 N74-19583	NASA-CASE-GSC-11752-1 US-PATENT-APPL-SN-446569	c14 N74-20021	NASA-CASE-ARC-10344-2 US-PATENT-APPL-SN-446564
		c14 N74-20022	NASA-CASE-NPO-13348-1 US-PATENT-APPL-SN-452770
		c15 N74-20063	NASA-CASE-LAR-10129-2 US-PATENT-APPL-SN-99201 US-PATENT-APPL-SN-319410 US-PATENT-CLASS-312-1 US-PATENT-3,796,473
		c15 N74-20071	NASA-CASE-MSC-14435-1 US-PATENT-APPL-SN-450504
		c15 N74-20072	NASA-CASE-LAR-11224-1 US-PATENT-APPL-SN-450502
		c15 N74-20073	NASA-CASE-NPO-13360-1 US-PATENT-APPL-SN-401920
		c16 N74-20118	NASA-CASE-HQN-10844-1 US-PATENT-APPL-SN-412080
		c18 N74-20152	NASA-CASE-LEW-11879-1 US-PATENT-APPL-SN-425362

ACCESSION NUMBER INDEX

c24 N74-20329	NASA-CASE-GSC-11425-1 US-PATENT-APPL-SN-206266 US-PATENT-CLASS-148-1.5 US-PATENT-3,799,813	US-PATENT-CLASS-343-730 US-PATENT-CLASS-343-786 US-PATENT-CLASS-343-797 US-PATENT-CLASS-343-853 US-PATENT-3,803,617
c27 N74-20397	NASA-CASE-NPO-12122-1 US-PATENT-APPL-SN-401921	NASA-CASE-GSC-11428-1 US-PATENT-APPL-SN-292685 US-PATENT-CLASS-343-708 US-PATENT-CLASS-343-769 US-PATENT-CLASS-343-853 US-PATENT-3,805,266
c31 N74-20541	NASA-CASE-MFS-22734-1 US-PATENT-APPL-SN-453232	NASA-CASE-HQN-10832-1 US-PATENT-APPL-SN-301417 US-PATENT-CLASS-35-35A US-PATENT-CLASS-178-DIG.32 US-PATENT-CLASS-178-5.8R US-PATENT-CLASS-178-7.2 US-PATENT-CLASS-340-407 US-PATENT-3,800,082
c02 N74-20646	NASA-CASE-LEW-11188-1 US-PATENT-APPL-SN-152328 US-PATENT-CLASS-137-15.1 US-PATENT-CLASS-137-15.2 US-PATENT-CLASS-244-53B US-PATENT-3,799,475	
c05 N74-20725	NASA-CASE-MFS-22102-1 US-PATENT-APPL-SN-341621 US-PATENT-CLASS-4-10 US-PATENT-CLASS-4-120 US-PATENT-3,805,303	c09 N74-20864
c05 N74-20726	NASA-CASE-ARC-10597-1 US-PATENT-APPL-SN-281876 US-PATENT-CLASS-73-67.9 US-PATENT-CLASS-128-2V US-PATENT-3,802,253	c14 N74-21014
c05 N74-20728	NASA-CASE-MFS-21415-1 US-PATENT-APPL-SN-318152 US-PATENT-CLASS-73-23 US-PATENT-CLASS-73-421.5R US-PATENT-CLASS-128-2.07 US-PATENT-CLASS-128-2.08 US-PATENT-3,799,149	c14 N74-21015
c07 N74-20809	NASA-CASE-MSC-12462-1 US-PATENT-APPL-SN-274360 US-PATENT-CLASS-178-88 US-PATENT-CLASS-325-320 US-PATENT-CLASS-325-423 US-PATENT-3,800,227	c14 N74-21017
c07 N74-20810	NASA-CASE-MSC-12494-1 US-PATENT-APPL-SN-304705 US-PATENT-CLASS-325-321 US-PATENT-CLASS-325-419 US-PATENT-3,806,816	c14 N74-21018
c07 N74-20811	NASA-CASE-NPO-13103-1 US-PATENT-APPL-SN-338484 US-PATENT-CLASS-325-320 US-PATENT-CLASS-325-419 US-PATENT-CLASS-329-122 US-PATENT-3,806,815	c14 N74-21019
c07 N74-20813	NASA-CASE-PRC-10071-1 US-PATENT-APPL-SN-307727 US-PATENT-CLASS-178-7.7 US-PATENT-CLASS-315-18 US-PATENT-CLASS-315-22 US-PATENT-3,803,445	c15 N74-21055
c08 N74-20836	NASA-CASE-ERC-10180-1 US-PATENT-APPL-SN-838278 US-PATENT-CLASS-235-164 US-PATENT-3,803,393	c15 N74-21056
c09 N74-20859	NASA-CASE-XLB-2529-3 US-PATENT-APPL-SN-288856 US-PATENT-APPL-SN-487929 US-PATENT-APPL-SN-848403 US-PATENT-CLASS-315-211 US-PATENT-CLASS-315-228 US-PATENT-CLASS-331-94.5D US-PATENT-CLASS-332-7.51 US-PATENT-3,806,835	c15 N74-21057
c09 N74-20860	NASA-CASE-GSC-11446-1 US-PATENT-APPL-SN-263230 US-PATENT-CLASS-343-DIG.2 US-PATENT-CLASS-343-100SA US-PATENT-CLASS-343-100ST US-PATENT-CLASS-343-854 US-PATENT-3,806,932	c15 N74-21058
c09 N74-20861	NASA-CASE-GSC-11560-1 US-PATENT-APPL-SN-361906 US-PATENT-CLASS-95-53BA US-PATENT-CLASS-350-269 US-PATENT-CLASS-354-234 US-PATENT-3,804,506	c15 N74-21059
c09 N74-20862	NASA-CASE-GSC-11513-1 US-PATENT-APPL-SN-315069 US-PATENT-CLASS-331-108A US-PATENT-CLASS-331-115 US-PATENT-CLASS-331-116R US-PATENT-CLASS-331-159 US-PATENT-3,806,831	c15 N74-21060
c09 N74-20863	NASA-CASE-GSC-113173 US-PATENT-APPL-SN-244158	c15 N74-21061
		c15 N74-21062
		c15 N74-21063
		c15 N74-21064

ACCESSION NUMBER INDEX

US-PATENT-3,802,753
c15 N74-21065 NASA-CASE-WPO-11951-1
US-PATENT-APPL-SN-287150
US-PATENT-CLASS-137-628
US-PATENT-CLASS-251-120
US-PATENT-CLASS-251-122
US-PATENT-CLASS-251-210
US-PATENT-3,802,660
c16 N74-21091 NASA-CASE-GSC-11262-1
US-PATENT-APPL-SN-162380
US-PATENT-CLASS-33-285
US-PATENT-CLASS-250-204
US-PATENT-CLASS-356-141
US-PATENT-CLASS-356-152
US-PATENT-CLASS-356-172
US-PATENT-3,804,525
c18 N74-21156 NASA-CASE-ARC-10592-1
US-PATENT-APPL-SN-321179
US-PATENT-CLASS-260.46.5E
US-PATENT-3,803,090
c23 N74-21300 NASA-CASE-ARC-10516-1
US-PATENT-APPL-SN-267768
US-PATENT-CLASS-350-270
US-PATENT-CLASS-354-234
US-PATENT-3,797,919
c23 N74-21304 NASA-CASE-GSC-11353-1
US-PATENT-APPL-SN-260241
US-PATENT-CLASS-250-231SE
US-PATENT-CLASS-350-299
US-PATENT-CLASS-356-152
US-PATENT-3,802,779